

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
30 September 2004 (30.09.2004)

PCT

(10) International Publication Number
WO 2004/084536 A1

(51) International Patent Classification⁷: **H04N 1/00**

(21) International Application Number:
PCT/EP2004/002278

(22) International Filing Date: 5 March 2004 (05.03.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0303389 20 March 2003 (20.03.2003) FR

(71) Applicant (for all designated States except US): **EAST-MAN KODAK COMPANY** [US/US]; 343 State Street, Rochester, NY 14650 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **TOUCHARD, Nicolas, Patrice, Bernard** [FR/FR]; Kodak Industrie, Département Brevets, CRT - Zone Industrielle, F-71102 Chalon

Sur Saone Cedex (FR). **VAU, Jean-Marie** [FR/FR]; Kodak Industrie, Département Brevets, CRT - Zone Industrielle, F-71102 Chalon sur Saone Cedex (FR).


(74) Agent: **WEBER, Etienne**; Kodak Industrie, Département Brevets, CRT - Zone Industrielle, F-71102 Chalon sur Saone Cedex (FR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: METHOD FOR SHARING MULTIMEDIA DATA



(57) Abstract: Method for sharing multimedia data and especially images captured by many cameras provided with image transmission means, comprising: the reception of digital image routing messages that include image data (40) and at least some event data (42); the linking to each image of an identifier according to the event data, and the saving of said digital images; the reception of image requests (50) also comprising at least some event data (52); the search for at least one saved image, linked to an identifier according to an event data (42) corresponding to the event data (52) of the request, and if the search finds at least one image, the transmission of the images to an addressee.



GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— *with amended claims*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*

METHOD FOR SHARING MULTIMEDIA DATA

Technical field

The present invention relates to a method for sharing multimedia data and in particular a method for sharing multimedia data captured by many
5 people attending the same event.

By multimedia data is meant, image data, sound or music recordings, video clips, text or any combination of images, sound, music, text and video.

The invention has applications especially for sharing images
10 captured during a public event that takes place in a defined location, but during which all the people attending the event do not have the same facility or the same opportunity to capture images. This situation is found mainly during sporting or cultural events attended by large numbers of spectators. For
15 example, the spectators attending a football match may be more or less well placed to take photographs, according to how the game evolves in one or another area of the pitch.

State of the prior art

Digital image management systems are known that offer users, provided with a mobile phone or similar equipment, the option of going at any
20 moment to a central server of images captured using a digital camera. The latter can be integrated or not with the mobile phone.

Images reaching the central server are stored and linked with an identification means specific to each user or to each routed image. The user can thus afterwards go to browse their images, as a remote photo album. Browsing
25 can take place by means of a digital photographic frame, a computer, or by means of any other equipment provided with a display screen and a means of connection to a communication network appropriate for image transfer. The images are transmitted for example by the Internet and/or telephone network.

The user can also order, in certain cases, the transmission of their
30 images to addressees of their choice, or the printing of proofs of the images.

Thus, image management systems enable image sharing, to some extent. However, this sharing remains limited to a restricted circle of people identified by the user.

However, the main interest of remote image management systems remains that of offering users the opportunity to regularly unload the buffer memory of their camera, in order to enable new shots. This aspect is especially important for mobile phones equipped with shot sensor, whose capacity to transmit images easily compensates for a rather modest buffer memory. In particular, images can be automatically transmitted to the image management system server in response to each triggering of a shot.

Description of the invention

It is the object of the invention to propose a method for sharing digital multimedia data on a large scale, enabling a considerable number of users to have access to multimedia data relating to an event.

One object is to organize the collection of multimedia data but also data distribution, while ensuring the data is specific to a given event.

Yet another object is to control an access right to the shared data.

To achieve these objects, the invention relates more specifically to a method for sharing multimedia data captured by many cameras and/or sound recorders provided with image transmission means. The method comprises:

- the reception of multimedia data routing messages that include multimedia data and at least some event data,
- the linking to each multimedia data of an identifier according to the event data, and the saving of said multimedia data,
- the reception of multimedia data requests also comprising at least some event data,
- the search for at least one saved multimedia data, linked to an identifier according to an event data corresponding to the event data of the request, and
- if the search finds at least one multimedia data, the transmission of the multimedia data to an addressee.

The addressee is generally the transmitter of the multimedia data request message, even if the designation of a different addressee can be envisaged.

5 The multimedia data routing messages can come from many users, equipped, for example, with mobile phones with built-in image sensor. These messages include multimedia data, relative to one or more images, to sounds, or to text, and moreover, the event data.

As their name shows, the event data aim to identify the event to which the multimedia data refer. This is for example geographic localization data
10 and temporal data. These data enable a central server to sort multimedia data according to the event to which they refer. Therefore, the central server can include a table, regularly updated, and giving for a number of referenced events, the place and time of their scheduling.

As a simple illustration, the table can contain information
15 according to which a football match is taking place in a certain stadium, in a particular time frame. The stadium can be simply identified by a code or by its geographic coordinates. Similarly, the table can contain information according to which a concert is taking place in a certain hall, in a particular time frame.

Before the storing of the multimedia data, the multimedia data is
20 linked with an identifier according to one or more event data linked with the multimedia data. The identifier can, in a particular case, amount to place and date data; it can also be a code assigned to an event or, yet more simply, be the indication of a memory or part of memory that is to receive the multimedia data. Part of the memory can be linked with each referenced event.

25 Users wishing to obtain multimedia data of the event, although they are not attending it, or are not in a favorable place for shooting or recording sound, can send multimedia data requests to the server sharing the multimedia data. The request is simply a message that consists in asking for the images, sounds or any other type of multimedia data. The request may include data or
30 information specifying the type of multimedia data required. To define the required data, in this case those relating to the relevant event, image request users also transmit one or more event data with the request.

Thus, the search for the required multimedia data takes place by comparison between the event data used as identifier, or to form the identifiers, and the event data of the multimedia data requests. The coincidence or at least the matching between the event data of the stored multimedia data and those of the multimedia data requests enables retaining the multimedia data to be transmitted. The event data of the multimedia data requests can also be linked to identifiers, so that the search for the desired images can take place by comparison of the identifiers rather than by comparison of the event data.

The search for multimedia data that correspond with the wishes of a user requesting multimedia data and their transmission to the user can be operations subject to conditions. Therefore, the request message for multimedia data can contain data usable as a condition of execution of the search and transmission operations. The condition can be, for example, a condition of subscription, payment, supply of multimedia data, place of transmission of multimedia data request and/or date of multimedia data request. In particular, *the fact of having routed multimedia data to the server sharing the multimedia data* can be a condition of a later request for multimedia data supplied by other users.

Further, the routing of the multimedia data to the server can also be subject to conditions of date and place of transmission, to prevent the storage of "interference" data, i.e. data that does not match a listed event. The event data is thus used not only to classify the routed multimedia data, but also for *their filtering*.

As mentioned above, the event data, both for routing multimedia data and for the multimedia data request can in particular be time data and/or geographic data. It is, for example, the date and place of the transmission of the routing message or the multimedia data request message. By "date" is meant time information whose accuracy can be less than a day. In this case the date can comprise information with hours, minutes, or even seconds.

The place of transmission of the routing messages or multimedia data request messages can be fixed for example by a global positioning system (GPS) built into the device for shooting, sound recording, using the related radio

transmission means. Similarly, the date can be given by a clock specific to the portable equipment. However, for a better guarantee of accuracy and objectivity of the event data, the date and place of sending the routing or multimedia data request messages can be supplied by the mobile phone or telecommunications operator that relays the message transmission. In particular, the transmission place can be determined by triangulation among transmission relays. The date can be given by a clock inside the portable equipment or inside the communication gateway managed by the mobile phone operator.

When the event data are established by the telecommunications operator, the creation of an identifier and the linking of each multimedia data to an identifier can be done to choice by the telecommunications operator or by the data sharing service provider.

In particular the method targets the sharing of images in which the routing messages and image requests come from cameras provided with a connection to a telecommunications network, such as mobile phones with built-in image sensor. The images supplied by users thus equipped can be completed by images taken by professional photographers using more sophisticated cameras. This enables high quality images to be made available to the user, corresponding to the event the user is attending, or for which they have indicated their interest in to the service provider.

The invention also relates to a program that can be downloaded to portable communications equipment, provided with a display and camera, comprising instructions suited to sending routing and multimedia data request messages, to execute the method described above.

Other characteristics and advantages of the invention will appear in the following description, with reference to the figure of the appended drawing. This description is given purely as an illustration and is not limiting.

Brief description of the figure

Figure 1, alone, is a diagrammatic and simplified representation of a particular implementation of a method according to the invention. In order to be clear, the various parts of the figure are not represented according to a uniform scale.

Description of the embodiments of the invention

The following text describes a particular example of sharing multimedia data which is image sharing. Other types of data, or other multimedia content can nevertheless be treated in the same way.

5 Item 10 of Figure 1 shows very symbolically a stadium in which a sporting, cultural or social event is taking place and at which many spectators are present. Item 12a shows mobile phones provided with a display 14 and a built-in digital camera 16. These mobile phones represent a category of portable devices combining the functions of shooting, display and telecommunications.
10 They are suited to images or to video. The users of telephones 12a acquire digital images that they can display to view on the screen 14. They can also send routing messages of image data to an image sharing provider. The routing takes place by means of a communications network, such as the telephone network, the Internet or any other suitable network.

15 The image sharing provider has a server 20 for collecting and distributing image data. This is provided with a memory 22 intended to store data.

 The users of mobile phones can also address the image sharing provider to ask it to supply them with image data. This is the case for users of
20 mobile phones 12a routing image data, but also for other telephone users 12d, and in particular those unfavorably placed in relation to the center of the event. Users of this second category send image request messages to the server 20 so as to obtain images acquired by better placed users. To simplify the description in the following text we will use the item 12a to designate the equipment of users
25 who are routing images and the item 12d for the equipment of those requesting them.

 It should be noted immediately that the same user can be part of the two categories by supplying and requesting images. It may also be noted that the telephones 12d, or the equipment they represent, are not necessarily provided
30 with image sensor and are not necessarily located in the neighborhood of the event. Indeed, according to a particular embodiment of the method, the item 12d

can also embrace devices such as personal computers linked to the communication network and provided with a display.

The data routing messages are transmitted from the telephones 12a to the server 20 by means of an operator 30 of mobile phones or more generally telecommunications. This is shown in summary by a dotted line.

The messages sent from the telephones 12a include image data 40. The operator 30 ensures the routing of the image data 40 to the server 20 and establishes, at the same time, additional data such as the message transmission place and date data. The place can be established by triangulation among various message reception antennas and the date can be given by a clock. These additional data 42 are linked to the image data and are indicated by event data. The event data can also include other information such as the codes transmitted by the users of the telephones 12a. The place and date information can also be supplied automatically by the telephones 12a. The operation 45, consisting in linking the image data 40 and the event data 42, can be done by the user, by the operator 30 and/or by the image sharing provider, whether automatically or not. The Figure illustrates more precisely a situation in which the event data 42 are linked to the image data 40 by the mobile phone operator. Any event data that are directly linked to the image data by the user are shown by dotted line with the item 42a.

The images 40, completed with event data 42, are directed to the server where they cross a first filter 24. The filter 24 can be linked to a table 25 holding an events list for which the sharing service is supplied. The table 25 contains, for example, place and date data, or more generally event data, corresponding to the listed events. The event data of the incoming image routing messages are compared with those of the table 25 to determine if the images are held or not for image sharing. If this is not the case the image data can be rejected or directed to another type of processing. In other words, the comparison is used to condition the image processing.

The selected images are saved in the memory 22 and are linked to an identifier. The identifier is, for example, the event data of the image or any code set according to the event data. In the example of the Figure, the selected

identifier is simply the event data 42 of the image. The identifier enables an image to be found in a part or a register of the memory. It should be noted that an identical identifier may be linked to all the images from the same event, i.e. for example, to all the images sent from a given place in a given time period.

5 The identifier can also include a component that is a function of the transmitter of the image routing message.

The image request messages are shown by the item 50. They are transmitted from the mobile phones 12d and also pass by a mobile phone operator. In the example shown, this is the same mobile phone operator 30. An operation shown by the item 55 consists in linking the event data 52 to the image request messages. This operation is comparable to that marked by the item 45. It is simply distinguished on the Figure to make the description clear. In other words, the image request messages like the image routing messages are linked to event data to identify an event to which the messages refer.

10

The image requests are received by the server. A filter 26 ensures that only requests relative to a held events list are retained. For example these are the events of the table 25 already described. The filtering takes place using the event data as criteria. Here again, the filtering operations 24 and 26 can be combined. The event data 52, or part of this data, or again additional data, can be used by the filter to submit the search and transmission of multimedia data to additional conditions. The condition can be linked or not to a user, to a place, to a date, to a payment, etc.

15

20

The item 28 designates the search, in response to an image request, for an image held in the memory 22. The search is performed according to the image identifiers 42. More precisely, it is performed so as to retain the images linked to one or more identifiers according to event data 42 corresponding to the event data 52 of the image request.

25

In a particular embodiment, the memory 22 can be searched for all the images for which the event data 42 refer to the same event as the event data 52 of an image request. This amounts to making a correlation between the event data of the image requests and the stored images. If these correspond to the same place and same time window, the transmission of the stored images to

30

their addressee can take place. The identifiers of the stored images can also include a code that must match with a code contained in the event data of the image requests.

As indicated above, the images 40 found during the search are
5 transmitted to the mobile phone 12d from which the image request came. This transmission is symbolized by an arrow 60.

Finally, without there being any other link between the users, an image 40 captured by the mobile phone 12a of a first user can be viewed on the screen of a mobile phone 12d of another user. Remember that the mobile phone
10 here represents a whole range of multimedia devices comprising display means, communication means and possibly shooting means.

CLAIMS

1) A method for sharing multimedia data captured by many cameras or sound recorders provided with multimedia data transmission means, comprising

- the reception of multimedia data routing messages, the routing messages including multimedia data (40) and at least some event data (42),
- the linking to each multimedia data of an identifier according to the event data, and the saving of said multimedia data,
- the reception of multimedia data requests (50) also comprising at least some event data (52),
- the search for at least one saved multimedia data, linked to an identifier according to an event data (42) corresponding to the event data (52) of the request, and
- if the search finds at least one multimedia data, the transmission of the multimedia data to an addressee.

2) A method for sharing multimedia data wherein the multimedia data include data relative to images, video clips, sound recordings, text and/or any combination of such data.

3) A method according to Claim 1, wherein the event data contained in the multimedia data routing message are set according to the place and date of transmission of the routing message.

4) A method according to Claim 1, wherein the event data are established by a telecommunications operator (30) transmitting multimedia data routing messages.

5) A method according to Claim 4, wherein the linking of the images with an identifier is performed by the telecommunications operator or by an image sharing service provider.

6) A method according to Claim 1, wherein at least one of the search operations for saved multimedia data and their transmission to an addressee are conditional operations.

5 7) A method according to Claim 6, wherein the multimedia data requests include at least one data usable as a condition of execution of the search and transmission operations.

10 8) A method according to Claim 7, wherein the data usable as a condition of execution is an event data contained in the image request.

15 9) A method according to Claim 1, wherein the routing messages and multimedia data requests are from cameras/sound recorders provided with a connection to a telecommunications network, such as mobile phones with built-in image sensor.

20 10) A method according to Claim 1, wherein the image requests are from multimedia data capturing devices and image displays provided with a connection to a telecommunications network, such as mobile phones with viewing screen, suited to image or video.

25 11) A method according to Claim 1, comprising, on reception of the routing messages, a comparison of the event data of the multimedia data routing messages with the previously listed event data, the comparison of the data conditioning the processing of the multimedia data.

30 12) A program that can be downloaded to portable communication equipment, comprising instructions suited to sending routing and/or multimedia data request messages to execute the steps of the method according to Claim 1.

AMENDED CLAIMS

[received by the International Bureau on 12 July 2004 (12.07.04);
original claims 1-12 amended (2 pages)]

1) A method for sharing multimedia data captured by a plurality of cameras or sound recorders provided with multimedia data transmission means, comprising

- 5 - the reception of multimedia data routing messages, the routing messages including multimedia data (40) and at least some event data (42),
- the linking to each multimedia data of an identifier according to the event data, and the saving of said multimedia data,
- the reception of multimedia data requests (50) also comprising at least
- 10 some event data (52),
- the search for at least one saved multimedia data, linked to an identifier according to an event data (42) corresponding to the event data (52) of the request, and
- if the search finds at least one multimedia data, the transmission of the
- 15 multimedia data to an addressee.

2) A method for sharing multimedia data according to Claim 1, wherein the multimedia data include data relative to images, video clips, sound recordings, text and/or any combination of such data.

20

3) A method according to Claim 1, wherein the event data contained in the multimedia data routing message are set according to the place and date of transmission of the routing message.

25

4) A method according to Claim 1, wherein the event data are established by a telecommunications operator (30) transmitting the multimedia data routing messages.

5) A method according to Claim 4, wherein the linking of the

30 images with an identifier is performed by the telecommunications operator or by an image sharing service provider.

6) A method according to Claim 1, wherein at least one of the search operations for saved multimedia data and their transmission to an addressee are conditional operations.

5 7) A method according to Claim 6, wherein the multimedia data requests include at least one data usable as a condition of execution of the search and transmission operations.

8) A method according to Claim 7, wherein the data usable as a
10 condition of execution is an event data contained in the image request.

9) A method according to Claim 1, wherein the routing messages and multimedia data requests are from cameras/sound recorders provided with a connection to a telecommunications network, such as mobile phones with built-in
15 image sensor.

10) A method according to Claim 1, wherein the image requests are from multimedia data capturing devices and image displays provided with a connection to a telecommunications network, such as mobile phones with viewing
20 screen, suited to image or video.

11) A method according to Claim 1, comprising, on reception of the routing messages, a comparison of the event data of the multimedia data routing messages with the previously recorded event data, the comparison of the data
25 conditioning the processing of the multimedia data.

12) A program that can be downloaded to portable communication equipment, comprising instructions suited to sending routing and/or multimedia data request messages to execute the steps of the method according to Claim 1.

30




FIG. 1

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/EP2004/002278

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04N1/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data, INSPEC, IBM-TDB

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2001/010543 A1 (ALLEN JAMES D ET AL) 2 August 2001 (2001-08-02) paragraphs '0003!, '0012!, '0014!, '0015!; figures 1,2 -----	1-3
Y	WO 00/62542 A (INTERACTIVE PICTURES CORP ;TOURVILLE MICHAEL J (US); BAUER MARTIN) 19 October 2000 (2000-10-19) page 6, line 9 - page 8, line 1 page 8, line 28 - page 10, line 7 -----	1-3
A	US 2001/032335 A1 (JONES LAWRENCE R) 18 October 2001 (2001-10-18) paragraphs '0012!, '0060! - '0062! ----- -/--	1,9,10

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

14 June 2004

Date of mailing of the international search report

21/06/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Hazel, J

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2004/002278

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 1 133 151 A (NOKIA MOBILE PHONES LTD ;FUJI PHOTO FILM CO LTD (JP)) 12 September 2001 (2001-09-12) abstract -----	1,9,10
P,A	EP 1 317 124 A (GRETAG IMAGING TRADING AG) 4 June 2003 (2003-06-04) paragraph '0032! -----	1
A	WO 99/56463 A (IMAGEK INC) 4 November 1999 (1999-11-04) -----	
A	US 2002/138847 A1 (ABRAMS DAVID HARDIN ET AL) 26 September 2002 (2002-09-26) -----	
A	US 2001/001865 A1 (BARRACLOUGH KEITH ET AL) 24 May 2001 (2001-05-24) -----	
A	EP 1 278 366 A (EASTMAN KODAK CO) 22 January 2003 (2003-01-22) -----	
A	US 2002/088000 A1 (MORRIS ROBERT PAUL) 4 July 2002 (2002-07-04) -----	

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2004/002278

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2001010543 A1	02-08-2001	US 2003142215 A1 US 2001022618 A1	31-07-2003 20-09-2001
WO 0062542 A	19-10-2000	WO 0062542 A1 AU 3638499 A EP 1195057 A1	19-10-2000 14-11-2000 10-04-2002
US 2001032335 A1	18-10-2001	AU 4542601 A WO 0167267 A1	17-09-2001 13-09-2001
EP 1133151 A	12-09-2001	JP 2001230999 A AU 2307501 A CN 1309501 A EP 1133151 A2 TW 522721 B US 2001041056 A1	24-08-2001 23-08-2001 22-08-2001 12-09-2001 01-03-2003 15-11-2001
EP 1317124 A	04-06-2003	EP 1317124 A1	04-06-2003
WO 9956463 A	04-11-1999	AU 3665499 A CA 2329723 A1 EP 1080578 A1 JP 2002515658 T WO 9956463 A1 AU 1719100 A AU 1720800 A WO 0029904 A1 WO 0030338 A2 US 6370339 B1	16-11-1999 04-11-1999 07-03-2001 28-05-2002 04-11-1999 05-06-2000 05-06-2000 25-05-2000 25-05-2000 09-04-2002
US 2002138847 A1	26-09-2002	AU 2117401 A WO 0131926 A1	08-05-2001 03-05-2001
US 2001001865 A1	24-05-2001	NONE	
EP 1278366 A	22-01-2003	US 2003009527 A1 CA 2384487 A1 EP 1278366 A2 JP 2003153167 A	09-01-2003 26-12-2002 22-01-2003 23-05-2003
US 2002088000 A1	04-07-2002	NONE	