



(22) Date de dépôt/Filing Date: 1999/08/13

(41) Mise à la disp. pub./Open to Public Insp.: 2000/02/29

(45) Date de délivrance/Issue Date: 2004/12/07

(30) Priorité/Priority: 1998/08/31 (244813/98) JP

(51) Cl.Int.⁶/Int.Cl.⁶ A47K 10/20, B65D 83/08


(72) Inventeur/Inventor:
BANDO, TAKESHI, JP

(73) Propriétaire/Owner:
UNI-CHARM CORPORATION, JP

(74) Agent: MCFADDEN, FINCHAM

(54) Titre : ARTICLE CONTENANT UNE PILE DE DEBARBOUILLETES

(54) Title: PRODUCT HOUSING STACKED BODY OF WET TISSUES



(57) Abrégé/Abstract:

A wet tissue product composed of a stacked body of folded wet tissues and a container or package housing the stacked body in which each of the folded wet tissues is formed by folding a plane wet tissue with one edge thereof upward and the other edge thereof downward along folding line portions to have an upper folded portion, a lower folded portion and an intermediate portion



(57) **Abrégé(suite)/Abstract(continued):**

between the upper and lower folded portions. The folded wet tissues are consecutively combined such that the folding line portion forming the lower folded portion of the upper wet tissue is sandwiched between the upper folded portion and the intermediate portion of the succeeding lower wet tissue.

ABSTRACT OF DISCLOSURE

A wet tissue product composed of a stacked body of folded wet tissues and a container or package housing the stacked body in which each of the folded wet tissues is
5 formed by folding a plane wet tissue with one edge thereof upward and the other edge thereof
downward along folding line portions to have an upper folded portion, a lower folded portion
and an intermediate portion between the upper and lower folded portions. The folded wet
tissues are consecutively combined such that the folding line portion forming the lower folded
portion of the upper wet tissue is sandwiched between the upper folded portion and the
10 intermediate portion of the succeeding lower wet tissue.

PRODUCT HOUSING STACKED BODY OF WET TISSUES

FIELD OF THE INVENTION

5 The present invention relates to a wet tissue product having a stacked body of folded wet tissues housed in a container or package.

BACKGROUND OF THE INVENTION

10 In general, wet tissues are sealed and housed in a container or package so as to keep their wet state before use or when unused. These wet tissues are stacked, such that they have overlapping portions between the upper and lower wet tissues, so that they are consecutively and sequentially pulled out of an outlet provided in the container or package. When the wet tissue at the uppermost position is pulled out, a portion of the succeeding wet tissue is protruded from the outlet of the container. This is generally called the "pop-up type". The conventional wet tissue stacked body of this "pop-up type" will be described with
15 reference to the drawings.

One example of the conventional wet tissue stacked body, as shown in **Fig. 14**, is formed in the following manner. First, a wet tissue **61A** is folded in two along its center line **64** as a folding line, as shown in **Fig. 12(A)**, such that a wet tissue **61B** having such a shape as shown in **Fig. 12(B)** is produced. In **Fig. 14**, the wet tissues **61B** are stacked such
20 that a lower half **63** of the upper wet tissue **61B** is sandwiched between an upper half **62** and a lower half **63** of the lower wet tissue **61B**.

When the upper wet tissue **61B** is pulled out, the upper half **62** of the lower wet tissue **61B**, which is put on the lower half **63** of the upper wet tissue **61B**, is pulled up together toward the outlet (not shown) to be pulled out from the outlet. Thus, the upper half **62** of the
25 lower wet tissue **61B** comes out of the outlet so that the wet tissues can be pulled out consecutively one by one.

However, in the wet tissue stacked body shown in **Fig. 14**, the overlapping area between the lower half **63** of the upper wet tissue **61B** and the upper half **62** of the lower wet tissue **61B** is as large as about one half of the area of the wet tissue **61A** before being folded.
30 Therefore, when the upper wet tissue **61B** is pulled out, the length of the protrusion of the

succeeding lower wet tissue **61B** becomes as large as about one half of the length of the wet tissue **61A** before being folded.

If the protrusion of the wet tissue is too large, it can not be confined within the area of a cover which is usually provided with the container or package to cover the outlet. As a result, the protrusion partially extends out of the cover. Then, the wet tissue dries up at this portion extending out of the cover. Moreover, when the protrusion partially extends out of the cover, it is difficult to close the cover reliably. This lowers the sealability of the container or package, so that the overall wet tissue stacked body is liable to dry up.

Fig. 15 shows another example of the conventional wet tissue stacked body. The wet tissue stacked body shown in **Fig. 15** is formed in the following manner. A wet tissue **71A**, as shown in **Fig. 13(A)**, is folded back at its end portions toward the opposite faces along the folding lines **75** and **76** which divide the wet tissue **71A** substantially in three such that a wet tissue **71B** having such a shape as shown in **Fig. 13(B)** is formed. As shown in **Fig. 15**, the wet tissues **71B** are stacked such that a lower portion **72** of the upper wet tissue **71B** is sandwiched between an upper portion **74** and an intermediate portion **73** of the succeeding lower wet tissue **71B**.

In this construction, the overlapping area between the lower portion **72** of the upper wet tissue **71B** and the upper portion **74** of the lower wet tissue **71B** is as large as about one third of the area of the wet tissue **71A** before folded. Therefore, the length of the protrusion of the succeeding lower wet tissue **71B** becomes shorter than that of the example shown in **Fig. 14**. However, since the wet tissue **71B** is folded in three, the stacked body composed of a plurality of wet tissues **71B** becomes too thick.

Disclosed in Japanese Patent Laid-Open No. 213453/1995 (which corresponding U.S. patent is No. 5,497,903) is a wet tissue folding structure which allows the wet tissues to be consecutively pulled out. This wet tissue folding structure is shown in **Fig. 16**. In this folding structure, the lower half **63** of the wet tissue **61B** shown in **Fig. 12(B)** is further folded in two along a folding line **65** to form a wet tissue **61C** shown in **Fig. 12(C)**. As shown in **Fig. 16**, the wet tissues **61C** are then stacked such that the upper half **62** of the lower wet tissue **61C** is sandwiched between the upper half **62** and an intermediate portion **66** of the upper wet tissue **61C**.

Here, as shown in Fig. 16, the wet tissue 61C is further indicated by 61C1, 61C2 and 61C3, in order from the top. When the wet tissue 61C1 is pulled out, the righthand half of the upper half 62 of the wet tissue 61C2 is pulled up together with the intermediate portion 66 of the wet tissue 61C1 and protruded from the outlet. In this folding structure, therefore, the length of the protrusion of the succeeding lower wet tissue 61C is optimized to about one quarter of the length of the wet tissue 61A before being folded. Moreover, the stacked body does not become too thick.

However, the folded wet tissue 61C composing the wet tissue stacked body shown in Fig. 16 is formed by folding the wet tissue 61A along the widthwise center line 64 and then by folding only the lower half 63 along the folding line 65. As a result, the widthwise center line of the folded wet tissue 61C is not identical to that of the unfolded wet tissue 61A. Therefore, the wet tissue has to be supplied to the folding step while being guided such that its center is widthwise shifted. This makes it difficult and seriously troublesome to adjust and stabilize the folding line at a correct position on the supply line.

At the folding step, moreover, because the center of wet tissue is liable to be offset, the center line 64 or the folding line 65 is liable to move out of position. With this discrepancy in the folding size, the overlapping area between the upper half 62 of the lower wet tissue 61C and the intermediate portion 66 of the upper wet tissues 61C fails to take one quarter of that of the unfolded wet tissue 61A accurately, so that the length of the protrusion of the wet tissue cannot be fixed. In addition, there may be such a case that the folding line 65 of the upper wet tissue and the folding line 65 of the lower wet tissue overlap each other. As a result, the central portion of the stacked body may become thick.

SUMMARY OF THE INVENTION

The invention has been conceived to solve the above-mentioned problems of the prior art and has one aspect of a preferred embodiment to provide a wet tissue product in which when a wet tissue is pulled out, the protrusion of the succeeding wet tissue is appropriately small.

Another preferred embodiment provides a wet tissue product in which the protrusion of the wet tissue can always be constant.

In accordance with one embodiment, the present invention provides a wet tissue product comprising: a stacked body of folded wet tissues; and a container or package housing the stacked body,

wherein each of the folded wet tissues is formed by folding a plane wet tissue with one edge thereof upward and the other edge thereof downward along folding line portions to have an upper folded portion, a lower folded portion and an intermediate portion between the upper and lower folded portions, and

the folded wet tissues are so consecutively combined such that the folding line portion forming the lower folded portion of the upper wet tissue is sandwiched between the upper folded portion and the intermediate portion of the succeeding lower wet tissue.

In the present invention, it is preferred that each of the folded portions has an area about one quarter as large as that of the unfolded wet tissue, or that the upper folded portion has an area about one fifth as large as that of the unfolded wet tissue whereas the lower folded portion has an area about two fifths as large as that of the unfolded wet tissue.

BRIEF DESCRIPTION OF THE DRAWINGS

Figs. 1(A) and 1(B) are perspective views showing a method of folding a wet tissue for an embodiment of the wet tissue product according to the invention;

Fig. 2 is a section for explaining a method of combining the folded wet tissues shown in **Fig. 1(B)**;

Fig. 3 is a section of an embodiment of the wet tissue product composed of the folded wet tissues shown in **Fig. 1(B)**;

Fig. 4 is a partially perspective view of the wet tissue product shown in **Fig. 3**;

Fig. 5 is a section showing a portion of the wet tissue stacked body shown in **Fig. 3**;

Fig. 6 is an explanatory diagram of a process for pulling out the wet tissue shown in **Fig. 5**;

Figs. 7(A) and 7(B) are perspective views showing a method of folding a wet tissue for another embodiment of the wet tissue product according to the invention;

Fig. 8 is a section for explaining a method of combining the folded wet tissues shown in **Fig. 7(B)**;

Fig. 9 is a section of another embodiment of the wet tissue product composed of the folded wet tissues shown in **Fig. 7(B)**;

Fig. 10 is a section of still another embodiment of the wet tissue product according to the invention;

Fig. 11 is a section for illustrating a protrusion of a wet tissue;

Figs. 12(A), 12(B) and 12(C) are perspective views showing a method by which a wet tissue is folded to form a stacked body according to the prior art;

Figs. 13(A) and 13(B) are perspective views showing a method by which a wet tissue is folded to form a stacked body according to the prior art;

Fig. 14 is a section showing a wet tissue stacked body according to the prior art;

Fig. 15 is a section showing a wet tissue stacked body according to the prior art; and

Fig. 16 is a section showing a wet tissue stacked body according to the prior art.

15 DETAILED DESCRIPTION OF THE INVENTION

The invention will be described with reference to the accompanying drawings.

Fig. 3 is a section showing an embodiment of a wet tissue product according to the invention. **Figs. 1(A) and 1(B)** are perspective views showing a method of folding a plane wet tissue to form a folded wet tissue for the wet tissue product shown in **Fig. 3**. **Fig. 2** is a section for explaining a method of combining the folded wet tissues shown in **Fig. 1(B)**.

Here will be described a folded wet tissue **11** for the first embodiment of the wet tissue product according to the invention. The folded wet tissue **11** is formed by folding a plane wet tissue into three portions. As shown in **Fig. 1(A)**, the plane wet tissue before being folded has a rectangular shape (having a lateral dimension in the direction X and a longitudinal dimension in the direction Y). The folded wet tissue **11** is formed such that one laterally extending edge **17** is folded upward along a folding line portion **15** extending in parallel with the edge **17** and the other laterally extending edge **18** is folded downward along a folding line portion **16** extending in parallel with the edge **18**. That is, the folded wet tissue **11** is formed by folding the edges **17** and **18** to the opposite sides, along the folding line portions **15** and **16**. The folded wet tissue **11** thus obtained has a general shape of letter "Z", as shown in **Fig. 1(B)**. This folded wet tissue **11** has an upper folded portion **12**, a lower

folded portion **14** and an intermediate portion **13** intervening between the folded portions **12** and **14**. Here, in this embodiment (as shown in **Figs. 1(A)** and **1(B)**), the folding line portions **15** and **16** extend in the direction X (i.e., in the lateral direction of the unfolded wet tissue), and the folding line portion **15** is spaced from the edge **17** by about one quarter of the longitudinal dimension of the plane wet tissue (i.e., unfolded wet tissue) whereas the folding line portion **16** is spaced from the edge **18** by about one quarter of the longitudinal dimension of the plane wet tissue (i.e., unfolded wet tissue). Therefore, the upper folded portion **12** and the lower folded portion **14** each have an area of about one quarter as large as that of the plane wet tissue (i.e., unfolded wet tissue).

The folded wet tissues **11** thus obtained are stacked in such a manner as shown in **Fig. 2**, such that a wet tissue stacked body **30** as shown in **Fig. 3** is provided. Here, in order to facilitate the explanation of the stacked state, the individual folded wet tissues **11** are designated numerals **11a**, **11b**, **11c** and **11d** in an order which begins from the top of the stacked body **30**.

As shown in **Fig. 2**, each wet tissue **11** is combined with its underlying wet tissue **11**, having its folding line portion **16** sandwiched between the upper folded portion **12** and the intermediate portion **13** of the underlying wet tissue **11**. For example, the folding line portion **16** of the wet tissue **11a** is sandwiched between the upper folded portion **12** and the intermediate portion **13** of the wet tissue **11b**, the folding line portion **16** of the wet tissue **11b** is sandwiched between the upper folded portion **12** and the intermediate portion **13** of the wet tissue **11c**, and the folding line portion **16** of the wet tissue **11c** is sandwiched between the upper folded portion **12** and the intermediate portion **13** of the wet tissue **11d**. Incidentally, as understood from **Fig. 2**, the wet tissues **11a** and **11c** having the folding line portions **16** on one side (right side) of the stacked body **30** and the wet tissues **11b** and **11d** having the folding line portions **16** on the other side (left side) of the stacked body **30** alternate with each other.

As described above, a plurality of the folded wet tissues **11** are consecutively combined to provide the wet tissue stacked body **30**, as shown in **Fig. 3**. This stacked body **30** is constructed by combining a number of, e.g., fifty or one hundred wet tissues. Here, the wet tissue stacked body **30** is thinner than that of the prior art.

In **Fig. 3**, the wet tissue stacked body **30** is housed in a container **35** having an outlet **36** for pulling out the wet tissues, to provide the wet tissue product of the invention.

Here, the bottom of the container **35** is omitted in **Fig. 4**, but the container **35** is sealed up excepting the outlet **36** so as to prevent the wet tissues from drying up. Further, the container **35** is generally provided with a cover (or lid) for closing (or covering around) the outlet **36** when the product is unused, although it is omitted in **Fig. 4**.

Before use, the outlet **36** confronts the edge **17** of the upper folded portion **12** of the uppermost folded wet tissue **11a**. Upon use, this uppermost folded wet tissue **11a** is pulled out from the outlet **36** by pinching its edge **17**. At this time, the upper folded portion **12** of the succeeding folded wet tissue **11b** is pulled up together with the intermediate portion **13** of the wet tissue **11a** and then comes out of the outlet **36**. That is, when the folded wet tissue **11a** is pulled out from the outlet **36**, the succeeding folded wet tissue **11b** protrudes partially from the outlet **36** and becomes the uppermost one to be pulled out next. Then, when this protruding folded wet tissue **11b** is pulled out, the succeeding folded wet tissue **11c** protrudes partially from the outlet **36** and becomes the uppermost one to be pulled out next, likewise.

As described above, in the wet tissue stacked body **30**, when the uppermost wet tissue is pulled out, the succeeding wet tissue protrudes partially from the outlet **36**. Here, the size of the protrusion of the succeeding wet tissue is determined by the overlapping area between the intermediate portion **13** of the uppermost wet tissue and the upper folded portion **12** of the succeeding wet tissue. In this embodiment, the size in the direction Y of the upper folded portion **12** is about one quarter as large as the longitudinal dimension of the unfolded wet tissue, as shown in **Fig. 1(A)**, so that the length (or height) of the protrusion from the outlet **36** is also equal to about one quarter as large as the longitudinal dimension of the unfolded wet tissue.

Thus, when the uppermost wet tissue is pulled out, the length of the protrusion of the succeeding wet tissue is so short that the wet tissue protruding partially from the outlet **36** is difficult to dry and provides a good appearance. Furthermore, in the case where the container **35** is provided with a cover for closing the outlet **36**, the protrusion of the wet tissue from the outlet **36** can be easily confined within the area of the closed cover so that the outlet **36** can be easily sealed up with the cover.

Moreover, because the individual sizes, as taken in the direction Y, of the folded portions **12** and **14** of the wet tissue **11** are about one quarter as large as the longitudinal

dimension of the unfolded wet tissue, the wet tissue stacked body **30** thus far described is kept in its total height away from extremely exceeding that of the stacked body of the prior art shown in **Fig. 14**, which is made by stacking the wet tissues all folded in two.

Fig. 4 is a partial perspective view showing the exterior of the wet tissue product of the invention, in which the stacked body **30** is housed in the container **35** as shown in **Fig. 3**. The outlet **36** is disposed at the substantially central portion in the upper face of the container **35**. Specifically, the outlet **36** is formed at a position to confront the central portion of the faces of the folded wet tissues **11** constructing the wet tissue stacked body **30** housed in the container **35**. And, the edge **17** of the uppermost wet tissue **11** appears from the outlet **36**. When the user uses the wet tissue product for the first time, he or she can pull out the upper folded portion of the wet tissue **11** easily by pinching its edge **17** because the edge **17** appears in the outlet **36**.

In a process for producing the wet tissue stacked body **30**, a long paper band (which has a width equal to the longitudinal dimension of the unfolded wet tissue shown in **Fig. 1(A)**) is continuously supplied so that it is folded by means of blades along the folding line portions **15** and **16** extending along the feeding direction of the paper band. These paper bands are combined in plurality in such a manner as shown in **Fig. 2**, and are then cut to the size of each stacked body **30** (i.e., to the lateral dimension of the unfolded wet tissue).

Generally, a three-folded wet tissue is liable to have a size deviation at its folding step in the production process. Therefore, in the wet tissue stacked body of the prior art shown in **Fig. 15**, for example, it is difficult to stack them in a secure manner. In the wet tissues **11** composing the wet tissue stacked body **30** shown in **Fig. 3**, on the contrary, the center lines along the direction X are aligned between the wet tissues **11** before folded and after folded. Since the center lines are thus unchanged before and after the folding step, little dislocation in the direction Y occurs in the supply line of the paper band to the folding step so that the folding line portions can be accurately and easily adjusted by the blades to make the folding size accurate.

As compared with the three-folded wet tissue stacked body of the prior art, therefore, the wet tissue stacked body **30** can be produced easily and homogeneously as a whole. In other words, the overlapping areas can be set such that they are substantially

uniform, between the intermediate portion of the upper wet tissue and the upper folded portion of the lower wet tissue. As a result, the dispersion in the length of the protrusion is reduced.

Here, the folded wet tissues **11** thus stacked are in face-to-face contact with each other through a liquid. Subsequently, these wet tissues are adhered (or engaged) considerably strong to each other by the surface tension of the intervening liquid. The adhesion (or the engaging force), which is established when the wet tissues contact in the face-to-face relation with each other through the liquid, is influenced by the differences in the roughness of the tissue surfaces and in the hydrophilic nature and water retention of fibers appearing on the tissue surfaces.

In the case where the wet tissue is made of a spun lace nonwoven fabric, for example, it has a relatively smooth and good-sliding face (of a low adhesion (or engaging force)) on one side, which is directly treated by the water jets (or water flows for interlacing the fibers) at the step of making the spun lace nonwoven fabric, and a relatively rough and less-sliding face (of a high adhesion (or engaging force)) on the other side, which is not treated by the water jets and becomes fluffy. This result likewise applies to a wet tissue which is manufactured by the wet paper making process, and the side for confronting a cylinder mold in the paper making process becomes a relatively rough and less-sliding face (of a high adhesion (or engaging force)).

Further, there may be a wet tissue made of a nonwoven fabric having a two-layered structure composed of a layer containing more hydrophobic fibers and a layer containing more hydrophilic fibers. In this wet tissue, it is harder for the layer containing the hydrophobic fibers to retain the water so that the adhesion by the surface tension of the liquid is lowered thereby to provide a face having a relatively low adhesion (or engaging force). On the other hand, the other layer containing the hydrophilic fibers can more easily retain the water so that the adhesion by the surface tension of the liquid is enhanced thereby. As a result, a face having a relatively high adhesion (or engaging force) is provided.

When the wet tissue stacked body **30** shown in **Fig. 3** is to be constructed of wet tissues each having a high adhesion face (as indicated at reference numeral **41** by solid lines in **Fig. 2**) and a low adhesion face (as indicated at reference numeral **40** by broken lines in **Fig. 2**), it is preferable that each wet tissue **11** is folded such that the intermediate portion **13** and the lower folded portion **14** are in face-to-face contact with their high adhesion faces **41**

(as indicated by the solid line) opposed to each other. In short, it is preferable that the lower folded portion 14 is folded to have the high adhesion face 41 inside.

Thus, as shown in Fig. 2, the wet tissue 11a is folded such that the high adhesion face 41 of the intermediate portion 13 and the high adhesion face 41 of the lower folded portion 14 are in face-to-face contact with each other at a mating portion 50. Between the wet tissue 11a and the succeeding wet tissue 11b, on the other hand, the low adhesion face 40 of the lower folded portion 14 of the wet tissue 11a and the low adhesion face 40 of the intermediate portion 13 of the wet tissue 11b are in face-to-face contact with each other at a mating portion 51. This rule is to be repeated in the stacked body 30 so that the adhesions at the mating portions 50, 52 and 54 are stronger than those at the mating portions 51, 53 and 55.

With such a structure, when the uppermost wet tissue is pulled out, the lower folded portion 14 of the uppermost wet tissue can be easily separated from the intermediate portion 13 of the succeeding wet tissue and can be pulled out from the outlet 36 while being in close contact with the intermediate portion 13 of the uppermost wet tissue. Therefore, only the upper folded portion 12 of the succeeding wet tissue is pulled up together with the intermediate portion 13 of the uppermost wet tissue and protrudes from the outlet 36. As a result, the protrusion of the succeeding wet tissue is not excessively enlarged but is stabilized.

Moreover, because the upper folded portion 12 of the succeeding wet tissue is in face-to-face contact with the intermediate portion 13 of the uppermost wet tissue having their low adhesion faces 40 (as indicated by the broken lines) opposed to each other, the uppermost wet tissue and succeeding wet tissue can be separated relatively easily from each other at the instant when the uppermost wet tissue is wholly pulled out from the outlet 36. Therefore, the resistance to the pull-out of the wet tissue is so low that the container 35 is not pulled up by the wet tissue being pulled out.

However, if the wet tissue is made of a nonwoven fabric having no difference in adhesion (or engaging force) between the front and back sides, it is unnecessary to consider the aforementioned combination. For example, it is preferable that the wet tissue is made of a nonwoven fabric having a three-layered structure, which is composed of two outer layers containing relatively more hydrophobic fibers and an intermediate layer containing relatively more hydrophilic fibers. If this nonwoven fabric is employed, the water present between the wet tissues is reduced due to the hydrophobic fibers so that the adhesion (or engaging force)

between the wet tissues due to the surface tension of the water becomes relatively weak, on both faces of each wet tissue. Therefore, when the uppermost wet tissue is pulled out, only the upper folded portion **12** of the succeeding wet tissue (as overlapping the outlet side of the intermediate portion **13** of the uppermost wet tissue) is pulled up and protruded. However,
 5 the remaining portions are not protruded from the outlet. As a result, the wet tissues can be smoothly pulled out.

Alternatively, the wet tissue may be made of a nonwoven fabric, in which both the front and back faces are made uneven (or to have recesses). This unevenness of the wet tissue faces makes it easy for the air to enter between the confronting faces of the upper and
 10 lower wet tissues. As a result, the surface tension of water is thereby lowered such that the adhesion between the wet tissues is lowered.

Fig. 5 is a partially enlarged section showing a combined portion of the folding line portion **16** of the wet tissue **11a** and the folding line portion **15** of the wet tissue **11b** in the wet tissue stacked body **30**. In **Fig. 5**, a gap (or distance) **45** is left between the folding line
 15 portion **16** of the wet tissue **11a** and the folding line portion **15** of the wet tissue **11b**. As exemplified in **Fig. 5**, the wet tissue stacked body **30** may be formed such that a predetermined gap (or distance) **45** is set between the folding line portion **15** of the lower wet tissue and the folding line portion **16** of the upper wet tissue. In other words, the stacked body may be formed such that the folding line portion **15** of the lower wet tissue is separated appropriately
 20 to the outside in the direction Y from the folding line portion **16** of the upper wet tissue.

Fig. 6 shows the state in which the wet tissue **11a** shown in **Fig. 5** is pulled out from the outlet **36**. Here, the case in which the gap **45** is formed between the folding line portion **15** of the lower wet tissue and the folding line portion **16** of the upper wet tissue, as shown in **Fig. 5** will be considered. As shown in **Fig. 6**, when the wet tissue **11a** is to be
 25 pulled out from the outlet, a bulge **46** is formed between the upper folded portion **12** and the intermediate portion **13** of the succeeding wet tissue **11b**. Although the wet tissues **11a** and **11b** are in face-to-face contact with each other, the bulge **46** can be formed because the wet tissue **11b** is slackened by the gap **45** when the upper folded portion **12** and the intermediate portion **13** of the wet tissue **11b** are unfolded in a general plane.

30 In this case, the wet tissue **11b**, which is pulled up in close contact with the wet tissue **11a**, is subjected at its bulge **46** to a high resistance of the outlet **36**. Further, a cavity

46a is easily formed on the inner side of the bulge **46**. The close contact in the wet state between the upper and lower wet tissues can be easily broken due to the presence of bulge **46** because the bulge **46** is resisted by the outlet **36** and because the air is admitted between the upper and lower wet tissues from the cavity **46a**. Thus, these upper and lower wet tissues
 5 can be easily separated from each other.

As a result, the wet tissue **11b** allows its upper folded portion **12** to protrude from the outlet **36** while leaving its remaining intermediate portion **13** and lower folded portion **14** in the container **35**. Then, the wet tissue **11a** can be taken out alone. For this effect, the gap (or distance) **45** is preferably about 3 to 8 mm, more preferably about 5 mm.

10 With the gap **45** being provided as described above, it is possible to separate the upper and lower wet tissues easily and to adjust the protrusion of the wet tissue from the outlet **36** without fail. Moreover, even when the wet tissue has the high adhesion faces **41** and the low adhesion faces **40**, it is not necessary to consider the combination between the faces **41** and **40** aforementioned with reference to the **Fig. 2**. That is, with the gap **45** being
 15 provided, the upper and lower wet tissues can be easily separated even if the lower folded portion **14** of each wet tissue **11** is folded to have the low adhesion face **40** inside.

When the gap **45** is provided between the folding line portions, still more, the outlet **36** is preferred to exhibit the function to apply the resistance to the bulge **46**. For example, the opening width of the outlet **36** is preferably made smaller than the size in the
 20 direction Y of the folded wet tissue **11**. In addition, the outlet **36** may be roughed on its peripheral edge. In short, the outlet **36** is preferably given a function as the so-called "resisting portion" to apply the resistance to the bulge **46** and to prevent the succeeding wet tissue from being dragged and protruded more than necessary from the outlet **36** by the uppermost wet tissue to be pulled out completely.

25 **Fig. 9** is a section showing another embodiment of a wet tissue product according to the invention. **Figs. 7(A)** and **7(B)** are perspective views showing a method of folding a plane wet tissue to form a folded wet tissue for the wet tissue product shown in **Fig. 9**. **Fig. 8** is a section for explaining a method of combining the folded wet tissues shown in **Fig. 7(B)**. Hereinafter, the same components as those of the first embodiment will be
 30 described by the common reference numerals.

Fig. 7(A) shows the same rectangular plane wet tissue as that shown in **Fig. 1(A)**. A folded wet tissue **21** is obtained by folding back the edges **17** and **18** along the folding line portions **15** and **16** to the opposite sides. In the second embodiment, however, the folding line portion **15** is spaced from the edge **17** by about one fifth of the longitudinal dimension of the unfolded wet tissue, but the folding line portion **16** is spaced from the edge **18** by about two fifths of the longitudinal dimension of the unfolded wet tissue. Therefore, the areas of the upper folded portion **12** and the lower folded portion **14** are about one fifth and about two fifths, respectively, of that of the unfolded wet tissue shown in **Fig. 7(A)**. The folded wet tissue **21** thus obtained takes a shape of deformed letter "Z", as shown in **Fig. 7(B)**.

The folded wet tissues **21** thus obtained are stacked in such a manner as shown in **Fig. 8**, to provide a wet tissue stacked body **31** as shown in **Fig. 9**. Here, in order to facilitate the explanation of the stacked state, the individual folded wet tissues **21** are designated numerals **21a**, **21b** and **21c** in the order from the top of the stacked body **31**.

As shown in **Fig. 8**, each wet tissue **21** is combined with its underlying wet tissue **21**, having its folding line portion **16** sandwiched between the upper folded portion **12** and the intermediate portion **13** of the underlying wet tissue **21**. This manner is the same as that in **Fig. 2**. For example, the folding line portion **16** of the wet tissue **21a** is sandwiched between the upper folded portion **12** and the intermediate portion **13** of the wet tissue **21b**.

In **Fig. 9**, the wet tissue stacked body **31** is housed in the container **35** having the outlet **36** to provide the wet tissue product of the second embodiment according to the invention. This outlet **36** is confronted by the edge **17** of the upper folded portion **12** of the uppermost wet tissue **21a**. This uppermost wet tissue **21a** is pulled out from the outlet **36** by pinching the edge **17**. Then, the upper folded portion **12** of the succeeding wet tissue **21b** is pulled up toward the outlet **36** together with the intermediate portion **13** of the uppermost wet tissue **21a** so that the upper folded portion **12** of the succeeding wet tissue **21b** protrudes from the outlet **36**.

In the wet tissue stacked body **31**, as shown in **Fig. 9**, the length of the protrusion of the wet tissue can be made shorter to about one fifth of the longitudinal dimension of the unfolded wet tissue. Further, the width of the folded wet tissue **21**, as taken in the direction Y, is about two fifths of the longitudinal dimension of the unfolded wet tissue. Therefore, the wet tissue product can be made slim as a whole.

In the case where the wet tissue stacked body 31 is composed of wet tissues each having the high adhesion face 41 and the low adhesion face 40. Furthermore, it is preferred that each wet tissue 21 is folded such that the intermediate portion 13 and the lower folded portion 14 are in face-to-face contact with their high adhesion faces 41 (as indicated by the solid line) opposed to each other. In short, it is preferable that the lower folded portion 14 is folded to have the high adhesion face 41 inside. Subsequently, the length of the protrusion of the wet tissue 21 can be one fifth of the longitudinal dimension of the unfolded wet tissue reliably. The size in the direction Y of the lower folded portion 14 of the wet tissue 21 is as long as about two fifths of the longitudinal dimension of the unfolded wet tissue. However, the lower folded portion 14 of the upper wet tissue is in contact with the intermediate portion 13 of the lower wet tissue with their low adhesion faces 40 opposed to each other, as shown in Fig. 8, such that the upper and lower wet tissues can be easily separated, while the upper wet tissue is pulled out from the outlet 36 with its intermediate portion 13 and lower folded portion 14 being in close contact. Therefore, when the uppermost wet tissue is pulled out, only the upper folded portion 12 of the succeeding next wet tissue is protruded from the outlet 36.

Moreover, the wet tissue stacked body 31 may be formed such that a predetermined gap (or distance) 45 is set between the folding line portion 15 of the lower wet tissue and the folding line portion 16 of the upper wet tissue. This is accomplished in the same manner as in the stacked body 30 which has been described above with reference to Figs. 5 and 6. As a result, the length of the protrusion can be about one fifth of the longitudinal dimension of the unfolded wet tissue, without adjusting the combination of the high and low adhesion faces.

Fig. 10 is a section showing still another embodiment of the wet tissue product of the invention. The wet tissue product shown in Fig. 10 is obtained by housing the wet tissue stacked body 30 shown in Fig. 3 upside down in the container 35. The stacked body thus housed upside down in the container 35 is designated by reference numeral 32. In this wet tissue stacked body 32, the wet tissue at the lowermost position in the stacked body 30 confronts the outlet 36 and becomes the uppermost wet tissue designated by reference numeral 11z. Then, the underlying wet tissue positioned second from the top is designated by reference numeral 11y. As shown in Fig. 10, the folded portion 14 of the wet tissue 11z

confronts the outlet **36**, and the folding line portion **16** of the wet tissue **11y** is sandwiched between the folded portion **12** and the intermediate portion **13** of the wet tissue **11z**.

When the uppermost wet tissue **11z** is pulled out from the outlet **36**, the folded portion **14** and the about half of the intermediate portion **13** of the succeeding wet tissue **11y** is pulled up together with the folded portion **12** of the wet tissue **11z** to be protruded from the outlet **36**. At this time, as shown in **Fig. 11**, the wet tissue **11y** partially protrudes such that the folding line portion **16** makes a crest while the edge **18** is left in the container **35**. Then, the length of the protrusion is about or less than one quarter of the longitudinal dimension of the unfolded wet tissue. In this case, moreover, the folded portion **14** and the intermediate portion **13** forming the protrusion are apt to separate from each other to form a loop. This looped protrusion provides a good appearance.

When the wet tissue stacked body **32** is composed of wet tissues each having the high and low adhesion faces **41** and **40**, it is preferred that each wet tissue **21** is folded such that the intermediate portion **13** and the folded portion **14** are in face-to-face contact with their high adhesion faces **41** opposed to each other. In short, it is preferable that the folded portion **14** is folded to have the high adhesion face **41** inside. The combination between the high adhesion face **41** and the low adhesion face **40** at this time is identical to that in the wet tissue stacked body **30** shown in **Figs. 2** and **3**.

In this case, the intermediate portion **13** of the wet tissue **11z** confronts the folded portion **14** of the wet tissue **11y** with their low adhesion faces **40** opposed to each other, and the folded portion **12** of the wet tissue **11z** confronts the intermediate portion **13** of the wet tissue **11y** with their low adhesion faces **40** opposed to each other. On the other hand, the folded portion **14** and the intermediate portion **13** of the wet tissue **11y** are confronted with their high adhesion faces **41** opposed to each other. Therefore, when the wet tissue **11z** is pulled out, the folded portion **14** of the wet tissue **11y** is protruded from the outlet **36** while being kept in face-to-face contact with the intermediate portion **13** of the wet tissue **11y**. Then, the wet tissue **11z** is easily separated, when it comes out from the outlet **36** from the wet tissue **11y**.

On the other hand, the wet tissue stacked body **32** may be composed of wet tissues each having two low adhesion faces, in place of the aforementioned wet tissues each having the high and low adhesion faces.

When the wet tissue is to be protruded as shown in **Fig. 11**, it is preferable that the distance between the edge **18** of the lower wet tissue and the edge **17** of the upper wet tissue is adjusted so that the edge **18** of the lower wet tissue may be left without fail in the container **35**. For example, it is preferable that the edge **18** of the lower wet tissue is closer to the central portion of the stacked body **32** than the edge **17** of the upper wet tissue. In the wet tissue stacked body **32**, as shown in **Fig. 10**, the edge **17** of the uppermost wet tissue **11z** is spaced by a distance **47** from the edge **18** of the succeeding wet tissue **11y**. When the wet tissue **11z** is pulled out, the folded portion **14** and the intermediate portion **13** of the wet tissue **11y** are protruded from the outlet **36** exclusively at the portion located on the lefthand side relative to the edge **17** of the wet tissue **11z** in **Fig. 10**. In other words, the folded portion **14** of the wet tissue **11y** is left in the container at the portion indicated by the distance **47** from the edge **18**. The distance **47** is preferably 3mm or more, more preferably 5 mm or more.

In the wet tissue stacked body **32** shown in **Fig. 10**, moreover, it is preferred that substantially no gap (or distance) between the folding line portions **15** of the upper wet tissue and the folding line portions **16** of the lower wet tissue is provided. If such a gap as shown in **Fig. 5** is provided in the stacked body **32**, a bulge will be formed at the upper wet tissue to make it difficult to pull out the wet tissue smoothly.

In order to protrude the wet tissue as shown in **Fig. 11**, further, the wet tissue stacked body **31** shown in **Fig. 9** may be housed upside down in the container with its lower folded portion confronting the outlet.

The aforementioned wet tissues **11** and **21** are made of a nonwoven fabric or paper composed of natural fibers and/or synthetic fibers. For example, use can be made of a spun lace nonwoven fabric made of polyethylene or polypropylene and having a high wet strength. The size of the unfolded wet tissue, as shown in **Figs. 1(A)** and **7(A)**, is exemplified by about 150 x 200 mm, although it can be suitably changed depending upon the size of the container or package. The wet tissues **11** and **21** are impregnated with water, alcohol, humectants, surface active agents, perfumes, antiseptics, mildewcides or the like.

The container **35** is made from a relatively hard synthetic resin such as polyethylene, polypropylene or the like. The outlet **36** is preferably provided with a cover for closing (covering around) the outlet **36** so as to seal up the container **35** and prevent the protruded wet tissue from drying up. Alternatively, instead of the hard container **35**, a

package (or envelope) of a liquid-impermeable film may be used to house the wet tissue stacked body. In addition, the wet tissue product of the invention can also be used as the so-called "refill package", in which the wet tissue stacked body housed in the package is further housed in a hard container.

5 In the wet tissue stacked body of the invention, however, there will be a more or less dispersion in size at the folding step of the production process. The folding line portions **15** and **16** are not always located accurately at one quarter or one fifth and two fifths of the longitudinal dimension of the unfolded wet tissue from the edges, but may be located at less than or about one quarter or one fifth and two fifths of the longitudinal dimension of the
10 unfolded wet tissue.

In the wet tissue stacked body of the invention, moreover, the length of the protrusion can be adjusted in accord with demand by adjusting the locations of the folding line portions **15** and **16**. Therefore, the folding line portions **15** and **16** may be located at one third or one sixth of the longitudinal dimension of the unfolded wet tissue from the edges, for
15 example. However, the length of the protrusion of the wet tissue in the general use is preferably one quarter or less of the longitudinal dimension of the unfolded wet tissue. In addition, when the folding line portions **15** and **16** are located as in the aforementioned embodiments, the individual folded portions of the wet tissue are divided to the right and left of the stacked body so that the stacked body is well shaped to provide a good appearance.

20 While in the foregoing specification this invention has been described in relation to preferred embodiments and many details have been set forth for purpose of illustration it will be apparent to those skilled in the art that the invention is susceptible to additional embodiments and that certain of the details described herein can be varied considerably without departing from the basic principles of the invention.

25 Further, 'comprises/comprising' when used in this specification is taken to specify the presence of stated features, integers, steps or components but does not preclude the presence or addition of one or more other features, integers, steps, components or groups thereof.

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE
PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. A wet tissue product, comprising:
 - a stacked body of folded wet tissues; and
 - one of a container and package for housing the stacked body, said one of the container and package having an opening to permit removal of the wet tissues;
 - wherein each folded wet tissue is formed by folding one end of a plane wet tissue upward and another end of the plane wet tissue downward along folding axes to form an upper folded portion, a lower folded portion, and an intermediate portion which is arranged between the upper and lower folded portions;
 - the folded wet tissues are consecutively combined such that a folding axis of the lower folded portion of an upper wet tissue is sandwiched between the upper folded portion and the intermediate portion of a succeeding lower wet tissue, and a portion of a next succeeding wet tissue protrudes from the opening when an entire uppermost wet tissue is pulled from the opening; and wherein
 - each wet tissue has one side which has a low level of adhesion and another side which is highly adhesive, and the lower folded portion is folded such that the highly adhesive side faces inward.
2. The wet tissue product according to claim 1, wherein the upper folded portion has an area which is less than approximately one quarter an area of an unfolded wet tissue.
3. The wet tissue product according to claim 1 or 2, wherein the folding axis of the lower folded portion of the upper wet tissue and the folding axis of the upper folded portion of a lower wet tissue are arranged at a distance from each other.
4. The wet tissue product according to claim 3, wherein the distance is about 3 to 8 mm.

5. The wet tissue product according to any one of claims 1 to 4, wherein the stacked body of wet tissues is housed in one of the container and package such that the upper folded portion faces toward the opening.
6. The wet tissue product according to claims 1 to 4, wherein the stacked body of wet tissues is housed in one of the container and package such that the lower folded portion faces toward the opening.
7. The wet tissue product according to claim 2, wherein the upper folded portion has an area about one fifth as large as that of the unfolded wet tissue, and the lower folded portion has an area about two fifths as large as that of the unfolded wet tissue.
8. The wet tissue product according to claim 7, wherein the folding axis of the lower folded portion of the upper wet tissue and the folding axis of the upper folded portion of the lower wet tissue are arranged at a distance from each other.
9. The wet tissue product according to claim 8, wherein the distance is about 3 to 8 mm.
10. The wet tissue product according to any one of claims 7 to 9, wherein the stacked body of wet tissues is housed in one of the container and package such that the upper folded portion faces toward the opening.
11. The wet tissue product according to any one of claims 7 to 9, wherein the stacked body of wet tissues is housed in one of the container and package such that the lower folded portion faces toward the opening.
12. The wet tissue product according to any one of claims 1 to 11, wherein the wet tissue is a spun lace nonwoven fabric, and the side having the low level of adhesion is directly treated by water jets during manufacture of the nonwoven fabric.

13. The wet tissue product according to any one of claims 1 to 12, wherein the wet tissue is manufactured via a wet paper manufacturing process, and the highly adhesive side faces a cylinder mold during the paper manufacturing process.
14. The wet tissue product according to any one of claims 1 to 13, wherein the wet tissue is a nonwoven fabric having a two-layered structure comprising a first layer and a second layer, and wherein the first layer is the side having the low level of adhesion and contains more hydrophobic fibers than the second layer, and the second layer is the highly adhesive side and contains more hydrophilic fibers than the first layer.

Fig. 1 (A)




Fig. 1 (B)




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7 (A)




Fig. 7 (B)




Fig. 8




Fig. 9




Fig. 10





Fig. 11








Fig. 13 (A)
PRIOR ART





Fig. 13 (B)
PRIOR ART






Fig. 14
PRIOR ART

Fig. 15
PRIOR ART




Fig. 16
PRIOR ART

