



US00D343571S

**United States Patent** [19]  
**Von Seggern**

[11] **Patent Number: Des. 343,571**  
[45] **Date of Patent: \*\* Jan. 25, 1994**

[54] **SCREW**

[76] **Inventor: Edward G. Von Seggern, 15 Mechanic St., Corinth, N.Y. 12822**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 669,324**

[22] **Filed: Mar. 14, 1991**

[52] **U.S. Cl. .... D8/387**

[58] **Field of Search .... D8/387; 411/378, 403, 411/407, 426, 399**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

161,390	3/1875	Cummings .....	411/407
378,614	2/1888	Palmer .....	411/399
1,897,196	2/1933	Hunt .....	411/389
2,684,094	7/1954	Lissy .....	411/407
3,808,937	5/1974	Roehrig .....	D8/387
4,572,039	2/1986	Desjardins .....	411/373

**FOREIGN PATENT DOCUMENTS**

0953399	12/1949	France .....	411/378
1498827	1/1978	United Kingdom .....	411/403

**OTHER PUBLICATIONS**

"Handbook of Pictorial Symbols"; R. Modley; ©1976; p. 52; anchor symbol (line 5).

*Primary Examiner*—B. J. Bullock  
*Attorney, Agent, or Firm*—S. Michael Bender

[57] **CLAIM**

The ornamental design for a screw, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the screw showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

