

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 199868436 B2
(10) Patent No. 731923

(54)	Title Comestible capsules having flavoured coatings		
(51) ⁶	International Patent Classification(s) A61K 009/48 A61K 007/16		
(21)	Application No:	199868436	(22) Application Date: 1998 .03 .25
(87)	WIPO No: W098/42316		
(30)	Priority Data		
(31)	Number	(32) Date	(33) Country
	9706149	1997 .03 .25	GB
(43)	Publication Date : 1998 .10 .20		
(43)	Publication Journal Date : 1998 .12 .03		
(44)	Accepted Journal Date : 2001 .04 .05		
(71)	Applicant(s) R.P. Scherer Corporation		
(72)	Inventor(s) Dennis Rowe; Kelvin Royce Garnett; Kate Hale		
(74)	Agent/Attorney FREEHILLS CARTER SMITH BEADLE,Level 43,101 Collins Street,MELBOURNE VIC 3000		

OPI DATE 20/10/98 APPLN. ID 68436/98
AOJP DATE 03/12/98 PCT NUMBER PCT/GB98/00916



AU9868436

IN1

(51) International Patent Classification ⁶ : A61K 9/48, 7/16		A1	(11) International Publication Number: WO 98/42316
			(43) International Publication Date: 1 October 1998 (01.10.98)
(21) International Application Number: PCT/GB98/00916		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 25 March 1998 (25.03.98)		Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(30) Priority Data: 9706149.3 25 March 1997 (25.03.97) GB			
(71) Applicant (for all designated States except US): R.P. SCHERER CORPORATION [US/US]; 2075 W. Big Beaver Road, Troy, MI 48007-7060 (US).			
(72) Inventors; and (75) Inventors/Applicants (for US only): ROWE, Dennis [GB/GB]; 19 Branscombe Drive, Wootton Bassett, Swindon SN4 8HR (GB). GARNETT, Kelvin, Royce [GB/GB]; 6 Pleydells, Cricklade, Swindon SN6 6NG (GB). HALE, Kate [GB/GB]; 10 Horcott Road, Foxfields, Peatmoor, Swindon SN5 5BW (GB).			
(74) Agent: HITCHCOCK, Esmond, Antony; Lloyd Wise, Tregear & Co., Commonwealth House, 1-19 New Oxford Street, London WC1A 1LW (GB).			
(54) Title: COMESTIBLE CAPSULES HAVING FLAVOURED COATINGS			
(57) Abstract A coated capsule is disclosed comprising a gelatin shell with a flavoured coating. A sugar or sugar substitute is included in the material of the shell and that of the coating to stabilise both compositions and the junction therebetween.			

COMESTIBLE CAPSULES HAVING FLAVOURED COATINGS

This invention relates to comestible capsules for oral administration, and particularly such capsules having flavoured or sweetened coatings. The invention is also concerned with such capsules which are intended for swallowing substantially intact, for release of the contents only when the capsule has reached the stomach.

Many medicines are relatively unpleasant to taste, and in either tablet or encapsulated form, are masked by flavoured coatings to make them more palatable. The present invention is concerned with the provision of a flavoured coating around a gelatin capsule containing a fill composition which is typically liquid, but may be paste like or even solid in some circumstances. Gelatin shells provide a useful means for encapsulating such compositions, but there are problems in applying flavoured coatings thereover. Particularly, typical coatings can provoke changes in the gelatin shell structure which can adversely affect the integrity of the capsule, and in some cases also the coating.

Typical gelatin shells used to encapsulate products comprise gelatin in combination with a plasticiser such as glycerine which, together with water preserve a degree of softness and flexibility in the shell material. Such shells are relatively easy to handle, but have disadvantages in terms of taste. This is particularly relevant to breath fresheners and, according to one aspect of the invention, a breath freshener is provided in the form of a filled gelatin capsule to which is applied a flavoured coating. Such a coated capsule is especially suitable for swallowing prior to rupture of the capsule, whereby the capsule fill is not released until the capsule shell is broken down in the stomach.

For the above and other embodiments according to the present invention, the capsule shell formulation may be adapted, and a flavoured coating applied to the

capsule such that at least at the boundary between them, a stable bond is formed. This enables a substantially dry coating to be created which does not draw the water or plasticizer from the gelatin shell, with the resultant adverse consequences on the shell structure. This can be achieved by including in the capsule shell formulation a sugar or sugar substitute such as sorbitol, and matching it with an equivalent substance in the coating. The effect of this match is to effectively stabilise both the coating and shell formulations and in the gelatin, to prevent the migration of water and glycerine to the coating. In this way, the humectants are retained in the gelatin which can thus preserve its flexibility and palatability if retained in the mouth.

According to the present invention, there is provided a coated capsule a coated capsule containing a fill composition, the capsule comprising a gelatin shell having water and a plasticizer, and a flavoured coating thereon, wherein each of said flavoured coating and shell material comprises a sugar or a sugar substitute adapted to form a stable bond between the shell and the coating and to prevent the coating from drawing water or plasticizer from the gelatin shell.

As a general guide, we have established the following ranges of gelatin, glycerine, sugar or sugar substitute and water, as percentages by weight in the shell formulation, to provide a satisfactory base for a coating of for example sorbitol in solution:




2a

	Gelatin	33.00 - 58.00
	Glycerine	16.00 - 31.00
	Sugar or sugar substitute	
	eg Sorbitol	15.00 - 30.00
5	Water	up to 15.00

Preferably, the ratio of plasticizer (glycerine + sugar or substitute) to gelatin is in the range 0.7 to 1.2, preferably 0.8 to 1.0, with the ratio of sugar or substitute to glycerine in the range 0.8 to 1.2.

- 10 We have found that in order to stabilise a soft gelatin shell to which a flavoured coating is to be applied, a relatively high glycerine content must be established with a consequent reduction in the water content. Using sorbitol as the additional component in
- 15 the shell, and as the basic component for the coating, we have established the following typical minimum levels of glycerine and sorbitol as percentages by weight in the dried shell formulation. The figures for gelatin



BMH:EK 40434835.RSI

20 September 2000

and water in the formulation are also given.

	Glycerine	17.7	
	Sorbitol	16.7	
5	Gelatin	56.7	
	Water	8.9	
	Total plasticiser:		34.4%;
	Plasticiser to Gel ratio:		0.61

The glycerine and sorbitol levels can be further
10 increased with consequential further reduction in the
proportions of gelatin, and a typical shell formulation
which is able to sustain its softness under an applied
flavoured coating of sorbitol is as follows.

15	Glycerine	21.0	
	Sorbitol	20.0	
	Gelatin	50.4	
	Water	8.6	
	Total plasticiser:		41.0%
20	Plasticiser to Gel ratio:		0.81

Experimentation has indicated that the glycerine
and sorbitol levels can be increased beyond those quoted
above, but we regard the following formulation as
demonstrating typical maximum amounts of these
25 components that can be retained in a viable shell
structure embodying the invention.

	Glycerine	29.3	
	Sorbitol	28.6	
30	Gelatin	34.5	
	Water	7.6	
	Total plasticiser:		57.9%;
	Plasticiser to Gel ratio:		1.8

The use of increased glycerine content in gelatin
35 shells to provide improved and stable softness is
disclosed in our International Patent Publication No.
WO95/00123 to which reference is directed. Formulations

of the kind disclosed in that publication can be used in the exploitation of the present invention, having regard to the above guidance in respect of the additional stabilising component.

5 While in the above discussion the specified sugar or sugar substitute has been sorbitol, a variety of sugar alcohols or non-reducing saccharides or polyols may be used. For example:

 sorbitol; polyglycerol; mannitol; xylitol;
10 maltitol; isomalt; corn syrup, and Anidrisorb
 (a proprietary mix of sorbitol, sorbitan and mannitol from Roquette Freres).

 As noted above, the flavoured coating for products according to the invention is normally based on a sugar
15 or a sugar substitute, and is typically applied to capsules as an aqueous solution in for example, a panning process. Pan coated gelatin capsules are disclosed in British published specification no. 2283899, and products may be coated according to the
20 present invention using the techniques and parameters described therein. The eventual coating will typically be in crystalline form, and as such will tend to draw moisture from the capsule shell. By including water and a sugar or sugar substitute in both the coating material
25 and the shell formulation, when the coating is applied a dynamic balance can be achieved. The coating will normally be applied wet, as in a pan coating process, and this itself assists in stabilising the interface between the coating and shell.

30 It is of course desirable to minimise the quantity of shell material in the coated product, and in this respect it is recognised that with a sufficiently stable interface and bond between the coating and shell, the coating will serve to reinforce the shell, and the shell
35 to effectively seal the coating. Thus, if the shell thickness can be reduced such that its entire thickness is effectively bonded to the coating, then the resultant

product will include a bare minimum of shell material.

Fill compositions for use in products according to the invention may take many forms, and in this respect reference is directed once again to published British specification no. 2283899. Additionally though, the present invention is suitable for compositions which are not intended to be released in the mouth, but for retention in the capsule until it reaches the stomach. This applies particularly to some breath freshening compositions such as parsley seed oil which can provide a very unpleasant flavour in the mouth despite being effective as a breath freshener from the stomach. The nature of the fill composition can of course have a direct effect on the integrity of the shell material, and oil based compositions such as parsley seed oil can have an additional softening effect on the shell. The presence of a sugar or a sugar substitute such as sorbitol in the shell can also serve to minimise the effect of both oil based and water based fill compositions on the shell.

Example

A breath freshener in the form of a filled capsule embodying the present invention has the following formulations for the fill, shell and coating respectively:

25	Fill:	Quantity	%age
	Aspartame	0.825mg	0.516
	Fractionated Coconut oil	66.280mg	41.425
	Kaorich Beads	10.888mg	6.8
30	Levomenthol BP/EP	4.800mg	3.0
	Parsley Seed Oil	0.250mg	0.156
	Peppermint flavour	6.400mg	4.0
	Loders 7 (Hard Vegetable Fat)	23.830mg	14.894
	Ascorbic Acid	1.500mg	0.938
35	Calcium Phosphate Dibasic	41.750mg	26.094
	Lecithin thin (light)	<u>3.478mg</u>	<u>2.174</u>
		160.000mg	

6

Shell:

Glycerine	19.98mg	19.98
Sorbitol Syrup 70%	27.19mg	27.19
Gelatin	<u>52.83mg</u>	<u>52.83</u>

5

100.00mg

Coat:

Isomalt	184.667mg	66.7
Sorbitol	<u>92.333mg</u>	<u>33.3</u>

10

277.000mg

The fill compositions in products according to the invention can of course themselves also include
flavouring elements to make them more palatable if
intended or required to be released in the mouth and
additional elements could also be included in the shell
composition with the same purpose. However, for
products to be swallowed before the fill composition is
released, it is of course the flavour of the coating
that is of critical importance.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A coated capsule containing a fill composition, the capsule comprising a gelatin shell having water and a plasticizer, and a flavoured coating thereon, wherein each of said flavoured coating and shell material comprises a sugar or a sugar substitute adapted to form a stable bond between the shell and the coating and to prevent the coating from drawing water or plasticizer from the gelatin shell.

2. A coated capsule according to Claim 1 wherein the same sugar or sugar substitute is present in both the coating and the shell.

3. A coated capsule according to Claim 1 or Claim 2 wherein the dry composition of the shell material comprises:

gelatin in an amount from 33 to 58% by weight
glycerine in an amount from 16 to 31% by weight
sugar or sugar substitute in an amount from 15 to 30% by weight, and
water in an amount up to 15% by weight.

4. A coated capsule according to Claim 3 wherein the quantity of water in the shell composition is up to 10% by weight.

5. A coated capsule according to Claim 2 or Claim 4 wherein the ratio of plasticizer (glycerine + sugar or sugar substitute) to gelatin in the shell composition



ranges from 0.8 to 1.0, wherein said plasticizer comprises both glycerine and the sugar or sugar substitute.

6. A coated capsule according to anyone of Claims 3 to 5 wherein the ratio of sugar or sugar substitute to glycerine ranges from 0.8 to 1.2.

7. A coated capsule according to any preceding Claim wherein the sugar or sugar substitute is selected from the group consisting of sorbitol, polyglycerol, mannitol, xylitol, maltitol, isomalt, and corn syrup and mixtures thereof.

8. A coated capsule according to any preceding Claim wherein the flavoured coating comprises an aqueous solution of the sugar or sugar substitute.

9. A coated capsule according to any preceding claim wherein the fill composition is a breath freshener.

10. A coated capsule according to Claim 9 wherein the fill composition comprises parsley seed oil.

11. A coated capsule substantially as hereinbefore described with reference to the example.

DATED: 20 September 2000

Freehills Carter Smith Beadle

Patent Attorneys for the Applicant:

R P SCHERER CORPORATION



BMH:EK 40434835.RS1

20 September 2000