



US00D766151S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,151 S**
Faghihzadeh (45) **Date of Patent:** **** Sep. 13, 2016**

(54) **REAR FENDER FOR A VEHICLE**
(71) Applicant: **Bayerische Motoren Werke Aktiengesellschaft, Munich (DE)**
(72) Inventor: **Nader Faghihzadeh, Munich (DE)**
(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft, Munich (DE)**
(**) Term: **15 Years**

D682,757 S * 5/2013 Song D12/196
8,491,046 B2 * 7/2013 Nagai B62D 25/02
296/146.6
D691,540 S * 10/2013 Kwon D12/196
D696,172 S * 12/2013 Kawasaki D12/196
8,608,238 B2 * 12/2013 Tanaka B62D 25/04
296/193.06
D696,998 S * 1/2014 Kwon D12/196
D699,170 S * 2/2014 Okue D12/184
D741,761 S * 10/2015 Mueller-Stolz D12/184
2011/0057476 A1 * 3/2011 Beck B62D 25/02
296/181.2

(Continued)

(21) Appl. No.: **29/527,526**
(22) Filed: **May 20, 2015**

FOREIGN PATENT DOCUMENTS

WO DM/069623 6/2008
WO DM/076560 2/2012

(30) **Foreign Application Priority Data**
Nov. 21, 2014 (DE) 40 2014 101 119

Primary Examiner — Rosemary K Tarca
Assistant Examiner — Yolanda Robinson
(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(51) **LOC (10) Cl.** **12-16**
(52) **U.S. Cl.**

(57) **CLAIM**
The ornamental design for a rear fender for a vehicle, as shown and described.

USPC **D12/196**
(58) **Field of Classification Search**
USPC D12/88, 90, 91, 92, 181, 184, 196, 400;
D21/424, 433, 434; 280/152.1, 727,
280/770, 847, 848, 849; 296/181.1, 181.2,
296/181.5
CPC B62D 25/02; B62D 25/04; B62D 25/16;
B62D 25/161; B62D 25/168; B62D 25/18;
B62D 25/184
See application file for complete search history.


DESCRIPTION

This application contains subject matter related to the following co-pending U.S. design patent applications: Application Ser. No. 29/527,524, filed herewith and entitled "Vehicle, Toy, and/or Replicas Thereof"; and Application Ser. No. 29/527,520, filed herewith and entitled "Rear Fender for a Vehicle".
FIG. 1 is a front view of a rear fender for a vehicle according to the design;
FIG. 2 is a left perspective view thereof;
FIG. 3 is a right perspective view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a rear view thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D512,673 S * 12/2005 Nagashima D12/196
7,354,102 B2 * 4/2008 Cave B60R 13/0206
296/1.08
D597,004 S 7/2009 Habib
D620,413 S * 7/2010 Huet D12/184
D620,414 S * 7/2010 Froehlich D12/184
D659,621 S * 5/2012 Matsumoto D12/184
D660,214 S * 5/2012 Cartabiano D12/184
D672,301 S * 12/2012 Yamada D12/196

1 Claim, 8 Drawing Sheets



US D766,151 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0233970	A1 *	9/2011	Nagai	B62D 25/02 296/203.03	2015/0054309	A1 *	2/2015	Kuenkler	B62D 25/02 296/187.11
2012/0200119	A1 *	8/2012	Juettner	B62D 25/04 296/193.05	2015/0108792	A1 *	4/2015	Mildner	B60K 15/05 296/198
					2016/0107700	A1 *	4/2016	Kaneko	B62D 25/04 296/193.05

* cited by examiner




Fig. 1



Fig. 2




Fig. 3



Fig. 4



Fig. 5




Fig. 6



Fig. 7




Fig. 8