



US00PP20236P3

(12) **United States Plant Patent**  
**Sheehan**

(10) **Patent No.:** **US PP20,236 P3**

(45) **Date of Patent:** **Aug. 25, 2009**

(54) **GRAPEVINE 'SHEEGENE-9'**

(52) **U.S. Cl.** ..... **Plt./207**

(50) Latin Name: *Grapevine*  
Varietal Denomination: **Sheegene-9**

(58) **Field of Classification Search** ..... Plt./207  
See application file for complete search history.

(76) Inventor: **Timothy P. Sheehan**, 120 Olivewood  
Ct., Porterville, CA (US) 93257

*Primary Examiner*—June Hwu

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 43 days.

(74) *Attorney, Agent, or Firm*—Baker Manock & Jensen,  
PC; Eric C. Cole

(21) Appl. No.: **11/897,633**

(57) **ABSTRACT**

(22) Filed: **Aug. 30, 2007**

A new and distinct variety characterized by a green-colored,  
medium to large sized seedless grape that ripens during mid-  
July, approximately one week earlier than the Thompson  
Seedless Grape (unpatented) when grown in the San Joaquin  
Valley of Central California. The grapes of this new variety  
are produced on strong woody branches and are well adapted to  
commercial handling.

(65) **Prior Publication Data**

US 2009/0064383 P1 Mar. 5, 2009

(51) **Int. Cl.**  
**A01H 5/00** (2006.01)

**1 Drawing Sheet**

**1**

**2**

Latin name of the genus and species of the plant claimed:  
The claimed plant relates to a new and distinct variety of  
*Vitis vinifera* to be known as 'Sheegene-9'.

SUMMARY OF THE INVENTION

Variety denomination: This invention relates to a new dis-  
covery and asexual reproduction of a new variety of *Vitis*  
*vinifera*. The new variety was first hybridized by Timothy P.  
Sheehan of Porterville, Calif. in late Spring 2000; first flow-  
ering occurred in May 2003. The pollen parent is Princess  
(unpatented) and the seed parent is Red Globe (U.S. Plant  
Pat. No. 4,787). The new variety was asexually propagated  
in the dormant season of 2003/2004, bud grafted on Har-  
mony, virus-free rootstock, in a *Vitis vinifera* variety block  
located near Fowler, Calif. on the west side of Thompson  
Road, north of Adams Road. The green-colored seedless  
grapes produced by the new variety are medium to large in  
size and mature approximately one week before Thompson  
Seedless (unpatented). The new variety has been shown to  
maintain its distinguishing characteristics through asexual  
propagation.

The 'Sheegene-9' grapevine is characterized by producing  
a medium to large size green seedless grape with very good  
flavor that is mature for harvesting and shipment in mid July  
in the San Joaquin Valley of Central California. The new  
variety can be compared to Thompson Seedless (unpatented)  
but the grapes mature at least one week earlier, among other  
distinguishing characteristics.

The new variety is distinguished from its pollen parent,  
Princess (unpatented), in that the new variety produces  
green-colored seedless grapes, as compared to the white-  
colored seedless grapes produced by the pollen parent, Prin-  
cess (unpatented). The new variety is distinguished from its  
seed parent, Red Globe (U.S. Plant Pat. No. 4,787), in that  
the new variety produces green-colored seedless grapes, as  
compared to its seed parent, Red Globe (U.S. Plant Pat. No.  
4,787), that produces red-colored grapes.

BRIEF DESCRIPTION OF THE DRAWINGS

BACKGROUND OF THE INVENTION

The accompanying drawing is a colored photograph of the  
grapes produced by the subject variety; several leaves are  
displayed as well as a typical section of the vine. Across the  
top of the color photograph to the left is a secondary growth  
clusters; and to the center and right is a small cane display-  
ing several bifurcate tendrils and small leaves. Across the  
middle of the color photograph on the left is a mature grape  
cluster; and to the right are four berries (two longitudinally  
and two horizontally) displaying the flesh and shape. Below  
the four berries on the right is a shoot and tendrils and small  
leaves. Across the bottom of the color photograph to the left  
a mature leaf displaying the bottom surface; in the center is a  
secondary growth cluster; and to the right is a mature leaf  
displaying the top surface.

The present invention relates to a new and distinct variety  
of grape which will hereinafter be denominated as  
'Sheegene-9' and more particularly as a grapevine which  
produces a green-colored seedless table grape that matures  
in mid July in the San Joaquin Valley of Central California.  
The new invention most closely resembles Thompson Seed-  
less (unpatented) but it produces a medium to large size  
grape that is sweet, has very good flavor, and matures at least  
one week earlier.

DETAILED BOTANICAL DESCRIPTION

Referring more to the horticultural description of the new  
and distinct variety of grapevine, the following has been  
observed under the ecological conditions prevailing at the  
origin vineyard that is located east of Fowler, Calif. in the  
San Joaquin Valley of Central California.

All major color descriptions are by reference to the Dic-  
tionary of Color by Maerz and Paul, First Edition, published  
in 1930. Common color names are also used in several  
instances.

# US PP20,236 P3

## 3

### VINE

Size: 5 feet (1.52 meters) in height, 31 to 36 inches (78.74 cm to 91.44 cm) in width.

Vigor: Very good.

Chilling requirements: Normal for grapevines in the San Joaquin Valley of Central California.

Figure: Wide cordons forming a "T" shaped figure.

Production capacity: Good.

Regularity of bearing: Regular.

### TRUNK

Size: Medium to large; 8 inches (20.32 cm) in circumference, 32 inches (81.28 cm) above graft.

Surface texture: Rough and shaggy.

Color of bark: P1.7 H7 Cedar +.

Mature cane color: P1.7 H7 Tanagra Castilian Brown, Old Cedar.

Nodes: Five on canes, 13½ inches (34.29 cm) in length.

Length between nodes: 2½ to 5 inches (6.35 to 12.7 cm).

Lenticel number: None.

Lenticel size: 0.

Shoot contour: Drooping.

Tendril number: One at node.

Tendril length: 1⅜ to 3⅜ inches (4.45 to 8.57 cm).

Tendril form: Bifurcate.

Tendril texture: Firm to woody.

Bud shape: Triangular.

Bud size: 0.28 inches (7 mm) long by 0.28 inches (7 mm) wide.

Bud fruitfulness: Very good.

Bud break date: N/A.

### BRANCHES

Size: Medium cordons; 31 inches (78.74 cm) from trunk on one side and approximately 36 inches (91.44 cm) on other side.

Surface texture: Slightly rough.

Color (one year older wood): P1.6 J10 Spanish Cedar.

Color (immature branches): P1.17 L6 Near Viridine gr.

Surface texture (immature branches): Smooth.

### LEAVES

Size: Large.

Density: Dense.

Average length: 4½ to 7¼ inches (11.43 to 18.42 cm).

Average width: 6½ to 7¾ inches (13.97 to 22.23 cm).

Shape: Pentagonal.

Texture: Upper surface is smooth; Lower surface is glabrous.

Color (upward disposed surface): P1.23 J9 Polo Green.

Color (downward disposed surface): P1.20 L9 Eden Green.

Color (Leaf vein) P1.20 L5 Lettuce Green.

Marginal form: Generally slightly undulate.

Leaf vein (thickness): 0.12 inches (3 mm).

Leaf margin: Toothed.

Glandular characteristics: 0.

Petiole size: Large.

Petiole length: Average is 6.89 inches (17.5 cm).

Petiole thickness: Average is 0.20 inches (5 cm).

Petiole color: P1.17 L8 Neva Green.

Petiole sinus form: Reverse "U" shape.

Stem gland form: 0.

Stem gland position: 0.

Stem gland pattern: 0.

Stipules: Large 0.24 inches (6 mm).

Stipules color: P1.55 L8 Rubient.

## 4

Lobe average: Four.

Tooth size: Large; 0.63 to 0.94 inches (21 to 24 mm) in length, 0.24 to 0.35 inches (6 to 9 cm) in width.

Tooth number: Four large between lobes.

Tooth shape: Convex.

### INFLORESCENCE

Size: Cluster is 4 to 9 inches (10.16 to 22.86 cm) in length.

Number borne per spur: Two to three.

Number borne per vine: 22 to 25.

### FLOWERS

Flower buds (size): Small.

Flower buds (surface): Glabrous.

Flower buds (quantity): Moderate.

Date of bloom: Apr. 26, 2007.

Date of full bloom: May 5, 2007.

Size of bloom: 0.078 inch (2 mm).

Petal color: P1. 20 L9 - Eden gr.

Petal size: 0.078 inch (2 mm).

Pistil color: P1. 19 K10.

Amount of pollen: No data available.

Date of first visible berries: May 5, 2007.

### FRUIT

Solids: 17.5° Brix.

Acids: 0.45.

Sugar/acid ratio: 37.2.

Juice pH: 3.86.

Seeds: 0.

Seed number: None.

Cap stem pedicel: Average 0.12 inches (10 mm).

Berry weight: 8.52 grams.

Juice color: P1.17 I6 Viridine Green.

Cluster size: Medium to large.

Cluster weight: 908.8 grams (32 oz.).

Cluster average length: 8½ inches (21.6 cm).

Cluster average width: 7 inches (7.78 cm).

Cluster form: Conical.

Stem: Generally variable; 7.2 cm.

Stem caliper: 5 mm.

Berry size: Large.

Berry size (average dimension along longitudinal axis): 0.92 to 1.02 inches (22 to 26 mm).

Berry size (average dimension along transverse axis): 0.79 to 0.92 inches (20 to 22 mm).

Berry shape: Ovate.

Berry number: Approximately 110 berries per bunch.

### SKIN

Skin thickness: Medium.

Texture: Tough.

Ground color: P1.18 I7 Spring Green.

Pulp: Firm.

### FLESH

Flesh color: P1.17 L7 Viridine Y.

Juice production: Very good.

Flavor: Very good.

Armoa: Mild.

Texture: Firm.

Ripening: Even.

Eating Quality: Very good.

Use: Fresh market.

5

Keeping quality: Very good.  
Resistance to disease: None observed.  
Harvesting and shipment: Mid July to September in the San Joaquin Valley of Central California.  
Shipping and handling quality: Very good.  
U.S.D.A Hardiness Zone: Zones 8 and 9.  
Having thus described and illustrated our new variety of grapevine, we claim:

6

1. A new variety of grapevine to be known as 'Sheegene-9', substantially as illustrated and described, characterized principally by its production of green-colored, medium to large sized seedless grapes, that mature earlier in the season of ripening than does the Thompson Seedless Grape (unpatented) that it closely resembles.

\* \* \* \* \*

