



US00D745904S

(12) **United States Design Patent**
Geltinger et al.

(10) **Patent No.:** **US D745,904 S**

(45) **Date of Patent:** **** Dec. 22, 2015**

- (54) **DOUBLE CAVITY FORM CARRIER**
- (71) Applicant: **KRONES AG**, Neutraubling (DE)
- (72) Inventors: **Florian Geltinger**, Donaustauf (DE);
Heinrich Deyerl, Teunz (DE); **Thomas Hoellriegl**, Teublitz (DE); **Thomas Philipp**, Sinzing-Eilsbrunn (DE);
Gerhard Schuster, Pfakofen (DE); **Erik Blochmann**, Neutraubling (DE); **Maria Lindner**, Hausen (DE)

5,518,676	A *	5/1996	de Rocheprise	264/127
5,522,579	A *	6/1996	Rock	249/219.1
5,700,415	A *	12/1997	Hiroki et al.	264/318
5,823,038	A *	10/1998	Jakoby	72/270
6,099,785	A *	8/2000	Schweigert et al.	264/328.1
6,439,984	B1 *	8/2002	Andres	451/398
6,644,358	B2 *	11/2003	Demarest et al.	138/177
D550,258	S *	9/2007	Schad et al.	D15/135
8,002,538	B2 *	8/2011	Zydron	425/417
D699,769	S *	2/2014	Witz et al.	D15/136
8,801,416	B2 *	8/2014	Uneme	425/78
D714,368	S *	9/2014	Kmoch et al.	D15/136
9,067,348	B2 *	6/2015	Albrecht	

(73) Assignee: **Krones AG**, Neutraubling (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/493,190**

(22) Filed: **Jun. 6, 2014**

(51) **LOC (10) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/138**

(58) **Field of Classification Search**
USPC D15/135, 136, 138
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,335,466	A *	3/1920	Stevenson	425/377
1,637,207	A *	7/1927	Whitehouse	425/133.1
1,944,982	A *	1/1934	Hoy	72/263
D137,460	S *	3/1944	Engel	D15/136
3,843,088	A *	10/1974	McLoughlin et al.	249/144
4,125,246	A *	11/1978	Von Holdt	249/58
4,165,999	A *	8/1979	Egner	156/245
D266,327	S *	9/1982	Haight et al.	D15/135
D331,248	S *	11/1992	Yeh	D15/135
D336,479	S *	6/1993	Shuji Shinagawa et al.	D15/135
5,517,056	A *	5/1996	Bigler et al.	257/666

* cited by examiner

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Greer, Burns & Crain, Ltd.


(57) **CLAIM**

The ornamental design for a double cavity form carrier, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the present double cavity form carrier;
 FIG. 2 is a front view of same;
 FIG. 3 is a rear view of same;
 FIG. 4 is a right side view of the form carrier of FIG. 1;
 FIG. 5 is a left side view of same;
 FIG. 6 is a top view of same;
 FIG. 7 is a bottom view of the present form carrier;
 FIG. 8 is a top view showing the present form carrier in assembled state; and,
 FIG. 9 is a top perspective view of the present form carrier in its environment.
 The structure shown in broken lines is for environment purposes only and does not form part of the claimed invention.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9