



US00D739721S

(12) **United States Design Patent**
Gretz

(10) **Patent No.:** **US D739,721 S**

(45) **Date of Patent:** **** Sep. 29, 2015**

- (54) **WIRE GRIPPER WITH KNURLED THUMBSCREW**
- (71) Applicant: **Thomas J. Gretz**, Port St. Lucie, FL (US)
- (72) Inventor: **Thomas J. Gretz**, Port St. Lucie, FL (US)
- (73) Assignee: **Arlington Industries, Inc.**, Scranton, PA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/460,462**
- (22) Filed: **Jul. 11, 2013**
- (51) **LOC (10) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/396**
- (58) **Field of Classification Search**
USPC D8/72, 354, 355, 356, 371, 373, 394, D8/395, 396; 248/49, 61, 62, 63, 73, 248/74.1-74.4; 294/132; 174/40 R, 40 CC
CPC F16L 3/26; F16L 3/14; F16L 3/13; F16L 3/24; F16L 3/10; H02G 7/08; H02G 7/10; H02G 7/12; H02G 7/53; F16G 11/12
See application file for complete search history.

D507,481 S *	7/2005	Blake et al.	D8/394
D523,738 S *	6/2006	Henson	D8/395
D531,016 S *	10/2006	Kobayashi	D8/394
D531,890 S *	11/2006	Bentrim	D8/382
D538,143 S *	3/2007	Pu et al.	D8/394
7,191,988 B2 *	3/2007	Kim et al.	248/68.1
D577,990 S *	10/2008	Andre et al.	D8/395
D591,587 S *	5/2009	Mason	D8/396
D620,346 S *	7/2010	Gretz	D8/396
D620,786 S *	8/2010	Gretz	D8/396
D679,581 S *	4/2013	Liu et al.	D8/395
D708,052 S *	7/2014	Symons	D8/394
D709,459 S *	7/2014	Polidori	D13/149
D713,713 S *	9/2014	Symons	D8/396
D717,159 S *	11/2014	Lindberg et al.	D8/396
D722,897 S *	2/2015	Silberberg	D10/69

* cited by examiner

Primary Examiner — John Windmuller
Assistant Examiner — Steven Czyz

(57) **CLAIM**
The ornamental design for wire gripper with knurled thumb-screw, as shown and described.


DESCRIPTION

FIG. 1 is a front side view of a wire gripper with knurled thumbscrew showing my new design, with the rear side being a mirror image thereof;
FIG. 2 is an end view thereof, with the opposing end view being a mirror image thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a top perspective view thereof; and,
FIG. 6 is a bottom perspective view thereof.
The broken lines are for illustrating portions of the wire gripper with knurled thumbscrew and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

3,860,351 A *	1/1975	Weiss et al.	403/218
D305,860 S *	2/1990	DeFrance	D8/14
D336,535 S *	6/1993	Maglica et al.	D26/138
D342,669 S *	12/1993	Solomon	D8/396
D389,228 S *	1/1998	Winterer et al.	D23/245
5,733,139 A *	3/1998	Bray et al.	439/402
D484,400 S *	12/2003	Blake et al.	D8/394
D504,445 S *	4/2005	Johnson	D15/122






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6