



US00D348225S

# United States Patent [19]

[11] Patent Number: Des. 348,225

Stott

[45] Date of Patent: \*\* Jun. 28, 1994

[54] **PHOTOSENSITIVE MONITORING DEVICE**

[76] Inventor: **Joan J. Stott**, 276 Summit Ave.,  
Summit, N.J. 07901

[\*\*] Term: **14 Years**

[21] Appl. No.: **3,876**

[22] Filed: **Jan. 21, 1993**

[52] U.S. Cl. .... **D10/52; D10/54;**  
**D10/57; D10/81**

[58] Field of Search ..... 116/206, 207, D1G. 41;  
374/141, 155, 161, 162, 208, 209, 210; D10/52,  
54, 55, 56, 59, 81; D11/117; D19/60, 59, 61, 62

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 121,675 7/1940 Goldin ..... D11/117
- D. 223,313 4/1972 White ..... D11/117 X
- D. 245,585 8/1977 Bru ..... D10/56

3,702,755 11/1972 Palmer ..... 116/206 X  
3,881,873 5/1975 Klowden ..... 116/206 X


*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine D. Davis  
*Attorney, Agent, or Firm*—Burgess, Ryan & Wayne

[57] **CLAIM**

The ornamental design for a photosensitive monitoring device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing the photosensitive monitoring device;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3

FIG. 4




FIG. 5



FIG. 6




FIG. 7