



(51) International Patent Classification:
G06F 3/041 (2006.01) *G06F 15/02* (2006.01)
H04W 88/02 (2009.01)

(21) International Application Number:
PCT/CA2010/001349

(22) International Filing Date:
31 August 2010 (31.08.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/251,545 14 October 2009 (14.10.2009) US

(71) Applicant (*for all designated States except US*): **RE-SEARCH IN MOTION LIMITED** [CA/CA]; 295 Phillip Street, Waterloo, Ontario N2L 3W8 (CA).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **RIDER, Douglas Clayton** [CA/CA]; 12802-4000 Innovation Drive, Ottawa, Ontario K2K 3K1 (CA). **HO, Colin Stephen** [CA/CA]; 12207-450 March Road, Kanata, Ontario K2K 3K2 (CA). **KENNEY, Jeffrey Brent** [CA/CA]; 12838-450 March Road, Kanata, Ontario K2K 3K2 (CA).

(74) Agents: **DE KLEINE, Geoffrey** et al.; Borden Ladner Gervais LLP, 1200 Waterfront Centre, 200 Burrard Street, Vancouver, British Columbia V7X 1T2 (CA).

[Continued on next page]

(54) Title: TOUCH-INPUT DETERMINATION BASED ON RELATIVE SIZES OF CONTACT AREAS

(57) Abstract: A method includes associating regions of a touch-sensitive display with information, detecting a touch on the touch-sensitive display, determining an area associated with the touch, and associating probability values with at least some of the information based on an area associated with the touch and the regions associated with the information.




FIG. 2



(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG,

ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))

Published:

— with international search report (Art. 21(3))

TOUCH-INPUT DETERMINATION BASED ON RELATIVE SIZES OF CONTACT AREAS

FIELD OF TECHNOLOGY

[0001] The present disclosure relates to electronic devices, including but not limited to portable electronic devices having touch-sensitive displays and their control.

BACKGROUND

[0002] Electronic devices, including portable electronic devices, have gained widespread use and may provide a variety of functions including, for example, telephonic, electronic messaging and other personal information manager (PIM) application functions. Portable electronic devices include several types of devices including mobile stations such as simple cellular telephones, smart telephones, wireless PDAs, and laptop computers with wireless 802.11 or Bluetooth capabilities.

[0003] Portable electronic devices such as PDAs or smart telephones are generally intended for handheld use and ease of portability. Smaller devices are generally desirable for portability. A touch-sensitive display, also known as a touchscreen display, is particularly useful on handheld devices, which are small and have limited space for user input and output. The information displayed on the touch-sensitive displays may be modified depending on the functions and operations being performed.

[0004] Improvements in devices with touch-sensitive displays are desirable.

BRIEF DESCRIPTION OF THE DRAWINGS

[0005] FIG. 1 is a block diagram of a portable electronic device in accordance with the present disclosure.

[0006] FIG. 2 is a flowchart illustrating a method of controlling an electronic device in accordance with the present disclosure.

[0007] FIG. 3 illustrates examples of control of a portable electronic device when a touch received at a touch-sensitive display in accordance with the present disclosure.

[0008] FIG. 4 is a flowchart illustrating a method of controlling an electronic device in accordance with the present disclosure.

[0009] FIG. 5 illustrates examples of control of a portable electronic device when a touch received at a touch-sensitive display in accordance with the present disclosure.

DETAILED DESCRIPTION

[0010] The following describes an electronic device and method of controlling the electronic device. The method may include associating regions of a touch-sensitive display with information, detecting a touch on the touch-sensitive display, determining an area associated with the touch, and associating probability values with at least some of the information based on an area associated with the touch and the regions associated with the information. Alternatively, the method may include associating regions of a touch-sensitive display with information, detecting a touch on the touch-sensitive display, determining distances from the touch to at least some of the regions, and associating probability values with at least some of the information based on the distances.

[0011] For simplicity and clarity of illustration, reference numerals may be repeated among the figures to indicate corresponding or analogous elements. Numerous details are set forth to provide an understanding of the embodiments described herein. The embodiments may be practiced without these details. In other instances, well-known methods, procedures, and components have not been described in detail to avoid obscuring the embodiments described. The description is not to be considered as limited to the scope of the embodiments described herein.

[0012] The disclosure generally relates to an electronic device, which is a portable electronic device in the embodiments described herein. Examples of portable electronic devices include mobile, or handheld, wireless communication devices such as pagers, cellular phones, cellular smart-phones, wireless organizers, personal digital assistants, wirelessly enabled notebook computers, and so forth. The portable electronic device may also be a portable electronic device without wireless communication capabilities, such as a handheld electronic game device, digital photograph album, digital camera, or other device.

[0013] A block diagram of an example of a portable electronic device 100 is shown in FIG. 1. The portable electronic device 100 includes multiple components, such as a processor 102 that controls the overall operation of the portable electronic device 100. Communication functions, including data and voice communications, are performed through a communication subsystem 104. Data received by the portable electronic device 100 is decompressed and decrypted by a decoder 106. The communication subsystem 104 receives messages from and sends messages to a wireless network 150. The wireless network 150 may be any type of wireless network, including, but not limited to, data wireless networks, voice wireless networks, and networks that support both voice and data communications. A power source 142, such as one or more rechargeable batteries or a port to an external power supply, powers the portable electronic device 100.

[0014] The processor 102 interacts with other components, such as Random Access Memory (RAM) 108, memory 110, a display 112 with a touch-sensitive overlay 114 operably coupled to an electronic controller 116 that together comprise a touch-sensitive display 118, one or more actuators 120, one or more force sensors 122, an auxiliary input/output (I/O) subsystem 124, a data port 126, a speaker 128, a microphone 130, short-range communications 132, and other device subsystems 134. User-interaction with a graphical user interface is performed through the touch-sensitive overlay 114. The processor 102 interacts with the touch-sensitive overlay 114 via the electronic controller 116. Information, such as text, characters, symbols, images, icons, and other items that may be displayed or rendered on a portable electronic device, is displayed on the touch-sensitive display 118 via the processor 102. The processor 102 may interact with an accelerometer 136 that may be utilized to detect direction of gravitational forces or gravity-induced reaction forces.

[0015] To identify a subscriber for network access, the portable electronic device 100 uses a Subscriber Identity Module or a Removable User Identity Module (SIM/RUIM) card 138 for communication with a network, such as the wireless network 150. Alternatively, user identification information may be programmed into memory 110.

[0016] The portable electronic device 100 includes an operating system 146 and software programs or components 148 that are executed by the processor 102 and are typically stored in a persistent, updatable store such as the memory 110. Additional applications or programs may be loaded onto the portable electronic device 100 through the wireless network 150, the auxiliary I/O subsystem 124, the data port 126, the short-range communications subsystem 132, or any other suitable subsystem 134.

[0017] A received signal such as a text message, an e-mail message, or web page download is processed by the communication subsystem 104 and input to the processor 102. The processor 102 processes the received signal for output to the display 112 and/or to the auxiliary I/O subsystem 124. A subscriber may generate data items, for example e-mail messages, which may be transmitted over the wireless network 150 through the communication subsystem 104. For voice communications, the overall operation of the portable electronic device 100 is similar. The speaker 128 outputs audible information converted from electrical signals, and the microphone 130 converts audible information into electrical signals for processing.

[0018] The touch-sensitive display 118 may be any suitable touch-sensitive display, such as a capacitive, resistive, infrared, surface acoustic wave (SAW) touch-sensitive display, strain gauge, optical imaging, dispersive signal technology, acoustic pulse recognition, and so forth, as known in the art. A capacitive touch-sensitive display may include a capacitive

touch-sensitive overlay 114. The overlay 114 may be an assembly of multiple layers in a stack including, for example, a substrate, a ground shield layer, a barrier layer, one or more capacitive touch sensor layers separated by a substrate or other barrier, and a cover. The capacitive touch sensor layers may be any suitable material, such as patterned indium tin oxide (ITO).

[0019] One or more touches, also known as touch contacts or touch events, may be detected by the touch-sensitive display 118. The processor 102 may determine attributes of the touch, including a location of a touch. Touch location data may include an area of contact, or a point of contact including width information in both x and y axes, or a single point of contact, such as a point at or near a center of the area of contact. The location of a detected touch may include x and y components, e.g., horizontal and vertical components, respectively, with respect to one's view of the touch-sensitive display 118. For example, the x location component may be determined by a signal generated from one touch sensor, and the y location component may be determined by a signal generated from another touch sensor. A signal is provided to the controller 116 in response to detection of a touch. A touch may be detected from any suitable object, such as a finger, thumb, appendage, or other items, for example, a stylus, pen, or other pointer, depending on the nature of the touch-sensitive display 118. The controller 116 and/or the processor 102 may detect a touch by any suitable contact object on the touch-sensitive display 118. Multiple simultaneous touches may be detected.

[0020] The actuator(s) 120 may be depressed by applying sufficient force to the touch-sensitive display 118 to overcome the actuation force of the actuator 120. The actuator 120 may be actuated by pressing anywhere on the touch-sensitive display 118. Input may be provided to the processor 102 when the actuator 120 is actuated. Actuation of the actuator 120 may result in provision of tactile feedback.

[0021] A mechanical dome switch actuator may be utilized. In this example, tactile feedback is provided when the dome collapses due to imparted force and when the dome returns to the rest position after release of the switch.

[0022] Alternatively, the actuator 120 may comprise one or more piezoelectric (piezo) devices that provide tactile feedback for the touch-sensitive display 118. Contraction of the piezo actuator(s) applies a spring-like force, for example, opposing a force externally applied to the touch-sensitive display 118.

[0023] A flowchart illustrating a method of controlling an electronic device is shown in FIG. 2. The method may be carried out by software executed by, for example, the processor 102. Coding of software for carrying out such a method is within the scope of a person of

ordinary skill in the art given the present description.

[0024] Regions of the touch-sensitive display 118 are associated 202 with information, such as characters or functions or characters and functions that are displayed via virtual keys of a keyboard. The characters and functions are associated with the regions for selection of a character or function in an application. The application may be any suitable application. Suitable applications include an electronic mail application, a text application, a calendar application, an address book application, a task application, a memo application, and so forth.

[0025] When a touch is detected 204, the location of the touch on the touch-sensitive display 118 is determined. An area is associated 206 with the location of the touch. The area may be any suitable size and any suitable shape, such as a square area, rectangular area, circular area and so forth. The size and shape of the area may be adjusted to optimize performance. The area may surround the location of the touch, such that the location of the touch is centered on the area, or may be offset from the center. Alternatively, the area may be an area of contact of the touch on a touch-sensitive display 118 that is configured to determine an area of contact of the touch. Alternatively, the area may be determined based on the touch location and width in the x direction and length in the y direction.

[0026] The portion of the area that overlaps with each region is determined 208. A probability value is assigned 210 to information for each region based on the area of overlap. For example, the probability that is assigned may be a value determined by dividing the area of overlap with a region by the total area associated with the touch such that the probability value that is assigned to the information is less than one. For information with associated regions that do not overlap with the area associated with the touch, the probability value is zero. Optionally, a very low probability value may be assigned.

[0027] The probability values assigned to characters may be provided 212 to predictive text software, for example, along with the characters associated with each of the regions. The probability values may be taken into account by the predictive text software to facilitate determination of the intended selection.

[0028] An example of control of an electronic device when a touch is received is illustrated in FIG. 3. The regions of the touch-sensitive display 118 are associated with characters displayed in virtual keys of a keyboard 302 in an electronic mail application in the example of FIG. 3. The keyboard 302 shown is a QWERTY keyboard rendered on the touch-sensitive display 118. The present disclosure may be applied to other keyboard layouts. Each character and function shown in FIG. 3 is associated with a respective region. The region associated with each letter and function may correspond to the displayed key

such that the regions are separated by a space. Optionally, the region associated with each character and function may differ from the displayed area for the key. For example, the region may be larger than the displayed area for the key such that the space between the regions is smaller than the space displayed between the keys or no space may exist between the regions. The region associated with each character and function corresponds with the displayed key in the example of FIG. 3, such that the boundaries of the region correspond with the displayed boundaries of the key.

[0029] A touch, depicted by the circle 304 in the upper illustration of FIG. 3, is detected and the location of the touch on the touch-sensitive display 118 is determined. The area 306 is associated with the location of the touch. In the example of FIG. 3, the area 306 is a square area that is centered on the location of the touch, as shown in the lower illustration of FIG. 3.

[0030] The area 306 overlaps with four keys displayed on the keyboard 302 and overlaps with the associated regions of the four characters. The four characters include the letters "F", "G", "C" and "V". The portion of the area that overlaps with the region associated with the key for the letter "F" 308 is cross-hatched for the purpose of illustration. The portion of the area that overlaps with the regions associated with the keys for the letter "G" 310, the letter "C" 312, and the letter "V" 314 are also cross-hatched for the purpose of illustration. The area of overlap is determined for each of the regions.

[0031] A probability value is assigned to each of the letters "F", "G", "C", and "V" utilizing the area of overlap for each of the associated regions. The probability value is determined by dividing the area of overlap, for each region, by the total area of overlap of all the regions. In this example, the letter "F" is assigned the highest probability value because the area 306 overlaps more of the region associated with the letter "F" than any other region. Of the four letters "F", "G", "C" and "V", the letter "V" is assigned the lowest probability value because the area 306 overlaps less of the region associated with the letter "V" than for the letters "F", "G", and "C".

[0032] The probability values assigned to each of the regions are provided to predictive text software.

[0033] Optionally, the probability values may be assigned to characters and not to functions such as the enter function, shift function, symbol function, number lock function, backspace function, and space keys. A location of touch that is within one of the regions associated with a function may result in selection of the function and a probability value may not be assigned to the function. In this embodiment, probability values are determined for characters, such as letters, when the location of touch is not within one of the regions

associated with a function, and probability values are not assigned to functions. Optionally, probability values may be assigned to functions including functions that affect which characters or symbols are associated with the regions.

[0034] The regions associated with the information may change based on frequency of use or based on, for example, words in a device dictionary or spell-checker. For example, when letters are entered in a string, terms that begin with that string may be identified and the regions associated with the next letter for each of the terms may be increased in size while others remain static or are reduced in size. Small changes in region sizes may be made to reduce difficulty of selecting letters, for example for terms that are not included in the device spell-checker.

[0035] A flowchart illustrating another method of controlling an electronic device is shown in FIG. 4. The method may be carried out by software executed by, for example, the processor 102. Coding of software for carrying out such a method is within the scope of a person of ordinary skill in the art given the present description.

[0036] Regions of the touch-sensitive display 118 are associated 402 with information, such as characters that are displayed in the display area of the virtual keys of a keyboard. The regions are advantageously smaller than the displayed area for each key. The regions may be any suitable size and any suitable shape, such as a square area, rectangular area, circular area, oval area and so forth. The size and shape of the regions may be adjusted to optimize performance. When a touch is detected 404, the location of the touch on the touch-sensitive display 118 is determined. A distance from the location of the touch to the region is determined 406 for at least some of the regions. The distance determined is the shortest distance from the location of the touch to the region. A probability value is assigned 408 to the information based on the distance. For example, the probability assigned to the information associated with the region may be 1 when the touch location is within the region. The probability assigned to other information may be zero. When the touch location is not within the region, the probability may be determined by dividing the distance, for example for each of 4 closest regions, by the sum of the distances to each of the four regions. The number determined from the division is subtracted from 1 to provide the probability for the information. The probability values assigned to the information may be provided 410 to predictive text software, for example, along with the information associated with each of the regions. The probability values may be taken into account by the predictive text software to facilitate determination of the intended selection.

[0037] An example of control of an electronic device when a touch is received is illustrated in FIG. 5. The regions of the touch-sensitive display 118 are associated with

characters arranged in virtual keys of a keyboard 302 in an electronic mail application in the example of FIG. 5. The keyboard 302 shown is a QWERTY keyboard rendered on the touch-sensitive display 118. The present disclosure may be applied to other keyboard layouts. Each character and function shown in FIG. 5 is associated with a respective region. The region associated with each character and function may be smaller than the displayed key.

[0038] A touch, depicted by the circle 502 in the upper illustration of FIG. 5, is detected and the location of the touch on the touch-sensitive display 118 is determined. The distance from the location of the touch to the region is determined for each of the four closest regions. The four closest regions 504, 506, 508, 510 are associated with characters. The characters include the letters "F", "G", "C" and "V". The shortest distance from the location of touch to each of the four regions 504, 506, 508, 510 is determined. The distances 512, 514, 516, 518 are illustrated as lines in FIG. 5. The sum of the distances 512, 514, 516, 518 is also determined. Probability values are determined by subtracting from 1, the product of each distance by the sum of the distances. For example, the probability value for the letter "F" is determined as:

$$1 - (\text{distance } 512 / \text{Sum of distances } 512, 514, 516, 518).$$

The probability value for the letter "G" is determined as:

$$1 - (\text{distance } 514 / \text{Sum of distances } 512, 514, 516, 518).$$

The probability value for the letter "C" is determined as:

$$1 - (\text{distance } 516 / \text{Sum of distances } 512, 514, 516, 518).$$

The probability value for the letter "V" is determined as:

$$1 - (\text{distance } 518 / \text{Sum of distances } 512, 514, 516, 518).$$

[0039] The probability values are assigned to each of the letters "F", "G", "C" and "V" and are provided to predictive text software along with the letters.

[0040] Optionally, probability values may be assigned to functions including functions that affect which characters or symbols are associated with the regions.

[0041] The regions associated with the information may change based on frequency of use or based on, for example, words in a device dictionary or spell-checker. For example, when letters are entered in a string, terms that begin with that string may be identified and the regions associated with the next letter for each of the terms may be increased in size while others remain static or are reduced in size. Small changes in region sizes may be made to reduce difficulty of selecting letters, for example for terms that are not included in

the device spell-checker.

[0042] The probability values may also be determined based on other factors. The probability values described above with reference to FIG. 2 and FIG. 4 may be adjusted prior to assigning the probability values. For example, the probability values may be adjusted based on time between touches. Optionally, a selection may be made by depressing the touch-sensitive display 118 to actuate the actuator 120. An offset may be utilized to favor selection of information associated with the closest region when touch contact is made with the touch-sensitive display 118 for some threshold period of time prior to depression of the touch-sensitive display 118. For example, when touch contact with the touch-sensitive display 118 exceeds 0.5 seconds prior to selection of the information, the probability value assigned to the information with the closest associated region may be increased by, for example, 10% of the total probability. The probability values assigned to other information may be decreased.

[0043] The present disclosure may also apply to touch-sensitive keyboards or touch-sensitive pads in which regions of the touch-sensitive keyboards or touch-sensitive pads are associated with information.

[0044] A method includes associating regions of a touch-sensitive display with information, detecting a touch on the touch-sensitive display, determining an area associated with the touch, and associating probability values with at least some of the information based on the area associated with the touch and the regions associated with the information.

[0045] A computer-readable medium has computer-readable code executable by at least one processor of a portable electronic device to perform the above method.

[0046] An electronic device includes a touch-sensitive display to receive a touch and at least one processor coupled to the touch-sensitive display to render information on the touch-sensitive display, associate regions of a touch-sensitive display with the information, detecting the touch, and associate probability values with at least some of the information based on the area associated with the touch and the regions associated with the information.

[0047] A method includes associating regions of a touch-sensitive display with information, detecting a touch on the touch-sensitive display, determining distances from the touch to at least some of the regions, and associating probability values with at least some of the information based on the distances.

[0048] A computer-readable medium has computer readable code executable by at least one processor of a portable electronic device to perform the above method.

[0049] A portable electronic device includes a touch-sensitive display to receive a touch

and at least one processor coupled to the touch-sensitive display to render information on the touch-sensitive display, detect the touch on the touch-sensitive display, determine distances from the touch to at least some of the regions, and associate probability values with at least some of the information based on the distances

[0050] Assigning probability values to information, such as characters, and the use of the probability values, for example in text prediction, facilitates the determination of a selection. Entry errors that occur during use of a touch-sensitive display may be reduced, reducing device use time during entry and decreasing power consumption.

[0051] The present disclosure may be embodied in other specific forms without departing from its spirit or essential characteristics. The described embodiments are to be considered in all respects only as illustrative and not restrictive. The scope of the present disclosure is, therefore, indicated by the appended claims rather than by the foregoing description. All changes that come within the meaning and range of equivalency of the claims are to be embraced within their scope.

What is claimed is:

Claims

1. A method comprising:

associating regions of a touch-sensitive display with information;

detecting a touch on the touch-sensitive display;

determining an area associated with the touch;

associating probability values with at least some of the information based on the area associated with the touch and the regions associated with the information.

2. The method according to claim 1, wherein the information comprises characters.

3. The method according to claim 1, wherein the information comprises characters and functions.

4. The method according to claim 3, wherein the functions comprise functions that affect which information is associated with the regions.

5. The method according to claim 1, wherein determining an area associated with the touch comprises determining an area of contact of the touch on the touch-sensitive display.

6. The method according to claim 1, wherein detecting a touch comprises determining a point location of the touch.

7. The method according to claim 6, wherein the area surrounds the point location.

8. The method according to claim 1, comprising determining values related to the overlap of the area with the respective regions associated with the information.

9. The method according to claim 8, wherein the probability values are based on the values related to the overlap.

10. The method according to claim 1, comprising providing the probability values, for the information, to predictive text software.

11. A computer-readable medium having computer readable code executable by at least one processor of a portable electronic device to perform the method of claim 1.

12. An electronic device comprising:

a touch-sensitive display to receive a touch;

at least one processor coupled to the touch-sensitive display and configured to render information on the touch-sensitive display, associate regions of a touch-sensitive display with the information, detecting the touch, and associate probability values with at least some of the information based on the area associated with the touch and the regions associated with the information.

13. The electronic device according to claim 12, wherein the information comprises characters.

14. The electronic device according to claim 12, wherein the information comprises characters and functions.

15. The electronic device according to claim 14, wherein the functions comprise functions that affect which information is associated with the regions.

16. The electronic device according to claim 12, wherein the area associated with the touch comprises an area of contact of the touch on the touch-sensitive display.

17. The electronic device according to claim 12, wherein the touch-sensitive display is configured to determine a point location of the touch.

18. The electronic device according to claim 17, wherein the area surrounds the point location.

19. The electronic device according to claim 12, wherein the probability values are based on the values related to overlap of the area with respective regions associated with the information.

1/5




FIG. 1

2/5




FIG. 2

3/5




FIG. 3

4/5




FIG. 4

5/5




FIG. 5

INTERNATIONAL SEARCH REPORT

International application No.
PCT/CA2010/001349

A. CLASSIFICATION OF SUBJECT MATTER IPC: G06F 3/041 (2006.01) , H04W 88/02 (2009.01) , G06F 15/02 (2006.01) According to International Patent Classification (IPC) or to both national classification and IPC				
B. FIELDS SEARCHED				
Minimum documentation searched (classification system followed by classification symbols) IPC: ALL (2006.01)				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched				
Electronic database(s) consulted during the international search (name of database(s) and, where practicable, search terms used) TotalPatent™ & keywords: touch sensitive/device/system/display/screen/pad/surface/panel/tablet; touch-sensitive; discriminate/resolve/distinguish/separate/differentiate/discern/recognize/disambiguate/detect/determine/identify; overlap/coincidence/superimpose/contact size/area/extent/amount/degree/percentage; probability				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
X	US 2008/0122796 A1 (<i>Jobs et al.</i>) - 29 May 2008 (29-05-2008) * [0241]; [0828]; [1322]-[1324]; Fig. 6A item 628; Fig. 61 items 6106 - 6110 *	1-19		
A	US 5,748,512 (<i>Vargas</i>) - 5 May 1998 (05-05-1998) * Abstract; col. 3, ll. 26-27 *			
A	CA 2498066 A1 (<i>Griffin</i>) - 27 August 2005 (27-08-2005) * the whole document *			
A	US 2009/174667 A1 (<i>Kocienda et al.</i>) - 9 July 2009 (09-07-2009) * the whole document *			
☐ Further documents are listed in the continuation of Box C. ☒ See patent family annex.				
* Special categories of cited documents : <table border="0"> <tr> <td style="vertical-align: top;"> “A” document defining the general state of the art which is not considered to be of particular relevance “E” earlier application or patent but published on or after the international filing date “L” document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) “O” document referring to an oral disclosure, use, exhibition or other means “P” document published prior to the international filing date but later than the priority date claimed </td> <td style="vertical-align: top;"> “T” later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention “X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone “Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art “&” document member of the same patent family </td> </tr> </table>			“A” document defining the general state of the art which is not considered to be of particular relevance “E” earlier application or patent but published on or after the international filing date “L” document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) “O” document referring to an oral disclosure, use, exhibition or other means “P” document published prior to the international filing date but later than the priority date claimed	“T” later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention “X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone “Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art “&” document member of the same patent family
“A” document defining the general state of the art which is not considered to be of particular relevance “E” earlier application or patent but published on or after the international filing date “L” document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) “O” document referring to an oral disclosure, use, exhibition or other means “P” document published prior to the international filing date but later than the priority date claimed	“T” later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention “X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone “Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art “&” document member of the same patent family			
Date of the actual completion of the international search 23 September 2010 (23-09-2010)		Date of mailing of the international search report 22 November 2010 (22-11-2010)		
Name and mailing address of the ISA/CA Canadian Intellectual Property Office Place du Portage I, C114 - 1st Floor, Box PCT 50 Victoria Street Gatineau, Quebec K1A 0C9 Facsimile No.: 001-819-953-2476		Authorized officer Cristian S. Popa (819) 997-2299		

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

Patent Document Cited in Search Report	Publication Date	Patent Family Member(s)	Publication Date
US2008122796A1	29 May 2008 (29-05-2008)	US2008122796A1	29 May 2008 (29-05-2008)
		AU759440B2	17 April 2003 (17-04-2003)
		AU2467399A	09 August 1999 (09-08-1999)
		AU2006291338A1	22 March 2007 (22-03-2007)
		AU2006295353A1	05 April 2007 (05-04-2007)
		AU2006295354A1	05 April 2007 (05-04-2007)
		AU2007283771A1	03 April 2008 (03-04-2008)
		AU2007283771B2	01 October 2009 (01-10-2009)
		AU2007283771B8	28 January 2010 (28-01-2010)
		AU2007283771C1	03 June 2010 (03-06-2010)
		AU2007286532A1	03 April 2008 (03-04-2008)
		AU2007286532A8	05 March 2009 (05-03-2009)
		AU2007286532B2	06 August 2009 (06-08-2009)
		AU2007286532B8	22 October 2009 (22-10-2009)
		AU2007286532C1	27 May 2010 (27-05-2010)
		AU2007289019A1	01 May 2008 (01-05-2008)
		AU2007289019B2	04 February 2010 (04-02-2010)
		AU2007292383A1	13 March 2008 (13-03-2008)
		AU2007292384A1	13 March 2008 (13-03-2008)
		AU2007292473A1	13 March 2008 (13-03-2008)
		AU2007292473B2	20 May 2010 (20-05-2010)
		AU2007342102A1	17 July 2008 (17-07-2008)
		AU2008100004A4	14 February 2008 (14-02-2008)
		AU2008100004B4	05 June 2008 (05-06-2008)
		AU2008100010A4	14 February 2008 (14-02-2008)
		AU2008100010B4	05 June 2008 (05-06-2008)
		AU2008100011A4	14 February 2008 (14-02-2008)
		AU2008100011B4	05 June 2008 (05-06-2008)
		AU2008100085A4	06 March 2008 (06-03-2008)
		AU2008100174A4	08 May 2008 (08-05-2008)
		AU2008100174B4	06 November 2008 (06-11-2008)
		AU2008100174C4	11 June 2009 (11-06-2009)
		AU2008100176A4	01 May 2008 (01-05-2008)
		AU2008100176B4	02 October 2008 (02-10-2008)
		AU2008100179A4	01 May 2008 (01-05-2008)
		AU2008100179B4	17 July 2008 (17-07-2008)
		AU2008100283A4	03 July 2008 (03-07-2008)
		AU2008100283B4	20 November 2008 (20-11-2008)
		AU2008100283C4	30 July 2009 (30-07-2009)
		AU2008100372A4	22 May 2008 (22-05-2008)
		AU2008100372B4	02 October 2008 (02-10-2008)
		AU2008201540A1	05 June 2008 (05-06-2008)
		AU2008201540A8	05 March 2009 (05-03-2009)
		AU2008201540B2	03 September 2009 (03-09-2009)
		AU2008203349A1	20 November 2008 (20-11-2008)
		AU2008204988A1	17 July 2008 (17-07-2008)
		AU2008210864A1	07 August 2008 (07-08-2008)
		AU2008271011A1	08 January 2009 (08-01-2009)
		AU2009100352A4	28 May 2009 (28-05-2009)
		AU2009100722A4	27 August 2009 (27-08-2009)
		AU2009100722B4	10 December 2009 (10-12-2009)
		AU2009100723A4	03 September 2009 (03-09-2009)
		AU2009100723B4	07 January 2010 (07-01-2010)
		AU2009100760A4	10 September 2009 (10-09-2009)
		AU2009100760B4	28 January 2010 (28-01-2010)
		AU2009100792A4	17 September 2009 (17-09-2009)
		AU2009100792B4	08 October 2009 (08-10-2009)
		AU2009200366A1	19 February 2009 (19-02-2009)
		AU2009200366B2	09 April 2009 (09-04-2009)
		AU2009200372A1	19 February 2009 (19-02-2009)
		AU2009200372B2	02 April 2009 (02-04-2009)
		AU2009204252A1	16 July 2009 (16-07-2009)
		AU2009208099A1	03 September 2009 (03-09-2009)
		AU2009208103A1	03 September 2009 (03-09-2009)
		AU2009212904A1	24 September 2009 (24-09-2009)
		AU2009233675A1	26 November 2009 (26-11-2009)
		CA2318815C	10 August 2004 (10-08-2004)
		CA2627118A1	13 March 2008 (13-03-2008)
		CA2658177A1	17 July 2008 (17-07-2008)
		CA2658413A1	13 March 2008 (13-03-2008)
		CA2661856A1	13 March 2008 (13-03-2008)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

CA2661886A1	13 March 2008 (13-03-2008)
CA2662134A1	13 March 2008 (13-03-2008)
CA2662137A1	13 March 2008 (13-03-2008)
CA2666438A1	02 May 2008 (02-05-2008)
CN101052939A	10 October 2007 (10-10-2007)
CN101198925A	11 June 2008 (11-06-2008)
CN101263443A	10 September 2008 (10-09-2008)
CN101263448A	10 September 2008 (10-09-2008)
CN101356492A	28 January 2009 (28-01-2009)
CN101356493A	28 January 2009 (28-01-2009)
CN101384977A	11 March 2009 (11-03-2009)
CN101390039A	18 March 2009 (18-03-2009)
CN101482794A	15 July 2009 (15-07-2009)
CN101482795A	15 July 2009 (15-07-2009)
CN101529367A	09 September 2009 (09-09-2009)
CN101529368A	09 September 2009 (09-09-2009)
CN101529874A	09 September 2009 (09-09-2009)
CN101529878A	09 September 2009 (09-09-2009)
CN101535938A	16 September 2009 (16-09-2009)
CN101535939A	16 September 2009 (16-09-2009)
CN101535940A	16 September 2009 (16-09-2009)
CN101542424A	23 September 2009 (23-09-2009)
CN101558372A	14 October 2009 (14-10-2009)
CN101563667A	21 October 2009 (21-10-2009)
CN101617288A	30 December 2009 (30-12-2009)
CN101627359A	13 January 2010 (13-01-2010)
CN101627361A	13 January 2010 (13-01-2010)
CN101627617A	13 January 2010 (13-01-2010)
CN101636711A	27 January 2010 (27-01-2010)
CN101641946A	03 February 2010 (03-02-2010)
CN101682585A	24 March 2010 (24-03-2010)
CN101727275A	09 June 2010 (09-06-2010)
CN101796478A	04 August 2010 (04-08-2010)
CN101802817A	11 August 2010 (11-08-2010)
DE112007000067T5	18 September 2008 (18-09-2008)
DE112007000122T5	29 January 2009 (29-01-2009)
DE112007002088T5	02 July 2009 (02-07-2009)
DE112007002090T5	09 July 2009 (09-07-2009)
DE112007002107T5	02 July 2009 (02-07-2009)
DE112008000144T5	26 November 2009 (26-11-2009)
DE202005021427U1	14 February 2008 (14-02-2008)
DE202005021492U1	08 May 2008 (08-05-2008)
DE202007018413U1	05 June 2008 (05-06-2008)
DE202007018420U1	19 June 2008 (19-06-2008)
DE202007018421U1	26 June 2008 (26-06-2008)
DE202008000259U1	29 May 2008 (29-05-2008)
DE202008000260U1	26 June 2008 (26-06-2008)
DE202008000262U1	19 June 2008 (19-06-2008)
DE202008000268U1	19 June 2008 (19-06-2008)
DE202008001338U1	10 July 2008 (10-07-2008)
DE212007000015U1	24 July 2008 (24-07-2008)
DE212007000039U1	08 January 2009 (08-01-2009)
DE212007000076U1	02 July 2009 (02-07-2009)
DE212008000001U1	21 August 2008 (21-08-2008)
EP1058924A1	13 December 2000 (13-12-2000)
EP1058924A4	24 August 2005 (24-08-2005)
EP1621989A2	01 February 2006 (01-02-2006)
EP1621989A3	17 May 2006 (17-05-2006)
EP1717677A2	02 November 2006 (02-11-2006)
EP1717677A3	02 January 2008 (02-01-2008)
EP1717678A2	02 November 2006 (02-11-2006)
EP1717678A3	21 January 2009 (21-01-2009)
EP1717679A2	02 November 2006 (02-11-2006)
EP1717679A3	04 February 2009 (04-02-2009)
EP1717680A2	02 November 2006 (02-11-2006)
EP1717680A3	24 March 2010 (24-03-2010)
EP1717681A2	02 November 2006 (02-11-2006)
EP1717681A3	14 January 2009 (14-01-2009)
EP1717682A2	02 November 2006 (02-11-2006)
EP1717682A3	16 April 2008 (16-04-2008)
EP1717683A2	02 November 2006 (02-11-2006)
EP1717683A3	17 March 2010 (17-03-2010)
EP1717684A2	02 November 2006 (02-11-2006)
EP1717684A3	23 January 2008 (23-01-2008)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

EP1774427A2	18 April 2007 (18-04-2007)
EP1774429A2	18 April 2007 (18-04-2007)
EP1934685A1	25 June 2008 (25-06-2008)
EP1934686A1	25 June 2008 (25-06-2008)
EP1934693A2	25 June 2008 (25-06-2008)
EP1969453A2	17 September 2008 (17-09-2008)
EP2000893A2	10 December 2008 (10-12-2008)
EP2000893A3	14 January 2009 (14-01-2009)
EP2000894A2	10 December 2008 (10-12-2008)
EP2000894A3	14 January 2009 (14-01-2009)
EP2059868A2	20 May 2009 (20-05-2009)
EP2060096A1	20 May 2009 (20-05-2009)
EP2067094A1	10 June 2009 (10-06-2009)
EP2069895A1	17 June 2009 (17-06-2009)
EP2069898A1	17 June 2009 (17-06-2009)
EP2069899A1	17 June 2009 (17-06-2009)
EP2069982A2	17 June 2009 (17-06-2009)
EP2074500A2	01 July 2009 (01-07-2009)
EP2078239A2	15 July 2009 (15-07-2009)
EP2080087A2	22 July 2009 (22-07-2009)
EP2082313A2	29 July 2009 (29-07-2009)
EP2095214A2	02 September 2009 (02-09-2009)
EP2095616A1	02 September 2009 (02-09-2009)
EP2106652A1	07 October 2009 (07-10-2009)
EP2115560A2	11 November 2009 (11-11-2009)
EP2118728A1	18 November 2009 (18-11-2009)
EP2118729A2	18 November 2009 (18-11-2009)
EP2118730A2	18 November 2009 (18-11-2009)
EP2119199A1	18 November 2009 (18-11-2009)
EP2126676A1	02 December 2009 (02-12-2009)
EP2126678A2	02 December 2009 (02-12-2009)
EP2160877A1	10 March 2010 (10-03-2010)
EP2166438A1	24 March 2010 (24-03-2010)
EP2227738A2	15 September 2010 (15-09-2010)
HK1109013A2	23 May 2008 (23-05-2008)
HK1109023A2	30 May 2008 (30-05-2008)
HK1134885A2	14 May 2010 (14-05-2010)
HK1134886A2	14 May 2010 (14-05-2010)
HK1134887A2	14 May 2010 (14-05-2010)
IL137478D0	24 July 2001 (24-07-2001)
IL137478A	20 November 2005 (20-11-2005)
IL197385D0	24 December 2009 (24-12-2009)
JP2002501271T	15 January 2002 (15-01-2002)
JP2007184006A	19 July 2007 (19-07-2007)
JP2007184007A	19 July 2007 (19-07-2007)
JP2007184008A	19 July 2007 (19-07-2007)
JP2007193840A	02 August 2007 (02-08-2007)
JP2007213599A	23 August 2007 (23-08-2007)
JP2007226820A	06 September 2007 (06-09-2007)
JP2007242035A	20 September 2007 (20-09-2007)
JP2008508600T	21 March 2008 (21-03-2008)
JP2008508601T	21 March 2008 (21-03-2008)
JP2009509234T	05 March 2009 (05-03-2009)
JP2009509235T	05 March 2009 (05-03-2009)
JP2009509236T	05 March 2009 (05-03-2009)
JP2009522697T	11 June 2009 (11-06-2009)
JP2010170573A	05 August 2010 (05-08-2010)
JP2010503082T	28 January 2010 (28-01-2010)
JP2010503121T	28 January 2010 (28-01-2010)
JP2010503124T	28 January 2010 (28-01-2010)
JP2010503125T	28 January 2010 (28-01-2010)
JP2010503126T	28 January 2010 (28-01-2010)
JP2010503127T	28 January 2010 (28-01-2010)
JP2010503332T	28 January 2010 (28-01-2010)
JP2010507870T	11 March 2010 (11-03-2010)
JP2010515978T	13 May 2010 (13-05-2010)
JP2010515980T	13 May 2010 (13-05-2010)
JP2010517197T	20 May 2010 (20-05-2010)
KR20060053010A	19 May 2006 (19-05-2006)
KR100595911B1	07 July 2006 (07-07-2006)
KR20060058784A	30 May 2006 (30-05-2006)
KR100595912B1	07 July 2006 (07-07-2006)
KR20060059263A	01 June 2006 (01-06-2006)
KR100595915B1	05 July 2006 (05-07-2006)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

KR100595917B1	05 July 2006 (05-07-2006)
KR20060059264A	01 June 2006 (01-06-2006)
KR100595920B1	05 July 2006 (05-07-2006)
KR20060059265A	01 June 2006 (01-06-2006)
KR100595922B1	05 July 2006 (05-07-2006)
KR20060053012A	19 May 2006 (19-05-2006)
KR100595924B1	05 July 2006 (05-07-2006)
KR20060058731A	30 May 2006 (30-05-2006)
KR100595925B1	05 July 2006 (05-07-2006)
KR20060058732A	30 May 2006 (30-05-2006)
KR100595926B1	05 July 2006 (05-07-2006)
KR20070039613A	12 April 2007 (12-04-2007)
KR20070040821A	17 April 2007 (17-04-2007)
KR20080031516A	08 April 2008 (08-04-2008)
KR20080043850A	19 May 2008 (19-05-2008)
KR20080045213A	22 May 2008 (22-05-2008)
KR20080091199A	09 October 2008 (09-10-2008)
KR20080096593A	30 October 2008 (30-10-2008)
KR20090029307A	20 March 2009 (20-03-2009)
KR20090046960A	11 May 2009 (11-05-2009)
KR20090050109A	19 May 2009 (19-05-2009)
KR20090053851A	27 May 2009 (27-05-2009)
KR20090057304A	04 June 2009 (04-06-2009)
KR20090057420A	05 June 2009 (05-06-2009)
KR20090057421A	05 June 2009 (05-06-2009)
KR20090060429A	12 June 2009 (12-06-2009)
KR20090066314A	23 June 2009 (23-06-2009)
KR20090066315A	23 June 2009 (23-06-2009)
KR20090066316A	23 June 2009 (23-06-2009)
KR20090066319A	23 June 2009 (23-06-2009)
KR20090073084A	02 July 2009 (02-07-2009)
KR20090073138A	02 July 2009 (02-07-2009)
KR20090083394A	03 August 2009 (03-08-2009)
US6323846B1	27 November 2001 (27-11-2001)
US2002015024A1	07 February 2002 (07-02-2002)
US6888536B2	03 May 2005 (03-05-2005)
US2005104867A1	19 May 2005 (19-05-2005)
US7339580B2	04 March 2008 (04-03-2008)
US2008168404A1	10 July 2008 (10-07-2008)
US7469381B2	23 December 2008 (23-12-2008)
US2008174570A1	24 July 2008 (24-07-2008)
US7479949B2	20 January 2009 (20-01-2009)
US2006290921A1	28 December 2006 (28-12-2006)
US7599044B2	06 October 2009 (06-10-2009)
US2006053387A1	09 March 2006 (09-03-2006)
US7614008B2	03 November 2009 (03-11-2009)
US2006238521A1	26 October 2006 (26-10-2006)
US7619618B2	17 November 2009 (17-11-2009)
US2007075965A1	05 April 2007 (05-04-2007)
US7633076B2	15 December 2009 (15-12-2009)
US2006161871A1	20 July 2006 (20-07-2006)
US7653883B2	26 January 2010 (26-01-2010)
US2006238519A1	26 October 2006 (26-10-2006)
US7656394B2	02 February 2010 (02-02-2010)
US2008165022A1	10 July 2008 (10-07-2008)
US7671756B2	02 March 2010 (02-03-2010)
US2007152978A1	05 July 2007 (05-07-2007)
US7694231B2	06 April 2010 (06-04-2010)
US2008006762A1	10 January 2008 (10-01-2008)
US7714265B2	11 May 2010 (11-05-2010)
US2007085157A1	19 April 2007 (19-04-2007)
US7728316B2	01 June 2010 (01-06-2010)
US2006022955A1	02 February 2006 (02-02-2006)
US7760187B2	20 July 2010 (20-07-2010)
US2006232567A1	19 October 2006 (19-10-2006)
US7764274B2	27 July 2010 (27-07-2010)
US2007070052A1	29 March 2007 (29-03-2007)
US7782307B2	24 August 2010 (24-08-2010)
US2006022956A1	02 February 2006 (02-02-2006)
US2006026521A1	02 February 2006 (02-02-2006)
US2006026535A1	02 February 2006 (02-02-2006)
US2006026536A1	02 February 2006 (02-02-2006)
US2006033724A1	16 February 2006 (16-02-2006)
US2006085757A1	20 April 2006 (20-04-2006)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

US2006161870A1	20 July 2006 (20-07-2006)
US2006238518A1	26 October 2006 (26-10-2006)
US2006238520A1	26 October 2006 (26-10-2006)
US2006238522A1	26 October 2006 (26-10-2006)
US2007070050A1	29 March 2007 (29-03-2007)
US2007070051A1	29 March 2007 (29-03-2007)
US2007078919A1	05 April 2007 (05-04-2007)
US2007081726A1	12 April 2007 (12-04-2007)
US2007139395A1	21 June 2007 (21-06-2007)
US2007152980A1	05 July 2007 (05-07-2007)
US2007171210A1	26 July 2007 (26-07-2007)
US2007174788A1	26 July 2007 (26-07-2007)
US2007247442A1	25 October 2007 (25-10-2007)
US2007268273A1	22 November 2007 (22-11-2007)
US2007268274A1	22 November 2007 (22-11-2007)
US2007268275A1	22 November 2007 (22-11-2007)
US2008036743A1	14 February 2008 (14-02-2008)
US2008041639A1	21 February 2008 (21-02-2008)
US2008042986A1	21 February 2008 (21-02-2008)
US2008042987A1	21 February 2008 (21-02-2008)
US2008042988A1	21 February 2008 (21-02-2008)
US2008042989A1	21 February 2008 (21-02-2008)
US2008052945A1	06 March 2008 (06-03-2008)
US2008055263A1	06 March 2008 (06-03-2008)
US2008055264A1	06 March 2008 (06-03-2008)
US2008055269A1	06 March 2008 (06-03-2008)
US2008055272A1	06 March 2008 (06-03-2008)
US2008055273A1	06 March 2008 (06-03-2008)
US2008057926A1	06 March 2008 (06-03-2008)
US2008082930A1	03 April 2008 (03-04-2008)
US2008082934A1	03 April 2008 (03-04-2008)
US2008094356A1	24 April 2008 (24-04-2008)
US2008094368A1	24 April 2008 (24-04-2008)
US2008094369A1	24 April 2008 (24-04-2008)
US2008094370A1	24 April 2008 (24-04-2008)
US2008094371A1	24 April 2008 (24-04-2008)
US2008098331A1	24 April 2008 (24-04-2008)
US2008128182A1	05 June 2008 (05-06-2008)
US2008165136A1	10 July 2008 (10-07-2008)
US2008165142A1	10 July 2008 (10-07-2008)
US2008165143A1	10 July 2008 (10-07-2008)
US2008165144A1	10 July 2008 (10-07-2008)
US2008165145A1	10 July 2008 (10-07-2008)
US2008165146A1	10 July 2008 (10-07-2008)
US2008165147A1	10 July 2008 (10-07-2008)
US2008165148A1	10 July 2008 (10-07-2008)
US2008165149A1	10 July 2008 (10-07-2008)
US2008165151A1	10 July 2008 (10-07-2008)
US2008165152A1	10 July 2008 (10-07-2008)
US2008165153A1	10 July 2008 (10-07-2008)
US2008165160A1	10 July 2008 (10-07-2008)
US2008168349A1	10 July 2008 (10-07-2008)
US2008168353A1	10 July 2008 (10-07-2008)
US2008168361A1	10 July 2008 (10-07-2008)
US2008168365A1	10 July 2008 (10-07-2008)
US2008168379A1	10 July 2008 (10-07-2008)
US2008168395A1	10 July 2008 (10-07-2008)
US2008168396A1	10 July 2008 (10-07-2008)
US2008168405A1	10 July 2008 (10-07-2008)
US2008180408A1	31 July 2008 (31-07-2008)
US2008201650A1	21 August 2008 (21-08-2008)
US2008204426A1	28 August 2008 (28-08-2008)
US2008211775A1	04 September 2008 (04-09-2008)
US2008211778A1	04 September 2008 (04-09-2008)
US2008211783A1	04 September 2008 (04-09-2008)
US2008211784A1	04 September 2008 (04-09-2008)
US2008211785A1	04 September 2008 (04-09-2008)
US2008218535A1	11 September 2008 (11-09-2008)
US2008220752A1	11 September 2008 (11-09-2008)
US2008222545A1	11 September 2008 (11-09-2008)
US2008231610A1	25 September 2008 (25-09-2008)
US2008259040A1	23 October 2008 (23-10-2008)
US2008320391A1	25 December 2008 (25-12-2008)
US2008320419A1	25 December 2008 (25-12-2008)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

US2009005011A1	01 January 2009 (01-01-2009)
US2009006570A1	01 January 2009 (01-01-2009)
US2009006644A1	01 January 2009 (01-01-2009)
US2009007017A1	01 January 2009 (01-01-2009)
US2009021489A1	22 January 2009 (22-01-2009)
US2009058830A1	05 March 2009 (05-03-2009)
US2009066728A1	12 March 2009 (12-03-2009)
US2009070704A1	12 March 2009 (12-03-2009)
US2009070705A1	12 March 2009 (12-03-2009)
US2009073194A1	19 March 2009 (19-03-2009)
US2009077488A1	19 March 2009 (19-03-2009)
US2009160816A1	25 June 2009 (25-06-2009)
US2009174680A1	09 July 2009 (09-07-2009)
US2009177981A1	09 July 2009 (09-07-2009)
US2009178007A1	09 July 2009 (09-07-2009)
US2009178008A1	09 July 2009 (09-07-2009)
US2009244031A1	01 October 2009 (01-10-2009)
US2009244032A1	01 October 2009 (01-10-2009)
US2009244033A1	01 October 2009 (01-10-2009)
US2009249236A1	01 October 2009 (01-10-2009)
US2009251435A1	08 October 2009 (08-10-2009)
US2009251438A1	08 October 2009 (08-10-2009)
US2009251439A1	08 October 2009 (08-10-2009)
US2010048256A1	25 February 2010 (25-02-2010)
US2010149092A1	17 June 2010 (17-06-2010)
US2010149134A1	17 June 2010 (17-06-2010)
US2010177056A1	15 July 2010 (15-07-2010)
US2010188357A1	29 July 2010 (29-07-2010)
US2010188358A1	29 July 2010 (29-07-2010)
US2010192086A1	29 July 2010 (29-07-2010)
US2010207879A1	19 August 2010 (19-08-2010)
WO9938149A1	29 July 1999 (29-07-1999)
WO2006020304A2	23 February 2006 (23-02-2006)
WO2006020304A3	31 May 2007 (31-05-2007)
WO2006020305A2	23 February 2006 (23-02-2006)
WO2006020305A3	24 May 2007 (24-05-2007)
WO2007032843A2	22 March 2007 (22-03-2007)
WO2007032843A3	24 May 2007 (24-05-2007)
WO2007037808A1	05 April 2007 (05-04-2007)
WO2007037809A1	05 April 2007 (05-04-2007)
WO2007082139A2	19 July 2007 (19-07-2007)
WO2007082139A3	29 May 2008 (29-05-2008)
WO2008030762A2	13 March 2008 (13-03-2008)
WO2008030762A3	18 September 2008 (18-09-2008)
WO2008030776A2	13 March 2008 (13-03-2008)
WO2008030776A3	07 August 2008 (07-08-2008)
WO2008030778A1	13 March 2008 (13-03-2008)
WO2008030779A2	13 March 2008 (13-03-2008)
WO2008030779A3	26 June 2008 (26-06-2008)
WO2008030780A1	13 March 2008 (13-03-2008)
WO2008030874A1	13 March 2008 (13-03-2008)
WO2008030875A2	13 March 2008 (13-03-2008)
WO2008030875A3	02 October 2008 (02-10-2008)
WO2008030878A2	13 March 2008 (13-03-2008)
WO2008030878A3	26 June 2008 (26-06-2008)
WO2008030879A2	13 March 2008 (13-03-2008)
WO2008030879A3	24 July 2008 (24-07-2008)
WO2008030880A1	13 March 2008 (13-03-2008)
WO2008030970A2	13 March 2008 (13-03-2008)
WO2008030970A3	31 July 2008 (31-07-2008)
WO2008030972A1	13 March 2008 (13-03-2008)
WO2008030972A8	02 May 2008 (02-05-2008)
WO2008030974A1	13 March 2008 (13-03-2008)
WO2008030975A1	13 March 2008 (13-03-2008)
WO2008030976A2	13 March 2008 (13-03-2008)
WO2008030976A3	26 November 2009 (26-11-2009)
WO2008051472A1	02 May 2008 (02-05-2008)
WO2008052100A2	02 May 2008 (02-05-2008)
WO2008052100A3	12 September 2008 (12-09-2008)
WO2008066645A2	05 June 2008 (05-06-2008)
WO2008066645A3	21 August 2008 (21-08-2008)
WO2008085741A2	17 July 2008 (17-07-2008)
WO2008085741A3	04 September 2008 (04-09-2008)
WO2008085742A2	17 July 2008 (17-07-2008)

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/CA2010/001349

WO2008085743A1 17 July 2008 (17-07-2008)
WO2008085744A1 17 July 2008 (17-07-2008)
WO2008085745A1 17 July 2008 (17-07-2008)
WO2008085746A2 17 July 2008 (17-07-2008)
WO2008085746A3 21 August 2008 (21-08-2008)
WO2008085747A2 17 July 2008 (17-07-2008)
WO2008085747A3 12 September 2008 (12-09-2008)
WO2008085749A2 17 July 2008 (17-07-2008)
WO2008085749A3 06 November 2008 (06-11-2008)
WO2008085751A1 17 July 2008 (17-07-2008)
WO2008085768A2 17 July 2008 (17-07-2008)
WO2008085768A3 18 September 2008 (18-09-2008)
WO2008085769A1 17 July 2008 (17-07-2008)
WO2008085770A2 17 July 2008 (17-07-2008)
WO2008085770A3 28 August 2008 (28-08-2008)
WO2008086073A2 17 July 2008 (17-07-2008)
WO2008086073A3 28 August 2008 (28-08-2008)
WO2008086073A8 31 December 2008 (31-12-2008)
WO2008086075A2 17 July 2008 (17-07-2008)
WO2008086075A3 04 September 2008 (04-09-2008)
WO2008086218A2 17 July 2008 (17-07-2008)
WO2008086218A3 06 November 2008 (06-11-2008)
WO2008086220A2 17 July 2008 (17-07-2008)
WO2008086220A3 05 March 2009 (05-03-2009)
WO2008086220A8 07 May 2009 (07-05-2009)
WO2008086298A1 17 July 2008 (17-07-2008)
WO2008086301A2 17 July 2008 (17-07-2008)
WO2008086301A3 16 October 2008 (16-10-2008)
WO2008086302A1 17 July 2008 (17-07-2008)
WO2008086303A1 17 July 2008 (17-07-2008)
WO2008086305A2 17 July 2008 (17-07-2008)
WO2008086305A3 09 October 2008 (09-10-2008)
WO2008086306A1 17 July 2008 (17-07-2008)
WO2008086319A1 17 July 2008 (17-07-2008)
WO2008094791A2 07 August 2008 (07-08-2008)
WO2008094791A9 18 September 2008 (18-09-2008)
WO2008094791A3 27 November 2008 (27-11-2008)
WO2009002942A2 31 December 2008 (31-12-2008)
WO2009002942A3 19 February 2009 (19-02-2009)
WO2009005846A2 08 January 2009 (08-01-2009)
WO2009005846A3 26 February 2009 (26-02-2009)
WO2009005847A1 08 January 2009 (08-01-2009)
WO2009089222A2 16 July 2009 (16-07-2009)
WO2009089222A3 08 April 2010 (08-04-2010)
WO2010002487A1 07 January 2010 (07-01-2010)

US5748512A	05 May 1998 (05-05-1998)	US5748512A	05 May 1998 (05-05-1998)
CA2498066A1	27 August 2005 (27-08-2005)	CA2498066A1 EP1569079A1 SG114760A1 SG145778A1	27 August 2005 (27-08-2005) 31 August 2005 (31-08-2005) 28 September 2005 (28-09-2005) 29 September 2008 (29-09-2008)
US2009174667A1	09 July 2009 (09-07-2009)	US2009174667A1	09 July 2009 (09-07-2009)