

(19)
(12)

(KR)
(B1)

(51) 。 Int. Cl.⁷
B25J 9/16

(45)
(11)
(24)

2004 06 05
10-0434612
2004 05 25

(21) 10-2001-0043097
(22) 2001 07 18

(65)
(43)

10-2003-0008447
2003 01 29

(73) 140

(72) 25 209

1 198 1 511

320-54 204

3 B-205

9 203 204

(74)
:

(54)

1
2
3
4 3
5

< >
50 : 60 :
70 : 80 :
90 : 100 : PC-OLP
110 : 120 :

PC
1 2 1
() () (loongi.)(1), (tra
ns)(2), (off line) (3), (slot hole)(4), (5) (scallop)(6) (10) (10)
(6) (10) 가 (10) 가 (5), (4) (10)
(10) (10) 가 (10) 가 (5) (10)
10) 2 (S12) 2 (S12) 1 (S
가 3 (S14) 4 (S14) (S16) (10)

1 ;

2 ;

3 ;

가

4 ;

5 ; PC

6 ;

7

3

5

4 3

3 5

(50)
(58)

(52),

(54),
(module)

(56)

4

(50)
(52),
(52,54,56,58)

(54),

(56)
(50)

(50)

3

(58)

4

5

(50)

()
(50)

(module)(60)

(50)

(60)

(60)

(50)

50)

(60)

(procedure)(70)

가

(70)

(70)

(60)

(50)
(60)

(70)

(80)

(70)

(70)

(90)

(60)

(90)

(80)

(60)

PC-OLP(100)
0)

(50)

(90)

(90)

(110)

PC(10

(110)

(120)

가

(110)

(120)

6

(110)

가

(50)

(50)

(50)

(50)

가

(60)

가

(50)

(50)

가

(60)

가

가

(70)

(70)

가

가

가

가

가

PC-OLP(100)

가 , 6 ,
가 .

,
,
, 가 .

(57)

1.

1 ;

2 ;

3 ;


가

4 ;


PC

5 ;
6 ;


7 ;




2



3



4



5

