



(51) International Patent Classification:
G06Q 10/00 (2012.01)

(21) International Application Number:
PCT/US2020/016482

(22) International Filing Date:
04 February 2020 (04.02.2020)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
201911004697 06 February 2019 (06.02.2019) IN
16/360,160 21 March 2019 (21.03.2019) US

(71) Applicant: JPMORGAN CHASE BANK, N.A. [US/US];
383 Madison Avenue, New York, New York 10179 (US).

(72) Inventors: TANNA, Neil; 383 Madison Avenue, New York, New York 10179 (US). PASCUAL JR., Miguel; 383 Madison Avenue, New York, New York 10179 (US). PAUL, Hardev; 383 Madison Avenue, New York, New York 10179 (US). CHINTAPALLY, Vinayak Reddy; 383 Madison Avenue, New York, New York 10179 (US). IN-DUKURI, Phani; 383 Madison Avenue, New York, New York 10179 (US). DUNN, Gerald Hugh; 383 Madison Avenue, New York, New York 10179 (US).

(74) Agent: KING, Robert A.; 77 West Wacker Drive, Suite 3100, c/o Greenberg Traurig, LLP, Chicago, Illinois 60601 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

(54) Title: SYSTEMS AND METHODS FOR AUTOMATED TECHNOLOGY RESOURCE DECOMMISSIONING




Figure 1

(57) Abstract: Systems and methods for automated technology resource decommissioning are disclosed. According to one embodiment, in an information processing apparatus comprising at least one computer processor, a computer application executed by the at least one computer processor, a method for automated technology resource decommissioning may include: (1) retrieving information relating to a status of a plurality of technology resources; (2) identifying one of the plurality of technology resources for decommissioning based on the information; (3) creating a decommissioning record for the identified technology resource, the decommissioning record identifying a plurality of micro services for executing a decommissioning plan; (4) executing the decommissioning plan to decommission the identified technology resource; and (5) removing or reusing the decommissioned identified technology resource.

Published:

— *with international search report (Art. 21(3))*

SYSTEMS AND METHODS FOR AUTOMATED TECHNOLOGY RESOURCE DECOMMISSIONING

BACKGROUND OF THE INVENTION

1. Field of the Invention

[0001] The present disclosure generally relates to systems and methods for automated technology decommissioning.

2. Description Of The Related Art

[0002] Organizations often have an inconsistent approach to decommissioning technology, and most decommission processes are manual, inefficient and labor intensive. A lack of consistent information regarding application and infrastructure dependencies may lead to increased operational risk and potential outages. In addition, required steps in the decommissioning process are often missed. This leads to a build-up of “technology debris,” as well as costly maintenance of unneeded technology components.

SUMMARY OF THE INVENTION

[0003] Systems and methods for automated technology decommissioning are disclosed. In one embodiment, in an information processing apparatus comprising at least one computer processor, a computer application executed by the at least one computer processor, a method for automated technology resource decommissioning may include: (1) retrieving information relating to a status of a plurality of technology resources; (2) identifying one of the plurality of technology resources for decommissioning based on the information; (3) creating a decommissioning

record for the identified technology resource, the decommissioning record identifying a plurality of micro services for executing a decommissioning plan; (4) executing the decommissioning plan to decommission the identified technology resource; and (5) removing or reusing the decommissioned identified technology resource.

[0004] In one embodiment, the method may further include receiving approval of the decommissioning record before executing the decommissioning plan.

[0005] In one embodiment, the method may further include quarantining the identified technology resource before executing the decommissioning plan.

[0006] In one embodiment, the decommissioning record may further identify an automated script or a program to execute the decommissioning plan.

[0007] In one embodiment, the technology resource may include a hardware resource.

[0008] In one embodiment, the technology resource may include a software resource.

[0009] In one embodiment, the technology resource may include a storage device.

[0010] In one embodiment, the technology resource may include a network resource.

[0011] In one embodiment, the information retrieved may include a shelf life for the technology resource, a make and model of the technology resource, and a cost of the technology resource.

[0012] In one embodiment, the technology resource may be identified for decommissioning based on one of an age, an application lifecycle, an investment strategy, and a required technology refresh.

[0013] According to another embodiment, a system for automated technology resource decommissioning may include a plurality of technology resources and a decommissioning computer program executed by a computer processor. The decommissioning computer program may retrieve information relating to a status of each of the plurality of technology resources; identify one of the plurality of technology resources for decommissioning based on the information; create a decommissioning record for the identified technology resource, the decommissioning record identifying a plurality of micro services for executing a decommissioning plan; execute the decommissioning plan to decommission the identified technology resource; and remove or reuse the decommissioned identified technology resource.

[0014] In one embodiment, the decommissioning computer program may receive approval of the decommissioning record before executing the decommissioning plan.

[0015] In one embodiment, the decommissioning computer program may quarantine the identified technology resource before executing the decommissioning plan.

[0016] In one embodiment, the decommissioning record may further identify an automated script or a program to execute the decommissioning plan.

[0017] In one embodiment, the technology resource may include a hardware resource.

[0018] In one embodiment, the technology resource may include a software resource.

[0019] In one embodiment, the technology resource may include a storage device.

[0020] In one embodiment, the technology resource may include a network resource.

[0021] In one embodiment, the information retrieved may include a shelf life for the technology resource, a make and model of the technology resource, and a cost of the technology resource.

[0022] In one embodiment, the technology resource may be identified for decommissioning based on one of an age, an application lifecycle, an investment strategy, and a required technology refresh.

BRIEF DESCRIPTION OF THE DRAWINGS

[0023] For a more complete understanding of the present invention, the objects and advantages thereof, reference is now made to the following descriptions taken in connection with the accompanying drawings in which:

[0024] Figure 1 depicts a system for automated technology decommissioning according to one embodiment;

[0025] Figure 2 depicts a method for automated technology decommissioning according to one embodiment.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

[0026] Embodiments relate to systems and methods for automated technology decommissioning. In embodiments, a centralized application and infrastructure decommission process may be defined, and some or all aspects of the workflow, from decommission selection through execution, may be automated.

[0027] Referring to Figure 1, a system for automated technology decommissioning is disclosed according to one embodiment. System 100 may include server 110, which may execute decommissioning program or application 115, technology resources 120₁, 120₂, ... 120_n, and one or more database 130 that may store data about technology resources 120, business specific data, etc. In one embodiment, technology resources 120 may be any suitable hardware and/or software resource, including, for example, storage (e.g., network attached storage (NAS), storage area networks (SAN), backup, archive, etc.), network resources (e.g., switches, routers, firewalls, IPs, name spaces, load balancers, etc.), computer programs, applications, web instances, databases, batch jobs running on the servers, message queues, backup policies, entitlements, etc.

[0028] In one embodiment, decommissioning program or application 115 may integrate with one or more external system 140 that may provide information regarding the presence of one or more technology resource 120. Examples of external systems 140 include application management systems, business solutions, etc.

[0029] In one embodiment, database 130 may store information on technology resources 120, such as each resource's infrastructure products, shelf life, make/model, cost, storage/back-up specifics, etc.

[0030] Referring to Figure 2, a method for automated technology decommissioning is disclosed according to one embodiment.

[0031] In step 205, a decommissioning computer program or application may gather information about technology resources within a network, a subnetwork, an organization, a subunit of an organization, etc. Technology resources may include any suitable hardware and/or software resource, including, for example, storage (e.g., network attached storage (NAS), storage area networks (SAN), backup, archive, etc.), network resources (e.g., switches, routers, firewalls, IPs, name spaces, load balancers, etc.), computer programs, applications, web instances, databases, batch jobs running on the servers, message queues, backup policies, entitlements, etc.

[0032] In one embodiment, the decommissioning computer program or application may query each resource for status information. For example, the computer program or application may gather information through an engine component (not shown) that may connect with the resources and other data sources to fetch data that is relevant to decommissioning. Examples of data that may be retrieved may include information pertaining to compute instances, database instances, web instances, network configurations, middleware, upstream and downstream connections, etc.

[0033] In step 210, based on the information received, the computer program or application may identify one or more technology resource for decommissioning. In one embodiment, the technology resource may be identified for decommissioning when it has not been used or accessed for a

predetermined period of time, when its use is below a predetermined threshold, when it reaches a certain age, etc.

[0034] Examples of factors that may be considered in determining eligibility for decommissioning may include, as applicable, (1) age of hardware; (2) application lifecycle vis-à-vis an investment strategy; (3) required technology refreshes (e.g., old hardware needs to be replaced with new hardware); and (4) datacenter exit (i.e., when a datacenter needs to be closed down).

[0035] In step 215, the computer program or application may create a decommissioning record to decommission the identified technology resource. In one embodiment, the decommissioning record may identify a decommissioning plan, such as the steps necessary to decommission the technology resource, including any automated scripts, programs, etc. necessary to facilitate the decommissioning. For example, each decommissioning record may include a unique identifier for the technology resources identified for decommission, as well as for any technology resources that are dependent on the identified technology resource.

[0036] In step 220, a decommissioning request may go through an approval process. In one embodiment, the request may be reviewed, and, if approved, notifications informing the status of the decommission record may be provided to all entities associated with the technology resource.

[0037] In step 225, the computer program or application may execute the decommissioning record to decommission the identified technology resource. In one embodiment, one or more micro services may execute the decommissioning record. For example, for the technology resources that are identified for decommissioning, the associated micro services responsible for

handling decommissioning of the technology resource type may execute the request, which may include logical decommissioning of the servers.

[0038] In one embodiment, before the micro services execute the decommissioning record, there may be quarantine period for observing any impact that the decommissioning record may have on other systems.

[0039] In step 230, the computer program or application may adjust an billing or costs associated with the decommissioned technology resource. For example, once a technology resource is decommissioned, the responsible business unit may no longer be charged or billed for the decommissioned technology resource.

[0040] In step 235, the decommissioned technology resource may be removed from the network or organization, or may be re-used or reallocated for a different purpose.

[0041] In step 240, the technology resources inventory may be updated so that the centralized view of technology resources in an organization is current, and that any decommissioned technology resources may be reused as is necessary and/or desired.

[0042] Hereinafter, general aspects of implementation of the systems and methods of the invention will be described.

[0043] The system of the invention or portions of the system of the invention may be in the form of a “processing machine,” such as a general purpose computer, for example. As used herein, the term “processing machine” is to be understood to include at least one processor that uses at least one memory. The at least one memory stores a set of instructions. The instructions may be either permanently or temporarily stored in the memory

or memories of the processing machine. The processor executes the instructions that are stored in the memory or memories in order to process data. The set of instructions may include various instructions that perform a particular task or tasks, such as those tasks described above. Such a set of instructions for performing a particular task may be characterized as a program, software program, or simply software.

[0044] In one embodiment, the processing machine may be a specialized processor.

[0045] As noted above, the processing machine executes the instructions that are stored in the memory or memories to process data. This processing of data may be in response to commands by a user or users of the processing machine, in response to previous processing, in response to a request by another processing machine and/or any other input, for example.

[0046] As noted above, the processing machine used to implement the invention may be a general purpose computer. However, the processing machine described above may also utilize any of a wide variety of other technologies including a special purpose computer, a computer system including, for example, a microcomputer, mini-computer or mainframe, a programmed microprocessor, a micro-controller, a peripheral integrated circuit element, a CSIC (Customer Specific Integrated Circuit) or ASIC (Application Specific Integrated Circuit) or other integrated circuit, a logic circuit, a digital signal processor, a programmable logic device such as a FPGA, PLD, PLA or PAL, or any other device or arrangement of devices that is capable of implementing the steps of the processes of the invention.

[0047] The processing machine used to implement the invention may utilize a suitable operating system. Thus, embodiments of the invention may

include a processing machine running the iOS operating system, the OS X operating system, the Android operating system, the Microsoft Windows™ operating systems, the Unix operating system, the Linux operating system, the Xenix operating system, the IBM AIX™ operating system, the Hewlett-Packard UX™ operating system, the Novell Netware™ operating system, the Sun Microsystems Solaris™ operating system, the OS/2™ operating system, the BeOS™ operating system, the Macintosh operating system, the Apache operating system, an OpenStep™ operating system or another operating system or platform.

[0048] It is appreciated that in order to practice the method of the invention as described above, it is not necessary that the processors and/or the memories of the processing machine be physically located in the same geographical place. That is, each of the processors and the memories used by the processing machine may be located in geographically distinct locations and connected so as to communicate in any suitable manner. Additionally, it is appreciated that each of the processor and/or the memory may be composed of different physical pieces of equipment. Accordingly, it is not necessary that the processor be one single piece of equipment in one location and that the memory be another single piece of equipment in another location. That is, it is contemplated that the processor may be two pieces of equipment in two different physical locations. The two distinct pieces of equipment may be connected in any suitable manner. Additionally, the memory may include two or more portions of memory in two or more physical locations.

[0049] To explain further, processing, as described above, is performed by various components and various memories. However, it is appreciated that the processing performed by two distinct components as described

above may, in accordance with a further embodiment of the invention, be performed by a single component. Further, the processing performed by one distinct component as described above may be performed by two distinct components. In a similar manner, the memory storage performed by two distinct memory portions as described above may, in accordance with a further embodiment of the invention, be performed by a single memory portion. Further, the memory storage performed by one distinct memory portion as described above may be performed by two memory portions.

[0050] Further, various technologies may be used to provide communication between the various processors and/or memories, as well as to allow the processors and/or the memories of the invention to communicate with any other entity; i.e., so as to obtain further instructions or to access and use remote memory stores, for example. Such technologies used to provide such communication might include a network, the Internet, Intranet, Extranet, LAN, an Ethernet, wireless communication via cell tower or satellite, or any client server system that provides communication, for example. Such communications technologies may use any suitable protocol such as TCP/IP, UDP, or OSI, for example.

[0051] As described above, a set of instructions may be used in the processing of the invention. The set of instructions may be in the form of a program or software. The software may be in the form of system software or application software, for example. The software might also be in the form of a collection of separate programs, a program module within a larger program, or a portion of a program module, for example. The software used might also include modular programming in the form of object oriented programming. The software tells the processing machine what to do with the data being processed.

[0052] Further, it is appreciated that the instructions or set of instructions used in the implementation and operation of the invention may be in a suitable form such that the processing machine may read the instructions. For example, the instructions that form a program may be in the form of a suitable programming language, which is converted to machine language or object code to allow the processor or processors to read the instructions. That is, written lines of programming code or source code, in a particular programming language, are converted to machine language using a compiler, assembler or interpreter. The machine language is binary coded machine instructions that are specific to a particular type of processing machine, i.e., to a particular type of computer, for example. The computer understands the machine language.

[0053] Any suitable programming language may be used in accordance with the various embodiments of the invention. Illustratively, the programming language used may include high level, assembly, object oriented languages, including Ada, APL, Basic, C, C++, COBOL, dBase, Forth, Fortran, Java, Modula-2, Pascal, Prolog, REXX, Visual Basic, and/or JavaScript, for example. Further, it is not necessary that a single type of instruction or single programming language be utilized in conjunction with the operation of the system and method of the invention. Rather, any number of different programming languages may be utilized as is necessary and/or desirable.

[0054] Also, the instructions and/or data used in the practice of the invention may utilize any compression or encryption technique or algorithm, as may be desired. An encryption module might be used to encrypt data. Further, files or other data may be decrypted using a suitable decryption module, for example.

[0055] As described above, the invention may illustratively be embodied in the form of a processing machine, including a computer or computer system, for example, that includes at least one memory. It is to be appreciated that the set of instructions, i.e., the software for example, that enables the computer operating system to perform the operations described above may be contained on any of a wide variety of media or medium, as desired. Further, the data that is processed by the set of instructions might also be contained on any of a wide variety of media or medium. That is, the particular medium, i.e., the memory in the processing machine, utilized to hold the set of instructions and/or the data used in the invention may take on any of a variety of physical forms or transmissions, for example.

Illustratively, the medium may be in the form of paper, paper transparencies, a compact disk, a DVD, an integrated circuit, a hard disk, a floppy disk, an optical disk, a magnetic tape, a RAM, a ROM, a PROM, an EPROM, a wire, a cable, a fiber, a communications channel, a satellite transmission, a memory card, a SIM card, or other remote transmission, as well as any other medium or source of data that may be read by the processors of the invention.

[0056] Further, the memory or memories used in the processing machine that implements the invention may be in any of a wide variety of forms to allow the memory to hold instructions, data, or other information, as is desired. Thus, the memory might be in the form of a database to hold data. The database might use any desired arrangement of files such as a flat file arrangement or a relational database arrangement, for example.

[0057] In the system and method of the invention, a variety of “user interfaces” may be utilized to allow a user to interface with the processing machine or machines that are used to implement the invention. As used

herein, a user interface includes any hardware, software, or combination of hardware and software used by the processing machine that allows a user to interact with the processing machine. A user interface may be in the form of a dialogue screen for example. A user interface may also include any of a mouse, touch screen, keyboard, keypad, voice reader, voice recognizer, dialogue screen, menu box, list, checkbox, toggle switch, a pushbutton or any other device that allows a user to receive information regarding the operation of the processing machine as it processes a set of instructions and/or provides the processing machine with information. Accordingly, the user interface is any device that provides communication between a user and a processing machine. The information provided by the user to the processing machine through the user interface may be in the form of a command, a selection of data, or some other input, for example.

[0058] As discussed above, a user interface is utilized by the processing machine that performs a set of instructions such that the processing machine processes data for a user. The user interface is typically used by the processing machine for interacting with a user either to convey information or receive information from the user. However, it should be appreciated that in accordance with some embodiments of the system and method of the invention, it is not necessary that a human user actually interact with a user interface used by the processing machine of the invention. Rather, it is also contemplated that the user interface of the invention might interact, i.e., convey and receive information, with another processing machine, rather than a human user. Accordingly, the other processing machine might be characterized as a user. Further, it is contemplated that a user interface utilized in the system and method of the

invention may interact partially with another processing machine or processing machines, while also interacting partially with a human user.

[0059] It will be readily understood by those persons skilled in the art that the present invention is susceptible to broad utility and application. Many embodiments and adaptations of the present invention other than those herein described, as well as many variations, modifications and equivalent arrangements, will be apparent from or reasonably suggested by the present invention and foregoing description thereof, without departing from the substance or scope of the invention.

[0060] Accordingly, while the present invention has been described here in detail in relation to its exemplary embodiments, it is to be understood that this disclosure is only illustrative and exemplary of the present invention and is made to provide an enabling disclosure of the invention. Accordingly, the foregoing disclosure is not intended to be construed or to limit the present invention or otherwise to exclude any other such embodiments, adaptations, variations, modifications or equivalent arrangements.

CLAIMS

What is claimed is:

1. A method for automated technology resource decommissioning, comprising:

in an information processing apparatus comprising at least one computer processor, a computer application executed by the at least one computer processor:

retrieving information relating to a status of a plurality of technology resources;

identifying one of the plurality of technology resources for decommissioning based on the information;

creating a decommissioning record for the identified technology resource, the decommissioning record identifying a plurality of micro services for executing a decommissioning plan;

executing the decommissioning plan to decommission the identified technology resource; and

removing or reusing the decommissioned identified technology resource.

2. The method of claim 1, further comprising:

receiving approval of the decommissioning record before executing the decommissioning plan.

3. The method of claim 1, further comprising:

quarantining the identified technology resource before executing the decommissioning plan.

4. The method of claim 1, wherein the decommissioning record further identifies an automated script or a program to execute the decommissioning plan.

5. The method of claim 1, wherein the technology resource comprises a hardware resource.

6. The method of claim 1, wherein the technology resource comprises a software resource.

7. The method of claim 1, wherein the technology resource comprises a storage device.

8. The method of claim 1, wherein the technology resource comprises a network resource.

9. The method of claim 1, wherein the information retrieved comprises a shelf life for the technology resource, a make and model of the technology resource, and a cost of the technology resource.

10. The method of claim 1, wherein the technology resource is identified for decommissioning based on one of an age, an application lifecycle, an investment strategy, and a required technology refresh.

11. A system for automated technology resource decommissioning, comprising:

a plurality of technology resources; and

a decommissioning computer program executed by a computer processor;

wherein the decommissioning computer program:

- retrieves information relating to a status of each of the plurality of technology resources;
- identifies one of the plurality of technology resources for decommissioning based on the information;
- creates a decommissioning record for the identified technology resource, the decommissioning record identifying a plurality of micro services for executing a decommissioning plan;
- executes the decommissioning plan to decommission the identified technology resource; and
- removes or reuses the decommissioned identified technology resource.

12. The system of claim 11, wherein the decommissioning computer program receives approval of the decommissioning record before executing the decommissioning plan.

13. The system of claim 11, wherein the decommissioning computer program quarantines the identified technology resource before executing the decommissioning plan.

14. The system of claim 11, wherein the decommissioning record further identifies an automated script or a program to execute the decommissioning plan.

15. The system of claim 11, wherein the technology resource comprises a hardware resource.

16. The system of claim 11, wherein the technology resource comprises a software resource.

17. The system of claim 11, wherein the technology resource comprises a storage device.

18. The system of claim 11, wherein the technology resource comprises a network resource.

19. The system of claim 11, wherein the information retrieved comprises a shelf life for the technology resource, a make and model of the technology resource, and a cost of the technology resource.

20. The system of claim 11, wherein the technology resource is identified for decommissioning based on one of an age, an application lifecycle, an investment strategy, and a required technology refresh.




Figure 1




Figure 2

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2020/016482

A. CLASSIFICATION OF SUBJECT MATTER
INV. G06Q10/00
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
G06Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2013/091257 A1 (VENUGOPAL NANDAGOPAL [US] ET AL) 11 April 2013 (2013-04-11) abstract; figure 3C -----	1-20
X	WO 2008/086373 A2 (ITPARADE COM [US]; DAVIE ROBERT [US]) 17 July 2008 (2008-07-17) abstract; figure 1 -----	1-20



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

18 March 2020

Date of mailing of the international search report

27/03/2020

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Weidmann, Matthias

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2020/016482

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2013091257	A1	11-04-2013	NONE

WO 2008086373	A2	17-07-2008	US 2008177598 A1 24-07-2008
			US 2015088577 A1 26-03-2015
			WO 2008086373 A2 17-07-2008
