



(12) **United States Design Patent**
Goddard

(10) **Patent No.:** **US D790,256 S**
(45) **Date of Patent:** **** Jun. 27, 2017**

(54) **SEAT CUSHION**

(71) Applicant: **Kraco Enterprises, LLC.**, Compton, CA (US)

(72) Inventor: **Lingere D. Goddard**, Fullerton, CA (US)

(73) Assignee: **Kraco Enterprises, LLC.**, Compton, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/591,525**

(22) Filed: **Jan. 20, 2017**

Related U.S. Application Data

(62) Division of application No. 29/549,660, filed on Dec. 28, 2015, now Pat. No. Des. 782,851.

(51) **LOC (10) Cl.** **06-09**

(52) **U.S. Cl.**
USPC **D6/601**

(58) **Field of Classification Search**
USPC D6/333, 349, 355, 375, 388, 512, 563, D6/564, 595, 596, 601, 604, 611, 707, D6/715, 716, 716.1; D24/183-185, 234; D21/803, 804, 805, 809; 5/401, 420, 5/600, 630, 631, 632, 633, 635, 636, 638, 5/639, 646, 652, 652.1, 655, 703, 730; 297/1, 2, 4, 93, 180.11, 195.1, 195.11, 297/195.13, 393, 397, 452.12, 45, 2.14, 297/452.15, 452.21, 452.24, 452.26, 297/452.48, 452.62, 482
CPC .. A47G 9/1018; A47G 9/1009; A47G 9/1027; A47G 9/1045; A47G 9/1063; A47G 9/1072; A47G 9/1081
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,555	S	*	3/1975	Barecki	D6/356
D330,118	S	*	10/1992	Lanius	D6/356
D336,203	S	*	6/1993	Lin	D6/601
D342,404	S	*	12/1993	Homann	D6/716
D368,399	S	*	4/1996	Buffon	D6/716
D386,036	S	*	11/1997	Laidlaw	D6/601
D399,694	S	*	10/1998	Laidlaw	D6/596
D404,238	S	*	1/1999	Keilhauer	D6/601
D440,107	S	*	4/2001	Hsu	D6/611
D440,451	S	*	4/2001	Roberts	D6/601
D440,452	S	*	4/2001	Roberts	D6/601
D440,453	S	*	4/2001	Roberts	D6/601
D440,454	S	*	4/2001	Roberts	D6/601
D440,808	S	*	4/2001	Roberts	D6/601

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP


(57) **CLAIM**

The ornamental design for a seat cushion, as shown and described.

DESCRIPTION

FIG. 1 is a front top isometric view of my new seat cushion design;
FIG. 2 is a rear bottom isometric view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a cross-sectional view taken along line 7-7 of FIG. 3;
FIG. 8 is a top plan view thereof; and,
FIG. 9 is a bottom plan view thereof.
The broken dash line hatching shown in the cross sectional drawing view of FIG. 7 forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D450,498	S	*	11/2001	Skalka	D6/716
D489,114	S	*	4/2004	Peterson	D21/803
D491,994	S	*	6/2004	Peterson	D21/803
D536,909	S	*	2/2007	Egger	D6/366
D537,663	S	*	3/2007	Johnson	D6/366
D539,067	S	*	3/2007	Dayan	D24/200
D552,387	S	*	10/2007	Wu	D6/366
D568,085	S	*	5/2008	Pawsey	D6/601
7,406,733	B2	*	8/2008	Coffield	A47C 7/282
						297/452.15
D590,192	S	*	4/2009	Raftery	D6/366
D591,540	S	*	5/2009	Lu	D6/370
D618,030	S	*	6/2010	Wang	D6/601
D659,252	S	*	5/2012	Batiste et al.	D24/190
D660,056	S	*	5/2012	Diffrient	D6/366
D672,597	S	*	12/2012	Watts	D6/611
D680,761	S	*	4/2013	Spaven	D6/333
D710,022	S	*	7/2014	Chen	D24/215
D735,512	S	*	8/2015	Chan	D6/716.1
D735,513	S	*	8/2015	Chan	D6/716.1
D737,617	S	*	9/2015	Bellin	D6/375
D764,668	S	*	8/2016	Van Voorst	D24/159
D771,424	S	*	11/2016	Cantarutti	D6/716
D772,626	S	*	11/2016	Mahan-Rudolph	D6/716.1
D779,857	S	*	2/2017	Goddard	D6/601
D782,849	S	*	4/2017	Goddard	D6/601
D782,850	S	*	4/2017	Goddard	D6/601
D782,851	S	*	4/2017	Goddard	D6/601

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9