

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 April 2008 (10.04.2008)

PCT

(10) International Publication Number
WO 2008/040738 A1

(51) International Patent Classification:
CI2N 9/20 (2006.01) *CI2N 15/55* (2006.01)

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(21) International Application Number:
PCT/EP2007/060472

(22) International Filing Date: 2 October 2007 (02.10.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
06121676.8 3 October 2006 (03.10.2006) EP

(71) Applicant (for all designated States except US):
NOVOZYMES A/S [DK/DK]; Krogshoejvej 36,
DK-2880 Bagsvaerd (DK).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SVENDSEN, Allan** [DK/DK]; Overdamsvej 13, DK-2970 Hoersholm (DK).
VIND, Jesper [DK/DK]; Hejrebakken 20, DK-3500
Vaerloese (DK). **PATKAR, Shamkant Anant** [DK/DK];
Christoffers Allé 91, DK-2800 Lyngby (DK). **BORCH,**
Kim [DK/DK]; Vandtaarnsvej 18, DK-3460 Birkeroed
(DK).

(74) Common Representative: NOVOZYMES A/S; Patents,
Krogshoejvej 36, DK-2880 Bagsvaerd (DK).

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

WO 2008/040738 A1

(54) Title: LIPOLYTIC ENZYME VARIANTS

(57) Abstract: Lipolytic enzyme variants with increased specificity for short-chain fatty acids can be designed on the basis of a three-dimensional model of a lipolytic enzyme such as C. antarctica lipase A with a substrate analogue such as a fatty acid. An amino acid residue is selected within 10 Å of the carbon atom corresponding to the desired chain-length specificity, and the selected residue is substituted with a larger residue, or an amino acid insertion is made adjacent to the selected residue.

LIPOLYTIC ENZYME VARIANTS

FIELD OF THE INVENTION

The present invention relates to a polypeptide with lipolytic enzyme activity and to a method of preparing it.

5 BACKGROUND OF THE INVENTION

Lipolytic enzymes are polypeptides with hydrolytic activity towards fatty acid ester bonds in a variety of substrates. In some applications, it is of interest to use an enzyme with a high selectivity for short-chain fatty acyl bonds.

WO8802775A1 describes *Candida antarctica* lipase A and its substrate specificity.

- 10 WO0032758A1 (particularly Examples 10-12) discloses lipase variants with increased specificity for short-chain fatty acids. WO9401541A1 discloses variants of *C. antarctica* lipase A.

SUMMARY OF THE INVENTION

The inventors have found that lipolytic enzyme variants with increased specificity for short-chain fatty acids can be designed on the basis of a three-dimensional model of a lipolytic 15 enzyme such as *C. antarctica* lipase A with a substrate analogue such as a fatty acid. An amino acid residue is selected within 10 Å of the carbon atom corresponding to the desired chain-length specificity, and the selected residue is substituted with a larger residue, or an amino acid insertion is made adjacent to the selected residue.

Accordingly, the invention provides a method of preparing a polypeptide, comprising

- 20 a) providing a three dimensional model of a parent polypeptide having lipolytic enzyme activity and at least 80 % identity to SEQ ID NO: 1 and a substrate analogue comprising a straight-chain fatty acyl group,
- b) selecting a chain length (n) and identifying the corresponding carbon atom in the fatty acyl group,
- 25 c) selecting an amino acid residue in SEQ ID NO: 1 which has a non-hydrogen atom within 10 Å of the selected carbon atom in the model,
- d) providing an altered amino acid sequence which is at least 80 % identical to SEQ ID NO: 1, and wherein the difference from SEQ ID NO: 1 comprises substitution of the selected residue or insertion of at least one residue adjacent to the selected residue,
- 30 e) preparing an altered polypeptide having the altered amino acid sequence,
- f) determining the hydrolytic activity of the altered polypeptide on fatty acyl ester bonds in two substrates having fatty acyl groups with different length, and
- g) selecting an altered polypeptide which has an altered chain-length specificity compared to the polypeptide of SEQ ID NO: 1.

The invention also provides a polypeptide which:
has lipolytic enzyme activity, and
has an amino acid sequence which has at least 80 % identity to SEQ ID NO: 1 and has
a different residue at a position or has an insertion adjacent to a position corresponding to any
5 of residues 82-87, 108, 132-133, 138, 140-142, 145, 172-179, 182, 202-216, 220-232, 235, 238,
241-242, 257, 264, 267-268, 275-277, 280, 282-288, 290-296, 298-299, 304, 320, 324-328, 356-
357, 360 and 420-421 of SEQ ID NO: 1.

BRIEF DESCRIPTION OF DRAWINGS

Fig. 1 gives the coordinates for a 3D model of *C. antarctica* lipase A (SEQ ID NO: 1)
10 with myristic acid as a substrate analogue.

DETAILED DESCRIPTION OF THE INVENTION

Parent polypeptide

The invention uses a parent polypeptide with lipolytic enzyme activity. It may be *Candida antarctica* lipase A having the amino acid sequence shown in SEQ ID NO: 1, or it may be
15 the lipase from *Pseudozyma* sp. described in WO2005040334 or another polypeptide whose sequence is at least 80 % identical to one of those.

Three-dimensional model

The invention uses a 3D model of the parent polypeptide with a substrate analogue comprising a straight-chain fatty acyl group. Fig. 1 gives the coordinates for a 3D model of *C. antarctica* lipase A with myristic acid as a substrate analogue.
20

Selection of amino acid residue

A carbon atom (number n) in the fatty acid (or other substrate analogue) is selected so as to match the desired -length specificity, e.g. n=3 if a variant is desired with increased selectivity for chain length <=3 relative to chain length >4, and an amino acid residue is selected in
25 the 3D model having a non-hydrogen atom within 10 Å of the selected carbon atom.

In the model in Fig. 1, the following residues have a non-H atom within 10 Å of a carbon atom in the myristic acid: 82-87, 108, 132-133, 138, 140-142, 145, 172-179, 182, 202-216, 220-232, 235, 238, 241-242, 257, 264, 267-268, 275-277, 280, 282-288, 290-296, 298-299, 304, 320, 324-328, 356-357, 360 and 420-421. The selected residue may particularly correspond to
30 any of residues 139, 140, 205, 208, 211, 212, 215, 216, 223, 225, 227, 228, 231, 235, 238, 241, 242, 286, 291, 295 or 326 of SEQ ID NO: 1.

More particularly, any of the following residues may be selected:

- For chain length (n) 1-2, residue 139, 205, 211, 215 or 326.

- For n=3-4, residue 139, 140, 211, 215 or 223.
- For n=5-7, residue 208, 212, 225 or 227.
- For n= 7-10, residue 209, 231, 238, 2412, 286, 291 or 295.
- For n>12, residue 209, 212, 216, 228, 238, 241, 291 or 295.
- For n>18, residue 216, 235, 238, 242, 291 or 295.

5

Altered amino acid sequence

The selected residue may be substituted with a different residue, particularly with a larger residue. Amino acid residues are ranked as follows from smallest to largest: (an equal sign indicates residues with sizes that are practically indistinguishable):

10 G < A < S=C < V = T = P < L = I = N = D = M < E = Q < K < H < R = F < Y < W

The substitution may particularly be made with a slightly larger residue, e.g. one or two steps larger in the above ranking.

15 The substitution may particularly be with another residue of the same type where the type is negative, positive, hydrophobic or hydrophilic. The negative residues are D,E, the positive residues are K,R, the hydrophobic residues are A,C,F,G,I,L,M,P,V,W,Y, and the hydrophilic residues are H,N,Q,S,T.

Alternatively, an amino acid insertion may be made at the N- or C-terminal side of the selected residue, particularly an insertion of 1-2 residues.

Particular variants

20 The variant may particularly comprise one or more of the following substitutions: I140FYW, P205WYF, T21FW or L231Y.

The variant polypeptide may have the amino acid sequence of SEQ ID NO: 1 with one of the following sets of substitutions:

P205W

25 P205Y

P205F

T211F

P205F T211W

T211W

30 P205W T211W

I140F P205F T211W

I140F P205Y

I140W P205F

P205W T211F

35 I140Y T211F

I140Y P205W
I140Y
I140F P205W T211W
I140W P205W
5 I140W
I140W P205W T211Y
L231Y

Nomenclature for amino acid alterations

In this specification, an amino acid substitution is described by use of one-letter codes, 10 e.g. P205W. Multiple substitutions are concatenated, e.g. P205F T211W to indicate a variant with two substitutions. P205WYF is used to indicate alternatives, i.e. substitution of P205 with W, Y or F.

Use of lipolytic enzyme variant

The variants of the invention have increased selectivity for short-chain fatty acyl 15 groups. They may be used, e.g., in the following applications:

- Release of free fatty acids (FFA) for flavor development in food products, e.g. in cheese ripening. M. Hanson, ZFL, 41 (10), 664-666 (1990).
- Enzyme modified cheese (EMC) for use as flavoring for various food products including process cheese, dressing and snack.
- 20 • Short chain fatty acids for antimicrobials. Ricke SC, Poultry Science, Vol 82 (4) pp. 632-639 (2003) Apr.
- Production of short-chain acid terpenyl esters for the food industry. Laboret F et al., Applied Biochemistry and Biotechnology, Vol. 82 (3) pp. 185-198 (1999) DEC.
- Butyrate for anti-cancer effect. Williams EA et al., Proceedings of the Nutrition Society, Vol. 25 62 (1) pp. 107-115 (2003) Feb.
- Biocatalysis for ester synthesis of hydrolysis. O Kirk et al., Organic Process Research and Development, Vol. 6 (4) pp 446-451 (2002). M. Svedendahl et al., J.AOCS, 2005, 127, 17988-17989. I Gill et al., Bioorganic and Medicinal Chemistry Letters, 16, 3, 2006, pp 705-709.

30 EXAMPLES

Example 1: Chain-length specificity of lipolytic enzyme variants

Two variants of *C. antarctica* lipase A were tested for their hydrolytic activity on three different triglycerides and compared to the parent enzyme. The two variants have the amino acid sequence of SEQ ID NO: 1 with the substitution P205F and T211F, respectively.

The testing was done by the method described in WO2005040410A1, and the activity is expressed on a scale from A (Best) to E (None).

	Tripropionin (C3)	Tributyrin (C4)	Olive oil (18:1)
P205F	B	D	D
T211F	B	C	E
Parent	B	C	A

The results show that, compared to the parent enzyme, both variants have a higher selectivity for short-chain fatty acyl groups.

CLAIMS

1. A method of preparing a polypeptide, comprising
 - a) providing a three dimensional model of a parent polypeptide having lipase activity and at least 80 % identity to SEQ ID NO: 1 and a substrate analogue comprising a straight-chain fatty acyl group,
5
 - b) selecting a chain length (n) and identifying the corresponding carbon atom in the fatty acyl group,
 - c) selecting an amino acid residue in SEQ ID NO: 1 which has a non-hydrogen atom within 10 Å of the selected carbon atom in the model,
 - 10 d) providing an altered amino acid sequence which is at least 80 % identical to SEQ ID NO: 1, and wherein the difference from SEQ ID NO: 1 comprises substitution of the selected residue or insertion of at least one residue adjacent to the selected residue,
 - e) preparing an altered polypeptide having the altered amino acid sequence,
 - f) determining the hydrolytic activity of the altered polypeptide on fatty acyl ester bonds
15 in two substrates having fatty acyl groups with different length, and
 - g) selecting an altered polypeptide which has an altered chain-length specificity compared to the polypeptide of SEQ ID NO: 1.
2. The method of the preceding claim wherein the selected residue has a non-hydrogen atom within 5 Å of the selected carbon atom.
20
3. The method of either preceding claim wherein the selected residue corresponds to any of residues 82-87, 108, 132-133, 138-142, 145, 172-179, 182, 202-216, 220-232, 235, 238, 241-242, 257, 264, 267-268, 275-277, 280, 282-288, 290-296, 298-299, 304, 320, 324-328, 356-357, 360 and 420-421 of SEQ ID NO: 1.
25
4. The method of any preceding claim wherein the selected residue corresponds to residue 139, 140, 205, 208, 211, 212, 215, 216, 223, 225, 227, 228, 231, 235, 238, 241, 242, 286, 291, 295 or 326 of SEQ ID NO: 1.
30
5. The method of any preceding claim wherein n is 1 or 2, and the selected residue corresponds to residue 139, 205, 211, 215 or 326 of SEQ ID NO: 1.
6. The method of any of claims 1-3 wherein n is 3 or 4, and the selected residue corresponds to residue 139, 140, 211, 215 or 223 of SEQ ID NO: 1.

7. The method of any of claims 1-3 wherein n is in the range 5-7, and the selected residue corresponds to residue 208, 212, 225 or 227 of SEQ ID NO: 1.
8. The method of any of claims 1-3 wherein n is in the range 7-10, and the selected residue corresponds to residue 209, 231, 238, 241, 286, 291 or 295 of SEQ ID NO: 1.
- 5 9. The method of any of claims 1-3 wherein n is in the range 12-17, and the selected residue corresponds to residue 209, 212, 216, 228, 238, 241, 291 or 295 of SEQ ID NO: 1.
10. The method of any of claims 1-3 wherein n is 18 or larger, and the selected residue corresponds to residue 216, 235, 238, 242, 291 or 295 of SEQ ID NO: 1.
11. The method of any preceding claim wherein the altered chain-length specificity is a lower ratio of activity towards fatty acyl ester bonds in a first and a second substrate wherein the first fatty acid group has more than n carbon atoms and the second fatty acyl group has n or fewer carbon atoms.
12. The method of the preceding claim wherein the two substrates are triglycerides.
13. The method of any preceding claim wherein the substitution is made with a larger residue.
- 15 14. The method of any preceding claim wherein the substitution is made with another residue of the same type where the type is negative, positive, hydrophobic or hydrophilic.
15. The method of any preceding claim wherein the insertion consists of one or two residues inserted at the N- or C-side of the selected residue.
16. A polypeptide which:
 - 20 a) has lipolytic enzyme activity, and
 - b) has an amino acid sequence which has at least 80 % identity to SEQ ID NO: 1 and has a different residue at a position or an insertion adjacent to a residue corresponding to any of residues 82-87, 108, 132-133, 138, 140-142, 145, 172-179, 182, 202-216, 220-232, 235, 238, 241-242, 257, 264, 267-268, 275-277, 280, 282-288, 290-296, 298-
 - 25 299, 304, 320, 324-328, 356-357, 360 and 420-421 of SEQ ID NO: 1.
17. The polypeptide of the preceding claim wherein the selected residue corresponds to any of residues 139, 140, 205, 208, 211, 212, 215, 216, 223, 225, 227, 228, 231, 235, 238, 241, 242, 286, 291, 295 or 326 of SEQ ID NO: 1.

18. The polypeptide of the preceding claim wherein the different residue is a larger residue.
19. The method of any preceding claim wherein the different residue is another residue of the same type where the type is negative, positive, hydrophobic or hydrophilic.
20. The method of any preceding claim wherein the insertion consists of one or two residues
5 inserted at the N- or C-side of the selected residue.
21. The polypeptide of either preceding claim wherein the difference from SEQ ID NO: 1 comprises a substitution corresponding to I140FYW, P205WYF, T21FW or L231Y.
22. The polypeptide of any preceding claim which has an amino acid sequence differing from SEQ ID NO: 1 as follows: P205W, P205Y, P205F, T211F, P205F T211W, T211W, P205W
10 T211W, I140F P205F T211W, I140F P205Y, I140W P205F, P205W T211F, I140Y T211F,
I140Y P205W, I140Y, I140F P205W T211W, I140W P205W, I140W, I140W P205W T211Y,
L231Y.

Fig. 1
Three-dimensional model of SEQ ID NO: 1 with myristic acid

REMARK	4	CALA	COMPLIES	WITH	FORMAT	V.	2.0,	13-JUL-2006	
ATOM	1	N	ALA	A	1	-1.503	-23.618	8.339	1.00 18.67 N
ATOM	2	CA	ALA	A	1	-2.771	-23.273	7.628	1.00 19.42 C
ATOM	3	CB	ALA	A	1	-2.718	-21.813	7.072	1.00 19.28 C
ATOM	4	C	ALA	A	1	-2.985	-24.276	6.494	1.00 19.63 C
ATOM	5	O	ALA	A	1	-2.214	-25.235	6.369	1.00 20.08 O
ATOM	6	N	ALA	A	2	-4.003	-24.046	5.661	1.00 19.55 N
ATOM	7	CA	ALA	A	2	-4.393	-25.010	4.610	1.00 19.64 C
ATOM	8	CB	ALA	A	2	-5.709	-24.642	4.020	1.00 19.60 C
ATOM	9	C	ALA	A	2	-3.387	-25.183	3.491	1.00 20.02 C
ATOM	10	O	ALA	A	2	-3.479	-26.141	2.724	1.00 19.67 O
ATOM	11	N	LEU	A	3	-2.438	-24.253	3.391	1.00 19.82 N
ATOM	12	CA	LEU	A	3	-1.356	-24.352	2.430	1.00 19.73 C
ATOM	13	CB	LEU	A	3	-1.583	-23.359	1.286	1.00 20.12 C
ATOM	14	CG	LEU	A	3	-2.626	-23.743	0.245	1.00 19.94 C
ATOM	15	CD1	LEU	A	3	-2.918	-22.549	-0.662	1.00 19.37 C
ATOM	16	CD2	LEU	A	3	-2.166	-24.984	-0.564	1.00 20.43 C
ATOM	17	C	LEU	A	3	-0.051	-24.042	3.110	1.00 19.49 C
ATOM	18	O	LEU	A	3	-0.040	-23.442	4.190	1.00 19.44 O
ATOM	19	N	PRO	A	4	1.066	-24.405	2.482	1.00 19.30 N
ATOM	20	CA	PRO	A	4	2.374	-24.030	3.026	1.00 18.36 C
ATOM	21	CB	PRO	A	4	3.338	-24.553	1.975	1.00 18.62 C
ATOM	22	CG	PRO	A	4	2.509	-24.557	0.692	1.00 19.21 C
ATOM	23	CD	PRO	A	4	1.199	-25.120	1.192	1.00 19.59 C
ATOM	24	C	PRO	A	4	2.505	-22.512	3.119	1.00 17.64 C
ATOM	25	O	PRO	A	4	1.772	-21.759	2.449	1.00 17.25 O
ATOM	26	N	ASN	A	5	3.443	-22.077	3.944	1.00 17.48 N
ATOM	27	CA	ASN	A	5	3.869	-20.691	3.985	1.00 17.70 C
ATOM	28	CB	ASN	A	5	5.076	-20.559	4.927	1.00 17.58 C
ATOM	29	CG	ASN	A	5	5.454	-19.108	5.223	1.00 18.24 C
ATOM	30	OD1	ASN	A	5	6.027	-18.427	4.384	1.00 16.48 O
ATOM	31	ND2	ASN	A	5	5.153	-18.646	6.428	1.00 17.93 N
ATOM	32	C	ASN	A	5	4.256	-20.267	2.545	1.00 17.86 C
ATOM	33	O	ASN	A	5	4.905	-21.058	1.829	1.00 17.08 O
ATOM	34	N	PRO	A	6	3.819	-19.080	2.112	1.00 17.43 N
ATOM	35	CA	PRO	A	6	4.175	-18.547	0.790	1.00 18.05 C
ATOM	36	CB	PRO	A	6	3.667	-17.106	0.852	1.00 18.49 C
ATOM	37	CG	PRO	A	6	2.435	-17.214	1.692	1.00 17.56 C
ATOM	38	CD	PRO	A	6	2.865	-18.191	2.799	1.00 17.83 C
ATOM	39	C	PRO	A	6	5.672	-18.595	0.449	1.00 18.10 C
ATOM	40	O	PRO	A	6	5.994	-18.820	-0.699	1.00 17.59 O
ATOM	41	N	TYR	A	7	6.548	-18.426	1.421	1.00 18.60 N
ATOM	42	CA	TYR	A	7	7.974	-18.534	1.169	1.00 19.28 C
ATOM	43	CB	TYR	A	7	8.783	-18.150	2.406	1.00 19.63 C
ATOM	44	CG	TYR	A	7	8.935	-16.649	2.659	1.00 22.93 C
ATOM	45	CD1	TYR	A	7	9.805	-15.853	1.886	1.00 23.37 C
ATOM	46	CE1	TYR	A	7	9.967	-14.481	2.161	1.00 23.12 C
ATOM	47	CZ	TYR	A	7	9.245	-13.908	3.212	1.00 23.76 C
ATOM	48	OH	TYR	A	7	9.357	-12.566	3.537	1.00 23.54 O
ATOM	49	CE2	TYR	A	7	8.397	-14.676	3.973	1.00 22.81 C
ATOM	50	CD2	TYR	A	7	8.254	-16.031	3.718	1.00 21.72 C

ATOM	51	C	TYR A	7	8.368	-19.955	0.740	1.00	19.17	C
ATOM	52	O	TYR A	7	9.407	-20.136	0.110	1.00	17.74	O
ATOM	53	N	ASP A	8	7.553	-20.952	1.116	1.00	18.60	N
ATOM	54	CA	ASP A	8	7.809	-22.342	0.758	1.00	18.71	C
ATOM	55	CB	ASP A	8	7.507	-23.275	1.931	1.00	18.61	C
ATOM	56	CG	ASP A	8	8.251	-22.914	3.181	1.00	19.16	C
ATOM	57	OD1	ASP A	8	9.395	-22.409	3.101	1.00	20.91	O
ATOM	58	OD2	ASP A	8	7.765	-23.155	4.305	1.00	19.95	O
ATOM	59	C	ASP A	8	6.995	-22.825	-0.415	1.00	19.13	C
ATOM	60	O	ASP A	8	6.853	-24.039	-0.598	1.00	20.37	O
ATOM	61	N	ASP A	9	6.463	-21.907	-1.210	1.00	18.45	N
ATOM	62	CA	ASP A	9	5.446	-22.253	-2.180	1.00	18.79	C
ATOM	63	CB	ASP A	9	4.100	-21.722	-1.684	1.00	18.15	C
ATOM	64	CG	ASP A	9	2.946	-22.255	-2.463	1.00	19.48	C
ATOM	65	OD1	ASP A	9	3.174	-22.840	-3.557	1.00	18.23	O
ATOM	66	OD2	ASP A	9	1.766	-22.132	-2.053	1.00	19.29	O
ATOM	67	C	ASP A	9	5.777	-21.656	-3.566	1.00	18.22	C
ATOM	68	O	ASP A	9	5.814	-20.436	-3.714	1.00	18.16	O
ATOM	69	N	PRO A	10	6.009	-22.473	-4.580	1.00	18.48	N
ATOM	70	CA	PRO A	10	6.334	-21.909	-5.908	1.00	18.95	C
ATOM	71	CB	PRO A	10	6.633	-23.153	-6.758	1.00	19.28	C
ATOM	72	CG	PRO A	10	5.807	-24.252	-6.099	1.00	19.48	C
ATOM	73	CD	PRO A	10	5.984	-23.951	-4.609	1.00	18.20	C
ATOM	74	C	PRO A	10	5.197	-21.117	-6.543	1.00	19.32	C
ATOM	75	O	PRO A	10	5.433	-20.398	-7.505	1.00	19.29	O
ATOM	76	N	PHE A	11	3.976	-21.244	-6.021	1.00	19.72	N
ATOM	77	CA	PHE A	11	2.858	-20.429	-6.475	1.00	20.00	C
ATOM	78	CB	PHE A	11	1.590	-20.808	-5.705	1.00	20.20	C
ATOM	79	CG	PHE A	11	0.301	-20.560	-6.448	1.00	19.94	C
ATOM	80	CD1	PHE A	11	-0.184	-21.503	-7.376	1.00	21.93	C
ATOM	81	CE1	PHE A	11	-1.379	-21.330	-8.017	1.00	18.93	C
ATOM	82	CZ	PHE A	11	-2.129	-20.186	-7.770	1.00	21.85	C
ATOM	83	CE2	PHE A	11	-1.662	-19.241	-6.849	1.00	20.47	C
ATOM	84	CD2	PHE A	11	-0.459	-19.446	-6.190	1.00	20.72	C
ATOM	85	C	PHE A	11	3.157	-18.942	-6.303	1.00	20.08	C
ATOM	86	O	PHE A	11	2.614	-18.111	-7.049	1.00	21.09	O
ATOM	87	N	TYR A	12	4.028	-18.612	-5.346	1.00	19.33	N
ATOM	88	CA	TYR A	12	4.471	-17.246	-5.110	1.00	19.46	C
ATOM	89	CB	TYR A	12	4.518	-16.930	-3.593	1.00	19.27	C
ATOM	90	CG	TYR A	12	3.158	-16.911	-2.925	1.00	17.20	C
ATOM	91	CD1	TYR A	12	2.571	-18.085	-2.479	1.00	18.84	C
ATOM	92	CE1	TYR A	12	1.292	-18.086	-1.878	1.00	19.29	C
ATOM	93	CZ	TYR A	12	0.620	-16.903	-1.711	1.00	18.45	C
ATOM	94	OH	TYR A	12	-0.613	-16.945	-1.091	1.00	20.99	O
ATOM	95	CE2	TYR A	12	1.197	-15.720	-2.140	1.00	16.84	C
ATOM	96	CD2	TYR A	12	2.462	-15.735	-2.748	1.00	16.02	C
ATOM	97	C	TYR A	12	5.840	-16.965	-5.746	1.00	20.86	C
ATOM	98	O	TYR A	12	6.702	-16.350	-5.120	1.00	21.45	O
ATOM	99	N	THR A	13	6.025	-17.380	-6.997	1.00	21.19	N
ATOM	100	CA	THR A	13	7.235	-17.035	-7.756	1.00	21.89	C
ATOM	101	CB	THR A	13	8.309	-18.210	-7.803	1.00	21.87	C
ATOM	102	OG1	THR A	13	7.725	-19.383	-8.403	1.00	20.75	O
ATOM	103	CG2	THR A	13	8.708	-18.656	-6.402	1.00	21.93	C
ATOM	104	C	THR A	13	6.826	-16.658	-9.153	1.00	22.38	C

ATOM	105	O	THR A	13	5.764	-17.057	-9.658	1.00	22.82	O
ATOM	106	N	THR A	14	7.664	-15.842	-9.760	1.00	23.11	N
ATOM	107	CA	THR A	14	7.446	-15.377	-11.111	1.00	23.82	C
ATOM	108	CB	THR A	14	7.974	-13.958	-11.234	1.00	24.49	C
ATOM	109	OG1	THR A	14	7.121	-13.058	-10.485	1.00	23.59	O
ATOM	110	CG2	THR A	14	7.929	-13.463	-12.708	1.00	24.06	C
ATOM	111	C	THR A	14	8.176	-16.330	-12.058	1.00	24.43	C
ATOM	112	O	THR A	14	9.388	-16.562	-11.895	1.00	24.36	O
ATOM	113	N	PRO A	15	7.465	-16.896	-13.023	1.00	25.53	N
ATOM	114	CA	PRO A	15	8.109	-17.804	-13.985	1.00	26.58	C
ATOM	115	CB	PRO A	15	6.939	-18.503	-14.664	1.00	25.70	C
ATOM	116	CG	PRO A	15	5.774	-17.539	-14.533	1.00	26.77	C
ATOM	117	CD	PRO A	15	6.017	-16.753	-13.273	1.00	25.52	C
ATOM	118	C	PRO A	15	9.008	-17.038	-14.975	1.00	28.00	C
ATOM	119	O	PRO A	15	8.813	-15.835	-15.224	1.00	26.69	O
ATOM	120	N	SER A	16	10.048	-17.720	-15.463	1.00	29.39	N
ATOM	121	CA	SER A	16	11.019	-17.106	-16.372	1.00	30.38	C
ATOM	122	CB	SER A	16	12.153	-18.096	-16.706	1.00	30.97	C
ATOM	123	OG	SER A	16	11.608	-19.268	-17.305	1.00	33.22	O
ATOM	124	C	SER A	16	10.357	-16.595	-17.670	1.00	30.31	C
ATOM	125	O	SER A	16	10.857	-15.640	-18.278	1.00	31.76	O
ATOM	126	N	ASN A	17	9.241	-17.193	-18.074	1.00	29.68	N
ATOM	127	CA	ASN A	17	8.487	-16.739	-19.256	1.00	29.87	C
ATOM	128	CB	ASN A	17	7.982	-17.962	-20.052	1.00	30.09	C
ATOM	129	CG	ASN A	17	6.827	-18.662	-19.365	1.00	33.14	C
ATOM	130	OD1	ASN A	17	6.600	-18.461	-18.154	1.00	35.52	O
ATOM	131	ND2	ASN A	17	6.071	-19.467	-20.122	1.00	32.11	N
ATOM	132	C	ASN A	17	7.306	-15.755	-18.965	1.00	29.16	C
ATOM	133	O	ASN A	17	6.373	-15.619	-19.767	1.00	28.47	O
ATOM	134	N	ILE A	18	7.372	-15.050	-17.833	1.00	28.63	N
ATOM	135	CA	ILE A	18	6.343	-14.067	-17.448	1.00	27.68	C
ATOM	136	CB	ILE A	18	6.724	-13.390	-16.093	1.00	27.59	C
ATOM	137	CG1	ILE A	18	5.558	-12.539	-15.546	1.00	25.90	C
ATOM	138	CD1	ILE A	18	4.281	-13.308	-15.337	1.00	24.44	C
ATOM	139	CG2	ILE A	18	8.039	-12.575	-16.210	1.00	28.51	C
ATOM	140	C	ILE A	18	6.026	-12.999	-18.510	1.00	27.69	C
ATOM	141	O	ILE A	18	4.868	-12.576	-18.640	1.00	26.84	O
ATOM	142	N	GLY A	19	7.041	-12.569	-19.259	1.00	28.46	N
ATOM	143	CA	GLY A	19	6.872	-11.572	-20.322	1.00	28.97	C
ATOM	144	C	GLY A	19	5.981	-11.983	-21.491	1.00	29.56	C
ATOM	145	O	GLY A	19	5.529	-11.126	-22.248	1.00	30.57	O
ATOM	146	N	THR A	20	5.694	-13.277	-21.635	1.00	29.45	N
ATOM	147	CA	THR A	20	4.786	-13.741	-22.680	1.00	30.07	C
ATOM	148	CB	THR A	20	5.104	-15.190	-23.081	1.00	30.33	C
ATOM	149	OG1	THR A	20	4.827	-16.074	-21.986	1.00	32.87	O
ATOM	150	CG2	THR A	20	6.609	-15.397	-23.387	1.00	31.40	C
ATOM	151	C	THR A	20	3.308	-13.682	-22.273	1.00	29.28	C
ATOM	152	O	THR A	20	2.451	-13.948	-23.101	1.00	29.75	O
ATOM	153	N	PHE A	21	3.011	-13.343	-21.007	1.00	27.68	N
ATOM	154	CA	PHE A	21	1.623	-13.281	-20.521	1.00	26.11	C
ATOM	155	CB	PHE A	21	1.517	-13.792	-19.054	1.00	26.08	C
ATOM	156	CG	PHE A	21	1.736	-15.281	-18.902	1.00	24.73	C
ATOM	157	CD1	PHE A	21	3.006	-15.792	-18.698	1.00	25.68	C
ATOM	158	CE1	PHE A	21	3.216	-17.162	-18.568	1.00	25.04	C

ATOM	159	CZ	PHE	A	21	2.141	-18.031	-18.656	1.00	26.17	C
ATOM	160	CE2	PHE	A	21	0.873	-17.532	-18.850	1.00	25.03	C
ATOM	161	CD2	PHE	A	21	0.676	-16.162	-18.969	1.00	25.94	C
ATOM	162	C	PHE	A	21	1.120	-11.866	-20.613	1.00	25.21	C
ATOM	163	O	PHE	A	21	1.862	-10.927	-20.363	1.00	25.68	O
ATOM	164	N	ALA	A	22	-0.141	-11.703	-20.988	1.00	25.36	N
ATOM	165	CA	ALA	A	22	-0.789	-10.395	-20.970	1.00	25.38	C
ATOM	166	CB	ALA	A	22	-2.085	-10.442	-21.736	1.00	24.93	C
ATOM	167	C	ALA	A	22	-1.081	-9.924	-19.539	1.00	25.73	C
ATOM	168	O	ALA	A	22	-1.166	-10.721	-18.603	1.00	25.24	O
ATOM	169	N	LYS	A	23	-1.258	-8.616	-19.408	1.00	25.59	N
ATOM	170	CA	LYS	A	23	-1.653	-8.020	-18.155	1.00	25.72	C
ATOM	171	CB	LYS	A	23	-1.652	-6.500	-18.267	1.00	25.63	C
ATOM	172	CG	LYS	A	23	-0.262	-5.902	-18.435	1.00	26.41	C
ATOM	173	CD	LYS	A	23	-0.353	-4.435	-18.836	1.00	28.95	C
ATOM	174	CE	LYS	A	23	1.001	-3.799	-19.035	1.00	31.63	C
ATOM	175	NZ	LYS	A	23	0.853	-2.382	-19.531	1.00	32.78	N
ATOM	176	C	LYS	A	23	-3.019	-8.561	-17.733	1.00	25.28	C
ATOM	177	O	LYS	A	23	-4.026	-8.411	-18.454	1.00	24.31	O
ATOM	178	N	GLY	A	24	-3.033	-9.215	-16.566	1.00	24.12	N
ATOM	179	CA	GLY	A	24	-4.256	-9.764	-16.016	1.00	24.03	C
ATOM	180	C	GLY	A	24	-4.509	-11.188	-16.428	1.00	24.37	C
ATOM	181	O	GLY	A	24	-5.471	-11.817	-15.978	1.00	24.72	O
ATOM	182	N	GLN	A	25	-3.620	-11.740	-17.244	1.00	24.80	N
ATOM	183	CA	GLN	A	25	-3.803	-13.117	-17.730	1.00	25.06	C
ATOM	184	CB	GLN	A	25	-2.890	-13.420	-18.928	1.00	24.58	C
ATOM	185	CG	GLN	A	25	-3.081	-14.833	-19.495	1.00	26.13	C
ATOM	186	CD	GLN	A	25	-2.380	-15.061	-20.855	1.00	28.90	C
ATOM	187	OE1	GLN	A	25	-1.750	-14.152	-21.390	1.00	27.24	O
ATOM	188	NE2	GLN	A	25	-2.468	-16.295	-21.379	1.00	27.97	N
ATOM	189	C	GLN	A	25	-3.496	-14.120	-16.607	1.00	24.43	C
ATOM	190	O	GLN	A	25	-2.522	-13.974	-15.883	1.00	23.58	O
ATOM	191	N	VAL	A	26	-4.309	-15.160	-16.519	1.00	24.67	N
ATOM	192	CA	VAL	A	26	-4.134	-16.189	-15.494	1.00	25.00	C
ATOM	193	CB	VAL	A	26	-5.452	-16.925	-15.258	1.00	25.11	C
ATOM	194	CG1	VAL	A	26	-5.300	-18.027	-14.178	1.00	24.52	C
ATOM	195	CG2	VAL	A	26	-6.556	-15.920	-14.891	1.00	25.00	C
ATOM	196	C	VAL	A	26	-3.081	-17.200	-15.955	1.00	25.84	C
ATOM	197	O	VAL	A	26	-3.240	-17.831	-17.005	1.00	26.29	O
ATOM	198	N	ILE	A	27	-2.021	-17.341	-15.164	1.00	25.11	N
ATOM	199	CA	ILE	A	27	-0.969	-18.311	-15.397	1.00	25.58	C
ATOM	200	CB	ILE	A	27	0.337	-17.816	-14.766	1.00	24.83	C
ATOM	201	CG1	ILE	A	27	0.711	-16.433	-15.307	1.00	25.49	C
ATOM	202	CD1	ILE	A	27	1.595	-15.614	-14.336	1.00	26.18	C
ATOM	203	CG2	ILE	A	27	1.481	-18.794	-15.037	1.00	26.17	C
ATOM	204	C	ILE	A	27	-1.376	-19.693	-14.846	1.00	25.94	C
ATOM	205	O	ILE	A	27	-1.248	-20.706	-15.525	1.00	25.18	O
ATOM	206	N	GLN	A	28	-1.820	-19.718	-13.592	1.00	26.82	N
ATOM	207	CA	GLN	A	28	-2.453	-20.901	-13.005	1.00	27.20	C
ATOM	208	CB	GLN	A	28	-1.397	-21.892	-12.487	1.00	27.83	C
ATOM	209	CG	GLN	A	28	-0.302	-21.260	-11.691	1.00	30.73	C
ATOM	210	CD	GLN	A	28	0.656	-22.269	-11.082	1.00	32.84	C
ATOM	211	OE1	GLN	A	28	0.248	-23.361	-10.668	1.00	34.99	O
ATOM	212	NE2	GLN	A	28	1.931	-21.902	-11.020	1.00	35.12	N

ATOM	213	C	GLN A	28	-3.462	-20.548	-11.906	1.00	26.29	C
ATOM	214	O	GLN A	28	-3.576	-19.399	-11.479	1.00	25.74	O
ATOM	215	N	SER A	29	-4.242	-21.545	-11.509	1.00	25.45	N
ATOM	216	CA	SER A	29	-5.260	-21.372	-10.489	1.00	24.80	C
ATOM	217	CB	SER A	29	-6.625	-21.123	-11.131	1.00	24.74	C
ATOM	218	OG	SER A	29	-7.016	-22.209	-11.959	1.00	25.00	O
ATOM	219	C	SER A	29	-5.322	-22.606	-9.612	1.00	24.72	C
ATOM	220	O	SER A	29	-4.934	-23.696	-10.036	1.00	24.04	O
ATOM	221	N	ARG A	30	-5.792	-22.422	-8.382	1.00	23.97	N
ATOM	222	CA	ARG A	30	-6.068	-23.539	-7.491	1.00	23.62	C
ATOM	223	CB	ARG A	30	-4.820	-23.933	-6.687	1.00	23.81	C
ATOM	224	CG	ARG A	30	-4.190	-22.780	-5.910	1.00	23.00	C
ATOM	225	CD	ARG A	30	-2.895	-23.175	-5.215	1.00	21.13	C
ATOM	226	NE	ARG A	30	-2.316	-22.072	-4.442	1.00	20.67	N
ATOM	227	CZ	ARG A	30	-1.170	-22.144	-3.807	1.00	21.47	C
ATOM	228	NH1	ARG A	30	-0.438	-23.258	-3.857	1.00	22.82	N
ATOM	229	NH2	ARG A	30	-0.733	-21.100	-3.122	1.00	21.01	N
ATOM	230	C	ARG A	30	-7.244	-23.201	-6.576	1.00	23.37	C
ATOM	231	O	ARG A	30	-7.401	-22.061	-6.113	1.00	23.03	O
ATOM	232	N	LYS A	31	-8.079	-24.198	-6.337	1.00	22.81	N
ATOM	233	CA	LYS A	31	-9.161	-24.092	-5.379	1.00	22.73	C
ATOM	234	CB	LYS A	31	-10.100	-25.317	-5.460	1.00	23.69	C
ATOM	235	CG	LYS A	31	-11.525	-25.088	-4.810	1.00	26.29	C
ATOM	236	CD	LYS A	31	-12.499	-26.204	-5.286	0.65	28.58	C
ATOM	237	CE	LYS A	31	-13.871	-26.218	-4.577	0.65	29.61	C
ATOM	238	NZ	LYS A	31	-13.941	-25.315	-3.414	0.65	28.52	N
ATOM	239	C	LYS A	31	-8.530	-24.014	-3.997	1.00	21.28	C
ATOM	240	O	LYS A	31	-7.611	-24.766	-3.715	1.00	20.75	O
ATOM	241	N	VAL A	32	-8.999	-23.093	-3.154	1.00	20.32	N
ATOM	242	CA	VAL A	32	-8.518	-23.005	-1.766	1.00	19.74	C
ATOM	243	CB	VAL A	32	-7.546	-21.827	-1.582	1.00	20.06	C
ATOM	244	CG1	VAL A	32	-6.327	-21.987	-2.506	1.00	20.48	C
ATOM	245	CG2	VAL A	32	-8.241	-20.492	-1.833	1.00	19.16	C
ATOM	246	C	VAL A	32	-9.685	-22.871	-0.771	1.00	19.50	C
ATOM	247	O	VAL A	32	-10.719	-22.271	-1.097	1.00	19.16	O
ATOM	248	N	PRO A	33	-9.521	-23.430	0.435	1.00	18.78	N
ATOM	249	CA	PRO A	33	-10.501	-23.262	1.508	1.00	18.03	C
ATOM	250	CB	PRO A	33	-10.245	-24.471	2.403	1.00	17.84	C
ATOM	251	CG	PRO A	33	-8.782	-24.785	2.228	1.00	17.56	C
ATOM	252	CD	PRO A	33	-8.378	-24.268	0.865	1.00	18.75	C
ATOM	253	C	PRO A	33	-10.235	-21.962	2.270	1.00	17.90	C
ATOM	254	O	PRO A	33	-9.108	-21.707	2.702	1.00	17.42	O
ATOM	255	N	THR A	34	-11.264	-21.140	2.401	1.00	17.78	N
ATOM	256	CA	THR A	34	-11.175	-19.899	3.161	1.00	18.13	C
ATOM	257	CB	THR A	34	-11.301	-18.670	2.249	1.00	18.25	C
ATOM	258	OG1	THR A	34	-12.504	-18.749	1.491	1.00	17.71	O
ATOM	259	CG2	THR A	34	-10.151	-18.604	1.217	1.00	19.21	C
ATOM	260	C	THR A	34	-12.319	-19.850	4.147	1.00	18.38	C
ATOM	261	O	THR A	34	-13.392	-20.420	3.884	1.00	16.91	O
ATOM	262	N	ASP A	35	-12.083	-19.168	5.273	1.00	19.17	N
ATOM	263	CA	ASP A	35	-13.135	-18.948	6.273	1.00	20.39	C
ATOM	264	CB	ASP A	35	-12.626	-18.096	7.441	1.00	21.89	C
ATOM	265	CG	ASP A	35	-11.617	-18.839	8.307	1.00	25.93	C
ATOM	266	OD1	ASP A	35	-11.687	-20.082	8.446	1.00	33.70	O

ATOM	267	OD2	ASP A	35	-10.717	-18.275	8.914	1.00	35.91	O
ATOM	268	C	ASP A	35	-14.346	-18.285	5.664	1.00	20.29	C
ATOM	269	O	ASP A	35	-15.485	-18.678	5.941	1.00	19.64	O
ATOM	270	N	ILE A	36	-14.093	-17.269	4.833	1.00	20.07	N
ATOM	271	CA	ILE A	36	-15.162	-16.492	4.219	1.00	20.14	C
ATOM	272	CB	ILE A	36	-14.594	-15.190	3.580	1.00	20.37	C
ATOM	273	CG1	ILE A	36	-14.215	-14.208	4.690	1.00	21.16	C
ATOM	274	CD1	ILE A	36	-13.263	-13.126	4.222	1.00	22.83	C
ATOM	275	CG2	ILE A	36	-15.618	-14.532	2.660	1.00	20.83	C
ATOM	276	C	ILE A	36	-15.960	-17.338	3.213	1.00	19.53	C
ATOM	277	O	ILE A	36	-17.184	-17.262	3.190	1.00	17.74	O
ATOM	278	N	GLY A	37	-15.261	-18.154	2.423	1.00	19.33	N
ATOM	279	CA	GLY A	37	-15.900	-19.085	1.505	1.00	19.48	C
ATOM	280	C	GLY A	37	-16.799	-20.090	2.216	1.00	20.41	C
ATOM	281	O	GLY A	37	-17.960	-20.297	1.832	1.00	20.67	O
ATOM	282	N	ASN A	38	-16.281	-20.698	3.280	1.00	21.26	N
ATOM	283	CA	ASN A	38	-17.079	-21.617	4.120	1.00	21.47	C
ATOM	284	CB	ASN A	38	-16.218	-22.232	5.227	1.00	20.99	C
ATOM	285	CG	ASN A	38	-15.205	-23.222	4.679	1.00	22.89	C
ATOM	286	OD1	ASN A	38	-15.251	-23.588	3.501	1.00	24.46	O
ATOM	287	ND2	ASN A	38	-14.277	-23.632	5.506	1.00	23.31	N
ATOM	288	C	ASN A	38	-18.298	-20.951	4.738	1.00	21.72	C
ATOM	289	O	ASN A	38	-19.386	-21.530	4.759	1.00	21.00	O
ATOM	290	N	ALA A	39	-18.126	-19.727	5.230	1.00	21.86	N
ATOM	291	CA	ALA A	39	-19.223	-19.033	5.900	1.00	21.54	C
ATOM	292	CB	ALA A	39	-18.682	-17.871	6.699	1.00	22.37	C
ATOM	293	C	ALA A	39	-20.303	-18.559	4.948	1.00	21.69	C
ATOM	294	O	ALA A	39	-21.433	-18.370	5.361	1.00	22.05	O
ATOM	295	N	ASN A	40	-19.978	-18.359	3.673	1.00	21.03	N
ATOM	296	CA	ASN A	40	-20.932	-17.798	2.741	1.00	21.44	C
ATOM	297	CB	ASN A	40	-20.337	-16.522	2.153	1.00	21.99	C
ATOM	298	CG	ASN A	40	-20.241	-15.411	3.177	1.00	21.95	C
ATOM	299	OD1	ASN A	40	-21.226	-14.692	3.423	1.00	19.61	O
ATOM	300	ND2	ASN A	40	-19.056	-15.264	3.791	1.00	16.80	N
ATOM	301	C	ASN A	40	-21.313	-18.725	1.604	1.00	22.49	C
ATOM	302	O	ASN A	40	-21.965	-18.283	0.641	1.00	22.22	O
ATOM	303	N	ASN A	41	-20.900	-19.995	1.706	1.00	22.75	N
ATOM	304	CA	ASN A	41	-21.165	-21.013	0.687	1.00	23.76	C
ATOM	305	CB	ASN A	41	-22.653	-21.437	0.678	1.00	23.65	C
ATOM	306	CG	ASN A	41	-22.929	-22.633	-0.273	1.00	27.83	C
ATOM	307	OD1	ASN A	41	-22.084	-23.550	-0.426	1.00	32.41	O
ATOM	308	ND2	ASN A	41	-24.100	-22.620	-0.921	1.00	28.29	N
ATOM	309	C	ASN A	41	-20.736	-20.520	-0.689	1.00	23.33	C
ATOM	310	O	ASN A	41	-21.481	-20.622	-1.666	1.00	24.35	O
ATOM	311	N	ALA A	42	-19.515	-19.997	-0.751	1.00	23.04	N
ATOM	312	CA	ALA A	42	-18.955	-19.419	-1.959	1.00	22.15	C
ATOM	313	CB	ALA A	42	-18.813	-17.916	-1.802	1.00	21.79	C
ATOM	314	C	ALA A	42	-17.586	-20.064	-2.181	1.00	21.99	C
ATOM	315	O	ALA A	42	-16.715	-20.010	-1.296	1.00	21.99	O
ATOM	316	N	ALA A	43	-17.410	-20.700	-3.339	1.00	20.79	N
ATOM	317	CA	ALA A	43	-16.124	-21.299	-3.701	1.00	19.91	C
ATOM	318	CB	ALA A	43	-16.252	-22.113	-5.014	1.00	20.35	C
ATOM	319	C	ALA A	43	-15.034	-20.220	-3.836	1.00	19.08	C
ATOM	320	O	ALA A	43	-15.278	-19.147	-4.393	1.00	18.72	O

ATOM	321	N	SER	A	44	-13.848	-20.513	-3.308	1.00	18.56	N
ATOM	322	CA	SER	A	44	-12.710	-19.617	-3.405	1.00	18.66	C
ATOM	323	CB	SER	A	44	-12.260	-19.111	-2.031	1.00	18.63	C
ATOM	324	OG	SER	A	44	-12.353	-20.110	-1.041	1.00	17.75	O
ATOM	325	C	SER	A	44	-11.545	-20.279	-4.111	1.00	18.46	C
ATOM	326	O	SER	A	44	-11.309	-21.488	-3.978	1.00	18.08	O
ATOM	327	N	PHE	A	45	-10.810	-19.443	-4.834	1.00	18.49	N
ATOM	328	CA	PHE	A	45	-9.675	-19.849	-5.647	1.00	18.49	C
ATOM	329	CB	PHE	A	45	-10.082	-19.981	-7.154	1.00	18.42	C
ATOM	330	CG	PHE	A	45	-11.263	-20.882	-7.397	1.00	20.45	C
ATOM	331	CD1	PHE	A	45	-11.083	-22.235	-7.702	1.00	21.72	C
ATOM	332	CE1	PHE	A	45	-12.163	-23.063	-7.906	1.00	21.56	C
ATOM	333	CZ	PHE	A	45	-13.450	-22.567	-7.793	1.00	21.55	C
ATOM	334	CE2	PHE	A	45	-13.645	-21.237	-7.481	1.00	22.94	C
ATOM	335	CD2	PHE	A	45	-12.558	-20.398	-7.293	1.00	22.45	C
ATOM	336	C	PHE	A	45	-8.583	-18.805	-5.521	1.00	17.52	C
ATOM	337	O	PHE	A	45	-8.856	-17.630	-5.343	1.00	17.75	O
ATOM	338	N	GLN	A	46	-7.341	-19.250	-5.615	1.00	18.43	N
ATOM	339	CA	GLN	A	46	-6.192	-18.380	-5.842	1.00	18.20	C
ATOM	340	CB	GLN	A	46	-5.017	-18.819	-5.010	1.00	18.17	C
ATOM	341	CG	GLN	A	46	-5.172	-18.434	-3.557	1.00	17.96	C
ATOM	342	CD	GLN	A	46	-4.034	-18.925	-2.725	1.00	18.16	C
ATOM	343	OE1	GLN	A	46	-3.087	-19.504	-3.253	1.00	19.23	O
ATOM	344	NE2	GLN	A	46	-4.130	-18.725	-1.413	1.00	19.20	N
ATOM	345	C	GLN	A	46	-5.802	-18.416	-7.324	1.00	18.84	C
ATOM	346	O	GLN	A	46	-5.794	-19.482	-7.954	1.00	18.01	O
ATOM	347	N	LEU	A	47	-5.547	-17.229	-7.866	1.00	18.51	N
ATOM	348	CA	LEU	A	47	-5.134	-17.035	-9.253	1.00	17.96	C
ATOM	349	CB	LEU	A	47	-6.053	-16.031	-9.948	1.00	17.92	C
ATOM	350	CG	LEU	A	47	-7.549	-16.302	-9.895	1.00	17.13	C
ATOM	351	CD1	LEU	A	47	-8.275	-15.286	-10.713	1.00	18.91	C
ATOM	352	CD2	LEU	A	47	-7.859	-17.733	-10.353	1.00	18.22	C
ATOM	353	C	LEU	A	47	-3.749	-16.462	-9.213	1.00	18.23	C
ATOM	354	O	LEU	A	47	-3.506	-15.443	-8.540	1.00	18.30	O
ATOM	355	N	GLN	A	48	-2.818	-17.150	-9.859	1.00	18.17	N
ATOM	356	CA	GLN	A	48	-1.522	-16.597	-10.133	1.00	18.88	C
ATOM	357	CB	GLN	A	48	-0.463	-17.687	-10.170	1.00	19.45	C
ATOM	358	CG	GLN	A	48	0.936	-17.123	-10.192	1.00	21.19	C
ATOM	359	CD	GLN	A	48	1.974	-18.157	-10.647	1.00	25.96	C
ATOM	360	OE1	GLN	A	48	1.846	-18.735	-11.723	1.00	29.31	O
ATOM	361	NE2	GLN	A	48	2.986	-18.368	-9.840	1.00	26.93	N
ATOM	362	C	GLN	A	48	-1.636	-15.955	-11.494	1.00	19.73	C
ATOM	363	O	GLN	A	48	-1.993	-16.644	-12.444	1.00	19.42	O
ATOM	364	N	TYR	A	49	-1.352	-14.654	-11.579	1.00	19.84	N
ATOM	365	CA	TYR	A	49	-1.633	-13.869	-12.782	1.00	20.10	C
ATOM	366	CB	TYR	A	49	-2.964	-13.066	-12.649	1.00	19.36	C
ATOM	367	CG	TYR	A	49	-2.978	-12.009	-11.550	1.00	19.74	C
ATOM	368	CD1	TYR	A	49	-3.226	-12.355	-10.209	1.00	20.04	C
ATOM	369	CE1	TYR	A	49	-3.218	-11.390	-9.197	1.00	18.96	C
ATOM	370	CZ	TYR	A	49	-2.979	-10.088	-9.501	1.00	18.96	C
ATOM	371	OH	TYR	A	49	-3.007	-9.148	-8.498	1.00	18.45	O
ATOM	372	CE2	TYR	A	49	-2.735	-9.708	-10.827	1.00	19.66	C
ATOM	373	CD2	TYR	A	49	-2.722	-10.670	-11.828	1.00	19.49	C
ATOM	374	C	TYR	A	49	-0.474	-12.926	-13.052	1.00	20.70	C

ATOM	375	O	TYR A	49	0.318	-12.616	-12.153	1.00	20.17	O
ATOM	376	N	ARG A	50	-0.366	-12.465	-14.292	1.00	20.80	N
ATOM	377	CA	ARG A	50	0.692	-11.531	-14.628	1.00	21.29	C
ATOM	378	CB	ARG A	50	1.163	-11.765	-16.059	1.00	22.46	C
ATOM	379	CG	ARG A	50	2.279	-10.836	-16.498	1.00	23.39	C
ATOM	380	CD	ARG A	50	1.768	-9.708	-17.298	1.00	24.37	C
ATOM	381	NE	ARG A	50	2.500	-8.448	-17.139	1.00	25.70	N
ATOM	382	CZ	ARG A	50	3.027	-7.747	-18.148	1.00	27.53	C
ATOM	383	NH1	ARG A	50	3.598	-6.573	-17.911	1.00	27.59	N
ATOM	384	NH2	ARG A	50	2.988	-8.207	-19.388	1.00	27.50	N
ATOM	385	C	ARG A	50	0.261	-10.086	-14.398	1.00	21.06	C
ATOM	386	O	ARG A	50	-0.878	-9.701	-14.670	1.00	20.26	O
ATOM	387	N	THR A	51	1.178	-9.296	-13.852	1.00	20.62	N
ATOM	388	CA	THR A	51	0.950	-7.876	-13.656	1.00	20.97	C
ATOM	389	CB	THR A	51	0.339	-7.622	-12.214	1.00	21.00	C
ATOM	390	OG1	THR A	51	0.012	-6.227	-12.027	1.00	20.28	O
ATOM	391	CG2	THR A	51	1.340	-7.949	-11.132	1.00	21.43	C
ATOM	392	C	THR A	51	2.262	-7.139	-13.887	1.00	21.05	C
ATOM	393	O	THR A	51	3.172	-7.673	-14.538	1.00	22.32	O
ATOM	394	N	THR A	52	2.393	-5.934	-13.350	1.00	21.14	N
ATOM	395	CA	THR A	52	3.521	-5.087	-13.671	1.00	21.03	C
ATOM	396	CB	THR A	52	3.082	-4.057	-14.740	1.00	21.72	C
ATOM	397	OG1	THR A	52	2.530	-4.717	-15.894	1.00	19.83	O
ATOM	398	CG2	THR A	52	4.279	-3.255	-15.270	1.00	22.04	C
ATOM	399	C	THR A	52	4.039	-4.383	-12.426	1.00	21.47	C
ATOM	400	O	THR A	52	3.263	-3.899	-11.614	1.00	21.00	O
ATOM	401	N	ASN A	53	5.361	-4.328	-12.269	1.00	21.71	N
ATOM	402	CA	ASN A	53	5.943	-3.723	-11.077	1.00	21.81	C
ATOM	403	CB	ASN A	53	7.102	-4.562	-10.509	1.00	21.35	C
ATOM	404	CG	ASN A	53	8.388	-4.497	-11.339	1.00	23.09	C
ATOM	405	OD1	ASN A	53	8.533	-3.666	-12.242	1.00	22.59	O
ATOM	406	ND2	ASN A	53	9.356	-5.373	-10.994	1.00	21.08	N
ATOM	407	C	ASN A	53	6.272	-2.265	-11.341	1.00	22.65	C
ATOM	408	O	ASN A	53	6.011	-1.724	-12.445	1.00	22.41	O
ATOM	409	N	THR A	54	6.758	-1.607	-10.308	1.00	23.39	N
ATOM	410	CA	THR A	54	7.009	-0.177	-10.347	1.00	24.44	C
ATOM	411	CB	THR A	54	7.439	0.315	-8.945	1.00	24.20	C
ATOM	412	OG1	THR A	54	6.360	0.108	-8.023	1.00	23.35	O
ATOM	413	CG2	THR A	54	7.649	1.848	-8.935	1.00	24.97	C
ATOM	414	C	THR A	54	8.061	0.202	-11.391	1.00	25.10	C
ATOM	415	O	THR A	54	8.007	1.302	-11.946	1.00	24.89	O
ATOM	416	N	GLN A	55	9.009	-0.705	-11.642	1.00	26.09	N
ATOM	417	CA	GLN A	55	10.042	-0.515	-12.677	1.00	27.40	C
ATOM	418	CB	GLN A	55	11.323	-1.269	-12.281	1.00	27.59	C
ATOM	419	CG	GLN A	55	11.879	-0.811	-10.916	1.00	29.25	C
ATOM	420	CD	GLN A	55	11.920	0.707	-10.833	1.00	34.15	C
ATOM	421	OE1	GLN A	55	12.415	1.364	-11.774	1.00	35.80	O
ATOM	422	NE2	GLN A	55	11.366	1.284	-9.746	1.00	32.00	N
ATOM	423	C	GLN A	55	9.562	-0.940	-14.079	1.00	27.62	C
ATOM	424	O	GLN A	55	10.364	-1.109	-14.976	1.00	27.19	O
ATOM	425	N	ASN A	56	8.248	-1.093	-14.241	1.00	27.56	N
ATOM	426	CA	ASN A	56	7.615	-1.466	-15.502	1.00	28.41	C
ATOM	427	CB	ASN A	56	7.785	-0.349	-16.567	0.50	28.56	C
ATOM	428	CG	ASN A	56	6.886	0.870	-16.297	0.50	29.41	C

ATOM	429	OD1	ASN A	56	7.269	2.013	-16.559	0.50	32.68	O
ATOM	430	ND2	ASN A	56	5.696	0.626	-15.758	0.50	28.23	N
ATOM	431	C	ASN A	56	8.019	-2.844	-16.033	1.00	28.49	C
ATOM	432	O	ASN A	56	7.941	-3.084	-17.226	1.00	28.69	O
ATOM	433	N	GLU A	57	8.393	-3.757	-15.131	1.00	28.18	N
ATOM	434	CA	GLU A	57	8.724	-5.134	-15.487	1.00	28.10	C
ATOM	435	CB	GLU A	57	9.916	-5.645	-14.668	1.00	28.79	C
ATOM	436	CG	GLU A	57	11.194	-4.811	-14.796	1.00	31.53	C
ATOM	437	CD	GLU A	57	12.205	-5.016	-13.661	1.00	37.41	C
ATOM	438	OE1	GLU A	57	11.819	-5.339	-12.498	1.00	38.61	O
ATOM	439	OE2	GLU A	57	13.423	-4.810	-13.922	1.00	41.89	O
ATOM	440	C	GLU A	57	7.521	-6.073	-15.280	1.00	27.43	C
ATOM	441	O	GLU A	57	6.721	-5.894	-14.355	1.00	27.50	O
ATOM	442	N	ALA A	58	7.409	-7.074	-16.148	1.00	25.98	N
ATOM	443	CA	ALA A	58	6.439	-8.141	-16.012	1.00	25.39	C
ATOM	444	CB	ALA A	58	6.390	-8.976	-17.280	1.00	25.41	C
ATOM	445	C	ALA A	58	6.787	-9.018	-14.782	1.00	24.31	C
ATOM	446	O	ALA A	58	7.925	-9.431	-14.599	1.00	23.35	O
ATOM	447	N	VAL A	59	5.797	-9.224	-13.922	1.00	23.11	N
ATOM	448	CA	VAL A	59	5.939	-10.057	-12.719	1.00	22.15	C
ATOM	449	CB	VAL A	59	6.199	-9.219	-11.428	1.00	22.11	C
ATOM	450	CG1	VAL A	59	7.560	-8.567	-11.454	1.00	22.87	C
ATOM	451	CG2	VAL A	59	5.089	-8.162	-11.153	1.00	20.95	C
ATOM	452	C	VAL A	59	4.650	-10.819	-12.541	1.00	21.87	C
ATOM	453	O	VAL A	59	3.635	-10.460	-13.115	1.00	23.11	O
ATOM	454	N	ALA A	60	4.676	-11.879	-11.759	1.00	21.81	N
ATOM	455	CA	ALA A	60	3.444	-12.529	-11.359	1.00	21.70	C
ATOM	456	CB	ALA A	60	3.620	-14.057	-11.305	1.00	22.24	C
ATOM	457	C	ALA A	60	3.007	-11.973	-9.995	1.00	21.72	C
ATOM	458	O	ALA A	60	3.774	-11.273	-9.304	1.00	21.81	O
ATOM	459	N	ASP A	61	1.747	-12.249	-9.665	1.00	21.00	N
ATOM	460	CA	ASP A	61	1.184	-11.997	-8.361	1.00	20.45	C
ATOM	461	CB	ASP A	61	0.638	-10.584	-8.279	1.00	20.21	C
ATOM	462	CG	ASP A	61	0.552	-10.073	-6.842	1.00	20.65	C
ATOM	463	OD1	ASP A	61	0.051	-8.942	-6.645	1.00	20.16	O
ATOM	464	OD2	ASP A	61	0.960	-10.743	-5.850	1.00	19.50	O
ATOM	465	C	ASP A	61	0.081	-13.019	-8.082	1.00	20.37	C
ATOM	466	O	ASP A	61	-0.272	-13.815	-8.962	1.00	19.79	O
ATOM	467	N	VAL A	62	-0.448	-13.007	-6.851	1.00	19.35	N
ATOM	468	CA	VAL A	62	-1.549	-13.876	-6.470	1.00	18.26	C
ATOM	469	CB	VAL A	62	-1.107	-14.832	-5.346	1.00	18.20	C
ATOM	470	CG1	VAL A	62	-2.280	-15.624	-4.786	1.00	19.71	C
ATOM	471	CG2	VAL A	62	-0.030	-15.772	-5.843	1.00	18.58	C
ATOM	472	C	VAL A	62	-2.741	-13.035	-6.020	1.00	17.90	C
ATOM	473	O	VAL A	62	-2.579	-11.980	-5.391	1.00	18.49	O
ATOM	474	N	ALA A	63	-3.926	-13.497	-6.357	1.00	17.25	N
ATOM	475	CA	ALA A	63	-5.193	-12.896	-5.925	1.00	17.95	C
ATOM	476	CB	ALA A	63	-5.832	-12.141	-7.044	1.00	18.21	C
ATOM	477	C	ALA A	63	-6.124	-14.026	-5.498	1.00	17.86	C
ATOM	478	O	ALA A	63	-5.997	-15.154	-5.974	1.00	17.32	O
ATOM	479	N	THR A	64	-7.053	-13.691	-4.614	1.00	17.72	N
ATOM	480	CA	THR A	64	-8.068	-14.590	-4.142	1.00	17.33	C
ATOM	481	CB	THR A	64	-8.136	-14.556	-2.599	1.00	16.57	C
ATOM	482	OG1	THR A	64	-6.861	-14.861	-2.045	1.00	17.35	O

ATOM	483	CG2	THR A	64	-9.027	-15.614	-2.085	1.00	17.30	C
ATOM	484	C	THR A	64	-9.394	-14.128	-4.667	1.00	17.88	C
ATOM	485	O	THR A	64	-9.711	-12.932	-4.607	1.00	18.26	O
ATOM	486	N	VAL A	65	-10.206	-15.077	-5.104	1.00	17.26	N
ATOM	487	CA	VAL A	65	-11.526	-14.755	-5.594	1.00	17.82	C
ATOM	488	CB	VAL A	65	-11.628	-14.858	-7.144	1.00	17.59	C
ATOM	489	CG1	VAL A	65	-10.584	-13.967	-7.787	1.00	19.27	C
ATOM	490	CG2	VAL A	65	-11.484	-16.289	-7.630	1.00	16.94	C
ATOM	491	C	VAL A	65	-12.553	-15.658	-4.989	1.00	17.66	C
ATOM	492	O	VAL A	65	-12.284	-16.804	-4.692	1.00	18.39	O
ATOM	493	N	TRP A	66	-13.756	-15.135	-4.870	1.00	18.52	N
ATOM	494	CA	TRP A	66	-14.882	-15.882	-4.362	1.00	18.85	C
ATOM	495	CB	TRP A	66	-15.330	-15.310	-3.031	1.00	18.66	C
ATOM	496	CG	TRP A	66	-14.409	-15.507	-1.833	1.00	18.12	C
ATOM	497	CD1	TRP A	66	-14.520	-16.487	-0.874	1.00	18.35	C
ATOM	498	NE1	TRP A	66	-13.564	-16.306	0.104	1.00	16.91	N
ATOM	499	CE2	TRP A	66	-12.834	-15.183	-0.181	1.00	15.93	C
ATOM	500	CD2	TRP A	66	-13.342	-14.643	-1.392	1.00	16.01	C
ATOM	501	CE3	TRP A	66	-12.762	-13.470	-1.893	1.00	17.73	C
ATOM	502	CZ3	TRP A	66	-11.685	-12.890	-1.186	1.00	17.77	C
ATOM	503	CH2	TRP A	66	-11.203	-13.478	0.005	1.00	16.34	C
ATOM	504	CZ2	TRP A	66	-11.773	-14.602	0.522	1.00	15.33	C
ATOM	505	C	TRP A	66	-16.045	-15.756	-5.320	1.00	19.51	C
ATOM	506	O	TRP A	66	-16.366	-14.665	-5.761	1.00	20.13	O
ATOM	507	N	ILE A	67	-16.713	-16.875	-5.561	1.00	20.32	N
ATOM	508	CA	ILE A	67	-17.776	-16.993	-6.529	1.00	21.63	C
ATOM	509	CB	ILE A	67	-17.494	-18.216	-7.460	1.00	22.11	C
ATOM	510	CG1	ILE A	67	-16.050	-18.231	-7.958	1.00	23.55	C
ATOM	511	CD1	ILE A	67	-15.579	-16.992	-8.684	1.00	24.98	C
ATOM	512	CG2	ILE A	67	-18.474	-18.275	-8.628	1.00	24.15	C
ATOM	513	C	ILE A	67	-19.062	-17.204	-5.745	1.00	21.56	C
ATOM	514	O	ILE A	67	-19.233	-18.215	-5.077	1.00	21.11	O
ATOM	515	N	PRO A	68	-19.982	-16.264	-5.786	1.00	22.73	N
ATOM	516	CA	PRO A	68	-21.220	-16.452	-5.022	1.00	24.46	C
ATOM	517	CB	PRO A	68	-21.945	-15.114	-5.184	1.00	24.18	C
ATOM	518	CG	PRO A	68	-21.327	-14.491	-6.394	1.00	23.73	C
ATOM	519	CD	PRO A	68	-19.961	-15.005	-6.537	1.00	22.64	C
ATOM	520	C	PRO A	68	-22.055	-17.638	-5.557	1.00	25.85	C
ATOM	521	O	PRO A	68	-21.998	-17.923	-6.751	1.00	25.18	O
ATOM	522	N	ALA A	69	-22.818	-18.296	-4.686	1.00	27.95	N
ATOM	523	CA	ALA A	69	-23.665	-19.426	-5.093	1.00	29.72	C
ATOM	524	CB	ALA A	69	-24.397	-20.038	-3.899	1.00	30.10	C
ATOM	525	C	ALA A	69	-24.663	-18.955	-6.122	1.00	30.97	C
ATOM	526	O	ALA A	69	-24.938	-19.657	-7.092	1.00	32.04	O
ATOM	527	N	LYS A	70	-25.138	-17.728	-5.944	1.00	31.45	N
ATOM	528	CA	LYS A	70	-26.171	-17.175	-6.808	1.00	31.79	C
ATOM	529	CB	LYS A	70	-27.512	-17.127	-6.058	1.00	31.92	C
ATOM	530	CG	LYS A	70	-28.700	-16.992	-7.001	1.00	35.01	C
ATOM	531	CD	LYS A	70	-29.917	-17.688	-6.872	0.00	45.92	C
ATOM	532	CE	LYS A	70	-31.056	-16.980	-7.658	0.00	48.09	C
ATOM	533	NZ	LYS A	70	-31.827	-16.006	-6.803	0.00	49.59	N
ATOM	534	C	LYS A	70	-25.762	-15.779	-7.273	1.00	30.51	C
ATOM	535	O	LYS A	70	-26.142	-14.775	-6.682	1.00	29.29	O
ATOM	536	N	PRO A	71	-24.990	-15.705	-8.340	1.00	29.97	N

ATOM	537	CA	PRO A	71	-24.475	-14.402	-8.773	1.00	30.06	C
ATOM	538	CB	PRO A	71	-23.562	-14.752	-9.941	1.00	29.67	C
ATOM	539	CG	PRO A	71	-23.315	-16.228	-9.808	1.00	30.43	C
ATOM	540	CD	PRO A	71	-24.532	-16.801	-9.204	1.00	30.23	C
ATOM	541	C	PRO A	71	-25.593	-13.452	-9.201	1.00	29.77	C
ATOM	542	O	PRO A	71	-26.559	-13.886	-9.805	1.00	28.52	O
ATOM	543	N	ALA A	72	-25.457	-12.178	-8.873	1.00	29.59	N
ATOM	544	CA	ALA A	72	-26.305	-11.152	-9.462	1.00	30.01	C
ATOM	545	CB	ALA A	72	-26.100	-9.802	-8.779	1.00	29.69	C
ATOM	546	C	ALA A	72	-26.028	-11.052	-10.972	1.00	30.45	C
ATOM	547	O	ALA A	72	-24.954	-11.432	-11.465	1.00	30.04	O
ATOM	548	N	SER A	73	-27.031	-10.546	-11.678	1.00	31.07	N
ATOM	549	CA	SER A	73	-27.032	-10.382	-13.131	1.00	32.22	C
ATOM	550	CB	SER A	73	-27.988	-11.408	-13.756	1.00	32.53	C
ATOM	551	OG	SER A	73	-27.812	-11.452	-15.158	1.00	36.03	O
ATOM	552	C	SER A	73	-27.543	-8.970	-13.407	1.00	31.84	C
ATOM	553	O	SER A	73	-28.561	-8.582	-12.819	1.00	33.00	O
ATOM	554	N	PRO A	74	-26.856	-8.168	-14.226	1.00	31.37	N
ATOM	555	CA	PRO A	74	-25.574	-8.528	-14.859	1.00	30.52	C
ATOM	556	CB	PRO A	74	-25.307	-7.373	-15.859	1.00	30.91	C
ATOM	557	CG	PRO A	74	-26.549	-6.506	-15.841	1.00	32.46	C
ATOM	558	CD	PRO A	74	-27.283	-6.795	-14.558	1.00	31.58	C
ATOM	559	C	PRO A	74	-24.412	-8.638	-13.844	1.00	28.94	C
ATOM	560	O	PRO A	74	-24.541	-8.167	-12.702	1.00	26.77	O
ATOM	561	N	PRO A	75	-23.321	-9.273	-14.267	1.00	28.03	N
ATOM	562	CA	PRO A	75	-22.180	-9.562	-13.380	1.00	27.53	C
ATOM	563	CB	PRO A	75	-21.193	-10.300	-14.290	1.00	27.69	C
ATOM	564	CG	PRO A	75	-22.073	-10.869	-15.405	1.00	28.44	C
ATOM	565	CD	PRO A	75	-23.111	-9.811	-15.627	1.00	28.28	C
ATOM	566	C	PRO A	75	-21.557	-8.314	-12.741	1.00	26.42	C
ATOM	567	O	PRO A	75	-21.399	-7.274	-13.387	1.00	25.99	O
ATOM	568	N	LYS A	76	-21.304	-8.416	-11.442	1.00	24.74	N
ATOM	569	CA	LYS A	76	-20.787	-7.301	-10.631	1.00	24.32	C
ATOM	570	CB	LYS A	76	-21.873	-6.805	-9.682	1.00	24.70	C
ATOM	571	CG	LYS A	76	-22.986	-6.028	-10.414	1.00	27.51	C
ATOM	572	CD	LYS A	76	-24.219	-5.872	-9.563	1.00	31.40	C
ATOM	573	CE	LYS A	76	-25.334	-5.173	-10.334	1.00	33.95	C
ATOM	574	NZ	LYS A	76	-25.929	-6.062	-11.362	1.00	35.32	N
ATOM	575	C	LYS A	76	-19.573	-7.779	-9.844	1.00	23.28	C
ATOM	576	O	LYS A	76	-19.634	-8.847	-9.205	1.00	23.24	O
ATOM	577	N	ILE A	77	-18.491	-7.003	-9.895	1.00	21.31	N
ATOM	578	CA	ILE A	77	-17.212	-7.380	-9.293	1.00	20.95	C
ATOM	579	CB	ILE A	77	-16.085	-7.404	-10.336	1.00	20.54	C
ATOM	580	CG1	ILE A	77	-16.319	-8.512	-11.347	1.00	21.46	C
ATOM	581	CD1	ILE A	77	-15.614	-8.267	-12.661	1.00	23.01	C
ATOM	582	CG2	ILE A	77	-14.723	-7.656	-9.672	1.00	21.17	C
ATOM	583	C	ILE A	77	-16.851	-6.394	-8.186	1.00	19.99	C
ATOM	584	O	ILE A	77	-16.748	-5.182	-8.425	1.00	19.22	O
ATOM	585	N	PHE A	78	-16.673	-6.924	-6.981	1.00	18.67	N
ATOM	586	CA	PHE A	78	-16.277	-6.131	-5.801	1.00	18.58	C
ATOM	587	CB	PHE A	78	-17.155	-6.546	-4.629	1.00	18.87	C
ATOM	588	CG	PHE A	78	-16.937	-5.769	-3.356	1.00	18.89	C
ATOM	589	CD1	PHE A	78	-16.190	-6.306	-2.324	1.00	19.90	C
ATOM	590	CE1	PHE A	78	-16.039	-5.633	-1.120	1.00	20.76	C

ATOM	591	CZ	PHE	A	78	-16.645	-4.418	-0.925	1.00	21.25	C
ATOM	592	CE2	PHE	A	78	-17.433	-3.883	-1.923	1.00	25.17	C
ATOM	593	CD2	PHE	A	78	-17.593	-4.575	-3.133	1.00	24.17	C
ATOM	594	C	PHE	A	78	-14.814	-6.456	-5.492	1.00	17.76	C
ATOM	595	O	PHE	A	78	-14.492	-7.598	-5.196	1.00	17.63	O
ATOM	596	N	SER	A	79	-13.953	-5.452	-5.553	1.00	17.22	N
ATOM	597	CA	SER	A	79	-12.523	-5.623	-5.281	1.00	17.11	C
ATOM	598	CB	SER	A	79	-11.683	-4.910	-6.329	1.00	16.55	C
ATOM	599	OG	SER	A	79	-10.265	-5.195	-6.222	1.00	17.39	O
ATOM	600	C	SER	A	79	-12.256	-5.026	-3.903	1.00	16.90	C
ATOM	601	O	SER	A	79	-12.421	-3.816	-3.709	1.00	17.01	O
ATOM	602	N	TYR	A	80	-11.866	-5.879	-2.957	1.00	15.80	N
ATOM	603	CA	TYR	A	80	-11.597	-5.481	-1.574	1.00	15.04	C
ATOM	604	CB	TYR	A	80	-12.273	-6.452	-0.599	1.00	15.33	C
ATOM	605	CG	TYR	A	80	-11.971	-6.119	0.856	1.00	16.26	C
ATOM	606	CD1	TYR	A	80	-12.550	-5.015	1.469	1.00	16.06	C
ATOM	607	CE1	TYR	A	80	-12.280	-4.691	2.809	1.00	18.68	C
ATOM	608	CZ	TYR	A	80	-11.399	-5.466	3.521	1.00	18.28	C
ATOM	609	OH	TYR	A	80	-11.102	-5.175	4.814	1.00	22.44	O
ATOM	610	CE2	TYR	A	80	-10.805	-6.558	2.936	1.00	19.69	C
ATOM	611	CD2	TYR	A	80	-11.068	-6.874	1.591	1.00	17.69	C
ATOM	612	C	TYR	A	80	-10.112	-5.460	-1.323	1.00	14.52	C
ATOM	613	O	TYR	A	80	-9.412	-6.462	-1.566	1.00	14.00	O
ATOM	614	N	GLN	A	81	-9.632	-4.318	-0.848	1.00	14.24	N
ATOM	615	CA	GLN	A	81	-8.241	-4.118	-0.525	1.00	15.97	C
ATOM	616	CB	GLN	A	81	-7.771	-2.777	-1.083	1.00	15.96	C
ATOM	617	CG	GLN	A	81	-7.562	-2.756	-2.622	1.00	16.32	C
ATOM	618	CD	GLN	A	81	-8.871	-3.053	-3.364	1.00	15.67	C
ATOM	619	OE1	GLN	A	81	-9.824	-2.255	-3.305	1.00	19.16	O
ATOM	620	NE2	GLN	A	81	-8.951	-4.216	-3.970	1.00	12.52	N
ATOM	621	C	GLN	A	81	-8.040	-4.157	1.012	1.00	17.06	C
ATOM	622	O	GLN	A	81	-8.656	-3.392	1.735	1.00	16.98	O
ATOM	623	N	VAL	A	82	-7.156	-5.042	1.478	1.00	19.51	N
ATOM	624	CA	VAL	A	82	-6.890	-5.249	2.912	1.00	20.36	C
ATOM	625	CB	VAL	A	82	-6.683	-6.776	3.253	0.40	20.68	C
ATOM	626	CG1	VAL	A	82	-6.181	-7.544	2.070	0.40	20.65	C
ATOM	627	CG2	VAL	A	82	-5.726	-7.018	4.445	0.40	21.15	C
ATOM	628	C	VAL	A	82	-5.708	-4.409	3.370	1.00	20.56	C
ATOM	629	O	VAL	A	82	-4.806	-4.124	2.598	1.00	20.65	O
ATOM	630	N	TYR	A	83	-5.710	-4.014	4.637	1.00	20.35	N
ATOM	631	CA	TYR	A	83	-4.574	-3.274	5.214	1.00	20.21	C
ATOM	632	CB	TYR	A	83	-5.042	-2.357	6.365	1.00	20.16	C
ATOM	633	CG	TYR	A	83	-6.143	-2.958	7.231	1.00	20.76	C
ATOM	634	CD1	TYR	A	83	-7.485	-2.663	6.987	1.00	22.87	C
ATOM	635	CE1	TYR	A	83	-8.505	-3.219	7.753	1.00	25.63	C
ATOM	636	CZ	TYR	A	83	-8.181	-4.080	8.820	1.00	26.13	C
ATOM	637	OH	TYR	A	83	-9.180	-4.643	9.573	1.00	25.93	O
ATOM	638	CE2	TYR	A	83	-6.855	-4.370	9.099	1.00	23.94	C
ATOM	639	CD2	TYR	A	83	-5.840	-3.801	8.296	1.00	22.22	C
ATOM	640	C	TYR	A	83	-3.444	-4.228	5.666	1.00	20.67	C
ATOM	641	O	TYR	A	83	-3.217	-4.405	6.876	1.00	22.03	O
ATOM	642	N	GLU	A	84	-2.695	-4.798	4.719	1.00	20.51	N
ATOM	643	CA	GLU	A	84	-1.614	-5.741	5.051	1.00	20.07	C
ATOM	644	CB	GLU	A	84	-0.944	-6.307	3.779	1.00	20.53	C

ATOM	645	CG	GLU A	84	0.304	-7.159	4.049	1.00	18.95	C
ATOM	646	CD	GLU A	84	0.957	-7.749	2.812	1.00	23.30	C
ATOM	647	OE1	GLU A	84	0.424	-7.578	1.681	1.00	22.84	O
ATOM	648	OE2	GLU A	84	2.031	-8.404	2.978	1.00	25.55	O
ATOM	649	C	GLU A	84	-0.555	-5.121	5.987	1.00	20.36	C
ATOM	650	O	GLU A	84	-0.156	-5.748	6.964	1.00	20.10	O
ATOM	651	N	ASP A	85	-0.115	-3.899	5.657	1.00	20.58	N
ATOM	652	CA	ASP A	85	0.784	-3.068	6.458	1.00	21.01	C
ATOM	653	CB	ASP A	85	0.043	-2.528	7.672	1.00	21.53	C
ATOM	654	CG	ASP A	85	-1.027	-1.517	7.317	1.00	25.21	C
ATOM	655	OD1	ASP A	85	-1.362	-1.323	6.124	1.00	25.43	O
ATOM	656	OD2	ASP A	85	-1.624	-0.884	8.222	1.00	31.45	O
ATOM	657	C	ASP A	85	2.064	-3.757	6.958	1.00	20.40	C
ATOM	658	O	ASP A	85	2.389	-3.693	8.158	1.00	19.82	O
ATOM	659	N	ALA A	86	2.764	-4.410	6.043	1.00	19.64	N
ATOM	660	CA	ALA A	86	3.955	-5.181	6.378	1.00	19.34	C
ATOM	661	CB	ALA A	86	3.530	-6.497	6.981	1.00	19.56	C
ATOM	662	C	ALA A	86	4.817	-5.421	5.141	1.00	18.99	C
ATOM	663	O	ALA A	86	4.338	-5.283	4.030	1.00	19.28	O
ATOM	664	N	THR A	87	6.087	-5.764	5.346	1.00	18.85	N
ATOM	665	CA	THR A	87	6.994	-6.014	4.247	1.00	18.57	C
ATOM	666	CB	THR A	87	8.084	-4.892	4.099	1.00	18.32	C
ATOM	667	OG1	THR A	87	8.885	-4.760	5.291	1.00	20.12	O
ATOM	668	CG2	THR A	87	7.445	-3.548	3.926	1.00	17.37	C
ATOM	669	C	THR A	87	7.625	-7.389	4.362	1.00	18.59	C
ATOM	670	O	THR A	87	8.829	-7.522	4.249	1.00	18.63	O
ATOM	671	N	ALA A	88	6.799	-8.399	4.600	1.00	18.78	N
ATOM	672	CA	ALA A	88	7.236	-9.800	4.497	1.00	19.10	C
ATOM	673	CB	ALA A	88	7.376	-10.418	5.870	1.00	19.13	C
ATOM	674	C	ALA A	88	6.195	-10.550	3.680	1.00	18.66	C
ATOM	675	O	ALA A	88	5.023	-10.251	3.762	1.00	18.53	O
ATOM	676	N	LEU A	89	6.634	-11.530	2.908	1.00	18.96	N
ATOM	677	CA	LEU A	89	5.783	-12.166	1.912	1.00	19.41	C
ATOM	678	CB	LEU A	89	6.584	-13.174	1.082	1.00	19.49	C
ATOM	679	CG	LEU A	89	5.789	-13.920	-0.008	1.00	21.20	C
ATOM	680	CD1	LEU A	89	5.253	-12.967	-1.064	1.00	23.23	C
ATOM	681	CD2	LEU A	89	6.626	-15.002	-0.661	1.00	22.55	C
ATOM	682	C	LEU A	89	4.594	-12.868	2.558	1.00	19.53	C
ATOM	683	O	LEU A	89	3.472	-12.816	2.055	1.00	18.43	O
ATOM	684	N	ASP A	90	4.841	-13.515	3.689	1.00	19.36	N
ATOM	685	CA	ASP A	90	3.799	-14.333	4.305	1.00	19.54	C
ATOM	686	CB	ASP A	90	4.396	-15.484	5.136	1.00	19.87	C
ATOM	687	CG	ASP A	90	5.303	-15.029	6.244	1.00	20.63	C
ATOM	688	OD1	ASP A	90	5.468	-15.866	7.189	1.00	19.49	O
ATOM	689	OD2	ASP A	90	5.906	-13.908	6.256	1.00	20.42	O
ATOM	690	C	ASP A	90	2.750	-13.536	5.075	1.00	19.24	C
ATOM	691	O	ASP A	90	1.857	-14.109	5.671	1.00	17.30	O
ATOM	692	N	CYS A	91	2.849	-12.206	4.999	1.00	19.08	N
ATOM	693	CA	CYS A	91	1.802	-11.318	5.445	1.00	18.97	C
ATOM	694	CB	CYS A	91	2.381	-9.956	5.847	1.00	19.57	C
ATOM	695	SG	CYS A	91	3.843	-10.054	6.904	1.00	21.52	S
ATOM	696	C	CYS A	91	0.710	-11.119	4.418	1.00	18.38	C
ATOM	697	O	CYS A	91	-0.294	-10.487	4.731	1.00	18.13	O
ATOM	698	N	ALA A	92	0.885	-11.695	3.223	1.00	18.73	N

ATOM	699	CA	ALA A	92	-0.039	-11.579	2.102	1.00	18.22	C
ATOM	700	CB	ALA A	92	0.387	-12.543	0.992	1.00	18.47	C
ATOM	701	C	ALA A	92	-1.504	-11.843	2.448	1.00	18.22	C
ATOM	702	O	ALA A	92	-1.803	-12.802	3.122	1.00	18.59	O
ATOM	703	N	PRO A	93	-2.432	-11.044	1.927	1.00	18.20	N
ATOM	704	CA	PRO A	93	-3.857	-11.333	2.087	1.00	17.72	C
ATOM	705	CB	PRO A	93	-4.511	-10.319	1.165	1.00	17.91	C
ATOM	706	CG	PRO A	93	-3.532	-9.153	1.190	1.00	18.61	C
ATOM	707	CD	PRO A	93	-2.204	-9.796	1.185	1.00	18.55	C
ATOM	708	C	PRO A	93	-4.246	-12.761	1.728	1.00	17.76	C
ATOM	709	O	PRO A	93	-4.973	-13.403	2.500	1.00	18.20	O
ATOM	710	N	SER A	94	-3.743	-13.268	0.604	1.00	17.65	N
ATOM	711	CA	SER A	94	-4.123	-14.585	0.113	1.00	17.20	C
ATOM	712	CB	SER A	94	-3.369	-14.953	-1.167	1.00	16.45	C
ATOM	713	OG	SER A	94	-1.953	-14.834	-1.031	1.00	16.09	O
ATOM	714	C	SER A	94	-3.904	-15.668	1.173	1.00	17.22	C
ATOM	715	O	SER A	94	-4.772	-16.499	1.395	1.00	16.95	O
ATOM	716	N	TYR A	95	-2.724	-15.661	1.779	1.00	18.14	N
ATOM	717	CA	TYR A	95	-2.370	-16.604	2.836	1.00	17.92	C
ATOM	718	CB	TYR A	95	-0.860	-16.486	3.117	1.00	18.00	C
ATOM	719	CG	TYR A	95	-0.299	-17.506	4.088	1.00	18.13	C
ATOM	720	CD1	TYR A	95	0.438	-17.104	5.199	1.00	16.79	C
ATOM	721	CE1	TYR A	95	0.935	-18.017	6.085	1.00	16.82	C
ATOM	722	CZ	TYR A	95	0.719	-19.363	5.878	1.00	17.86	C
ATOM	723	OH	TYR A	95	1.237	-20.274	6.768	1.00	18.06	O
ATOM	724	CE2	TYR A	95	0.001	-19.793	4.785	1.00	17.11	C
ATOM	725	CD2	TYR A	95	-0.499	-18.865	3.896	1.00	18.37	C
ATOM	726	C	TYR A	95	-3.252	-16.406	4.079	1.00	17.99	C
ATOM	727	O	TYR A	95	-3.804	-17.377	4.656	1.00	17.35	O
ATOM	728	N	SER A	96	-3.453	-15.139	4.432	1.00	17.84	N
ATOM	729	CA	SER A	96	-4.301	-14.749	5.548	1.00	17.76	C
ATOM	730	CB	SER A	96	-4.218	-13.234	5.756	1.00	18.09	C
ATOM	731	OG	SER A	96	-2.856	-12.839	5.927	1.00	20.59	O
ATOM	732	C	SER A	96	-5.778	-15.175	5.434	1.00	17.38	C
ATOM	733	O	SER A	96	-6.417	-15.482	6.462	1.00	17.32	O
ATOM	734	N	TYR A	97	-6.316	-15.233	4.215	1.00	16.66	N
ATOM	735	CA	TYR A	97	-7.728	-15.607	3.999	1.00	15.98	C
ATOM	736	CB	TYR A	97	-8.181	-15.259	2.569	1.00	16.81	C
ATOM	737	CG	TYR A	97	-8.429	-13.786	2.307	1.00	17.37	C
ATOM	738	CD1	TYR A	97	-7.812	-13.137	1.236	1.00	17.95	C
ATOM	739	CE1	TYR A	97	-8.056	-11.799	0.973	1.00	16.76	C
ATOM	740	CZ	TYR A	97	-8.900	-11.100	1.781	1.00	19.77	C
ATOM	741	OH	TYR A	97	-9.115	-9.772	1.541	1.00	18.53	O
ATOM	742	CE2	TYR A	97	-9.505	-11.723	2.888	1.00	18.63	C
ATOM	743	CD2	TYR A	97	-9.281	-13.050	3.114	1.00	16.86	C
ATOM	744	C	TYR A	97	-7.983	-17.113	4.189	1.00	16.01	C
ATOM	745	O	TYR A	97	-9.132	-17.531	4.362	1.00	14.78	O
ATOM	746	N	LEU A	98	-6.936	-17.928	4.076	1.00	15.45	N
ATOM	747	CA	LEU A	98	-7.094	-19.371	4.160	1.00	15.74	C
ATOM	748	CB	LEU A	98	-5.755	-20.102	3.905	1.00	16.19	C
ATOM	749	CG	LEU A	98	-5.017	-19.898	2.590	1.00	16.64	C
ATOM	750	CD1	LEU A	98	-3.617	-20.595	2.670	1.00	17.70	C
ATOM	751	CD2	LEU A	98	-5.844	-20.387	1.412	1.00	15.16	C
ATOM	752	C	LEU A	98	-7.600	-19.804	5.542	1.00	16.24	C

ATOM	753	O	LEU	A	98	-7.340	-19.162	6.570	1.00	16.13	O
ATOM	754	N	THR	A	99	-8.314	-20.910	5.565	1.00	16.75	N
ATOM	755	CA	THR	A	99	-8.587	-21.580	6.815	1.00	17.34	C
ATOM	756	CB	THR	A	99	-9.390	-22.860	6.592	1.00	17.51	C
ATOM	757	OG1	THR	A	99	-8.776	-23.675	5.573	1.00	18.19	O
ATOM	758	CG2	THR	A	99	-10.768	-22.541	6.038	1.00	18.43	C
ATOM	759	C	THR	A	99	-7.265	-21.942	7.483	1.00	18.12	C
ATOM	760	O	THR	A	99	-6.344	-22.430	6.831	1.00	18.19	O
ATOM	761	N	GLY	A	100	-7.210	-21.721	8.795	1.00	18.23	N
ATOM	762	CA	GLY	A	100	-6.040	-21.955	9.582	1.00	18.98	C
ATOM	763	C	GLY	A	100	-5.948	-20.854	10.626	1.00	19.09	C
ATOM	764	O	GLY	A	100	-6.660	-19.880	10.544	1.00	20.25	O
ATOM	765	N	LEU	A	101	-5.052	-20.998	11.573	1.00	18.42	N
ATOM	766	CA	LEU	A	101	-4.959	-20.076	12.701	1.00	20.00	C
ATOM	767	CB	LEU	A	101	-5.401	-20.773	14.009	1.00	19.61	C
ATOM	768	CG	LEU	A	101	-6.887	-21.010	14.331	1.00	24.02	C
ATOM	769	CD1	LEU	A	101	-7.809	-19.807	14.050	1.00	27.46	C
ATOM	770	CD2	LEU	A	101	-7.419	-22.218	13.634	1.00	27.56	C
ATOM	771	C	LEU	A	101	-3.549	-19.557	12.899	1.00	19.11	C
ATOM	772	O	LEU	A	101	-3.361	-18.652	13.688	1.00	21.53	O
ATOM	773	N	ASP	A	102	-2.563	-20.108	12.202	1.00	18.66	N
ATOM	774	CA	ASP	A	102	-1.160	-19.763	12.449	1.00	18.06	C
ATOM	775	CB	ASP	A	102	-0.244	-21.025	12.402	1.00	17.74	C
ATOM	776	CG	ASP	A	102	-0.299	-21.767	11.059	1.00	20.10	C
ATOM	777	OD1	ASP	A	102	0.630	-22.600	10.748	1.00	18.79	O
ATOM	778	OD2	ASP	A	102	-1.248	-21.595	10.259	1.00	19.91	O
ATOM	779	C	ASP	A	102	-0.605	-18.698	11.498	1.00	17.51	C
ATOM	780	O	ASP	A	102	0.550	-18.362	11.598	1.00	17.54	O
ATOM	781	N	GLN	A	103	-1.386	-18.208	10.544	1.00	17.02	N
ATOM	782	CA	GLN	A	103	-0.857	-17.213	9.596	1.00	17.48	C
ATOM	783	CB	GLN	A	103	-1.855	-16.867	8.496	1.00	16.41	C
ATOM	784	CG	GLN	A	103	-2.282	-18.046	7.637	1.00	17.14	C
ATOM	785	CD	GLN	A	103	-3.639	-18.590	8.057	1.00	17.97	C
ATOM	786	OE1	GLN	A	103	-3.813	-18.982	9.234	1.00	17.05	O
ATOM	787	NE2	GLN	A	103	-4.609	-18.598	7.132	1.00	13.26	N
ATOM	788	C	GLN	A	103	-0.513	-15.931	10.363	1.00	18.04	C
ATOM	789	O	GLN	A	103	-1.332	-15.464	11.164	1.00	17.92	O
ATOM	790	N	PRO	A	104	0.673	-15.363	10.122	1.00	18.21	N
ATOM	791	CA	PRO	A	104	1.142	-14.228	10.932	1.00	18.52	C
ATOM	792	CB	PRO	A	104	2.588	-14.060	10.491	1.00	18.43	C
ATOM	793	CG	PRO	A	104	2.654	-14.664	9.104	1.00	19.11	C
ATOM	794	CD	PRO	A	104	1.669	-15.775	9.110	1.00	18.58	C
ATOM	795	C	PRO	A	104	0.317	-12.942	10.798	1.00	18.27	C
ATOM	796	O	PRO	A	104	0.247	-12.163	11.757	1.00	18.98	O
ATOM	797	N	ASN	A	105	-0.350	-12.766	9.669	1.00	17.29	N
ATOM	798	CA	ASN	A	105	-1.214	-11.612	9.423	1.00	17.71	C
ATOM	799	CB	ASN	A	105	-0.797	-10.857	8.121	1.00	17.19	C
ATOM	800	CG	ASN	A	105	-0.695	-9.350	8.321	1.00	17.26	C
ATOM	801	OD1	ASN	A	105	-0.586	-8.880	9.452	1.00	16.58	O
ATOM	802	ND2	ASN	A	105	-0.685	-8.585	7.213	1.00	18.36	N
ATOM	803	C	ASN	A	105	-2.683	-11.971	9.367	1.00	17.69	C
ATOM	804	O	ASN	A	105	-3.474	-11.213	8.820	1.00	18.07	O
ATOM	805	N	LYS	A	106	-3.049	-13.106	9.965	1.00	18.56	N
ATOM	806	CA	LYS	A	106	-4.447	-13.578	10.063	1.00	19.10	C

ATOM	807	CB	LYS	A	106	-4.522	-14.780	11.040	1.00	19.85	C
ATOM	808	CG	LYS	A	106	-5.929	-15.423	11.227	1.00	20.65	C
ATOM	809	CD	LYS	A	106	-6.385	-16.202	10.024	1.00	21.93	C
ATOM	810	CE	LYS	A	106	-7.722	-16.894	10.334	1.00	24.26	C
ATOM	811	NZ	LYS	A	106	-8.136	-17.783	9.263	1.00	21.07	N
ATOM	812	C	LYS	A	106	-5.427	-12.506	10.526	1.00	18.84	C
ATOM	813	O	LYS	A	106	-6.551	-12.411	10.037	1.00	18.38	O
ATOM	814	N	VAL	A	107	-5.010	-11.698	11.490	1.00	19.02	N
ATOM	815	CA	VAL	A	107	-5.865	-10.660	12.010	1.00	19.27	C
ATOM	816	CB	VAL	A	107	-5.157	-9.875	13.171	1.00	20.06	C
ATOM	817	CG1	VAL	A	107	-3.950	-9.048	12.668	1.00	20.31	C
ATOM	818	CG2	VAL	A	107	-6.162	-9.003	13.910	1.00	21.07	C
ATOM	819	C	VAL	A	107	-6.451	-9.722	10.911	1.00	19.20	C
ATOM	820	O	VAL	A	107	-7.601	-9.261	11.042	1.00	18.29	O
ATOM	821	N	THR	A	108	-5.711	-9.479	9.828	1.00	19.49	N
ATOM	822	CA	THR	A	108	-6.202	-8.555	8.767	1.00	20.68	C
ATOM	823	CB	THR	A	108	-5.095	-8.113	7.792	1.00	20.42	C
ATOM	824	OG1	THR	A	108	-4.539	-9.245	7.121	1.00	20.18	O
ATOM	825	CG2	THR	A	108	-3.937	-7.484	8.518	1.00	21.44	C
ATOM	826	C	THR	A	108	-7.349	-9.127	7.947	1.00	21.03	C
ATOM	827	O	THR	A	108	-8.032	-8.395	7.209	1.00	21.34	O
ATOM	828	N	ALA	A	109	-7.573	-10.430	8.088	1.00	21.15	N
ATOM	829	CA	ALA	A	109	-8.590	-11.137	7.329	1.00	20.82	C
ATOM	830	CB	ALA	A	109	-8.012	-12.437	6.833	1.00	21.32	C
ATOM	831	C	ALA	A	109	-9.850	-11.420	8.120	1.00	20.67	C
ATOM	832	O	ALA	A	109	-10.803	-11.966	7.568	1.00	21.73	O
ATOM	833	N	VAL	A	110	-9.863	-11.095	9.403	1.00	20.21	N
ATOM	834	CA	VAL	A	110	-11.003	-11.467	10.264	1.00	20.48	C
ATOM	835	CB	VAL	A	110	-10.553	-12.485	11.382	1.00	20.34	C
ATOM	836	CG1	VAL	A	110	-10.068	-13.811	10.764	1.00	22.26	C
ATOM	837	CG2	VAL	A	110	-9.514	-11.891	12.315	1.00	19.21	C
ATOM	838	C	VAL	A	110	-11.378	-9.974	10.631	0.60	20.09	C
ATOM	839	O	VAL	A	110	-11.056	-9.008	9.900	0.60	19.65	O
ATOM	840	N	LEU	A	111	-12.037	-9.767	11.739	0.60	20.12	N
ATOM	841	CA	LEU	A	111	-12.568	-8.443	12.095	1.00	20.23	C
ATOM	842	CB	LEU	A	111	-11.535	-7.485	12.680	1.00	20.52	C
ATOM	843	CG	LEU	A	111	-10.609	-8.205	13.675	1.00	21.23	C
ATOM	844	CD1	LEU	A	111	-9.504	-7.311	14.159	1.00	22.83	C
ATOM	845	CD2	LEU	A	111	-11.387	-8.708	14.867	1.00	24.95	C
ATOM	846	C	LEU	A	111	-13.600	-7.824	11.120	1.00	19.93	C
ATOM	847	O	LEU	A	111	-14.637	-8.444	10.885	1.00	19.97	O
ATOM	848	N	ASP	A	112	-13.330	-6.662	10.528	1.00	19.48	N
ATOM	849	CA	ASP	A	112	-14.287	-6.087	9.577	1.00	19.26	C
ATOM	850	CB	ASP	A	112	-14.222	-4.532	9.492	1.00	19.65	C
ATOM	851	CG	ASP	A	112	-12.838	-4.005	9.154	1.00	21.55	C
ATOM	852	OD1	ASP	A	112	-12.739	-2.789	8.784	1.00	21.39	O
ATOM	853	OD2	ASP	A	112	-11.797	-4.711	9.287	1.00	20.16	O
ATOM	854	C	ASP	A	112	-14.226	-6.721	8.184	1.00	17.69	C
ATOM	855	O	ASP	A	112	-15.221	-6.769	7.510	1.00	17.04	O
ATOM	856	N	THR	A	113	-13.068	-7.215	7.780	1.00	17.35	N
ATOM	857	CA	THR	A	113	-12.886	-7.860	6.492	1.00	16.92	C
ATOM	858	CB	THR	A	113	-11.449	-8.458	6.395	1.00	17.08	C
ATOM	859	OG1	THR	A	113	-10.492	-7.389	6.346	1.00	15.20	O
ATOM	860	CG2	THR	A	113	-11.241	-9.182	5.082	1.00	15.97	C

ATOM	861	C	THR	A	113	-13.964	-8.902	6.118	1.00	17.38	C
ATOM	862	O	THR	A	113	-14.542	-8.783	5.051	1.00	17.91	O
ATOM	863	N	PRO	A	114	-14.238	-9.916	6.939	1.00	17.62	N
ATOM	864	CA	PRO	A	114	-15.252	-10.926	6.573	1.00	17.70	C
ATOM	865	CB	PRO	A	114	-15.135	-11.998	7.684	1.00	17.95	C
ATOM	866	CG	PRO	A	114	-14.410	-11.355	8.794	1.00	18.62	C
ATOM	867	CD	PRO	A	114	-13.591	-10.227	8.218	1.00	18.17	C
ATOM	868	C	PRO	A	114	-16.682	-10.375	6.552	1.00	17.81	C
ATOM	869	O	PRO	A	114	-17.522	-10.937	5.845	1.00	17.33	O
ATOM	870	N	ILE	A	115	-16.960	-9.337	7.339	1.00	17.13	N
ATOM	871	CA	ILE	A	115	-18.252	-8.676	7.282	1.00	17.36	C
ATOM	872	CB	ILE	A	115	-18.408	-7.652	8.417	1.00	17.04	C
ATOM	873	CG1	ILE	A	115	-18.351	-8.361	9.786	1.00	17.42	C
ATOM	874	CD1	ILE	A	115	-18.267	-7.399	10.956	1.00	17.73	C
ATOM	875	CG2	ILE	A	115	-19.743	-6.859	8.256	1.00	16.99	C
ATOM	876	C	ILE	A	115	-18.439	-8.006	5.897	1.00	18.08	C
ATOM	877	O	ILE	A	115	-19.510	-8.110	5.291	1.00	18.37	O
ATOM	878	N	ILE	A	116	-17.388	-7.353	5.406	1.00	17.63	N
ATOM	879	CA	ILE	A	116	-17.458	-6.610	4.155	1.00	17.43	C
ATOM	880	CB	ILE	A	116	-16.231	-5.683	4.024	1.00	17.81	C
ATOM	881	CG1	ILE	A	116	-16.336	-4.544	5.046	1.00	18.90	C
ATOM	882	CD1	ILE	A	116	-15.018	-3.795	5.289	1.00	18.37	C
ATOM	883	CG2	ILE	A	116	-16.118	-5.104	2.590	1.00	18.71	C
ATOM	884	C	ILE	A	116	-17.567	-7.567	2.974	1.00	17.31	C
ATOM	885	O	ILE	A	116	-18.475	-7.461	2.180	1.00	16.15	O
ATOM	886	N	ILE	A	117	-16.659	-8.533	2.897	1.00	16.83	N
ATOM	887	CA	ILE	A	117	-16.665	-9.504	1.808	1.00	16.71	C
ATOM	888	CB	ILE	A	117	-15.369	-10.344	1.821	1.00	16.89	C
ATOM	889	CG1	ILE	A	117	-14.160	-9.420	1.581	1.00	15.46	C
ATOM	890	CD1	ILE	A	117	-12.797	-10.174	1.595	1.00	19.22	C
ATOM	891	CG2	ILE	A	117	-15.460	-11.505	0.845	1.00	15.97	C
ATOM	892	C	ILE	A	117	-17.880	-10.389	1.865	1.00	17.59	C
ATOM	893	O	ILE	A	117	-18.482	-10.665	0.834	1.00	17.80	O
ATOM	894	N	GLY	A	118	-18.239	-10.836	3.071	1.00	17.66	N
ATOM	895	CA	GLY	A	118	-19.466	-11.568	3.304	1.00	17.21	C
ATOM	896	C	GLY	A	118	-20.699	-10.849	2.772	1.00	17.84	C
ATOM	897	O	GLY	A	118	-21.524	-11.434	2.067	1.00	17.70	O
ATOM	898	N	TRP	A	119	-20.805	-9.563	3.069	1.00	17.98	N
ATOM	899	CA	TRP	A	119	-21.919	-8.764	2.611	1.00	17.83	C
ATOM	900	CB	TRP	A	119	-21.820	-7.341	3.168	1.00	18.31	C
ATOM	901	CG	TRP	A	119	-22.847	-6.379	2.574	1.00	19.39	C
ATOM	902	CD1	TRP	A	119	-24.124	-6.184	3.010	1.00	19.69	C
ATOM	903	NE1	TRP	A	119	-24.755	-5.238	2.230	1.00	19.61	N
ATOM	904	CE2	TRP	A	119	-23.888	-4.802	1.264	1.00	18.22	C
ATOM	905	CD2	TRP	A	119	-22.678	-5.513	1.435	1.00	18.04	C
ATOM	906	CE3	TRP	A	119	-21.617	-5.246	0.554	1.00	19.77	C
ATOM	907	CZ3	TRP	A	119	-21.801	-4.315	-0.469	1.00	19.28	C
ATOM	908	CH2	TRP	A	119	-23.034	-3.637	-0.621	1.00	17.24	C
ATOM	909	CZ2	TRP	A	119	-24.080	-3.874	0.231	1.00	19.77	C
ATOM	910	C	TRP	A	119	-21.949	-8.712	1.068	1.00	18.21	C
ATOM	911	O	TRP	A	119	-23.017	-8.785	0.463	1.00	16.94	O
ATOM	912	N	ALA	A	120	-20.780	-8.570	0.449	1.00	18.04	N
ATOM	913	CA	ALA	A	120	-20.697	-8.467	-1.010	1.00	18.88	C
ATOM	914	CB	ALA	A	120	-19.283	-8.090	-1.456	1.00	18.41	C

ATOM	915	C	ALA A	120	-21.156	-9.789	-1.632	1.00	19.52	C
ATOM	916	O	ALA A	120	-21.941	-9.784	-2.583	1.00	19.46	O
ATOM	917	N	LEU A	121	-20.697	-10.915	-1.079	1.00	19.78	N
ATOM	918	CA	LEU A	121	-21.140	-12.228	-1.542	1.00	19.82	C
ATOM	919	CB	LEU A	121	-20.378	-13.348	-0.841	1.00	19.24	C
ATOM	920	CG	LEU A	121	-18.909	-13.430	-1.256	1.00	17.68	C
ATOM	921	CD1	LEU A	121	-18.109	-14.339	-0.334	1.00	17.44	C
ATOM	922	CD2	LEU A	121	-18.773	-13.872	-2.718	1.00	17.51	C
ATOM	923	C	LEU A	121	-22.653	-12.397	-1.390	1.00	20.83	C
ATOM	924	O	LEU A	121	-23.308	-12.918	-2.306	1.00	21.03	O
ATOM	925	N	GLN A	122	-23.230	-11.897	-0.293	1.00	21.80	N
ATOM	926	CA	GLN A	122	-24.682	-11.995	-0.085	1.00	22.36	C
ATOM	927	CB	GLN A	122	-25.077	-11.667	1.360	1.00	22.41	C
ATOM	928	CG	GLN A	122	-24.474	-12.603	2.442	1.00	24.47	C
ATOM	929	CD	GLN A	122	-24.877	-14.063	2.278	1.00	29.82	C
ATOM	930	OE1	GLN A	122	-26.060	-14.349	2.077	1.00	31.45	O
ATOM	931	NE2	GLN A	122	-23.891	-14.999	2.358	1.00	31.09	N
ATOM	932	C	GLN A	122	-25.491	-11.153	-1.067	1.00	23.12	C
ATOM	933	O	GLN A	122	-26.666	-11.434	-1.285	1.00	23.96	O
ATOM	934	N	GLN A	123	-24.882	-10.129	-1.668	1.00	23.34	N
ATOM	935	CA	GLN A	123	-25.525	-9.371	-2.727	1.00	23.32	C
ATOM	936	CB	GLN A	123	-24.872	-7.977	-2.901	1.00	23.46	C
ATOM	937	CG	GLN A	123	-24.742	-7.112	-1.638	1.00	23.19	C
ATOM	938	CD	GLN A	123	-25.955	-7.169	-0.760	1.00	25.33	C
ATOM	939	OE1	GLN A	123	-27.054	-6.778	-1.190	1.00	25.82	O
ATOM	940	NE2	GLN A	123	-25.791	-7.695	0.462	1.00	23.66	N
ATOM	941	C	GLN A	123	-25.426	-10.086	-4.082	1.00	23.47	C
ATOM	942	O	GLN A	123	-25.986	-9.614	-5.050	1.00	22.95	O
ATOM	943	N	GLY A	124	-24.636	-11.158	-4.162	1.00	23.29	N
ATOM	944	CA	GLY A	124	-24.331	-11.826	-5.419	1.00	22.36	C
ATOM	945	C	GLY A	124	-23.155	-11.246	-6.198	1.00	22.24	C
ATOM	946	O	GLY A	124	-23.006	-11.503	-7.403	1.00	21.51	O
ATOM	947	N	TYR A	125	-22.328	-10.433	-5.550	1.00	21.31	N
ATOM	948	CA	TYR A	125	-21.166	-9.883	-6.218	1.00	20.96	C
ATOM	949	CB	TYR A	125	-20.654	-8.606	-5.522	1.00	21.00	C
ATOM	950	CG	TYR A	125	-21.689	-7.506	-5.296	1.00	19.85	C
ATOM	951	CD1	TYR A	125	-22.814	-7.384	-6.105	1.00	20.24	C
ATOM	952	CE1	TYR A	125	-23.760	-6.354	-5.895	1.00	19.30	C
ATOM	953	CZ	TYR A	125	-23.578	-5.458	-4.856	1.00	22.14	C
ATOM	954	OH	TYR A	125	-24.505	-4.457	-4.650	1.00	22.16	O
ATOM	955	CE2	TYR A	125	-22.456	-5.562	-4.033	1.00	20.71	C
ATOM	956	CD2	TYR A	125	-21.522	-6.574	-4.262	1.00	20.20	C
ATOM	957	C	TYR A	125	-20.064	-10.927	-6.206	1.00	20.79	C
ATOM	958	O	TYR A	125	-19.868	-11.619	-5.193	1.00	20.13	O
ATOM	959	N	TYR A	126	-19.369	-11.046	-7.335	1.00	20.14	N
ATOM	960	CA	TYR A	126	-18.071	-11.702	-7.371	1.00	20.71	C
ATOM	961	CB	TYR A	126	-17.538	-11.817	-8.781	1.00	21.12	C
ATOM	962	CG	TYR A	126	-18.338	-12.734	-9.661	1.00	22.96	C
ATOM	963	CD1	TYR A	126	-17.941	-14.066	-9.862	1.00	25.36	C
ATOM	964	CE1	TYR A	126	-18.695	-14.923	-10.684	1.00	26.74	C
ATOM	965	CZ	TYR A	126	-19.831	-14.431	-11.320	1.00	25.35	C
ATOM	966	OH	TYR A	126	-20.587	-15.252	-12.124	1.00	30.13	O
ATOM	967	CE2	TYR A	126	-20.222	-13.119	-11.148	1.00	26.82	C
ATOM	968	CD2	TYR A	126	-19.477	-12.274	-10.322	1.00	24.89	C

ATOM	969	C	TYR	A	126	-17.129	-10.830	-6.579	1.00	20.21	C
ATOM	970	O	TYR	A	126	-17.218	-9.601	-6.675	1.00	19.97	O
ATOM	971	N	VAL	A	127	-16.239	-11.451	-5.807	1.00	18.71	N
ATOM	972	CA	VAL	A	127	-15.269	-10.708	-5.034	1.00	17.79	C
ATOM	973	CB	VAL	A	127	-15.448	-10.931	-3.513	1.00	17.37	C
ATOM	974	CG1	VAL	A	127	-14.371	-10.190	-2.744	1.00	15.67	C
ATOM	975	CG2	VAL	A	127	-16.857	-10.495	-3.074	1.00	17.50	C
ATOM	976	C	VAL	A	127	-13.862	-11.104	-5.390	1.00	17.74	C
ATOM	977	O	VAL	A	127	-13.556	-12.285	-5.497	1.00	17.75	O
ATOM	978	N	VAL	A	128	-12.998	-10.102	-5.532	1.00	17.13	N
ATOM	979	CA	VAL	A	128	-11.574	-10.338	-5.656	1.00	16.91	C
ATOM	980	CB	VAL	A	128	-11.037	-9.948	-7.085	1.00	16.56	C
ATOM	981	CG1	VAL	A	128	-11.345	-8.509	-7.433	1.00	15.87	C
ATOM	982	CG2	VAL	A	128	-9.576	-10.215	-7.197	1.00	18.37	C
ATOM	983	C	VAL	A	128	-10.868	-9.530	-4.584	1.00	16.84	C
ATOM	984	O	VAL	A	128	-11.254	-8.387	-4.313	1.00	17.04	O
ATOM	985	N	SER	A	129	-9.843	-10.118	-3.981	1.00	16.27	N
ATOM	986	CA	SER	A	129	-8.888	-9.388	-3.180	1.00	15.93	C
ATOM	987	CB	SER	A	129	-9.092	-9.708	-1.675	1.00	17.18	C
ATOM	988	OG	SER	A	129	-8.327	-8.860	-0.856	1.00	15.61	O
ATOM	989	C	SER	A	129	-7.514	-9.805	-3.646	1.00	17.56	C
ATOM	990	O	SER	A	129	-7.143	-10.977	-3.545	1.00	17.26	O
ATOM	991	N	SER	A	130	-6.748	-8.858	-4.186	1.00	17.81	N
ATOM	992	CA	SER	A	130	-5.428	-9.164	-4.675	1.00	17.80	C
ATOM	993	CB	SER	A	130	-5.081	-8.296	-5.903	1.00	18.86	C
ATOM	994	OG	SER	A	130	-6.044	-8.448	-6.953	1.00	21.13	O
ATOM	995	C	SER	A	130	-4.396	-8.963	-3.587	1.00	17.85	C
ATOM	996	O	SER	A	130	-4.607	-8.227	-2.622	1.00	17.31	O
ATOM	997	N	ASP	A	131	-3.259	-9.640	-3.748	1.00	17.25	N
ATOM	998	CA	ASP	A	131	-2.083	-9.346	-2.967	1.00	17.07	C
ATOM	999	CB	ASP	A	131	-1.106	-10.512	-2.962	1.00	16.96	C
ATOM	1000	CG	ASP	A	131	-1.653	-11.722	-2.273	1.00	17.79	C
ATOM	1001	OD1	ASP	A	131	-0.965	-12.774	-2.350	1.00	17.79	O
ATOM	1002	OD2	ASP	A	131	-2.753	-11.720	-1.663	1.00	15.63	O
ATOM	1003	C	ASP	A	131	-1.405	-8.104	-3.537	1.00	18.08	C
ATOM	1004	O	ASP	A	131	-0.375	-8.174	-4.240	1.00	18.67	O
ATOM	1005	N	HIS	A	132	-1.934	-6.955	-3.167	1.00	18.36	N
ATOM	1006	CA	HIS	A	132	-1.532	-5.710	-3.800	1.00	19.22	C
ATOM	1007	CB	HIS	A	132	-2.467	-4.614	-3.338	1.00	19.67	C
ATOM	1008	CG	HIS	A	132	-2.499	-4.446	-1.862	1.00	21.70	C
ATOM	1009	ND1	HIS	A	132	-3.598	-4.771	-1.114	1.00	27.08	N
ATOM	1010	CE1	HIS	A	132	-3.354	-4.513	0.161	1.00	26.62	C
ATOM	1011	NE2	HIS	A	132	-2.122	-4.062	0.269	1.00	24.84	N
ATOM	1012	CD2	HIS	A	132	-1.556	-4.037	-0.983	1.00	26.69	C
ATOM	1013	C	HIS	A	132	-0.081	-5.254	-3.595	1.00	19.37	C
ATOM	1014	O	HIS	A	132	0.400	-4.394	-4.350	1.00	19.25	O
ATOM	1015	N	GLU	A	133	0.592	-5.773	-2.570	1.00	18.76	N
ATOM	1016	CA	GLU	A	133	2.011	-5.455	-2.331	1.00	18.71	C
ATOM	1017	CB	GLU	A	133	2.420	-5.677	-0.869	1.00	18.39	C
ATOM	1018	CG	GLU	A	133	1.588	-4.887	0.122	1.00	18.84	C
ATOM	1019	CD	GLU	A	133	2.181	-4.901	1.512	1.00	18.27	C
ATOM	1020	OE1	GLU	A	133	1.561	-4.271	2.397	1.00	15.80	O
ATOM	1021	OE2	GLU	A	133	3.276	-5.506	1.707	1.00	18.17	O
ATOM	1022	C	GLU	A	133	2.960	-6.234	-3.217	1.00	19.19	C

ATOM	1023	O	GLU	A	133	4.149	-5.894	-3.273	1.00	19.06	O
ATOM	1024	N	GLY	A	134	2.447	-7.274	-3.892	1.00	19.67	N
ATOM	1025	CA	GLY	A	134	3.245	-8.086	-4.801	1.00	19.50	C
ATOM	1026	C	GLY	A	134	4.202	-9.016	-4.073	1.00	19.77	C
ATOM	1027	O	GLY	A	134	4.266	-9.024	-2.833	1.00	18.32	O
ATOM	1028	N	PHE	A	135	4.975	-9.775	-4.847	1.00	19.88	N
ATOM	1029	CA	PHE	A	135	5.907	-10.753	-4.279	1.00	20.28	C
ATOM	1030	CB	PHE	A	135	6.480	-11.670	-5.354	1.00	20.20	C
ATOM	1031	CG	PHE	A	135	5.472	-12.606	-5.975	1.00	19.48	C
ATOM	1032	CD1	PHE	A	135	4.247	-12.898	-5.347	1.00	20.81	C
ATOM	1033	CE1	PHE	A	135	3.344	-13.788	-5.923	1.00	21.33	C
ATOM	1034	CZ	PHE	A	135	3.640	-14.372	-7.189	1.00	19.94	C
ATOM	1035	CE2	PHE	A	135	4.853	-14.078	-7.814	1.00	19.38	C
ATOM	1036	CD2	PHE	A	135	5.751	-13.196	-7.210	1.00	19.01	C
ATOM	1037	C	PHE	A	135	7.054	-10.177	-3.452	1.00	20.99	C
ATOM	1038	O	PHE	A	135	7.630	-10.905	-2.666	1.00	20.57	O
ATOM	1039	N	LYS	A	136	7.389	-8.894	-3.619	1.00	21.77	N
ATOM	1040	CA	LYS	A	136	8.399	-8.247	-2.759	1.00	22.21	C
ATOM	1041	CB	LYS	A	136	9.189	-7.170	-3.535	0.50	22.78	C
ATOM	1042	CG	LYS	A	136	10.031	-7.698	-4.709	0.50	25.40	C
ATOM	1043	CD	LYS	A	136	11.360	-6.942	-4.891	0.50	28.72	C
ATOM	1044	CE	LYS	A	136	12.570	-7.704	-4.297	0.50	31.08	C
ATOM	1045	NZ	LYS	A	136	13.847	-7.433	-5.030	0.50	32.70	N
ATOM	1046	C	LYS	A	136	7.834	-7.635	-1.438	1.00	21.37	C
ATOM	1047	O	LYS	A	136	8.582	-7.145	-0.606	1.00	20.19	O
ATOM	1048	N	ALA	A	137	6.526	-7.713	-1.239	1.00	20.38	N
ATOM	1049	CA	ALA	A	137	5.858	-7.113	-0.087	1.00	20.16	C
ATOM	1050	CB	ALA	A	137	6.183	-7.874	1.223	1.00	19.74	C
ATOM	1051	C	ALA	A	137	6.177	-5.617	0.048	1.00	19.78	C
ATOM	1052	O	ALA	A	137	6.575	-5.140	1.131	1.00	19.76	O
ATOM	1053	N	ALA	A	138	5.978	-4.901	-1.053	1.00	18.82	N
ATOM	1054	CA	ALA	A	138	6.297	-3.483	-1.175	1.00	19.32	C
ATOM	1055	CB	ALA	A	138	6.666	-3.140	-2.617	1.00	19.80	C
ATOM	1056	C	ALA	A	138	5.160	-2.607	-0.713	1.00	19.23	C
ATOM	1057	O	ALA	A	138	4.516	-1.913	-1.506	1.00	19.12	O
ATOM	1058	N	PHE	A	139	4.943	-2.640	0.595	1.00	19.11	N
ATOM	1059	CA	PHE	A	139	3.992	-1.813	1.288	1.00	18.31	C
ATOM	1060	CB	PHE	A	139	4.215	-1.971	2.804	1.00	18.37	C
ATOM	1061	CG	PHE	A	139	3.388	-1.032	3.639	1.00	17.55	C
ATOM	1062	CD1	PHE	A	139	3.991	-0.169	4.549	1.00	18.22	C
ATOM	1063	CE1	PHE	A	139	3.213	0.709	5.321	1.00	20.68	C
ATOM	1064	CZ	PHE	A	139	1.827	0.707	5.178	1.00	18.83	C
ATOM	1065	CE2	PHE	A	139	1.241	-0.132	4.256	1.00	18.25	C
ATOM	1066	CD2	PHE	A	139	2.015	-0.995	3.496	1.00	18.07	C
ATOM	1067	C	PHE	A	139	4.169	-0.338	0.954	1.00	18.79	C
ATOM	1068	O	PHE	A	139	5.267	0.210	1.064	1.00	18.92	O
ATOM	1069	N	ILE	A	140	3.044	0.281	0.637	1.00	18.83	N
ATOM	1070	CA	ILE	A	140	2.893	1.690	0.285	1.00	20.04	C
ATOM	1071	CB	ILE	A	140	3.269	2.613	1.486	1.00	20.45	C
ATOM	1072	CG1	ILE	A	140	2.157	3.647	1.687	1.00	20.69	C
ATOM	1073	CD1	ILE	A	140	0.835	3.034	2.157	1.00	23.74	C
ATOM	1074	CG2	ILE	A	140	4.624	3.294	1.319	1.00	20.47	C
ATOM	1075	C	ILE	A	140	3.455	2.165	-1.077	1.00	19.71	C
ATOM	1076	O	ILE	A	140	3.456	3.365	-1.365	1.00	19.20	O

ATOM	1077	N	ALA A	141	3.849	1.207	-1.913	1.00	19.88	N
ATOM	1078	CA	ALA A	141	4.323	1.497	-3.266	1.00	19.73	C
ATOM	1079	CB	ALA A	141	5.332	0.434	-3.755	1.00	19.64	C
ATOM	1080	C	ALA A	141	3.092	1.547	-4.133	1.00	19.73	C
ATOM	1081	O	ALA A	141	2.534	0.520	-4.504	1.00	19.99	O
ATOM	1082	N	GLY A	142	2.634	2.764	-4.400	1.00	19.32	N
ATOM	1083	CA	GLY A	142	1.348	2.991	-5.023	1.00	19.11	C
ATOM	1084	C	GLY A	142	1.175	2.466	-6.434	1.00	19.20	C
ATOM	1085	O	GLY A	142	0.106	1.974	-6.778	1.00	18.24	O
ATOM	1086	N	TYR A	143	2.226	2.558	-7.237	1.00	19.67	N
ATOM	1087	CA	TYR A	143	2.224	2.008	-8.604	1.00	20.14	C
ATOM	1088	CB	TYR A	143	3.474	2.479	-9.376	1.00	19.81	C
ATOM	1089	CG	TYR A	143	3.478	3.987	-9.566	1.00	20.42	C
ATOM	1090	CD1	TYR A	143	2.820	4.601	-10.650	1.00	21.45	C
ATOM	1091	CE1	TYR A	143	2.797	6.017	-10.773	1.00	21.85	C
ATOM	1092	CZ	TYR A	143	3.445	6.782	-9.813	1.00	21.25	C
ATOM	1093	OH	TYR A	143	3.465	8.166	-9.839	1.00	24.17	O
ATOM	1094	CE2	TYR A	143	4.076	6.178	-8.757	1.00	20.37	C
ATOM	1095	CD2	TYR A	143	4.101	4.808	-8.640	1.00	21.30	C
ATOM	1096	C	TYR A	143	2.165	0.481	-8.534	1.00	19.75	C
ATOM	1097	O	TYR A	143	1.411	-0.158	-9.260	1.00	19.66	O
ATOM	1098	N	GLU A	144	2.949	-0.091	-7.624	1.00	20.25	N
ATOM	1099	CA	GLU A	144	2.974	-1.543	-7.415	1.00	20.37	C
ATOM	1100	CB	GLU A	144	3.979	-1.904	-6.333	1.00	19.99	C
ATOM	1101	CG	GLU A	144	4.431	-3.350	-6.357	1.00	21.47	C
ATOM	1102	CD	GLU A	144	5.772	-3.573	-7.062	1.00	22.80	C
ATOM	1103	OE1	GLU A	144	6.204	-4.742	-7.058	1.00	26.36	O
ATOM	1104	OE2	GLU A	144	6.377	-2.624	-7.629	1.00	20.11	O
ATOM	1105	C	GLU A	144	1.551	-2.018	-7.048	1.00	19.66	C
ATOM	1106	O	GLU A	144	1.010	-2.939	-7.670	1.00	19.80	O
ATOM	1107	N	GLU A	145	0.934	-1.296	-6.118	1.00	19.10	N
ATOM	1108	CA	GLU A	145	-0.356	-1.657	-5.571	1.00	19.08	C
ATOM	1109	CB	GLU A	145	-0.670	-0.869	-4.286	1.00	18.67	C
ATOM	1110	CG	GLU A	145	0.165	-1.298	-3.070	1.00	20.74	C
ATOM	1111	CD	GLU A	145	-0.068	-0.460	-1.809	1.00	22.20	C
ATOM	1112	OE1	GLU A	145	-0.803	0.557	-1.852	1.00	24.51	O
ATOM	1113	OE2	GLU A	145	0.488	-0.830	-0.743	1.00	26.44	O
ATOM	1114	C	GLU A	145	-1.446	-1.452	-6.602	1.00	18.88	C
ATOM	1115	O	GLU A	145	-2.248	-2.352	-6.832	1.00	18.73	O
ATOM	1116	N	GLY A	146	-1.492	-0.276	-7.216	1.00	19.03	N
ATOM	1117	CA	GLY A	146	-2.543	0.035	-8.190	1.00	19.01	C
ATOM	1118	C	GLY A	146	-2.600	-0.949	-9.353	1.00	18.81	C
ATOM	1119	O	GLY A	146	-3.668	-1.397	-9.745	1.00	18.79	O
ATOM	1120	N	MET A	147	-1.438	-1.287	-9.894	1.00	19.27	N
ATOM	1121	CA	MET A	147	-1.355	-2.175	-11.052	1.00	19.78	C
ATOM	1122	CB	MET A	147	0.031	-2.091	-11.704	1.00	19.97	C
ATOM	1123	CG	MET A	147	0.257	-0.749	-12.458	1.00	22.37	C
ATOM	1124	SD	MET A	147	1.785	-0.677	-13.415	1.00	23.68	S
ATOM	1125	CE	MET A	147	2.991	-0.514	-12.174	1.00	24.51	C
ATOM	1126	C	MET A	147	-1.704	-3.618	-10.667	1.00	19.36	C
ATOM	1127	O	MET A	147	-2.438	-4.290	-11.395	1.00	18.74	O
ATOM	1128	N	ALA A	148	-1.221	-4.077	-9.507	1.00	18.55	N
ATOM	1129	CA	ALA A	148	-1.583	-5.424	-9.011	1.00	18.00	C
ATOM	1130	CB	ALA A	148	-0.887	-5.726	-7.658	1.00	17.92	C

ATOM	1131	C	ALA A	148	-3.095	-5.578	-8.878	1.00	17.53	C
ATOM	1132	O	ALA A	148	-3.673	-6.602	-9.261	1.00	18.66	O
ATOM	1133	N	ILE A	149	-3.740	-4.558	-8.350	1.00	17.01	N
ATOM	1134	CA	ILE A	149	-5.182	-4.602	-8.113	1.00	17.06	C
ATOM	1135	CB	ILE A	149	-5.600	-3.433	-7.233	1.00	16.79	C
ATOM	1136	CG1	ILE A	149	-5.087	-3.656	-5.791	1.00	16.10	C
ATOM	1137	CD1	ILE A	149	-5.061	-2.390	-4.959	1.00	15.93	C
ATOM	1138	CG2	ILE A	149	-7.131	-3.268	-7.247	1.00	16.85	C
ATOM	1139	C	ILE A	149	-5.978	-4.581	-9.424	1.00	17.63	C
ATOM	1140	O	ILE A	149	-6.928	-5.359	-9.604	1.00	17.44	O
ATOM	1141	N	LEU A	150	-5.575	-3.704	-10.340	1.00	17.11	N
ATOM	1142	CA	LEU A	150	-6.274	-3.628	-11.620	1.00	17.88	C
ATOM	1143	CB	LEU A	150	-5.782	-2.435	-12.467	1.00	17.92	C
ATOM	1144	CG	LEU A	150	-6.072	-1.091	-11.797	1.00	18.67	C
ATOM	1145	CD1	LEU A	150	-5.258	0.044	-12.388	1.00	19.43	C
ATOM	1146	CD2	LEU A	150	-7.561	-0.760	-11.830	1.00	21.02	C
ATOM	1147	C	LEU A	150	-6.169	-4.934	-12.346	1.00	16.93	C
ATOM	1148	O	LEU A	150	-7.153	-5.408	-12.864	1.00	17.90	O
ATOM	1149	N	ASP A	151	-4.982	-5.529	-12.364	1.00	17.78	N
ATOM	1150	CA	ASP A	151	-4.759	-6.806	-13.033	1.00	17.79	C
ATOM	1151	CB	ASP A	151	-3.243	-7.049	-13.201	1.00	18.42	C
ATOM	1152	CG	ASP A	151	-2.652	-6.177	-14.296	1.00	20.44	C
ATOM	1153	OD1	ASP A	151	-1.425	-5.863	-14.300	1.00	21.25	O
ATOM	1154	OD2	ASP A	151	-3.398	-5.764	-15.200	1.00	20.75	O
ATOM	1155	C	ASP A	151	-5.435	-7.982	-12.343	1.00	18.25	C
ATOM	1156	O	ASP A	151	-5.792	-8.971	-12.999	1.00	17.56	O
ATOM	1157	N	GLY A	152	-5.639	-7.866	-11.023	1.00	18.69	N
ATOM	1158	CA	GLY A	152	-6.402	-8.856	-10.265	1.00	18.20	C
ATOM	1159	C	GLY A	152	-7.852	-8.886	-10.663	1.00	18.46	C
ATOM	1160	O	GLY A	152	-8.477	-9.960	-10.757	1.00	18.87	O
ATOM	1161	N	ILE A	153	-8.414	-7.706	-10.874	1.00	19.16	N
ATOM	1162	CA	ILE A	153	-9.775	-7.604	-11.398	1.00	20.16	C
ATOM	1163	CB	ILE A	153	-10.251	-6.137	-11.407	1.00	19.93	C
ATOM	1164	CG1	ILE A	153	-10.543	-5.681	-9.982	1.00	20.73	C
ATOM	1165	CD1	ILE A	153	-10.281	-4.242	-9.737	1.00	19.94	C
ATOM	1166	CG2	ILE A	153	-11.503	-5.966	-12.278	1.00	21.13	C
ATOM	1167	C	ILE A	153	-9.836	-8.243	-12.808	1.00	20.39	C
ATOM	1168	O	ILE A	153	-10.703	-9.049	-13.087	1.00	19.65	O
ATOM	1169	N	ARG A	154	-8.894	-7.890	-13.668	1.00	21.45	N
ATOM	1170	CA	ARG A	154	-8.801	-8.509	-15.001	1.00	21.71	C
ATOM	1171	CB	ARG A	154	-7.557	-7.993	-15.732	1.00	21.75	C
ATOM	1172	CG	ARG A	154	-7.675	-6.545	-16.198	1.00	22.29	C
ATOM	1173	CD	ARG A	154	-6.361	-5.999	-16.701	1.00	23.42	C
ATOM	1174	NE	ARG A	154	-6.517	-4.868	-17.606	1.00	23.87	N
ATOM	1175	CZ	ARG A	154	-5.553	-4.003	-17.922	1.00	24.65	C
ATOM	1176	NH1	ARG A	154	-4.328	-4.128	-17.436	1.00	24.67	N
ATOM	1177	NH2	ARG A	154	-5.805	-3.026	-18.796	1.00	26.11	N
ATOM	1178	C	ARG A	154	-8.748	-10.031	-14.887	1.00	22.00	C
ATOM	1179	O	ARG A	154	-9.436	-10.753	-15.615	1.00	22.11	O
ATOM	1180	N	ALA A	155	-7.973	-10.510	-13.923	1.00	22.06	N
ATOM	1181	CA	ALA A	155	-7.738	-11.940	-13.773	1.00	22.45	C
ATOM	1182	CB	ALA A	155	-6.677	-12.200	-12.710	1.00	21.77	C
ATOM	1183	C	ALA A	155	-9.038	-12.654	-13.428	1.00	22.10	C
ATOM	1184	O	ALA A	155	-9.313	-13.744	-13.936	1.00	21.77	O

ATOM	1185	N	LEU	A	156	-9.825	-12.048	-12.554	1.00	22.32	N
ATOM	1186	CA	LEU	A	156	-11.096	-12.647	-12.166	1.00	22.61	C
ATOM	1187	CB	LEU	A	156	-11.764	-11.888	-11.026	1.00	22.23	C
ATOM	1188	CG	LEU	A	156	-13.254	-12.172	-10.807	1.00	21.51	C
ATOM	1189	CD1	LEU	A	156	-13.477	-13.608	-10.397	1.00	20.07	C
ATOM	1190	CD2	LEU	A	156	-13.836	-11.234	-9.793	1.00	21.56	C
ATOM	1191	C	LEU	A	156	-12.010	-12.683	-13.393	1.00	23.26	C
ATOM	1192	O	LEU	A	156	-12.695	-13.668	-13.633	1.00	23.35	O
ATOM	1193	N	LYS	A	157	-12.033	-11.597	-14.147	1.00	23.56	N
ATOM	1194	CA	LYS	A	157	-12.860	-11.541	-15.350	1.00	24.03	C
ATOM	1195	CB	LYS	A	157	-12.766	-10.174	-16.032	1.00	24.21	C
ATOM	1196	CG	LYS	A	157	-13.549	-9.092	-15.307	1.00	24.72	C
ATOM	1197	CD	LYS	A	157	-13.190	-7.690	-15.813	1.00	25.60	C
ATOM	1198	CE	LYS	A	157	-13.647	-7.449	-17.243	1.00	27.23	C
ATOM	1199	NZ	LYS	A	157	-12.958	-6.275	-17.887	1.00	29.26	N
ATOM	1200	C	LYS	A	157	-12.481	-12.650	-16.311	1.00	23.62	C
ATOM	1201	O	LYS	A	157	-13.367	-13.342	-16.797	1.00	23.01	O
ATOM	1202	N	ASN	A	158	-11.174	-12.834	-16.532	1.00	23.93	N
ATOM	1203	CA	ASN	A	158	-10.635	-13.904	-17.378	1.00	24.56	C
ATOM	1204	CB	ASN	A	158	-9.094	-13.764	-17.532	1.00	24.63	C
ATOM	1205	CG	ASN	A	158	-8.701	-12.563	-18.398	1.00	26.03	C
ATOM	1206	OD1	ASN	A	158	-9.460	-12.178	-19.269	1.00	24.73	O
ATOM	1207	ND2	ASN	A	158	-7.536	-11.959	-18.136	1.00	24.73	N
ATOM	1208	C	ASN	A	158	-10.981	-15.299	-16.865	1.00	25.42	C
ATOM	1209	O	ASN	A	158	-11.396	-16.179	-17.628	1.00	26.64	O
ATOM	1210	N	TYR	A	159	-10.834	-15.491	-15.563	1.00	25.31	N
ATOM	1211	CA	TYR	A	159	-10.991	-16.793	-14.952	1.00	24.96	C
ATOM	1212	CB	TYR	A	159	-10.492	-16.758	-13.500	1.00	25.69	C
ATOM	1213	CG	TYR	A	159	-10.641	-18.073	-12.777	1.00	25.36	C
ATOM	1214	CD1	TYR	A	159	-9.909	-19.183	-13.167	1.00	27.24	C
ATOM	1215	CE1	TYR	A	159	-10.043	-20.387	-12.528	1.00	27.91	C
ATOM	1216	CZ	TYR	A	159	-10.934	-20.503	-11.469	1.00	29.12	C
ATOM	1217	OH	TYR	A	159	-11.070	-21.707	-10.830	1.00	31.46	O
ATOM	1218	CE2	TYR	A	159	-11.678	-19.435	-11.068	1.00	28.34	C
ATOM	1219	CD2	TYR	A	159	-11.523	-18.208	-11.726	1.00	27.54	C
ATOM	1220	C	TYR	A	159	-12.425	-17.248	-15.019	1.00	24.99	C
ATOM	1221	O	TYR	A	159	-12.660	-18.403	-15.306	1.00	25.34	O
ATOM	1222	N	GLN	A	160	-13.385	-16.347	-14.795	1.00	24.69	N
ATOM	1223	CA	GLN	A	160	-14.802	-16.694	-14.846	1.00	25.53	C
ATOM	1224	CB	GLN	A	160	-15.569	-15.997	-13.709	1.00	25.50	C
ATOM	1225	CG	GLN	A	160	-15.412	-16.590	-12.339	1.00	27.32	C
ATOM	1226	CD	GLN	A	160	-15.961	-17.991	-12.226	1.00	27.08	C
ATOM	1227	OE1	GLN	A	160	-15.193	-18.935	-12.142	1.00	30.64	O
ATOM	1228	NE2	GLN	A	160	-17.273	-18.133	-12.257	1.00	27.22	N
ATOM	1229	C	GLN	A	160	-15.492	-16.314	-16.183	1.00	26.23	C
ATOM	1230	O	GLN	A	160	-16.707	-16.389	-16.261	1.00	26.53	O
ATOM	1231	N	ASN	A	161	-14.726	-15.896	-17.197	1.00	26.87	N
ATOM	1232	CA	ASN	A	161	-15.259	-15.504	-18.510	1.00	27.50	C
ATOM	1233	CB	ASN	A	161	-15.646	-16.748	-19.347	0.70	28.09	C
ATOM	1234	CG	ASN	A	161	-15.844	-16.431	-20.845	0.70	30.90	C
ATOM	1235	OD1	ASN	A	161	-15.153	-15.575	-21.426	0.70	33.63	O
ATOM	1236	ND2	ASN	A	161	-16.788	-17.138	-21.474	0.70	31.70	N
ATOM	1237	C	ASN	A	161	-16.430	-14.528	-18.371	1.00	27.21	C
ATOM	1238	O	ASN	A	161	-17.505	-14.728	-18.942	1.00	27.54	O

ATOM	1239	N	LEU	A	162	-16.220	-13.485	-17.576	1.00	26.13	N
ATOM	1240	CA	LEU	A	162	-17.228	-12.472	-17.359	1.00	25.63	C
ATOM	1241	CB	LEU	A	162	-17.013	-11.778	-16.004	1.00	25.91	C
ATOM	1242	CG	LEU	A	162	-17.090	-12.689	-14.755	1.00	24.38	C
ATOM	1243	CD1	LEU	A	162	-16.816	-11.903	-13.473	1.00	23.93	C
ATOM	1244	CD2	LEU	A	162	-18.430	-13.389	-14.690	1.00	23.49	C
ATOM	1245	C	LEU	A	162	-17.107	-11.463	-18.494	1.00	25.38	C
ATOM	1246	O	LEU	A	162	-16.041	-11.309	-19.083	1.00	24.64	O
ATOM	1247	N	PRO	A	163	-18.193	-10.775	-18.797	1.00	25.27	N
ATOM	1248	CA	PRO	A	163	-18.160	-9.755	-19.848	1.00	25.78	C
ATOM	1249	CB	PRO	A	163	-19.584	-9.211	-19.865	1.00	25.77	C
ATOM	1250	CG	PRO	A	163	-20.423	-10.252	-19.170	1.00	25.81	C
ATOM	1251	CD	PRO	A	163	-19.529	-10.928	-18.194	1.00	25.34	C
ATOM	1252	C	PRO	A	163	-17.155	-8.641	-19.562	1.00	26.86	C
ATOM	1253	O	PRO	A	163	-16.856	-8.283	-18.400	1.00	26.65	O
ATOM	1254	N	SER	A	164	-16.649	-8.070	-20.646	1.00	27.19	N
ATOM	1255	CA	SER	A	164	-15.640	-7.037	-20.565	1.00	27.78	C
ATOM	1256	CB	SER	A	164	-15.205	-6.599	-21.978	1.00	28.16	C
ATOM	1257	OG	SER	A	164	-13.936	-5.953	-21.921	1.00	31.61	O
ATOM	1258	C	SER	A	164	-16.145	-5.835	-19.783	1.00	26.96	C
ATOM	1259	O	SER	A	164	-15.369	-5.191	-19.084	1.00	27.33	O
ATOM	1260	N	ASP	A	165	-17.443	-5.558	-19.899	1.00	26.28	N
ATOM	1261	CA	ASP	A	165	-18.046	-4.378	-19.307	1.00	26.75	C
ATOM	1262	CB	ASP	A	165	-19.079	-3.766	-20.278	1.00	27.87	C
ATOM	1263	CG	ASP	A	165	-20.333	-4.586	-20.390	1.00	30.29	C
ATOM	1264	OD1	ASP	A	165	-20.327	-5.778	-20.010	1.00	33.52	O
ATOM	1265	OD2	ASP	A	165	-21.394	-4.117	-20.839	1.00	36.87	O
ATOM	1266	C	ASP	A	165	-18.694	-4.654	-17.937	1.00	25.29	C
ATOM	1267	O	ASP	A	165	-19.529	-3.880	-17.480	1.00	24.83	O
ATOM	1268	N	SER	A	166	-18.304	-5.755	-17.299	1.00	23.73	N
ATOM	1269	CA	SER	A	166	-18.807	-6.079	-15.962	1.00	23.11	C
ATOM	1270	CB	SER	A	166	-18.086	-7.290	-15.407	1.00	22.78	C
ATOM	1271	OG	SER	A	166	-18.521	-8.476	-16.035	1.00	22.23	O
ATOM	1272	C	SER	A	166	-18.554	-4.900	-15.055	1.00	22.52	C
ATOM	1273	O	SER	A	166	-17.431	-4.385	-14.998	1.00	22.88	O
ATOM	1274	N	LYS	A	167	-19.587	-4.460	-14.363	1.00	22.27	N
ATOM	1275	CA	LYS	A	167	-19.438	-3.402	-13.380	1.00	22.61	C
ATOM	1276	CB	LYS	A	167	-20.779	-3.076	-12.754	1.00	22.88	C
ATOM	1277	CG	LYS	A	167	-21.805	-2.635	-13.755	1.00	24.17	C
ATOM	1278	CD	LYS	A	167	-23.073	-2.175	-13.063	1.00	26.45	C
ATOM	1279	CE	LYS	A	167	-24.103	-1.657	-14.057	1.00	28.78	C
ATOM	1280	NZ	LYS	A	167	-25.298	-1.090	-13.311	1.00	30.01	N
ATOM	1281	C	LYS	A	167	-18.452	-3.786	-12.280	1.00	21.98	C
ATOM	1282	O	LYS	A	167	-18.445	-4.933	-11.803	1.00	22.02	O
ATOM	1283	N	VAL	A	168	-17.641	-2.810	-11.886	1.00	20.46	N
ATOM	1284	CA	VAL	A	168	-16.590	-3.002	-10.899	1.00	20.34	C
ATOM	1285	CB	VAL	A	168	-15.182	-2.921	-11.545	1.00	19.81	C
ATOM	1286	CG1	VAL	A	168	-14.091	-2.971	-10.489	1.00	19.67	C
ATOM	1287	CG2	VAL	A	168	-15.007	-3.990	-12.578	1.00	19.27	C
ATOM	1288	C	VAL	A	168	-16.662	-1.890	-9.875	1.00	20.24	C
ATOM	1289	O	VAL	A	168	-16.822	-0.715	-10.227	1.00	19.81	O
ATOM	1290	N	ALA	A	169	-16.551	-2.267	-8.610	1.00	19.55	N
ATOM	1291	CA	ALA	A	169	-16.458	-1.312	-7.512	1.00	19.79	C
ATOM	1292	CB	ALA	A	169	-17.753	-1.215	-6.798	1.00	19.04	C

ATOM	1293	C	ALA A	169	-15.348	-1.755	-6.558	1.00	20.01	C
ATOM	1294	O	ALA A	169	-15.086	-2.957	-6.436	1.00	20.33	O
ATOM	1295	N	LEU A	170	-14.704	-0.781	-5.906	1.00	19.29	N
ATOM	1296	CA	LEU A	170	-13.551	-1.036	-5.077	1.00	18.45	C
ATOM	1297	CB	LEU A	170	-12.292	-0.435	-5.717	1.00	18.90	C
ATOM	1298	CG	LEU A	170	-11.905	-0.900	-7.119	1.00	19.66	C
ATOM	1299	CD1	LEU A	170	-12.436	0.045	-8.196	1.00	20.75	C
ATOM	1300	CD2	LEU A	170	-10.410	-0.986	-7.232	1.00	21.93	C
ATOM	1301	C	LEU A	170	-13.737	-0.428	-3.693	1.00	18.22	C
ATOM	1302	O	LEU A	170	-14.300	0.663	-3.550	1.00	18.04	O
ATOM	1303	N	GLU A	171	-13.221	-1.106	-2.675	1.00	17.81	N
ATOM	1304	CA	GLU A	171	-13.392	-0.660	-1.270	1.00	17.24	C
ATOM	1305	CB	GLU A	171	-14.660	-1.281	-0.672	1.00	17.38	C
ATOM	1306	CG	GLU A	171	-15.314	-0.510	0.483	1.00	20.06	C
ATOM	1307	CD	GLU A	171	-14.806	-0.903	1.869	1.00	21.23	C
ATOM	1308	OE1	GLU A	171	-15.153	-0.220	2.865	1.00	22.43	O
ATOM	1309	OE2	GLU A	171	-14.113	-1.922	1.976	1.00	22.33	O
ATOM	1310	C	GLU A	171	-12.189	-1.034	-0.439	1.00	16.65	C
ATOM	1311	O	GLU A	171	-11.611	-2.107	-0.629	1.00	16.34	O
ATOM	1312	N	GLY A	172	-11.854	-0.177	0.530	1.00	16.94	N
ATOM	1313	CA	GLY A	172	-10.847	-0.482	1.533	1.00	16.71	C
ATOM	1314	C	GLY A	172	-10.629	0.622	2.557	1.00	16.76	C
ATOM	1315	O	GLY A	172	-11.059	1.737	2.356	1.00	17.23	O
ATOM	1316	N	TYR A	173	-9.929	0.307	3.647	1.00	16.53	N
ATOM	1317	CA	TYR A	173	-9.625	1.249	4.731	1.00	16.53	C
ATOM	1318	CB	TYR A	173	-10.406	0.862	5.986	1.00	15.98	C
ATOM	1319	CG	TYR A	173	-10.434	1.959	7.044	1.00	16.64	C
ATOM	1320	CD1	TYR A	173	-11.221	3.105	6.866	1.00	16.16	C
ATOM	1321	CE1	TYR A	173	-11.216	4.144	7.786	1.00	16.43	C
ATOM	1322	CZ	TYR A	173	-10.462	4.032	8.929	1.00	16.71	C
ATOM	1323	OH	TYR A	173	-10.480	5.060	9.835	1.00	15.78	O
ATOM	1324	CE2	TYR A	173	-9.658	2.907	9.132	1.00	18.14	C
ATOM	1325	CD2	TYR A	173	-9.659	1.869	8.193	1.00	15.94	C
ATOM	1326	C	TYR A	173	-8.108	1.216	5.052	1.00	17.65	C
ATOM	1327	O	TYR A	173	-7.452	0.178	4.890	1.00	16.91	O
ATOM	1328	N	SER A	174	-7.555	2.352	5.477	1.00	18.52	N
ATOM	1329	CA	SER A	174	-6.176	2.413	6.015	1.00	20.82	C
ATOM	1330	CB	SER A	174	-6.078	1.579	7.329	1.00	21.52	C
ATOM	1331	OG	SER A	174	-5.004	2.030	8.133	1.00	24.05	O
ATOM	1332	C	SER A	174	-5.130	2.045	4.934	1.00	19.94	C
ATOM	1333	O	SER A	174	-5.199	2.615	3.847	1.00	20.91	O
ATOM	1334	N	GLY A	175	-4.193	1.115	5.165	1.00	19.54	N
ATOM	1335	CA	GLY A	175	-3.328	0.646	4.089	1.00	18.75	C
ATOM	1336	C	GLY A	175	-4.103	0.152	2.849	1.00	19.24	C
ATOM	1337	O	GLY A	175	-3.658	0.302	1.714	1.00	18.55	O
ATOM	1338	N	GLY A	176	-5.284	-0.432	3.081	1.00	18.95	N
ATOM	1339	CA	GLY A	176	-6.184	-0.824	2.015	1.00	18.71	C
ATOM	1340	C	GLY A	176	-6.763	0.334	1.211	1.00	18.33	C
ATOM	1341	O	GLY A	176	-7.074	0.164	0.023	1.00	17.16	O
ATOM	1342	N	ALA A	177	-6.939	1.483	1.859	1.00	17.46	N
ATOM	1343	CA	ALA A	177	-7.425	2.702	1.184	1.00	17.47	C
ATOM	1344	CB	ALA A	177	-7.970	3.687	2.167	1.00	17.15	C
ATOM	1345	C	ALA A	177	-6.331	3.359	0.316	1.00	18.06	C
ATOM	1346	O	ALA A	177	-6.634	3.934	-0.731	1.00	18.61	O

ATOM	1347	N	HIS	A	178	-5.074	3.266	0.743	1.00	17.39	N
ATOM	1348	CA	HIS	A	178	-3.964	3.658	-0.113	1.00	17.56	C
ATOM	1349	CB	HIS	A	178	-2.639	3.453	0.600	1.00	16.73	C
ATOM	1350	CG	HIS	A	178	-1.451	3.818	-0.222	1.00	18.69	C
ATOM	1351	ND1	HIS	A	178	-0.692	2.879	-0.895	1.00	18.76	N
ATOM	1352	CE1	HIS	A	178	0.300	3.494	-1.522	1.00	18.21	C
ATOM	1353	NE2	HIS	A	178	0.211	4.790	-1.280	1.00	17.86	N
ATOM	1354	CD2	HIS	A	178	-0.890	5.021	-0.489	1.00	20.15	C
ATOM	1355	C	HIS	A	178	-3.958	2.859	-1.400	1.00	17.12	C
ATOM	1356	O	HIS	A	178	-3.857	3.399	-2.491	1.00	17.58	O
ATOM	1357	N	ALA	A	179	-4.096	1.562	-1.251	1.00	17.12	N
ATOM	1358	CA	ALA	A	179	-4.144	0.670	-2.359	1.00	17.01	C
ATOM	1359	CB	ALA	A	179	-4.202	-0.777	-1.829	1.00	17.20	C
ATOM	1360	C	ALA	A	179	-5.332	0.983	-3.278	1.00	17.47	C
ATOM	1361	O	ALA	A	179	-5.181	1.026	-4.493	1.00	17.98	O
ATOM	1362	N	THR	A	180	-6.502	1.200	-2.682	1.00	17.20	N
ATOM	1363	CA	THR	A	180	-7.696	1.533	-3.413	1.00	17.58	C
ATOM	1364	CB	THR	A	180	-8.872	1.622	-2.456	1.00	17.59	C
ATOM	1365	OG1	THR	A	180	-9.050	0.359	-1.789	1.00	17.91	O
ATOM	1366	CG2	THR	A	180	-10.158	1.854	-3.199	1.00	17.31	C
ATOM	1367	C	THR	A	180	-7.543	2.860	-4.186	1.00	18.38	C
ATOM	1368	O	THR	A	180	-7.749	2.876	-5.390	1.00	17.41	O
ATOM	1369	N	VAL	A	181	-7.148	3.946	-3.509	1.00	18.40	N
ATOM	1370	CA	VAL	A	181	-6.978	5.234	-4.187	1.00	18.33	C
ATOM	1371	CB	VAL	A	181	-6.634	6.384	-3.215	1.00	18.41	C
ATOM	1372	CG1	VAL	A	181	-5.169	6.344	-2.745	1.00	17.82	C
ATOM	1373	CG2	VAL	A	181	-6.985	7.731	-3.849	1.00	19.22	C
ATOM	1374	C	VAL	A	181	-5.979	5.130	-5.346	1.00	18.60	C
ATOM	1375	O	VAL	A	181	-6.203	5.714	-6.413	1.00	19.46	O
ATOM	1376	N	TRP	A	182	-4.914	4.341	-5.166	1.00	18.14	N
ATOM	1377	CA	TRP	A	182	-3.968	4.131	-6.227	1.00	17.60	C
ATOM	1378	CB	TRP	A	182	-2.666	3.526	-5.712	1.00	18.03	C
ATOM	1379	CG	TRP	A	182	-1.757	4.594	-5.245	1.00	18.31	C
ATOM	1380	CD1	TRP	A	182	-1.643	5.092	-3.973	1.00	19.53	C
ATOM	1381	NE1	TRP	A	182	-0.726	6.115	-3.942	1.00	19.79	N
ATOM	1382	CE2	TRP	A	182	-0.225	6.294	-5.203	1.00	21.06	C
ATOM	1383	CD2	TRP	A	182	-0.875	5.364	-6.053	1.00	19.34	C
ATOM	1384	CE3	TRP	A	182	-0.528	5.343	-7.411	1.00	19.55	C
ATOM	1385	CZ3	TRP	A	182	0.426	6.261	-7.880	1.00	18.67	C
ATOM	1386	CH2	TRP	A	182	1.015	7.182	-7.027	1.00	20.53	C
ATOM	1387	CZ2	TRP	A	182	0.721	7.212	-5.680	1.00	22.63	C
ATOM	1388	C	TRP	A	182	-4.539	3.344	-7.390	1.00	17.95	C
ATOM	1389	O	TRP	A	182	-4.271	3.682	-8.579	1.00	17.51	O
ATOM	1390	N	ALA	A	183	-5.290	2.288	-7.097	1.00	17.56	N
ATOM	1391	CA	ALA	A	183	-5.973	1.570	-8.168	1.00	18.01	C
ATOM	1392	CB	ALA	A	183	-6.722	0.389	-7.638	1.00	18.01	C
ATOM	1393	C	ALA	A	183	-6.913	2.517	-8.962	1.00	19.34	C
ATOM	1394	O	ALA	A	183	-6.908	2.520	-10.216	1.00	18.59	O
ATOM	1395	N	THR	A	184	-7.690	3.343	-8.254	1.00	19.14	N
ATOM	1396	CA	THR	A	184	-8.554	4.300	-8.947	1.00	20.30	C
ATOM	1397	CB	THR	A	184	-9.542	5.018	-8.016	1.00	19.23	C
ATOM	1398	OG1	THR	A	184	-8.842	5.744	-6.998	1.00	20.81	O
ATOM	1399	CG2	THR	A	184	-10.450	4.029	-7.314	1.00	18.22	C
ATOM	1400	C	THR	A	184	-7.767	5.354	-9.738	1.00	20.69	C

ATOM	1401	O	THR	A	184	-8.227	5.774	-10.784	1.00	21.92	O
ATOM	1402	N	SER	A	185	-6.591	5.739	-9.253	1.00	20.75	N
ATOM	1403	CA	SER	A	185	-5.768	6.768	-9.897	1.00	21.22	C
ATOM	1404	CB	SER	A	185	-4.715	7.261	-8.954	0.70	20.88	C
ATOM	1405	OG	SER	A	185	-5.355	7.987	-7.902	0.70	19.94	O
ATOM	1406	C	SER	A	185	-5.166	6.232	-11.181	1.00	22.42	C
ATOM	1407	O	SER	A	185	-5.001	6.980	-12.142	1.00	22.85	O
ATOM	1408	N	LEU	A	186	-4.804	4.950	-11.181	1.00	22.61	N
ATOM	1409	CA	LEU	A	186	-4.154	4.368	-12.327	1.00	22.51	C
ATOM	1410	CB	LEU	A	186	-3.121	3.332	-11.896	1.00	22.15	C
ATOM	1411	CG	LEU	A	186	-1.965	3.905	-11.091	1.00	21.68	C
ATOM	1412	CD1	LEU	A	186	-0.970	2.789	-10.840	1.00	23.55	C
ATOM	1413	CD2	LEU	A	186	-1.320	5.092	-11.808	1.00	24.11	C
ATOM	1414	C	LEU	A	186	-5.111	3.760	-13.355	1.00	22.84	C
ATOM	1415	O	LEU	A	186	-4.644	3.346	-14.412	1.00	22.76	O
ATOM	1416	N	ALA	A	187	-6.407	3.712	-13.056	1.00	22.00	N
ATOM	1417	CA	ALA	A	187	-7.386	3.055	-13.920	1.00	22.75	C
ATOM	1418	CB	ALA	A	187	-8.777	3.147	-13.312	1.00	22.12	C
ATOM	1419	C	ALA	A	187	-7.372	3.662	-15.345	1.00	24.08	C
ATOM	1420	O	ALA	A	187	-7.281	2.943	-16.308	1.00	23.65	O
ATOM	1421	N	GLU	A	188	-7.410	4.992	-15.418	1.00	26.10	N
ATOM	1422	CA	GLU	A	188	-7.444	5.768	-16.665	1.00	27.36	C
ATOM	1423	CB	GLU	A	188	-7.464	7.283	-16.343	1.00	28.09	C
ATOM	1424	CG	GLU	A	188	-7.472	8.188	-17.571	1.00	32.06	C
ATOM	1425	CD	GLU	A	188	-7.325	9.689	-17.285	1.00	36.00	C
ATOM	1426	OE1	GLU	A	188	-7.436	10.429	-18.291	1.00	38.66	O
ATOM	1427	OE2	GLU	A	188	-7.088	10.142	-16.120	1.00	35.41	O
ATOM	1428	C	GLU	A	188	-6.295	5.418	-17.625	1.00	27.52	C
ATOM	1429	O	GLU	A	188	-6.556	5.159	-18.800	1.00	27.60	O
ATOM	1430	N	SER	A	189	-5.055	5.348	-17.130	1.00	27.24	N
ATOM	1431	CA	SER	A	189	-3.890	5.075	-17.987	1.00	27.16	C
ATOM	1432	CB	SER	A	189	-2.649	5.819	-17.477	1.00	27.56	C
ATOM	1433	OG	SER	A	189	-2.352	5.493	-16.117	1.00	30.84	O
ATOM	1434	C	SER	A	189	-3.546	3.589	-18.128	1.00	26.81	C
ATOM	1435	O	SER	A	189	-3.062	3.162	-19.187	1.00	25.99	O
ATOM	1436	N	TYR	A	190	-3.765	2.807	-17.060	1.00	24.76	N
ATOM	1437	CA	TYR	A	190	-3.362	1.407	-17.022	1.00	23.80	C
ATOM	1438	CB	TYR	A	190	-2.795	1.051	-15.620	1.00	23.83	C
ATOM	1439	CG	TYR	A	190	-2.063	-0.275	-15.566	1.00	21.87	C
ATOM	1440	CD1	TYR	A	190	-2.663	-1.406	-15.019	1.00	20.26	C
ATOM	1441	CE1	TYR	A	190	-2.000	-2.638	-14.977	1.00	19.66	C
ATOM	1442	CZ	TYR	A	190	-0.729	-2.760	-15.484	1.00	21.36	C
ATOM	1443	OH	TYR	A	190	-0.053	-3.988	-15.435	1.00	18.57	O
ATOM	1444	CE2	TYR	A	190	-0.107	-1.635	-16.065	1.00	22.02	C
ATOM	1445	CD2	TYR	A	190	-0.779	-0.409	-16.103	1.00	21.62	C
ATOM	1446	C	TYR	A	190	-4.487	0.430	-17.391	1.00	23.12	C
ATOM	1447	O	TYR	A	190	-4.223	-0.625	-17.961	1.00	23.30	O
ATOM	1448	N	ALA	A	191	-5.728	0.749	-17.030	1.00	22.64	N
ATOM	1449	CA	ALA	A	191	-6.853	-0.157	-17.257	1.00	22.79	C
ATOM	1450	CB	ALA	A	191	-6.981	-1.162	-16.077	1.00	22.71	C
ATOM	1451	C	ALA	A	191	-8.184	0.577	-17.506	1.00	23.43	C
ATOM	1452	O	ALA	A	191	-9.171	0.376	-16.769	1.00	22.09	O
ATOM	1453	N	PRO	A	192	-8.228	1.397	-18.573	1.00	23.95	N
ATOM	1454	CA	PRO	A	192	-9.433	2.183	-18.900	1.00	24.02	C

ATOM	1455	CB	PRO	A	192	-8.969	3.116	-20.055	1.00	24.39	C
ATOM	1456	CG	PRO	A	192	-7.763	2.445	-20.678	1.00	24.60	C
ATOM	1457	CD	PRO	A	192	-7.121	1.631	-19.536	1.00	24.39	C
ATOM	1458	C	PRO	A	192	-10.661	1.353	-19.289	1.00	24.23	C
ATOM	1459	O	PRO	A	192	-11.769	1.856	-19.223	1.00	25.46	O
ATOM	1460	N	GLU	A	193	-10.475	0.096	-19.647	1.00	24.32	N
ATOM	1461	CA	GLU	A	193	-11.584	-0.779	-20.020	1.00	24.44	C
ATOM	1462	CB	GLU	A	193	-11.074	-1.906	-20.932	1.00	24.50	C
ATOM	1463	CG	GLU	A	193	-10.579	-3.204	-20.270	1.00	25.90	C
ATOM	1464	CD	GLU	A	193	-9.275	-3.105	-19.478	1.00	26.70	C
ATOM	1465	OE1	GLU	A	193	-9.004	-4.092	-18.747	1.00	29.13	O
ATOM	1466	OE2	GLU	A	193	-8.521	-2.093	-19.559	1.00	25.67	O
ATOM	1467	C	GLU	A	193	-12.348	-1.378	-18.838	1.00	24.20	C
ATOM	1468	O	GLU	A	193	-13.415	-1.968	-19.037	1.00	23.93	O
ATOM	1469	N	LEU	A	194	-11.809	-1.271	-17.615	1.00	23.48	N
ATOM	1470	CA	LEU	A	194	-12.574	-1.718	-16.444	1.00	22.67	C
ATOM	1471	CB	LEU	A	194	-11.701	-1.850	-15.179	1.00	22.26	C
ATOM	1472	CG	LEU	A	194	-10.575	-2.866	-15.314	1.00	22.36	C
ATOM	1473	CD1	LEU	A	194	-9.678	-2.885	-14.047	1.00	21.84	C
ATOM	1474	CD2	LEU	A	194	-11.127	-4.279	-15.616	1.00	23.36	C
ATOM	1475	C	LEU	A	194	-13.722	-0.744	-16.240	1.00	22.14	C
ATOM	1476	O	LEU	A	194	-13.529	0.473	-16.111	1.00	23.71	O
ATOM	1477	N	ASN	A	195	-14.925	-1.281	-16.226	1.00	21.29	N
ATOM	1478	CA	ASN	A	195	-16.116	-0.481	-16.021	1.00	21.12	C
ATOM	1479	CB	ASN	A	195	-17.314	-1.203	-16.633	1.00	20.39	C
ATOM	1480	CG	ASN	A	195	-18.586	-0.404	-16.533	1.00	20.25	C
ATOM	1481	OD1	ASN	A	195	-18.542	0.801	-16.392	1.00	21.97	O
ATOM	1482	ND2	ASN	A	195	-19.734	-1.079	-16.595	1.00	21.38	N
ATOM	1483	C	ASN	A	195	-16.315	-0.201	-14.514	1.00	21.75	C
ATOM	1484	O	ASN	A	195	-17.172	-0.790	-13.854	1.00	20.53	O
ATOM	1485	N	ILE	A	196	-15.496	0.708	-13.993	1.00	22.14	N
ATOM	1486	CA	ILE	A	196	-15.538	1.053	-12.582	1.00	21.87	C
ATOM	1487	CB	ILE	A	196	-14.218	1.656	-12.119	1.00	21.37	C
ATOM	1488	CG1	ILE	A	196	-13.077	0.633	-12.304	1.00	24.27	C
ATOM	1489	CD1	ILE	A	196	-11.686	1.176	-12.019	1.00	23.11	C
ATOM	1490	CG2	ILE	A	196	-14.303	2.055	-10.655	1.00	21.69	C
ATOM	1491	C	ILE	A	196	-16.696	2.018	-12.368	1.00	21.55	C
ATOM	1492	O	ILE	A	196	-16.671	3.133	-12.829	1.00	21.20	O
ATOM	1493	N	VAL	A	197	-17.705	1.559	-11.651	1.00	21.04	N
ATOM	1494	CA	VAL	A	197	-18.881	2.351	-11.335	1.00	21.03	C
ATOM	1495	CB	VAL	A	197	-20.132	1.479	-11.455	1.00	20.66	C
ATOM	1496	CG1	VAL	A	197	-20.231	0.928	-12.870	1.00	22.46	C
ATOM	1497	CG2	VAL	A	197	-20.166	0.341	-10.433	1.00	21.65	C
ATOM	1498	C	VAL	A	197	-18.852	2.985	-9.943	1.00	20.78	C
ATOM	1499	O	VAL	A	197	-19.740	3.763	-9.595	1.00	21.26	O
ATOM	1500	N	GLY	A	198	-17.847	2.659	-9.134	1.00	20.74	N
ATOM	1501	CA	GLY	A	198	-17.770	3.271	-7.803	1.00	20.91	C
ATOM	1502	C	GLY	A	198	-16.565	2.846	-7.016	1.00	20.05	C
ATOM	1503	O	GLY	A	198	-16.046	1.779	-7.250	1.00	20.40	O
ATOM	1504	N	ALA	A	199	-16.099	3.705	-6.121	1.00	19.59	N
ATOM	1505	CA	ALA	A	199	-15.065	3.345	-5.168	1.00	19.06	C
ATOM	1506	CB	ALA	A	199	-13.673	3.735	-5.654	1.00	19.09	C
ATOM	1507	C	ALA	A	199	-15.365	4.020	-3.850	1.00	18.74	C
ATOM	1508	O	ALA	A	199	-15.838	5.149	-3.815	1.00	19.02	O

ATOM	1509	N	SER A	200	-15.080	3.306	-2.771	1.00	18.32	N
ATOM	1510	CA	SER A	200	-15.334	3.766	-1.414	1.00	18.14	C
ATOM	1511	CB	SER A	200	-16.571	3.071	-0.872	1.00	18.16	C
ATOM	1512	OG	SER A	200	-16.784	3.436	0.468	1.00	22.31	O
ATOM	1513	C	SER A	200	-14.105	3.443	-0.570	1.00	18.26	C
ATOM	1514	O	SER A	200	-13.684	2.268	-0.507	1.00	18.10	O
ATOM	1515	N	HIS A	201	-13.480	4.475	0.010	1.00	16.76	N
ATOM	1516	CA	HIS A	201	-12.378	4.259	0.897	1.00	16.45	C
ATOM	1517	CB	HIS A	201	-11.066	4.133	0.112	1.00	15.70	C
ATOM	1518	CG	HIS A	201	-10.776	5.276	-0.824	1.00	15.90	C
ATOM	1519	ND1	HIS A	201	-9.944	6.319	-0.485	1.00	14.40	N
ATOM	1520	CE1	HIS A	201	-9.830	7.144	-1.517	1.00	16.27	C
ATOM	1521	NE2	HIS A	201	-10.518	6.645	-2.530	1.00	15.12	N
ATOM	1522	CD2	HIS A	201	-11.119	5.478	-2.125	1.00	16.60	C
ATOM	1523	C	HIS A	201	-12.237	5.273	2.035	1.00	16.46	C
ATOM	1524	O	HIS A	201	-12.662	6.415	1.933	1.00	16.66	O
ATOM	1525	N	GLY A	202	-11.626	4.810	3.121	1.00	16.24	N
ATOM	1526	CA	GLY A	202	-11.524	5.575	4.343	1.00	16.47	C
ATOM	1527	C	GLY A	202	-10.160	5.506	4.976	1.00	16.39	C
ATOM	1528	O	GLY A	202	-9.424	4.558	4.754	1.00	16.21	O
ATOM	1529	N	GLY A	203	-9.817	6.517	5.761	1.00	15.98	N
ATOM	1530	CA	GLY A	203	-8.542	6.544	6.440	1.00	16.24	C
ATOM	1531	C	GLY A	203	-7.370	6.492	5.513	1.00	16.41	C
ATOM	1532	O	GLY A	203	-6.363	5.852	5.825	1.00	16.52	O
ATOM	1533	N	THR A	204	-7.486	7.222	4.401	1.00	16.93	N
ATOM	1534	CA	THR A	204	-6.601	7.089	3.260	1.00	17.06	C
ATOM	1535	CB	THR A	204	-7.331	7.661	2.012	1.00	17.79	C
ATOM	1536	OG1	THR A	204	-8.717	7.236	1.962	1.00	17.25	O
ATOM	1537	CG2	THR A	204	-6.688	7.167	0.728	1.00	15.54	C
ATOM	1538	C	THR A	204	-5.243	7.817	3.384	1.00	18.21	C
ATOM	1539	O	THR A	204	-5.205	9.048	3.449	1.00	17.76	O
ATOM	1540	N	PRO A	205	-4.124	7.074	3.368	1.00	18.56	N
ATOM	1541	CA	PRO A	205	-2.815	7.683	3.131	1.00	18.56	C
ATOM	1542	CB	PRO A	205	-1.823	6.566	3.438	1.00	18.49	C
ATOM	1543	CG	PRO A	205	-2.645	5.394	3.976	1.00	19.40	C
ATOM	1544	CD	PRO A	205	-4.041	5.615	3.548	1.00	19.27	C
ATOM	1545	C	PRO A	205	-2.774	8.076	1.642	1.00	19.33	C
ATOM	1546	O	PRO A	205	-2.992	7.214	0.782	1.00	20.58	O
ATOM	1547	N	VAL A	206	-2.636	9.362	1.351	1.00	18.90	N
ATOM	1548	CA	VAL A	206	-2.589	9.837	-0.046	1.00	19.16	C
ATOM	1549	CB	VAL A	206	-3.595	10.971	-0.309	1.00	18.77	C
ATOM	1550	CG1	VAL A	206	-5.008	10.447	-0.297	1.00	19.18	C
ATOM	1551	CG2	VAL A	206	-3.453	12.097	0.700	1.00	18.17	C
ATOM	1552	C	VAL A	206	-1.156	10.288	-0.440	1.00	19.18	C
ATOM	1553	O	VAL A	206	-0.799	10.297	-1.626	1.00	19.39	O
ATOM	1554	N	SER A	207	-0.354	10.630	0.556	1.00	18.91	N
ATOM	1555	CA	SER A	207	1.022	11.103	0.349	1.00	20.03	C
ATOM	1556	CB	SER A	207	1.115	12.587	0.776	1.00	19.88	C
ATOM	1557	OG	SER A	207	2.446	13.012	1.007	1.00	21.24	O
ATOM	1558	C	SER A	207	1.949	10.245	1.184	1.00	19.41	C
ATOM	1559	O	SER A	207	1.792	10.172	2.403	1.00	20.43	O
ATOM	1560	N	ALA A	208	2.903	9.578	0.553	1.00	19.97	N
ATOM	1561	CA	ALA A	208	3.867	8.775	1.302	1.00	20.47	C
ATOM	1562	CB	ALA A	208	4.820	8.043	0.375	1.00	21.26	C

ATOM	1563	C	ALA	A	208	4.635	9.635	2.268	1.00	20.72	C
ATOM	1564	O	ALA	A	208	4.796	9.260	3.425	1.00	21.23	O
ATOM	1565	N	LYS	A	209	5.087	10.800	1.820	1.00	20.87	N
ATOM	1566	CA	LYS	A	209	5.870	11.684	2.684	1.00	21.25	C
ATOM	1567	CB	LYS	A	209	6.421	12.893	1.909	1.00	21.92	C
ATOM	1568	CG	LYS	A	209	7.352	13.822	2.727	1.00	23.22	C
ATOM	1569	CD	LYS	A	209	7.856	15.028	1.875	0.65	25.78	C
ATOM	1570	CE	LYS	A	209	6.718	16.073	1.604	0.65	26.64	C
ATOM	1571	NZ	LYS	A	209	7.102	17.277	0.748	0.65	26.79	N
ATOM	1572	C	LYS	A	209	5.066	12.167	3.882	1.00	20.83	C
ATOM	1573	O	LYS	A	209	5.551	12.102	5.001	1.00	20.52	O
ATOM	1574	N	ASP	A	210	3.849	12.661	3.653	1.00	20.87	N
ATOM	1575	CA	ASP	A	210	3.049	13.217	4.736	1.00	20.74	C
ATOM	1576	CB	ASP	A	210	1.793	13.962	4.223	1.00	21.02	C
ATOM	1577	CG	ASP	A	210	2.144	15.233	3.479	1.00	24.18	C
ATOM	1578	OD1	ASP	A	210	1.252	15.790	2.776	1.00	27.41	O
ATOM	1579	OD2	ASP	A	210	3.301	15.727	3.524	1.00	25.07	O
ATOM	1580	C	ASP	A	210	2.626	12.161	5.712	1.00	20.32	C
ATOM	1581	O	ASP	A	210	2.475	12.451	6.890	1.00	20.38	O
ATOM	1582	N	THR	A	211	2.419	10.940	5.229	1.00	19.68	N
ATOM	1583	CA	THR	A	211	2.129	9.843	6.128	1.00	19.76	C
ATOM	1584	CB	THR	A	211	1.624	8.589	5.359	1.00	20.45	C
ATOM	1585	OG1	THR	A	211	0.496	8.939	4.537	1.00	19.62	O
ATOM	1586	CG2	THR	A	211	1.090	7.561	6.354	1.00	20.71	C
ATOM	1587	C	THR	A	211	3.368	9.513	6.949	1.00	19.42	C
ATOM	1588	O	THR	A	211	3.280	9.327	8.161	1.00	18.49	O
ATOM	1589	N	PHE	A	212	4.527	9.464	6.297	1.00	19.61	N
ATOM	1590	CA	PHE	A	212	5.766	9.200	7.013	1.00	19.61	C
ATOM	1591	CB	PHE	A	212	6.963	9.174	6.081	1.00	20.41	C
ATOM	1592	CG	PHE	A	212	8.281	9.080	6.821	1.00	21.75	C
ATOM	1593	CD1	PHE	A	212	8.819	7.846	7.139	1.00	22.58	C
ATOM	1594	CE1	PHE	A	212	10.035	7.753	7.818	1.00	23.57	C
ATOM	1595	CZ	PHE	A	212	10.728	8.908	8.184	1.00	23.36	C
ATOM	1596	CE2	PHE	A	212	10.214	10.131	7.857	1.00	24.28	C
ATOM	1597	CD2	PHE	A	212	8.986	10.223	7.163	1.00	22.08	C
ATOM	1598	C	PHE	A	212	6.030	10.226	8.131	1.00	19.69	C
ATOM	1599	O	PHE	A	212	6.248	9.832	9.268	1.00	18.46	O
ATOM	1600	N	THR	A	213	5.970	11.524	7.818	1.00	19.61	N
ATOM	1601	CA	THR	A	213	6.282	12.562	8.815	1.00	20.12	C
ATOM	1602	CB	THR	A	213	6.443	13.957	8.184	1.00	20.44	C
ATOM	1603	OG1	THR	A	213	5.245	14.338	7.505	1.00	18.63	O
ATOM	1604	CG2	THR	A	213	7.535	13.973	7.116	1.00	21.51	C
ATOM	1605	C	THR	A	213	5.268	12.637	9.953	1.00	20.25	C
ATOM	1606	O	THR	A	213	5.596	13.052	11.056	1.00	19.18	O
ATOM	1607	N	PHE	A	214	4.033	12.230	9.675	1.00	20.05	N
ATOM	1608	CA	PHE	A	214	3.004	12.132	10.699	1.00	19.85	C
ATOM	1609	CB	PHE	A	214	1.665	11.886	10.011	1.00	19.86	C
ATOM	1610	CG	PHE	A	214	0.478	11.981	10.915	1.00	20.31	C
ATOM	1611	CD1	PHE	A	214	-0.068	13.231	11.238	1.00	21.01	C
ATOM	1612	CE1	PHE	A	214	-1.179	13.335	12.057	1.00	21.55	C
ATOM	1613	CZ	PHE	A	214	-1.788	12.185	12.556	1.00	21.64	C
ATOM	1614	CE2	PHE	A	214	-1.278	10.927	12.224	1.00	22.00	C
ATOM	1615	CD2	PHE	A	214	-0.137	10.829	11.403	1.00	22.16	C
ATOM	1616	C	PHE	A	214	3.316	10.994	11.705	1.00	20.21	C

ATOM	1617	O	PHE	A	214	3.204	11.167	12.924	1.00	19.94	O
ATOM	1618	N	LEU	A	215	3.706	9.844	11.176	1.00	20.17	N
ATOM	1619	CA	LEU	A	215	3.954	8.646	11.992	1.00	21.01	C
ATOM	1620	CB	LEU	A	215	3.788	7.408	11.121	1.00	20.21	C
ATOM	1621	CG	LEU	A	215	2.346	7.179	10.659	1.00	22.27	C
ATOM	1622	CD1	LEU	A	215	2.353	6.211	9.468	1.00	23.77	C
ATOM	1623	CD2	LEU	A	215	1.494	6.666	11.769	1.00	22.62	C
ATOM	1624	C	LEU	A	215	5.317	8.563	12.695	1.00	20.83	C
ATOM	1625	O	LEU	A	215	5.430	8.016	13.812	1.00	21.21	O
ATOM	1626	N	ASN	A	216	6.344	9.082	12.043	1.00	20.92	N
ATOM	1627	CA	ASN	A	216	7.711	8.912	12.536	1.00	21.15	C
ATOM	1628	CB	ASN	A	216	8.701	9.613	11.624	1.00	20.08	C
ATOM	1629	CG	ASN	A	216	10.139	9.274	11.972	1.00	22.78	C
ATOM	1630	OD1	ASN	A	216	10.437	8.133	12.385	1.00	18.94	O
ATOM	1631	ND2	ASN	A	216	11.047	10.265	11.812	1.00	22.72	N
ATOM	1632	C	ASN	A	216	7.842	9.420	13.978	1.00	21.40	C
ATOM	1633	O	ASN	A	216	7.281	10.468	14.317	1.00	21.64	O
ATOM	1634	N	GLY	A	217	8.500	8.626	14.826	1.00	21.24	N
ATOM	1635	CA	GLY	A	217	8.716	8.961	16.225	1.00	21.27	C
ATOM	1636	C	GLY	A	217	7.571	8.741	17.192	1.00	21.45	C
ATOM	1637	O	GLY	A	217	7.766	8.838	18.426	1.00	22.11	O
ATOM	1638	N	GLY	A	218	6.387	8.423	16.670	1.00	20.91	N
ATOM	1639	CA	GLY	A	218	5.203	8.259	17.492	1.00	20.57	C
ATOM	1640	C	GLY	A	218	4.898	6.806	17.805	1.00	20.56	C
ATOM	1641	O	GLY	A	218	5.676	5.935	17.492	1.00	19.74	O
ATOM	1642	N	PRO	A	219	3.754	6.536	18.417	1.00	20.85	N
ATOM	1643	CA	PRO	A	219	3.413	5.166	18.840	1.00	21.13	C
ATOM	1644	CB	PRO	A	219	2.080	5.333	19.575	1.00	21.72	C
ATOM	1645	CG	PRO	A	219	1.676	6.750	19.442	1.00	21.75	C
ATOM	1646	CD	PRO	A	219	2.738	7.521	18.782	1.00	20.92	C
ATOM	1647	C	PRO	A	219	3.292	4.155	17.681	1.00	21.03	C
ATOM	1648	O	PRO	A	219	3.459	2.957	17.904	1.00	20.96	O
ATOM	1649	N	PHE	A	220	3.051	4.655	16.465	1.00	20.51	N
ATOM	1650	CA	PHE	A	220	2.895	3.836	15.275	1.00	19.85	C
ATOM	1651	CB	PHE	A	220	1.529	4.139	14.641	1.00	20.03	C
ATOM	1652	CG	PHE	A	220	0.397	3.641	15.450	1.00	19.28	C
ATOM	1653	CD1	PHE	A	220	-0.388	4.516	16.193	1.00	20.31	C
ATOM	1654	CE1	PHE	A	220	-1.430	4.044	16.973	1.00	19.50	C
ATOM	1655	CZ	PHE	A	220	-1.711	2.676	17.016	1.00	20.76	C
ATOM	1656	CE2	PHE	A	220	-0.918	1.790	16.291	1.00	21.47	C
ATOM	1657	CD2	PHE	A	220	0.118	2.271	15.505	1.00	19.99	C
ATOM	1658	C	PHE	A	220	4.019	4.044	14.295	1.00	19.34	C
ATOM	1659	O	PHE	A	220	3.863	3.830	13.088	1.00	19.03	O
ATOM	1660	N	ALA	A	221	5.187	4.420	14.815	1.00	19.46	N
ATOM	1661	CA	ALA	A	221	6.350	4.617	13.971	1.00	19.39	C
ATOM	1662	CB	ALA	A	221	7.507	5.125	14.791	1.00	19.46	C
ATOM	1663	C	ALA	A	221	6.759	3.375	13.153	1.00	19.16	C
ATOM	1664	O	ALA	A	221	7.388	3.493	12.113	1.00	19.76	O
ATOM	1665	N	GLY	A	222	6.415	2.183	13.592	1.00	19.86	N
ATOM	1666	CA	GLY	A	222	6.677	1.006	12.771	1.00	19.83	C
ATOM	1667	C	GLY	A	222	6.149	1.096	11.345	1.00	20.12	C
ATOM	1668	O	GLY	A	222	6.746	0.549	10.412	1.00	20.26	O
ATOM	1669	N	PHE	A	223	5.023	1.771	11.162	1.00	20.05	N
ATOM	1670	CA	PHE	A	223	4.471	1.947	9.828	1.00	20.43	C

ATOM	1671	CB	PHE	A	223	3.022	2.428	9.884	1.00	21.07	C
ATOM	1672	CG	PHE	A	223	2.071	1.439	10.485	1.00	24.53	C
ATOM	1673	CD1	PHE	A	223	1.023	1.887	11.273	1.00	30.09	C
ATOM	1674	CE1	PHE	A	223	0.112	0.992	11.837	1.00	31.76	C
ATOM	1675	CZ	PHE	A	223	0.255	-0.359	11.603	1.00	32.47	C
ATOM	1676	CE2	PHE	A	223	1.301	-0.824	10.787	1.00	30.14	C
ATOM	1677	CD2	PHE	A	223	2.176	0.079	10.219	1.00	27.91	C
ATOM	1678	C	PHE	A	223	5.274	2.929	8.996	1.00	20.57	C
ATOM	1679	O	PHE	A	223	5.300	2.800	7.781	1.00	20.75	O
ATOM	1680	N	ALA	A	224	5.884	3.940	9.625	1.00	20.27	N
ATOM	1681	CA	ALA	A	224	6.857	4.785	8.928	1.00	20.39	C
ATOM	1682	CB	ALA	A	224	7.342	5.936	9.849	1.00	21.10	C
ATOM	1683	C	ALA	A	224	8.044	3.948	8.455	1.00	20.23	C
ATOM	1684	O	ALA	A	224	8.477	4.067	7.313	1.00	20.55	O
ATOM	1685	N	LEU	A	225	8.558	3.081	9.307	1.00	19.68	N
ATOM	1686	CA	LEU	A	225	9.647	2.181	8.877	1.00	20.23	C
ATOM	1687	CB	LEU	A	225	10.201	1.375	10.033	1.00	20.03	C
ATOM	1688	CG	LEU	A	225	11.319	0.372	9.702	1.00	20.81	C
ATOM	1689	CD1	LEU	A	225	12.499	1.057	9.107	1.00	21.93	C
ATOM	1690	CD2	LEU	A	225	11.698	-0.371	10.973	1.00	21.57	C
ATOM	1691	C	LEU	A	225	9.180	1.221	7.778	1.00	19.73	C
ATOM	1692	O	LEU	A	225	9.900	0.990	6.811	1.00	19.13	O
ATOM	1693	N	ALA	A	226	7.964	0.681	7.921	1.00	19.92	N
ATOM	1694	CA	ALA	A	226	7.447	-0.279	6.950	1.00	19.17	C
ATOM	1695	CB	ALA	A	226	6.116	-0.839	7.396	1.00	19.18	C
ATOM	1696	C	ALA	A	226	7.326	0.378	5.569	1.00	19.23	C
ATOM	1697	O	ALA	A	226	7.585	-0.266	4.556	1.00	18.88	O
ATOM	1698	N	GLY	A	227	6.970	1.657	5.537	1.00	19.37	N
ATOM	1699	CA	GLY	A	227	6.873	2.396	4.280	1.00	19.77	C
ATOM	1700	C	GLY	A	227	8.204	2.642	3.612	1.00	20.43	C
ATOM	1701	O	GLY	A	227	8.329	2.599	2.389	1.00	19.94	O
ATOM	1702	N	VAL	A	228	9.216	2.922	4.423	1.00	20.97	N
ATOM	1703	CA	VAL	A	228	10.559	3.091	3.911	1.00	21.31	C
ATOM	1704	CB	VAL	A	228	11.531	3.544	5.044	1.00	21.90	C
ATOM	1705	CG1	VAL	A	228	12.984	3.436	4.594	1.00	22.90	C
ATOM	1706	CG2	VAL	A	228	11.215	4.960	5.459	1.00	21.73	C
ATOM	1707	C	VAL	A	228	10.999	1.759	3.313	1.00	20.75	C
ATOM	1708	O	VAL	A	228	11.507	1.708	2.179	1.00	20.87	O
ATOM	1709	N	SER	A	229	10.772	0.681	4.070	1.00	20.35	N
ATOM	1710	CA	SER	A	229	11.084	-0.672	3.611	1.00	19.49	C
ATOM	1711	CB	SER	A	229	10.655	-1.703	4.661	1.00	19.90	C
ATOM	1712	OG	SER	A	229	10.892	-3.029	4.204	1.00	17.53	O
ATOM	1713	C	SER	A	229	10.386	-0.992	2.289	1.00	19.04	C
ATOM	1714	O	SER	A	229	10.997	-1.492	1.374	1.00	17.94	O
ATOM	1715	N	GLY	A	230	9.098	-0.693	2.224	1.00	18.97	N
ATOM	1716	CA	GLY	A	230	8.277	-1.038	1.102	1.00	19.58	C
ATOM	1717	C	GLY	A	230	8.606	-0.222	-0.137	1.00	20.22	C
ATOM	1718	O	GLY	A	230	8.687	-0.786	-1.231	1.00	19.78	O
ATOM	1719	N	LEU	A	231	8.833	1.082	0.024	1.00	20.68	N
ATOM	1720	CA	LEU	A	231	9.217	1.917	-1.130	1.00	21.59	C
ATOM	1721	CB	LEU	A	231	9.252	3.415	-0.780	1.00	21.90	C
ATOM	1722	CG	LEU	A	231	7.872	4.084	-0.534	1.00	21.81	C
ATOM	1723	CD1	LEU	A	231	7.997	5.574	-0.340	1.00	23.32	C
ATOM	1724	CD2	LEU	A	231	6.928	3.827	-1.622	1.00	23.62	C

ATOM	1725	C	LEU	A	231	10.564	1.471	-1.667	1.00	21.97	C
ATOM	1726	O	LEU	A	231	10.769	1.418	-2.887	1.00	21.61	O
ATOM	1727	N	SER	A	232	11.477	1.138	-0.765	1.00	22.28	N
ATOM	1728	CA	SER	A	232	12.812	0.696	-1.169	1.00	23.47	C
ATOM	1729	CB	SER	A	232	13.749	0.554	0.036	1.00	22.79	C
ATOM	1730	OG	SER	A	232	13.947	1.811	0.674	1.00	23.69	O
ATOM	1731	C	SER	A	232	12.728	-0.612	-1.943	1.00	23.84	C
ATOM	1732	O	SER	A	232	13.495	-0.825	-2.890	1.00	24.71	O
ATOM	1733	N	LEU	A	233	11.768	-1.465	-1.575	1.00	24.54	N
ATOM	1734	CA	LEU	A	233	11.559	-2.735	-2.273	1.00	24.35	C
ATOM	1735	CB	LEU	A	233	10.642	-3.669	-1.468	1.00	23.89	C
ATOM	1736	CG	LEU	A	233	11.297	-4.283	-0.224	1.00	25.69	C
ATOM	1737	CD1	LEU	A	233	10.262	-4.676	0.799	1.00	26.23	C
ATOM	1738	CD2	LEU	A	233	12.205	-5.493	-0.604	1.00	26.67	C
ATOM	1739	C	LEU	A	233	10.988	-2.526	-3.676	1.00	24.62	C
ATOM	1740	O	LEU	A	233	11.057	-3.434	-4.491	1.00	26.01	O
ATOM	1741	N	ALA	A	234	10.342	-1.395	-3.929	1.00	23.88	N
ATOM	1742	CA	ALA	A	234	9.770	-1.120	-5.256	1.00	24.66	C
ATOM	1743	CB	ALA	A	234	8.396	-0.487	-5.106	1.00	24.56	C
ATOM	1744	C	ALA	A	234	10.678	-0.216	-6.126	1.00	24.56	C
ATOM	1745	O	ALA	A	234	10.531	-0.177	-7.351	1.00	24.49	O
ATOM	1746	N	HIS	A	235	11.605	0.497	-5.483	1.00	24.18	N
ATOM	1747	CA	HIS	A	235	12.500	1.470	-6.148	1.00	23.85	C
ATOM	1748	CB	HIS	A	235	12.202	2.873	-5.637	1.00	22.78	C
ATOM	1749	CG	HIS	A	235	10.818	3.377	-5.943	1.00	23.42	C
ATOM	1750	ND1	HIS	A	235	10.551	4.251	-6.979	1.00	23.44	N
ATOM	1751	CE1	HIS	A	235	9.263	4.557	-6.976	1.00	24.49	C
ATOM	1752	NE2	HIS	A	235	8.683	3.913	-5.974	1.00	24.18	N
ATOM	1753	CD2	HIS	A	235	9.633	3.166	-5.319	1.00	23.19	C
ATOM	1754	C	HIS	A	235	13.965	1.130	-5.829	1.00	24.24	C
ATOM	1755	O	HIS	A	235	14.481	1.570	-4.817	1.00	23.17	O
ATOM	1756	N	PRO	A	236	14.633	0.355	-6.682	1.00	26.07	N
ATOM	1757	CA	PRO	A	236	16.036	-0.057	-6.434	1.00	27.33	C
ATOM	1758	CB	PRO	A	236	16.416	-0.832	-7.698	1.00	27.12	C
ATOM	1759	CG	PRO	A	236	15.114	-1.298	-8.273	1.00	27.78	C
ATOM	1760	CD	PRO	A	236	14.113	-0.215	-7.935	1.00	26.15	C
ATOM	1761	C	PRO	A	236	17.026	1.080	-6.157	1.00	27.84	C
ATOM	1762	O	PRO	A	236	17.904	0.887	-5.331	1.00	28.58	O
ATOM	1763	N	ASP	A	237	16.861	2.239	-6.785	1.00	28.65	N
ATOM	1764	CA	ASP	A	237	17.729	3.387	-6.498	1.00	29.02	C
ATOM	1765	CB	ASP	A	237	17.362	4.607	-7.349	0.65	29.59	C
ATOM	1766	CG	ASP	A	237	17.630	4.415	-8.804	0.65	30.71	C
ATOM	1767	OD1	ASP	A	237	18.363	3.470	-9.161	0.65	31.84	O
ATOM	1768	OD2	ASP	A	237	17.140	5.188	-9.661	0.65	34.33	O
ATOM	1769	C	ASP	A	237	17.645	3.830	-5.052	1.00	29.12	C
ATOM	1770	O	ASP	A	237	18.650	4.207	-4.458	1.00	29.44	O
ATOM	1771	N	MET	A	238	16.435	3.815	-4.504	1.00	29.02	N
ATOM	1772	CA	MET	A	238	16.224	4.159	-3.101	1.00	28.44	C
ATOM	1773	CB	MET	A	238	14.725	4.315	-2.822	1.00	28.25	C
ATOM	1774	CG	MET	A	238	14.375	4.599	-1.369	1.00	29.13	C
ATOM	1775	SD	MET	A	238	12.608	5.104	-1.196	1.00	29.83	S
ATOM	1776	CE	MET	A	238	12.526	5.041	0.488	1.00	30.21	C
ATOM	1777	C	MET	A	238	16.823	3.103	-2.176	1.00	28.05	C
ATOM	1778	O	MET	A	238	17.437	3.436	-1.162	1.00	26.86	O

ATOM	1779	N	GLU	A	239	16.594	1.834	-2.502	1.00	28.53	N
ATOM	1780	CA	GLU	A	239	17.206	0.722	-1.779	1.00	29.43	C
ATOM	1781	CB	GLU	A	239	16.862	-0.601	-2.482	1.00	29.87	C
ATOM	1782	CG	GLU	A	239	17.466	-1.872	-1.890	1.00	30.71	C
ATOM	1783	CD	GLU	A	239	16.865	-2.275	-0.541	1.00	34.72	C
ATOM	1784	OE1	GLU	A	239	17.431	-3.171	0.118	1.00	38.76	O
ATOM	1785	OE2	GLU	A	239	15.845	-1.714	-0.123	1.00	31.69	O
ATOM	1786	C	GLU	A	239	18.736	0.904	-1.670	1.00	29.98	C
ATOM	1787	O	GLU	A	239	19.295	0.826	-0.578	1.00	29.75	O
ATOM	1788	N	SER	A	240	19.406	1.179	-2.780	1.00	30.85	N
ATOM	1789	CA	SER	A	240	20.879	1.234	-2.769	1.00	32.36	C
ATOM	1790	CB	SER	A	240	21.448	1.119	-4.174	1.00	32.41	C
ATOM	1791	OG	SER	A	240	21.204	2.315	-4.862	1.00	37.12	O
ATOM	1792	C	SER	A	240	21.369	2.496	-2.076	1.00	32.27	C
ATOM	1793	O	SER	A	240	22.352	2.454	-1.374	1.00	32.60	O
ATOM	1794	N	PHE	A	241	20.644	3.599	-2.223	1.00	32.95	N
ATOM	1795	CA	PHE	A	241	20.947	4.836	-1.493	1.00	33.32	C
ATOM	1796	CB	PHE	A	241	19.966	5.939	-1.914	1.00	33.67	C
ATOM	1797	CG	PHE	A	241	20.280	7.296	-1.343	1.00	34.48	C
ATOM	1798	CD1	PHE	A	241	21.176	8.134	-1.972	1.00	35.96	C
ATOM	1799	CE1	PHE	A	241	21.468	9.397	-1.453	1.00	37.63	C
ATOM	1800	CZ	PHE	A	241	20.843	9.831	-0.298	1.00	38.09	C
ATOM	1801	CE2	PHE	A	241	19.931	9.007	0.342	1.00	38.49	C
ATOM	1802	CD2	PHE	A	241	19.643	7.745	-0.195	1.00	37.75	C
ATOM	1803	C	PHE	A	241	20.866	4.638	0.027	1.00	33.60	C
ATOM	1804	O	PHE	A	241	21.774	5.019	0.785	1.00	33.74	O
ATOM	1805	N	ILE	A	242	19.778	4.040	0.477	1.00	33.03	N
ATOM	1806	CA	ILE	A	242	19.596	3.780	1.892	1.00	32.85	C
ATOM	1807	CB	ILE	A	242	18.139	3.379	2.185	1.00	32.51	C
ATOM	1808	CG1	ILE	A	242	17.265	4.630	2.033	1.00	33.45	C
ATOM	1809	CD1	ILE	A	242	15.815	4.412	2.234	1.00	34.90	C
ATOM	1810	CG2	ILE	A	242	18.016	2.775	3.591	1.00	33.35	C
ATOM	1811	C	ILE	A	242	20.594	2.734	2.408	1.00	32.64	C
ATOM	1812	O	ILE	A	242	21.124	2.880	3.501	1.00	31.52	O
ATOM	1813	N	GLU	A	243	20.836	1.692	1.628	1.00	33.14	N
ATOM	1814	CA	GLU	A	243	21.748	0.624	2.041	1.00	34.73	C
ATOM	1815	CB	GLU	A	243	21.860	-0.458	0.966	0.40	34.71	C
ATOM	1816	CG	GLU	A	243	22.589	-1.714	1.432	0.40	36.12	C
ATOM	1817	CD	GLU	A	243	24.102	-1.640	1.261	0.40	36.76	C
ATOM	1818	OE1	GLU	A	243	24.820	-2.260	2.077	0.40	37.14	O
ATOM	1819	OE2	GLU	A	243	24.572	-0.975	0.308	0.40	37.10	O
ATOM	1820	C	GLU	A	243	23.155	1.166	2.412	1.00	34.63	C
ATOM	1821	O	GLU	A	243	23.749	0.731	3.395	1.00	34.98	O
ATOM	1822	N	ALA	A	244	23.644	2.139	1.653	1.00	34.48	N
ATOM	1823	CA	ALA	A	244	24.961	2.751	1.903	1.00	34.94	C
ATOM	1824	CB	ALA	A	244	25.457	3.485	0.639	1.00	34.92	C
ATOM	1825	C	ALA	A	244	24.989	3.713	3.085	1.00	34.85	C
ATOM	1826	O	ALA	A	244	26.078	4.136	3.502	1.00	35.70	O
ATOM	1827	N	ARG	A	245	23.813	4.081	3.604	1.00	34.05	N
ATOM	1828	CA	ARG	A	245	23.703	5.004	4.732	1.00	33.48	C
ATOM	1829	CB	ARG	A	245	22.825	6.186	4.331	1.00	33.99	C
ATOM	1830	CG	ARG	A	245	23.557	7.137	3.387	1.00	36.72	C
ATOM	1831	CD	ARG	A	245	22.660	7.964	2.525	1.00	39.49	C
ATOM	1832	NE	ARG	A	245	23.429	8.779	1.580	1.00	42.41	N

ATOM	1833	CZ	ARG	A	245	23.933	8.349	0.422	1.00	43.98	C
ATOM	1834	NH1	ARG	A	245	24.608	9.198	-0.350	1.00	44.73	N
ATOM	1835	NH2	ARG	A	245	23.762	7.090	0.021	1.00	43.09	N
ATOM	1836	C	ARG	A	245	23.207	4.391	6.037	1.00	32.44	C
ATOM	1837	O	ARG	A	245	23.186	5.057	7.060	1.00	31.78	O
ATOM	1838	N	LEU	A	246	22.815	3.124	6.022	1.00	31.94	N
ATOM	1839	CA	LEU	A	246	22.401	2.471	7.253	1.00	31.56	C
ATOM	1840	CB	LEU	A	246	21.783	1.105	6.965	1.00	31.06	C
ATOM	1841	CG	LEU	A	246	20.450	1.075	6.219	1.00	31.07	C
ATOM	1842	CD1	LEU	A	246	20.179	-0.359	5.761	1.00	30.68	C
ATOM	1843	CD2	LEU	A	246	19.309	1.623	7.064	1.00	30.04	C
ATOM	1844	C	LEU	A	246	23.593	2.270	8.188	1.00	31.47	C
ATOM	1845	O	LEU	A	246	24.640	1.797	7.779	1.00	31.14	O
ATOM	1846	N	ASN	A	247	23.416	2.623	9.448	1.00	31.64	N
ATOM	1847	CA	ASN	A	247	24.329	2.189	10.486	1.00	31.87	C
ATOM	1848	CB	ASN	A	247	24.306	3.176	11.667	1.00	31.97	C
ATOM	1849	CG	ASN	A	247	22.909	3.399	12.247	1.00	31.19	C
ATOM	1850	OD1	ASN	A	247	22.135	2.466	12.407	1.00	31.01	O
ATOM	1851	ND2	ASN	A	247	22.609	4.642	12.605	1.00	29.83	N
ATOM	1852	C	ASN	A	247	23.981	0.750	10.915	1.00	32.53	C
ATOM	1853	O	ASN	A	247	23.032	0.140	10.402	1.00	32.20	O
ATOM	1854	N	ALA	A	248	24.726	0.214	11.874	1.00	32.82	N
ATOM	1855	CA	ALA	A	248	24.553	-1.177	12.274	1.00	32.88	C
ATOM	1856	CB	ALA	A	248	25.608	-1.588	13.325	1.00	33.01	C
ATOM	1857	C	ALA	A	248	23.122	-1.452	12.771	1.00	32.31	C
ATOM	1858	O	ALA	A	248	22.535	-2.465	12.408	1.00	31.29	O
ATOM	1859	N	LYS	A	249	22.566	-0.532	13.560	1.00	32.06	N
ATOM	1860	CA	LYS	A	249	21.190	-0.643	14.037	1.00	32.25	C
ATOM	1861	CB	LYS	A	249	20.849	0.509	14.983	1.00	33.03	C
ATOM	1862	CG	LYS	A	249	19.435	0.448	15.608	1.00	34.75	C
ATOM	1863	CD	LYS	A	249	19.253	1.563	16.657	1.00	39.61	C
ATOM	1864	CE	LYS	A	249	17.771	1.824	17.030	1.00	41.93	C
ATOM	1865	NZ	LYS	A	249	17.432	3.310	17.032	1.00	42.79	N
ATOM	1866	C	LYS	A	249	20.201	-0.678	12.856	1.00	31.08	C
ATOM	1867	O	LYS	A	249	19.281	-1.486	12.838	1.00	30.67	O
ATOM	1868	N	GLY	A	250	20.430	0.189	11.882	1.00	29.78	N
ATOM	1869	CA	GLY	A	250	19.683	0.233	10.646	1.00	29.14	C
ATOM	1870	C	GLY	A	250	19.709	-1.042	9.848	1.00	28.58	C
ATOM	1871	O	GLY	A	250	18.676	-1.479	9.378	1.00	27.27	O
ATOM	1872	N	GLN	A	251	20.892	-1.631	9.685	1.00	28.32	N
ATOM	1873	CA	GLN	A	251	21.062	-2.928	9.017	1.00	28.46	C
ATOM	1874	CB	GLN	A	251	22.557	-3.345	8.980	1.00	28.87	C
ATOM	1875	CG	GLN	A	251	23.398	-2.418	8.109	1.00	32.13	C
ATOM	1876	CD	GLN	A	251	24.901	-2.738	8.121	1.00	37.39	C
ATOM	1877	OE1	GLN	A	251	25.432	-3.327	9.087	1.00	38.31	O
ATOM	1878	NE2	GLN	A	251	25.584	-2.367	7.025	1.00	37.57	N
ATOM	1879	C	GLN	A	251	20.235	-4.015	9.696	1.00	27.44	C
ATOM	1880	O	GLN	A	251	19.482	-4.703	9.034	1.00	26.40	O
ATOM	1881	N	ARG	A	252	20.343	-4.142	11.016	1.00	27.13	N
ATOM	1882	CA	ARG	A	252	19.604	-5.166	11.741	1.00	28.00	C
ATOM	1883	CB	ARG	A	252	20.029	-5.230	13.218	1.00	28.73	C
ATOM	1884	CG	ARG	A	252	21.467	-5.676	13.476	1.00	32.98	C
ATOM	1885	CD	ARG	A	252	21.727	-5.980	14.970	1.00	37.55	C
ATOM	1886	NE	ARG	A	252	21.471	-4.819	15.832	1.00	41.11	N

ATOM	1887	CZ	ARG A	252	22.336	-3.811	16.028	1.00	42.74	C
ATOM	1888	NH1	ARG A	252	23.528	-3.826	15.430	1.00	43.52	N
ATOM	1889	NH2	ARG A	252	22.012	-2.784	16.825	1.00	41.21	N
ATOM	1890	C	ARG A	252	18.074	-4.910	11.676	1.00	27.37	C
ATOM	1891	O	ARG A	252	17.280	-5.836	11.567	1.00	26.47	O
ATOM	1892	N	THR A	253	17.692	-3.646	11.741	1.00	26.21	N
ATOM	1893	CA	THR A	253	16.297	-3.281	11.768	1.00	25.98	C
ATOM	1894	CB	THR A	253	16.175	-1.815	12.190	1.00	25.70	C
ATOM	1895	OG1	THR A	253	16.727	-1.670	13.499	1.00	25.51	O
ATOM	1896	CG2	THR A	253	14.715	-1.398	12.369	1.00	26.42	C
ATOM	1897	C	THR A	253	15.617	-3.546	10.418	1.00	25.74	C
ATOM	1898	O	THR A	253	14.516	-4.069	10.371	1.00	24.92	O
ATOM	1899	N	LEU A	254	16.279	-3.214	9.320	1.00	26.41	N
ATOM	1900	CA	LEU A	254	15.660	-3.359	8.012	1.00	27.64	C
ATOM	1901	CB	LEU A	254	16.525	-2.727	6.920	1.00	28.18	C
ATOM	1902	CG	LEU A	254	15.889	-1.892	5.820	1.00	29.66	C
ATOM	1903	CD1	LEU A	254	16.677	-2.068	4.521	1.00	32.01	C
ATOM	1904	CD2	LEU A	254	14.377	-2.120	5.611	1.00	29.04	C
ATOM	1905	C	LEU A	254	15.453	-4.851	7.722	1.00	28.25	C
ATOM	1906	O	LEU A	254	14.430	-5.254	7.169	1.00	28.10	O
ATOM	1907	N	LYS A	255	16.448	-5.650	8.100	1.00	28.14	N
ATOM	1908	CA	LYS A	255	16.370	-7.105	8.018	1.00	28.40	C
ATOM	1909	CB	LYS A	255	17.641	-7.733	8.601	1.00	29.12	C
ATOM	1910	CG	LYS A	255	18.565	-8.331	7.598	1.00	35.58	C
ATOM	1911	CD	LYS A	255	19.675	-7.392	7.166	1.00	40.47	C
ATOM	1912	CE	LYS A	255	21.082	-8.026	7.334	1.00	43.61	C
ATOM	1913	NZ	LYS A	255	22.150	-6.998	7.066	1.00	43.82	N
ATOM	1914	C	LYS A	255	15.200	-7.677	8.804	1.00	26.47	C
ATOM	1915	O	LYS A	255	14.480	-8.528	8.319	1.00	25.47	O
ATOM	1916	N	GLN A	256	15.076	-7.234	10.052	1.00	25.10	N
ATOM	1917	CA	GLN A	256	14.018	-7.669	10.930	1.00	23.94	C
ATOM	1918	CB	GLN A	256	14.128	-6.927	12.256	1.00	24.22	C
ATOM	1919	CG	GLN A	256	13.113	-7.375	13.260	1.00	22.31	C
ATOM	1920	CD	GLN A	256	13.251	-6.702	14.618	1.00	24.27	C
ATOM	1921	OE1	GLN A	256	13.068	-7.352	15.652	1.00	27.91	O
ATOM	1922	NE2	GLN A	256	13.492	-5.411	14.623	1.00	21.24	N
ATOM	1923	C	GLN A	256	12.634	-7.433	10.318	1.00	22.88	C
ATOM	1924	O	GLN A	256	11.810	-8.335	10.276	1.00	22.60	O
ATOM	1925	N	ILE A	257	12.374	-6.223	9.834	1.00	22.33	N
ATOM	1926	CA	ILE A	257	11.025	-5.879	9.335	1.00	21.34	C
ATOM	1927	CB	ILE A	257	10.848	-4.335	9.244	1.00	20.77	C
ATOM	1928	CG1	ILE A	257	9.354	-3.999	9.167	1.00	21.03	C
ATOM	1929	CD1	ILE A	257	8.991	-2.564	9.448	1.00	22.54	C
ATOM	1930	CG2	ILE A	257	11.613	-3.760	8.036	1.00	20.66	C
ATOM	1931	C	ILE A	257	10.702	-6.586	7.987	1.00	20.55	C
ATOM	1932	O	ILE A	257	9.534	-6.655	7.552	1.00	19.97	O
ATOM	1933	N	ARG A	258	11.739	-7.115	7.347	1.00	19.93	N
ATOM	1934	CA	ARG A	258	11.574	-7.927	6.133	1.00	20.43	C
ATOM	1935	CB	ARG A	258	12.589	-7.534	5.076	1.00	20.43	C
ATOM	1936	CG	ARG A	258	12.356	-6.141	4.500	1.00	22.50	C
ATOM	1937	CD	ARG A	258	13.556	-5.618	3.721	1.00	21.73	C
ATOM	1938	NE	ARG A	258	13.292	-4.314	3.125	1.00	23.53	N
ATOM	1939	CZ	ARG A	258	14.134	-3.698	2.297	1.00	23.90	C
ATOM	1940	NH1	ARG A	258	15.304	-4.261	2.000	1.00	23.14	N

ATOM	1941	NH2	ARG	A	258	13.814	-2.516	1.782	1.00	20.62	N
ATOM	1942	C	ARG	A	258	11.679	-9.435	6.405	1.00	20.25	C
ATOM	1943	O	ARG	A	258	11.643	-10.230	5.485	1.00	19.80	O
ATOM	1944	N	GLY	A	259	11.765	-9.827	7.670	1.00	19.67	N
ATOM	1945	CA	GLY	A	259	11.892	-11.238	8.008	1.00	19.06	C
ATOM	1946	C	GLY	A	259	10.566	-11.962	7.949	1.00	18.93	C
ATOM	1947	O	GLY	A	259	9.482	-11.403	8.206	1.00	19.16	O
ATOM	1948	N	ARG	A	260	10.658	-13.231	7.612	1.00	18.71	N
ATOM	1949	CA	ARG	A	260	9.525	-14.127	7.558	1.00	19.12	C
ATOM	1950	CB	ARG	A	260	10.069	-15.541	7.368	1.00	19.46	C
ATOM	1951	CG	ARG	A	260	9.057	-16.643	7.354	1.00	20.36	C
ATOM	1952	CD	ARG	A	260	9.658	-17.929	6.786	1.00	22.53	C
ATOM	1953	NE	ARG	A	260	8.726	-19.044	6.910	1.00	23.86	N
ATOM	1954	CZ	ARG	A	260	8.776	-20.137	6.162	1.00	22.13	C
ATOM	1955	NH1	ARG	A	260	7.908	-21.093	6.370	1.00	23.83	N
ATOM	1956	NH2	ARG	A	260	9.691	-20.275	5.225	1.00	22.85	N
ATOM	1957	C	ARG	A	260	8.748	-14.063	8.849	1.00	19.65	C
ATOM	1958	O	ARG	A	260	9.340	-14.183	9.919	1.00	19.49	O
ATOM	1959	N	GLY	A	261	7.436	-13.858	8.741	1.00	19.12	N
ATOM	1960	CA	GLY	A	261	6.542	-13.853	9.878	1.00	20.54	C
ATOM	1961	C	GLY	A	261	6.376	-12.485	10.550	1.00	20.59	C
ATOM	1962	O	GLY	A	261	5.609	-12.361	11.481	1.00	21.76	O
ATOM	1963	N	PHE	A	262	7.095	-11.476	10.078	1.00	20.18	N
ATOM	1964	CA	PHE	A	262	7.061	-10.141	10.668	1.00	19.03	C
ATOM	1965	CB	PHE	A	262	8.433	-9.470	10.569	1.00	19.34	C
ATOM	1966	CG	PHE	A	262	8.650	-8.415	11.590	1.00	19.98	C
ATOM	1967	CD1	PHE	A	262	8.123	-7.135	11.400	1.00	20.35	C
ATOM	1968	CE1	PHE	A	262	8.297	-6.154	12.361	1.00	20.22	C
ATOM	1969	CZ	PHE	A	262	8.999	-6.445	13.524	1.00	22.45	C
ATOM	1970	CE2	PHE	A	262	9.525	-7.729	13.733	1.00	20.89	C
ATOM	1971	CD2	PHE	A	262	9.342	-8.700	12.768	1.00	22.74	C
ATOM	1972	C	PHE	A	262	5.979	-9.323	9.973	1.00	18.98	C
ATOM	1973	O	PHE	A	262	6.184	-8.711	8.900	1.00	18.79	O
ATOM	1974	N	CYS	A	263	4.807	-9.344	10.585	1.00	18.71	N
ATOM	1975	CA	CYS	A	263	3.615	-8.781	9.986	1.00	19.19	C
ATOM	1976	CB	CYS	A	263	2.624	-9.922	9.739	1.00	20.01	C
ATOM	1977	SG	CYS	A	263	3.315	-11.123	8.567	1.00	21.00	S
ATOM	1978	C	CYS	A	263	3.046	-7.621	10.787	1.00	18.60	C
ATOM	1979	O	CYS	A	263	3.761	-7.007	11.590	1.00	18.14	O
ATOM	1980	N	LEU	A	264	1.787	-7.262	10.544	1.00	18.39	N
ATOM	1981	CA	LEU	A	264	1.245	-6.045	11.099	1.00	18.53	C
ATOM	1982	CB	LEU	A	264	-0.199	-5.828	10.640	1.00	18.74	C
ATOM	1983	CG	LEU	A	264	-0.879	-4.477	10.889	1.00	20.81	C
ATOM	1984	CD1	LEU	A	264	-2.239	-4.456	10.141	1.00	22.12	C
ATOM	1985	CD2	LEU	A	264	-1.140	-4.225	12.347	1.00	25.24	C
ATOM	1986	C	LEU	A	264	1.404	-6.004	12.643	1.00	18.96	C
ATOM	1987	O	LEU	A	264	1.872	-4.988	13.176	1.00	18.09	O
ATOM	1988	N	PRO	A	265	1.016	-7.054	13.371	1.00	20.02	N
ATOM	1989	CA	PRO	A	265	1.155	-7.001	14.848	1.00	20.38	C
ATOM	1990	CB	PRO	A	265	0.620	-8.367	15.318	1.00	20.48	C
ATOM	1991	CG	PRO	A	265	-0.305	-8.830	14.159	1.00	20.93	C
ATOM	1992	CD	PRO	A	265	0.421	-8.332	12.925	1.00	19.91	C
ATOM	1993	C	PRO	A	265	2.584	-6.784	15.278	1.00	20.25	C
ATOM	1994	O	PRO	A	265	2.822	-6.019	16.219	1.00	22.03	O

ATOM	1995	N	GLN	A	266	3.527	-7.400	14.588	1.00	20.31	N
ATOM	1996	CA	GLN	A	266	4.938	-7.251	14.943	1.00	20.71	C
ATOM	1997	CB	GLN	A	266	5.796	-8.309	14.258	1.00	21.26	C
ATOM	1998	CG	GLN	A	266	5.591	-9.755	14.779	1.00	21.52	C
ATOM	1999	CD	GLN	A	266	4.262	-10.355	14.345	1.00	22.49	C
ATOM	2000	OE1	GLN	A	266	3.743	-10.039	13.249	1.00	19.94	O
ATOM	2001	NE2	GLN	A	266	3.682	-11.197	15.208	1.00	21.10	N
ATOM	2002	C	GLN	A	266	5.444	-5.824	14.649	1.00	20.82	C
ATOM	2003	O	GLN	A	266	6.191	-5.256	15.450	1.00	20.00	O
ATOM	2004	N	VAL	A	267	5.001	-5.241	13.528	1.00	20.57	N
ATOM	2005	CA	VAL	A	267	5.355	-3.864	13.173	1.00	20.83	C
ATOM	2006	CB	VAL	A	267	4.751	-3.454	11.801	1.00	20.84	C
ATOM	2007	CG1	VAL	A	267	4.918	-1.941	11.549	1.00	22.16	C
ATOM	2008	CG2	VAL	A	267	5.403	-4.244	10.683	1.00	19.95	C
ATOM	2009	C	VAL	A	267	4.904	-2.896	14.263	1.00	21.54	C
ATOM	2010	O	VAL	A	267	5.665	-2.008	14.665	1.00	22.45	O
ATOM	2011	N	VAL	A	268	3.688	-3.084	14.750	1.00	22.21	N
ATOM	2012	CA	VAL	A	268	3.097	-2.220	15.753	1.00	23.53	C
ATOM	2013	CB	VAL	A	268	1.591	-2.539	15.949	1.00	23.70	C
ATOM	2014	CG1	VAL	A	268	1.049	-1.869	17.200	1.00	25.83	C
ATOM	2015	CG2	VAL	A	268	0.783	-2.101	14.729	1.00	25.11	C
ATOM	2016	C	VAL	A	268	3.810	-2.367	17.112	1.00	23.89	C
ATOM	2017	O	VAL	A	268	4.129	-1.362	17.768	1.00	24.12	O
ATOM	2018	N	LEU	A	269	4.078	-3.608	17.518	1.00	24.17	N
ATOM	2019	CA	LEU	A	269	4.626	-3.887	18.864	1.00	24.38	C
ATOM	2020	CB	LEU	A	269	4.333	-5.336	19.297	1.00	24.85	C
ATOM	2021	CG	LEU	A	269	2.859	-5.656	19.557	1.00	28.33	C
ATOM	2022	CD1	LEU	A	269	2.661	-7.167	19.773	1.00	31.14	C
ATOM	2023	CD2	LEU	A	269	2.250	-4.860	20.763	1.00	32.16	C
ATOM	2024	C	LEU	A	269	6.114	-3.616	18.997	1.00	23.41	C
ATOM	2025	O	LEU	A	269	6.595	-3.299	20.085	1.00	23.41	O
ATOM	2026	N	THR	A	270	6.854	-3.725	17.900	1.00	22.72	N
ATOM	2027	CA	THR	A	270	8.309	-3.727	17.979	1.00	21.98	C
ATOM	2028	CB	THR	A	270	8.873	-4.600	16.838	1.00	21.93	C
ATOM	2029	OG1	THR	A	270	8.290	-5.918	16.921	1.00	21.02	O
ATOM	2030	CG2	THR	A	270	10.382	-4.831	16.982	1.00	22.55	C
ATOM	2031	C	THR	A	270	8.859	-2.298	17.935	1.00	22.07	C
ATOM	2032	O	THR	A	270	9.898	-2.006	18.538	1.00	22.01	O
ATOM	2033	N	TYR	A	271	8.151	-1.390	17.253	1.00	21.81	N
ATOM	2034	CA	TYR	A	271	8.745	-0.111	16.884	1.00	21.69	C
ATOM	2035	CB	TYR	A	271	8.809	-0.018	15.354	1.00	21.10	C
ATOM	2036	CG	TYR	A	271	9.616	-1.118	14.702	1.00	21.83	C
ATOM	2037	CD1	TYR	A	271	9.041	-1.945	13.733	1.00	20.37	C
ATOM	2038	CE1	TYR	A	271	9.767	-2.958	13.122	1.00	20.34	C
ATOM	2039	CZ	TYR	A	271	11.090	-3.157	13.461	1.00	20.04	C
ATOM	2040	OH	TYR	A	271	11.764	-4.167	12.830	1.00	21.73	O
ATOM	2041	CE2	TYR	A	271	11.710	-2.349	14.419	1.00	21.95	C
ATOM	2042	CD2	TYR	A	271	10.970	-1.323	15.032	1.00	23.26	C
ATOM	2043	C	TYR	A	271	8.131	1.195	17.455	1.00	21.36	C
ATOM	2044	O	TYR	A	271	8.422	2.247	16.922	1.00	21.36	O
ATOM	2045	N	PRO	A	272	7.329	1.176	18.510	1.00	21.75	N
ATOM	2046	CA	PRO	A	272	6.762	2.448	18.998	1.00	22.22	C
ATOM	2047	CB	PRO	A	272	5.947	2.054	20.249	1.00	22.58	C
ATOM	2048	CG	PRO	A	272	6.322	0.655	20.586	1.00	23.51	C

ATOM	2049	CD	PRO	A	272	6.959	0.039	19.369	1.00	22.42	C
ATOM	2050	C	PRO	A	272	7.889	3.422	19.345	1.00	22.14	C
ATOM	2051	O	PRO	A	272	8.903	2.989	19.897	1.00	21.32	O
ATOM	2052	N	PHE	A	273	7.757	4.691	18.933	1.00	22.28	N
ATOM	2053	CA	PHE	A	273	8.710	5.766	19.272	1.00	22.18	C
ATOM	2054	CB	PHE	A	273	8.852	5.920	20.814	1.00	22.15	C
ATOM	2055	CG	PHE	A	273	7.520	5.915	21.519	1.00	20.75	C
ATOM	2056	CD1	PHE	A	273	6.551	6.878	21.192	1.00	20.53	C
ATOM	2057	CE1	PHE	A	273	5.307	6.868	21.769	1.00	18.78	C
ATOM	2058	CZ	PHE	A	273	4.975	5.859	22.702	1.00	19.61	C
ATOM	2059	CE2	PHE	A	273	5.927	4.893	23.033	1.00	19.67	C
ATOM	2060	CD2	PHE	A	273	7.188	4.917	22.422	1.00	21.84	C
ATOM	2061	C	PHE	A	273	10.052	5.658	18.557	1.00	23.45	C
ATOM	2062	O	PHE	A	273	10.933	6.471	18.767	1.00	24.38	O
ATOM	2063	N	LEU	A	274	10.205	4.697	17.657	1.00	24.31	N
ATOM	2064	CA	LEU	A	274	11.342	4.707	16.749	1.00	24.81	C
ATOM	2065	CB	LEU	A	274	11.301	3.500	15.805	1.00	24.63	C
ATOM	2066	CG	LEU	A	274	12.336	3.503	14.685	1.00	26.53	C
ATOM	2067	CD1	LEU	A	274	13.744	3.322	15.268	1.00	28.45	C
ATOM	2068	CD2	LEU	A	274	12.054	2.417	13.657	1.00	25.69	C
ATOM	2069	C	LEU	A	274	11.344	5.997	15.928	1.00	24.33	C
ATOM	2070	O	LEU	A	274	10.338	6.360	15.338	1.00	24.52	O
ATOM	2071	N	ASN	A	275	12.485	6.676	15.901	1.00	24.15	N
ATOM	2072	CA	ASN	A	275	12.774	7.711	14.913	1.00	24.19	C
ATOM	2073	CB	ASN	A	275	13.591	8.868	15.543	1.00	23.75	C
ATOM	2074	CG	ASN	A	275	14.009	9.924	14.531	1.00	23.64	C
ATOM	2075	OD1	ASN	A	275	13.746	9.805	13.327	1.00	23.12	O
ATOM	2076	ND2	ASN	A	275	14.719	10.950	15.007	1.00	25.11	N
ATOM	2077	C	ASN	A	275	13.554	7.023	13.824	1.00	24.36	C
ATOM	2078	O	ASN	A	275	14.698	6.614	14.044	1.00	24.30	O
ATOM	2079	N	VAL	A	276	12.960	6.900	12.642	1.00	24.49	N
ATOM	2080	CA	VAL	A	276	13.598	6.190	11.528	1.00	25.16	C
ATOM	2081	CB	VAL	A	276	12.616	6.048	10.320	1.00	24.87	C
ATOM	2082	CG1	VAL	A	276	13.293	5.454	9.122	1.00	25.09	C
ATOM	2083	CG2	VAL	A	276	11.411	5.178	10.706	1.00	24.05	C
ATOM	2084	C	VAL	A	276	14.969	6.795	11.102	1.00	26.41	C
ATOM	2085	O	VAL	A	276	15.828	6.096	10.551	1.00	25.72	O
ATOM	2086	N	PHE	A	277	15.183	8.081	11.383	1.00	28.02	N
ATOM	2087	CA	PHE	A	277	16.449	8.732	11.043	1.00	28.99	C
ATOM	2088	CB	PHE	A	277	16.318	10.246	11.155	1.00	29.81	C
ATOM	2089	CG	PHE	A	277	15.328	10.844	10.196	1.00	30.82	C
ATOM	2090	CD1	PHE	A	277	14.324	11.684	10.652	1.00	33.52	C
ATOM	2091	CE1	PHE	A	277	13.414	12.249	9.767	1.00	34.57	C
ATOM	2092	CZ	PHE	A	277	13.479	11.955	8.422	1.00	33.22	C
ATOM	2093	CE2	PHE	A	277	14.476	11.129	7.948	1.00	34.98	C
ATOM	2094	CD2	PHE	A	277	15.404	10.571	8.845	1.00	34.49	C
ATOM	2095	C	PHE	A	277	17.642	8.254	11.889	1.00	30.01	C
ATOM	2096	O	PHE	A	277	18.790	8.373	11.447	1.00	30.13	O
ATOM	2097	N	SER	A	278	17.366	7.720	13.083	1.00	30.09	N
ATOM	2098	CA	SER	A	278	18.371	7.069	13.911	1.00	30.89	C
ATOM	2099	CB	SER	A	278	17.792	6.671	15.276	1.00	30.66	C
ATOM	2100	OG	SER	A	278	17.010	5.477	15.181	1.00	30.79	O
ATOM	2101	C	SER	A	278	18.994	5.852	13.234	1.00	31.53	C
ATOM	2102	O	SER	A	278	20.069	5.411	13.633	1.00	31.47	O

ATOM	2103	N	LEU	A	279	18.347	5.326	12.193	1.00	32.03	N
ATOM	2104	CA	LEU	A	279	18.874	4.167	11.467	1.00	32.31	C
ATOM	2105	CB	LEU	A	279	17.724	3.372	10.822	1.00	32.13	C
ATOM	2106	CG	LEU	A	279	16.592	2.957	11.772	1.00	31.36	C
ATOM	2107	CD1	LEU	A	279	15.581	2.108	11.011	1.00	31.45	C
ATOM	2108	CD2	LEU	A	279	17.136	2.206	12.982	1.00	31.30	C
ATOM	2109	C	LEU	A	279	19.891	4.531	10.391	1.00	33.30	C
ATOM	2110	O	LEU	A	279	20.561	3.655	9.867	1.00	31.05	O
ATOM	2111	N	VAL	A	280	19.970	5.812	10.035	1.00	35.28	N
ATOM	2112	CA	VAL	A	280	20.894	6.274	9.003	1.00	37.40	C
ATOM	2113	CB	VAL	A	280	20.144	6.752	7.720	1.00	37.20	C
ATOM	2114	CG1	VAL	A	280	19.464	5.589	7.052	1.00	36.37	C
ATOM	2115	CG2	VAL	A	280	19.156	7.895	8.033	1.00	35.61	C
ATOM	2116	C	VAL	A	280	21.842	7.369	9.509	1.00	40.45	C
ATOM	2117	O	VAL	A	280	21.800	7.790	10.672	1.00	40.07	O
ATOM	2118	N	ASN	A	281	22.705	7.816	8.612	1.00	44.73	N
ATOM	2119	CA	ASN	A	281	23.806	8.722	8.956	1.00	48.30	C
ATOM	2120	CB	ASN	A	281	25.071	8.307	8.163	1.00	48.77	C
ATOM	2121	CG	ASN	A	281	25.107	8.861	6.730	1.00	51.32	C
ATOM	2122	OD1	ASN	A	281	26.195	9.127	6.180	1.00	55.46	O
ATOM	2123	ND2	ASN	A	281	23.932	9.035	6.116	1.00	53.72	N
ATOM	2124	C	ASN	A	281	23.467	10.216	8.749	1.00	50.36	C
ATOM	2125	O	ASN	A	281	24.362	11.070	8.811	1.00	51.01	O
ATOM	2126	N	ASP	A	282	22.175	10.512	8.542	1.00	52.63	N
ATOM	2127	CA	ASP	A	282	21.733	11.775	7.958	1.00	53.93	C
ATOM	2128	CB	ASP	A	282	22.079	11.779	6.460	1.00	54.59	C
ATOM	2129	CG	ASP	A	282	21.804	13.128	5.772	1.00	56.80	C
ATOM	2130	OD1	ASP	A	282	21.800	14.178	6.457	1.00	59.26	O
ATOM	2131	OD2	ASP	A	282	21.601	13.231	4.536	1.00	60.00	O
ATOM	2132	C	ASP	A	282	20.224	12.016	8.142	1.00	54.69	C
ATOM	2133	O	ASP	A	282	19.376	11.324	7.564	1.00	54.92	O
ATOM	2134	N	THR	A	283	19.906	13.037	8.924	1.00	55.14	N
ATOM	2135	CA	THR	A	283	18.526	13.489	9.128	1.00	55.47	C
ATOM	2136	CB	THR	A	283	18.507	14.458	10.334	1.00	55.94	C
ATOM	2137	OG1	THR	A	283	19.442	15.532	10.120	1.00	56.07	O
ATOM	2138	CG2	THR	A	283	19.024	13.751	11.610	1.00	56.96	C
ATOM	2139	C	THR	A	283	17.869	14.181	7.904	1.00	55.09	C
ATOM	2140	O	THR	A	283	16.655	14.419	7.883	1.00	55.10	O
ATOM	2141	N	ASN	A	284	18.672	14.519	6.903	1.00	54.56	N
ATOM	2142	CA	ASN	A	284	18.199	15.263	5.734	1.00	53.89	C
ATOM	2143	CB	ASN	A	284	19.294	16.251	5.280	1.00	54.03	C
ATOM	2144	CG	ASN	A	284	18.748	17.406	4.434	1.00	55.55	C
ATOM	2145	OD1	ASN	A	284	17.903	18.193	4.891	1.00	55.89	O
ATOM	2146	ND2	ASN	A	284	19.232	17.509	3.190	1.00	56.29	N
ATOM	2147	C	ASN	A	284	17.807	14.330	4.585	1.00	52.67	C
ATOM	2148	O	ASN	A	284	17.758	14.757	3.431	1.00	52.66	O
ATOM	2149	N	LEU	A	285	17.493	13.071	4.895	1.00	51.11	N
ATOM	2150	CA	LEU	A	285	17.303	12.056	3.849	1.00	50.21	C
ATOM	2151	CB	LEU	A	285	17.191	10.657	4.465	1.00	50.68	C
ATOM	2152	CG	LEU	A	285	18.272	9.685	4.007	1.00	51.71	C
ATOM	2153	CD1	LEU	A	285	19.644	10.086	4.534	1.00	53.21	C
ATOM	2154	CD2	LEU	A	285	17.917	8.276	4.451	1.00	52.98	C
ATOM	2155	C	LEU	A	285	16.115	12.297	2.911	1.00	48.62	C
ATOM	2156	O	LEU	A	285	16.205	12.004	1.716	1.00	47.51	O

ATOM	2157	N	LEU	A	286	15.011	12.813	3.451	1.00	47.17	N
ATOM	2158	CA	LEU	A	286	13.825	13.140	2.648	1.00	46.45	C
ATOM	2159	CB	LEU	A	286	12.697	13.712	3.518	1.00	46.47	C
ATOM	2160	CG	LEU	A	286	12.123	12.862	4.647	1.00	46.38	C
ATOM	2161	CD1	LEU	A	286	11.164	13.693	5.469	1.00	46.60	C
ATOM	2162	CD2	LEU	A	286	11.429	11.640	4.119	1.00	46.87	C
ATOM	2163	C	LEU	A	286	14.119	14.147	1.540	1.00	45.74	C
ATOM	2164	O	LEU	A	286	13.507	14.087	0.468	1.00	45.32	O
ATOM	2165	N	ASN	A	287	15.047	15.068	1.803	1.00	45.06	N
ATOM	2166	CA	ASN	A	287	15.427	16.096	0.828	1.00	45.15	C
ATOM	2167	CB	ASN	A	287	15.864	17.370	1.556	1.00	45.70	C
ATOM	2168	CG	ASN	A	287	14.806	17.884	2.499	1.00	46.56	C
ATOM	2169	OD1	ASN	A	287	13.661	18.074	2.100	1.00	48.78	O
ATOM	2170	ND2	ASN	A	287	15.173	18.086	3.758	1.00	47.24	N
ATOM	2171	C	ASN	A	287	16.520	15.703	-0.161	1.00	44.45	C
ATOM	2172	O	ASN	A	287	16.858	16.493	-1.035	1.00	44.52	O
ATOM	2173	N	GLU	A	288	17.067	14.499	-0.030	1.00	43.97	N
ATOM	2174	CA	GLU	A	288	18.135	14.020	-0.918	1.00	43.90	C
ATOM	2175	CB	GLU	A	288	19.036	13.052	-0.177	1.00	44.13	C
ATOM	2176	CG	GLU	A	288	19.556	13.575	1.142	1.00	47.48	C
ATOM	2177	CD	GLU	A	288	21.017	13.906	1.072	1.00	51.81	C
ATOM	2178	OE1	GLU	A	288	21.828	13.046	1.478	1.00	55.30	O
ATOM	2179	OE2	GLU	A	288	21.341	15.017	0.590	1.00	54.63	O
ATOM	2180	C	GLU	A	288	17.605	13.285	-2.129	1.00	43.05	C
ATOM	2181	O	GLU	A	288	16.540	12.673	-2.067	1.00	42.61	O
ATOM	2182	N	ALA	A	289	18.375	13.303	-3.214	1.00	42.37	N
ATOM	2183	CA	ALA	A	289	18.112	12.436	-4.372	1.00	41.54	C
ATOM	2184	CB	ALA	A	289	18.769	12.989	-5.616	1.00	41.65	C
ATOM	2185	C	ALA	A	289	18.645	11.042	-4.071	1.00	40.48	C
ATOM	2186	O	ALA	A	289	19.673	10.927	-3.421	1.00	41.60	O
ATOM	2187	N	PRO	A	290	17.953	9.980	-4.493	1.00	38.68	N
ATOM	2188	CA	PRO	A	290	16.731	10.046	-5.302	1.00	36.92	C
ATOM	2189	CB	PRO	A	290	16.840	8.781	-6.143	1.00	37.32	C
ATOM	2190	CG	PRO	A	290	17.457	7.757	-5.147	1.00	38.54	C
ATOM	2191	CD	PRO	A	290	18.303	8.583	-4.171	1.00	38.67	C
ATOM	2192	C	PRO	A	290	15.430	9.990	-4.471	1.00	35.02	C
ATOM	2193	O	PRO	A	290	14.373	9.844	-5.070	1.00	33.65	O
ATOM	2194	N	ILE	A	291	15.499	10.128	-3.146	1.00	33.50	N
ATOM	2195	CA	ILE	A	291	14.304	10.010	-2.312	1.00	32.63	C
ATOM	2196	CB	ILE	A	291	14.683	9.900	-0.829	1.00	32.77	C
ATOM	2197	CG1	ILE	A	291	15.400	8.564	-0.578	1.00	33.25	C
ATOM	2198	CD1	ILE	A	291	15.934	8.421	0.831	1.00	35.56	C
ATOM	2199	CG2	ILE	A	291	13.416	10.009	0.060	1.00	32.87	C
ATOM	2200	C	ILE	A	291	13.277	11.131	-2.535	1.00	31.62	C
ATOM	2201	O	ILE	A	291	12.095	10.866	-2.672	1.00	30.05	O
ATOM	2202	N	ALA	A	292	13.731	12.381	-2.579	1.00	30.96	N
ATOM	2203	CA	ALA	A	292	12.820	13.515	-2.759	1.00	30.68	C
ATOM	2204	CB	ALA	A	292	13.601	14.850	-2.783	1.00	30.89	C
ATOM	2205	C	ALA	A	292	12.021	13.343	-4.044	1.00	29.64	C
ATOM	2206	O	ALA	A	292	10.814	13.599	-4.101	1.00	29.42	O
ATOM	2207	N	SER	A	293	12.705	12.871	-5.065	1.00	28.56	N
ATOM	2208	CA	SER	A	293	12.099	12.691	-6.372	1.00	28.39	C
ATOM	2209	CB	SER	A	293	13.195	12.416	-7.396	1.00	28.23	C
ATOM	2210	OG	SER	A	293	12.600	12.131	-8.647	1.00	33.02	O

ATOM	2211	C	SER	A	293	11.061	11.541	-6.352	1.00	27.13	C
ATOM	2212	O	SER	A	293	9.967	11.649	-6.927	1.00	26.86	O
ATOM	2213	N	ILE	A	294	11.407	10.456	-5.670	1.00	25.19	N
ATOM	2214	CA	ILE	A	294	10.511	9.326	-5.551	1.00	24.66	C
ATOM	2215	CB	ILE	A	294	11.251	8.117	-4.888	1.00	24.91	C
ATOM	2216	CG1	ILE	A	294	12.299	7.564	-5.863	1.00	25.54	C
ATOM	2217	CD1	ILE	A	294	13.356	6.692	-5.213	1.00	26.58	C
ATOM	2218	CG2	ILE	A	294	10.256	7.014	-4.469	1.00	24.68	C
ATOM	2219	C	ILE	A	294	9.246	9.718	-4.769	1.00	23.70	C
ATOM	2220	O	ILE	A	294	8.163	9.307	-5.117	1.00	22.42	O
ATOM	2221	N	LEU	A	295	9.390	10.524	-3.727	1.00	24.12	N
ATOM	2222	CA	LEU	A	295	8.249	10.927	-2.911	1.00	24.72	C
ATOM	2223	CB	LEU	A	295	8.721	11.646	-1.654	1.00	24.80	C
ATOM	2224	CG	LEU	A	295	9.396	10.702	-0.648	1.00	26.25	C
ATOM	2225	CD1	LEU	A	295	9.963	11.447	0.572	1.00	28.33	C
ATOM	2226	CD2	LEU	A	295	8.461	9.586	-0.188	1.00	26.48	C
ATOM	2227	C	LEU	A	295	7.230	11.762	-3.679	1.00	24.94	C
ATOM	2228	O	LEU	A	295	6.007	11.675	-3.414	1.00	24.79	O
ATOM	2229	N	LYS	A	296	7.725	12.534	-4.654	1.00	24.74	N
ATOM	2230	CA	LYS	A	296	6.881	13.311	-5.564	1.00	24.48	C
ATOM	2231	CB	LYS	A	296	7.717	14.385	-6.275	1.00	24.80	C
ATOM	2232	CG	LYS	A	296	8.246	15.468	-5.365	1.00	27.78	C
ATOM	2233	CD	LYS	A	296	8.911	16.616	-6.161	1.00	33.10	C
ATOM	2234	CE	LYS	A	296	9.591	17.644	-5.231	1.00	37.18	C
ATOM	2235	NZ	LYS	A	296	10.364	18.714	-6.028	1.00	40.74	N
ATOM	2236	C	LYS	A	296	6.152	12.462	-6.604	1.00	23.56	C
ATOM	2237	O	LYS	A	296	5.176	12.902	-7.193	1.00	23.24	O
ATOM	2238	N	GLN	A	297	6.658	11.268	-6.857	1.00	23.49	N
ATOM	2239	CA	GLN	A	297	5.950	10.242	-7.619	1.00	23.95	C
ATOM	2240	CB	GLN	A	297	6.954	9.276	-8.258	1.00	24.77	C
ATOM	2241	CG	GLN	A	297	7.912	10.018	-9.185	1.00	29.61	C
ATOM	2242	CD	GLN	A	297	8.948	9.155	-9.881	1.00	33.66	C
ATOM	2243	OE1	GLN	A	297	9.324	9.476	-10.999	1.00	42.22	O
ATOM	2244	NE2	GLN	A	297	9.411	8.105	-9.247	1.00	34.66	N
ATOM	2245	C	GLN	A	297	4.956	9.453	-6.744	1.00	23.03	C
ATOM	2246	O	GLN	A	297	3.927	9.029	-7.242	1.00	23.07	O
ATOM	2247	N	GLU	A	298	5.265	9.289	-5.449	1.00	21.77	N
ATOM	2248	CA	GLU	A	298	4.501	8.399	-4.557	1.00	21.72	C
ATOM	2249	CB	GLU	A	298	5.462	7.599	-3.673	1.00	20.67	C
ATOM	2250	CG	GLU	A	298	6.244	6.541	-4.445	1.00	20.98	C
ATOM	2251	CD	GLU	A	298	5.453	5.265	-4.784	1.00	22.06	C
ATOM	2252	OE1	GLU	A	298	4.238	5.190	-4.475	1.00	20.49	O
ATOM	2253	OE2	GLU	A	298	6.056	4.319	-5.373	1.00	23.05	O
ATOM	2254	C	GLU	A	298	3.453	9.191	-3.749	1.00	20.88	C
ATOM	2255	O	GLU	A	298	3.338	9.104	-2.525	1.00	21.60	O
ATOM	2256	N	THR	A	299	2.709	10.001	-4.474	1.00	20.90	N
ATOM	2257	CA	THR	A	299	1.629	10.787	-3.923	1.00	20.98	C
ATOM	2258	CB	THR	A	299	2.186	12.138	-3.364	1.00	21.34	C
ATOM	2259	OG1	THR	A	299	1.126	12.929	-2.783	1.00	21.22	O
ATOM	2260	CG2	THR	A	299	2.777	13.016	-4.517	1.00	21.88	C
ATOM	2261	C	THR	A	299	0.580	10.993	-4.998	1.00	21.57	C
ATOM	2262	O	THR	A	299	0.893	11.043	-6.206	1.00	22.29	O
ATOM	2263	N	VAL	A	300	-0.677	11.104	-4.570	1.00	22.33	N
ATOM	2264	CA	VAL	A	300	-1.768	11.531	-5.438	1.00	22.15	C

ATOM	2265	CB	VAL A	300	-2.963	10.510	-5.431	1.00	22.32	C
ATOM	2266	CG1	VAL A	300	-2.546	9.206	-6.008	1.00	22.29	C
ATOM	2267	CG2	VAL A	300	-3.500	10.300	-4.031	1.00	21.60	C
ATOM	2268	C	VAL A	300	-2.279	12.948	-5.088	1.00	22.51	C
ATOM	2269	O	VAL A	300	-3.288	13.397	-5.641	1.00	23.33	O
ATOM	2270	N	VAL A	301	-1.594	13.641	-4.179	1.00	23.23	N
ATOM	2271	CA	VAL A	301	-1.860	15.054	-3.873	1.00	23.06	C
ATOM	2272	CB	VAL A	301	-1.331	15.437	-2.494	1.00	22.95	C
ATOM	2273	CG1	VAL A	301	-1.566	16.952	-2.187	1.00	23.04	C
ATOM	2274	CG2	VAL A	301	-1.980	14.578	-1.421	1.00	24.43	C
ATOM	2275	C	VAL A	301	-1.145	15.905	-4.942	1.00	23.26	C
ATOM	2276	O	VAL A	301	0.077	15.882	-5.020	1.00	22.55	O
ATOM	2277	N	GLN A	302	-1.910	16.599	-5.776	1.00	23.96	N
ATOM	2278	CA	GLN A	302	-1.374	17.318	-6.952	1.00	24.66	C
ATOM	2279	CB	GLN A	302	-2.498	17.786	-7.891	1.00	25.15	C
ATOM	2280	CG	GLN A	302	-2.030	18.428	-9.253	1.00	24.20	C
ATOM	2281	CD	GLN A	302	-1.296	17.454	-10.147	1.00	24.79	C
ATOM	2282	OE1	GLN A	302	-1.922	16.788	-10.959	1.00	26.48	O
ATOM	2283	NE2	GLN A	302	0.038	17.393	-10.026	1.00	23.36	N
ATOM	2284	C	GLN A	302	-0.435	18.478	-6.585	1.00	25.05	C
ATOM	2285	O	GLN A	302	0.536	18.691	-7.278	1.00	25.61	O
ATOM	2286	N	ALA A	303	-0.658	19.149	-5.460	1.00	25.53	N
ATOM	2287	CA	ALA A	303	0.236	20.223	-5.041	1.00	25.96	C
ATOM	2288	CB	ALA A	303	-0.305	20.938	-3.802	1.00	25.95	C
ATOM	2289	C	ALA A	303	1.650	19.688	-4.793	1.00	26.24	C
ATOM	2290	O	ALA A	303	2.631	20.430	-4.915	1.00	26.29	O
ATOM	2291	N	GLU A	304	1.750	18.395	-4.455	1.00	25.79	N
ATOM	2292	CA	GLU A	304	3.019	17.751	-4.139	1.00	25.41	C
ATOM	2293	CB	GLU A	304	2.806	16.747	-2.978	1.00	25.70	C
ATOM	2294	CG	GLU A	304	4.092	16.131	-2.454	1.00	25.88	C
ATOM	2295	CD	GLU A	304	3.905	14.977	-1.457	1.00	26.20	C
ATOM	2296	OE1	GLU A	304	2.751	14.602	-1.080	1.00	22.74	O
ATOM	2297	OE2	GLU A	304	4.954	14.425	-1.089	1.00	24.86	O
ATOM	2298	C	GLU A	304	3.624	17.007	-5.329	1.00	25.26	C
ATOM	2299	O	GLU A	304	4.848	16.879	-5.427	1.00	25.45	O
ATOM	2300	N	ALA A	305	2.773	16.473	-6.196	1.00	24.86	N
ATOM	2301	CA	ALA A	305	3.205	15.536	-7.236	1.00	25.33	C
ATOM	2302	CB	ALA A	305	2.007	14.826	-7.830	1.00	25.38	C
ATOM	2303	C	ALA A	305	4.006	16.181	-8.363	1.00	26.01	C
ATOM	2304	O	ALA A	305	3.779	17.339	-8.716	1.00	25.55	O
ATOM	2305	N	SER A	306	4.903	15.386	-8.950	1.00	26.68	N
ATOM	2306	CA	SER A	306	5.768	15.830	-10.039	1.00	27.13	C
ATOM	2307	CB	SER A	306	7.184	15.261	-9.849	1.00	27.31	C
ATOM	2308	OG	SER A	306	7.175	13.834	-9.821	1.00	27.83	O
ATOM	2309	C	SER A	306	5.179	15.404	-11.388	1.00	27.38	C
ATOM	2310	O	SER A	306	5.861	15.498	-12.412	1.00	28.39	O
ATOM	2311	N	TYR A	307	3.927	14.917	-11.376	1.00	26.23	N
ATOM	2312	CA	TYR A	307	3.232	14.429	-12.581	1.00	25.48	C
ATOM	2313	CB	TYR A	307	3.329	12.886	-12.741	1.00	25.58	C
ATOM	2314	CG	TYR A	307	2.565	12.141	-11.645	1.00	24.84	C
ATOM	2315	CD1	TYR A	307	3.045	12.104	-10.346	1.00	24.62	C
ATOM	2316	CE1	TYR A	307	2.327	11.476	-9.330	1.00	24.64	C
ATOM	2317	CZ	TYR A	307	1.125	10.874	-9.621	1.00	24.51	C
ATOM	2318	OH	TYR A	307	0.405	10.273	-8.622	1.00	24.83	O

ATOM	2319	CE2	TYR	A	307	0.631	10.888	-10.912	1.00	25.01	C
ATOM	2320	CD2	TYR	A	307	1.339	11.534	-11.906	1.00	26.47	C
ATOM	2321	C	TYR	A	307	1.776	14.886	-12.463	1.00	25.06	C
ATOM	2322	O	TYR	A	307	1.365	15.410	-11.426	1.00	24.91	O
ATOM	2323	N	THR	A	308	1.027	14.722	-13.540	1.00	24.57	N
ATOM	2324	CA	THR	A	308	-0.381	15.070	-13.580	1.00	25.51	C
ATOM	2325	CB	THR	A	308	-0.812	15.463	-15.019	1.00	26.03	C
ATOM	2326	OG1	THR	A	308	-0.078	16.632	-15.412	1.00	26.17	O
ATOM	2327	CG2	THR	A	308	-2.297	15.919	-15.042	1.00	27.12	C
ATOM	2328	C	THR	A	308	-1.218	13.903	-13.075	1.00	24.67	C
ATOM	2329	O	THR	A	308	-1.286	12.865	-13.706	1.00	24.23	O
ATOM	2330	N	VAL	A	309	-1.853	14.107	-11.926	1.00	23.99	N
ATOM	2331	CA	VAL	A	309	-2.606	13.067	-11.236	1.00	23.38	C
ATOM	2332	CB	VAL	A	309	-2.809	13.451	-9.723	1.00	22.92	C
ATOM	2333	CG1	VAL	A	309	-3.551	12.352	-8.990	1.00	23.97	C
ATOM	2334	CG2	VAL	A	309	-1.475	13.751	-9.049	1.00	22.40	C
ATOM	2335	C	VAL	A	309	-3.973	12.914	-11.899	1.00	22.73	C
ATOM	2336	O	VAL	A	309	-4.679	13.890	-12.094	1.00	23.35	O
ATOM	2337	N	SER	A	310	-4.361	11.685	-12.190	1.00	21.79	N
ATOM	2338	CA	SER	A	310	-5.691	11.391	-12.684	1.00	21.76	C
ATOM	2339	CB	SER	A	310	-5.831	9.893	-12.918	1.00	22.10	C
ATOM	2340	OG	SER	A	310	-7.119	9.555	-13.371	1.00	23.46	O
ATOM	2341	C	SER	A	310	-6.795	11.860	-11.739	1.00	21.55	C
ATOM	2342	O	SER	A	310	-6.627	11.889	-10.511	1.00	20.23	O
ATOM	2343	N	VAL	A	311	-7.916	12.244	-12.340	1.00	21.49	N
ATOM	2344	CA	VAL	A	311	-9.123	12.648	-11.623	1.00	22.12	C
ATOM	2345	CB	VAL	A	311	-9.505	14.107	-11.910	1.00	21.99	C
ATOM	2346	CG1	VAL	A	311	-10.714	14.514	-11.114	1.00	23.07	C
ATOM	2347	CG2	VAL	A	311	-8.346	15.024	-11.551	1.00	23.86	C
ATOM	2348	C	VAL	A	311	-10.251	11.725	-12.046	1.00	22.27	C
ATOM	2349	O	VAL	A	311	-11.001	12.031	-12.957	1.00	22.09	O
ATOM	2350	N	PRO	A	312	-10.368	10.571	-11.390	1.00	22.51	N
ATOM	2351	CA	PRO	A	312	-11.463	9.642	-11.683	1.00	22.11	C
ATOM	2352	CB	PRO	A	312	-11.329	8.569	-10.587	1.00	22.65	C
ATOM	2353	CG	PRO	A	312	-9.969	8.714	-10.045	1.00	22.74	C
ATOM	2354	CD	PRO	A	312	-9.450	10.063	-10.356	1.00	21.88	C
ATOM	2355	C	PRO	A	312	-12.808	10.353	-11.593	1.00	21.59	C
ATOM	2356	O	PRO	A	312	-12.989	11.172	-10.705	1.00	22.74	O
ATOM	2357	N	LYS	A	313	-13.746	10.010	-12.466	1.00	21.79	N
ATOM	2358	CA	LYS	A	313	-15.012	10.745	-12.610	1.00	21.53	C
ATOM	2359	CB	LYS	A	313	-15.226	11.161	-14.096	1.00	21.97	C
ATOM	2360	CG	LYS	A	313	-14.114	12.075	-14.664	1.00	23.17	C
ATOM	2361	CD	LYS	A	313	-14.076	13.401	-13.961	1.00	24.55	C
ATOM	2362	CE	LYS	A	313	-13.157	14.426	-14.676	1.00	24.92	C
ATOM	2363	NZ	LYS	A	313	-11.800	13.922	-14.803	1.00	26.19	N
ATOM	2364	C	LYS	A	313	-16.235	9.991	-12.134	1.00	20.43	C
ATOM	2365	O	LYS	A	313	-17.296	10.590	-11.938	1.00	21.06	O
ATOM	2366	N	PHE	A	314	-16.101	8.687	-11.974	1.00	19.52	N
ATOM	2367	CA	PHE	A	314	-17.173	7.857	-11.441	1.00	20.02	C
ATOM	2368	CB	PHE	A	314	-16.829	6.375	-11.640	1.00	20.17	C
ATOM	2369	CG	PHE	A	314	-15.489	5.971	-11.063	1.00	20.88	C
ATOM	2370	CD1	PHE	A	314	-14.396	5.779	-11.888	1.00	19.49	C
ATOM	2371	CE1	PHE	A	314	-13.169	5.395	-11.370	1.00	19.98	C
ATOM	2372	CZ	PHE	A	314	-13.009	5.214	-9.981	1.00	19.06	C

ATOM	2373	CE2	PHE	A	314	-14.066	5.396	-9.153	1.00	20.31	C
ATOM	2374	CD2	PHE	A	314	-15.327	5.782	-9.682	1.00	21.66	C
ATOM	2375	C	PHE	A	314	-17.466	8.190	-9.956	1.00	19.85	C
ATOM	2376	O	PHE	A	314	-16.610	8.775	-9.274	1.00	19.87	O
ATOM	2377	N	PRO	A	315	-18.672	7.867	-9.477	1.00	20.23	N
ATOM	2378	CA	PRO	A	315	-19.052	8.174	-8.087	1.00	20.39	C
ATOM	2379	CB	PRO	A	315	-20.451	7.559	-7.937	1.00	20.37	C
ATOM	2380	CG	PRO	A	315	-20.999	7.485	-9.404	1.00	20.58	C
ATOM	2381	CD	PRO	A	315	-19.758	7.169	-10.208	1.00	20.97	C
ATOM	2382	C	PRO	A	315	-18.064	7.584	-7.061	1.00	19.49	C
ATOM	2383	O	PRO	A	315	-17.639	6.431	-7.184	1.00	19.66	O
ATOM	2384	N	ARG	A	316	-17.707	8.396	-6.080	1.00	18.61	N
ATOM	2385	CA	ARG	A	316	-16.861	7.970	-4.998	1.00	18.56	C
ATOM	2386	CB	ARG	A	316	-15.445	8.479	-5.197	1.00	18.76	C
ATOM	2387	CG	ARG	A	316	-14.715	7.796	-6.338	1.00	20.03	C
ATOM	2388	CD	ARG	A	316	-13.269	8.208	-6.445	1.00	21.92	C
ATOM	2389	NE	ARG	A	316	-13.099	9.503	-7.100	1.00	21.83	N
ATOM	2390	CZ	ARG	A	316	-11.958	10.202	-7.093	1.00	23.41	C
ATOM	2391	NH1	ARG	A	316	-10.890	9.777	-6.417	1.00	20.92	N
ATOM	2392	NH2	ARG	A	316	-11.876	11.346	-7.779	1.00	22.76	N
ATOM	2393	C	ARG	A	316	-17.401	8.421	-3.643	1.00	18.45	C
ATOM	2394	O	ARG	A	316	-18.106	9.413	-3.533	1.00	17.80	O
ATOM	2395	N	PHE	A	317	-17.089	7.622	-2.631	1.00	18.17	N
ATOM	2396	CA	PHE	A	317	-17.351	7.933	-1.233	1.00	17.99	C
ATOM	2397	CB	PHE	A	317	-18.374	6.964	-0.671	1.00	17.54	C
ATOM	2398	CG	PHE	A	317	-18.642	7.167	0.791	1.00	18.51	C
ATOM	2399	CD1	PHE	A	317	-18.094	6.299	1.739	1.00	16.77	C
ATOM	2400	CE1	PHE	A	317	-18.324	6.499	3.094	1.00	16.51	C
ATOM	2401	CZ	PHE	A	317	-19.138	7.541	3.515	1.00	16.95	C
ATOM	2402	CE2	PHE	A	317	-19.675	8.431	2.580	1.00	17.79	C
ATOM	2403	CD2	PHE	A	317	-19.448	8.230	1.230	1.00	17.50	C
ATOM	2404	C	PHE	A	317	-16.039	7.814	-0.463	1.00	17.45	C
ATOM	2405	O	PHE	A	317	-15.413	6.761	-0.482	1.00	17.38	O
ATOM	2406	N	ILE	A	318	-15.610	8.894	0.171	1.00	17.10	N
ATOM	2407	CA	ILE	A	318	-14.349	8.930	0.906	1.00	16.69	C
ATOM	2408	CB	ILE	A	318	-13.291	9.803	0.170	1.00	16.99	C
ATOM	2409	CG1	ILE	A	318	-12.989	9.229	-1.217	1.00	16.46	C
ATOM	2410	CD1	ILE	A	318	-12.039	10.090	-2.094	1.00	18.19	C
ATOM	2411	CG2	ILE	A	318	-11.999	9.914	1.010	1.00	16.93	C
ATOM	2412	C	ILE	A	318	-14.611	9.416	2.337	1.00	16.83	C
ATOM	2413	O	ILE	A	318	-15.210	10.485	2.559	1.00	17.56	O
ATOM	2414	N	TRP	A	319	-14.192	8.624	3.317	1.00	16.20	N
ATOM	2415	CA	TRP	A	319	-14.371	8.994	4.720	1.00	16.17	C
ATOM	2416	CB	TRP	A	319	-15.427	8.110	5.415	1.00	16.17	C
ATOM	2417	CG	TRP	A	319	-15.036	6.746	5.907	1.00	15.43	C
ATOM	2418	CD1	TRP	A	319	-14.762	6.397	7.210	1.00	15.40	C
ATOM	2419	NE1	TRP	A	319	-14.532	5.049	7.302	1.00	14.82	N
ATOM	2420	CE2	TRP	A	319	-14.678	4.484	6.061	1.00	14.01	C
ATOM	2421	CD2	TRP	A	319	-14.987	5.523	5.156	1.00	14.13	C
ATOM	2422	CE3	TRP	A	319	-15.206	5.190	3.820	1.00	14.37	C
ATOM	2423	CZ3	TRP	A	319	-15.053	3.859	3.417	1.00	15.28	C
ATOM	2424	CH2	TRP	A	319	-14.719	2.859	4.338	1.00	15.32	C
ATOM	2425	CZ2	TRP	A	319	-14.537	3.150	5.661	1.00	14.53	C
ATOM	2426	C	TRP	A	319	-13.085	9.037	5.489	1.00	16.17	C

ATOM	2427	O	TRP	A	319	-12.076	8.517	5.059	1.00	16.63	O
ATOM	2428	N	HIS	A	320	-13.113	9.709	6.628	1.00	17.29	N
ATOM	2429	CA	HIS	A	320	-11.906	9.876	7.415	1.00	17.01	C
ATOM	2430	CB	HIS	A	320	-10.942	10.716	6.600	1.00	17.67	C
ATOM	2431	CG	HIS	A	320	-9.490	10.426	6.854	1.00	18.97	C
ATOM	2432	ND1	HIS	A	320	-8.548	10.541	5.884	1.00	18.20	N
ATOM	2433	CE1	HIS	A	320	-7.350	10.319	6.380	1.00	20.65	C
ATOM	2434	NE2	HIS	A	320	-7.491	9.977	7.632	1.00	20.18	N
ATOM	2435	CD2	HIS	A	320	-8.832	9.968	7.936	1.00	23.20	C
ATOM	2436	C	HIS	A	320	-12.226	10.529	8.762	1.00	17.34	C
ATOM	2437	O	HIS	A	320	-13.093	11.401	8.852	1.00	17.11	O
ATOM	2438	N	ALA	A	321	-11.562	10.079	9.825	1.00	16.69	N
ATOM	2439	CA	ALA	A	321	-11.624	10.779	11.110	1.00	16.93	C
ATOM	2440	CB	ALA	A	321	-11.033	9.928	12.195	1.00	16.71	C
ATOM	2441	C	ALA	A	321	-10.844	12.082	11.012	1.00	17.10	C
ATOM	2442	O	ALA	A	321	-9.656	12.077	10.667	1.00	16.28	O
ATOM	2443	N	ILE	A	322	-11.482	13.208	11.300	1.00	17.47	N
ATOM	2444	CA	ILE	A	322	-10.707	14.454	11.371	1.00	17.83	C
ATOM	2445	CB	ILE	A	322	-11.606	15.688	11.582	1.00	18.61	C
ATOM	2446	CG1	ILE	A	322	-12.530	15.882	10.357	1.00	19.70	C
ATOM	2447	CD1	ILE	A	322	-13.722	16.962	10.531	1.00	19.95	C
ATOM	2448	CG2	ILE	A	322	-10.750	16.954	11.760	1.00	19.67	C
ATOM	2449	C	ILE	A	322	-9.548	14.319	12.397	1.00	17.57	C
ATOM	2450	O	ILE	A	322	-8.356	14.600	12.048	1.00	16.86	O
ATOM	2451	N	PRO	A	323	-9.852	13.825	13.604	1.00	16.94	N
ATOM	2452	CA	PRO	A	323	-8.829	13.606	14.636	1.00	16.77	C
ATOM	2453	CB	PRO	A	323	-9.645	13.595	15.939	1.00	16.64	C
ATOM	2454	CG	PRO	A	323	-11.024	14.048	15.547	1.00	17.19	C
ATOM	2455	CD	PRO	A	323	-11.189	13.529	14.136	1.00	17.13	C
ATOM	2456	C	PRO	A	323	-8.018	12.308	14.496	1.00	17.08	C
ATOM	2457	O	PRO	A	323	-7.527	11.781	15.504	1.00	16.47	O
ATOM	2458	N	ASP	A	324	-7.876	11.797	13.281	1.00	16.39	N
ATOM	2459	CA	ASP	A	324	-7.137	10.545	13.063	1.00	17.07	C
ATOM	2460	CB	ASP	A	324	-7.119	10.231	11.567	1.00	16.53	C
ATOM	2461	CG	ASP	A	324	-6.819	8.758	11.244	1.00	19.18	C
ATOM	2462	OD1	ASP	A	324	-5.877	8.168	11.825	1.00	18.18	O
ATOM	2463	OD2	ASP	A	324	-7.458	8.143	10.342	1.00	20.26	O
ATOM	2464	C	ASP	A	324	-5.698	10.703	13.592	1.00	16.97	C
ATOM	2465	O	ASP	A	324	-5.041	11.711	13.314	1.00	16.57	O
ATOM	2466	N	GLU	A	325	-5.246	9.684	14.319	1.00	17.49	N
ATOM	2467	CA	GLU	A	325	-3.977	9.643	15.043	1.00	17.53	C
ATOM	2468	CB	GLU	A	325	-4.264	9.307	16.519	1.00	17.94	C
ATOM	2469	CG	GLU	A	325	-4.471	7.830	16.892	1.00	18.30	C
ATOM	2470	CD	GLU	A	325	-5.849	7.245	16.582	1.00	19.99	C
ATOM	2471	OE1	GLU	A	325	-6.537	7.683	15.628	1.00	19.57	O
ATOM	2472	OE2	GLU	A	325	-6.247	6.295	17.288	1.00	21.72	O
ATOM	2473	C	GLU	A	325	-2.963	8.662	14.416	1.00	18.35	C
ATOM	2474	O	GLU	A	325	-1.843	8.465	14.926	1.00	17.85	O
ATOM	2475	N	ILE	A	326	-3.352	8.109	13.261	1.00	18.90	N
ATOM	2476	CA	ILE	A	326	-2.567	7.154	12.518	1.00	18.69	C
ATOM	2477	CB	ILE	A	326	-3.264	5.780	12.581	1.00	18.93	C
ATOM	2478	CG1	ILE	A	326	-3.484	5.385	14.047	1.00	19.16	C
ATOM	2479	CD1	ILE	A	326	-3.915	3.961	14.271	1.00	19.57	C
ATOM	2480	CG2	ILE	A	326	-2.440	4.751	11.884	1.00	20.31	C

ATOM	2481	C	ILE	A	326	-2.353	7.614	11.071	1.00	18.82	C
ATOM	2482	O	ILE	A	326	-1.212	7.588	10.544	1.00	19.40	O
ATOM	2483	N	VAL	A	327	-3.416	8.031	10.407	1.00	17.95	N
ATOM	2484	CA	VAL	A	327	-3.292	8.508	9.028	1.00	18.14	C
ATOM	2485	CB	VAL	A	327	-4.090	7.622	8.032	1.00	17.71	C
ATOM	2486	CG1	VAL	A	327	-4.004	8.178	6.607	1.00	17.69	C
ATOM	2487	CG2	VAL	A	327	-3.594	6.185	8.076	1.00	18.63	C
ATOM	2488	C	VAL	A	327	-3.803	9.948	9.005	1.00	17.96	C
ATOM	2489	O	VAL	A	327	-4.967	10.204	9.318	1.00	18.31	O
ATOM	2490	N	PRO	A	328	-2.951	10.885	8.620	1.00	18.22	N
ATOM	2491	CA	PRO	A	328	-3.283	12.305	8.766	1.00	18.48	C
ATOM	2492	CB	PRO	A	328	-2.041	13.006	8.219	1.00	17.93	C
ATOM	2493	CG	PRO	A	328	-1.398	12.010	7.322	1.00	18.91	C
ATOM	2494	CD	PRO	A	328	-1.638	10.690	7.978	1.00	18.59	C
ATOM	2495	C	PRO	A	328	-4.528	12.717	7.965	1.00	18.20	C
ATOM	2496	O	PRO	A	328	-4.622	12.341	6.819	1.00	18.83	O
ATOM	2497	N	TYR	A	329	-5.437	13.484	8.561	1.00	18.31	N
ATOM	2498	CA	TYR	A	329	-6.643	13.907	7.860	1.00	18.60	C
ATOM	2499	CB	TYR	A	329	-7.657	14.481	8.868	1.00	18.68	C
ATOM	2500	CG	TYR	A	329	-8.818	15.185	8.222	1.00	18.85	C
ATOM	2501	CD1	TYR	A	329	-9.836	14.450	7.633	1.00	19.56	C
ATOM	2502	CE1	TYR	A	329	-10.899	15.058	7.020	1.00	21.17	C
ATOM	2503	CZ	TYR	A	329	-10.978	16.446	6.968	1.00	21.29	C
ATOM	2504	OH	TYR	A	329	-12.072	17.009	6.342	1.00	23.55	O
ATOM	2505	CE2	TYR	A	329	-9.975	17.230	7.552	1.00	20.37	C
ATOM	2506	CD2	TYR	A	329	-8.893	16.592	8.177	1.00	19.31	C
ATOM	2507	C	TYR	A	329	-6.363	14.924	6.711	1.00	18.45	C
ATOM	2508	O	TYR	A	329	-6.943	14.804	5.635	1.00	19.27	O
ATOM	2509	N	GLN	A	330	-5.500	15.917	6.918	1.00	18.57	N
ATOM	2510	CA	GLN	A	330	-5.471	17.059	6.000	1.00	18.82	C
ATOM	2511	CB	GLN	A	330	-4.706	18.285	6.541	1.00	19.05	C
ATOM	2512	CG	GLN	A	330	-5.461	19.061	7.649	1.00	22.73	C
ATOM	2513	CD	GLN	A	330	-6.825	19.657	7.251	1.00	25.20	C
ATOM	2514	OE1	GLN	A	330	-7.091	19.888	6.068	1.00	29.84	O
ATOM	2515	NE2	GLN	A	330	-7.681	19.904	8.243	1.00	25.03	N
ATOM	2516	C	GLN	A	330	-5.038	16.724	4.596	1.00	18.78	C
ATOM	2517	O	GLN	A	330	-5.608	17.255	3.674	1.00	16.77	O
ATOM	2518	N	PRO	A	331	-4.039	15.850	4.405	1.00	19.48	N
ATOM	2519	CA	PRO	A	331	-3.687	15.451	3.055	1.00	19.39	C
ATOM	2520	CB	PRO	A	331	-2.544	14.450	3.275	1.00	19.40	C
ATOM	2521	CG	PRO	A	331	-1.957	14.883	4.541	1.00	19.78	C
ATOM	2522	CD	PRO	A	331	-3.159	15.209	5.397	1.00	19.47	C
ATOM	2523	C	PRO	A	331	-4.851	14.818	2.306	1.00	19.60	C
ATOM	2524	O	PRO	A	331	-4.971	15.039	1.085	1.00	18.45	O
ATOM	2525	N	ALA	A	332	-5.654	13.999	2.993	1.00	20.00	N
ATOM	2526	CA	ALA	A	332	-6.830	13.411	2.349	1.00	20.17	C
ATOM	2527	CB	ALA	A	332	-7.458	12.327	3.213	1.00	20.99	C
ATOM	2528	C	ALA	A	332	-7.869	14.503	2.012	1.00	20.10	C
ATOM	2529	O	ALA	A	332	-8.448	14.487	0.938	1.00	19.48	O
ATOM	2530	N	ALA	A	333	-8.095	15.431	2.927	1.00	19.86	N
ATOM	2531	CA	ALA	A	333	-8.979	16.563	2.655	1.00	20.51	C
ATOM	2532	CB	ALA	A	333	-9.108	17.450	3.852	1.00	20.16	C
ATOM	2533	C	ALA	A	333	-8.491	17.392	1.454	1.00	21.34	C
ATOM	2534	O	ALA	A	333	-9.315	17.847	0.649	1.00	20.38	O

ATOM	2535	N	THR	A	334	-7.170	17.567	1.305	1.00	21.65	N
ATOM	2536	CA	THR	A	334	-6.708	18.335	0.151	1.00	21.66	C
ATOM	2537	CB	THR	A	334	-5.395	19.178	0.355	1.00	22.72	C
ATOM	2538	OG1	THR	A	334	-4.399	18.897	-0.634	1.00	27.06	O
ATOM	2539	CG2	THR	A	334	-4.784	19.048	1.632	1.00	19.30	C
ATOM	2540	C	THR	A	334	-6.790	17.551	-1.144	1.00	21.84	C
ATOM	2541	O	THR	A	334	-7.197	18.118	-2.156	1.00	21.78	O
ATOM	2542	N	TYR	A	335	-6.529	16.237	-1.111	1.00	21.11	N
ATOM	2543	CA	TYR	A	335	-6.819	15.400	-2.262	1.00	20.81	C
ATOM	2544	CB	TYR	A	335	-6.589	13.920	-1.919	1.00	20.80	C
ATOM	2545	CG	TYR	A	335	-6.975	12.983	-3.012	1.00	18.77	C
ATOM	2546	CD1	TYR	A	335	-8.135	12.223	-2.920	1.00	18.78	C
ATOM	2547	CE1	TYR	A	335	-8.501	11.354	-3.933	1.00	18.34	C
ATOM	2548	CZ	TYR	A	335	-7.729	11.291	-5.077	1.00	18.42	C
ATOM	2549	OH	TYR	A	335	-8.096	10.454	-6.068	1.00	18.37	O
ATOM	2550	CE2	TYR	A	335	-6.578	12.061	-5.209	1.00	18.06	C
ATOM	2551	CD2	TYR	A	335	-6.213	12.896	-4.176	1.00	20.16	C
ATOM	2552	C	TYR	A	335	-8.266	15.595	-2.730	1.00	21.04	C
ATOM	2553	O	TYR	A	335	-8.541	15.795	-3.931	1.00	21.37	O
ATOM	2554	N	VAL	A	336	-9.207	15.492	-1.805	1.00	20.43	N
ATOM	2555	CA	VAL	A	336	-10.624	15.635	-2.180	1.00	21.10	C
ATOM	2556	CB	VAL	A	336	-11.575	15.382	-0.978	1.00	20.73	C
ATOM	2557	CG1	VAL	A	336	-12.989	15.805	-1.306	1.00	20.99	C
ATOM	2558	CG2	VAL	A	336	-11.545	13.894	-0.575	1.00	20.91	C
ATOM	2559	C	VAL	A	336	-10.889	17.025	-2.803	1.00	21.63	C
ATOM	2560	O	VAL	A	336	-11.595	17.129	-3.810	1.00	21.79	O
ATOM	2561	N	LYS	A	337	-10.328	18.067	-2.206	1.00	22.56	N
ATOM	2562	CA	LYS	A	337	-10.544	19.445	-2.687	1.00	24.34	C
ATOM	2563	CB	LYS	A	337	-9.858	20.437	-1.761	1.00	25.01	C
ATOM	2564	CG	LYS	A	337	-10.031	21.892	-2.148	1.00	29.76	C
ATOM	2565	CD	LYS	A	337	-9.531	22.832	-1.026	1.00	34.88	C
ATOM	2566	CE	LYS	A	337	-9.585	24.308	-1.463	1.00	38.70	C
ATOM	2567	NZ	LYS	A	337	-8.546	25.131	-0.737	1.00	43.01	N
ATOM	2568	C	LYS	A	337	-10.056	19.631	-4.117	1.00	24.07	C
ATOM	2569	O	LYS	A	337	-10.764	20.192	-4.947	1.00	23.75	O
ATOM	2570	N	GLU	A	338	-8.856	19.109	-4.396	1.00	24.14	N
ATOM	2571	CA	GLU	A	338	-8.242	19.161	-5.709	1.00	23.64	C
ATOM	2572	CB	GLU	A	338	-6.835	18.538	-5.679	1.00	23.73	C
ATOM	2573	CG	GLU	A	338	-5.823	19.242	-4.801	1.00	23.29	C
ATOM	2574	CD	GLU	A	338	-4.471	18.516	-4.738	1.00	24.91	C
ATOM	2575	OE1	GLU	A	338	-3.457	19.208	-4.465	1.00	23.66	O
ATOM	2576	OE2	GLU	A	338	-4.404	17.266	-4.940	1.00	22.05	O
ATOM	2577	C	GLU	A	338	-9.060	18.414	-6.721	1.00	23.93	C
ATOM	2578	O	GLU	A	338	-9.263	18.879	-7.858	1.00	24.21	O
ATOM	2579	N	GLN	A	339	-9.486	17.209	-6.346	1.00	23.70	N
ATOM	2580	CA	GLN	A	339	-10.232	16.361	-7.257	1.00	22.84	C
ATOM	2581	CB	GLN	A	339	-10.456	14.966	-6.662	1.00	22.82	C
ATOM	2582	CG	GLN	A	339	-9.158	14.185	-6.452	1.00	21.51	C
ATOM	2583	CD	GLN	A	339	-8.670	13.504	-7.727	1.00	19.99	C
ATOM	2584	OE1	GLN	A	339	-9.401	12.761	-8.375	1.00	19.00	O
ATOM	2585	NE2	GLN	A	339	-7.433	13.726	-8.051	1.00	18.92	N
ATOM	2586	C	GLN	A	339	-11.565	16.999	-7.598	1.00	23.49	C
ATOM	2587	O	GLN	A	339	-11.984	16.986	-8.756	1.00	23.44	O
ATOM	2588	N	CYS	A	340	-12.234	17.556	-6.603	1.00	24.27	N

ATOM	2589	CA	CYS	A	340	-13.537	18.196	-6.827	1.00	25.67	C
ATOM	2590	CB	CYS	A	340	-14.186	18.558	-5.501	1.00	26.28	C
ATOM	2591	SG	CYS	A	340	-14.804	17.075	-4.637	1.00	30.72	S
ATOM	2592	C	CYS	A	340	-13.445	19.436	-7.753	1.00	25.83	C
ATOM	2593	O	CYS	A	340	-14.340	19.666	-8.573	1.00	25.31	O
ATOM	2594	N	ALA	A	341	-12.347	20.181	-7.648	1.00	26.10	N
ATOM	2595	CA	ALA	A	341	-12.138	21.372	-8.493	1.00	27.02	C
ATOM	2596	CB	ALA	A	341	-11.026	22.249	-7.924	1.00	26.84	C
ATOM	2597	C	ALA	A	341	-11.837	20.970	-9.945	1.00	27.34	C
ATOM	2598	O	ALA	A	341	-11.935	21.789	-10.846	1.00	27.67	O
ATOM	2599	N	LYS	A	342	-11.499	19.698	-10.168	1.00	27.30	N
ATOM	2600	CA	LYS	A	342	-11.268	19.190	-11.510	1.00	27.50	C
ATOM	2601	CB	LYS	A	342	-9.912	18.511	-11.569	1.00	28.24	C
ATOM	2602	CG	LYS	A	342	-8.740	19.466	-11.370	1.00	31.04	C
ATOM	2603	CD	LYS	A	342	-7.760	19.401	-12.555	1.00	37.32	C
ATOM	2604	CE	LYS	A	342	-6.546	18.528	-12.295	1.00	39.41	C
ATOM	2605	NZ	LYS	A	342	-5.613	18.346	-13.509	1.00	39.19	N
ATOM	2606	C	LYS	A	342	-12.369	18.271	-12.022	1.00	26.61	C
ATOM	2607	O	LYS	A	342	-12.157	17.527	-12.966	1.00	26.57	O
ATOM	2608	N	GLY	A	343	-13.563	18.358	-11.442	1.00	25.91	N
ATOM	2609	CA	GLY	A	343	-14.706	17.609	-11.945	1.00	25.82	C
ATOM	2610	C	GLY	A	343	-15.001	16.242	-11.335	1.00	25.12	C
ATOM	2611	O	GLY	A	343	-15.850	15.499	-11.849	1.00	25.02	O
ATOM	2612	N	ALA	A	344	-14.369	15.917	-10.211	1.00	24.51	N
ATOM	2613	CA	ALA	A	344	-14.650	14.636	-9.529	1.00	24.15	C
ATOM	2614	CB	ALA	A	344	-13.648	14.386	-8.404	1.00	23.82	C
ATOM	2615	C	ALA	A	344	-16.084	14.593	-8.983	1.00	23.68	C
ATOM	2616	O	ALA	A	344	-16.746	15.634	-8.860	1.00	23.32	O
ATOM	2617	N	ASN	A	345	-16.562	13.384	-8.693	1.00	22.87	N
ATOM	2618	CA	ASN	A	345	-17.847	13.189	-8.021	1.00	22.42	C
ATOM	2619	CB	ASN	A	345	-18.803	12.406	-8.925	1.00	22.40	C
ATOM	2620	CG	ASN	A	345	-20.137	12.114	-8.255	1.00	21.21	C
ATOM	2621	OD1	ASN	A	345	-20.404	12.605	-7.173	1.00	21.53	O
ATOM	2622	ND2	ASN	A	345	-20.953	11.282	-8.880	1.00	20.57	N
ATOM	2623	C	ASN	A	345	-17.636	12.459	-6.691	1.00	22.25	C
ATOM	2624	O	ASN	A	345	-17.765	11.228	-6.603	1.00	21.90	O
ATOM	2625	N	ILE	A	346	-17.323	13.214	-5.651	1.00	21.97	N
ATOM	2626	CA	ILE	A	346	-16.983	12.627	-4.352	1.00	21.38	C
ATOM	2627	CB	ILE	A	346	-15.567	13.043	-3.931	1.00	21.25	C
ATOM	2628	CG1	ILE	A	346	-14.538	12.557	-4.948	1.00	21.84	C
ATOM	2629	CD1	ILE	A	346	-13.172	13.196	-4.785	1.00	22.76	C
ATOM	2630	CG2	ILE	A	346	-15.242	12.477	-2.499	1.00	22.57	C
ATOM	2631	C	ILE	A	346	-17.943	13.041	-3.258	1.00	20.53	C
ATOM	2632	O	ILE	A	346	-18.133	14.221	-3.008	1.00	20.68	O
ATOM	2633	N	ASN	A	347	-18.537	12.065	-2.587	1.00	19.78	N
ATOM	2634	CA	ASN	A	347	-19.253	12.302	-1.347	1.00	19.81	C
ATOM	2635	CB	ASN	A	347	-20.459	11.349	-1.241	1.00	20.67	C
ATOM	2636	CG	ASN	A	347	-21.214	11.487	0.070	1.00	21.47	C
ATOM	2637	OD1	ASN	A	347	-20.770	12.182	0.963	1.00	25.41	O
ATOM	2638	ND2	ASN	A	347	-22.362	10.793	0.194	1.00	20.98	N
ATOM	2639	C	ASN	A	347	-18.248	12.119	-0.204	1.00	19.30	C
ATOM	2640	O	ASN	A	347	-17.792	10.999	0.062	1.00	19.31	O
ATOM	2641	N	PHE	A	348	-17.888	13.224	0.439	1.00	18.35	N
ATOM	2642	CA	PHE	A	348	-16.818	13.280	1.442	1.00	18.49	C

ATOM	2643	CB	PHE	A	348	-16.020	14.572	1.254	1.00	18.01	C
ATOM	2644	CG	PHE	A	348	-14.785	14.684	2.095	1.00	20.02	C
ATOM	2645	CD1	PHE	A	348	-13.963	13.600	2.327	1.00	21.35	C
ATOM	2646	CE1	PHE	A	348	-12.829	13.732	3.060	1.00	21.76	C
ATOM	2647	CZ	PHE	A	348	-12.465	14.981	3.560	1.00	23.97	C
ATOM	2648	CE2	PHE	A	348	-13.249	16.079	3.328	1.00	21.30	C
ATOM	2649	CD2	PHE	A	348	-14.401	15.936	2.605	1.00	22.15	C
ATOM	2650	C	PHE	A	348	-17.419	13.239	2.824	1.00	18.40	C
ATOM	2651	O	PHE	A	348	-18.307	14.046	3.128	1.00	18.50	O
ATOM	2652	N	SER	A	349	-16.951	12.306	3.656	1.00	18.04	N
ATOM	2653	CA	SER	A	349	-17.470	12.118	5.007	1.00	17.89	C
ATOM	2654	CB	SER	A	349	-18.250	10.794	5.115	1.00	18.09	C
ATOM	2655	OG	SER	A	349	-18.481	10.444	6.481	1.00	16.36	O
ATOM	2656	C	SER	A	349	-16.380	12.175	6.094	1.00	19.27	C
ATOM	2657	O	SER	A	349	-15.947	11.132	6.629	1.00	19.32	O
ATOM	2658	N	PRO	A	350	-15.975	13.389	6.466	1.00	20.34	N
ATOM	2659	CA	PRO	A	350	-15.074	13.587	7.601	1.00	21.22	C
ATOM	2660	CB	PRO	A	350	-14.528	15.005	7.380	1.00	21.73	C
ATOM	2661	CG	PRO	A	350	-15.467	15.682	6.469	1.00	21.83	C
ATOM	2662	CD	PRO	A	350	-16.339	14.660	5.822	1.00	20.86	C
ATOM	2663	C	PRO	A	350	-15.805	13.491	8.928	1.00	21.18	C
ATOM	2664	O	PRO	A	350	-16.846	14.135	9.060	1.00	23.46	O
ATOM	2665	N	TYR	A	351	-15.321	12.687	9.871	1.00	19.76	N
ATOM	2666	CA	TYR	A	351	-15.986	12.529	11.175	1.00	19.39	C
ATOM	2667	CB	TYR	A	351	-15.979	11.054	11.640	1.00	19.38	C
ATOM	2668	CG	TYR	A	351	-16.844	10.153	10.779	1.00	18.58	C
ATOM	2669	CD1	TYR	A	351	-16.297	9.397	9.762	1.00	16.07	C
ATOM	2670	CE1	TYR	A	351	-17.085	8.579	8.976	1.00	17.63	C
ATOM	2671	CZ	TYR	A	351	-18.457	8.550	9.188	1.00	16.52	C
ATOM	2672	OH	TYR	A	351	-19.239	7.739	8.420	1.00	16.61	O
ATOM	2673	CE2	TYR	A	351	-19.021	9.298	10.185	1.00	16.68	C
ATOM	2674	CD2	TYR	A	351	-18.227	10.092	10.975	1.00	17.58	C
ATOM	2675	C	TYR	A	351	-15.264	13.425	12.162	1.00	19.24	C
ATOM	2676	O	TYR	A	351	-14.058	13.280	12.347	1.00	19.29	O
ATOM	2677	N	PRO	A	352	-15.949	14.422	12.726	1.00	19.77	N
ATOM	2678	CA	PRO	A	352	-15.263	15.376	13.616	1.00	19.90	C
ATOM	2679	CB	PRO	A	352	-16.241	16.561	13.690	1.00	19.85	C
ATOM	2680	CG	PRO	A	352	-17.582	15.950	13.466	1.00	21.29	C
ATOM	2681	CD	PRO	A	352	-17.360	14.795	12.509	1.00	19.93	C
ATOM	2682	C	PRO	A	352	-14.946	14.820	14.995	1.00	18.89	C
ATOM	2683	O	PRO	A	352	-14.007	15.299	15.590	1.00	19.68	O
ATOM	2684	N	ILE	A	353	-15.689	13.836	15.475	1.00	18.41	N
ATOM	2685	CA	ILE	A	353	-15.407	13.145	16.737	1.00	19.04	C
ATOM	2686	CB	ILE	A	353	-16.553	13.376	17.752	1.00	19.74	C
ATOM	2687	CG1	ILE	A	353	-16.854	14.886	17.896	1.00	22.78	C
ATOM	2688	CD1	ILE	A	353	-18.048	15.175	18.745	1.00	27.83	C
ATOM	2689	CG2	ILE	A	353	-16.204	12.729	19.128	1.00	21.20	C
ATOM	2690	C	ILE	A	353	-15.220	11.639	16.450	1.00	19.10	C
ATOM	2691	O	ILE	A	353	-16.193	10.865	16.349	1.00	20.43	O
ATOM	2692	N	ALA	A	354	-13.965	11.249	16.308	1.00	18.34	N
ATOM	2693	CA	ALA	A	354	-13.575	9.929	15.856	1.00	18.17	C
ATOM	2694	CB	ALA	A	354	-13.985	9.705	14.383	1.00	18.66	C
ATOM	2695	C	ALA	A	354	-12.054	9.804	15.966	1.00	18.37	C
ATOM	2696	O	ALA	A	354	-11.334	10.799	16.137	1.00	18.21	O

ATOM	2697	N	GLU	A	355	-11.596	8.569	15.852	1.00	17.83	N
ATOM	2698	CA	GLU	A	355	-10.175	8.228	15.714	1.00	18.53	C
ATOM	2699	CB	GLU	A	355	-9.668	7.632	17.026	1.00	18.65	C
ATOM	2700	CG	GLU	A	355	-9.702	8.614	18.186	1.00	23.45	C
ATOM	2701	CD	GLU	A	355	-9.595	7.919	19.541	1.00	29.00	C
ATOM	2702	OE1	GLU	A	355	-10.618	7.311	19.992	1.00	30.21	O
ATOM	2703	OE2	GLU	A	355	-8.474	7.972	20.118	1.00	29.06	O
ATOM	2704	C	GLU	A	355	-10.088	7.200	14.587	1.00	17.28	C
ATOM	2705	O	GLU	A	355	-11.110	6.826	14.026	1.00	17.42	O
ATOM	2706	N	HIS	A	356	-8.897	6.721	14.257	1.00	16.96	N
ATOM	2707	CA	HIS	A	356	-8.737	5.831	13.114	1.00	16.91	C
ATOM	2708	CB	HIS	A	356	-7.296	5.396	12.995	1.00	17.28	C
ATOM	2709	CG	HIS	A	356	-6.943	4.779	11.688	1.00	16.92	C
ATOM	2710	ND1	HIS	A	356	-6.802	5.519	10.536	1.00	18.65	N
ATOM	2711	CE1	HIS	A	356	-6.414	4.718	9.553	1.00	19.63	C
ATOM	2712	NE2	HIS	A	356	-6.319	3.487	10.027	1.00	17.35	N
ATOM	2713	CD2	HIS	A	356	-6.669	3.494	11.351	1.00	17.01	C
ATOM	2714	C	HIS	A	356	-9.587	4.571	13.174	1.00	17.20	C
ATOM	2715	O	HIS	A	356	-10.202	4.183	12.167	1.00	15.70	O
ATOM	2716	N	LEU	A	357	-9.591	3.910	14.335	1.00	17.11	N
ATOM	2717	CA	LEU	A	357	-10.304	2.638	14.470	1.00	18.17	C
ATOM	2718	CB	LEU	A	357	-9.710	1.756	15.584	1.00	18.57	C
ATOM	2719	CG	LEU	A	357	-8.452	0.937	15.233	1.00	21.01	C
ATOM	2720	CD1	LEU	A	357	-8.667	0.054	14.012	1.00	22.91	C
ATOM	2721	CD2	LEU	A	357	-7.269	1.821	15.016	1.00	21.20	C
ATOM	2722	C	LEU	A	357	-11.826	2.853	14.701	1.00	17.91	C
ATOM	2723	O	LEU	A	357	-12.616	2.008	14.309	1.00	19.06	O
ATOM	2724	N	THR	A	358	-12.249	3.961	15.287	1.00	17.31	N
ATOM	2725	CA	THR	A	358	-13.696	4.199	15.399	1.00	17.10	C
ATOM	2726	CB	THR	A	358	-14.059	5.126	16.545	1.00	17.39	C
ATOM	2727	OG1	THR	A	358	-13.365	6.367	16.440	1.00	15.93	O
ATOM	2728	CG2	THR	A	358	-13.618	4.509	17.943	1.00	17.62	C
ATOM	2729	C	THR	A	358	-14.308	4.663	14.069	1.00	17.53	C
ATOM	2730	O	THR	A	358	-15.408	4.233	13.721	1.00	17.12	O
ATOM	2731	N	ALA	A	359	-13.597	5.495	13.307	1.00	16.58	N
ATOM	2732	CA	ALA	A	359	-14.053	5.836	11.950	1.00	16.90	C
ATOM	2733	CB	ALA	A	359	-13.189	6.930	11.354	1.00	16.26	C
ATOM	2734	C	ALA	A	359	-14.124	4.623	10.993	1.00	17.25	C
ATOM	2735	O	ALA	A	359	-14.956	4.608	10.081	1.00	17.06	O
ATOM	2736	N	GLU	A	360	-13.244	3.632	11.193	1.00	17.23	N
ATOM	2737	CA	GLU	A	360	-13.280	2.382	10.436	1.00	17.22	C
ATOM	2738	CB	GLU	A	360	-12.245	1.369	10.975	1.00	17.42	C
ATOM	2739	CG	GLU	A	360	-12.190	0.043	10.200	1.00	16.64	C
ATOM	2740	CD	GLU	A	360	-10.856	-0.701	10.351	1.00	18.61	C
ATOM	2741	OE1	GLU	A	360	-10.702	-1.796	9.762	1.00	22.02	O
ATOM	2742	OE2	GLU	A	360	-9.956	-0.201	11.054	1.00	18.54	O
ATOM	2743	C	GLU	A	360	-14.672	1.751	10.458	1.00	17.56	C
ATOM	2744	O	GLU	A	360	-15.144	1.237	9.443	1.00	18.48	O
ATOM	2745	N	ILE	A	361	-15.319	1.800	11.614	1.00	17.06	N
ATOM	2746	CA	ILE	A	361	-16.683	1.294	11.762	1.00	17.14	C
ATOM	2747	CB	ILE	A	361	-16.907	0.810	13.202	1.00	16.98	C
ATOM	2748	CG1	ILE	A	361	-15.834	-0.218	13.612	1.00	19.28	C
ATOM	2749	CD1	ILE	A	361	-15.786	-1.435	12.768	1.00	20.33	C
ATOM	2750	CG2	ILE	A	361	-18.294	0.253	13.370	1.00	17.55	C

ATOM	2751	C	ILE	A	361	-17.763	2.311	11.376	1.00	16.67	C
ATOM	2752	O	ILE	A	361	-18.744	1.942	10.750	1.00	16.82	O
ATOM	2753	N	PHE	A	362	-17.607	3.572	11.763	1.00	16.61	N
ATOM	2754	CA	PHE	A	362	-18.629	4.598	11.488	1.00	17.35	C
ATOM	2755	CB	PHE	A	362	-18.163	6.006	11.918	1.00	17.49	C
ATOM	2756	CG	PHE	A	362	-17.960	6.202	13.421	1.00	17.81	C
ATOM	2757	CD1	PHE	A	362	-18.612	5.429	14.361	1.00	17.54	C
ATOM	2758	CE1	PHE	A	362	-18.431	5.659	15.720	1.00	20.22	C
ATOM	2759	CZ	PHE	A	362	-17.595	6.688	16.162	1.00	19.53	C
ATOM	2760	CE2	PHE	A	362	-16.962	7.491	15.223	1.00	20.42	C
ATOM	2761	CD2	PHE	A	362	-17.145	7.240	13.861	1.00	17.56	C
ATOM	2762	C	PHE	A	362	-18.920	4.685	9.993	1.00	16.99	C
ATOM	2763	O	PHE	A	362	-20.053	4.891	9.591	1.00	17.10	O
ATOM	2764	N	GLY	A	363	-17.865	4.589	9.190	1.00	16.12	N
ATOM	2765	CA	GLY	A	363	-17.951	4.695	7.740	1.00	16.15	C
ATOM	2766	C	GLY	A	363	-18.382	3.432	7.022	1.00	16.54	C
ATOM	2767	O	GLY	A	363	-18.699	3.483	5.818	1.00	16.01	O
ATOM	2768	N	LEU	A	364	-18.475	2.304	7.739	1.00	17.33	N
ATOM	2769	CA	LEU	A	364	-18.677	1.008	7.074	1.00	18.12	C
ATOM	2770	CB	LEU	A	364	-18.357	-0.149	8.035	1.00	18.55	C
ATOM	2771	CG	LEU	A	364	-18.259	-1.590	7.465	1.00	19.74	C
ATOM	2772	CD1	LEU	A	364	-17.357	-2.466	8.296	1.00	21.28	C
ATOM	2773	CD2	LEU	A	364	-19.618	-2.281	7.386	1.00	21.89	C
ATOM	2774	C	LEU	A	364	-20.072	0.842	6.415	1.00	18.11	C
ATOM	2775	O	LEU	A	364	-20.174	0.481	5.254	1.00	17.39	O
ATOM	2776	N	VAL	A	365	-21.143	1.118	7.150	1.00	18.78	N
ATOM	2777	CA	VAL	A	365	-22.487	0.975	6.588	1.00	17.85	C
ATOM	2778	CB	VAL	A	365	-23.556	1.049	7.680	1.00	17.96	C
ATOM	2779	CG1	VAL	A	365	-24.980	1.243	7.100	1.00	18.75	C
ATOM	2780	CG2	VAL	A	365	-23.482	-0.216	8.550	1.00	17.06	C
ATOM	2781	C	VAL	A	365	-22.660	1.963	5.419	1.00	17.99	C
ATOM	2782	O	VAL	A	365	-23.036	1.554	4.333	1.00	17.35	O
ATOM	2783	N	PRO	A	366	-22.312	3.234	5.594	1.00	18.40	N
ATOM	2784	CA	PRO	A	366	-22.315	4.170	4.464	1.00	17.74	C
ATOM	2785	CB	PRO	A	366	-21.756	5.458	5.081	1.00	17.40	C
ATOM	2786	CG	PRO	A	366	-22.162	5.378	6.482	1.00	19.24	C
ATOM	2787	CD	PRO	A	366	-21.963	3.908	6.856	1.00	18.13	C
ATOM	2788	C	PRO	A	366	-21.502	3.719	3.257	1.00	17.98	C
ATOM	2789	O	PRO	A	366	-21.951	3.842	2.105	1.00	18.60	O
ATOM	2790	N	SER	A	367	-20.318	3.182	3.505	1.00	17.31	N
ATOM	2791	CA	SER	A	367	-19.478	2.656	2.452	1.00	17.59	C
ATOM	2792	CB	SER	A	367	-18.189	2.108	3.056	1.00	17.83	C
ATOM	2793	OG	SER	A	367	-17.418	1.462	2.085	1.00	18.72	O
ATOM	2794	C	SER	A	367	-20.175	1.571	1.632	1.00	17.98	C
ATOM	2795	O	SER	A	367	-20.194	1.624	0.389	1.00	17.27	O
ATOM	2796	N	LEU	A	368	-20.725	0.571	2.313	1.00	18.09	N
ATOM	2797	CA	LEU	A	368	-21.378	-0.528	1.615	1.00	18.36	C
ATOM	2798	CB	LEU	A	368	-21.508	-1.747	2.518	1.00	18.28	C
ATOM	2799	CG	LEU	A	368	-20.180	-2.256	3.115	1.00	18.76	C
ATOM	2800	CD1	LEU	A	368	-20.381	-3.599	3.770	1.00	20.96	C
ATOM	2801	CD2	LEU	A	368	-19.101	-2.348	2.065	1.00	19.44	C
ATOM	2802	C	LEU	A	368	-22.714	-0.121	0.986	1.00	18.80	C
ATOM	2803	O	LEU	A	368	-23.033	-0.547	-0.129	1.00	18.67	O
ATOM	2804	N	TRP	A	369	-23.475	0.740	1.657	1.00	18.68	N

ATOM	2805	CA	TRP	A	369	-24.699	1.269	1.051	1.00	18.30	C
ATOM	2806	CB	TRP	A	369	-25.439	2.173	2.026	1.00	18.58	C
ATOM	2807	CG	TRP	A	369	-26.713	2.750	1.490	1.00	20.67	C
ATOM	2808	CD1	TRP	A	369	-26.993	4.071	1.312	1.00	22.20	C
ATOM	2809	NE1	TRP	A	369	-28.254	4.219	0.787	1.00	23.98	N
ATOM	2810	CE2	TRP	A	369	-28.806	2.985	0.584	1.00	24.37	C
ATOM	2811	CD2	TRP	A	369	-27.859	2.029	1.023	1.00	22.29	C
ATOM	2812	CE3	TRP	A	369	-28.182	0.671	0.919	1.00	25.77	C
ATOM	2813	CZ3	TRP	A	369	-29.468	0.306	0.399	1.00	27.65	C
ATOM	2814	CH2	TRP	A	369	-30.382	1.287	-0.014	1.00	29.02	C
ATOM	2815	CZ2	TRP	A	369	-30.073	2.634	0.070	1.00	28.84	C
ATOM	2816	C	TRP	A	369	-24.345	2.006	-0.240	1.00	18.36	C
ATOM	2817	O	TRP	A	369	-25.003	1.821	-1.250	1.00	17.80	O
ATOM	2818	N	PHE	A	370	-23.264	2.791	-0.211	1.00	18.41	N
ATOM	2819	CA	PHE	A	370	-22.776	3.487	-1.383	1.00	19.10	C
ATOM	2820	CB	PHE	A	370	-21.611	4.394	-1.058	1.00	19.04	C
ATOM	2821	CG	PHE	A	370	-21.075	5.104	-2.247	1.00	19.82	C
ATOM	2822	CD1	PHE	A	370	-20.017	4.566	-2.974	1.00	21.74	C
ATOM	2823	CE1	PHE	A	370	-19.536	5.206	-4.094	1.00	22.65	C
ATOM	2824	CZ	PHE	A	370	-20.082	6.410	-4.476	1.00	22.21	C
ATOM	2825	CE2	PHE	A	370	-21.123	6.953	-3.773	1.00	22.02	C
ATOM	2826	CD2	PHE	A	370	-21.623	6.302	-2.650	1.00	19.90	C
ATOM	2827	C	PHE	A	370	-22.388	2.546	-2.528	1.00	19.70	C
ATOM	2828	O	PHE	A	370	-22.734	2.805	-3.679	1.00	18.16	O
ATOM	2829	N	ILE	A	371	-21.692	1.461	-2.204	1.00	20.49	N
ATOM	2830	CA	ILE	A	371	-21.270	0.482	-3.206	1.00	21.18	C
ATOM	2831	CB	ILE	A	371	-20.394	-0.627	-2.578	1.00	21.08	C
ATOM	2832	CG1	ILE	A	371	-19.047	-0.047	-2.102	1.00	22.33	C
ATOM	2833	CD1	ILE	A	371	-18.048	0.198	-3.149	1.00	23.17	C
ATOM	2834	CG2	ILE	A	371	-20.217	-1.810	-3.545	1.00	21.64	C
ATOM	2835	C	ILE	A	371	-22.507	-0.140	-3.844	1.00	21.12	C
ATOM	2836	O	ILE	A	371	-22.569	-0.285	-5.041	1.00	20.88	O
ATOM	2837	N	LYS	A	372	-23.482	-0.503	-3.031	1.00	22.07	N
ATOM	2838	CA	LYS	A	372	-24.773	-0.986	-3.540	1.00	22.76	C
ATOM	2839	CB	LYS	A	372	-25.736	-1.297	-2.409	1.00	23.28	C
ATOM	2840	CG	LYS	A	372	-27.134	-1.694	-2.900	1.00	26.62	C
ATOM	2841	CD	LYS	A	372	-27.716	-2.853	-2.168	1.00	31.28	C
ATOM	2842	CE	LYS	A	372	-29.230	-2.957	-2.454	1.00	35.39	C
ATOM	2843	NZ	LYS	A	372	-29.515	-3.285	-3.913	1.00	37.10	N
ATOM	2844	C	LYS	A	372	-25.415	0.016	-4.511	1.00	22.91	C
ATOM	2845	O	LYS	A	372	-25.842	-0.360	-5.617	1.00	22.95	O
ATOM	2846	N	GLN	A	373	-25.466	1.281	-4.118	1.00	22.52	N
ATOM	2847	CA	GLN	A	373	-26.003	2.321	-4.992	1.00	22.83	C
ATOM	2848	CB	GLN	A	373	-26.091	3.663	-4.276	1.00	22.49	C
ATOM	2849	CG	GLN	A	373	-27.123	3.707	-3.178	1.00	22.63	C
ATOM	2850	CD	GLN	A	373	-27.028	4.992	-2.387	1.00	23.65	C
ATOM	2851	OE1	GLN	A	373	-25.941	5.357	-1.894	1.00	25.06	O
ATOM	2852	NE2	GLN	A	373	-28.149	5.684	-2.250	1.00	21.25	N
ATOM	2853	C	GLN	A	373	-25.178	2.471	-6.261	1.00	23.30	C
ATOM	2854	O	GLN	A	373	-25.723	2.698	-7.333	1.00	23.12	O
ATOM	2855	N	ALA	A	374	-23.858	2.345	-6.144	1.00	22.89	N
ATOM	2856	CA	ALA	A	374	-22.995	2.462	-7.304	1.00	23.25	C
ATOM	2857	CB	ALA	A	374	-21.535	2.418	-6.880	1.00	23.72	C
ATOM	2858	C	ALA	A	374	-23.301	1.349	-8.325	1.00	23.94	C

ATOM	2859	O	ALA	A	374	-23.345	1.602	-9.529	1.00	23.48	O
ATOM	2860	N	PHE	A	375	-23.494	0.115	-7.848	1.00	24.09	N
ATOM	2861	CA	PHE	A	375	-23.793	-1.005	-8.739	1.00	24.18	C
ATOM	2862	CB	PHE	A	375	-23.676	-2.353	-8.009	1.00	23.65	C
ATOM	2863	CG	PHE	A	375	-22.255	-2.890	-7.868	1.00	22.86	C
ATOM	2864	CD1	PHE	A	375	-21.766	-3.260	-6.618	1.00	22.79	C
ATOM	2865	CE1	PHE	A	375	-20.463	-3.812	-6.470	1.00	21.70	C
ATOM	2866	CZ	PHE	A	375	-19.655	-3.979	-7.595	1.00	23.34	C
ATOM	2867	CE2	PHE	A	375	-20.148	-3.618	-8.856	1.00	21.75	C
ATOM	2868	CD2	PHE	A	375	-21.439	-3.084	-8.980	1.00	21.89	C
ATOM	2869	C	PHE	A	375	-25.201	-0.881	-9.353	1.00	25.62	C
ATOM	2870	O	PHE	A	375	-25.417	-1.332	-10.484	1.00	25.91	O
ATOM	2871	N	ASP	A	376	-26.154	-0.323	-8.598	1.00	26.43	N
ATOM	2872	CA	ASP	A	376	-27.533	-0.114	-9.080	1.00	27.17	C
ATOM	2873	CB	ASP	A	376	-28.514	-0.015	-7.917	1.00	27.10	C
ATOM	2874	CG	ASP	A	376	-28.598	-1.286	-7.091	1.00	28.33	C
ATOM	2875	OD1	ASP	A	376	-28.091	-2.345	-7.524	1.00	28.54	O
ATOM	2876	OD2	ASP	A	376	-29.144	-1.300	-5.967	1.00	29.42	O
ATOM	2877	C	ASP	A	376	-27.731	1.155	-9.930	1.00	28.11	C
ATOM	2878	O	ASP	A	376	-28.790	1.316	-10.535	1.00	28.60	O
ATOM	2879	N	GLY	A	377	-26.740	2.050	-9.956	1.00	28.32	N
ATOM	2880	CA	GLY	A	377	-26.851	3.329	-10.638	1.00	28.64	C
ATOM	2881	C	GLY	A	377	-27.708	4.360	-9.936	1.00	29.04	C
ATOM	2882	O	GLY	A	377	-28.297	5.215	-10.595	1.00	29.79	O
ATOM	2883	N	THR	A	378	-27.774	4.298	-8.607	1.00	28.49	N
ATOM	2884	CA	THR	A	378	-28.616	5.187	-7.813	1.00	28.47	C
ATOM	2885	CB	THR	A	378	-29.670	4.358	-7.017	1.00	28.64	C
ATOM	2886	OG1	THR	A	378	-29.003	3.315	-6.292	1.00	27.21	O
ATOM	2887	CG2	THR	A	378	-30.640	3.611	-7.967	1.00	29.76	C
ATOM	2888	C	THR	A	378	-27.844	6.043	-6.814	1.00	27.95	C
ATOM	2889	O	THR	A	378	-28.426	6.512	-5.870	1.00	27.63	O
ATOM	2890	N	THR	A	379	-26.547	6.248	-6.983	1.00	28.31	N
ATOM	2891	CA	THR	A	379	-25.857	7.162	-6.059	1.00	28.40	C
ATOM	2892	CB	THR	A	379	-24.335	7.271	-6.319	1.00	27.94	C
ATOM	2893	OG1	THR	A	379	-24.091	7.723	-7.653	1.00	26.61	O
ATOM	2894	CG2	THR	A	379	-23.650	5.913	-6.207	1.00	27.17	C
ATOM	2895	C	THR	A	379	-26.496	8.558	-6.127	1.00	29.58	C
ATOM	2896	O	THR	A	379	-26.877	9.029	-7.202	1.00	29.08	O
ATOM	2897	N	PRO	A	380	-26.637	9.205	-4.985	1.00	31.22	N
ATOM	2898	CA	PRO	A	380	-27.269	10.531	-4.952	1.00	32.57	C
ATOM	2899	CB	PRO	A	380	-27.455	10.810	-3.459	1.00	32.61	C
ATOM	2900	CG	PRO	A	380	-26.507	9.883	-2.742	1.00	32.18	C
ATOM	2901	CD	PRO	A	380	-26.216	8.742	-3.651	1.00	31.17	C
ATOM	2902	C	PRO	A	380	-26.393	11.596	-5.606	1.00	33.55	C
ATOM	2903	O	PRO	A	380	-25.161	11.469	-5.566	1.00	32.89	O
ATOM	2904	N	LYS	A	381	-27.028	12.590	-6.238	1.00	34.14	N
ATOM	2905	CA	LYS	A	381	-26.320	13.734	-6.787	1.00	34.61	C
ATOM	2906	CB	LYS	A	381	-27.188	14.539	-7.757	1.00	35.76	C
ATOM	2907	CG	LYS	A	381	-27.668	13.769	-8.996	1.00	39.32	C
ATOM	2908	CD	LYS	A	381	-26.516	13.386	-9.952	1.00	44.68	C
ATOM	2909	CE	LYS	A	381	-27.037	12.624	-11.208	1.00	46.91	C
ATOM	2910	NZ	LYS	A	381	-26.787	13.367	-12.508	1.00	47.33	N
ATOM	2911	C	LYS	A	381	-25.924	14.599	-5.623	1.00	33.51	C
ATOM	2912	O	LYS	A	381	-26.765	14.991	-4.840	1.00	33.73	O

ATOM	2913	N	VAL	A	382	-24.629	14.873	-5.491	1.00	31.73	N
ATOM	2914	CA	VAL	A	382	-24.129	15.685	-4.386	1.00	30.63	C
ATOM	2915	CB	VAL	A	382	-23.360	14.822	-3.327	1.00	30.45	C
ATOM	2916	CG1	VAL	A	382	-24.214	13.654	-2.847	1.00	32.12	C
ATOM	2917	CG2	VAL	A	382	-22.039	14.285	-3.872	1.00	30.84	C
ATOM	2918	C	VAL	A	382	-23.215	16.767	-4.943	1.00	29.19	C
ATOM	2919	O	VAL	A	382	-22.640	16.616	-6.019	1.00	28.14	O
ATOM	2920	N	ILE	A	383	-23.053	17.842	-4.193	1.00	28.20	N
ATOM	2921	CA	ILE	A	383	-22.001	18.810	-4.490	1.00	28.34	C
ATOM	2922	CB	ILE	A	383	-22.319	20.161	-3.841	1.00	28.68	C
ATOM	2923	CG1	ILE	A	383	-23.633	20.707	-4.419	1.00	31.77	C
ATOM	2924	CD1	ILE	A	383	-24.178	21.861	-3.639	1.00	34.81	C
ATOM	2925	CG2	ILE	A	383	-21.165	21.173	-4.048	1.00	28.65	C
ATOM	2926	C	ILE	A	383	-20.660	18.227	-4.015	1.00	27.49	C
ATOM	2927	O	ILE	A	383	-20.467	17.974	-2.832	1.00	27.88	O
ATOM	2928	N	CYS	A	384	-19.763	18.003	-4.961	1.00	26.31	N
ATOM	2929	CA	CYS	A	384	-18.508	17.296	-4.728	1.00	26.08	C
ATOM	2930	CB	CYS	A	384	-17.638	17.381	-5.976	1.00	26.07	C
ATOM	2931	SG	CYS	A	384	-16.173	16.308	-5.978	1.00	27.49	S
ATOM	2932	C	CYS	A	384	-17.740	17.843	-3.526	1.00	24.89	C
ATOM	2933	O	CYS	A	384	-17.483	19.034	-3.461	1.00	25.18	O
ATOM	2934	N	GLY	A	385	-17.423	16.979	-2.564	1.00	23.34	N
ATOM	2935	CA	GLY	A	385	-16.505	17.321	-1.483	1.00	22.42	C
ATOM	2936	C	GLY	A	385	-17.110	18.038	-0.294	1.00	22.22	C
ATOM	2937	O	GLY	A	385	-16.402	18.410	0.628	1.00	22.36	O
ATOM	2938	N	THR	A	386	-18.423	18.222	-0.284	1.00	22.16	N
ATOM	2939	CA	THR	A	386	-19.080	18.873	0.845	1.00	22.63	C
ATOM	2940	CB	THR	A	386	-20.610	19.025	0.524	1.00	22.97	C
ATOM	2941	OG1	THR	A	386	-20.782	19.805	-0.676	1.00	24.56	O
ATOM	2942	CG2	THR	A	386	-21.302	19.819	1.573	1.00	23.62	C
ATOM	2943	C	THR	A	386	-18.864	18.004	2.091	1.00	22.23	C
ATOM	2944	O	THR	A	386	-19.195	16.828	2.059	1.00	21.42	O
ATOM	2945	N	PRO	A	387	-18.244	18.532	3.150	1.00	22.83	N
ATOM	2946	CA	PRO	A	387	-17.920	17.703	4.319	1.00	22.48	C
ATOM	2947	CB	PRO	A	387	-16.962	18.591	5.132	1.00	23.28	C
ATOM	2948	CG	PRO	A	387	-17.302	20.017	4.737	1.00	22.70	C
ATOM	2949	CD	PRO	A	387	-17.726	19.915	3.290	1.00	22.95	C
ATOM	2950	C	PRO	A	387	-19.138	17.310	5.159	1.00	22.63	C
ATOM	2951	O	PRO	A	387	-19.608	18.108	5.946	1.00	23.14	O
ATOM	2952	N	ILE	A	388	-19.634	16.092	4.976	1.00	22.52	N
ATOM	2953	CA	ILE	A	388	-20.822	15.603	5.670	1.00	22.05	C
ATOM	2954	CB	ILE	A	388	-22.012	15.447	4.665	1.00	23.53	C
ATOM	2955	CG1	ILE	A	388	-22.379	16.802	4.031	1.00	24.92	C
ATOM	2956	CD1	ILE	A	388	-23.208	16.678	2.787	1.00	27.24	C
ATOM	2957	CG2	ILE	A	388	-23.239	14.857	5.374	1.00	23.73	C
ATOM	2958	C	ILE	A	388	-20.555	14.255	6.362	1.00	20.72	C
ATOM	2959	O	ILE	A	388	-20.343	13.229	5.701	1.00	19.84	O
ATOM	2960	N	PRO	A	389	-20.583	14.238	7.685	1.00	19.41	N
ATOM	2961	CA	PRO	A	389	-20.468	12.965	8.397	1.00	19.22	C
ATOM	2962	CB	PRO	A	389	-20.523	13.360	9.879	1.00	19.95	C
ATOM	2963	CG	PRO	A	389	-20.308	14.898	9.930	1.00	21.12	C
ATOM	2964	CD	PRO	A	389	-20.706	15.413	8.576	1.00	19.86	C
ATOM	2965	C	PRO	A	389	-21.600	11.962	8.009	1.00	19.47	C
ATOM	2966	O	PRO	A	389	-22.786	12.263	8.199	1.00	18.20	O

ATOM	2967	N	ALA	A	390	-21.234	10.809	7.442	1.00	18.48	N
ATOM	2968	CA	ALA	A	390	-22.227	9.797	7.051	1.00	18.90	C
ATOM	2969	CB	ALA	A	390	-21.729	8.983	5.882	1.00	18.08	C
ATOM	2970	C	ALA	A	390	-22.559	8.893	8.256	1.00	20.26	C
ATOM	2971	O	ALA	A	390	-21.651	8.269	8.839	1.00	20.18	O
ATOM	2972	N	ILE	A	391	-23.839	8.870	8.649	1.00	20.42	N
ATOM	2973	CA	ILE	A	391	-24.306	8.174	9.847	1.00	22.00	C
ATOM	2974	CB	ILE	A	391	-24.931	9.173	10.884	1.00	22.73	C
ATOM	2975	CG1	ILE	A	391	-24.065	10.420	11.113	1.00	23.95	C
ATOM	2976	CD1	ILE	A	391	-22.843	10.206	11.833	1.00	25.88	C
ATOM	2977	CG2	ILE	A	391	-25.274	8.462	12.205	1.00	22.84	C
ATOM	2978	C	ILE	A	391	-25.413	7.158	9.462	1.00	22.02	C
ATOM	2979	O	ILE	A	391	-26.458	7.525	8.898	1.00	21.18	O
ATOM	2980	N	ALA	A	392	-25.161	5.899	9.777	1.00	21.78	N
ATOM	2981	CA	ALA	A	392	-26.096	4.814	9.524	1.00	21.75	C
ATOM	2982	CB	ALA	A	392	-25.535	3.538	10.065	1.00	21.59	C
ATOM	2983	C	ALA	A	392	-27.414	5.117	10.212	1.00	21.47	C
ATOM	2984	O	ALA	A	392	-27.430	5.480	11.368	1.00	20.96	O
ATOM	2985	N	GLY	A	393	-28.495	4.986	9.472	1.00	22.59	N
ATOM	2986	CA	GLY	A	393	-29.835	5.274	9.955	1.00	23.14	C
ATOM	2987	C	GLY	A	393	-30.288	6.694	9.723	1.00	23.74	C
ATOM	2988	O	GLY	A	393	-31.461	6.964	9.841	1.00	24.14	O
ATOM	2989	N	ILE	A	394	-29.365	7.610	9.433	1.00	23.83	N
ATOM	2990	CA	ILE	A	394	-29.712	9.008	9.159	1.00	24.07	C
ATOM	2991	CB	ILE	A	394	-28.910	9.952	10.048	1.00	24.36	C
ATOM	2992	CG1	ILE	A	394	-29.235	9.660	11.513	1.00	26.85	C
ATOM	2993	CD1	ILE	A	394	-28.381	10.425	12.477	1.00	29.96	C
ATOM	2994	CG2	ILE	A	394	-29.256	11.413	9.727	1.00	25.23	C
ATOM	2995	C	ILE	A	394	-29.496	9.350	7.693	1.00	23.12	C
ATOM	2996	O	ILE	A	394	-30.443	9.712	7.012	1.00	22.82	O
ATOM	2997	N	THR	A	395	-28.251	9.238	7.219	1.00	22.00	N
ATOM	2998	CA	THR	A	395	-27.931	9.484	5.820	1.00	20.93	C
ATOM	2999	CB	THR	A	395	-26.561	10.180	5.683	1.00	21.81	C
ATOM	3000	OG1	THR	A	395	-25.501	9.339	6.196	1.00	20.44	O
ATOM	3001	CG2	THR	A	395	-26.506	11.446	6.497	1.00	21.70	C
ATOM	3002	C	THR	A	395	-27.950	8.226	4.985	1.00	20.59	C
ATOM	3003	O	THR	A	395	-27.730	8.273	3.765	1.00	20.10	O
ATOM	3004	N	THR	A	396	-28.176	7.091	5.638	1.00	20.18	N
ATOM	3005	CA	THR	A	396	-28.376	5.822	4.953	1.00	20.41	C
ATOM	3006	CB	THR	A	396	-27.099	4.913	5.037	1.00	20.05	C
ATOM	3007	OG1	THR	A	396	-26.981	4.344	6.357	1.00	20.29	O
ATOM	3008	CG2	THR	A	396	-25.820	5.694	4.808	1.00	20.70	C
ATOM	3009	C	THR	A	396	-29.515	5.088	5.634	1.00	20.61	C
ATOM	3010	O	THR	A	396	-29.919	5.472	6.716	1.00	21.82	O
ATOM	3011	N	PRO	A	397	-29.976	3.980	5.079	1.00	21.69	N
ATOM	3012	CA	PRO	A	397	-30.822	3.080	5.871	1.00	22.41	C
ATOM	3013	CB	PRO	A	397	-31.188	1.964	4.877	1.00	22.36	C
ATOM	3014	CG	PRO	A	397	-31.052	2.616	3.546	1.00	22.97	C
ATOM	3015	CD	PRO	A	397	-29.796	3.489	3.698	1.00	21.75	C
ATOM	3016	C	PRO	A	397	-30.061	2.527	7.088	1.00	23.16	C
ATOM	3017	O	PRO	A	397	-28.813	2.634	7.174	1.00	23.00	O
ATOM	3018	N	SER	A	398	-30.800	1.923	8.011	1.00	23.03	N
ATOM	3019	CA	SER	A	398	-30.201	1.357	9.209	1.00	23.12	C
ATOM	3020	CB	SER	A	398	-31.283	0.798	10.136	1.00	22.95	C

ATOM	3021	OG	SER A	398	-31.714	-0.456	9.649	1.00	24.30	O
ATOM	3022	C	SER A	398	-29.208	0.241	8.857	1.00	22.77	C
ATOM	3023	O	SER A	398	-29.228	-0.309	7.745	1.00	21.47	O
ATOM	3024	N	ALA A	399	-28.335	-0.062	9.806	1.00	23.01	N
ATOM	3025	CA	ALA A	399	-27.367	-1.144	9.652	1.00	23.75	C
ATOM	3026	CB	ALA A	399	-26.518	-1.275	10.914	1.00	23.61	C
ATOM	3027	C	ALA A	399	-28.049	-2.485	9.300	1.00	24.08	C
ATOM	3028	O	ALA A	399	-27.561	-3.221	8.431	1.00	24.12	O
ATOM	3029	N	ASP A	400	-29.184	-2.774	9.934	1.00	24.17	N
ATOM	3030	CA	ASP A	400	-29.949	-4.003	9.666	1.00	24.96	C
ATOM	3031	CB	ASP A	400	-31.185	-4.135	10.586	1.00	25.53	C
ATOM	3032	CG	ASP A	400	-30.846	-4.584	11.993	1.00	28.76	C
ATOM	3033	OD1	ASP A	400	-29.684	-4.900	12.295	1.00	28.78	O
ATOM	3034	OD2	ASP A	400	-31.723	-4.643	12.889	1.00	36.21	O
ATOM	3035	C	ASP A	400	-30.471	-4.031	8.250	1.00	25.08	C
ATOM	3036	O	ASP A	400	-30.465	-5.075	7.624	1.00	25.51	O
ATOM	3037	N	GLN A	401	-30.982	-2.905	7.767	1.00	25.31	N
ATOM	3038	CA	GLN A	401	-31.506	-2.825	6.402	1.00	25.87	C
ATOM	3039	CB	GLN A	401	-32.298	-1.525	6.182	1.00	26.63	C
ATOM	3040	CG	GLN A	401	-33.556	-1.362	7.074	1.00	30.14	C
ATOM	3041	CD	GLN A	401	-34.258	0.022	6.906	1.00	36.20	C
ATOM	3042	OE1	GLN A	401	-33.654	1.098	7.148	1.00	36.97	O
ATOM	3043	NE2	GLN A	401	-35.535	-0.015	6.498	1.00	38.04	N
ATOM	3044	C	GLN A	401	-30.382	-2.925	5.375	1.00	25.12	C
ATOM	3045	O	GLN A	401	-30.546	-3.555	4.343	1.00	25.05	O
ATOM	3046	N	VAL A	402	-29.233	-2.303	5.649	1.00	23.60	N
ATOM	3047	CA	VAL A	402	-28.148	-2.319	4.686	1.00	22.44	C
ATOM	3048	CB	VAL A	402	-27.081	-1.238	4.974	1.00	22.00	C
ATOM	3049	CG1	VAL A	402	-25.842	-1.453	4.096	1.00	19.92	C
ATOM	3050	CG2	VAL A	402	-27.668	0.125	4.742	1.00	22.30	C
ATOM	3051	C	VAL A	402	-27.468	-3.675	4.676	1.00	22.04	C
ATOM	3052	O	VAL A	402	-27.215	-4.206	3.637	1.00	22.00	O
ATOM	3053	N	LEU A	403	-27.141	-4.194	5.851	1.00	22.57	N
ATOM	3054	CA	LEU A	403	-26.348	-5.404	5.976	1.00	23.07	C
ATOM	3055	CB	LEU A	403	-25.413	-5.286	7.185	1.00	22.45	C
ATOM	3056	CG	LEU A	403	-24.521	-4.057	7.264	1.00	23.92	C
ATOM	3057	CD1	LEU A	403	-23.792	-4.094	8.612	1.00	23.88	C
ATOM	3058	CD2	LEU A	403	-23.545	-4.053	6.110	1.00	24.28	C
ATOM	3059	C	LEU A	403	-27.144	-6.705	6.145	1.00	23.40	C
ATOM	3060	O	LEU A	403	-26.582	-7.781	5.973	1.00	23.40	O
ATOM	3061	N	GLY A	404	-28.427	-6.607	6.500	1.00	24.30	N
ATOM	3062	CA	GLY A	404	-29.163	-7.732	7.078	1.00	25.22	C
ATOM	3063	C	GLY A	404	-28.783	-7.885	8.563	1.00	26.41	C
ATOM	3064	O	GLY A	404	-27.674	-7.489	8.970	1.00	26.28	O
ATOM	3065	N	SER A	405	-29.675	-8.477	9.361	1.00	26.97	N
ATOM	3066	CA	SER A	405	-29.491	-8.625	10.823	1.00	28.40	C
ATOM	3067	CB	SER A	405	-30.657	-9.410	11.469	1.00	28.82	C
ATOM	3068	OG	SER A	405	-31.883	-8.874	11.059	1.00	34.02	O
ATOM	3069	C	SER A	405	-28.249	-9.367	11.246	1.00	27.19	C
ATOM	3070	O	SER A	405	-27.653	-9.023	12.241	1.00	27.66	O
ATOM	3071	N	ASP A	406	-27.946	-10.458	10.559	1.00	26.47	N
ATOM	3072	CA	ASP A	406	-26.831	-11.327	10.930	1.00	25.86	C
ATOM	3073	CB	ASP A	406	-26.807	-12.521	9.959	0.50	26.51	C
ATOM	3074	CG	ASP A	406	-25.869	-13.644	10.385	0.50	27.69	C

ATOM	3075	OD1	ASP	A	406	-24.846	-13.392	11.051	0.50	29.76	O
ATOM	3076	OD2	ASP	A	406	-26.087	-14.842	10.074	0.50	31.26	O
ATOM	3077	C	ASP	A	406	-25.494	-10.554	10.842	1.00	24.81	C
ATOM	3078	O	ASP	A	406	-24.691	-10.588	11.761	1.00	24.93	O
ATOM	3079	N	LEU	A	407	-25.260	-9.872	9.728	1.00	23.25	N
ATOM	3080	CA	LEU	A	407	-24.010	-9.136	9.538	1.00	22.19	C
ATOM	3081	CB	LEU	A	407	-23.777	-8.816	8.054	1.00	22.13	C
ATOM	3082	CG	LEU	A	407	-23.311	-10.017	7.220	1.00	21.94	C
ATOM	3083	CD1	LEU	A	407	-23.487	-9.785	5.738	1.00	22.08	C
ATOM	3084	CD2	LEU	A	407	-21.889	-10.364	7.502	1.00	22.28	C
ATOM	3085	C	LEU	A	407	-23.957	-7.873	10.400	1.00	21.15	C
ATOM	3086	O	LEU	A	407	-22.888	-7.475	10.842	1.00	20.03	O
ATOM	3087	N	ALA	A	408	-25.105	-7.248	10.627	1.00	20.68	N
ATOM	3088	CA	ALA	A	408	-25.199	-6.101	11.513	1.00	21.08	C
ATOM	3089	CB	ALA	A	408	-26.608	-5.438	11.424	1.00	21.41	C
ATOM	3090	C	ALA	A	408	-24.886	-6.504	12.952	1.00	21.40	C
ATOM	3091	O	ALA	A	408	-24.220	-5.766	13.674	1.00	21.40	O
ATOM	3092	N	ASN	A	409	-25.333	-7.687	13.365	1.00	22.07	N
ATOM	3093	CA	ASN	A	409	-24.996	-8.191	14.688	1.00	22.29	C
ATOM	3094	CB	ASN	A	409	-25.855	-9.416	15.061	1.00	23.84	C
ATOM	3095	CG	ASN	A	409	-27.289	-9.030	15.454	1.00	26.03	C
ATOM	3096	OD1	ASN	A	409	-27.541	-7.929	15.953	1.00	30.25	O
ATOM	3097	ND2	ASN	A	409	-28.223	-9.920	15.199	1.00	29.18	N
ATOM	3098	C	ASN	A	409	-23.512	-8.519	14.760	1.00	21.82	C
ATOM	3099	O	ASN	A	409	-22.900	-8.296	15.796	1.00	21.60	O
ATOM	3100	N	GLN	A	410	-22.899	-8.983	13.667	1.00	21.36	N
ATOM	3101	CA	GLN	A	410	-21.446	-9.212	13.700	1.00	22.08	C
ATOM	3102	CB	GLN	A	410	-20.949	-10.000	12.502	1.00	22.89	C
ATOM	3103	CG	GLN	A	410	-21.420	-11.431	12.490	1.00	27.18	C
ATOM	3104	CD	GLN	A	410	-21.133	-12.102	11.167	1.00	31.79	C
ATOM	3105	OE1	GLN	A	410	-20.022	-11.987	10.640	1.00	33.06	O
ATOM	3106	NE2	GLN	A	410	-22.139	-12.788	10.614	1.00	33.90	N
ATOM	3107	C	GLN	A	410	-20.680	-7.902	13.829	1.00	21.01	C
ATOM	3108	O	GLN	A	410	-19.678	-7.835	14.551	1.00	20.76	O
ATOM	3109	N	LEU	A	411	-21.161	-6.869	13.153	1.00	20.63	N
ATOM	3110	CA	LEU	A	411	-20.545	-5.535	13.227	1.00	20.74	C
ATOM	3111	CB	LEU	A	411	-21.178	-4.587	12.209	1.00	20.91	C
ATOM	3112	CG	LEU	A	411	-20.540	-3.205	12.119	1.00	20.24	C
ATOM	3113	CD1	LEU	A	411	-19.065	-3.343	11.870	1.00	20.72	C
ATOM	3114	CD2	LEU	A	411	-21.220	-2.378	11.002	1.00	20.71	C
ATOM	3115	C	LEU	A	411	-20.663	-4.944	14.632	1.00	21.23	C
ATOM	3116	O	LEU	A	411	-19.691	-4.415	15.187	1.00	20.65	O
ATOM	3117	N	ARG	A	412	-21.851	-5.052	15.212	1.00	21.55	N
ATOM	3118	CA	ARG	A	412	-22.034	-4.679	16.617	1.00	22.71	C
ATOM	3119	CB	ARG	A	412	-23.464	-4.952	17.054	1.00	22.93	C
ATOM	3120	CG	ARG	A	412	-24.452	-3.973	16.517	1.00	24.29	C
ATOM	3121	CD	ARG	A	412	-25.911	-4.301	16.891	1.00	27.52	C
ATOM	3122	NE	ARG	A	412	-26.779	-3.501	16.030	1.00	31.14	N
ATOM	3123	CZ	ARG	A	412	-27.560	-3.967	15.069	1.00	30.64	C
ATOM	3124	NH1	ARG	A	412	-27.696	-5.266	14.839	1.00	31.09	N
ATOM	3125	NH2	ARG	A	412	-28.242	-3.097	14.353	1.00	34.20	N
ATOM	3126	C	ARG	A	412	-21.088	-5.389	17.590	1.00	22.25	C
ATOM	3127	O	ARG	A	412	-20.622	-4.781	18.554	1.00	21.95	O
ATOM	3128	N	SER	A	413	-20.790	-6.666	17.334	1.00	22.94	N

ATOM	3129	CA	SER A	413	-19.904	-7.422	18.232	1.00	23.17	C
ATOM	3130	CB	SER A	413	-20.000	-8.940	17.988	0.65	23.45	C
ATOM	3131	OG	SER A	413	-19.474	-9.312	16.722	0.65	24.53	O
ATOM	3132	C	SER A	413	-18.437	-6.952	18.164	1.00	23.08	C
ATOM	3133	O	SER A	413	-17.656	-7.296	19.035	1.00	22.78	O
ATOM	3134	N	LEU A	414	-18.063	-6.142	17.167	1.00	22.79	N
ATOM	3135	CA	LEU A	414	-16.710	-5.549	17.147	1.00	22.82	C
ATOM	3136	CB	LEU A	414	-16.367	-4.999	15.760	1.00	22.69	C
ATOM	3137	CG	LEU A	414	-16.310	-6.041	14.642	1.00	24.38	C
ATOM	3138	CD1	LEU A	414	-15.886	-5.387	13.334	1.00	23.31	C
ATOM	3139	CD2	LEU A	414	-15.347	-7.153	15.057	1.00	25.08	C
ATOM	3140	C	LEU A	414	-16.511	-4.427	18.156	1.00	22.61	C
ATOM	3141	O	LEU A	414	-15.386	-4.062	18.442	1.00	22.47	O
ATOM	3142	N	ASP A	415	-17.599	-3.862	18.649	1.00	22.35	N
ATOM	3143	CA	ASP A	415	-17.541	-2.732	19.549	1.00	23.50	C
ATOM	3144	CB	ASP A	415	-18.960	-2.245	19.874	1.00	23.21	C
ATOM	3145	CG	ASP A	415	-18.970	-0.965	20.684	1.00	23.17	C
ATOM	3146	OD1	ASP A	415	-20.063	-0.533	21.113	1.00	25.06	O
ATOM	3147	OD2	ASP A	415	-17.946	-0.300	20.913	1.00	22.44	O
ATOM	3148	C	ASP A	415	-16.807	-3.127	20.839	1.00	24.26	C
ATOM	3149	O	ASP A	415	-17.209	-4.033	21.518	1.00	23.82	O
ATOM	3150	N	GLY A	416	-15.710	-2.442	21.135	1.00	25.50	N
ATOM	3151	CA	GLY A	416	-14.866	-2.776	22.271	1.00	26.47	C
ATOM	3152	C	GLY A	416	-13.826	-3.865	22.003	1.00	27.16	C
ATOM	3153	O	GLY A	416	-13.018	-4.111	22.870	1.00	27.34	O
ATOM	3154	N	LYS A	417	-13.855	-4.554	20.859	1.00	27.32	N
ATOM	3155	CA	LYS A	417	-12.831	-5.577	20.582	1.00	27.91	C
ATOM	3156	CB	LYS A	417	-13.297	-6.614	19.556	1.00	28.86	C
ATOM	3157	CG	LYS A	417	-14.613	-7.285	19.847	1.00	34.49	C
ATOM	3158	CD	LYS A	417	-14.476	-8.480	20.758	1.00	40.96	C
ATOM	3159	CE	LYS A	417	-15.844	-8.974	21.251	1.00	43.76	C
ATOM	3160	NZ	LYS A	417	-15.781	-9.188	22.735	1.00	48.33	N
ATOM	3161	C	LYS A	417	-11.551	-4.941	20.052	1.00	26.99	C
ATOM	3162	O	LYS A	417	-11.607	-3.924	19.361	1.00	26.53	O
ATOM	3163	N	GLN A	418	-10.407	-5.557	20.350	1.00	26.79	N
ATOM	3164	CA	GLN A	418	-9.111	-5.088	19.865	1.00	27.20	C
ATOM	3165	CB	GLN A	418	-7.947	-5.786	20.596	0.65	27.76	C
ATOM	3166	CG	GLN A	418	-7.661	-5.203	22.004	0.65	30.87	C
ATOM	3167	CD	GLN A	418	-7.390	-3.681	22.017	0.65	34.53	C
ATOM	3168	OE1	GLN A	418	-7.773	-2.982	22.972	0.65	36.04	O
ATOM	3169	NE2	GLN A	418	-6.727	-3.176	20.968	0.65	34.09	N
ATOM	3170	C	GLN A	418	-8.980	-5.245	18.355	1.00	25.80	C
ATOM	3171	O	GLN A	418	-9.298	-6.281	17.804	1.00	25.73	O
ATOM	3172	N	SER A	419	-8.473	-4.211	17.706	1.00	24.27	N
ATOM	3173	CA	SER A	419	-8.187	-4.256	16.282	1.00	23.53	C
ATOM	3174	CB	SER A	419	-8.260	-2.847	15.681	1.00	23.29	C
ATOM	3175	OG	SER A	419	-7.194	-2.040	16.181	1.00	22.14	O
ATOM	3176	C	SER A	419	-6.769	-4.792	16.094	1.00	23.48	C
ATOM	3177	O	SER A	419	-6.055	-5.029	17.053	1.00	22.42	O
ATOM	3178	N	ALA A	420	-6.361	-4.905	14.841	1.00	24.25	N
ATOM	3179	CA	ALA A	420	-4.985	-5.267	14.483	1.00	25.40	C
ATOM	3180	CB	ALA A	420	-4.885	-5.423	12.950	1.00	25.46	C
ATOM	3181	C	ALA A	420	-3.988	-4.235	14.974	1.00	25.41	C
ATOM	3182	O	ALA A	420	-2.828	-4.541	15.209	1.00	27.29	O

ATOM	3183	N	PHE	A	421	-4.433	-3.009	15.153	1.00	25.58	N
ATOM	3184	CA	PHE	A	421	-3.562	-1.932	15.601	1.00	25.99	C
ATOM	3185	CB	PHE	A	421	-4.057	-0.594	15.037	1.00	26.21	C
ATOM	3186	CG	PHE	A	421	-4.083	-0.540	13.559	1.00	27.81	C
ATOM	3187	CD1	PHE	A	421	-3.018	-0.020	12.861	1.00	31.19	C
ATOM	3188	CE1	PHE	A	421	-3.040	0.032	11.448	1.00	33.17	C
ATOM	3189	CZ	PHE	A	421	-4.114	-0.446	10.767	1.00	31.30	C
ATOM	3190	CE2	PHE	A	421	-5.192	-0.975	11.460	1.00	33.82	C
ATOM	3191	CD2	PHE	A	421	-5.175	-1.026	12.850	1.00	32.15	C
ATOM	3192	C	PHE	A	421	-3.484	-1.813	17.126	1.00	26.11	C
ATOM	3193	O	PHE	A	421	-2.870	-0.884	17.632	1.00	26.69	O
ATOM	3194	N	GLY	A	422	-4.123	-2.706	17.864	1.00	26.66	N
ATOM	3195	CA	GLY	A	422	-4.038	-2.662	19.322	1.00	27.34	C
ATOM	3196	C	GLY	A	422	-4.918	-1.587	19.961	1.00	28.33	C
ATOM	3197	O	GLY	A	422	-4.740	-1.272	21.147	1.00	31.32	O
ATOM	3198	N	LYS	A	423	-5.802	-0.971	19.185	1.00	26.86	N
ATOM	3199	CA	LYS	A	423	-6.795	-0.047	19.705	1.00	26.62	C
ATOM	3200	CB	LYS	A	423	-6.636	1.320	19.064	1.00	26.92	C
ATOM	3201	CG	LYS	A	423	-5.426	2.126	19.545	1.00	28.63	C
ATOM	3202	CD	LYS	A	423	-5.559	3.541	19.064	1.00	30.07	C
ATOM	3203	CE	LYS	A	423	-4.753	4.541	19.810	1.00	30.29	C
ATOM	3204	NZ	LYS	A	423	-5.407	5.878	19.754	1.00	27.46	N
ATOM	3205	C	LYS	A	423	-8.170	-0.622	19.374	1.00	26.10	C
ATOM	3206	O	LYS	A	423	-8.333	-1.301	18.359	1.00	25.25	O
ATOM	3207	N	PRO	A	424	-9.149	-0.398	20.241	1.00	25.97	N
ATOM	3208	CA	PRO	A	424	-10.476	-1.000	20.056	1.00	25.45	C
ATOM	3209	CB	PRO	A	424	-11.117	-0.869	21.454	1.00	25.67	C
ATOM	3210	CG	PRO	A	424	-10.518	0.360	22.022	1.00	27.01	C
ATOM	3211	CD	PRO	A	424	-9.068	0.380	21.502	1.00	26.86	C
ATOM	3212	C	PRO	A	424	-11.351	-0.355	18.993	1.00	23.92	C
ATOM	3213	O	PRO	A	424	-11.305	0.827	18.776	1.00	23.84	O
ATOM	3214	N	PHE	A	425	-12.156	-1.164	18.327	1.00	23.02	N
ATOM	3215	CA	PHE	A	425	-13.263	-0.661	17.549	1.00	22.49	C
ATOM	3216	CB	PHE	A	425	-13.903	-1.785	16.743	1.00	22.42	C
ATOM	3217	CG	PHE	A	425	-12.978	-2.435	15.758	1.00	22.00	C
ATOM	3218	CD1	PHE	A	425	-12.563	-3.749	15.938	1.00	22.39	C
ATOM	3219	CE1	PHE	A	425	-11.700	-4.363	15.011	1.00	22.16	C
ATOM	3220	CZ	PHE	A	425	-11.268	-3.653	13.893	1.00	21.91	C
ATOM	3221	CE2	PHE	A	425	-11.666	-2.343	13.717	1.00	22.19	C
ATOM	3222	CD2	PHE	A	425	-12.529	-1.738	14.645	1.00	22.24	C
ATOM	3223	C	PHE	A	425	-14.319	-0.059	18.477	1.00	22.24	C
ATOM	3224	O	PHE	A	425	-14.380	-0.378	19.684	1.00	22.05	O
ATOM	3225	N	GLY	A	426	-15.171	0.781	17.905	1.00	21.25	N
ATOM	3226	CA	GLY	A	426	-16.297	1.351	18.611	1.00	20.33	C
ATOM	3227	C	GLY	A	426	-17.644	0.928	18.029	1.00	19.87	C
ATOM	3228	O	GLY	A	426	-17.757	-0.071	17.320	1.00	19.66	O
ATOM	3229	N	PRO	A	427	-18.675	1.711	18.316	1.00	19.05	N
ATOM	3230	CA	PRO	A	427	-20.027	1.425	17.828	1.00	19.31	C
ATOM	3231	CB	PRO	A	427	-20.914	2.244	18.779	1.00	19.31	C
ATOM	3232	CG	PRO	A	427	-20.079	3.395	19.210	1.00	19.38	C
ATOM	3233	CD	PRO	A	427	-18.620	2.940	19.118	1.00	19.45	C
ATOM	3234	C	PRO	A	427	-20.236	1.854	16.357	1.00	19.72	C
ATOM	3235	O	PRO	A	427	-19.380	2.509	15.747	1.00	18.20	O
ATOM	3236	N	ILE	A	428	-21.387	1.478	15.816	1.00	20.45	N

ATOM	3237	CA	ILE	A	428	-21.748	1.767	14.423	1.00	21.79	C
ATOM	3238	CB	ILE	A	428	-22.978	0.914	14.033	1.00	21.74	C
ATOM	3239	CG1	ILE	A	428	-22.551	-0.544	13.931	1.00	21.64	C
ATOM	3240	CD1	ILE	A	428	-23.714	-1.520	13.897	1.00	22.58	C
ATOM	3241	CG2	ILE	A	428	-23.614	1.413	12.709	1.00	21.03	C
ATOM	3242	C	ILE	A	428	-21.970	3.289	14.133	1.00	22.67	C
ATOM	3243	O	ILE	A	428	-21.656	3.780	13.040	1.00	21.73	O
ATOM	3244	N	THR	A	429	-22.477	4.020	15.117	1.00	23.75	N
ATOM	3245	CA	THR	A	429	-22.669	5.471	14.996	1.00	25.11	C
ATOM	3246	CB	THR	A	429	-24.168	5.848	15.010	1.00	24.85	C
ATOM	3247	OG1	THR	A	429	-24.796	5.293	16.164	1.00	24.15	O
ATOM	3248	CG2	THR	A	429	-24.897	5.220	13.852	1.00	25.72	C
ATOM	3249	C	THR	A	429	-21.979	6.208	16.139	1.00	26.74	C
ATOM	3250	O	THR	A	429	-21.874	5.685	17.231	1.00	25.18	O
ATOM	3251	N	PRO	A	430	-21.480	7.408	15.882	1.00	29.68	N
ATOM	3252	CA	PRO	A	430	-20.854	8.203	16.943	1.00	32.70	C
ATOM	3253	CB	PRO	A	430	-20.466	9.490	16.238	1.00	32.22	C
ATOM	3254	CG	PRO	A	430	-20.309	9.092	14.810	1.00	31.28	C
ATOM	3255	CD	PRO	A	430	-21.389	8.067	14.572	1.00	30.40	C
ATOM	3256	C	PRO	A	430	-21.817	8.453	18.124	1.00	35.74	C
ATOM	3257	O	PRO	A	430	-22.968	8.793	17.883	1.00	35.50	O
ATOM	3258	N	PRO	A	431	-21.384	8.165	19.355	1.00	39.00	N
ATOM	3259	CA	PRO	A	431	-22.204	8.447	20.545	1.00	41.17	C
ATOM	3260	CB	PRO	A	431	-21.233	8.225	21.720	1.00	41.30	C
ATOM	3261	CG	PRO	A	431	-20.131	7.304	21.175	1.00	40.41	C
ATOM	3262	CD	PRO	A	431	-20.107	7.497	19.695	1.00	38.73	C
ATOM	3263	C	PRO	A	431	-22.752	9.886	20.567	1.00	42.89	C
ATOM	3264	O	PRO	A	431	-22.062	10.839	20.135	1.00	44.56	O
ATOM	3265	OXT	PRO	A	431	-23.901	10.088	21.000	1.00	43.72	O
ATOM	3266	O1	MYR	D	471	-2.485	1.762	8.151	1.00	45.83	O
ATOM	3267	C1	MYR	D	471	-1.474	2.308	7.326	1.00	46.46	C
ATOM	3268	O2	MYR	D	471	-1.389	1.952	6.068	1.00	49.79	O
ATOM	3269	C2	MYR	D	471	-0.479	3.295	7.853	1.00	45.74	C
ATOM	3270	C3	MYR	D	471	0.154	4.056	6.690	1.00	43.98	C
ATOM	3271	C4	MYR	D	471	1.656	3.953	6.790	1.00	42.98	C
ATOM	3272	C5	MYR	D	471	2.324	4.475	5.537	1.00	42.81	C
ATOM	3273	C6	MYR	D	471	3.738	4.943	5.839	1.00	41.11	C
ATOM	3274	C7	MYR	D	471	4.317	5.590	4.593	1.00	41.91	C
ATOM	3275	C8	MYR	D	471	5.768	5.946	4.825	1.00	41.38	C
ATOM	3276	C9	MYR	D	471	6.461	6.300	3.517	1.00	42.57	C
ATOM	3277	C10	MYR	D	471	7.964	6.344	3.726	1.00	43.67	C
ATOM	3278	C11	MYR	D	471	8.684	7.510	3.051	1.00	45.72	C
ATOM	3279	C12	MYR	D	471	10.164	7.322	3.396	1.00	47.13	C
ATOM	3280	C13	MYR	D	471	11.111	8.451	3.053	1.00	47.97	C
ATOM	3281	C14	MYR	D	471	12.427	8.350	3.840	1.00	48.54	C
ATOM	3282	O	HOH	W	501	-28.349	1.588	12.399	1.00	28.37	O
ATOM	3283	O	HOH	W	502	0.197	-8.238	-1.012	1.00	16.70	O
ATOM	3284	O	HOH	W	506	-15.041	10.937	-8.948	1.00	18.06	O
ATOM	3285	O	HOH	W	507	-0.868	-2.943	2.692	1.00	19.13	O
ATOM	3286	O	HOH	W	508	-19.852	-1.879	16.461	1.00	18.83	O
ATOM	3287	O	HOH	W	509	3.500	15.763	8.934	1.00	18.58	O
ATOM	3288	O	HOH	W	511	-9.925	7.852	9.335	1.00	13.03	O
ATOM	3289	O	HOH	W	515	-22.487	-10.783	-10.101	1.00	21.53	O
ATOM	3290	O	HOH	W	518	-2.406	-12.104	12.902	1.00	21.34	O

ATOM	3291	O	HOH	W	520	-13.588	-0.793	4.886	1.00	20.72	O
ATOM	3292	O	HOH	W	521	5.219	2.075	-6.441	1.00	20.16	O
ATOM	3293	O	HOH	W	523	-11.199	1.871	-15.861	1.00	19.38	O
ATOM	3294	O	HOH	W	524	-1.524	-19.182	0.197	1.00	14.68	O
ATOM	3295	O	HOH	W	528	-8.042	-6.705	-7.274	1.00	18.24	O
ATOM	3296	O	HOH	W	530	-5.831	-6.480	-0.969	1.00	18.91	O
ATOM	3297	O	HOH	W	532	-21.235	11.876	3.623	1.00	19.46	O
ATOM	3298	O	HOH	W	534	-20.517	10.394	-5.161	1.00	18.83	O
ATOM	3299	O	HOH	W	535	-8.309	4.618	16.860	1.00	19.12	O
ATOM	3300	O	HOH	W	536	-10.573	7.193	-5.196	1.00	20.32	O
ATOM	3301	O	HOH	W	538	-9.781	-21.059	10.087	1.00	23.88	O
ATOM	3302	O	HOH	W	539	14.650	-2.719	-4.664	1.00	25.62	O
ATOM	3303	O	HOH	W	541	-26.840	-10.205	7.148	1.00	24.88	O
ATOM	3304	O	HOH	W	542	-0.989	-0.284	1.455	1.00	21.35	O
ATOM	3305	O	HOH	W	546	-19.937	10.304	-11.645	1.00	23.13	O
ATOM	3306	O	HOH	W	547	-5.754	13.742	11.626	1.00	14.43	O
ATOM	3307	O	HOH	W	548	9.779	15.109	-2.032	1.00	22.88	O
ATOM	3308	O	HOH	W	550	-24.247	8.658	3.546	1.00	21.94	O
ATOM	3309	O	HOH	W	553	-18.270	-13.589	5.954	1.00	21.98	O
ATOM	3310	O	HOH	W	556	-21.317	2.003	10.047	1.00	18.58	O
ATOM	3311	O	HOH	W	559	11.753	-22.111	1.503	1.00	29.18	O
ATOM	3312	O	HOH	W	560	-5.207	15.339	-6.701	1.00	19.52	O
ATOM	3313	O	HOH	W	561	-6.366	10.247	-8.194	1.00	21.99	O
ATOM	3314	O	HOH	W	562	-17.961	12.151	14.423	1.00	20.33	O
ATOM	3315	O	HOH	W	566	-24.606	7.311	-0.615	1.00	24.02	O
ATOM	3316	O	HOH	W	570	8.701	-11.444	-8.979	1.00	27.59	O
ATOM	3317	O	HOH	W	572	2.242	-10.147	-1.384	1.00	15.71	O
ATOM	3318	O	HOH	W	573	2.473	-22.504	8.845	1.00	21.54	O
ATOM	3319	O	HOH	W	574	-13.333	7.592	18.897	1.00	34.30	O
ATOM	3320	O	HOH	W	575	-29.839	-11.526	7.920	1.00	36.34	O
ATOM	3321	O	HOH	W	576	4.728	-9.265	-7.678	1.00	17.96	O
ATOM	3322	O	HOH	W	577	-1.154	10.944	3.561	1.00	18.41	O
ATOM	3323	O	HOH	W	579	-5.959	-9.830	-19.229	1.00	25.29	O
ATOM	3324	O	HOH	W	580	-8.159	6.920	-13.153	1.00	18.81	O
ATOM	3325	O	HOH	W	582	-11.148	-14.689	6.998	1.00	20.51	O
ATOM	3326	O	HOH	W	583	9.602	-23.925	-4.181	1.00	30.46	O
ATOM	3327	O	HOH	W	585	9.864	-12.700	12.062	1.00	32.83	O
ATOM	3328	O	HOH	W	587	-24.521	14.027	9.439	1.00	20.48	O
ATOM	3329	O	HOH	W	590	5.470	15.782	5.128	1.00	25.65	O
ATOM	3330	O	HOH	W	591	-26.490	-4.252	-6.390	1.00	31.69	O
ATOM	3331	O	HOH	W	592	-24.093	1.094	-12.138	1.00	32.78	O
ATOM	3332	O	HOH	W	593	-20.242	15.468	-6.878	1.00	30.83	O
ATOM	3333	O	HOH	W	595	3.063	7.318	15.295	1.00	19.29	O
ATOM	3334	O	HOH	W	597	4.881	11.595	-0.961	1.00	18.82	O
ATOM	3335	O	HOH	W	598	0.818	-20.767	0.155	1.00	18.27	O
ATOM	3336	O	HOH	W	599	-9.905	9.234	3.489	1.00	18.72	O
ATOM	3337	O	HOH	W	600	-23.094	9.958	-4.480	1.00	21.50	O
ATOM	3338	O	HOH	W	601	-13.103	18.153	15.208	1.00	29.33	O
ATOM	3339	O	HOH	W	602	-21.329	-22.246	-3.972	1.00	33.79	O
ATOM	3340	O	HOH	W	603	-6.993	-6.054	-3.721	1.00	18.62	O
ATOM	3341	O	HOH	W	604	9.684	13.142	-9.113	1.00	26.22	O
ATOM	3342	O	HOH	W	608	-12.005	19.688	6.123	1.00	29.34	O
ATOM	3343	O	HOH	W	610	3.367	-20.033	8.445	1.00	32.65	O
ATOM	3344	O	HOH	W	611	2.059	-25.451	-4.225	1.00	23.12	O

ATOM	3345	O	HOH	W	613	-23.503	10.416	-8.229	1.00	24.14	O
ATOM	3346	O	HOH	W	616	-21.293	20.309	5.239	1.00	27.04	O
ATOM	3347	O	HOH	W	622	-12.791	8.378	-14.698	1.00	28.29	O
ATOM	3348	O	HOH	W	624	-8.915	-16.084	7.321	1.00	25.66	O
ATOM	3349	O	HOH	W	625	-5.805	17.006	-8.881	1.00	22.54	O
ATOM	3350	O	HOH	W	626	-1.123	-28.036	-2.105	1.00	26.02	O
ATOM	3351	O	HOH	W	627	10.731	-8.407	0.227	1.00	30.49	O
ATOM	3352	O	HOH	W	629	7.900	-18.004	-2.768	1.00	30.97	O
ATOM	3353	O	HOH	W	630	2.808	5.861	-2.187	1.00	18.67	O
ATOM	3354	O	HOH	W	631	4.968	1.023	15.989	1.00	21.56	O
ATOM	3355	O	HOH	W	633	-13.236	-23.356	-2.260	1.00	22.13	O
ATOM	3356	O	HOH	W	635	-0.805	16.596	7.615	1.00	32.90	O
ATOM	3357	O	HOH	W	637	8.884	-6.979	-8.376	1.00	29.01	O
ATOM	3358	O	HOH	W	639	9.779	-2.631	-8.635	1.00	29.46	O
ATOM	3359	O	HOH	W	640	-16.031	-10.396	12.196	1.00	26.20	O
ATOM	3360	O	HOH	W	642	-7.325	-26.864	-7.516	1.00	31.98	O
ATOM	3361	O	HOH	W	643	13.371	-14.221	7.010	1.00	35.95	O
ATOM	3362	O	HOH	W	646	-12.771	21.793	-4.401	1.00	29.40	O
ATOM	3363	O	HOH	W	647	-25.056	-16.430	-3.322	1.00	40.53	O
ATOM	3364	O	HOH	W	651	-3.828	-23.937	-13.177	1.00	28.06	O
ATOM	3365	O	HOH	W	654	1.646	1.595	20.034	1.00	43.07	O
ATOM	3366	O	HOH	W	655	-22.202	-1.327	17.879	1.00	30.44	O
ATOM	3367	O	HOH	W	657	-20.271	19.219	-7.689	1.00	30.75	O
ATOM	3368	O	HOH	W	658	-10.522	-8.152	21.841	1.00	39.72	O
ATOM	3369	O	HOH	W	659	-13.445	-15.009	8.685	1.00	29.56	O
ATOM	3370	O	HOH	W	660	-3.534	16.197	9.258	1.00	19.32	O
ATOM	3371	O	HOH	W	661	-7.842	12.544	-15.295	1.00	27.76	O
ATOM	3372	O	HOH	W	663	6.997	-19.229	9.383	1.00	25.74	O
ATOM	3373	O	HOH	W	664	11.334	-18.358	-0.545	1.00	31.34	O
ATOM	3374	O	HOH	W	665	-22.630	-17.198	-1.837	1.00	31.25	O
ATOM	3375	O	HOH	W	666	18.795	-3.323	17.051	1.00	45.50	O
ATOM	3376	O	HOH	W	667	1.155	16.254	0.198	1.00	33.71	O
ATOM	3377	O	HOH	W	668	9.924	12.688	10.926	1.00	35.35	O
ATOM	3378	O	HOH	W	669	10.102	9.383	19.954	1.00	38.55	O
ATOM	3379	O	HOH	W	670	24.192	1.433	15.174	1.00	39.72	O
ATOM	3380	O	HOH	W	671	-14.227	1.236	21.973	1.00	38.79	O
ATOM	3381	O	HOH	W	672	-14.805	3.997	-14.859	1.00	29.68	O
ATOM	3382	O	HOH	W	674	-13.994	-22.492	8.089	1.00	29.16	O
ATOM	3383	O	HOH	W	675	12.076	-18.773	4.356	1.00	27.01	O
ATOM	3384	O	HOH	W	676	14.738	5.971	17.942	1.00	28.68	O
ATOM	3385	O	HOH	W	677	0.988	9.026	14.732	1.00	18.07	O
ATOM	3386	O	HOH	W	685	-10.366	16.480	-14.865	1.00	39.39	O
ATOM	3387	O	HOH	W	686	-30.045	1.108	-4.725	1.00	42.53	O
ATOM	3388	O	HOH	W	687	10.035	-14.922	-8.262	1.00	38.27	O
ATOM	3389	O	HOH	W	688	5.030	-14.184	13.269	1.00	25.48	O
ATOM	3390	O	HOH	W	690	-1.554	-6.303	17.237	1.00	42.30	O
ATOM	3391	O	HOH	W	691	-23.004	13.425	-7.426	1.00	33.24	O
ATOM	3392	O	HOH	W	692	-11.753	18.838	1.393	1.00	29.23	O
ATOM	3393	O	HOH	W	693	-32.107	-9.386	7.767	1.00	40.24	O
ATOM	3394	O	HOH	W	695	-2.936	-9.389	4.709	1.00	26.73	O
ATOM	3395	O	HOH	W	696	-17.570	13.470	-12.150	1.00	36.38	O
ATOM	3396	O	HOH	W	699	2.386	13.767	-16.166	1.00	37.25	O
ATOM	3397	O	HOH	W	709	-34.164	-1.234	10.792	1.00	39.70	O
ATOM	3398	O	HOH	W	712	13.598	-23.098	2.546	1.00	36.48	O

ATOM	3399	O	HOH	W	714	-21.654	17.359	12.106	1.00	32.18	O
ATOM	3400	O	HOH	W	715	-4.197	6.990	-14.569	1.00	23.58	O
ATOM	3401	O	HOH	W	718	-9.667	3.435	18.959	1.00	36.74	O
ATOM	3402	O	HOH	W	719	-15.730	-22.299	-0.317	1.00	46.65	O
ATOM	3403	O	HOH	W	720	-28.242	7.591	0.130	1.00	30.49	O
ATOM	3404	O	HOH	W	722	-24.232	2.621	17.474	1.00	33.28	O
ATOM	3405	O	HOH	W	725	-19.470	-16.710	-16.639	1.00	49.26	O
ATOM	3406	O	HOH	W	728	-11.948	4.219	-14.719	1.00	39.02	O
ATOM	3407	O	HOH	W	729	2.585	-4.775	-9.055	1.00	22.46	O
ATOM	3408	O	HOH	W	731	-20.517	12.695	18.085	1.00	51.54	O
ATOM	3409	O	HOH	W	735	2.774	-17.920	-22.578	1.00	51.09	O
ATOM	3410	O	HOH	W	738	4.512	9.192	-12.330	1.00	48.15	O
ATOM	3411	O	HOH	W	740	-16.632	2.842	15.987	1.00	16.31	O
ATOM	3412	O	HOH	W	744	-11.331	-16.059	4.575	1.00	14.21	O
ATOM	3413	O	HOH	W	746	-9.294	-2.475	4.206	1.00	17.94	O
ATOM	3414	O	HOH	W	748	-6.528	-17.375	-0.582	1.00	14.64	O
ATOM	3415	O	HOH	W	749	0.623	-22.840	6.608	1.00	17.26	O
ATOM	3416	O	HOH	W	755	-3.759	11.212	4.382	1.00	16.88	O
ATOM	3417	O	HOH	W	758	1.596	-12.237	-3.181	1.00	20.26	O
ATOM	3418	O	HOH	W	763	6.982	-6.421	7.952	1.00	13.54	O
ATOM	3419	O	HOH	W	764	-5.382	-12.324	-2.126	1.00	18.79	O
ATOM	3420	O	HOH	W	765	-0.544	-13.965	6.962	1.00	18.19	O
ATOM	3421	O	HOH	W	769	-7.295	11.638	18.187	1.00	17.46	O
ATOM	3422	O	HOH	W	770	4.444	10.579	15.336	1.00	25.74	O
ATOM	3423	O	HOH	W	771	6.324	-6.455	-4.996	1.00	19.29	O
ATOM	3424	O	HOH	W	773	-2.335	6.557	19.629	1.00	27.47	O
ATOM	3425	O	HOH	W	780	5.481	-17.217	9.508	1.00	25.85	O
ATOM	3426	O	HOH	W	783	-16.595	18.319	-9.029	1.00	25.99	O
ATOM	3427	O	HOH	W	784	-13.745	-22.504	1.440	1.00	26.72	O
ATOM	3428	O	HOH	W	785	-25.776	7.686	1.635	1.00	27.47	O
ATOM	3429	O	HOH	W	786	1.269	-12.512	14.246	1.00	23.95	O
ATOM	3430	O	HOH	W	788	1.184	-26.782	-1.833	1.00	22.86	O
ATOM	3431	O	HOH	W	789	-22.374	5.113	10.797	1.00	22.90	O
ATOM	3432	O	HOH	W	790	7.342	15.732	-1.686	1.00	28.55	O
ATOM	3433	O	HOH	W	791	0.677	7.766	-1.883	1.00	22.06	O
ATOM	3434	O	HOH	W	792	-8.161	-4.126	12.421	1.00	30.40	O
ATOM	3435	O	HOH	W	793	-0.108	-26.102	-5.413	1.00	32.84	O
ATOM	3436	O	HOH	W	796	-3.738	21.611	-3.329	1.00	26.96	O
ATOM	3437	O	HOH	W	797	-10.500	-6.338	-18.708	1.00	27.32	O
ATOM	3438	O	HOH	W	798	-4.567	16.508	-11.350	1.00	27.32	O
ATOM	3439	O	HOH	W	800	3.018	-9.798	1.164	1.00	21.23	O
ATOM	3440	O	HOH	W	801	-15.149	-4.131	-16.516	1.00	23.00	O
ATOM	3441	O	HOH	W	803	-22.126	-5.810	-15.345	1.00	30.38	O
ATOM	3442	O	HOH	W	804	-13.790	19.185	0.067	1.00	30.17	O
ATOM	3443	O	HOH	W	808	-24.516	5.828	-9.523	1.00	28.24	O
ATOM	3444	O	HOH	W	811	12.147	-10.594	11.669	1.00	28.55	O
ATOM	3445	O	HOH	W	815	-30.009	-1.319	12.522	1.00	30.33	O
ATOM	3446	O	HOH	W	819	-8.102	-2.256	11.172	1.00	48.39	O
ATOM	3447	O	HOH	W	821	7.503	-9.207	-7.922	1.00	22.87	O
ATOM	3448	O	HOH	W	824	-14.405	-0.711	7.541	1.00	24.08	O
ATOM	3449	O	HOH	W	827	-11.915	-2.552	5.927	1.00	29.17	O
ATOM	3450	O	HOH	W	828	-1.372	8.326	-9.409	1.00	22.78	O
ATOM	3451	O	HOH	W	829	-2.504	9.308	-11.739	1.00	23.60	O
ATOM	3452	O	HOH	W	833	-23.781	11.228	3.171	1.00	24.67	O

ATOM	3453	O	HOH	W	836	-23.323	9.531	-1.773	1.00	34.83	O
ATOM	3454	O	HOH	W	837	1.201	14.905	7.640	1.00	27.49	O
ATOM	3455	O	HOH	W	838	-27.753	0.473	14.478	1.00	42.69	O
ATOM	3456	O	HOH	W	839	-22.763	4.181	-10.180	1.00	29.15	O
ATOM	3457	O	HOH	W	845	9.628	-20.408	-3.459	1.00	37.99	O
ATOM	3458	O	HOH	W	847	4.252	-6.656	-8.003	1.00	26.77	O
ATOM	3459	O	HOH	W	851	-1.037	-6.755	-21.788	1.00	36.35	O
ATOM	3460	O	HOH	W	856	9.199	-7.235	-18.369	1.00	29.72	O
ATOM	3461	O	HOH	W	857	9.860	-13.224	-19.539	1.00	37.28	O
ATOM	3462	O	HOH	W	860	8.836	-14.490	-4.931	1.00	32.31	O
ATOM	3463	O	HOH	W	862	7.109	12.689	13.134	1.00	33.76	O
ATOM	3464	O	HOH	W	866	-20.321	15.014	0.433	1.00	27.34	O
ATOM	3465	O	HOH	W	869	-1.987	-16.229	13.647	1.00	26.06	O
ATOM	3466	O	HOH	W	873	-11.150	-20.285	-16.201	1.00	36.72	O
ATOM	3467	O	HOH	W	874	-17.687	-9.867	14.474	1.00	39.47	O
ATOM	3468	O	HOH	W	875	-11.921	12.537	19.082	1.00	36.02	O
ATOM	3469	O	HOH	W	878	-15.772	7.962	19.643	1.00	43.01	O
ATOM	3470	O	HOH	W	883	-16.693	-9.542	-23.227	1.00	36.71	O
ATOM	3471	O	HOH	W	886	-5.311	19.647	-8.846	1.00	31.11	O
ATOM	3472	O	HOH	W	887	-0.170	-21.100	-17.985	1.00	36.95	O
ATOM	3473	O	HOH	W	888	10.089	-20.559	-14.543	1.00	42.42	O
ATOM	3474	O	HOH	W	889	-15.774	-20.088	8.248	1.00	33.92	O
ATOM	3475	O	HOH	W	890	-12.648	-16.725	10.934	1.00	45.03	O
ATOM	3476	O	HOH	W	891	24.339	0.774	-1.977	1.00	39.43	O
ATOM	3477	O	HOH	W	892	-19.664	-20.866	-5.434	1.00	29.61	O
ATOM	3478	O	HOH	W	893	-6.454	-15.739	-18.578	1.00	29.86	O
ATOM	3479	O	HOH	W	895	-6.377	20.609	3.633	1.00	38.43	O
ATOM	3480	O	HOH	W	897	-7.966	-5.616	5.997	1.00	46.04	O
ATOM	3481	O	HOH	W	900	-15.441	-21.677	-11.070	1.00	42.69	O
ATOM	3482	O	HOH	W	902	-7.585	20.903	-8.475	1.00	33.18	O
ATOM	3483	O	HOH	W	907	17.843	-8.435	12.278	1.00	32.90	O
ATOM	3484	O	HOH	W	908	5.251	2.886	-13.468	1.00	54.00	O
ATOM	3485	O	HOH	W	910	-23.981	0.172	17.346	1.00	33.56	O
ATOM	3486	O	HOH	W	913	-14.658	1.422	-19.340	1.00	41.43	O
ATOM	3487	O	HOH	W	914	-23.244	4.915	19.586	1.00	33.21	O
ATOM	3488	O	HOH	W	915	-22.376	18.465	8.596	1.00	35.10	O
ATOM	3489	O	HOH	W	920	-7.353	6.583	21.946	1.00	46.57	O
ATOM	3490	O	HOH	W	921	12.744	4.417	-8.731	1.00	34.53	O
ATOM	3491	O	HOH	W	922	-6.596	9.455	19.630	1.00	30.39	O
ATOM	3492	O	HOH	W	928	-10.727	6.682	-14.180	1.00	28.67	O
ATOM	3493	O	HOH	W	929	2.718	2.782	22.387	1.00	49.72	O
ATOM	3494	O	HOH	W	930	-2.123	-1.764	-18.911	1.00	39.59	O
ATOM	3495	O	HOH	W	933	16.992	-6.390	3.461	1.00	38.57	O
ATOM	3496	O	HOH	W	936	-6.827	-14.413	-20.937	1.00	38.14	O
ATOM	3497	O	HOH	W	939	-14.282	-11.952	12.764	0.50	31.32	O
ATOM	3498	O	HOH	W	941	-29.357	-5.893	0.146	1.00	44.33	O
ATOM	3499	O	HOH	W	943	27.194	1.619	12.837	1.00	38.03	O
ATOM	3500	O	HOH	W	945	24.913	6.770	12.057	1.00	39.69	O
ATOM	3501	O	HOH	W	946	-29.517	-10.139	-9.940	1.00	36.26	O
ATOM	3502	O	HOH	W	947	-22.073	-6.824	-17.983	1.00	42.54	O
ATOM	3503	O	HOH	W	948	-20.172	16.153	-9.561	1.00	37.72	O
ATOM	3504	O	HOH	W	950	-19.428	10.650	19.862	1.00	48.18	O
ATOM	3505	O	HOH	W	952	9.534	-11.373	-0.819	1.00	34.68	O
ATOM	3506	O	HOH	W	955	-2.470	22.389	-1.283	1.00	33.04	O

ATOM	3507	O	HOH	W	956	-7.479	-1.410	-21.940	1.00	36.54	O
ATOM	3508	O	HOH	W	957	-27.053	-3.235	-12.454	1.00	47.52	O
ATOM	3509	O	HOH	W	958	-12.892	-25.144	-0.483	1.00	38.24	O
ATOM	3510	O	HOH	W	960	-8.974	-23.787	-10.673	1.00	43.97	O
ATOM	3511	O	HOH	W	961	10.690	-11.194	-10.757	1.00	43.18	O
ATOM	3512	O	HOH	W	962	-14.898	21.990	-6.146	1.00	45.51	O
ATOM	3513	O	HOH	W	966	6.522	18.068	-3.777	1.00	45.25	O
ATOM	3514	O	HOH	W	969	-5.522	-26.667	0.587	1.00	36.31	O
ATOM	3515	O	HOH	W	970	-9.495	20.927	5.377	1.00	42.99	O
ATOM	3516	O	HOH	W	971	15.231	-10.121	6.378	1.00	38.68	O
ATOM	3517	O	HOH	W	974	-19.782	-23.781	2.936	1.00	43.09	O
ATOM	3518	O	HOH	W	977	-14.623	-2.948	-21.308	1.00	35.49	O
ATOM	3519	O	HOH	W	979	15.812	13.271	13.605	1.00	45.03	O
ATOM	3520	O	HOH	W	982	-1.032	-20.903	15.912	1.00	29.47	O
ATOM	3521	O	HOH	W	983	-17.708	-23.966	-1.021	1.00	47.69	O
ATOM	3522	O	HOH	W	984	10.996	15.079	0.241	1.00	37.58	O
ATOM	3523	O	HOH	W	985	-17.565	9.595	18.332	1.00	44.48	O
ATOM	3524	O	HOH	W	986	6.332	5.038	-12.408	1.00	50.05	O
ATOM	3525	O	HOH	W	988	-30.816	3.227	12.635	1.00	32.66	O
ATOM	3526	O	HOH	W	989	-10.433	-26.422	-0.983	1.00	40.31	O
ATOM	3527	O	HOH	W	990	-20.390	13.085	15.755	1.00	39.05	O
ATOM	3528	O	HOH	W	995	-10.065	-28.226	1.069	1.00	39.96	O
ATOM	3529	O	HOH	W	998	-17.552	21.293	-5.155	1.00	38.25	O
ATOM	3530	O	HOH	W	999	14.440	-4.054	16.744	1.00	42.91	O
ATOM	3531	O	HOH	W1003		-10.192	-8.925	-18.345	1.00	42.47	O
ATOM	3532	O	HOH	W1004		19.141	-5.370	4.034	1.00	53.22	O
ATOM	3533	O	HOH	W1005		10.001	-10.604	1.518	1.00	46.35	O
ATOM	3534	O	HOH	W1006		-19.944	-14.019	7.953	1.00	44.37	O
ATOM	3535	O	HOH	W1009		-11.583	-6.919	-21.080	1.00	46.74	O
ATOM	3536	O	HOH	W1012		-28.830	6.289	13.636	1.00	40.57	O
ATOM	3537	O	HOH	W1014		-24.489	-13.050	-13.525	1.00	35.37	O
ATOM	3538	O	HOH	W1016		-12.038	4.593	-18.721	1.00	52.97	O
ATOM	3539	O	HOH	W1019		-15.273	6.982	-15.284	1.00	43.17	O
ATOM	3540	O	HOH	W1020		-11.758	12.207	-17.332	1.00	40.11	O
ATOM	3541	O	HOH	W1021		-16.825	1.429	22.628	1.00	36.98	O
ATOM	3542	O	HOH	W1022		-26.389	-0.683	16.386	1.00	36.83	O
ATOM	3543	O	HOH	W1025		11.435	-18.879	-20.389	1.00	52.55	O
ATOM	3544	O	HOH	W1026		-22.343	0.108	-16.930	1.00	49.60	O
ATOM	3545	O	HOH	W1027		2.690	-14.792	14.383	1.00	42.30	O
ATOM	3546	O	HOH	W1028		4.183	-19.812	-12.848	1.00	45.23	O
ATOM	3547	O	HOH	W1030		-3.963	9.559	-16.372	1.00	51.22	O
ATOM	3548	O	HOH	W1031		-21.644	-13.657	5.912	1.00	44.81	O
ATOM	3549	O	HOH	W1032		-21.329	-12.005	16.301	1.00	46.29	O
ATOM	3550	O	HOH	W1033		-20.395	2.624	-16.201	1.00	40.93	O
ATOM	3551	O	HOH	W1035		-8.052	23.194	-10.331	1.00	44.61	O
ATOM	3552	O	HOH	W1037		-4.284	-6.777	-20.909	1.00	41.53	O
ATOM	3553	O	HOH	W1038		10.162	-16.751	-1.884	1.00	40.81	O
ATOM	3554	O	HOH	W1039		-18.860	-21.941	-7.865	1.00	44.11	O
ATOM	3555	O	HOH	W1043		3.680	18.050	2.412	1.00	52.25	O
ATOM	3556	O	HOH	W1044		14.773	14.411	6.083	1.00	38.04	O
ATOM	3557	O	HOH	W1045		10.227	-22.353	-2.523	1.00	42.55	O
ATOM	3558	O	HOH	W1047		15.583	13.230	-5.613	1.00	38.05	O
ATOM	3559	O	HOH	W1048		-25.727	12.816	2.670	1.00	41.02	O
ATOM	3560	O	HOH	W1051		27.006	8.619	3.902	1.00	49.61	O

ATOM	3561	O	HOH	W1052	-29.028	-7.053	2.282	1.00	42.95	O
ATOM	3562	O	HOH	W1053	-1.608	-5.003	19.611	1.00	52.03	O
ATOM	3563	O	HOH	W1054	19.874	-3.886	-0.173	1.00	47.42	O
ATOM	3564	O	HOH	W1055	-24.448	10.543	-10.620	1.00	56.72	O
ATOM	3565	O	HOH	W1057	-2.004	18.625	2.851	1.00	47.08	O
ATOM	3566	O	HOH	W1058	-18.290	-6.247	-22.670	1.00	45.95	O
ATOM	3567	O	HOH	W1059	8.943	-4.636	-7.168	1.00	40.91	O
ATOM	3568	O	HOH	W1061	-13.386	-10.168	-19.754	1.00	46.83	O
ATOM	3569	O	HOH	W1062	3.476	-21.177	13.370	1.00	33.92	O
ATOM	3570	O	HOH	W1066	-11.721	-23.002	9.926	1.00	42.61	O
ATOM	3571	O	HOH	W1068	4.856	-11.715	17.572	1.00	40.00	O
ATOM	3572	O	HOH	W1069	-6.156	14.581	-14.833	1.00	41.43	O
ATOM	3573	O	HOH	W1070	-15.834	-15.626	7.856	1.00	34.72	O
ATOM	3574	O	HOH	W1072	4.958	-22.209	8.680	1.00	48.56	O
ATOM	3575	O	HOH	W1074	-2.837	-14.178	14.494	1.00	41.00	O
ATOM	3576	O	HOH	W1076	-10.592	20.772	8.366	1.00	44.01	O
ATOM	3577	O	HOH	W1079	-6.658	-6.276	-20.965	1.00	51.65	O
ATOM	3578	O	HOH	W1080	9.645	-12.840	-6.763	1.00	45.35	O
ATOM	3579	O	HOH	W1081	-22.297	-14.403	-13.848	1.00	46.89	O
ATOM	3580	O	HOH	W1082	0.285	-17.223	-23.147	1.00	44.60	O
ATOM	3581	O	HOH	W1083	12.362	-10.468	14.893	1.00	41.47	O
ATOM	3582	O	HOH	W1084	8.649	-12.492	14.203	1.00	51.65	O
ATOM	3583	O	HOH	W1088	17.039	-5.085	15.937	1.00	48.59	O
ATOM	3584	O	HOH	W1093	-27.838	-5.627	-3.892	1.00	41.53	O
ATOM	3585	O	HOH	W1095	-25.004	-16.513	-1.187	1.00	45.00	O
ATOM	3586	O	HOH	W1098	-32.143	1.220	-3.727	1.00	53.84	O
ATOM	3587	O	HOH	W1100	2.673	-9.511	-23.528	1.00	47.29	O
ATOM	3588	O	HOH	W1102	9.134	-8.409	17.428	1.00	44.76	O
ATOM	3589	O	HOH	W1103	-28.030	-7.814	-5.259	1.00	39.52	O
ATOM	3590	O	HOH	W1104	-17.716	8.061	-15.054	1.00	46.69	O
ATOM	3591	O	HOH	W1105	24.265	-5.719	5.717	1.00	46.43	O
ATOM	3592	O	HOH	W1107	11.932	-11.599	3.133	1.00	48.74	O
ATOM	3593	O	HOH	W1108	-23.526	-3.820	-17.194	1.00	48.25	O
ATOM	3594	O	HOH	W1109	-22.396	-2.538	19.890	1.00	42.81	O
ATOM	3595	O	HOH	W1110	3.117	-0.821	20.548	1.00	50.73	O
ATOM	3596	O	HOH	W1112	5.341	-2.734	22.442	1.00	44.50	O
ATOM	3597	O	HOH	W1119	2.598	22.999	-5.190	1.00	41.74	O
ATOM	3598	O	HOH	W1123	-7.244	22.864	-6.238	1.00	42.05	O
ATOM	3599	O	HOH	W1124	-24.774	-18.102	2.954	1.00	45.33	O
ATOM	3600	O	HOH	W1125	-28.477	-3.605	-9.741	1.00	50.15	O
ATOM	3601	O	HOH	W1127	-21.047	23.555	1.673	1.00	37.86	O
ATOM	3602	O	HOH	W1129	-21.951	-19.775	-8.986	1.00	43.69	O
ATOM	3603	O	HOH	W1131	-3.114	21.261	-7.298	1.00	45.64	O
ATOM	3604	O	HOH	W1132	-22.355	22.323	-0.450	1.00	52.17	O
ATOM	3605	O	HOH	W1134	10.077	-9.693	-16.170	1.00	44.33	O
ATOM	3606	O	HOH	W1137	6.134	-19.773	-11.055	1.00	46.78	O
ATOM	3607	O	HOH	W1138	12.816	-16.580	4.647	1.00	43.19	O
ATOM	3608	O	HOH	W1140	-0.868	18.304	5.373	1.00	44.59	O
ATOM	3609	O	HOH	W1142	-26.324	-7.231	18.809	1.00	48.14	O
ATOM	3610	O	HOH	W1143	-3.677	-18.088	-19.618	1.00	43.40	O
ATOM	3611	O	HOH	W1146	-5.752	-25.798	-1.940	1.00	40.45	O
ATOM	3612	O	HOH	W1147	17.136	-3.426	-5.084	1.00	46.39	O
ATOM	3613	O	HOH	W1148	-5.180	-17.270	15.251	1.00	49.18	O
ATOM	3614	O	HOH	W1149	12.934	-14.234	5.050	1.00	38.13	O

ATOM	3615	O	HOH	W1151	10.425	15.398	9.787	1.00	47.13	O
ATOM	3616	O	HOH	W1153	-2.310	-24.704	-9.681	1.00	46.45	O
ATOM	3617	O	HOH	W1154	24.848	-5.430	13.210	1.00	51.89	O
ATOM	3618	O	HOH	W1155	21.135	5.202	-5.353	1.00	49.38	O
ATOM	3619	O	HOH	W1157	-13.391	3.262	21.528	1.00	44.78	O
ATOM	3620	O	HOH	W1159	-16.516	16.266	-14.439	1.00	46.23	O
ATOM	3621	O	HOH	W1160	-9.932	-8.926	18.548	1.00	43.92	O
ATOM	3622	O	HOH	W1162	-30.369	6.493	0.732	1.00	52.27	O
ATOM	3623	O	HOH	W1163	4.505	-5.592	-20.625	1.00	53.23	O
ATOM	3624	O	HOH	W1165	19.655	1.168	-8.908	0.65	48.28	O
ATOM	3625	O	HOH	W1169	-8.436	-17.670	-18.143	0.50	31.27	O
ATOM	3626	O	HOH	W1173	-0.763	-11.849	16.442	1.00	51.57	O
ATOM	3627	O	HOH	W1179	-23.924	-8.401	18.579	1.00	45.88	O
ATOM	3628	O	HOH	W1180	19.336	-1.851	-5.098	1.00	48.03	O
ATOM	3629	O	HOH	W1181	-32.430	7.073	4.755	1.00	53.44	O
ATOM	3630	O	HOH	W1184	-12.882	-12.393	-20.486	1.00	46.51	O
ATOM	3631	O	HOH	W1185	-3.310	-8.227	16.438	1.00	36.68	O
ATOM	3632	O	HOH	W1186	7.042	12.193	-12.160	1.00	43.57	O
ATOM	3633	O	HOH	W1187	3.214	-0.962	-18.220	1.00	45.18	O
ATOM	3634	O	HOH	W1192	-1.129	0.668	20.278	1.00	56.19	O
ATOM	3635	O	HOH	W1195	-12.382	9.506	-17.317	1.00	51.17	O
ATOM	3636	O	HOH	W1198	9.694	-21.748	-9.285	1.00	44.48	O
ATOM	3637	O	HOH	W1199	-14.320	21.009	-1.992	1.00	42.80	O
ATOM	3638	O	HOH	W1201	13.239	-6.846	18.293	1.00	49.62	O
ATOM	3639	O	HOH	W1202	20.622	10.343	12.202	1.00	54.10	O
ATOM	3640	O	HOH	W1203	-0.684	20.259	0.596	1.00	59.70	O
ATOM	3641	O	HOH	W1205	-22.169	16.475	-0.782	1.00	47.93	O
ATOM	3642	O	HOH	W1206	-24.802	-12.656	13.818	1.00	52.70	O
ATOM	3643	O	HOH	W1207	-20.624	1.899	22.685	1.00	41.58	O
ATOM	3644	O	HOH	W1208	-26.665	8.529	-9.812	1.00	48.72	O
ATOM	3645	O	HOH	W1209	-7.845	21.556	1.854	1.00	53.29	O

END

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2007/060472

A. CLASSIFICATION OF SUBJECT MATTER
INV. C12N9/20 C12N15/55

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, BIOSIS, Sequence Search, EMBASE, MEDLINE, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 94/01541 A (NOVONORDISK AS [DK]; SVENDSEN ALLAN [DK]; PATHAR SHAMKANT ANANT [DK];) 20 January 1994 (1994-01-20) cited in the application abstract page 4, line 13 - line 17 page 8, line 3 - line 34 examples 3,4	1-20
Y	WO 00/32758 A (NOVONORDISK AS [DK]; BOJSEN KIRSTEN [DK]; SVENDSEN ALLAN [DK]; FUGLSAN) 8 June 2000 (2000-06-08) cited in the application abstract examples 10-12	1-22

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the International search	Date of mailing of the international search report
15 February 2008	22/02/2008
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Pilat, Daniel

INTERNATIONAL SEARCH REPORT

International application No PCT/EP2007/060472

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>PLEISS JUERGEN ET AL: "Anatomy of Lipase binding sites: The scissile fatty acid binding site" CHEMISTRY AND PHYSICS OF LIPIDS, vol. 93, no. 1-2, June 1998 (1998-06), pages 67-80, XP002447233 ISSN: 0009-3084 abstract page 68, column 2, paragraphs 1,2; figures 1b,2b; table 1 page 74, column 1, paragraph 3 - column 2, paragraph 1 page 76, column 1, line 40 - column 2, paragraph 2; table 2 page 78, paragraph 4.3</p> <p>-----</p>	1-22
A	<p>UPPENBERG J ET AL: "Crystallographic and molecular-modeling studies of Lipase B from <i>Candida antarctica</i> reveal a stereospecificity pocket for secondary alcohols." BIOCHEMISTRY 26 DEC 1995, vol. 34, no. 51, 26 December 1995 (1995-12-26), pages 16838-16851, XP002447234 ISSN: 0006-2960 abstract page 16848, column 1, paragraph 1 page 16850, column 2, line 4 - line 6</p> <p>-----</p>	
A	<p>GASKIN DUNCAN J H ET AL: "Alteration of lipase chain length specificity in the hydrolysis of esters by random mutagenesis" BIOTECHNOLOGY AND BIOENGINEERING, vol. 73, no. 6, 20 June 2001 (2001-06-20), pages 433-441, XP002447235 ISSN: 0006-3592 abstract page 433, column 2, last paragraph page 437, column 1, paragraph 2 page 439, column 2, last paragraph</p> <p>-----</p> <p>-/-</p>	

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2007/060472

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>CHANG QING-LONG ET AL: "Comparative selectivities of immobilized lipases from <i>Pseudomonas cepacia</i> and <i>Candida antarctica</i> (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media" ENZYME AND MICROBIAL TECHNOLOGY, vol. 25, no. 3-5, August 1999 (1999-08), pages 290-297, XP002447236 ISSN: 0141-0229 abstract page 293, column 1, paragraph 1 page 294, column 1, line 24 - line 32 -----</p>	
A	<p>KLEIN ROBERT R ET AL: "Altered acyl chain length specificity of <i>Rhizopus delemar</i> lipase through mutagenesis and molecular modeling" LIPIDS, CHAMPAIGN, IL, US, vol. 32, no. 2, 1997, pages 123-130, XP009088258 ISSN: 0024-4201 abstract page 124, column 1, line 11 - line 19 -----</p>	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2007/060472

Patent document cited in search report	Publication date		Patent family member(s)	Publication date
WO 9401541	A 20-01-1994	BR EP JP MX US	9306694 A 0652945 A1 7508416 T 9304027 A1 6074863 A	08-12-1998 17-05-1995 21-09-1995 31-05-1994 13-06-2000
WO 0032758	A 08-06-2000	AU EP NZ	1376300 A 1131416 A1 511340 A	19-06-2000 12-09-2001 25-07-2003