



US00D378367S

# United States Patent [19]

[11] Patent Number: **Des. 378,367**

Adams

[45] Date of Patent: **\*\*Mar. 11, 1997**

[54] **ADJUSTABLE ELECTRONIC SEWING PATTERN**

4,688,503 8/1987 Kato ..... 112/445  
5,097,779 3/1992 Ishikawa et al. .... 112/445

[76] Inventor: **Janet Adams**, 4059 Thunder Heights La., Middleburg, Fla. 32068

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—Harold H. Dutton, Jr.; W. Charles L. Jamison; Diane F. Liebman

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **45,789**

The ornamental design for an adjustable electronic sewing pattern, as shown and described.

[22] Filed: **Oct. 30, 1995**

### DESCRIPTION

[52] U.S. Cl. .... **D14/100**; D15/66

[58] **Field of Search** ..... D14/100, 105, D14/106, 107; D15/66, 69, 70, 72; D18/2, 7; 178/18, 19; 345/156, 168, 169, 172, 173, 87; 341/22, 23; 364/708.1, 400; 112/445-448

FIG. 1 is a perspective view of an adjustable electronic sewing pattern showing my new design;  
FIG. 2 is a top view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a front view thereof; and,  
FIG. 7 is a rear view thereof.


### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 312,245	11/1990	Uchida	.....	D15/72 X
4,335,667	6/1982	Beckerman et al.	.....	112/445
4,446,520	5/1984	Shigeta et al.	.....	364/400
4,512,271	4/1985	Herdeg et al.	.....	112/445
4,620,496	11/1986	Hanyu	.....	112/445

The cord is shown broken in the figures to indicate an indeterminate length.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6



FIG. 5



FIG. 7