



US0D1069457S

(12) **United States Design Patent**  
**Spitz et al.**

(10) **Patent No.:** **US D1,069,457 S**

(45) **Date of Patent:** **\*\* Apr. 8, 2025**

(54) **BAR MAT**  
(71) Applicant: **True Fabrications, Inc.**, Seattle, WA  
(US)

(72) Inventors: **Jonathon Spitz**, Seattle, WA (US);  
**Peter Wogstad**, Seattle, WA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/885,712**

(22) Filed: **Feb. 28, 2023**

(51) **LOC (15) Cl.** ..... **06-11**

(52) **U.S. Cl.**  
USPC ..... **D6/582**; D32/57

(58) **Field of Classification Search**  
USPC ..... D5/44; D6/582-584, 586-588, 592;  
D12/203; D19/10; D24/212-213;  
D32/57

CPC .... A47G 27/0225; A47G 9/062; A47K 3/002;  
A47K 7/026; A47L 23/26; A47L 23/266;  
A63B 21/4037; A63B 6/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D232,998 S *	10/1974	Molzen	.....	D32/57
D264,102 S *	4/1982	Howard	.....	D21/349
D310,386 S *	9/1990	Michels	.....	D19/10
5,116,045 A *	5/1992	Jahoda	.....	A63B 6/00
				482/146
D396,882 S *	8/1998	Neal, Jr.	.....	D20/40
D453,517 S *	2/2002	Pentz	.....	D19/10
D609,411 S *	2/2010	Crout	.....	A01K 1/0157
				D30/161
D613,464 S *	4/2010	Cook	.....	D30/161
D673,004 S *	12/2012	Lion	.....	D7/354
D697,772 S *	1/2014	Joseph	.....	D7/699

D734,996 S *	7/2015	Huttner	.....	D7/698
D742,164 S *	11/2015	Lindholm	.....	D7/368
D770,715 S *	11/2016	Cooper	.....	D32/58
10,639,073 B1 *	5/2020	Serna	.....	A61B 17/54
D886,549 S *	6/2020	Kim	.....	D7/637
D918,620 S *	5/2021	Flemming	.....	D6/583
D935,721 S *	11/2021	Kaicker	.....	D32/57
D936,924 S *	11/2021	Kaicker	.....	D32/57
D1,003,553 S *	10/2023	Kaicker	.....	D32/57
D1,005,740 S *	11/2023	Tian	.....	B65D 1/265
				D7/553.3
D1,020,305 S *	4/2024	Allen	.....	D6/592
D1,027,495 S *	5/2024	Chen	.....	D6/587
D1,032,126 S *	6/2024	Quan	.....	D32/57
D1,036,039 S *	7/2024	Tao	.....	D32/57

\* cited by examiner

*Primary Examiner* — Clare Ann Gannon

(74) *Attorney, Agent, or Firm* — Vicky Kaur Bajwa


(57) **CLAIM**

The ornamental design for a bar mat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a bar mat showing our new design;  
 FIG. 2 is a rear elevation view of the bar mat of FIG. 1;  
 FIG. 3 is a left side elevation view of the bar mat of FIG. 1; the right side elevations views being a mirror image thereof;  
 FIG. 4 is a top view of the bar mat of FIG. 1; the bottom view being a mirror image thereof;  
 FIG. 5 is a sectional view of the bar mat of FIG. 1, taken in the direction of line 5-5 on FIG. 1;  
 FIG. 6 is a sectional view of the bar mat of FIG. 1, taken in the direction of line 6-6 on FIG. 1; and,  
 FIG. 7 is a sectional view of the bar mat of FIG. 1, taken in the direction of line 7-7 on FIG. 1.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6



FIG. 7