



US00D767488S

(12) **United States Design Patent** (10) **Patent No.:** **US D767,488 S**  
**Esses** (45) **Date of Patent:** **\*\* Sep. 27, 2016**

(54) **CHARGING DEVICE**  
(71) Applicant: **Premier Accessory Group LLC**,  
Edison, NJ (US)  
(72) Inventor: **Alfred Esses**, Brooklyn, NY (US)  
(73) Assignee: **PREMIER ACCESSORY GROUP**  
**LLC**, Edison, NJ (US)  
(\*\*) Term: **15 Years**

D368,328 S \* 3/1996 Wacker ..... D28/85  
D409,568 S \* 5/1999 Lindahl .....  
D471,324 S \* 3/2003 Kalin ..... D28/77  
D501,279 S \* 1/2005 Dittmer ..... D28/85  
D595,223 S \* 6/2009 Yamamoto ..... D13/108  
D632,653 S \* 2/2011 Wikel ..... D13/144  
D644,108 S \* 8/2011 Vila Calvo ..... D9/529  
D653,614 S \* 2/2012 Au ..... D13/108  
D654,875 S 2/2012 Au .....  
8,148,940 B2 4/2012 Liu

(Continued)

(21) Appl. No.: **29/564,146**  
(22) Filed: **May 11, 2016**

FOREIGN PATENT DOCUMENTS

DK 199700574 S 7/1997  
EM 002450403-0002 S 6/2014

(Continued)

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/551,614,  
filed on Jan. 14, 2016.

*Primary Examiner* — Rosemary K Tarcza  
*Assistant Examiner* — Nathaniel D Buckner  
(74) *Attorney, Agent, or Firm* — Gottlieb, Rackman &  
Reisman, P.C.

(51) **LOC (10) Cl.** ..... **13-02**  
(52) **U.S. Cl.**

(57) **CLAIM**

The ornamental design for a charging device, as shown and  
described.

USPC ..... **D13/107**  
(58) **Field of Classification Search**

**DESCRIPTION**

USPC ..... D13/107–110, 118–119, 133, 144, 184;  
D14/155, 251, 253, 432, 434; D28/85  
CPC ..... Y02E 60/12; Y02T 90/14; Y02T 90/122;  
Y02T 90/128; Y02T 90/163; H02J 7/025;  
H02J 7/0042; H02J 7/0044; H02J 7/0045;  
H02J 7/0003; H02J 7/0054; H02J 7/0055;  
H02J 7/0057; H01F 38/14; H01R 13/6675;  
H01R 13/70; H01R 13/71; H01R 13/66;  
H01R 2201/26; H01M 2/1022; H01M  
2/1055; H01M 10/44; H01M 10/46; H01M  
10/425; B60L 11/182; H05K 11/02  
See application file for complete search history.


FIG. 1 is a first perspective view of a charging device  
showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a first side view thereof;  
FIG. 5 is a second side view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is a second perspective view thereof.  
The broken lines shown in the drawings are included for the  
purpose of illustrating portions of the article that form no  
part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D262,152 S \* 12/1981 Holloway ..... D28/85  
D303,302 S \* 9/1989 McCready ..... D28/85

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D673,909 S \* 1/2013 Zaslavsky ..... D13/110  
D678,191 S \* 3/2013 Fitch ..... D13/108  
D704,639 S 5/2014 Alesi et al.  
D713,405 S \* 9/2014 Akana ..... D14/349  
D716,729 S \* 11/2014 Kelly ..... D13/110  
D734,259 S \* 7/2015 Cepress ..... D13/110  
D734,550 S \* 7/2015 Schlatter ..... D28/83  
D738,302 S \* 9/2015 Jeong ..... D13/108  
D740,751 S \* 10/2015 Akana ..... D13/110

D741,254 S \* 10/2015 Kelly ..... D13/101  
D747,544 S \* 1/2016 Taha ..... D27/163  
D749,506 S \* 2/2016 Morgan ..... D13/108  
2002/0119708 A1 8/2002 Eisenbraun  
2012/0081067 A1 4/2012 Burrell, IV

FOREIGN PATENT DOCUMENTS

GB 2060913 S 3/1997  
KR 3003993050000 S 11/2005

\* cited by examiner






FIG. 1






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8