

[19] Patents Registry
The Hong Kong Special Administrative Region
香港特別行政區
專利註冊處

[11] 1000495 A
EP 0787726 A1

[12] **STANDARD PATENT APPLICATION**
標準專利申請

[21] Application No. 申請編號
97101948.5


[51] Int.Cl.⁶ C07D A61K

[22] Date of filing 提交日期
17.10.97

[30] Priority 優先權 14.06.94 JP 156578/94 28.07.94 JP 197921/94 15.11.94 JP 306914/94 28.12.94 JP 339956/94 13.03.95 JP 81705/95 [43] Date of publication of application 申請發表日期 27.03.98 EP Application No. & Date 歐洲專利申請編號及日期 EP 95920265.6 06.06.95 EP Publication No. & Date 歐洲專利申請發表編號及日期 EP 0787726 06.08.97 [86] International Application No. 國際申請編號 PCT/JP95/01110 [87] International Publication No. 國際申請發表編號 WO 95/34559 (21.12.95)	[71] Applicant 申請人 DAINIPPON PHARMACEUTICAL CO., LTD., 6-8, Doshomachi 2-chome, Chuo-ku, Osaka-shi, Osaka 541, Japan 日本 [72] Inventor 發明人 TOMITA, KYOJI CHIBA, KATSUMI KASHIMOTO, SHIGEKI SHIBAMORI, KOH-ICHIRO TSUZUKI, YASUNORI [74] Agent and / or address for service 代理人及/或送達地址 Johnson Stokes & Master, 18/F., Prince's Building, 10 Chater Road, Hong Kong 孖士打律師行，香港中環遮打道 10 號太子大廈 18 字樓
--	---

[54] NOVEL COMPOUND, PROCESS FOR PRODUCING THE SAME, AND ANTITUMOR AGENT 新奇的化合物、製造上述化合物之程序及抗腫瘤劑

[57] This invention relates to pyridone-carboxylic acid derivatives of the following formula or salts thereof:



wherein

R₁ is a hydrogen atom, a halogen atom, etc.,

R₂ is a carboxyl group etc.,


R₃ is a hydrogen atom etc.,

(Continued on next page 續後頁)

A is a nitrogen atom or CH,

m is 1 or 2, and

Y is an eliminable group or a group having the following formula:



wherein

R_4 is a hydrogen atom or a lower alkyl group,

Z is a hydrogen atom, a lower alkyl group, etc.,

R_5 is a hydrogen atom, a lower alkyl group, etc.,

n is 0 or 1, and

p is 1, 2, 3 or 4

and to processes for the preparation of these compounds, and further to anti-tumor agents which contain the above compounds as effective ingredients.

此發明關於以下分子式或其鹽類之吡啶酮羧酸衍生物：

其中

R_1 是氫原子、鹵原子等，

R_2 是羧基等，

R_3 是氫原子等，

A是氮原子或CH，

m是1或2，及

Y是可排除基或具有以下分子式之基：

其中

R_4 是氫原子或低級烷基，

Z 是氫原子、低級烷基等，

R_5 是氫原子、低級烷基等，

n 是0或1，及

p 是1、2、3或4

及製備該等化合物之程序以及以上述化合物作為有效配合劑之抗腫瘤劑。