

[54] GAS DETECTOR

[75] Inventor: Rudy Krolopp, Elk Grove, Ill.

[73] Assignee: J and N Associates, Inc., Wheeler, Ind.

[**] Term: 14 Years

[21] Appl. No.: 347,789

[22] Filed: May 5, 1989

[52] U.S. Cl. D10/81

[58] Field of Search D10/46, 52, 75, 78, D10/81, 102, 103; D24/1.1, 17; 73/23.21, 31.06, 40.5 R, 40.7, 431; 324/455; 340/599, 603, 628, 632, 633, 634

[56] References Cited

U.S. PATENT DOCUMENTS

D. 242,531	11/1976	Guimond	D10/46
D. 242,602	12/1976	Melvin et al.	D10/46
D. 298,110	10/1988	Kawano	D10/46
D. 312,218	11/1990	Hill	D10/81 X
3,311,455	3/1967	Robinson	340/633 X
3,460,125	8/1969	Liebermann et al.	340/632

3,786,675	1/1974	Delatorre et al.	340/632 X
4,369,647	1/1983	Shigemori et al.	340/634 X
4,665,385	5/1987	Henderson	422/84 X

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Marshall, O'Toole, Gerstein, Murray & Bicknell

[57] CLAIM

The ornamental design for a gas detector, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a gas detector showing my new design, with the flexible gas probe in an extended position;
FIG. 2 is a top, front and left side perspective view, with the flexible gas probe in a mounted position;
FIG. 3 is a front elevational view of FIG. 2;
FIG. 4 is a right side elevational view of FIG. 2;
FIG. 5 is a left side elevational view of FIG. 2;
FIG. 6 is a rear elevational view of FIG. 2;
FIG. 7 is a top plan view of FIG. 2; and
FIG. 8 is a bottom plan view of FIG. 2 thereof.




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

