



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2400954 C 2010/04/20

(11)(21) **2 400 954**

(12) **BREVET CANADIEN
CANADIAN PATENT**

(13) **C**

(86) Date de dépôt PCT/PCT Filing Date: 2001/02/23

(87) Date publication PCT/PCT Publication Date: 2001/08/30

(45) Date de délivrance/Issue Date: 2010/04/20

(85) Entrée phase nationale/National Entry: 2002/08/22

(86) N° demande PCT/PCT Application No.: US 2001/005741

(87) N° publication PCT/PCT Publication No.: 2001/062977

(30) Priorité/Priority: 2000/02/23 (US60/184,269)

(51) Cl.Int./Int.Cl. *C12Q 1/68* (2006.01)

(72) Inventeurs/Inventors:

BOYD, CHARLES D., US;
CSISZAR, KATALIN, US;
LESAUX, OLIVIER, US;
URBAN, ZSOLT, US;
TERRY, SHARON, US

(73) Propriétaires/Owners:

PXE INTERNATIONAL, INC., US;
UNIVERSITY OF HAWAII, US


(74) Agent: MBM INTELLECTUAL PROPERTY LAW LLP

(54) Titre : PROCEDES ET COMPOSITIONS POUR LE DIAGNOSTIC ET LE TRAITEMENT DE LA PSEUDOXANTHOMA ELASTICUM ET DES PATHOLOGIES ASSOCIEES

(54) Title: METHODS AND COMPOSITION FOR DIAGNOSING AND TREATING PSEUDOXANTHOMA ELASTICUM AND RELATED CONDITIONS

(57) Abrégé/Abstract:

Methods and compositions are provided for diagnosing and treating Pseudoxanthoma elasticum (PXE) patient and PXE carriers. Methods and compositions are based on the discovery that PXE mutations are located in the MRP6 (ABCC6) gene.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
30 August 2001 (30.08.2001)

PCT

(10) International Publication Number
WO 01/62977 A2

- (51) International Patent Classification⁷: **C12Q 1/68**
- (21) International Application Number: PCT/US01/05741
- (22) International Filing Date: 23 February 2001 (23.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/184,269 23 February 2000 (23.02.2000) US
- (71) Applicants: **PXE INTERNATIONAL, INC.** [US/US]; 23 Mountain Street, Sharon, MA 02067 (US). **UNIVERSITY OF HAWAII** [US/US]; 2800 Woodlawn Drive, Suite 280, Honolulu, HI 96822 (US).
- (72) Inventors: **BOYD, Charles, D.**; 3330 Paty Drive, Honolulu, HI 96822 (US). **CSISZAR, Katalin**; 3330 Paty Drive, Honolulu, HI 96822 (US). **LESAUX, Olivier**; 2745 Terrace Drive, Apartment A, Honolulu, HI 96822 (US). **URBAN, Zsolt**; 2630 Dole Street, Apartement A1, Honolulu, HI 96822 (US). **TERRY, Sharon**; 23 Mountain Street, Sharon, MA 02067 (US).
- (74) Agent: **WALLER, Patrick, R., H.**; Testa, Hurwitz & Thibault, LLP, High Street Tower, 125 High Street, Boston, MA 02110 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: METHODS AND COMPOSITION FOR DIAGNOSING AND TREATING *PSEUDOXANTHOMA ELASTICUM* AND RELATED CONDITIONS

(57) Abstract: Methods and compositions are provided for diagnosing and treating *Pseudoxanthoma elasticum* (PXE) patinet and PXE carriers. Methods and compositions are based on the discovery that PXE mutations are located in the MRP6 (ABCC6) gene.

WO 01/62977 A2

METHODS AND COMPOSITION FOR DIAGNOSING AND TREATING PSEUDOXANTHOMA ELASTICUM AND RELATED CONDITIONS

GOVERNMENT SUPPORT

Work described herein was supported, in part, by Federal Grant No. EY 13019. The U.S. Government has certain rights in the invention.

FIELD OF THE INVENTION

The present invention relates generally to the field of physiological dysfunctions associated with *Pseudoxanthoma elasticum*. More particularly, the invention is concerned with the identification of a gene associated with *Pseudoxanthoma elasticum*, as well as mutations in the gene that cause the disease. The present invention also relates to methods for detecting and diagnosing *Pseudoxanthoma elasticum*, to methods for identifying carriers of mutant and normal alleles of the gene associated with *Pseudoxanthoma elasticum*, to methods for screening compounds to identify potential therapeutics for *Pseudoxanthoma elasticum*, to treatment methods for *Pseudoxanthoma elasticum*, and to useful cell lines and animal models of the disease.

BACKGROUND OF THE INVENTION

Pseudoxanthoma elasticum (PXE) is a heritable disorder characterized by mineralization of elastic fibers in skin, arteries and the retina, that result in dermal lesions with associated laxity and loss of elasticity, arterial insufficiency, cardiovascular disease and retinal hemorrhages leading to macular degeneration.

The skin manifestations are among the most common characteristics of PXE, but the ocular and cardiovascular symptoms are responsible for the morbidity of the disease. Characteristic skin lesions are generally an early sign of PXE and were first described by a French dermatologist in 1896. Skin lesions are usually detected during childhood or adolescence and progress slowly and often unpredictably. Therefore, the initial diagnosis of PXE is sometimes made by a dermatologist. The skin lesions consist of yellowish papules and plaques and laxity with loss of elasticity, and result from an accumulation of abnormal mineralized elastic fibers in the mid-dermis. Lesions are typically seen on the face, neck, axilla, antecubital fossa, popliteal fossa, groin and periumbilical areas. A PXE diagnosis can be confirmed by a skin biopsy that shows calcification of fragmented elastic fibers in the mid- and lower dermis.

Another characteristic of PXE is the presence of ocular lesions due to the accumulation of abnormal elastic fibers in the Bruch's membrane, resulting in angioid streaks. Doyne was the first to describe these ocular streaks in 1889, and Knapp introduced the term "angioid streaks" for their resemblance to blood vessels. The combination of PXE and ocular manifestations was initially referred to as the Gronblad-Strandberg syndrome, after the names of two ophthalmologists who independently related the occurrence of angioid streaks to PXE in 1929. The majority of PXE patients (approximately 85%) develop ocular manifestations during their second decade of life. Bilateral angioid streaks are normally seen as linear gray or dark red lines with irregular serrated edges lying beneath normal retinal blood vessels and represent breaks in the Bruch's membrane. The Bruch's membrane is not in a true sense a "membrane" but rather a heterogeneous elastin-rich layer separating the chorioid from the retina. The elastic laminae of the Bruch's membrane is located between two layers of collagen (type I, III and IV) which lie in direct contact with the basement membranes of the retinal pigmented epithelium (RPE) and the capillaries in the choriocapillary layer of the chorioid. As a consequence of angioid streaks, a PXE patient progressively develops a chorioidal neovascularization with a subsequent hemorrhagic detachment of the fovea and later scarring. Optic nerve drusen may also be associated with angioid streaks and results in visual field deficits and even advanced visual impairment.

Common cardiovascular complications of PXE are due to the presence of abnormal calcified elastic fibers in the internal elastic lamina of medium-sized arteries. The broad spectrum of phenotypes includes premature atherosclerotic changes, intimal fibroplasia causing

WO 01/62977

PCT/US01/05741

angina or intermittent claudication or both, early myocardial infarction and hypertension. Fibrous thickening of the endocardium and atrioventricular valves can also result in restrictive cardiomyopathy. Approximately 10% of PXE patients also develop gastrointestinal bleeding and central nervous system complications (such as stroke and dementia) as a consequence of systemic arterial wall mineralization. In addition, renovascular hypertension and atrial septal aneurysm can be seen in PXE patients.

Strikingly, lung abnormalities are not a significant phenotypic feature of PXE, even though pulmonary tissues are rich in elastic fibers. Mineralization of pulmonary elastic fibers has only been noted in a few patients.

PXE is usually found as a sporadic disorder but examples of both autosomal recessive and autosomal dominant forms of PXE have been reported. Partial manifestations of the PXE phenotype have also been described in presumed carriers in PXE families. Recent reports have linked both the dominant and recessive forms of PXE to a 5 cM domain on chromosome 16P13.1. However, the mechanisms underlying the physiological defects characteristic of PXE are not understood.

Therefore, there is a need in the art for methods and compositions for diagnosing and treating PXE and PXE associated phenotypes.

SUMMARY OF THE INVENTION

The invention provides methods and compositions for diagnosing and treating PXE and PXE associated physiological dysfunctions. According to the invention, mutations associated with PXE are located in the (MRP6) ABCC6 gene. Therefore, methods for detecting the presence of a mutation associated with PXE involve interrogating the (MRP6) ABCC6 gene, or a portion thereof, for the presence of one or more mutations that are associated with PXE. Accordingly, one aspect of the invention provides methods for identifying individuals that have one or two mutant alleles at the PXE locus. PXE is most often an autosomal recessive disease. Therefore, an individual with two mutant (MRP6) ABCC6 alleles associated with PXE will develop symptoms characteristic of the disease. In contrast, an individual with one mutant (MRP6) ABCC6 allele associated with PXE is a carrier of the disease and does not develop full-blown PXE. However, according to one embodiment of the invention, a PXE carrier may

develop mild forms of the characteristic manifestations. Accordingly, a PXE carrier status can be indicative of a predisposition to PXE related symptoms such as eye, skin, or cardiovascular problems. In a preferred embodiment of the invention, genetic counseling is provided to an individual identified as having a mutation associated with PXE in one or both alleles of the PXE ((MRP6) ABCC6) locus.

In another aspect, the invention provides compositions for detecting the presence of a mutation associated with PXE at the (MRP6) ABCC6 locus. In a preferred embodiment, an oligonucleotide that hybridizes to the (MRP6) ABCC6 locus is used in a diagnostic assay. In a more preferred embodiment, the oligonucleotide includes a sequence complementary to a mutation that is associated with PXE. Alternatively, an antibody-based diagnostic assay is used to detect the presence of a mutation associated with PXE at the (MRP6) ABCC6 locus.

Other aspects of the invention include therapeutic uses of the (MRP6) ABCC6 gene or protein, drug screening, the identification of (MRP6) ABCC6 homologues in other organisms (including mammalian organisms), cellular and animal models of PXE, the identification of (MRP6) ABCC6 functional domains related to the PXE phenotype, the identification of regulators of (MRP6) ABCC6 expression (mutations in these regulators can also result in PXE related symptoms), the identification of genes/proteins that interact with (MRP6) ABCC6 (alterations in these interacting molecules can also cause PXE related symptoms).

Thus, in one series of embodiments the invention provides methods for screening for the presence of a PXE mutation by interrogating an MRP6 nucleic acid obtained from a patient for the presence of a PXE mutation. The screen is positive if the presence of a PXE associated mutation is detected. A PXE associated mutation is a mutation that causes the PXE phenotype in an individual that is homozygous for the mutation. PXE associated mutations also causes the PXE phenotype in an individual that is a compound heterozygote with two different mutant alleles at the MRP6 locus, wherein each allele is a PXE associated allele. Nucleic acid is isolated from a patient biological sample, and the biological sample is preferably blood, saliva, amniotic fluid, or tissue such as a biopsy tissue. According to the invention, an MRP6 nucleic acid is a nucleic acid obtained from the MRP6 locus. An MRP6 nucleic acid can be mRNA, genomic DNA or cDNA from the MRP6 locus, or a PCR product of any of the above. According to the invention, the MRP6 locus includes the MRP6 exons, introns, and associated promoter and regulatory sequences in the genome surrounding the MRP6 exons.

In one series of embodiments, a PXE associated mutation is detected in MRP6 using a nucleic acid based detection assay. Preferred nucleic acid based detection assays include hybridization assays, primer extension assays, SSCP, DGGE, RFLP, LCR, DHPLC, and enzymatic cleavage assays. In another series of embodiments, a PXE associated mutation is detected in a protein based detection assay. Preferred protein based detection assays include ELISA and a Western blot assays. In one embodiment of the invention, mutation detection assays are provided to screen the MRP6 locus or a portion thereof to determine whether a mutation is present. The lack of MRP6 expression or the expression of a physically aberrant form of MRP6 may be sufficient to determine that an individual has a PXE associated mutation at the MRP6 locus. Alternatively, the determination that a mutation is present in the MRP6 locus may not be sufficient to determine the PXE status of an individual in the absence of information concerning the specific identity of the mutation. If such a mutation is present, it may be identified according to methods of the invention, for example by sequencing the region of the MRP6 locus that contains the mutation. Once a mutation is identified in a patient sample, the PXE status of the patient can be determined according to methods of the invention. In an alternative embodiment of the invention, specific mutation detection assays are provided to detect a known PXE associated MRP6 mutation in a patient sample.

In another series of embodiments, the invention provides oligonucleotide probes or primers and antibodies for use in mutation detection assays or screens according to the invention.

In another series of embodiments, the invention provides methods for screening candidate drug compounds to identify therapeutic compounds for treating PXE patients (individuals that have PXE due to the presence of two recessive PXE associated MRP6 alleles, or one apparently dominant PXE allele) or PXE carriers (individuals with one normal MRP6 allele and one allele with a PXE associated mutation).

In another series of embodiments, the invention provides methods for treating PXE patients or carriers using a normal MRP6 nucleic acid or protein to restore normal MRP6 function to the individual or to specific cells or tissues or the individual.

In another series of embodiments, the invention provides methods for creating transgenic or knockout cell lines and animals in order to provide a model system for PXE.

In another series of embodiments, the invention provides methods for identifying compounds such as other intracellular proteins that interact with MRP6 thereby to identify additional therapeutic targets for PXE treatment.

Accordingly, the invention provides methods and compositions for unambiguously determining the PXE status of an individual. The invention provides methods for detecting deletions, substitutions, insertions, and rearrangements in the MRP6 locus that are associated with PXE. In preferred embodiments, the invention provides methods for identifying mutations known to be associated with PXE. Preferred mutations include mutations that affect one or more of the bases in codons 1114, 1138, 1141, 1298, 1302, 1303, 1314, 1321 and other codons identified herein as being important for normal MRP6 function. Alternatively, the invention provides methods to identify mutations that result in non-conservative substitutions in the MRP6 locus. In a further embodiment, the invention provides assays to detect PXE associated mutations at intron/exon splice sites of the MRP6 gene. The invention also provides methods to detect mutations that affect one or more regulatory elements of the MRP6 gene, including the promoter, the polyA site and other transcriptional or translational control sequences.

Methods of the invention are also useful to screen a population in order to identify individuals with one or more PXE associated MRP6 alleles. According to the invention, these individuals are provided with appropriate genetic counseling in view of their PXE status.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows the structure of the MRP6 gene and the surrounding genomic regions. Two (MRP6) *ABCC6* mutations that cause PXE are indicated.

Figure 2 shows the predicted topology of the MRP6 protein and the location of ten mutations causing PXE.

Figure 3 shows conserved amino acids in the human MRP6 protein.

Figure 4 shows co-segregation of the PXE phenotype with the R1141X mutation in exon 24 of the (MRP6) *ABCC6* gene.

Figure 5 shows segregation of the PPXE phenotype for an apparent autosomal dominant mutation.

Figure 6 shows a construct for deleting exon 28 in a mouse.

DETAILED DESCRIPTION OF THE INVENTION

The invention provides methods and compositions for diagnosing and treating PXE and PXE related symptoms. Methods and compositions of the invention rely in part on the discovery that mutations associated with PXE map to the (MRP6) ABCC6 gene locus on chromosome 16. Accordingly, the invention provides useful PXE related diagnostic and therapeutic methods and compositions by exploiting wild-type and mutant (MRP6) ABCC6 genes and proteins.

I. PXE Associated Mutations in the (MRP6) ABCC6 gene

a) Mapping of PXE associated mutations to the (MRP6) ABCC6 genetic locus

Although the first case of PXE was reported by Darier in 1896, most PXE cases have been reported since the 1970s. In most reports, PXE is inherited as an autosomal recessive (AR) phenotype or appears as a sporadic phenotype. However, kindreds showing apparent autosomal dominant (AD) inheritance have also been reported.

Using DNA from patients and unaffected family members from 21 unrelated PXE families, the PXE phenotype was linked to the short arm of chromosome 16. A very significant linkage with an 8 cM region was demonstrated with a maximum lod score of 8.07. A subsequent haplotype analysis and recombination mapping reduced the locus from 8 cM to 820 kb where six candidate genes were identified. The locus was later reduced to less than 600 kb and one candidate gene was excluded. All 109 exons of the five remaining candidate genes were screened by a combination of single-strand conformation polymorphism (SSCP), heteroduplex analysis (HA) or direct sequencing using genomic DNA from a cohort of 17 unrelated PXE patients and three unrelated normal individuals. The first six mutations, clearly associated with the PXE phenotype, were found in the (MRP6) ABCC6 gene (also known as the ABCC-6 gene). This analysis is described in further detail in Example 2. According to the invention, the MRP6 gene has 31 exons as shown in Figure 1. A 107.7 kb genomic sequence that includes the MRP6 locus is shown in SEQ ID NO: 1. The sequence of SEQ ID NO: 1 shows the complementary strand of the MRP6 gene. The intron/exon boundaries are as follows (on the complementary strand of SEQ ID NO: 1): Ex1: 102783-102748; Ex2:

101180-100998; Ex3: 99296-99171; Ex4: 99031-98903; Ex5: 93798-93676; Ex6:
 91594-91533; Ex7: 88207-88076; Ex8: 82954-82757; Ex9: 81524-81347; Ex10:
 77528-77367; Ex11: 72268-72176; Ex12: 69718-69515; Ex13: 68325-68182; Ex14:
 66562-66475; Ex15: 64385-64310; Ex16: 62282-62156; Ex17: 61940-61764; Ex18:
 5 58324-58157; Ex19: 56985-56811; Ex20: 55345-55270; Ex21: 52757-52637; Ex22:
 49588-49381; Ex23: 45578-45268; Ex24: 42837-42638; Ex25: 41209-41083; Ex26:
 39226-39125; Ex27: 37453-37307; Ex28: 34674-34516; Ex29: 34437-34271; Ex30:
 30412-30218; Ex31: 29881-29773. The mRNA coding sequence for human MRP6 is
 shown in SEQ ID NO: 2, and the encoded protein sequence is shown in SEQ ID NO: 3.

10

b) Identifying PXE associated mutations in the (MRP6) ABCC6 locus

According to methods of the invention, additional PXE associated mutations were
 identified in the (MRP6) ABCC6 locus using a combination of single strand
 conformation polymorphism (SSCP), heteroduplex analysis (HA) and direct sequencing.
 15 Single nucleotide mutations in the (MRP6) ABCC6 gene were identified in several
 cohorts of individuals originating from the United States, South Africa and several
 European countries (Belgium, Germany, Holland, Italy and United Kingdom). To
 confirm the causative or polymorphic nature of new variants, a control panel of 300
 alleles (150 normal individuals) was screened and the co-segregation of the identified
 20 variant and the PXE phenotype was verified. It is noteworthy that two single-allele
 mutations (R1141X, R1339C) were found in control panels of normal individuals
 indicating that heterozygote mutant (MRP6) *ABCC6* alleles can be found in the normal
 population. However, the missense mutation (R1339C) was identified in the genetically
 distinct Afrikaners of South Africa. The frequency of heterozygote carriers deduced only
 25 from the appearance of these heterozygote mutations is 1.3 percent and is consistent with
 the commonly accepted figures of 0.6 to 2.5%. Indeed, while most mutations appeared to
 be private, a few have been clearly identified as recurrent (R1141X, R518Q, 3775delT,
 16.5 kb deletion between exon 22 and 29. Most of the mutations (63%) were missense
 substitutions, 17% were nonsense mutations (5), 13% were frameshift mutations (4
 30 deletions or an insertions of a single nucleotide) and 7% were likely to affect splicing (2).

Twenty-seven of the mutations (90%) affected the C-terminal half of the (MRP6) ABCC6 protein and particularly the various domains of the C-terminal ATP-binding site, which are encoded by exons 28 to 30, where 12 (40%) mutations were clustered.

Remarkably, 10 mutations (33%) affected arginyl residues. Eight of these were missense substitutions, suggesting an essential structural or functional role for these arginyl residues in (MRP6) ABCC6.

Large deletions, which are not detected by SSCP or HA, can be identified by the loss of heterozygosity of informative polymorphic markers. Seven highly informative microsatellites present in a 300 kb region encompassing both *ABCC1* and *ABCC6*, have been successfully used to detect large deletions involving parts or the entire *ABCC6* gene. The loss of heterozygosity can also be efficiently implemented by using several highly polymorphic variants present in the *ABCC6* gene. The latter approach was used to detect a partial deletion of the (MRP6) *ABCC6* gene, in a compound heterozygous state, in a family with an apparent dominant form of PXE, as discussed in Example 3. A non-limiting list of known PXE associated mutations at the MRP6 locus are shown in Table 1.

Mutations		Status		Exons
Effect	Nt change	Status	Origin	
-	938-939insT	ch,ht	A	8
R518Q	1553G>A	ch,ht	a, u	12
F568S	1703T>C	ht	U	13
L673P	2018T>C	ch	A	16
-	1995delG	ch	G	16
-	2322delC	ht	U	18
Y768X	2204C>A	ch, ht	A	18
-	IVS21+1G>T	ch	U	Intron 21
R1030X	3088C>T	ht	A	23
R1114P	3341G>C	hm	Uk	24
S1121W	3362C>G	ch	G	24
R1138P	3413G>C	ch	G	24
R1138Q	3413G>A	ch	Uk	24

Mutations		Status		Exons
Effect	Nt change	Status	Origin	
R1141X	3421C>T	all	All	24
G1203D	3608G>A			25
-	IVS26-1G>A	ch	B	Intron 26
W1241C	3723G>C			26
Q1237X	3709C>T	ch	B	26
-	3775delT	ht, hm	a, u, h	27
V1298F	3892G>T	ht	U	28
T1301I	3902C>T	ch	B	28
G1302R	3904G>A	ht	U	28
A1303P	3907G>C	ch	B	28
R1314W	3940C>T	hm	U	28
R1314Q	3941G>A	ht	G	28
G1321S	3961G>A	ht	U	28
R1339C	4015C>T	all	a, u	28
Q1347H	4041G>C	ht	U	28
D1361N	4081G>A	ch	G	29
R1398X	4192C>T	ch	B	29
I1424T	4271T>C	ht	U	30

ch= compound heterozygote; ht= heterozygote; hm= homozygote; ivs= intervening sequence

Table 1. Known PXE associated mutations at the human MRP6 locus.

According to methods of the invention, additional PXE associated mutations can be identified in the (MRP6) ABCC6 locus according to methods of the invention. For example, single strand conformation polymorphism (SSCP), heteroduplex analysis (HA), or direct sequence analysis can be used to identify additional mutations at the MRP6 locus. In one embodiment, the analysis is performed on genomic DNA. Alternatively, the analysis is performed on cDNA or on exon containing DNA amplification products such as exon containing PCR products. Deletion mutations are preferably detected using diagnostic PCR assays of genomic DNA and by Southern hybridization according to

methods known in the art. In addition, fluorescent in situ hybridization (FISH) analysis of human chromosome preparations can be used to identify a deletion at the MRP6 locus or a deletion that encompasses all or part of the MRP6 locus. Specific mutations are preferably identified using DNA arrays including mutation specific oligonucleotide probes. Alternatively, mutation-specific antibodies can be used to detect mutations that alter an existing epitope or create a new specific epitope on the MRP6 protein. Preferably, specific antibodies are used on proteomic chips to detect protein altering mutations in the MRP6 gene. Mutations can also be detected using mass spectrometry, and mutation-specific mass spectrometer profiles can be generated for MRP6 nucleic acid or protein analysis according to methods known in the art.

c) PXE Associated Mutations at the (MRP6) ABCC6 Locus

i) The (MRP6) ABCC6 gene and protein

The (MRP6) ABCC6 gene, also known as the ABCC6 gene, encodes an ATP-binding cassette transporter (an ABC transporter) belonging to sub-family "C" which includes genes involved in drug-resistance such as MRP1 to 6 (ABCC1-6). (MRP6) ABCC6/ABCC6 encodes a 165 kDa protein that is located in the plasma membrane and has 17 membrane-spanning helices grouped into three transmembrane domains. MRP6 is highly homologous to MRP1 and may act as an efflux pump of amphipathic anion conjugates. Accordingly, in one aspect of the invention, MRP6 transports glutathione anion conjugates and also anionic drugs. Therefore, an individual that is a PXE carrier or a PXE homozygote or compound heterozygote may have reduced transport of anionic drugs and may be more receptive to chemotherapy using such drugs. The ABCC family of genes also includes the cystic fibrosis transmembrane conductance regulator gene (*ABCC7* or *CFTR*) and the sulfonyleurea receptor genes (*ABCC8* and *9* or *SUR*).

Therefore, in contrast to genetic changes involved in other elastic fiber diseases such as Supravalvular Aortic Stenosis (SVAS), Marfan syndrome, and *Cutis laxa*, PXE associated mutations in the (MRP6) ABCC6 gene are not directly related to elastic fibers. The (MRP6) ABCC6/ABCC6 gene is expressed at relatively high levels in a limited range of tissues, notably in kidney and liver. However, low levels of expression are also observed in smooth muscle cells and macrophages. According to the invention, this

tissue distribution suggests that (MRP6) ABCC6 has a function related to cellular detoxification which may affect the calcification of elastic fibers in skin, arteries and the retina. Alternatively, calcification of elastic fibers in skin, arteries, and the retina may result from MRP6 functional deficiencies in those tissues.

5 The predicted structure of the MRP6 protein is shown in Fig. 2. Transmembrane domains (unshaded rectangles), nucleotide-binding fold regions (NBF) and Walker motifs are indicated and were identified by amino acid sequence homology with similar transporters. Arrows indicate the positions of several PXE associated mutations. The large shaded rectangle represents the cell membrane.

10 According to the invention, the transmembrane domains of the MRP6 protein shown in Fig. 2 are hydrophobic stretches of amino acids identified via transmembrane domain predictions (SOSUI and DAS transmembrane prediction programs).

Regions of MRP6/ABCC6 with a high degree of conservation when compared with
15 similar proteins (ABC transporters) include the regions involved in the binding and hydrolysis of ATP also known as nucleotide binding folds (NBF). According to the invention, the MRP6 protein has two nucleotide-binding fold regions (NBF1 and NBF2) as shown in Fig. 2. These regions correspond to the following amino acid segments of the human MRP6 protein: NBF1 residues 656-679, 747-768, and 775-784 of SEQ ID
20 NO: 3; and NBF2 residues 1292-1307, 1321-1327, and 1403-1433 of SEQ ID NO: 3.

 According to one embodiment of the invention, conserved amino acids in the MRP6 protein are amino acids identified by comparing 12 ABC transporter proteins from Human, Rat, Mouse, *C. elegans*, Yeast (*S. cerevisiae*) and *A. thaliana*. Preferred conserved amino acids are shown in Fig. 3 (conserved amino acids are underlined).
25 According to the invention, conserved domains are concentrated in the C-terminal portion of the protein, where over 90% of the PXE causing mutations have been identified.

ii) Mutations in the (MRP6) ABCC6 gene

 According to one aspect of the invention, PXE is caused by a mutation at the
30 (MRP6) ABCC6 locus that results in reduced MRP6 protein function. PXE associated mutations include mutations that affect the level of MRP6 protein expression in addition

to mutations that alter the functional properties of an expressed MRP6 protein. PXE associated mutations at the (MRP6) ABCC6 locus include chain-terminating mutations. Such mutations are typically recessive and account for the autosomal recessive nature of the associated PXE phenotype. However, PXE associated mutations identified at the

5 (MRP6) ABCC6 locus include chain terminating mutations at different positions in the (MRP6) ABCC6 gene, and several substitution, deletion and insertion mutations. According to the invention, the C-terminal half of the MRP6 protein is functionally important. Indeed, many of the PXE associated mutations were identified in exons 23-29. However, even a I to T substitution at position 1424 (out of 1503 amino acid

10 residues) results in a PXE associated phenotype. Accordingly, a chain terminating or frameshift mutation in any one of exons 1-29, even up to position 1424 in exon 30, and maybe even beyond is expected to be associated with PXE. According to the invention, the PXE phenotype associated with different mutations in the (MRP6) ABCC6 gene varies in relation to the functional properties of the mutant (MRP6) ABCC6 protein product.

15 Therefore, individuals with different PXE associated mutations can have PXE symptoms of differing severity. In addition, different individuals having the same PXE mutations, but in different genetic backgrounds, can also develop PXE symptoms of differing severity. Accordingly, different mutations at the PXE locus are expected to result in PXE phenotypes of differing severity. For example, in one embodiment of the invention, a

20 mutation that results in the absence of MRP6 protein expression (for example a deletion of part or all of the gene, a chain terminating mutation, a mutation that prevents mRNA production, or a mutation that prevents translation of the mRNA) is expected to have a more severe PXE phenotype than a mutation that interferes with normal MRP6 protein function without destroying the function (for example an amino acid substitution that

25 alters the structure and function of the protein without inactivating it. In particular, an individual that is a homozygote for a mutation that prevents MRP6 protein expression, or that is a compound heterozygote with two different mutations each of which prevents MRP6 protein expression, is expected to have a more severe phenotype than an individual that has a mutation with less severe effects on MRP6 protein function at one or

30 both alleles of the MRP6 locus.

In a further embodiment of the invention, a heterozygote carrier of a PXE mutation can exhibit characteristic manifestations of PXE. In particular, a carrier of a recessive mutation can show partial skin, eye or cardiovascular symptoms. According to the invention, heterozygote carriers of different (MRP6) ABCC6 mutations can develop
5 different subsets of PXE related symptoms and can have symptoms of varying severity. Indeed, there are numerous examples of dermal "elastic fibers changes" or cardiovascular abnormalities ranging from hypertension to myocardial infarction, in family members of severely affected individuals. According to the invention, cases of partial expression of PXE symptoms in heterozygote carriers are cases that had been assumed to be examples
10 of dominant inheritance with for example 10 to 20% penetrance.

The various subtypes of a disorder or a dual mode of inheritance of a disease are frequently due either to mutations in different genes or different mutations in the same gene. Epidermolysis bullosa (EB) is an excellent example of a disorder characterized by several clinical types caused by distinct mutations in the same gene or mutations in
15 different genes. EB is viewed as a group of heritable mechano-bullous skin diseases classified into three major categories of simplex, junctional and dystrophic forms. EB simplex is due to mutations in the genes encoding keratins 5 and 14, the junctional form is associated with mutations in the *kalinin/aminin 5* genes; and the dystrophic disorder result from mutations in the type VII collagen gene (*COL7A1*). The dystrophic EB
20 presents clinical sub-types: the Hallopeau-Siemens type is autosomal recessive and caused by nonsense mutations and glycine substitutions result in the autosomal dominant form.

In contrast to EB, no locus heterogeneity has been shown for PXE. According to the invention, most cases of PXE, if not all, are due to (MRP6) ABCC6 mutations. While
25 the clinical heterogeneity in PXE patients may be caused by different types of (MRP6) ABCC6 mutations, the different PXE lesions (vascular, ocular, and dermal) observed for different autosomal recessive and seemingly dominant PXE mutations are clinically indistinguishable. Furthermore, identical PXE mutations can be either recessive or apparently dominant in unrelated pedigrees. Accordingly, different PXE mutations in
30 different genetic backgrounds are associated with different severities of PXE symptoms.

Furthermore, a PXE mutation can result in a partial PXE phenotype in a carrier individual (thereby accounting for observations of apparent dominant forms of PXE).

iii) Population Distributions of (MRP6) ABCC6 mutations

5 According to the invention, different PXE associated (MRP6) ABCC6 mutations exist in the population, and new (MRP6) ABCC6 mutations arise sporadically. Based on current estimations of the prevalence of PXE in the United States (between 1:100,000 and 1:25,000), the frequency of appearance of heterozygote individuals with PXE mutations should be between 0.6 and 2.5 percent of the general population (1.5 to 6.0 million
10 individuals). Given the risk of heterozygote individuals having children with PXE, an important aspect of the invention is to provide a genetic screen to identify heterozygote carriers of PXE mutations. According to the invention, a PXE carrier is an individual with one mutant allele of the (MRP6) ABCC6 gene, wherein the mutant allele is an allele that results in a PXE phenotype in an individual that is homozygous for that allele (or in
15 an individual that is heterozygous with two different (MRP6) ABCC6 mutant alleles, each of which is associated with PXE).

According to a further embodiment of the invention, a significant factor in the complex phenotype of the PXE multi-organ disorder is partial expression of the full range of the PXE symptoms in heterozygote carriers in recessive pedigrees. For example, a
20 single mutant-ABCC6 allele, for example R1141X, within heterozygote carriers can manifest a partial, mostly vascular-related phenotype. Indeed, cardiovascular abnormalities are frequently seen in obligate carriers but ocular and dermal lesions have also been diagnosed. The PXE phenotype, as observed in several heterozygous carriers, range from sub-clinical manifestations to visible lesions. The spectrum of these partial
25 phenotypes overlaps with that of the less severely affected PXE patients. There is, therefore, a continuum in the PXE phenotype between heterozygous carriers and PXE patients, which make the clinical diagnosis of the less severe forms of PXE equivocal. According to the invention, cardiovascular symptoms associated with PXE mutations at the MRP6 gene include atherosclerosis, hypertension, stroke, gastrointestinal bleeding,
30 intermittent claudication. Ocular symptoms include macular or retinal degeneration and skin related symptoms include premature aging and solar elastosis.

According to the invention, the identification of the PXE gene provides methods for an unambiguous molecular diagnosis of patients and the identification of heterozygous carriers in families with autosomal recessive PXE or apparent autosomal dominant PXE, and the identification of homozygous PXE individuals or PXE carriers in the general population.

According to the invention, different populations can contain different characteristic PXE associated MRP6 mutations or different frequencies of PXE associated MRP6 mutations due to factors such as founder effects. For example, a founder effect in the South African Afrikaner population is thought to have caused the observed higher frequency of PXE in Afrikaners. According to the invention, a higher frequency of PXE in a population correlates with a higher frequency of PXE associated MRP6 mutations.

Intra-familial variation of the phenotype is a well known characteristic of *PXE*. These variations may be due to genetic and/or environmental causes. A few environmental factors are thought to influence the PXE phenotype. Among these, calcium and Vitamin D have been reported to contribute to the severity of the phenotype in some cases. Life style, smoking, diet, sun-exposure and obesity are also likely to modulate the penetrance of the phenotype. Indeed, remarkably dissimilar PXE phenotypes have been observed recently in identical twins. According to the invention, non-genetic factors contributing to the development of PXE symptoms in heterozygote carriers can be identified. Studies involving large cohorts of twins for example, such as those used by the Queensland Institute of Medical Research of Australia are also useful to identify both genetic and environmental factors related to the development of the PXE phenotype.

II. Diagnostic Applications

(MRP6) ABCC6 genes and gene products, including mutant genes and gene products, as well as probes, primers, and antibodies, are useful for identifying carriers of PXE associated mutations. According to the invention, PXE associated mutations can be identified in families with a PXE pedigree or in individuals not previously known to be at risk of carrying a PXE related mutation. PXE associated mutations can be routinely

screened using probes to detect the presence of a mutant (MRP6) *ABCC6* gene or protein by a variety of methods. In preferred embodiments of the invention, individuals are screened for the presence of a recurrent mutation that is known to be present at a relatively high frequency in the population. For example, a preferred method of the invention screens an individual from a population for the presence of an MRP6 mutation that accounts for about 30%, and preferably 50%, and more preferably over 50%, of known incidences of PXE in the population. An alternative method of the invention screens an individual for the presence of two or more, preferably about five, more preferably about ten, and even more preferably over ten PXE associated MRP6 mutations. In methods that include assays for a plurality of PXE associated MRP6 mutations, the plurality of mutations preferably account for about 30%, and more preferably 50%, and even more preferably over 50%, of known incidences of PXE in the population.

In one aspect of the invention, the identification of a specific mutation is not necessary. A diagnostic assay may be based on the detection of an MRP6 protein expression defect resulting from, for example, reduced levels of mRNA expression. Indeed, the analysis of steady state levels of (MRP6) *ABCC6* mRNA in skin fibroblasts from a PXE patient carrying a homozygous R1141X mutation showed that MRP6 mRNA levels were lower than in skin fibroblasts from a normal individual. Accordingly, low levels MRP6 mRNA can result from a mutation within the coding sequence, such as a nonsense mutation that results in nonsense mediated decay. In addition, low mRNA levels can be caused by mutations either an intron or an exon that destabilizes the RNA, or by a mutation in a regulatory region (including a promoter region) that reduces transcription of the MRP6 gene. Furthermore, the presence of a truncated MRP6 mRNA can be used as a diagnostic indicator for the presence of a PXE associated mutation.

Alternatively, the presence of a mutation that affects the amount, size, or other physical properties of the MRP6 protein can be detected without knowing the identity of the mutation. For example a decreased level of MRP6 protein or a the presence of a truncation in the MRP6 protein can be used as a diagnostic indicator for the presence of a PXE associated mutation. In addition, the presence of a larger than expected MRP6 protein (that may result for example, from a gene fusion or from one or more frameshift

mutations that produce a larger and possibly non-functional protein) can be used as a diagnostic indicator for the presence of a PXE associated mutation.

Accordingly the invention provides a method for screening for the presence of a PXE associated mutation at the MRP6 locus without specifically identifying the mutation. Such methods are useful to identify homozygotes, compound heterozygotes, or carriers.

According to the invention, the identification of the presence of any PXE associated mutation at the MRP6 locus can be used as a positive diagnosis of PXE in an individual with PXE symptoms or to diagnose a PXE patient who has not yet developed PXE symptoms but who is identified as a homozygote or a compound heterozygote for PXE associated MRP6 mutations. Alternatively, the detection of the presence of a PXE associated MRP6 mutation according to the invention provides a method for screening a population to identify individuals who are carriers of a PXE associated mutation.

In general, a PXE carrier is distinguished from a PXE homozygote by the presence of both a normal allele and a PXE mutant allele in the carrier and the presence of two PXE mutant alleles in the homozygote. According to the invention, a normal allele can contain a neutral polymorphism as disclosed herein.

a) Nucleic acid based diagnostics

When a diagnostic assay is to be based upon nucleic acids from a sample, the assay may be based upon mRNA, cDNA or genomic DNA. If mRNA is used from a sample, there may be little or no expression of transcripts unless appropriate tissue sources are chosen or available. Preferred tissue sources are biopsies of full thickness skin or skin fibroblasts cultured from dermal biopsies. Whether mRNA, cDNA or genomic DNA is assayed, standard methods well known in the art may be used to detect the presence of a particular sequence either in situ or in vitro (see, e.g., Sambrook et al., (1989) Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Press, Cold Spring Harbor, NY). As a general matter, however, any tissue with nucleated cells may be examined.

Genomic DNA used for the diagnosis may be obtained from body cells, such as those present in the blood, tissue biopsy, surgical specimen, or autopsy material. The

DNA may be isolated and used directly for detection of a specific sequence or may be amplified by the polymerase chain reaction (PCR) prior to analysis. Similarly, RNA or cDNA may also be used, with or without PCR amplification. To detect a specific nucleic acid sequence, direct nucleotide sequencing, hybridization using specific
5 oligonucleotides, restriction enzyme digest and mapping, PCR mapping, RNase protection, chemical mismatch cleavage, ligase-mediated detection, and various other methods may be employed. Oligonucleotides specific to particular sequences can be chemically synthesized and labeled radioactively or non-radioactively (e.g., biotin tags, ethidium bromide), and hybridized to individual samples immobilized on membranes or
10 other solid-supports (e.g., by dot-blot or transfer from gels after electrophoresis), or in solution. The presence or absence of the target sequences may then be visualized using methods such as autoradiography, fluorometry, or colorimetry. These procedures can be automated using redundant, short oligonucleotides of known sequence fixed in high density to silicon chips, or in other oligonucleotide array formats.

15 Whether for hybridization, RNase protection, ligase-mediated detection, PCR amplification or any other standards methods described herein and well known in the art, a variety of subsequences of the MRP6 sequences disclosed or otherwise enabled herein will be useful as probes and/or primers. These sequences or subsequences will include both normal MRP6 sequences and PXE associated MRP6 mutant sequences. In general,
20 useful oligonucleotide probes or primer sequences will include at least 8-9, more preferably 10-50, and most preferably 18-24 consecutive nucleotides from the MRP6 introns, exons or intron/exon boundaries. Depending upon the target sequence, the specificity required, and future technological developments, shorter sequences may also have utility. Therefore, any MRP6 derived sequence which is employed in a diagnostic
25 assay may be regarded as an appropriate probe or primer. Particularly useful sequences include nucleotide positions from the MRP6 gene for which PXE associated mutations are known, or sequences which flank these positions.

As discussed above, a variety of PXE causing mutations have now been identified at the human MRP6 gene locus. Detection of these and other PXE associated mutations
30 is now enabled using isolated nucleic acid probes or primers derived from normal or mutant MRP6 genes. According to the invention, useful oligonucleotide probes or

primers are derived from sequences encoding the C-terminal half of the MRP6 protein, the conserved NBF sequences, and conserved amino acid sequence shown in Fig. 3.

Particularly useful oligonucleotides are derived from sequences known to have PXE associated mutations, such as the sequences including the mutations shown in Table 1.

5 As disclosed above, a number of PXE associated MRP6 mutations have already identified, and it is expected that more will be identified according to the compositions and methods disclosed herein. Therefore, the present invention provides isolated nucleic acid probes and primers corresponding to normal and mutant sequences from any portion of the MRP6 gene, including exons, introns, and 5' and 3' UTRs, which may be shown to
10 be associated with the development of PXE.

Merely as an example, and without limiting the invention, useful diagnostic probes and primers derived from the MRP6 DNA are disclosed in Example 5.

For in situ hybridization-based detection of a normal or mutant MRP6, a sample
15 of tissue may be prepared by standard techniques and then contacted with one or more of the nucleic acids described herein, preferably one which is labeled to facilitate detection, and an assay for nucleic acid hybridization is conducted under stringent conditions which permit hybridization only between the probe and highly or perfectly complementary sequences. For the single nucleotide substitutions associated with PXE, high stringency
20 hybridization conditions will be required to distinguish most mutant sequences from normal sequences. When the MRP6 genotypes of an individual's parents are known, probes may be chosen accordingly. Alternatively, probes to a variety of mutants may be employed sequentially or in combination. Because PXE carriers will be heterozygous, probes to normal sequences also may be employed and homozygous normal individuals
25 may be distinguished from mutant heterozygotes by the amount of binding (e.g., by intensity of radioactive signal). In another variation, competitive binding assays may be employed in which both normal and mutant probes are used but only one is labeled.

In addition to oligonucleotide-based hybridization assays, methods of the invention include direct sequencing, loss of heterozygosity, SSCP, HA, and
30 Conformation-Sensitive Gel Electrophoresis (CSGE) to detect a PXE associated MRP6 mutation. As discussed above, preferred mutations to be screened for are those shown in

Table 1. However, additional mutations identified according to the invention are also useful as markers of PXE, including deletions in the (MRP6) ABCC6 locus.

According to one embodiment of the invention, a diagnostic test can be a nucleic scanning test where the assay detects the presence of a mutation in the nucleic acid being
5 interrogated. In an alternative embodiment, a diagnostic test can interrogate a nucleic acid for the presence of a specific mutation.

According to this invention, base pair deletions or alterations leading to the omission of amino acid residues in the gene product are determined. Nucleic acid primers and probes are used in a variety of PCR-based amplification and hybridization
10 assays to screen for and detect the presence of defective ABCC6 gene or mRNA in a patient. The genetic information derived from the intron/exon boundaries is also very useful in various screening and diagnosis procedures.

Various nucleic acid scanning methods are used for scanning the MRP6 genomic, mRNA or cDNA sequence obtained from a patient for detecting, for example, large
15 deletions and substitutions in the sequence that would be indicative of the disease. These nucleic acid scanning techniques include PCR-based techniques and using oligonucleotide probes that hybridize to specific regions of the gene.

In one embodiment of the invention, preferred mutations for nucleic acid scanning techniques include large deletions in the genomic sequence for the ABCC6 gene for
20 example a 16.5 kb deletion spanning from exon 22 to exon 29. Primers are designed to various regions of the ABCC6 gene which are used for PCR-based detection of large deletions in the gene.

In another embodiment of the invention, primers are designed to the ABCC6 gene that are able to differentiate between the size of the amplified wild-type sequence and
25 sequence containing a specific mutation, for example a deletion.

In a preferred embodiment of the invention, nucleic acid probes are provided which comprise either ribonucleic or deoxyribonucleic acids. Typically, the size of the probes varies from approximately 18 to 22 nucleotides. Functionally, the probe is long enough to bind specifically to the homologous region of the ABCC6 gene, but short
30 enough such that a difference of one nucleotide between the probe and the DNA being

tested disrupts hybridization. Thus the nucleic acid probes of the present invention are capable of detecting single nucleotide changes in the ABCC6 gene.

In a preferred embodiment of the invention, nucleic acid probes are 100 % homologous to a mutant allele of the ABCC6 gene, but not to the wild-type gene.

5 In another embodiment of the invention, the nucleic acid probes are 100 % homologous to the wild-type allele. Accordingly, the invention provides methods for determining whether an individual is homozygous or heterozygous for a particular allele using both a wild-type and an allele-specific probe.

10 According to one method of the invention, mutations are detected by sequencing specific regions of the ABCC6 gene. In a preferred embodiment, the specific regions encompass one or more mutations presented in Table 1. In an alternative embodiment, a specific region being interrogated includes one of exons 1-31. Preferred exons include exons 25-29, and more preferably exon 28 in which many PXE associated mutations have been identified.

15 According to still other methods of the present invention rapid screening techniques are used to determine whether exons of the ABCC6 gene carry any mutations. Such techniques can be followed by one of the techniques already described above which are specific for a particular allele or mutation. One such rapid screening technique involves the determination of the conformation of single strands of DNA which have
20 been amplified from exon sequences that are known to carry mutations, including the mutations presented in Table 1. The single strands are run in non-denaturing electrophoretic gels, such as are typically used for sequencing DNA. The mobility of single stranded DNA on such gels is sensitive to the conformation of the DNA fragments. The conformation of the single stranded DNA is dependent on its base sequence,
25 alterations in even one base affecting the conformation. Thus the presence of a wild-type or mutant allele described herein can be detected by amplifying an exon sequence, denaturing the duplex molecules, and separating them on the basis of their conformation on non-denaturing polyacrylamide gels. If mutant alleles are present, they will have a different mobility than wild-type sequences amplified with the same primers. Most
30 conveniently, the amplified sequences will be radiolabeled to facilitate visualization on gels. This can be readily accomplished using labeled primers or a labeled nucleotide. For

a general reference on this technique see Orira, et al., Genomics vol. 5, pp. 874-879 (1989). A preferred nucleic acid amplification product for SSCP analysis is between about 100 and 500 bp, and more preferably between about 140 and 300 bp.

According to another rapid screening technique of the present invention, an amplified fragment containing a mutation is detected using denaturing gradient gel electrophoresis (DGGE). For a general reference on this technique see Sheffield, et al., Proc. Natl. Acad. Sci. vol. 86, pp. 232-236 (1989). Briefly, double stranded fragments which are generated by amplification (PCR) can be subjected to DGGE. "DGGE is a gel system that separates DNA fragments according to their melting properties. When a DNA fragment is electrophoresed through a linearly increasing gradient of denaturants, the fragment remains double stranded until it reaches the concentration of denaturants equivalent to a melting temperature (T_m) that causes the lower-temperature melting domains of the fragment to melt. At this point, the branching of the molecule caused by partial melting sharply decreases the mobility of the fragment in the gel. The lower-temperature melting domains of DNA fragments differing by as little as a single-base substitution will melt at slightly different denaturant concentrations because of differences in stacking interactions between adjacent bases in each DNA strand. These differences in melting cause two DNA fragments to begin slowing down at different levels in the gel, resulting in their separation from each other." Sheffield, et al., *ibid.* Use of a GC clamp as taught in Myers et al., Nucleic Acids Res. vol. 13, pp. 3111-3146 (1985) increases the sensitivity of detection of this method from about 40% to about 100%. If mismatches are present, which would be the case if the DNA sample amplified was heterozygous for an ABCC6 allele, they will be visible on these DGGE gels. Double stranded fragments containing one wild-type strand and one mutant strand will have a different mobility on these gels than will double stranded fragments which contain two wild-type or two mutant strands, due to the different melting temperatures of these species. Thus, the melting temperature of fragments amplified from different regions of the ABCC6 gene can be determined by DGGE and can be used to indicate whether a mutant allele is present.

In one embodiment, a region of the (MRP6) ABCC6 gene that encodes an important functional domain of the (MRP6) ABCC6 protein is screened for the presence

of any mutation. For example, a preferred diagnostic assay interrogates the region of the (MRP6) ABCC6 gene that encodes an ATP binding site of the (MRP6) ABCC6 protein, a region that encodes a hydrophobic transmembrane domain, or a region that encodes a conserved amino acid, preferably in the C-terminal half of the MRP6 protein.

5 One major application of the nucleic acid based diagnostics is in the area of genetic testing, carrier detection and prenatal diagnosis. Individuals carrying mutations in the ABCC6 gene (disease carrier or patients) may be detected at the DNA level with the use of a variety of techniques. The genomic DNA used for the diagnosis may be used directly for detecting specific sequences or may be amplified enzymatically in vitro, for
10 example by PCR. The detection of specific DNA sequence may be achieved by methods such as hybridization using specific oligonucleotides (Wallace et al. Cold Spring Harbour Symp. Quant. Biol. 51: 257-261 (1986)), direct DNA sequencing (Church and Gilbert, Proc. Nat. Acad. Sci. U. S. A. 81: 1991-1995 (1988)), the use of restriction enzymes (Flavell et al. Cell 15: 25 (1978), Geever et al Proc. Nat. Acad. Sci. U. S. A. 78: 5081
15 (1981)), discrimination on the basis of electrophoretic mobility in gels with denaturing reagent (Myers and Maniatis, Cold Spring Harbour Sym. Quant. Biol. 51: 275-284 (1986)), RNase protection (Myers, R. M., Larin, J., and T. Maniatis Science 230: 1242 (1985)), chemical cleavage (Cotton et al Proc. Nat. Acad. Sci. U. S. A. 85: 4397-4401, (1985)) and the ligase-mediated detection procedure (Landegren et al Science 241:1077
20 (1988)).

Oligonucleotides specific to normal or mutant sequences are chemically synthesized using commercially available machines, labelled radioactively with isotopes or non-radioactively (with tags such as biotin (Ward and Langer et al. Proc. Nat. Acad. Sci. U. S. A. 78: 6633-6657 (1981)), and hybridized to individual DNA samples
25 immobilized on membranes or other solid supports by dot-blot or transfer from gels after electrophoresis. The presence or absence of these specific sequences are visualized by methods such as autoradiography or fluorometric (Landegren et al, 1989) or colorimetric reactions (Gebeyshu et al. Nucleic Acids Research 15: 4513-4534 (1987)).

Sequence differences between normal and mutants may be revealed by the direct
30 DNA sequencing method of Church and Gilbert. Cloned DNA segments may be used as probes to detect specific DNA segments. The sensitivity of this method is greatly

enhanced when combined with PCR (Wrichnik et al, Nucleic Acids Res. 15:529-542 (1987); Wong et al, Nature 330:384-386 (1987); Stoflet et al, Science 239:491-494 (1988)). In the latter procedure, a sequencing primer which lies within the amplified sequence is used with double-stranded PCR product or single-stranded template

5 generated by a modified PCR. The sequence determination is performed by conventional procedures with radiolabeled nucleotides or by automatic sequencing procedures with fluorescent-tags.

Genetic testing based on DNA sequence differences may be achieved by detection of alteration in electrophoretic mobility of DNA fragments in gels with or without
10 denaturing reagent. Small sequence deletions and insertions can be visualized by high resolution gel electrophoresis. For example, a PCR product with a small deletion is clearly distinguishable from the normal sequence on an 8% non-denaturing polyacrylamide gel. DNA fragments of different sequence compositions may be distinguished on denaturing formamide gradient gel in which the mobilities of different
15 DNA fragments are retarded in the gel at different positions according to their specific "partial-melting" temperature (Myers, supra). In addition, sequence alterations, in particular small deletions, may be detected as changes in the migration pattern of DNA heteroduplexes in non-denaturing gel electrophoresis, as have been detected for the 3 dp (I507) mutation and in other experimental systems (Nagamine et al, Am. J. Hum. Genet,
20 45:337-339 (1989)). Alternatively, a method of detecting a mutation comprising a single base substitution or other small change could be based on differential primer length in a PCR. For example, one invariant primer could be used in addition to a primer specific for a mutation. The PCR products of the normal and mutant genes can then be differentially detected in acrylamide gels.

25 Sequence alterations may occasionally generate fortuitous restriction enzyme recognition sites which are revealed by the use of appropriate enzyme digestion followed by conventional gel-blot hybridization (Southern, J. Mol. Biol 98: 503 (1975)). DNA fragments carrying the site (either normal or mutant) are detected by their reduction in size or increase of corresponding restriction fragment numbers. Genomic DNA samples
30 may also be amplified by PCR prior to treatment with the appropriate restriction enzyme;

fragments of different sizes are then visualized under UV light in the presence of ethidium bromide after gel electrophoresis.

In another embodiment of the invention, sequence changes at specific locations may also be revealed by nuclease protection assays, such as RNase (Myers, supra) and S1 protection (Berk, A. J., and P. A. Sharpe Proc. Nat. Acad. Sci. U. S. A. 75: 1274 (1978)),
5 the chemical cleavage method (Cotton, supra) or the ligase-mediated detection procedure (Landegren supra).

In addition to conventional gel-electrophoresis and blot-hybridization methods, DNA fragments may also be visualized by methods where the individual DNA samples
10 are not immobilized on membranes. The probe and target sequences may be both in solution or the probe sequence may be immobilized (Saiki et al, Proc. Natl. Acad. Sci USA, 86:6230-6234 (1989)). A variety of detection methods, such as autoradiography involving radioisotopes, direct detection of radioactive decay (in the presence or absence of scintillant), spectrophotometry involving colorigenic reactions and fluorometry
15 involving fluorogenic reactions, may be used to identify specific individual genotypes.

In a preferred embodiment of the invention, for example, a PCR with multiple, specific oligonucleotide primers and hybridization probes, may be used to identify a plurality of possible mutations at the same time (Chamberlain et al. Nucleic Acids Research 16: 1141-1155 (1988)). The procedure may involve immobilized sequence-
20 specific oligonucleotides probes (Saiki et al, supra).

According to the invention, assays are performed to detect a deletion within or including the MRP6 gene using Southern hybridization, FISH analysis, or diagnostic PCR. It is expected that most deletions will occur between repetitive Alu sequences that are common within the introns of the MRP6 gene. Preferred PCR primers for detecting
25 these deletions are primers that flank intron Alu sequences.

According to one aspect of the invention, many of the PXE associated MRP6 mutations are found in exons 22-30. Accordingly, preferred assays of the invention interrogate any one of exons 22-30, taken alone or in combination, for the presence of a PXE associated MRP6 mutation.

30 In a preferred embodiment of the invention, a diagnostic assay interrogates the entire (MRP6) ABCC6 locus for the presence of a mutation, using for example SSCP, HA,

or CSGE, and direct sequencing. In a more preferred embodiment, an assay interrogates a portion of the ABCC6 locus for the presence of a mutation. If a mutation is detected, it is first compared to known mutations associated with PXE (Table 1) and known neutral polymorphisms (Table 2) that are not associated with PXE. If the mutation has not yet
5 been observed as either a PXE associated mutation or as a neutral polymorphism, the nature of the mutation is considered. If the mutation is a deletion, nonsense, frameshift or other mutation that affects expression of a normal MRP6 protein, the mutation is considered to be a PXE mutation. Similarly, if the mutation results in a nonconservative amino acid change or an amino acid change in a conserved sequence such as an NBF, a
10 transmembrane sequence, or a change in a conserved amino acid shown in Fig. 3, the mutation is considered to be a PXE mutation. In addition, if the mutation results in low levels of MRP6 expression, the mutation is considered to be a PXE mutation. However, if the mutation results in a conservative amino acid change in a non-conserved part of the MRP6 protein the mutation is considered to be a neutral polymorphism. Nonetheless, a
15 patient identified with a previously unknown neutral polymorphism according to this analysis should be subjected to additional diagnostic tests to look for known PXE associated symptoms or subclinical symptoms.

According to one aspect of the invention, the detection of PXE carriers and PXE patients is determined through the identification of mutant MRP6 alleles in DNA from
20 patients, family members and apparently unrelated and normal individuals. A single allele, with no evidence of a second mutant allele and the presence of a normal allele will be considered a carrier. Patients may be identified as either compound heterozygotes (having two different mutant alleles) or homozygotes (two identical mutant alleles).

25 **b) Protein based diagnostics**

Different approaches to a MRP6 protein-based diagnostic assay can be used to detect the presence of a PXE related mutation in a patient. Preferred assays include detecting a mutant electrophoretic mobility, the presence of a mutant epitope, the absence of a normal epitope, or by identifying altered biological activity, for example altered ATP
30 binding or altered transport of a synthetic, preferably radiolabeled molecule.

In one embodiment, diagnosis can be achieved by monitoring differences in the electrophoretic mobility of normal and mutant proteins. Such an approach will be particularly useful in identifying mutants in which charge substitutions are present, or in which insertions, deletions or substitutions have resulted in a significant change in the electrophoretic migration of the resultant protein. Alternatively, diagnosis may be based upon differences in the proteolytic cleavage patterns of normal and mutant proteins, differences in molar ratios of the various amino acid residues, or by functional assays demonstrating altered function of the gene products.

In preferred embodiments, protein-based diagnostics will employ differences in the ability of antibodies to bind to normal and mutant MRP6 proteins. Such diagnostic tests may employ antibodies which bind to the normal proteins but not to mutant proteins, or vice versa. In particular, an assay in which a plurality of monoclonal antibodies, each capable of binding to a mutant epitope, may be employed. The levels of anti-mutant antibody binding in a sample obtained from a test subject (visualized by, for example, radiolabelling, ELISA or chemiluminescence) may be compared to the levels of binding to a control sample. Alternatively, antibodies which bind to normal but not to mutant MRP6 protein may be employed, and decreases in the level of antibody binding may be used to distinguish homozygous normal individuals from mutant heterozygotes or homozygotes. Such antibody diagnostics may be used for in situ immunohistochemistry using biopsy samples of tissues obtained from patients.

c) Genetic counseling

According to one embodiment of the invention, genetic counseling is provided to an individual identified as a PXE carrier, a PXE homozygote, or a PXE compound heterozygote (an individual with two different PXE mutant alleles). According to the invention, individuals carrying two PXE mutant alleles are provided information about ameliorating treatments for some of the symptoms of PXE. For example, a person who inherits PXE recessively is cautioned with regard to diet and activity. A low fat, high fibre, heart healthy diet is critical for maintaining cardiovascular health. Regular exercise appears to alleviate some of the symptoms of peripheral vascular disease. Medications to allow the passage of blood through narrowed arteries may be recommended. Individuals exhibiting eye manifestations should not engage in activities that put them at risk for

injury to the eye that could subsequently lead to hemorrhage and vision loss. Smoking should be avoided at all costs since it appears to increase the rate and severity of eye disease. In one embodiment of the invention, a patient identified as being a carrier of a PXE associated mutation or as being a homozygote or a compound heterozygote for PXE associated mutations should be advised to reduce calcium intake or to use drugs that reduce calcium intake in order to reduce the severity of the phenotype.

III. Therapeutic applications

The present invention provides a basis for therapeutic treatments of PXE related symptoms caused by mutations at the (MRP6) ABCC6 locus. According to the invention, normal (MRP6) ABCC6 nucleic acid or protein is provided to cells and/or a patient having a PXE associated mutation at the (MRP6) ABCC6 locus.

Preferred target tissues include the kidney and liver, but also other tissues where low levels of MRP6 expression have been observed, such as smooth muscle cells and macrophages. Preferred target tissues also include tissues or cells that exhibit PXE related symptoms, such as a blood vessel, the gastrointestinal tract, ocular tissue, the urinary tract, and skin.

a) Nucleic acid-based therapeutics

According to the invention, PXE or PXE associated symptoms can be prevented or treated by providing a normal PXE gene or cDNA to a patient that is diagnosed as having on or more PXE associated mutations at the (MRP6) ABCC6 locus. The fact that PXE is a recessive disease makes it particularly amenable to gene therapy, because it is expected that most, if not all, PXE associated MRP6 mutations reduce the amount of functional MRP6 protein in a cell and can be compensated for by providing normal MRP6 to the cell.

In one series of embodiments, normal copies of the MRP6 gene are introduced into patients to code successfully for normal protein in one or more different affected cell types. The gene must be delivered to those cells in a form in which it can be taken up and code for sufficient protein to provide effective function. Thus, it is preferred that the recombinant gene be operably joined to a strong promoter so as to provide a high level of

expression which will compensate for the absence of sufficient amounts of normal MRP6. As noted above, the recombinant construct may contain endogenous or exogenous regulatory elements, inducible or repressible regulatory elements, or tissue-specific regulatory elements.

5 Preferred vectors for introducing an MRP6 gene to a cell or a patient include retroviral vectors, because of their high efficiency of infection and stable integration and expression. Other viral vectors which can be used include adeno-associated virus, vaccinia virus, bovine papilloma virus, or a herpes virus such as Epstein-Barr virus. Alternative vectors include plasmids that are replicated in human cells.

10 In another series of embodiments, a mutant MRP6 gene may be replaced by homologous recombination with a recombinant construct. The recombinant construct preferably contains a normal copy of the MRP6 gene. Alternatively, a regulatory region of a normal MRP6 gene in a PXE carrier may be altered to increase expression of normal MRP6.

15

i) Wild type genes

In one series of embodiments, a normal human (MRP6) ABCC6 gene is introduced to cells or a patient. A normal (MRP6) ABCC6 gene includes a gene with one or more polymorphic variations that are not associated with PXE. In one embodiment, an MRP6 genomic sequence is used. In an alternative embodiment an MRP6 cDNA sequence is used.

20

ii) Related genes

In an alternative series of embodiments, an (MRP6) ABCC6 related gene is provided to a cell or tissue having a PXE associated mutation. According to the invention, an (MRP6) ABCC6 related gene encodes a protein that has similar functional properties as a normal human MRP6 protein and can compensate for the absence of sufficient amounts of normal human MRP6 protein in a patient cell or tissue. Preferably, an (MRP6) ABCC6 homologue from another mammalian species is used. For example the mouse or rat MRP6 genes or cDNAs could be used. In one embodiment of the invention,

25

30

a homologue from a non-mammalian species is used. Alternatively, a nucleic acid encoding a different ABC protein is used, for example an MRP1 encoding nucleic acid.

5 The present invention also provides for cells or cell lines, both prokaryotic and eukaryotic, which have been transformed or transfected with the nucleic acids of the present invention so as to cause clonal propagation of those nucleic acids and/or expression of the proteins or peptides encoded thereby. Such cells or cell lines will have utility both in the propagation and production of the nucleic acids and proteins of the present invention but also, as further described herein, as model systems for diagnostic
10 and therapeutic assays. As used herein, the term "transformed cell" is intended to embrace any cell, or the descendant of any cell, into which has been introduced any of the nucleic acids of the invention, whether by transformation, transfection, infection, or other means. Methods of producing appropriate vectors, transforming cells with those vectors, and identifying transformants are well known in the art.

15

b) Protein based therapeutics

Treatment of PXE symptoms may be performed by directly providing normal protein to a patient cell or tissue. Sufficient amounts of substantially pure MRP6 protein can be obtained from cultured cell systems which express the protein. Delivery of the
20 protein to the affected tissue can then be accomplished using appropriate packaging or administering systems including, for example, liposome mediated protein delivery to the target cells.

c) Drug Therapies

25 In one embodiment of the invention, a drug identified according to methods of the invention is administered to a patient diagnosed with PXE or a PXE carrier with PXE related symptoms. Alternatively, a drug is administered to prevent or minimize the development of PXE or PXE associated symptoms in individuals identified as having one or more PXE mutations at the ABCC6 locus.

30

IV. Drug Discovery applications

The present invention provides a basis for screening drug candidates to identify useful therapeutic compositions to treat or alleviate the symptoms of PXE. In a series of embodiments, the invention provides screens based on MRP6 activity. As used
5 with respect to this series of embodiments, the term “activity” broadly includes gene and protein expression, protein post-translation processing, trafficking and localization, and any functional activity (e.g., enzymatic, receptor-effector, binding, channel), as well as downstream effects of any of these. MRP6 appears to be an integral membrane protein and may have transport related functions, and it also has ATP binding cassettes.
10 Accordingly, these functional properties can be used as a basis for a screen to identify compounds that increase MRP6 function.

In one embodiment, a drug candidate is screened for its ability to increase expression of the MRP6 gene. A preferred screen monitors the level of normal MRP6 mRNA in cells grown in culture in the presence and absence of the candidate compound.
15 Alternatively, normal MRP6 protein levels are monitored. Useful cells for these assays are preferably normal cells or PXE carrier cells. However, a PXE cell can also be used and the levels of mutant MRP6 expression can also be monitored. A compound that increases the level of MRP6 expression is particularly useful to treat a PXE carrier in order to increase the level of MRP6 expressed from the normal allele. However, a
20 compound that increases the level of MRP6 expression can also be useful to treat a PXE homozygote or compound heterozygote if the PXE associated MRP6 allele(s) encodes an MRP6 protein that retains some normal MRP6 function or if the allele is a mutation that reduces the level of normal MRP6 function.

Other assays are useful for screening candidate compounds to identify a
25 compound that increases normal MRP6 function. In one embodiment, an assay screens a compound for the ability to restore normal phenotype to dermal fibroblasts isolated from a PXE patient. Dermal fibroblasts isolated from patients with PXE exhibit abnormal phenotype when grown in vitro (Quaglino et al., Biochimica et Biophysica Acta 1501 (2000) 51-62). These phenotypes include an increased proliferation index compared to
30 normal fibroblasts when grown in monolayer. PXE fibroblasts also have lower adhesion properties to collagen type I and to plasma fibronectin when compared to normal

WO 01/62977

PCT/US01/05741

fibroblasts. Accordingly, these phenotypes provide a basis for an assay to identify a compound that restores normal MRP6 function to dermal fibroblasts isolated from a patient that was identified as having a PXE associated MRP6 mutation.

In another embodiment of the invention, an assay is used to screen candidate compounds for their ability to increase the ATPase activity of an MRP6 proteins. In a preferred embodiment, the assay monitors the ATPase activity of an MRP6 protein encoded by an MRP6 gene with a PXE associated mutation in the presence and absence of the candidate compound. ATPase activity of purified MRP6 can be assayed according to methods known in the art (see, for example, Mao et al., Biochimica et Biophysica Acta 1461, 69-82 (1999). According to the invention, a compound that increases the ATPase activity of a PXE associated MRP6 protein variant is useful to treat a patient that is heterozygous or homozygous for the PXE allele that encodes the protein variant used in the assay.

In a similar embodiment of the invention, an assay is used to screen candidate compounds for their ability to increase the transport activities of an MRP6 protein, in particular a PXE associated MRP6 protein variant. A useful transport assay is provided in Oude et al., Biochim Biophys Acta, 1241(2), 215-68, 1995. A compound identified according to this screen is useful to treat PXE patients and PXE carriers as described above.

20

V. Disease Models

The invention provides a basis for designing cellular and animal models of PXE. Such models are useful to study the development of the PXE disease in PXE homozygotes and compound heterozygotes and to identify potential PXE associated physiological dysfunctions in PXE carriers. Such models are also useful in screens to identify therapeutic compounds to prevent or treat PXE symptoms.

25

a) Cellular models

According to the invention, cellular models can be made by deleting one or both MRP6 alleles, or by introducing one or more PXE associated MRP6 alleles into a cell line grown *in vitro*, using methods known in the art. Preferred cell lines include renal and

30

hepatic cell lines. Other useful cell lines include those derived from skin (keratinocytes and fibroblasts) and ocular tissue (ganglioma cells).

b) Animal models

5 The present invention also provides for the production of transgenic non-human animal models for the study of PXE, for the screening of candidate pharmaceutical compounds, and for the evaluation of potential therapeutic interventions.

Animal species which suitable for use in the animal models of the present invention include, but are not limited to, rats, mice, hamsters, guinea pigs, rabbits, dogs, 10 cats, goats, sheep, pigs, and non-human primates (e.g., Rhesus monkeys, chimpanzees). For initial studies, transgenic rodents (e.g., mice) are preferred due to their relative ease of maintenance and shorter life spans. Transgenic yeast or invertebrates (e.g., nematodes, insects) may be preferred for some studies because they will allow for even more rapid and inexpensive screening. Transgenic non-human primates, however, may be preferred 15 for longer term studies due to their greater similarity to humans.

Based on the identification of MRP6 as the gene associated with PXE, there are now several available approaches for the creation of a transgenic animal models for PXE, including animal models with one or both MRP6 alleles deleted and animal models with one or two MRP6 alleles with mutations similar to known PXE associated human 20 MRP6 mutations.

To create an animal model (e.g., a transgenic mouse), a mutant MRP6 gene can be inserted into a germ line or stem cell using standard techniques of oocyte microinjection, or transfection or microinjection into embryonic stem cells. Animals produced by these or similar processes are referred to as transgenic. If the mutation 25 knocks out the MRP6 gene or a portion thereof, the animals are referred to as knockouts.

For oocyte injection, one or more copies of the recombinant DNA constructs of the present invention may be inserted into the pronucleus of a just-fertilized oocyte. This oocyte is then reimplanted into a pseudo-pregnant foster mother. The liveborn animals are screened for integrants using analysis of DNA (e.g., from the tail veins of 30 offspring mice) for the presence of the inserted recombinant transgene sequences. The transgene may be either a complete genomic sequence injected as a YAC, BAC, PAC or

other chromosome DNA fragment, a cDNA with either the natural promoter or a heterologous promoter, or a minigene containing all of the coding region and other elements found to be necessary for optimum expression.

5 Retroviral infection of early embryos can also be done to insert the recombinant DNA constructs of the invention. In this method, the transgene is inserted into a retroviral vector which is used to infect embryos (e.g., mouse or non-human primate embryos) directly during the early stages of development to generate chimeras, some of which will lead to germline transmission.

10 Homologous recombination using stem cells allows for the screening of gene transfer cells to identify the rare homologous recombination events. Once identified, these can be used to generate chimeras by injection of blastocysts, and a proportion of the resulting animals will show germline transmission from the recombinant line. In a preferred embodiment, inactivation of the MRP6 gene in mice may be accomplished by designing a DNA fragment which contains sequences from an MRP6 exon flanking a
15 selectable marker. Homologous recombination leads to the insertion of the marker sequences in the middle of an exon, causing inactivation of the MRP6 gene and/or deletion of internal sequences. DNA analysis of individual clones can then be used to recognize the homologous recombination events.

The techniques of generating transgenic animals, as well as the techniques for
20 homologous recombination or gene targeting, are now widely accepted and practiced. A laboratory manual on the manipulation of the mouse embryo, for example, is available detailing standard laboratory techniques for the production of transgenic mice (Hogan et al., 1986). A large number vectors are available to accomplish this and appropriate sources of genomic DNA for mouse and other animal genomes to be targeted are
25 commercially available from companies such as GenomeSystems Inc. (St. Louis, Missouri, USA). The typical feature of these targeting vector constructs is that 2 to 4 kb of genomic DNA is ligated 5' to a selectable marker (e.g., a bacterial neomycin resistance gene under its own promoter element termed a "neomycin cassette"). A second DNA fragment from the gene of interest is then ligated downstream of the neomycin cassette
30 but upstream of a second selectable marker (e.g., thymidine kinase). The DNA fragments are chosen such that mutant sequences can be introduced into the germ line of the

targeted animal by homologous replacement of the endogenous sequences by either one of the sequences included in the vector. Alternatively, the sequences can be chosen to cause deletion of sequences that would normally reside between the left and right arms of the vector surrounding the neomycin cassette. The former is known as a knock-in, the latter is known as a knock-out. Example 5 describes a knockout of most of exons 28 and 29 in mouse MRP6.

VI. (MRP6) ABCC6 Interacting Molecules

According to the invention, molecules that interact with a normal MRP6 gene product gene product provide candidates 1) for identifying additional types of mutations that result in a PXE phenotype and 2) for additional levels of therapeutic intervention to overcome or minimize the effect of a mutant PXE gene product. For example, the identification of a protein that interacts with a normal MRP6 protein but not with a PXE mutant protein provides a potential target for therapeutic intervention if the function of the interacting protein can be modified to compensate for the absence of normal MRP6 protein.

According to the invention, (MRP6) ABCC6 interacting molecules can be identified according to a number of biochemical and genetic methods known in the art, including affinity chromatography, mutational analysis, and yeast two hybrid analysis. As will be obvious to one of ordinary skill in the art, there are numerous other methods of screening individual proteins or other compounds, as well as large libraries of proteins or other compounds (e.g., phage display libraries and cloning systems from Stratagene, La Jolla, CA) to identify molecules which bind to normal or mutant MRP6 proteins. All of these methods comprise the step of mixing a normal or mutant MRP6 protein or protein fragment with test compounds, allowing for binding (if any), and assaying for bound complexes.

The invention is further illustrated by the following non-limiting examples.

EXAMPLES

Example 1: Materials and Methods

a) Sources of Patient Samples

5 *PXE International, Inc.*

To date, PXE International has assembled a database of over 2100 PXE patients from 1400 families from 31 countries including North America, several European and South American countries and South Africa. From this cohort of patients and family members, genomic DNA has been prepared from whole blood samples obtained from
10 over 1200 PXE patients and family members.

Honolulu Heart Program

In the early 1950's, studies around the world were reporting geographic differences in coronary heart disease (CHD) mortality, pathology, prevalence, and
15 incidence. Among these reports were those of significant differences in the CHD and cerebrovascular disease rates in Japan and in the United States. The overall mortality for men in Japan and in the United States was similar, but the rates for CHD were strikingly different. Reported CHD mortality among Japanese was approximately twenty percent of that among U.S. Caucasians. At about the same time, Japanese living in Hawaii and
20 California were reported to have a lower overall mortality than either U.S. Caucasians or Japanese living in Japan. The reasons for these differences were not apparent. However, it was felt that the study of these populations might offer important clues to the etiology of heart and vascular disease. The compared populations, living in Japan, Hawaii and California were of Japanese ancestry to limit genetic variation between study groups.
25 The Honolulu cohort of the Ni-Hon-San (Nippon-Honolulu, San Francisco) study formed the basis for the Honolulu Heart Program (HHP). That study has now been underway for 35 years, providing extensive information about the role of lifestyle, diet, and other risk factors to development of chronic diseases of major public health importance in 8,000 Japanese-American men.

30 Although several studies have suggested that PXE is more frequent in females there is no evidence that the observed gender difference is caused by genetic factors.

Indeed, men would often report skin lesions, usually the first signs of PXE, later in life, than women. Therefore, a study of an exclusively male cohort from the HHP should not compromise the general applicability of the conclusions. PXE has also no particular predilection for any ethnic or racial group. PXE has indeed largely been described in
5 Caucasians but also in African and Asian populations. PXE cases reported in Japan have shown no phenotypic or prevalence differences when compared to those observed in Caucasian populations.

Unaffected control subjects

10 DNA has been prepared from 150 unrelated individuals with no evidence of PXE. These samples have been aliquoted and are currently stored at -80°C. They are routinely used as control DNA samples and will be used to confirm that any new and potential mutation detected in a PXE patient or relative is indeed a mutation and not a neutral polymorphism. The donors of these DNA samples were adults of either sex from various
15 ethnic backgrounds.

b) Mutation Detection Methods

Detection of single nucleotide mutations

20 Single strand conformation polymorphism (SSCP) analysis is based on the observation that single stranded DNA will adopt, in non-denaturing conditions, a secondary structure that is strictly sequence-dependant. Slight variations in sequence, such as a single nucleotide change can alter the conformation of a DNA fragment, which can be resolved on a non-denaturing polyacrylamide gel. Heteroduplex analysis (HA) is
25 based on the observation that heteroduplexes formed between two DNA strands with one or more mismatches have electrophoretical mobility distinctly different from homoduplexes. While both methods (SSCP and HA) can detect point mutations, some sequence variants are more readily detected by one procedure than the other.

Accordingly, a preferred screening method, uses a combination of SSCP and modified
30 HA called Conformation-Sensitive Gel Electrophoresis or CSGE.

In a preferred assay, each characterized PCR primer pair is radioactively labeled using T4 polynucleotide kinase and γ -[P³²]-ATP. For SSCP analysis, radiolabeled PCR products are mixed with denaturing loading buffer and loaded onto a 0.5 x MDE (MDE is a mutation detection enhancement polyacrylamide-derived matrix provided by FMC products), 0.6 x TBE native polyacrylamide gel and electrophoresed overnight at 8 watts in a sequencing gel apparatus. Separated, radiolabeled conformers are visualized by autoradiography. For CSGE, EDTA is added to the incubated PCR reaction mix to a final concentration of 1 mM and the reaction will be heat-denatured and incubated for 60 minutes at 68°C to allow heteroduplex formation. Heteroduplex products are analyzed on a 6% polyacrylamide gel (29:1 ratio of acrylamide/bisacrylamide), 10% (v/v) ethylene glycol and 15% (w/v) formamide in 0.5X TTE buffer (1 X TTE is 89 mM Tris, 15 mM taurine, 0.5 mM EDTA, pH 9.0). A solution of 20% (v/v) ethylene glycol, 30% (w/v) formamide and 0.05% xylene cyanol and bromophenol blue is mixed equally with the samples. The gel is run at 35 to 45 watts for 2 to 4 hours at room temperature. As for SSCP, CSGE conformers are revealed by autoradiography.

When an abnormal conformer or heteroduplex is detected, the segregation of the variant is analyzed for DNA samples from the entire family. Subsequently, the DNA sequence of the variant is determined by eluting normal and altered DNA conformers directly from the electrophoresis gel. These PCR fragments are eluted in water, re-amplified and directly used as a template for sequencing using an ABI 310 automated sequencer (Perking Elmer). A panel of 150 DNA samples of normal unrelated individuals is used to identify abnormal variants that are common polymorphisms in the ABCC6 locus.

Mutation detection by enzymatic cleavage

Single nucleotide substitutions often modify the recognition site of a restriction enzyme. Polymorphisms and mutations can, therefore, be detected in a rapid and convenient manner by the enzymatic cleavage of a PCR fragment containing the nucleotide change. This method is frequently employed to verify the presence of previously characterized mutations or polymorphisms in DNA samples for control, study or diagnostic purposes. It can also be used for screening a large number of samples. Out

of the *ABCC6* mutations listed in Table 1, 10 mutations were identified with a unique restriction pattern. For example, three possible *HhaI* restriction profiles for one of these mutations, R1339C (4015C to T) can be visualized by electrophoresis. According to the invention, single nucleotide mutations in *ABCC6* are detectable by enzymatic cleavage.

5 Accordingly, this method is useful as an initial step to appropriately complement the screening of large cohorts with more traditional mutations detection techniques.

PCR mapping

A single base substitution mutation may be detected based on differential PCR product length or production in PCR. Thus, primers which span mutant sites or which, preferably, have 3' termini at mutation sites, may be employed to amplify a sample of genomic DNA, mRNA or cDNA from a subject. A mismatch at a mutational site may be expected to alter the ability of the normal or mutant primers to promote the polymerase reaction and, thereby, result in product profiles which differ between normal subjects and

10 heterozygous and/or homozygous MRP6 mutants. The PCR products of the normal and mutant gene may be differentially separated and detected by standard techniques, such as polyacrylamide or agarose gel electrophoresis and visualization with labeled probes, ethidium bromide or the like. Because of possible non-specific priming or readthrough of mutation sites, as well as the fact that most carriers of mutant alleles will be

15 heterozygous, the power of this technique may be low.

20

Electrophoretic mobility

Genetic testing based on DNA sequence differences also may be achieved by detection of alterations in electrophoretic mobility of DNA, mRNA or cDNA fragments in gels. Small sequence deletions and insertions, for example, can be visualized by high

25 resolution gel electrophoresis of single or double stranded DNA, or as changes in the migration pattern of DNA heteroduplexes in non-denaturing gel electrophoresis. MRP6 mutations or polymorphisms may also be detected by methods which exploit mobility shifts due to single-stranded conformational polymorphisms (SSCP) associated with

30 mRNA or single-stranded DNA secondary structures.

Chemical cleavage of mismatches

Mutations in MRP6 may also be detected by employing the chemical cleavage of mismatch (CCM) method. In this technique, probes (up to ~ 1 kb) may be mixed with a sample of genomic DNA, cDNA or mRNA obtained from a subject. The sample and
5 probes are mixed and subjected to conditions which allow for heteroduplex formation (if any). Preferably, both the probe and sample nucleic acids are double-stranded, or the probe and sample may be PCR amplified together, to ensure creation of all possible mismatch heteroduplexes. Mismatched T residues are reactive to osmium tetroxide and mismatched C residues are reactive to hydroxylamine. Because each mismatched A will
10 be accompanied by a mismatched T, and each mismatched G will be accompanied by a mismatched C, any nucleotide differences between the probe and sample (including small insertions or deletions) will lead to the formation of at least one reactive heteroduplex. After treatment with osmium tetroxide and/or hydroxylamine to modify any mismatch sites, the mixture is subjected to chemical cleavage at any modified mismatch sites by,
15 for example, reaction with piperidine. The mixture may then be analyzed by standard techniques such as gel electrophoresis to detect cleavage products which would indicate mismatches between the probe and sample.

Other methods

20 Various other methods of detecting MRP6 mutations, based upon the MRP6 sequences disclosed and otherwise enabled herein, will be apparent to those of ordinary skill in the art. Any of these may be employed in accordance with the present invention. These include, but are not limited to, nuclease protection assays (S1 or ligase-mediated), ligated PCR, denaturing gradient gel electrophoresis (DGGE), restriction endonuclease
25 fingerprinting combined with SSCP (REF-SSCP), and the like.

Methods for analyzing MRP6 mRNA levels:

The steady state levels of (MRP6) *ABCC6* mRNA was analyzed in skin fibroblasts from a PXE patient carrying a homozygous R1141X mutation. Total skin fibroblast RNA from
30 an unaffected control individual and a PXE patient was used to synthesize single stranded cDNA using oligo(dT). PCR primers derived from (MRP6) *ABCC6* mRNA sequence

were then used in two consecutive rounds of 25 cycles of PCR. Poly(A)+ RNA from normal human kidney (obtained from Clontech) was used as a positive control for detection of (MRP6) *ABCC6* mRNA. *MRP-1* mRNA was detected in the same cDNA samples used for *ABCC6* mRNA with 30 cycles of PCR. The 390 bp and 180 bp DNA fragments detected correspond to the expected size of (MRP6) *ABCC6* and *MRP-1* mRNA domains encoded within exons 6-9 and 2-3 of the (MRP6) *ABCC6* and *MRP-1* genes respectively. No reverse transcriptase (No RT) controls were included to confirm that no PCR products were obtained in the absence of cDNA synthesis.

10 *Stringent hybridization conditions*

High stringency conditions are at least equivalent to a temperature in the range of about 40-70 degrees C, and between about 0.05 and 0.5 M sodium ion. High stringency hybridization conditions are well known in the art and can be optimized for a specific oligonucleotide based on the length and GC content of the oligonucleotide as described in, for example, Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual* (Cold Spring Harbor, N.Y., 1982).

An oligonucleotide selected for hybridizing to the target nucleic acid, whether synthesized chemically or by recombinant DNA methodologies, is isolated and purified using standard techniques and then preferably labeled (e.g., with ³⁵S or ³²P) using standard labeling protocols. A sample containing the target nucleic acid then is run on an electrophoresis gel, the dispersed nucleic acids transferred to a nitrocellulose filter and the labeled oligonucleotide exposed to the filter under stringent hybridizing conditions, e.g. 50% formamide, 5 X SSPE, 2 X Denhardt's solution, 0.1% SDS at 42°C, as described in Sambrook *et al.* (1989) *supra*. The filter may then be washed using 2 X SSPE, 0.1% SDS at 68°C, and more preferably using 0.1 X SSPE, 0.1% SDS at 68°C. Other useful procedures known in the art include solution hybridization, and dot and slot RNA hybridization. Optionally, the amount of the target nucleic acid present in a sample is then quantitated by measuring the radioactivity of hybridized fragments, using standard procedures known in the art.

30

Example 2: The positional cloning of the PXE gene

Blood samples and skin biopsies from PXE patients and unaffected relatives in the United States were collected by PXE International Inc., by Dr. Ivonne Pasquali-Ronchetti in Italy, by Dr. F. Michael Pope in the United Kingdom and by Dr. Anne de Paepe in Belgium. Blood samples were obtained from 100 Caucasian control individuals with no family history of PXE. Genomic DNA was isolated from aliquots of blood. Low passage and confluent skin fibroblasts were obtained from 3 mm full thickness skin biopsies using known procedures.

To identify the gene that contains mutations responsible for PXE, the disease locus was confined to a region of about 8 cM between markers D16S500 and- D16S3041. Recombination mapping reduced this large critical region to an 820 kb domain containing six candidate genes. These genes encode an isoform of Myosin Heavy Chain (MYH11), two Multidrug Resistance-associated Proteins (MRP-1 and (MRP6) ABCC6), an unknown protein called pM5 and two identical unknown proteins referred to as UNK. Using a polymorphic microsatellite repeat (*GAAA*₁₇) located at the 5' end of the *MRP-1* gene (Fig. 1) an informative meiotic recombination in one PXE patient was identified and this permitted the exclusion of the *MYH11* as a candidate gene and reduced the size of the PXE region to 570 kb and 5 candidate genes. Figure 1 shows the previously defined PXE locus covering 820 kb between markers D16S3060 and D16S79 at 16p13.1. The BAC contig that covers this region is shown along with the identity of the BACs. Figure 1b shows the gene content of the PXE locus represented from the telomere (left) to the centromere (right). The transcriptional orientation of the genes is indicated by arrows. A flag represents the position of a polymorphic marker (*GAAA*₁₇) used to identify an additional meiotic recombination in one PXE patient that excluded the *MYH11* gene as the PXE gene.

The 109 exons within the five candidate genes were then screened for mutations by Single-Strand Conformation Polymorphism (SSCP) and Heteroduplex Analysis (HA) using genomic DNA from a cohort of 20 unrelated PXE patients.

Mutation detection, sequence analysis and RT-PCR, SSCP, and Heteroduplex Analysis (HA) were carried out as previously described. Intron-derived primers for PCR amplification of exons present in the genes encoding MRP-1, (MRP6) ABCC6, pM5 and

both *UNK* gene were synthesized using intron sequences available in the TIGR database.

PCR products were typically 150-350 bp in length and included complete intron/exon boundaries. Typical PCR reactions, were performed in the presence of ^{32}P -labelled primers in a 9700 thermocycler (Perkin Elmer). Radioactive PCR products were analyzed either by SSCP or HA using MDE polyacrylamide gel (FMC) according to the manufacturer's instructions. DNA conformers were eluted in water from gel slices, re-amplified and sequenced utilizing the same primers used to generate these PCR products. DNA sequence analysis was performed using ABI BigDye terminator cycle sequencing with an ABI310 automated DNA sequencer. The sequence information generated by the sequencer was analyzed using the ABI software. The SequencherTM 3.1 program was used to identify variation between the sequence of putative mutations and control sequences. RT-PCR was performed on total RNA from cultured human skin fibroblasts and human kidney poly(A)+ RNA. The sequences of the PCR primers used are: (MRP6) *ABCC6*: 5'-AGCCACGTTCTGGTGGGTTT-3' (SEQ ID NO: 4); 5'-GGAGGCTTGGGATCACCAAT-3' (SEQ ID NO: 5); *MRP-1*: 5'-CAACTGCATCGTTCTGTTTG-3' (SEQ ID NO: 6); and 5'-ATACTCCTTGAGCCTCTCCA-3' (SEQ ID NO: 7). Following synthesis, PCR products were separated by electrophoresis through 1.2% agarose and visualized by staining with ethidium bromide.

DNA sequence analysis of two conformers detected in PCR products containing exons 19 and 28 of the pM5 gene revealed two private single nucleotide polymorphisms (SNPs) within the intronic sequence flanking these exons (Table 2). These were the only sequence variants detected in the 31 exons of the pM5 gene using a cohort of 20 PXE patients. Screening all eight exons of each of the two *UNK* genes revealed only one SNP in the first exon of either one or both *UNK* genes in 5 PXE patients. This was a silent nucleotide change (C33T) within the 11th codon (S11) of the open reading frame of either one or both unknown genes and therefore unrelated to PXE. Screening all 31 exons of the *MRP-1* gene in a panel of PXE patients identified several sequence variants (Table 2) that are not functionally related to PXE as they either occurred in intronic sequences or did not encode changes in amino acids. In addition, two missense variants (R633Q and G671V) were seen in exons-14 and 16 in two unrelated PXE patients but these

substitutions were unlikely to be responsible for PXE as they were also found in a panel of 200 alleles from unaffected, ethnically matched control individuals.

Finally, in screening the 31 exons of the (MRP6) *ABCC6* gene, the first mutations that are clearly responsible for PXE were identified. A C->T substitution within exon 24 (C3421T) of the (MRP6) *ABCC6* gene generated a stop codon at position 1141 (*R1141X*; Fig. 1 and Table 2). Figure 1c shows the intron/exon structure of the (MRP6) *ABCC6* gene. Intron sizes are drawn approximately to scale and the exons are numbered from the 5' end of the (MRP6) *ABCC6* gene. Figure 1d shows chromatograms of partial DNA sequence from two unrelated PXE patients containing a nonsense and a splice site mutation in exon 24 and intron 21 respectively. In exon 24, the sequence shows a 3421C>T substitution (arrowhead), which would generate a stop codon at position 1141 (*R1141X*). PXE patients in a consanguineous Italian pedigree were found to be homozygous for this stop codon mutation. In intron 21, a G to T substitution (*IVS21+1G>T*) was observed within the invariant GT sequence of the donor splice site. This mutation would influence constitutive splicing of (MRP6) *ABCC6* pre-mRNA and was found in two unrelated PXE patients as a compound heterozygote in association with either *R1141X* or *R1138Q*. Figure 1c shows the sequence of the normal and mutant nucleotide and amino acid sequences for the nonsense mutation in exon 24 and the splice site variant within intron 21.

The C3421T variant in exon 24, which was not found in the control panel of 200 normal alleles, co-segregated in a homozygous form with a recessive PXE phenotype in an Italian family in which all unaffected individuals but one were heterozygote carriers (Fig. 4). Figure 4 shows a large consanguineous Italian pedigree, SSCP conformers for a homozygous variant (*R1141X*) in exon 24 were noted in all four PXE patients (shaded symbols). All other unaffected family members were heterozygote for this nonsense mutation except one unaffected family member, indicated by an arrow. SSCP conformers from normal unrelated control DNA have been included. Total RNA from the PXE patient indicated by was used for an RT PCR analysis of (MRP6) *ABCC6* mRNA and shown to have low levels of MRP6 mRNA.

This *R1141X* mutation results either in an (MRP6) *ABCC6* protein lacking 362 amino acids at the C-terminal domain (Fig. 3) or a null allele, produced through nonsense

mediated decay of a truncated (MRP6) *ABCC6* mRNA. Indeed, an analysis of steady state (MRP6) *ABCC6* mRNA levels in skin fibroblasts from PXE patients of this Italian pedigree indicated the absence of detectable (MRP6) *ABCC6* mRNA, suggesting that the homozygous R1141X mutation results in the total loss of MRP6 gene product rather than the production of a truncated protein. R1141X was also found in a homozygous state in unrelated patients with autosomal recessive PXE from the United Kingdom and Belgium. Haplotype analysis of the PXE locus in families with the R1141X mutation revealed that this mutation is travelling within different haplotypes, suggesting that R1141X may be a recurrent mutation.

In two families with a recessive form of PXE from the United Kingdom and the United States, PXE patients were found to be compound heterozygotes. Affected individuals carried a substitution (TVS21+1G>T) affecting the donor- splice site of exon 21 of (MRP6) *ABCC6*, in association with either the nonsense R1141X substitution in exon 24 or a missense mutation, R1138Q also in exon 24. The splice site mutation occurred at the donor invariant dinucleotide and lowered the splice potential score from 72.1 to 53.8. Several other missense variants (Table 2) were also found within exon 24 and 28 of the (MRP6) *ABCC6* gene. These single nucleotide substitutions, none of which were detected in the control panel of 200 alleles, occurred within highly conserved coding domains, particularly the domain in exon 28 encoding the Walker A region of the second ATP binding fold (Fig. 2).

All the detected homozygous or compound heterozygous mutations were found to be associated with autosomal recessive PXE. One missense mutation (3961G>A) was observed in a family with an apparently dominant form of PXE. All the other heterozygous alterations were detected in individuals with sporadic PXE. The mode of inheritance of these sporadic PXE cases is presently unknown.

Elastic fibers within elastic tissues such as skin and the arterial wall are fragmented and calcified in PXE patients. Dermal and vascular elastic fiber calcification is patchy and does not involve all elastic fibers in these tissues. Therefore, without wishing to be bound by any particular theory, calcification of elastic fibers in PXE is probably therefore, a secondary consequence of a primary defect of either elastic fiber assembly or the interaction of elastic fibers with other extracellular matrix components.

Accordingly, MRP6 function is more likely to be related to fiber assembly or matrix interactions than calcium transport. Another possibility is that the maintenance of the integrity of normal elastic fibers, extracellular matrix polymers subject to constant mechanical stress, is modulated by (MRP6) ABCC6 in a way that has yet to be explained.

- 5 Polymorphic markers in genes encoding known elastic fiber proteins (tropoelastin, lysyl oxidase, fibrillin 1 and 2) were used in a linkage and sib pair analysis, performed with families with both autosomal recessive (AR) and dominant (AD) forms of PXE. No obvious linkage between these markers and the PXE phenotype was found.

10 Table 2

nt change	Codon #	Effect	Location	Status
UNK gene polymorphisms				
33C>T	11	Ser to Ser	Exon 1	Hetero
pM5 gene polymorphisms				
2187C>T	729	Gly to Gly	Exon 19	Hetero
3241G>A	1081	Glu to Lys	Exon 28	Hetero
MRP-1 gene polymorphisms				
1062T>C	354	Asn to Asn	Exon 9	Hetero
1898G>A	633	Arg to Gln	Exon 14	Hetero
2001C>T	667	Ser to Ser	Exon 16	Hetero
2012G>T	671	Gly to Val	Exon 16	Both
4002G>A	1334	Ser to Ser	Exon 28	Hetero
IVS29-18delT	-	-	Intron 29	Hetero
(MRP6) ABCC6 gene polymorphisms				
549G>A	183	Leu to Leu	Exon 5	Hetero
IVS11-41A>G	-	-	Intron 11	Both

WO 01/62977	PCT/US01/05741			
1841T>C	614	Val to Ala	Exon 14	Both
2490C>T	830	Ala to Ala	Exon19	Both
IVS25+90G>A	-	-	Intron25	Both
IVS27-46A>G	-	-	Intron 27	Hetero
IVS28+49C>T	-	-	Intron 28	Hetero
3'UTR+17G>A	-	-	3'UTR	Hetero

(MRP6) **ABCC6** gene**mutations**

IVS21+1G>T	-	mRNA splicing	Intron 21	Compound
3341G>C	1114	Arg to Pro	Exon 24	Homo
3413G>A	1138	Arg to Gln	Exon 24	Compound
3421C>T	1141	Arg to X	Exon 24	Compound+Both
3775delT	1259	Fram Shift	Exon 27	Hetero
3892G>T	1298	Val to Phe	Exon 28	Hetero
3904G>A	1302	Gly to Arg	Exon 28	Homo
3907G>C	1303	Ala to Pro	Exon 28	Hetero
3940C>T	1314	Arg to Trp	Exon 28	Homo
3961G>A	1321	Gly to Ile	Exon 28	Hetero

Table 2: A summary of all variants identified in the PXE locus in a cohort of 20 unrelated PXE patients. Nucleotide (nt) numbering was derived either from full length published cDNA sequences or from putative cDNA deduced from genomic DNA sequence. Hetero indicates that a variant was identified in a heterozygous state. Homo indicates that a variant was found in a homozygous state. Both, indicates that a variant was seen in both heterozygous and homozygous states. Compound, indicates that a variant was characterized as a compound heterozygote.

Example 3: Mutation detection in dominant pedigrees

The segregation of *ABCC6* mutations with the PXE phenotype was studied in three pedigrees with an apparent dominant inheritance. Two of the dominant families (families 1 and 3) presented three generations of individuals, while the remaining
5 pedigree contained only two generations. In all 3 families, a heterozygous mutation, R1141X in exon 24, was found to segregate with the PXE phenotype. In the two-generation family (family 2), an apparent loss of heterozygosity of the R1141X allele was detected in the second generation of affected individuals (II-1 to -3). Several polymorphic variants in the surrounding exons and introns were subsequently analyzed
10 by SSCP. Only one variant, V614A in exon 14, was found to be informative. These results suggested a heterozygous sub-microscopic deletion, which was paternally inherited. This deletion, with a breakpoint between exon 14 and 24, extended beyond exon 24, probably corresponds to a recurrent deletion recently characterized in 4 unrelated families. The latter deletion, confined to a region of the gene between intron 22
15 and 29 eliminated 16.5 kb of genomic DNA. Therefore, individuals II-1, II-2 and II-3 of family 2 have inherited compound heterozygote mutations, clearly indicating the recessive nature of PXE in this pedigree. Moreover, the phenotype displayed by the mother (Individual I-2) carrying a heterozygous allele R1141X, suggested the partial expression of the phenotype in an obligate carrier. Indeed, individual I-2 showed discreet
20 skin lesions on the neck associated with a positive von Kossa staining of a skin biopsy- (from lesional skin) indicating the presence of calcium salt precipitates typical of PXE. No angioid streaks were reported for this obligate carrier and no cardiovascular examination has been performed yet. In the remaining families (family 1 and 3) no other mutations were found. However, the PXE phenotype of the family members dramatically
25 varied with the generations, clearly suggesting either pseudo-dominance or partial penetrance in obligate carriers. In family 1, the paternal grandmother and the father presented discreet skin lesions on the neck region associated with a positive von Kossa staining of a skin biopsy (no other manifestation were diagnosed), while both children, although very young, had already visible signs of plaques of coalesced papules on the
30 neck and angioids streaks following ocular examination. In family 3, the paternal grandfather was severely affected with lax and redundant skin, disciform scarring of the

retina (the vision is severely impaired at this stage) in addition to active gastrointestinal bleeding and intermittent claudication. The father was only diagnosed with a positive von Kossa staining of a skin biopsy while 3 of his children presented with the characteristic PXE skin lesions and angioid streaks.

5 Accordingly, heterozygote carriers of PXE mutations can develop PXE related phenotypes including sub-clinical manifestations of PXE. According to the invention, the penetrance of PXE lesions associated with a single mutant (MRP6) *ABCC6* allele is between about 10 to 20% of all carriers, based on the frequency of described AD PXE cases. Therefore, a pedigree with AR PXE presents sub-clinical manifestations of PXE
10 in 10 to 20% of the obligate carriers. These carriers will be parents of an affected individual and 25% of the unaffected siblings.

Example 4: PXE Heterozygote Frequencies

15 Upon screening a small sample of the general population (150 normal individuals) as part of a control panel to verify whether nucleotide substitutions found in the (MRP6) *ABCC6* gene from PXE patients were indeed mutations, two heterozygote mutations were found in unrelated subjects. The first of these variants was a founder mutation (R1339C) only present in South African Afrikaners while the second substitution is a recurrent
20 nonsense mutation (R1141X). R1141X is one of the four recurrent mutations that have been identified. These mutations are far more likely to be found in the general population than private mutations, which, in principle, can only be found in related individuals. The frequency of heterozygote carriers deduced from the presence of one recurrent mutation in the relatively small sample of the general population is 0.7%. However, four recurrent
25 mutations have thus far been identified. Although each of the recurrent mutations is likely to have a different frequency, the frequency of carriers can be as high as 2.8%, which is consistent with the commonly accepted prevalence of heterozygote carriers in the general population (0.6 to 2.5%).

Based upon these frequency of heterozygotes and the predicted penetrance of the
30 PXE phenotype in heterozygote carriers (10-20%), heterozygote carriers with PXE symptoms are expected at a frequency of about 0.25% of the general population. In a cohort of about 3000 individuals between 8 and 15 persons presenting cardiovascular,

ocular or dermal symptoms would be expected. These numbers provide a basis for a statistical analysis of the correlation between single (MRP6) *ABCC6* mutations and partial manifestations of PXE. Additional cohorts with clinically defined cardiovascular abnormalities such as the 1200 sib-pairs group from the Family Blood Pressure Program
 5 with hypertension, or the NHLBI Framingham study

from which an appropriate cohort of 2400
 to 4500 individuals is available, can be used to provide additional statistical significance.

Example 5: Creating a mouse knockout

10 To create a knock-out mouse for *ABCC6* a neomycin resistance cassette is introduced between exons 28 and 29 as shown in Fig. 6. This results in the destruction of the second ATP binding domain whose Walker A domain is encoded by exon 28 and which is essential for the function of any ABC transporter.

Based on the cDNA sequence for the mouse *ABCC6* gene (SEQ ID NO: 8),
 15 primers with restriction sites were designed to amplify genomic DNA and allow cloning into vector pPNT described in Tybulewicz et al., Cell vol. 65, 1153-1163, 1991. Specifically, a 2.2 kb DNA fragment from exon 26 to exon 28 is cloned into the unique BamHI of pPNT, and a 2.3 kb DNA fragment containing exon 29 to 30 was cloned in the XhoI site of pPNT. In the resulting construct, the neomycin cassette from the vector
 20 interrupts the reading frame of *ABCC6* in exon 28 after the conserved Lysine in the walker A domain.

This construct will be linearized by NotI digestion and transfected into mouse 129 stem cells. The two resistance cassettes provided by the vector (TK and Neo) will allow screening for homologous recombination and knock out of an *ABCC6* locus according to
 25 methods known in the art (see, for example, Tybulewicz et al., Cell vol. 65, 1153-1163, 1991).

The deletion construct shown in Fig. 6 will be transfected into *E. coli* and amounts of DNA sufficient for the targeted mutagenesis process will be produced. This construct will be inserted into embryonic cell lines and cells that incorporate the construct
 30 will be implanted into surrogate mothers and MRP6 null mice will be obtained according to methods known in the art.

According to the invention, the production of MRP6 null mice with symptoms resembling those of human PXE would provide further proof that mutations at the MRP6 locus are responsible for PXE. However, a more important use for MRP6 null mice, or mice that are carriers of an MRP6 deletion (heterozygotes having an allele with the MRP6 deletion and a wild-type MRP6 allele) is to provide an animal model to study the development and progression of PXE, and to provide an animal model useful in the development of therapeutic approaches (including identifying therapeutic drugs) to treat existing PXE or to prevent or reduce the symptoms of PXE before they develop.

10 Example 6: Examples of oligonucleotide probes and probes useful to detect PXE associated MRP mutations.

Various probes corresponding to regions of specific mutations in *ABCC6* are used in standard oligonucleotide hybridization, in oligonucleotide array or nucleic acid chip assays and in PCR-based techniques for the detection of PXE. Each of the mutations shown below are indicative of a mutation in the *ABCC6* gene that leads to PXE.

In a preferred embodiment, the probe shown in SEQ ID NO: 10 is used for the detection of a G to A mutation in Exon 24 of the *ABCC6* gene.

CAGTGGTCCAGGGCATTCCGA (SEQ ID NO: 10)

20 In another embodiment, the probe shown in SEQ ID NO: 11 is used for the detection of a C to T mutation in Exon 24 of the *ABCC6* gene.

CAGTGGTCCGGGCATTCTGA (SEQ ID NO: 11)

In yet another embodiment of the invention, the probe in SEQ ID NO: 12 is used for the detection of a G to C mutation in Exon 24 of the *ABCC6* gene.

25 GACCGTTGGAGTCAGCCAGCTACTCG (SEQ ID NO: 12).

In another embodiment of the invention, the probe in SEQ ID NO: 13 is used for the detection of a C to G mutation in Exon 24 of the *ABCC6* gene.

GACCCTTGGAGTCAGCCAGCTACTGG (SEQ ID NO: 13)

In another embodiment, the following probes are used for the detection of specific mutations in Exon 26 of the ABCC6 gene.

In a preferred embodiment of the invention, the probe in SEQ ID NO: 14 is used for the detection of a C to T mutation in Exon 26 of the ABCC6 gene.

5 GGATGTAGGACTATGCCTGGACGCCC (SEQ ID NO: 14)

In a preferred embodiment of the invention, the probe in SEQ ID NO: 15 is used for the detection of a G to C mutation in Exon 26 of the ABCC6 gene.

GGATGCAGGACTATGCCTGCACGCCC (SEQ ID NO: 15)

10 In yet another preferred embodiment of the invention, specific mutations in Exon 27 of the ABCC6 gene are detected using the probes shown below.

In a preferred embodiment of the invention, the probe in SEQ ID NO: 16 is used for the detection of a C to A substitution in Exon 27 of the ABCC6 gene

TGCAGCTAAGCCCCCCTGGC (SEQ ID NO: 16)

15 The probe sequence in SEQ ID NO: 17 is used for the detection of a deletion in Exon 27 of the ABCC6 gene.

TGCAGCTCAGCCCCCGGC (SEQ ID NO: 17)

In yet another embodiment of the invention, the probe in SEQ ID NO: 18 is used for the detection of a G to A mutation in Exon 27 of the ABCC6 gene.

GCTCCAAGCTCCCTGGAGGC (SEQ ID NO: 18)

20 Mutations in Exon 28 of the ABCC6 gene in patients are detected using the probes shown in SEQ ID NOs. 19, 20, 21, 22, 23, 24 and 25.

In a preferred embodiment of the invention, the probe in SEQ ID. 19 is used for the detection of a C to T mutation in Exon 28 of the ABCC6 gene.

CTGTGGCTCCAGGAGGCAGCTGAGGGTGGG (SEQ ID NO: 19)

25 In yet another preferred embodiment of the invention, the probe in SEQ ID NO: 20 is used for the detection of a G to A mutation in Exon 28 of the ABCC6 gene.

CTGCAGCTCCAGGAGGCAGCTGAGGGTGGG (SEQ ID NO: 20)

30 Similarly, in a preferred embodiment of the invention, the probe in SEQ ID NO: 21 is used for the detection of a G to A mutation in a different region of Exon 28 of the ABCC6 gene.

CTGCGGCTCCAGGAGGCAGCTGAGAGTGGG (SEQ ID NO: 21)

Probes in SEQ ID NOs. 22, 23, 24 and 25 are used for the detection of additional specific mutations in Exon 28 of the ABCC6 gene.

GTGGGCATCTTTGGCAGGACCGGGG (SEQ ID NO: 22)

5 GTGGGCATCGTTGGCAGGACTGGGG (SEQ ID NO: 23)

GTGGGCATCTTTGGCAGGACCAGGG (SEQ ID NO: 24)

GTGGGCATCTTTGGCAGGACCGGGC (SEQ ID NO: 25)

EQUIVALENTS

10 The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The foregoing embodiments are therefore to be considered in all respects illustrative rather than limiting on the invention described herein. Scope of the invention is thus indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of
15 equivalency of the claims are intended to be embraced therein.

SEQUENCE LISTING

<110> PXE International, Inc.
University of Hawaii

<120> Methods and Compositions for Diagnosing and Treating *Pseudoxanthoma Elasticum* and Related Conditions

<130> 369-176

<140> 2,400,954

<141> 2001-02-23

<160> 27

<170> PatentIn version 3.0

<210> 1

<211> 107820

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> wherein nucleotide at positions 51829-51873 is an n

<223> "n" can be an A or a T or a G or a C

<400> 1

aagcttgacg	aaggtggttg	gcttttggtc	tgaatctaac	aagacttatc	gggaggctct	60
tggtgcctgg	cactggctga	atgcccaggt	tgggggaggg	agagcagatg	aagcatctgc	120
ccgcgagggt	gggtggagct	gcttggtgaa	cgtatcatcg	tagcccggga	gctgggacac	180
tgaagcccgg	agaaggtgct	catggaggat	gggaagggct	tcccaggagg	gtgacatctg	240
tgctcccatc	tgctgggtga	tgagggaatg	cctggacggg	atgggcatgg	tgggtggagg	300
caggcggcct	gtgtgcaggg	aaggaagggg	agagttacag	gatgagatga	gttgagggaa	360
gaagcatggg	tggcaactct	aacagcgctg	ggaggccatc	ggaggggggt	gacgagattg	420
accctatcct	catggggcatc	tcagctgggc	tgagtgtgct	ggaaccggcc	attgcatgga	480
cacagtcact	cctgagggga	tgtgatcaac	aggcgggaatt	ctgtcactta	atgataacaa	540
tagtcaccag	ctaactgaat	gcttactggt	aggtcaaact	atatgaaact	gctaataactt	600
atttcttatc	tacagaaaca	gctatttcct	gtggttcaac	ctagtattac	caggcactgt	660
gcttagtgac	atcatgcata	tctatatgat	ttatgaaata	atgtgtccac	gcaaatacac	720
atcacatgta	agactgtaac	tcttacatgt	caccctcaca	atgaccccg	gaagcaagct	780
ttgttttggt	tcgttttggt	tcttaataat	attttatatt	tgtagagatg	gcattttg	840
atgtgcctgg	gctggtctca	gactcctggc	ctcaagtgat	ctcccgcctc	tgccctcctg	900
agtgcgggta	ttacaagcat	gagccacccc	acctggccga	gcaagccttg	ttgttcccat	960
tttacagata	aggaaactga	ggcttagaga	agtaaagtgt	tagtcgtggt	tatattgcca	1020
gtcagtagtt	gagtcaggat	ttgaactgag	gtctcggtga	cctcaaagcc	tatgctgaaa	1080
accacactgc	tggttccaga	aaaccctaga	ggtgaaaggg	ttcagagagg	cagtacaggg	1140
tagagggttag	cacttttgac	cccagatggc	ctgggtttga	atcccagttc	tgccccttgc	1200
tagccatgtg	accttgggga	ggagattaac	tagcttcttt	gtgccttagt	ctacccatca	1260
catataggaa	tgagcacctc	aggttttttg	tgaggattga	atgaactgat	gtttgtaaaa	1320
ctgcttagaa	cgatgcctgg	ggctgtgggc	tttgataaag	cgtgagctat	tattgtcact	1380
gtccttggtc	ttggtggtgc	tattcctgtg	gttcaccagg	tgagtgggca	cccctgtgag	1440
ggcagcccgg	ctctaacatt	ttgcctcctg	gaggtatcgg	ttacgtctag	atgttctcca	1500
gcacagccct	gccctgggag	gatggcagga	gggaaccttc	atcaactccc	cgcgtctggt	1560
ctctacccca	gaggttctac	gtggcttcct	cccggcagct	gaagcgcctc	gagtcgggtc	1620
gccgctcccc	ggtctattcc	catttcaacg	agaccttgct	gggggtcagc	gtcattcgag	1680
ccttcgagga	gcaggagcgc	ttcatccacc	agagtgcact	gaaggtggac	gagaaccaga	1740

aggcctatta	ccccagcatc	gtggccaaca	ggtgggcatg	gtgggcctgc	aggagcgggt	1800
ggaggaggcc	gccttagcac	cttgtctctt	tgcctcgatc	ttttcctcgc	accttgagct	1860
gggtataaag	ccaaaccccg	gccttgacaga	aaggatggag	aggcttgatg	agcgcgagg	1920
acagatgaat	cattaagagc	agacagcggc	actgtagaca	tgcagtgcgc	gcggcattta	1980
agtgcaggga	cacagctctt	ctggagtcag	aaagccctgc	aagtgccttc	cgtaaactgt	2040
catcctagt	atgcaagact	gccagcgacc	gactctgcta	ttgagtatct	tcataaccgt	2100
gttcccgtct	gggggtgatc	atgcacccct	gggtgatgtg	tgtcagaagc	aatttactaa	2160
tactaagcta	aaccatatga	gattgtcatc	ttgtgggcca	gatgtcatgg	ctcacgcctg	2220
taatcccagt	actttgggag	gctgaggcag	gaggatccat	tagattccag	gccagcctgg	2280
gcaacatagc	aagaccccca	tctctcttaa	aaaaaaaaaa	aaaaaaaaaa	agtagcccat	2340
catggtgggt	tgtgcctgta	gtcctagctt	ctcgagaggc	tgaggctgga	ggatcgtttc	2400
agcccaggag	ttcaaagtgt	cattgagcta	tgattacacc	actgcactcc	agcctgggtg	2460
acagagtggg	accctgtctc	tggaaaaaca	aaaaaaggag	atgggggtgg	gagattgaca	2520
tcttgtggat	cacagataat	agcatcaatc	caaaagaggc	agaagtttgc	taattatttg	2580
ctgaatttag	agaagtgtcc	ctctcaccca	tttgcactct	tatagacttt	tctgaaaaag	2640
tgacagcacc	ccagaggtgt	cccataacca	ttagcccgtc	ttacacactc	taatcccata	2700
gcgtaagtct	gggtgggcta	accctgaatg	attacagacc	ttgacttccc	ttcagaattt	2760
ttagggagtt	tgtcacaatc	tggctgtgtc	tgtcggagta	gtgaggatca	gtcacttggt	2820
tcataagggc	tgcaatggag	aaaagatcaa	caccccatct	tcctagaatg	ctttatatatt	2880
tagaacatta	aaataatagt	tctagtgtca	tatgatatac	tacgaagcct	agctttaaac	2940
aaataagatg	gccaggcgcg	gtggctcaca	tctgtaatcc	cagcactttg	ggatgccaaa	3000
gtgggtggat	cacctgaggt	caggagttca	agaccagcct	ggtcaacatg	gcaaaatccc	3060
atctatatta	aaaatacaaa	aaaattagcc	gggcatgatg	gtgggtgcct	gtacttggga	3120
ggctgaggca	ggagaatcac	ttgaacccaa	gaggcagagg	ttgcagtggg	ccaagaccgc	3180
accattgcac	tccagcctgg	gcaacgagag	cgaaactcta	tctgaagaaa	taatagaaga	3240
gaagagaaga	ataaaataaa	aagtaaaata	aaatagttct	gatgggtacat	gataccatac	3300
taaacctagc	tttaaacaaa	taagatgacc	aggcacattg	gttgacacct	gtaatctcag	3360
cactttgggt	ggccaaggca	ggcgggtcac	ttgagcccag	cagttcgaga	ccagcctggg	3420
cactctaggg	agaccctgtc	tctaaaaaca	aaacaaaaaa	ccaaaaattt	gccaggtgtg	3480
gtggcatggg	cctgtagtgc	cagctactca	ggctgaggca	ggaggatcac	tggaacttgg	3540
aaggttgagg	cggcagtggg	ctgtgatcat	gtcatccaca	ctccagcctg	gatggcagag	3600
taagacccca	tctcaaaaaa	acaaaatgac	agaaaacatg	atctctgttt	ctatttttaa	3660
gggtaaaata	gtatatttta	acactttgaa	atgaagagtc	tgggcttggg	aacgttacia	3720
tgatgtttac	tcgtactagt	tacgcactcc	cctcccagat	ctgtctcgta	acaagagact	3780
gttattttct	acttgttttt	agccaaaagg	ccgagaaaag	atggttattt	taaattcccta	3840
gtgtctctta	cagttgatgt	cttcttagta	tttaggaatt	tccaggacat	ctttttgttg	3900
ttgttaatgc	actgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgattatagg	3960
agtgaccac	tacgcccggc	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	4020
tgtgtgtgtg	tgtgattata	ggagtgaacc	actacgcccg	gcctatgtgt	atgtatttta	4080
aaggcttcaa	tgagaaaaaa	gttgggtctt	aaaaaggcaa	gcttcagatt	ccagggaaga	4140
ttgcctctgg	agagctctgt	tttaaatccat	gggtttgcca	gattaatgag	gatttactgg	4200
cctcgtgcct	tcggccctcc	ctaccctgcg	cccattgtgc	atgttttgaa	aaagcagtgc	4260
caggaaggac	tctctctgga	attactgcgg	agttacttga	gttagcaaag	aatccccttc	4320
ctcccccaag	agctgtaagc	caagtctctg	tagagctgac	tccatgcctg	tttgtctgcc	4380
tgtgtgtctt	ggcgaggtg	gctggccgtg	cggctggagt	gtgtgggcaa	ctgcacgtt	4440
ctgtttgctg	ccctgtttgc	gggtgatctc	aggcacagcc	tcagtgcctg	cttgggtggg	4500
ctctcagtgt	cttactcatt	gcaggtaaga	ggggatgctc	ttggctggat	tattaaagtc	4560
tgttaatggg	ggagccagtt	gtccttggct	ttggattcca	gctccaacag	gaatggggga	4620
gaggaacttg	agaggtacgg	agtttgagga	gcaggtacag	tgccacagtg	cctgggtgacc	4680
aactagagca	ggagacggat	ttgacatgtg	gccaggattt	tccccatcag	tcacacagat	4740
tccttagtgg	cccaagagga	tacttccagg	tacgagggga	atgcttttaa	agctatgaat	4800
ttccctctaa	gaactgcttt	agctgcactc	cacaaatgat	gatacattgt	gttttcatat	4860
tgtcacctgg	ctaaaaatat	tttccagttt	cttattatgt	ggcccatgag	ttattttgga	4920
aatgtgtgtg	cttaggagat	ggcaatgtgg	caggcctggg	tgatggctat	acctgggggt	4980
gctaatttcg	gtacctttct	tacctgaatg	tttcataact	cataaccttt	tatttttatt	5040
tattttattt	ttttggagac	ggaatctcac	tctgtcaccc	aggctggaat	gcagtgggtg	5100
gatctcggct	cactgcaacc	tctgcctcct	gggttcaagt	gattcttctg	cctcagcctc	5160
ccaaatagct	gggtttacag	gtgtgcgtca	ccatgcctgg	ctaattttta	tatttttagt	5220

agtgactgat	ggggtttctgc	cacatcggcc	aggctggtct	caaaccctg	acctcaggtg	5280
atctgaccgc	ctcagcctcc	cataattcat	acttggtgaa	aataatttgt	ttcctattat	5340
ctcagtggaa	aaaaaaaaaa	aaagaaaaag	gaaagtcaag	tacgcccgct	tactctagaa	5400
atgccacgtg	actcttccac	tcacaggtca	ccacgtactt	gaactggctg	gttcggatgt	5460
catctgaaat	ggaaaccaac	atcgtggccg	tggagaggct	caaggagtat	tcagagactg	5520
agaaggaggt	aggcaagggc	ccctggctgg	acctcttggt	ctttggtgta	gctttacccc	5580
aaggagatct	ctggacccta	tcctgtgcac	ctctgcctct	gagctggata	cctcaccagg	5640
tagaagtgca	tcttaacgct	tgtccagtct	ttttgcagca	cttatttaga	gcccggtttt	5700
agggtgaaaa	tagtttaccg	gctttaccca	agatctgggg	tatccatata	cgagactgtg	5760
ggatgctgtc	agggcattca	gaaggatttc	acattgtgaa	gaagtttccc	cctctatttc	5820
tctttcataa	cttctgatgg	tatcacagag	aaagtcttag	tctggggcta	gcaggtcttt	5880
aacaccttag	caattgagat	gatctccctt	caacagacag	ataaacagca	gccctcacac	5940
ttggagtctt	caacaggacg	gcttctgtct	atcagaaata	accttctgtt	atttgttatg	6000
aatttggttt	ttttgtgtgt	gtgatggagt	ctcactgtca	cccaggctgg	agtgcagtgg	6060
cacaatctcg	gctcactgca	acctcctcct	cccaggttca	agtaattctc	ctgcctcagc	6120
ctcccaaata	gttgggatta	caggtgcctg	tcatcatgcc	tggctaattt	ttgtattttt	6180
agtagagatg	ggggtttcac	taagttggcc	agtctggtct	caaactcttg	acctcaggtg	6240
atccgcctgc	ctcagcctcc	caaagtgctg	ggattacagg	cgtgagccac	tgcgcctggc	6300
ctgttatgta	tttgtatagg	ggactcctgt	tacggaaaat	aatactactt	ttccttttgt	6360
gattgtaata	aattttcctc	ttaagtaagt	tgagaaatta	agtctaagtg	acttgattaa	6420
gcatattaaa	acaacaagag	aatgagtaca	tgcatactac	acgaatgatg	tagctgggaa	6480
ctgaccaaaag	tttgggaaac	cctgcagtta	ttgaacccca	gtcccccttt	tatagatgga	6540
gaaaaaggga	acctggggag	ggacaacagc	tgatccaagg	tcccacgtgg	cttggtagaa	6600
cagctgggac	taggacctgt	gcctccagtc	tttgatgttg	cgttgccctt	aataactgcc	6660
ttcttagggc	ctgaacagca	gcacaagtag	gaacagcagt	gataatagat	aatcacaata	6720
atgcctggcg	acacccccac	cctacattaa	tgataacagg	gacacacata	gtgccttgta	6780
gaatgtcagg	cccagactta	aacgtttaat	atagagtaat	gcactcagtc	tttaccctgc	6840
tctatgactg	atttttgaga	cacgggtctca	ctcttgcccc	ggttggagtg	tagtgcgatc	6900
tcattcgctg	cctcccaggc	tcaagtgatt	ctcctacctc	tgcctcctga	gtgtctggga	6960
ccacgggcat	atgccatcac	accggactga	tttttgtatt	tttagtagag	acgggatttt	7020
gccagactc	atcttgatct	cctgagctct	agtgatctgc	ctgccttggc	ctcccaaagt	7080
gctgggatta	caagcgggag	ccaccatgcc	cagcccagcc	ctataattta	gatgctacta	7140
ttacccccat	tttacagggtg	aggaaactga	gacaaaaagc	tgaagttact	tgcccaagat	7200
cacatggctg	gtaaatggca	gacctagggc	ttgagcctgt	gcctcctcag	agaccctatc	7260
cagtgccatg	ggagtcatgc	taccggcct	cctgaggaga	gatgcccctt	gggagtgaga	7320
ccaaggcctc	tgtaagggtct	gtcctcctga	ggaattcaca	gaggtgacct	cggcccactc	7380
ctttaacatt	ctgactgggt	gaaccaggtc	ccatgtcacg	ggtgagcatt	gtaagaatgg	7440
cgtgagtgcc	cccgtgagga	accaagggtg	tattacaccg	gcggcttcca	acttgacact	7500
gaatttaatt	cacttacaag	gtatttcatt	agggtttttt	tttttttttt	tttttagatg	7560
gaatttggt	ttttttttgc	ccaggctgga	atgcagtggc	acgatctcag	ctcactgcaa	7620
cctccacctc	ctgggttcaa	gtgattctcc	tgcctcagcc	tcccaattag	ctgggattac	7680
aagtacccac	caccccgccc	agctaactta	tttcattagt	ttttataata	gcctcattga	7740
catgtgaatt	tcacatgcca	tgggaattcac	ccagttaaag	cgttcagtta	gattgaattc	7800
agtttttttt	tgtttgtttg	agacttaagt	ctcgctccag	cctggagtgc	agtggcatga	7860
tctcagctca	ctgcaacctc	cttctcctgg	gttcaagcga	ttcccagcct	cctgagtagc	7920
tgggattaca	ggcgattttt	gtatttttag	tagagaaggg	atttcaccat	gttggcccgg	7980
ctggtctcga	actcctgacc	tcgtgatcca	cccgccctcag	cctcccaaag	tgctgggata	8040
acagggtgtga	gccaccacac	ccggcctgag	ttcagttttt	aaaagcattt	tacttttgac	8100
tgacttttat	attttttagaa	ggatcgtgtt	tgacaaacct	aagagaaagt	aattgtcctc	8160
attagtccta	ccactattct	gtatttgcat	gtatttttat	atatagatag	aaagttccac	8220
atacttctct	ccattccgct	cactgtgttg	ttatagcatc	tccccttcaa	ttatgtacat	8280
aaattataaa	atagagatac	acttgttgtt	ttaaaaaaga	aaaaatcaat	acagggtctg	8340
acacagtggc	ccacgcctgc	aatcccagca	ctttgagagg	ccaagggtgg	tggatcactt	8400
gaagccagga	gttcgagacc	agcctggcca	acggtgaatc	ccgtctctac	taaaaataca	8460
aaaattagtt	ggcatgggtg	caggtgccta	taattccagc	tacttgggag	gctgaggtgg	8520
gaggatcgct	ggaacccggg	agggtggaggt	tgcagtgagc	tgaagaaaca	tcactgcact	8580
ccagcctggg	tgacagagtg	agactctgtc	tcgaaaaaca	aaaaaacaaa	gaagtttatg	8640
gtggagaaaag	acagtttgtt	cctgttccgc	ccgttcctct	cctctccaga	gagaggcccc	8700

attagcattc	gggtgaattt	cccccaaac	tttcccgtgt	ggattccac	ataccccaac	8760
acttttgttt	gcttgtttct	ttttctttta	acgtaagtgg	aatctacctg	ttatcctgtg	8820
aaaccttttc	tttaacctatg	aggcaccttt	gcatctgtgt	atagtaacag	tcactgcctc	8880
taagggtctg	tgtgaggctc	agatgagatc	atgggtctca	agtgtgagc	agagcaactt	8940
gccttagttg	cattgtaagc	gctcaataat	aacattttatt	ttttggccag	gcgcggtggc	9000
tcacgcctgt	aatcccagca	ctttgggagg	ccaaggcaga	tggatcactt	gagcccagga	9060
gtttgagacg	atcctgggca	acatgggtgag	acatcgtctc	tacaaaacaa	aaaataatac	9120
tttttgttgt	tggcgggtgg	ggtgggggtt	ttttttgttt	tttttttttt	gagacagagg	9180
agtcttgctg	tgtcacccag	actggagtgt	agtggtttta	tcttggtctc	ctgcaacctc	9240
tgctcccag	attctagtga	tcgtcgtgtc	tcaacctccc	aagtagctga	gattacaggc	9300
tcccaccatc	aggcccagct	aatttttgta	tttttagtag	agccagggtt	tcaccatggt	9360
ggtcaggctg	gtctcaaact	cctgacctca	agtgttctgc	ccacctcggc	ctccctaagt	9420
gctgggatta	caggtgtgag	ccactgcgcc	ggcaacgctg	tgattttata	gcacgtccac	9480
aaaagggtctg	catgtcttgc	ctaaaagtgt	cccggcggtt	tcttgttatg	tgccgtctgc	9540
agtccccctg	agcttggcca	tgtgctctgc	agcctggttc	agcacctgtg	tgtgccctgg	9600
acggggagggt	gcattccccg	aggctaaaac	cagtgaacct	ggcccaggcc	atatccagct	9660
gtgggcctca	ggaaatgctg	aactgaacta	cttttcaaaa	ggagggttgt	gtgtccctgg	9720
gcaagttacc	gcccctctct	gtgtctcagt	ctccttgtgt	gtaaactggg	gataatgaaa	9780
ggacctccc	acatgggggt	gctgtgagga	ttggatgaga	cactgcgata	cagatgctgc	9840
ttttatcctt	gccttcctgc	cgggggtggg	agccagggtg	actcactttt	attgtcgtgt	9900
ctgtccagag	aagaccactc	atttcattga	ctccatttat	aaatatttat	ttaaattttt	9960
ttttatcaaa	aagtaagtgt	tattggcatc	taaaaacaaa	attcacccaa	cactgaaaca	10020
tacttcaata	tttatgttat	tgttttcttg	tttctttttt	actcactgca	gtgtgaggaa	10080
caaatcacat	ttactttgga	gaaacagaga	ccatagtgtg	gattttacaa	aatcactttt	10140
taaactctct	gtattgcgct	cctcaaatac	ctagagccag	tctgtgcata	acatggcaca	10200
ctgttgctta	aaccgtaaaa	ttttgcatca	gcctaaagat	atggataaga	tataacctcca	10260
cttgctcttt	tgaatacat	ctattacctt	atccagccta	atgatagtta	cctaaaaaat	10320
tctttgttcc	gtaggaagtc	tctgacaagc	tgttattcat	ttccttgacg	ttaaaagaat	10380
ctgggggcaa	catttatatt	ttatcagaaa	aactttttta	aagtttacct	atcatgttca	10440
tattgagaac	aatgtctgtg	gcgggcatgg	tggctcacgc	ctgtaatccc	agcacttttg	10500
gaggtagagg	tgggcggatc	atgaggtcag	gagttagaga	ccagcctggc	caacatgggtg	10560
aaaccacatc	tctactaaaa	atacaaaaat	tagctgggtg	tgggtggcggg	tgtctgtaat	10620
cccagctact	caggaggctg	aggcaggaga	gtcgcttgaa	cctgggaggc	aggggttgca	10680
gtgagctgag	atcatgccat	tgcactccag	cctgggcgac	agagtgagac	tccgtctcaa	10740
aaaaaaaaaga	acaatgtcta	tacaaatcag	ttgtacaatt	attttaaaag	aatgggtgagc	10800
atgaacgtca	cgtttaattct	ggcagacaaa	aatgaacaac	tatgggtccat	tgagccatta	10860
tctgttacac	agagatgaca	gctttacaga	aggtatctct	gacctactga	gggatgatca	10920
tgtcctctca	gtttctgtgc	cttctaccac	tagttcactt	tctatatcag	cagctgtgtc	10980
actcttcttg	tttatgttca	taaatgtgtg	ttgaacacct	actatgtgct	ctgagccctg	11040
ggatacagca	gtgaacaatt	agagcctgtc	ctcattgagt	ggatggtgca	gtgggtgtgg	11100
gagacagaat	acactcaagc	atgcgagccc	caagagggct	ggggacaggc	agtgccctga	11160
aggagaaggc	agtgcgggag	gggacagagg	gacacagggc	tgagaggggtg	ctctgtatcg	11220
accagagatc	cacaggatgc	aaggggggtca	tttgggggaat	aacattccag	gaagggcaac	11280
cccccagtgc	tgaggcctgg	gaggccacct	tgggcagcag	agtgagtgag	aggggagggtc	11340
aggggagtca	cagctttacc	agatggactg	gaaattcctt	actctctccc	ttcactgcga	11400
tcgaaggcgc	cctggcaaatt	ccaggagaca	gctccgccc	gcagctggcc	ccagggtgggc	11460
cgagtggaa	tccggaacta	ctgcctgcgc	taccgagagg	acctggactt	cgttctcagg	11520
cacatcaatg	tcacgatcaa	tgggggagaa	aaggtgggtg	cacatcgccc	cattccctca	11580
cccattccca	gtcgggcaca	gggtgccatc	gggcagggtg	acctagctgc	agcgtctccc	11640
cagtcactca	cggctccaca	cctttgcttg	aatggctttt	tggggggctg	ggagtggact	11700
gtggcagtaa	aagctgttca	gagcgcatac	aacttgcaga	agtgaaggct	tttaggtgaa	11760
ctgacagcct	gaagaccaa	tgagccccac	agatttgttt	tgggaagattt	tttgttggtg	11820
ttgttgagag	agggctctgc	tctgttacct	aggctagagt	gcagtgggtg	gatctcagcc	11880
cactgcagcg	gcagcctccc	aagtgggggg	actacacatg	gttgggagtg	caggtgtgtg	11940
ccactgcacc	tggccatttt	ttgtattttt	tgtagagatg	ggggctctac	tatgttgctc	12000
aggctgatct	ggaactcttg	agctcaaccg	gtctgcccgc	ctcagcttcc	caaagtgtctg	12060
ggattacagg	aatcagccac	cattcctggc	ccctggaaga	agttcttttt	ttgttttttg	12120
gttggttggt	tttttttttt	tttttttttt	ttttttgaga	tggagtctta	ctctgttgcc	12180

aaggccagag	tgcaggggccc	cgatctcagc	tcactgcaac	ttctgcctcc	tggggttcaag	12240
tgattctcct	gccttagcct	cccagtagc	tgggactaca	ggcatgcgcc	accatgccta	12300
gctaattttt	gtgttattag	tagagatggg	gttttgccat	gttgggccagg	gtgggtcttga	12360
actcctgacc	tcaactgac	cacccgcctc	agcctcccca	agtgtctggga	ttacaggtgt	12420
gagccactgc	acctggcctg	gaagaaattt	gaataagttg	caaatactga	aaaatctgga	12480
agacttaata	taaaaattta	ttttctgctt	tttttggaag	atcagaacat	ctggcaacat	12540
cagggtcaatc	ctcccccgcc	tggctctttc	tagtcaacct	gtgagcctcc	tggttcaccc	12600
cagtcctcct	ctgtcccatt	cattgcctag	ttggccccctc	caaaacatta	gaatttgtga	12660
tctctagaat	aaggtgtcac	catcccttct	agggggatgg	ctcaaggga	gtgagaaatt	12720
gtcagaattt	tggaaacctc	tcttggttcc	gagctgttct	tggaaagaggt	tccttgacct	12780
gagtgatacc	cttagacttt	cctctggaat	tggctctgaca	gtcttcctgg	ccatttgcctg	12840
ggggacaagg	ctgctttcac	ctctgaacat	atggacttat	tgaactgttc	ctacgtacct	12900
cccacaaagc	tcagaacatt	ctgttcccag	cagataattt	ctctctgagt	tacagagaag	12960
agcagagtgg	gtgatgttct	tgtgtctttt	ttttgttttt	gtttttgttt	ttgtttttgt	13020
ttttgttttg	ttttgttttg	ttttgagaca	gcctctcact	ctgtcaccca	ggctggagtc	13080
cagtgggtgt	atttcggctc	actgcaacct	ccgtccccctg	ggttcaagtg	attctcctgc	13140
ctccgtctcc	cgagtatctg	ggactacagg	tgcattgccac	cacgcccagc	taatttttgt	13200
agtttttagta	gagatgggggt	tttaccatgt	tggccagggt	ggtctcgaac	tcctgacctt	13260
ctctgatcca	ccttcctcgg	cctcccaaag	tgtctggaact	acaggcatga	gccaccgtgc	13320
cccagccctt	gttgagtctt	tatggcttat	ctcacgtcat	gagaattttt	gcacgcatgc	13380
tgtctgtgta	caccctgtga	ggagggaaga	aggagcccac	ttctcaagag	ccaggcagga	13440
aggggagaa	tggaggtcag	gaacatcatc	ccttgcccat	tagctagaga	acctagtctc	13500
ttcaagagag	gatgcatgga	gaccaggcca	tagcaaaggg	ccggaagatc	tgcctgaatc	13560
tttcagatat	ttcaacaact	catgatggga	aactcaccat	caaagggtgtg	aaaaacagtg	13620
gggaaatgag	gaaatgcctg	attattactt	aatagtttct	tgagtctaaa	caaatagggc	13680
tttgttgga	attccttctg	cctcttctgt	atctcttttg	aggtctctag	taacttataa	13740
aaagccgagt	cattcctttt	gggagcctgg	caaagggaag	agagtccttc	ttgaccttcg	13800
gccgaaacac	ccttaaagga	gtgtctctgg	gcagcgcgca	agggagaggg	ctgtcgagtt	13860
gggttgacca	gatgactgat	gcctgaggtg	gggcccagat	gagggcactt	tggggcaggg	13920
acaagtccgg	atgccagcat	tcccaccaca	cctgggccct	tctgtcctgc	aggtcggcat	13980
cgtggggcgg	acgggagctg	ggaagtcgtc	cctgaccctg	ggcttatttc	ggatcaacga	14040
gtctgccgaa	ggagagatca	tcacgatgg	catcaacatc	gccaaagatc	gcctgcacga	14100
cctccgcttc	aagatcacca	tcaccccca	ggtgggggtct	gggtgtggcc	caggggggtga	14160
gccagagctg	gcaagcccta	tgattgcact	gacagtgggtg	tatgtatatt	tttggggcaa	14220
acatacattt	ggccctactt	catcgttctt	tttttttttt	tttttttttt	tcctgaaaca	14280
gggtctcgct	ctgttgccca	gagtggagtg	cgctggcgca	atctcagctc	actgcaacct	14340
ccgtctccca	ggctcaagcg	attctcccac	cccagcctcc	tgagttagctg	ggactacagg	14400
cacatgccac	cacaccagc	taaatttgtt	ttgtactttt	ttgtggagat	ggggttccac	14460
tgtgttgccc	aggtgcctc	tgaactcctg	ggctcaagca	atccaccac	cttggcctcc	14520
aaaagtgtctg	ggattacagg	catgaggcac	cgtgggtggc	cttcattgtt	tttattgaag	14580
ttaggctgtg	ctgctgcttc	cctgaatttc	ctcttagtat	atgattaaca	acgtgggaat	14640
taactgacta	tcagtcccga	cttcctgtcc	ccgggagggg	tagtttcaga	gcattctaga	14700
aaatccaaaa	agacaccgtc	ttctctctct	gctgccagag	tcagactgag	catctctaac	14760
ccttccaaga	gctagacaag	aaataagact	ttttaatttt	cgattcacgg	ggtgcacctg	14820
caggcttggt	acgtgggtat	attgtgtgat	gctgatgctt	cggcttctat	ggatctcatc	14880
accaactat	tgaacagagt	acccgagaga	gagttagttt	tcaaccatta	ccctcctcca	14940
tctgtcccca	cttatggagg	ctccagtgtt	tatcatttcc	atctttacaa	ccatgagtac	15000
gcagagttta	gctccctctt	acaagtgaga	acacacagta	tttgggtgaga	aataaggatt	15060
ttctttttct	ttctcttttc	ttttttttct	ttttttaact	gagacggagt	ctcactctgt	15120
cacccagtgc	agtggcacga	tctcagctta	ctgcaacctg	cacctcctgg	gttcaagcga	15180
ttcttctgcc	tcagcttccc	aagtagctgg	gattataggg	acgcaccacc	atgcgtggct	15240
agtttttgta	tttttagtag	aaacgggggt	tcaccatgtt	acccaggctg	gtctcaaact	15300
cctgacctcg	agtgatctgc	ctgcctcggc	ctcccatagt	gctgggatta	caggggtgag	15360
ccaacatgct	tggctgaaat	aaggattttc	tagaccaatc	cccgcagggtg	gattccttaa	15420
tatgttgcc	tttagtgtaa	tcttccttaa	agtgtcttag	aagattctct	tctgtggttg	15480
gatgacggga	gaatccacgg	gactttactg	ttaggaatca	cctgtgctgc	gtctcatttc	15540
tggaggttct	caaccactt	gcatattgaa	ggctccagga	agttgtatgg	aaaggaaatc	15600
tgttgtatc	tgccaaactc	agactttcca	gacttttttt	ttttttccat	tattaaggca	15660

attdttttttt	tggagataga	gtcttgctct	ggagtgcagt	ggcacaatct	tggctcactg	15720
caacttccgt	ctcccgggtt	caagtgattc	tcctgcctca	gtctcctgag	tagctgggac	15780
tacaggtatg	caccaccatg	cccagctaat	ttttgtattd	ttactagaga	caggggtgtt	15840
ccatgttggc	caggctggtc	tcgaactcct	gaccttaagt	gatccactcg	cctcggcctg	15900
ccaaagtgt	gggattacag	gcgtgaacca	ccgtacctgg	cctttttctc	cattattaac	15960
atctccagaa	atagtgattc	caaggagctc	tgatacccca	ccttcaacag	tcctggccag	16020
aagtccttag	gtcgcctcca	tccatgtcag	catgacacag	gtgtcacatg	ccgtccactc	16080
tcttctctct	gaacaggacc	ctgtttttgtt	ttcgggttcc	ctccgaatga	acctggaccc	16140
attcagccag	tactcggatg	aagaagtctg	gacgtccctg	gagctggccc	acctgaagga	16200
cttcgtgtca	gcccttcctg	acaagctaga	ccatgaatgt	gcagaaggcg	gggagaacct	16260
caggtaggcg	ggggtgaaca	aggagacacc	gggtaaaggtg	tcctaggcgc	catctcggta	16320
gggggtgtttg	aagattctgt	ccagatctgt	gtcacctgga	tttgagtccc	agatgaccat	16380
ttgtcccttc	acctcttgga	gcctcagttt	ctgtatctgt	aaaacgggtc	tcaatccagg	16440
ctctttgtac	catgaggtag	aataaccagg	atgaccagta	catttccttt	tatacacacc	16500
agctccattc	agttgatagt	ggctgtcagt	tgtaaagcta	tggaaagtct	tctgtaccag	16560
ttggctcacta	gcactgctct	gagccccag	gtccccatgc	actaccaccg	ctgtcttggt	16620
ctctaccagg	atcctggagc	tctgtccatg	accagcaac	taaagcatta	atgcctggca	16680
caccagcggg	acctctgggg	tcctgctttg	gtgggtgtttg	ttagtgcctg	gttctggttc	16740
tgttatccgt	ctccatgaca	accaaccata	aagcctcagg	catgttcaac	cataaagcaa	16800
cgatcattgc	tgccatacga	gggcagtcag	ccagggtggct	ctgctgatct	cggctgggct	16860
cacatgcatg	tctgggagtc	agctggctgt	tggctgatct	cggggtcagc	tggcttttgg	16920
cctcaggtgg	ggcaagaagg	gtatgttccg	tgcattccctc	attctccagc	agaccagctt	16980
gggcatgttg	tcattggcgat	ggcaggggca	caagagcgtg	caagccccta	ttgcatctaa	17040
cagtattctt	ttggctgtcc	ttacttttgc	tgggtgtccca	ttggccaaag	caaggaacat	17100
gtctgattcc	agagccacct	ctcatggccc	cacagttgga	taagggatgc	atgggtatga	17160
ggcctttttt	tttttttttt	tttttttttt	tgagacggag	ggtctcactc	tatcaccacc	17220
gctggagtgc	agtggcgcaa	tctcatctgc	aacctccgcc	cccaggctca	agcaattgtt	17280
ctgcctctgc	ctcctaagta	gctgggatga	caggtgcctg	tcaccatgcc	cagttaaatt	17340
ttgcattttt	agtagagatg	gggtatcacc	acattgtcca	ggctagtctc	aaactcctgg	17400
cctcaagcga	tccacccgcc	ttagcctcac	aagggtgctgg	gatactaggt	gtgagccact	17460
gtgcccggt	cttatttttt	ttttatttta	ttttttttta	gagacagtgt	ctcactctgt	17520
tgcttaggct	ggagtacagt	ggattgatct	cggactctta	actcctggac	tcaagcaatc	17580
ctgcctcagc	ctcccagtaa	ctgggactac	aagagcatgc	caccacaccc	agctaatttg	17640
tttatttttg	tttttgagaa	gatgggggtc	ttgctttttt	gccagggctg	gtctcaaatt	17700
cctggcttca	agctatcctc	ccacctcagc	ctcccaaagt	gctcagattg	taggtgtgag	17760
ctgctgtttt	gagaatgatt	ctgaacctgc	atcttgctga	ataggagatg	tgctctgatt	17820
gattagtgat	gtctgctgca	gacacagatg	ttgggagtgg	acatgctttc	ctgggtcaagc	17880
aacatagagt	gtctcctttc	gcttctccca	gcctgggcct	agggttcaggg	tcaggggtgg	17940
tttgacccaa	cactatctcc	tggttttttt	cttccgggtca	agtgtcgggc	agcgccagct	18000
tgtgtgccta	gcccggggccc	tgctgaggaa	gacgaagatc	cttgtgttgg	atgaggccac	18060
ggcagccgtg	gacctggaaa	cggacgacct	catccagtcc	accatccgga	cacagtccga	18120
ggactgcacc	gtcctcacca	tcgcccaccg	gctcaacacc	atcatggact	acacaagggtg	18180
atgccactgg	cacagtggcc	tctaggcttt	gggagtttgc	cttactcact	ggctcactca	18240
ttaattcatt	aattcattca	acactgtcct	tatccctagt	gacagcccca	gtgggtggat	18300
cctctcttca	tcctggatgg	taccagctat	ttcttttttt	tttttttttt	ttgagacaga	18360
gtctcgcttc	atctctggag	tgcagtgggtg	tgatctcggc	tcactgcaac	ctctgcctct	18420
gggggttcaag	catttctcct	gcctcagact	cccgaatagc	tggaaactaca	ggaatgtgcc	18480
accacgcccc	tctaactttt	atatttttag	tagtgacagg	gttttgccat	gttggccagg	18540
ctgggtctga	actcctgacc	tcaggcgatc	tgcccgcctc	cgcctcccaa	attgctggga	18600
ttacaggcat	gaaccgctgt	gcccagtggt	accaggtatt	tctaataatca	tctagtcat	18660
cattcacgtc	agcgcacctg	cgggtgttccc	agacactggg	gactctgtag	gctgctgtca	18720
gacaaagtcc	ctgcctccag	gaccaagtag	cttattagat	ggaggagaca	aaaaatatac	18780
agagcaataa	accaacagga	ttccagaggg	cagcaggtgc	tgggaaggac	gcttgccaag	18840
gagacgggat	agcgagtgt	gggcagggcc	actgtttcca	ttgaacactg	caggcccagt	18900
gcgtggggcc	cacaaaaagg	ttttattttt	tttaaaaaat	cagaagcagg	ccaggtgcgg	18960
tggctcacgg	ctgtaatccc	agcactttgg	gaggccgagg	caggcagatc	acctgagggtc	19020
gatagtttga	gaccagcttg	gccaacacgg	tgagaccctg	tcaccattaa	aaatacaaaa	19080
agtagccaag	tgtgggtgggtg	cgtgcccata	atcccaggta	cttggggaggc	tgaggaagga	19140

gaattgcttg	aacctgggag	gtggaggttg	cagtgagctg	agattgtgcc	actgcagtcc	19200
agcctgggca	acagagtgag	actccatctc	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaga	19260
atataatcca	acctggattt	tattttatact	aacacagtc	taaaatagaa	tttctagcat	19320
tttgtgtgga	gaaagccacc	tccgtaggca	tcagtgccgg	ggaccacaaa	agtcagaatg	19380
ctgccatagt	gccaggggtcc	tgggggggttt	tgagttttgt	gtgggtcatc	tctgaagagg	19440
tgacatttta	gctgagacct	gaacaatgaa	aaggagtcag	ccttgagaag	atctgggaca	19500
gcgatctgca	accttgttct	taagggccgg	ggtagtttca	gctttgtggg	ccacatggcc	19560
tctcagccac	ttgactccag	tggtgccgtg	tgaaagcagt	catagatagt	gcacgaatga	19620
atgagcatgg	ctatgttcca	ataaaaacttt	attcataaaa	acaggcaagg	ggtcagattt	19680
ggcctgcagg	ccacagtttg	ccaaccttg	atctaaagga	agaacattct	aggcagccgg	19740
tacagccgaa	tgtaaaaatg	aatgcgctta	atgaatttga	aggctagcat	gaggaggcca	19800
tgtacctaga	ggttggaatt	gagtggacag	gggcaggaga	ttaggccaga	aaggtaggca	19860
ggggctggat	cttagagcac	catgtaacca	cggtgagaag	cttggaaactt	actctaagag	19920
ccctataaag	ccattggaag	gttttaagca	gggaagtgac	atgagtttct	attttatttt	19980
atatattttt	gagacagggg	ctcaccctgt	cgcccaggct	ggagtgcagt	gggtgggatca	20040
cagctcactg	cggcctcaag	tgatcctcct	gcctcagcct	tccaaagtgc	tgggattata	20100
ggcgtgagtc	tctgcaccca	gctgacatga	tgtttctagt	tactgagta	ccacctacta	20160
agtggcagat	gctgagttgg	tgcttttgaa	atataggaca	tagaaatgag	gacagaagtg	20220
ggcagtgtca	aatcttacag	gacctaaaat	attaggggtc	agccaactat	ggcccacagg	20280
ccacagatct	ggccccctgc	gtgtttttat	gaataaagtt	ttattggcac	gcagccacat	20340
ctgttcattt	tctgttggtc	tctggcagct	ttcacactat	aaatacagca	gagatgcgta	20400
gttgtaacag	aaagcatatg	gcctgcagag	cctcaagtat	ttactatctg	gcctttttca	20460
gaaaaatggt	gccaatcggt	attgtagact	gtggtaagat	ctttttattt	tactctgaat	20520
gtaatggaac	agtgaatgtg	aacagtcaac	actgttaata	ccattcacac	catgattgat	20580
gtggggtaga	tattaaggag	ctggcctcat	gggaatctga	cattgactag	aaatagggat	20640
tgaggggtgag	caaccagctg	gaaggtagct	caccagtcct	agcaaaaagt	gttagggggcc	20700
tgacccgaag	cagtgacttg	cccaggtcag	ttgtcccagg	ggcacgaggt	gctcaccctt	20760
ccccttcccc	tcatgtctgt	atcccctctc	cctcaggggt	atcgtcttgg	acaaaggaga	20820
aatccaggag	tacggcgccc	catcggacct	cctgcagcag	agaggtcttt	tctacagcat	20880
ggccaaagac	gccggcttgg	tgtgagcccc	agagctggca	tatctggtca	gaactgcagg	20940
gcctatatgc	cagcgcccag	ggaggagtca	gtacccctgg	taaaccaagc	ctcccacact	21000
gaaaccaaaa	cataaaaacc	aaacccagac	aaccaaaca	tattcaaagc	agcagccacc	21060
gccatccggt	cccctgcctg	gaactggctg	tgaagacca	ggagagacag	agatgcgaac	21120
cacccaaaac	acgcacaccc	tgcccctggg	gccctgagac	agacacacag	cctcacgccc	21180
ccaggaatgc	aagtggtttc	ctggtgcttc	ccacggagga	gttttggcag	ccagacttct	21240
ggaggaattg	gttgtataga	agatcctagt	gaccaaattc	agcctactgc	ctcggatctc	21300
tccagccgaa	gtctgtggac	tgcaagtctt	tgagatgctt	ctggctccca	tcacctctaa	21360
catccttgtc	tgggtctacc	aggaacgctt	catttccttg	gggctgcagt	tttgtgggtg	21420
aggggcctgg	agaaaatcat	tttctcccct	tggcagtgtc	ccagggccct	ggatggtcct	21480
cttaccaaca	tctggtcttc	caggcactca	aaagctggga	accagcatct	cagcgccagc	21540
tctaccagtt	ctcgtttttg	gccagaggca	gcctctgcac	tcccacgcct	gtcctcctgg	21600
aagggacctg	gttggactaa	cggctaacct	ggacctggaa	ctgtagggcc	aggggattgt	21660
ctcagggccg	acgttccacc	tggggcttcc	ctccccaccc	accccgactc	caggctttcc	21720
cttttttctt	ttgttcaaca	ttgtaagaac	aatcaatgct	gttattactg	atcccaccat	21780
gattgatgtg	gggtaaatat	taaggagatg	gcctcatggg	aatttgacct	tgactagaaa	21840
tagagactga	gagtgaagca	ccagctggaa	ggtagctatg	cagtcctagc	agaaaaatgt	21900
gttagggggcc	tggcccaaag	cagtgttggt	tgcttacagt	gttgattgat	tttgttcttt	21960
tttctttacca	cctcttttct	ttccctctca	tggtagctgc	tcatgggttat	gaagctttca	22020
aagtaaagaa	cacgaaatac	ctcccaagta	ttaccagtgg	gtaccaaaaa	aatgtcccct	22080
tgagtctttt	ccttggtttt	agatgttaat	tctctcccct	ggcatccggg	tagcccccca	22140
ggggggggcag	cattgtggag	aacttgatat	ttagttactg	atgctcttcc	aggacacgaa	22200
aagaacccat	ctttgaatat	caatgatttt	ttttttttta	agtactgttc	cggggagaaa	22260
aacagtctca	aaacttgaac	ttcttgggaa	gagaagtgtt	gggctgagaa	gtaacatttc	22320
caggaaatag	tgagaagctc	gccctgtggt	tgaaaccgtg	ttggtctctg	tgttcctgga	22380
agaaaacagg	gaagcagcat	cttttaaagc	ctgttcttta	aggtgtctcg	ttagagccca	22440
aagtggaaatc	cgggaaggcag	ccagagctga	ggctgccccca	agactcagac	ttgctaagaa	22500
ttacgccgcc	gacttcaaac	ccagagagca	tctttctttt	aggcgaaaac	gcataatatt	22560
attttttgta	agttatacca	ttctttcaca	ttagataaac	taagtttttg	gggatccttt	22620

tgtaatgact	tacactggaa	atgcgaacat	ttgcagtaaa	aaaatatata	tatatctata	22680
tattttat	ctttctaaag	aatgggtccc	tttcctttgg	ggcctcggcg	agggttccag	22740
ccatgtcctc	tgcaggggtca	ggatgtggca	tcttcctgtt	tctgttcttt	ccttttgaca	22800
acaagtcgcc	tctagtggga	gctgttgcca	gaaagggcaa	gttgtagaga	tcactagtca	22860
gatgggggtt	agtgggaagg	cgggacagcc	gcaaggtgga	cggagcccag	gttttggggt	22920
tggacagacc	ctggcttgag	tcctgctctt	gtcatttgct	gttcttggtga	ccctggggaa	22980
gtcactcagc	ctctgtgcct	cacttgcttt	gtctgtaaaa	tgaggctgat	cgtacttacc	23040
ctgtgagcag	tgatgtgtgc	ggtagctgta	gcctcgggtca	ggttctaaga	cacaggcgag	23100
gcagaaatca	catgtggcca	gaacgatcct	tgaaaatcct	gccctcgccc	tgcccttttt	23160
tttttttttt	tttttttttt	ttttttttgc	tagaggcacg	gtctcactct	gttgcccagg	23220
ctgggtgtgca	gtggcacgat	catagctcac	tgcagcctca	aactcctggg	cttacgcaat	23280
cttcctgcct	cagcctcctg	ggtagctggg	actacaggca	tgtgcccagc	taatttttaa	23340
aaatttttat	agagtcaggg	tcttgctatg	ttaccaggt	tgttcttaaa	ctcctgggct	23400
ctggggatcc	tcctgcctga	gcctcccaaa	gtgctgggg	tcaggcacct	ggcctgaaaa	23460
tccttttatg	ttagtccaga	gaggcgaggc	tgcgctgcag	taacaaattc	gccgtaaaat	23520
cttcggaaat	gatcacaagg	ctttatttct	tgctcacgca	gttcttggtg	agggtcagct	23580
gcctctccag	ggtaggtgac	ttccctgtga	caagtgatcc	aggctgtcct	ggttttgtga	23640
catggcctcc	caagggttgg	cctccaggtc	cccacagtgg	gagaaggag	agtggacgac	23700
tctcacccac	tcttctgtgt	ctgaaaccgg	aactgacgca	gttaatccca	ctcacagccc	23760
attggccaaa	atgagtcaca	tggccccaac	ccaaccactg	cgggagctgg	gaaatggagc	23820
ggtgcctgtg	gaagagaagg	atttctccct	ttcctaactg	atgtggttct	ggagttttgg	23880
atagcggagt	agtcagacta	gtgtgttcgg	tttctaactt	cgaactgggt	gagtctgggc	23940
agtaaggaat	gtctgtat	ggggagcaca	ccatttctgc	cacacctaaa	accatgcacc	24000
aagtacatgt	gcagatagaa	cgttctagca	ctgccattgt	tcctcaagc	tttctgtcc	24060
cctgattgaa	attggtggct	tgcactaggg	actgtggtgt	acaaagggtg	tcagggaaga	24120
gccggcgagg	tggtgaccat	tagaatgagt	agtagtgtct	gggtgcagtg	actcatgccc	24180
cattgaaact	gttggcttgc	attagggact	gcagagtgtg	aagggtgcct	gtgaaaagcc	24240
agtaagggtca	taaccattag	aataggtagt	atcagccagc	cgggcatggg	ggctcatgcc	24300
tgaatgatgt	cattggcttg	cattaggaac	cacagagtat	gaagggtgcc	agtgaaaaac	24360
tggtgacgtt	gtgactatta	gaattagcag	tattggctag	acgagggtgg	tcatgcctgt	24420
aatcccagca	ctttgagagg	ctgagacagg	aggactgctt	gagctgaaga	gttcaaaacc	24480
agcctaggca	acatagtggg	actctttcta	tataaaaact	ttttttttgt	taaattagaa	24540
gtagttgagg	ctgggtgcag	tggctgacgc	ctgtaatccc	aggactttgg	gaggctgagg	24600
cgggtggatt	gcctgagggtc	aggagttaa	gaccagcctg	atcaacatgg	tgaaacccc	24660
tctctactaa	aaacacaaaa	attagttggg	catggtggca	catgcctgta	gtcccagcta	24720
ctggggaggg	tgacaagaga	attgcttgaa	tgtgggagat	aaagggttgc	gtgggctgaa	24780
atcaagtcac	tgcactccag	cctgggcaac	agagcaagcc	gagactccat	ttcaaaagag	24840
tagtagttgg	atctaccagc	gggaatctta	atagggatgt	gagatgtgtt	tagatctcaa	24900
agcctgaccc	tgagtcttaa	aatcccaggt	cagatcctaa	gcagtcccag	agagctccac	24960
ctgggtgtgca	tctgtgccag	tgtcttgggg	tggggcagct	gcatgctcag	gtggaatccg	25020
gggctgagtt	caagtttaat	ccactttatg	aagaggaggc	agagtgaggc	ataactcctc	25080
atccagggga	gtggaagtac	tgtggaagga	agctctgttt	tgtacctact	acgtgctggc	25140
cctggcctca	ctgtgcagaa	ctctccacat	tggaaaggat	ccccccagac	cagagaggcg	25200
taaggagggg	gctgggtgctt	tccagtgttg	aactgttcat	ctgtcctcac	accaccatc	25260
gggtcctaca	gcaaatttgt	ttgattttct	gcaaaacacc	cagaatctat	ccactccccg	25320
tcctcccatt	gccaccacgc	tgggtcccagc	caccccactt	tctccctgca	tccttacaac	25380
agctgccaca	gtggtctcga	ggcttttgcc	cccagccccc	cacacacaca	tcagtgtcct	25440
caacctgggtg	gctgtagtga	ccttatgaaa	acacgcactg	gccgggcacg	gtggctcacg	25500
cctgtcatcc	cagcactttg	ggaggccgag	gcaggcagat	cacctgaggt	caggagtctg	25560
agaccagcct	ggccaacatg	gtgaaatcct	gtctctacta	aaaatacaaa	aattagccag	25620
gtgtgggtggc	gagtgcctgt	aattccagct	acttggggaga	ctgaggcata	agaattgctt	25680
gaactgggag	gtggagggtg	cagtgaacca	agatcacgcc	actgcacttc	agcctgggtg	25740
acagagtgag	tgactgatgg	tgaggacacg	ggctctgaag	ccacactgct	tgggcagaga	25800
tgccactcat	tctgtttgtt	ttctcatctg	tcaaaagggc	ctgatggtag	taccttcctc	25860
atcaaaacgt	tccagtaagg	ggcccagtga	ggtggcttcc	tcctctggtc	cactgaatgc	25920
gtgcgtggcg	ggcattttaa	gcagtgtcag	gtatacgtag	ttacgtgttt	gcagtggcga	25980
ggtggactgt	tgagttttaa	agagtctact	gggcgcaggc	actgaccaga	gaggaagtct	26040
gcagccttga	tggatgaaat	tcgtgttcca	cccaccagcc	agaccctact	ggcagcagcc	26100

catggcgggg	gtattaatgg	cctgggcatc	ccctctggcg	cgtctccaga	ctgccgtggt	26160
gtgggcccac	cagcagtctc	gttagcaggc	tggcaggtgc	cggttcccac	gtgctggccg	26220
cctgtggccc	accctctgct	ccctggcaca	cagcctagga	aagagagtct	ggtggccctg	26280
ggtcatcccc	agctgagttt	gccaaatgcc	cacatggcag	cccctgccta	gggtcactct	26340
gcaaggcagg	tggctcagct	ccagccagag	aagacaggct	gcatctgccg	cccttccttt	26400
ctctaaagga	caaatgtgcc	ctgtgcaatg	actttggtat	tacacccaga	aacagatccc	26460
cactctgtcc	ttactgactg	ggtcaacttg	gcaagtcatg	tcaacccctt	gagcctcagt	26520
ttcctcacct	gtgaaatgga	gctaggaata	ggtagtgtg	ggtccacagc	tttgcaggca	26580
tgactagggg	caggtcaaga	atgcggactt	cctgccccac	tttgaagggtg	gtagaagctg	26640
cagttagaag	tttactccag	gccaaaagg	gcatcacaaa	acctgtgagg	atgggccatc	26700
agaaagtccc	atgacctgat	gggcggagca	ggccctgtgt	ccttaagaaa	aggtggagtt	26760
cttgccttgc	cacccctgac	accagcaaag	ccactgctca	agtatctgtg	gatgatggat	26820
ggcagcgggg	caggttagac	cggggattct	caaccaagtg	ggtctttttg	ttttgtgttt	26880
tttcagacag	tcttgctctg	tcacccagcc	tggagtgcag	tgggtgtgatc	ttggctcact	26940
gcaaccttct	ctgcctgggt	tcaggcgatt	ctcctgcctc	agccttcaga	gtagctggga	27000
ttataggcac	ctgctaccac	acccggctaa	tttttgtatg	tctggtagag	ccaggggttc	27060
accttgttgt	ccaggctggg	ctcgaactcc	tgacctcaag	tgattcacct	gcctccgcct	27120
cccaaagcac	tgggattaca	ggcatgagcc	actgcacccg	gcccactag	gtggctttga	27180
ccccctgggg	gattaatggc	agtgtcacaa	gtctggtggc	ggtagaagga	ggatgttatt	27240
ggcatctagt	gaagaagagg	ccaggggctc	tgctgaacgt	cctacgatgt	gcaggacatg	27300
tccccacagc	acagaactat	ctggccccac	gtgtcaataa	ggttcagaaa	gcctggggga	27360
ttgccttctg	tgcttccacg	aacacatatc	catgtattat	gtcattcttg	cggcaatgcc	27420
acgaggtcag	tgagactccc	tgactagcat	acataatgtt	aggatctagg	gagttgtcta	27480
atgtctcacg	ctgcccttcc	cagcgatcta	tgtgtggcct	taggcttggc	tacttttagac	27540
ttagtccctc	ttttccggtg	cctgcagctg	gtttggtgag	tccagtatta	atatactgac	27600
cgctgtcaga	aagaggagtg	aggaggctgg	gcatgatggt	tcacgcctgt	aatcccagca	27660
cttttggagg	ccgagggtgg	cagatcacct	gaggtcagga	gttcaagacc	aacctggcca	27720
acatggtgaa	accccgctct	tagtaaaaat	acaaaaataa	ttagccaggt	gtggtggtgg	27780
gtgcctataa	tcccagctac	ccggcaggct	gtagcaggag	aatcgcttga	acctgggagg	27840
cagaggttgc	agtgagccga	gatcttgcca	ctgcacttta	gcctaggtga	cagagtaaga	27900
ctctgtctca	aaaaacaaaa	aaagaaatgt	gtgaggaatg	caacaagctg	tgcattgacc	27960
acccttggtt	acagcaagtt	ctccacgctc	agccgggtcc	agcctttggc	tgtcagcagc	28020
atctggagcg	gaactgtgaa	cagaaacact	ccagggtgtc	cgacgggtgc	tggggcgccc	28080
ccaggggagct	ggaatttggt	tttttagcaac	cacatatagg	aatgaaccc	gccagccaca	28140
gtatctcacg	cctgtaatcc	cagcactttg	ggaagctaag	gccagcggat	cacctgaggt	28200
caggagtttg	agaccagcct	ggccaacatg	gtgaaacccc	gtctctacta	aaaatacaaa	28260
aatcagctgg	gcgtgggtgg	gggcgcctgt	aatcccagct	gctccagagg	ctgaggtggg	28320
agaatcgctt	gagcccggga	ggtggaggtt	gcagtgagtc	aagattgcac	ccctgcactc	28380
cggcttgggt	gacagagtga	gactttgtct	cggacaaaaa	aaaaaaaaaa	aaaaaaagaa	28440
ccaagtcctc	gggcaaattc	tccattgag	ggctgtgaag	tcttggctcc	tctgttgttt	28500
gttttggaaa	ccaaacttgc	atatttgact	ttctcatgcg	tggagaggac	ccatgcttgg	28560
catggggggg	cacctgggtt	ttgtgtcctt	ggagctcatc	tctggtgggg	gaggaggagc	28620
agcaggagat	gcgagggtcg	tagttctcag	tcctggccgc	acattggaat	cctatggggg	28680
agcttttaaaa	ttatacacca	aactcggcca	ggtgcggtag	ctcacgcctg	ttatcccaac	28740
actttgggag	gccgaggagg	gtggatcaca	tgaggccagg	agttcaagac	cagcctggcc	28800
aatatgctga	aacctcgtat	ctaataaaaa	ttacacaagt	tagccaggca	tgggtggcgca	28860
cgcttgtaat	ctcagctgca	cgggaggctg	aggcaggaga	attgcttgaa	cccaggatgt	28920
ggaggttgca	gtgagctgag	attgagccac	tgacttctag	cctgagcaac	agagtgagac	28980
tctgtctcaa	aaaaaaaaaa	aaaaaaaaat	acacacacac	acacacacac	acacacacac	29040
acaactggag	aacagagcat	ggtcactggg	ggcaggagcg	agagtgatgg	gtgtggtcgg	29100
aaaatggtgg	tggctattcc	gtatcctcac	cctggtgtgg	attcatgagc	ctacatgtgt	29160
gataaaactg	catgggacaa	aataaacaca	cacacacaca	ggagtacagg	taaaacggga	29220
aatcgagcaa	gattgttgtg	tcaatgtcaa	cacctggct	gtgatgcttt	atcctagagt	29280
tttgcaagat	gttaccattg	ggtgaaatgg	ggtaccaagt	acacgaatct	ctctatatta	29340
ttgtttcttt	aactgcatgt	gagtctggga	ttatcccaaa	ataaaagtgt	taatttgtaa	29400
aaagtacaca	cagcatggca	gttcccagcc	tcagagattc	tgatttaagg	gtctagccgg	29460
gagcctgggc	atgtgcttga	ggcccccagg	tgagtccaga	gtacagcggg	gctgagagtc	29520
gctgttgaca	ttggctgcag	ggtggacagg	gcgagatggg	ccctgcccgg	gcagacctgt	29580

gtattgctag	gtccttccgg	ctctgatgct	ctgtgataat	tggccacttt	ctctgccatt	29640
ttcctcccag	agagcaaaca	caggtctaga	ctcaatatcg	tgtggagcta	tcgatgacca	29700
cgggtcactt	ccatctccag	cactgcaggc	tgtgcgggct	ggtccaactg	gggtacgggt	29760
gagggtcctg	gctcagacca	ggcctgactc	ctggggccagt	ctgtaaaaca	ggcccttctg	29820
ggccagcagc	tggggccgggc	tgccgctctc	tgccacctgc	cccttggtcca	tgaccagaac	29880
cctgtggggg	agagggagac	agagaggctc	tctggacacc	agcccaggct	ctcggcagct	29940
gtgagagccc	agtgtgtctg	cgctgagggt	ttctccatag	aagtcctgct	ttccatgcgg	30000
ctccctggcc	ctcacagctg	ggttggaagc	gtgtgctggg	cgcatgtcct	tgggcagctt	30060
tcccacttgg	catgtgttcc	cgggcattcc	tcccgctctg	gccccattca	ggacccctcc	30120
agctctaacc	cgaagcccag	tggcccagga	ctgcctccgc	ctccttcccc	caccactgca	30180
gggctgctgt	gaggtcaggc	cggggcgggg	gccttaccgg	gcacagtcca	tcacggagcg	30240
caggcggtgg	gcaatgagca	gcacagtgca	ctgtgcaaac	cagctcccga	gcatggcctg	30300
catctgcagc	tccgtgccag	ggtccacggc	agcagtagcc	tcgtccagga	tgaggatctg	30360
ggtcttccgg	agaagggcac	gtgccagaca	caggagctgt	ttctggccca	cgctgggaac	30420
gattgggaca	attagctggg	acgtgcgttt	gtcggcacat	ggtgatgtgt	gggtgtgccc	30480
agaaacaggt	ccctgaagca	gtgcaggagt	gaggtgcctg	tgttcaggca	tccccacaca	30540
tgggggtctg	ggtctgtggg	ctgcagaact	gataggaagc	ctgttcctgc	catctttgag	30600
caggctgact	gtaggcaggt	cattcaaacc	ctttgtgcct	cagtttcccc	acctgtgaaa	30660
tggctatttt	cttttttctg	tttatggctc	tttttttctt	cttcgttttt	cttttttttt	30720
ttgagacgga	gtcttgctct	gccacccagg	ctggcgtgca	atggcacaat	ctcagctcgc	30780
tgcaacttct	gcctcccggg	tcaagcagtt	ttcctgcctc	agcctcccaa	gtagctggaa	30840
ttacagtcac	gcgccaccat	gcctggcttt	tgtattttta	aagtagagat	ggggtttcac	30900
catgttggtc	cgacttggtt	gaaactctca	ggtgatccac	ctacctcagc	ctcccaaagt	30960
gctgggatta	caggcgtgag	ccactgcgcc	ccggtagttc	tatttctagt	ttgttttttg	31020
agaaatcatc	atactatttt	ccatagtgc	tgtactaatt	tatatattcc	ccaacagcga	31080
aagcacagct	ttcacttcag	tcctgcccgt	gcaaacaac	ctacaatgac	tcactgctgc	31140
ttcaagaatc	aaatctacag	tcttcctaag	acattcaagg	ctggtgtcac	gtgggcctta	31200
aatacacatg	tgtacaacac	ctgggtggga	ttccaggcgt	gatccaccgt	gcctggcctg	31260
tttatggcta	tgtccagttc	tatttctagt	ttccaccttg	tgccaaacac	attctaagtg	31320
cttgtatata	ttcactcaat	cctcataatg	tccaccaagg	tagatattat	tgttctcttc	31380
ttttgagaga	agaggacaca	gatacagaga	agctcagtgg	cttgaccaag	gtctcaaggc	31440
tagtgggtgg	tccataat	gaacccaagt	cctctgaccc	cagagtctgt	gctcctaatt	31500
gatccgtcct	cgctgaatcg	tgacgacatg	gcacataaaa	gtgtgtgggt	ggcggggcac	31560
ggcggctcac	acctgtaatc	ccagcacttt	gggaggctga	ggtgggcgga	tcacgagatc	31620
aggagatcga	gaccatcctg	gctaacacgg	tgaaaccctg	tatgtactaa	aaatacaaaa	31680
aattagccgg	gcgtgggtgg	gggcgcttgt	agtcccagg	actcaggagg	ctgaggcaga	31740
agaatggtgt	gaacccggga	ggcagagctt	gcaagtgagc	caagatcgcg	ccactgcact	31800
ccagcctggg	cgacagagca	agactctgtc	tcaaaaaaaa	aaaaaaaaaa	aaaaaaaaag	31860
gtgtaggctt	gtcacagaat	aagcccttgg	catggagtag	cacccttcgt	ggagggtgga	31920
ggagttgaga	ttccagggtg	tgagcccagt	gagcccctga	cccagggtgg	aactgacccc	31980
tggggcccca	gcatggctgt	cttgccacagt	aagcccttcc	atgaaacagc	atccttttac	32040
atgatcagaa	cctactatgg	tcctgcaggc	gttagagtgc	ctgggtcttg	tcccaacctc	32100
actactttta	agctgtgtga	cgtcaggcaa	gccccaggcc	tccaattcca	actctgtgaa	32160
atgatgttat	caggagtgtg	actcaggact	aaaatgagta	tttactcttt	gctctatgcc	32220
tgccactggt	tcaacaactt	tgtgcatata	attcaatcct	tgcaaggtag	gtagggtgcta	32280
ttattcccac	cttacagatg	aggaaactga	ggcacacaag	ataagttgcc	taagatccta	32340
cagctagtaa	gtggcagggc	ggggcggggg	tgggggtgtg	gggtgggggg	cctggatttg	32400
agcccaggca	gtctgtcacc	tgtgtatact	cttaccacc	aagcaacgct	gcctctctag	32460
tgctggaaat	tattgcctac	cacaagccct	tcggacaccc	tcagggtcag	aggggtttat	32520
aaatccagaa	caccttaggt	ttttttttgt	tttttttgag	acggagtctt	actctgtcac	32580
ccaggctgga	gtgcagtggc	acaatcttgg	ctcactgaaa	cctctgcctc	ccgggttcaa	32640
gcgattctcc	tgtctcagtg	tcttagcctc	ccacgtaact	gggattacag	gcgcctgccg	32700
ccacacccag	ctaatttttg	tattttttagt	agagacgggg	cttcaccata	ttgggtcaggc	32760
tggctctgaa	ctcctgacct	cagggtgatcc	acccgcctcg	gcctcccata	gtgctaggat	32820
tacaggcatg	agccaccgcg	cccagccact	ttgggttttcc	taaaggcata	tacctataca	32880
cctatgttca	tagtggcatt	attcaaaacg	gccaagaggt	ggaaacagcc	tgggtatcta	32940
ctggcagata	aacggataag	caaaatgtgg	tctatccatg	tagtggaaaa	ttattcggcc	33000
ttaaaaaggt	agagaatctg	acacatgcta	cgatgtggat	gacccttgaa	gacatcatgc	33060

tgtgtgaaat	aagccagtca	caaaaggaca	gacccatga	ttctgcgtct	atgcagtgtc	33120
tagagtagtc	acactcagag	agacaggaga	atgctggtgg	ctgggcgctg	ggggagggga	33180
caaggagagt	tagggtttca	tgggtacaga	gttgtagttc	tggtgtgtaa	cagtgtgaat	33240
gtacctaaac	ctacagaaac	tatacactga	aaaatgggtg	agatgggccc	ggcgtggctg	33300
ctcacacctg	taatcccagc	actttgggag	gcctacgcaa	gttcgactgt	agcctgggca	33360
acatggtgaa	accctgtctc	tacaaaaaat	aaaaagatta	cctggccctg	gtggctcaca	33420
cctgtaaccc	cagctactcg	ggaggctgag	gtgggaggaa	tgcttgagcc	tgggaggtgg	33480
aggttgcagc	gagccttgac	ctcaccactg	cactctagcc	tgaatgacag	agccagaccc	33540
tgtctccaaa	gaaaaagaaa	aaaaaaaaaa	aagggttgaga	tagtaaattt	tatgtgtatc	33600
tttccacaca	gctttttgtt	gttgagacga	agcccaggat	ggagtgcagt	ggtgcaatat	33660
cggctcactg	caaccttcgc	ctccctggct	caagcgttct	tcccacctca	gcctcccaag	33720
taactaggac	tacaggtgca	tgccaccata	cctggctaata	actgttgctc	acagagatag	33780
ggtcttgcta	tggtgcccag	actagtctcg	aactcctggg	ctcaagcaat	cctcctctct	33840
cagcctcctg	aagtgtctgg	attacaggca	tgagccactg	tgcccagtcc	acacttgaca	33900
tttaccaaaa	aaaaaaatcc	tatattatag	tcccagttag	tggtgaggtt	accacccgat	33960
atcaaacaat	attttcatag	caaaataaat	actgagcaag	agcaataaag	gctatcagta	34020
gccctgtgtc	agttgaggtt	gggttttgcc	accaagtaaa	tatagaagac	taactgctaa	34080
tttagggggg	aaaaccttgg	tattcagaga	ctgtgtcaga	gcttggaatt	gcagataaga	34140
gacatgtggt	tattaatgta	acagagtgat	aatcctatcg	ggggaggcat	ttcctgaagg	34200
cccttggggg	gggcatggcc	atccctcctc	ctcccacctg	caggctccag	ccatggtggg	34260
acgaccatac	ctcaggtcct	cgcctcgggc	agcacacttg	tactgcagct	ggccgggcag	34320
gctggccacc	aaggctttga	gctgcaccgt	ctccagggct	gcccagatag	cctcgtccga	34380
gtgctcctgc	agcaggtcga	ggttcacccg	cagagagcca	gggaacagga	tggggctcctg	34440
gcggggaggg	gcggtgggtc	agagccgggt	cccaccatgc	ctcccatctt	tgcccacccc	34500
ctccaccagc	ctcacctggg	ggatgatgct	gacccctggg	cgcagtgtgt	gcagcccccac	34560
gtgggcaatg	gggaccccgt	cgatccagat	cccacctca	gctgcctcct	ggagccgcag	34620
cagcccactg	gccaggggag	acttccctgc	cccggctcctg	ccaacgatgc	ccacctgccc	34680
gggggttggga	ggaaaggcct	gctctgacca	gagggtttgt	gggcatttat	tggggagatc	34740
tttctgctgt	acccgagatc	tgtctatcca	tccctcattg	tgtaaaggtc	taccttccat	34800
ctctctttcc	atctgtctac	ctttctatat	atccacccat	caatccatcc	agtcttccat	34860
ctgtgtttctt	ctctatcttt	cccttatcct	gatattctct	tcccatcttt	ctccccaccc	34920
ttcctttagt	tcctccatct	ttcctcatcc	ttctatttac	acctctccat	catctctcat	34980
ccttttttct	accccatccc	atccatctgt	ctgtccgtcc	atccatccct	tatccttttt	35040
tccaccccat	cctgccatcc	atccatccat	catccatcct	caatcccatc	cctccatctc	35100
tcttccaccc	cattccatcc	atccatccat	tcattctgtc	atccgtctct	cgtttcttct	35160
tccctattca	tccatcaatt	cactaatcct	ttcattcatt	tattttctcc	catccatcca	35220
tccagtccat	ccttccctca	tccatccttc	cattcatcct	ccatcttata	catgtgtcca	35280
ttctgttata	catctcccat	gctgttatcc	accctccatc	cttatctctc	ttgctactat	35340
tgcaccccca	gtgtctgaca	catggtgtgg	gttcaacatt	atgtgtttta	ttaatgatgg	35400
aaacatgtgg	gtcacccccac	tgtatgccaa	gtacctgttt	aggcaccgga	agtatagaaa	35460
ttaaagagtc	cttgctccag	tgtgcccata	atccgggtcta	ggaaacagtg	caattgagta	35520
aatgtaatac	agtgtgatga	acaatgcttt	atttatttat	ttatttattt	atttttgaga	35580
taaagtcttg	ctctattgcc	caggctggag	tgcaagtggg	cgatctcagc	tcactgcaac	35640
ctccacctcc	caggttcaag	caattctcct	gcctcagcct	ccctagtagc	tgggactgca	35700
ggtgcctgtc	accatgctcg	gctaattttt	gtatttttag	tagacacggg	atctcaccat	35760
gttggccagg	ctggtctcaa	acttctggcc	tcaagtgatc	tgcccacctt	ggcctcctaa	35820
agtgtctggg	ttacaggtat	aagccacagc	accagaccaa	caatgctgtt	tattatcaag	35880
gtctggacct	ctggcaatta	aggggaagca	ggcagtgtct	ctcatgtctc	ctgggatttg	35940
acagaggtaa	taagagaaga	cctcatggag	gaagggatac	ttgcatggaa	gcttgaagga	36000
tcaataggag	ttcaaggaag	gggaacactc	caggtaaacc	acaccaagtg	ggtttccaaa	36060
actagaagct	catggagctc	acagcaccat	gtgccccctc	ggccgagagg	cagctgctcc	36120
acaatgttgg	ctaagccctg	gcagagcaat	gaatgagagg	gggaggttgg	cagggcctgg	36180
gttgggtaga	gccttgaatg	ccaagctcag	gaattcacac	tttaccctaa	gggaagctgg	36240
aactagtaga	aggttttgag	caggggaatg	acatgcagtg	tcattcatgc	tgataaaggt	36300
cacaggatgg	ctgggcatgg	tgggtcatgc	ctgtagtccc	agcactttgg	gaggccgagg	36360
ggggtgattg	aggtcagaag	tttgatagca	gcctggccaa	catggtgaaa	ccctgtctct	36420
actaaaaata	caaaaattag	ccgggtgtgg	tggcaggtgc	ctgtaatccc	agctactcag	36480
gaggctgagg	caggagaatc	acttgaatct	gggaggcgga	ggttgcagtg	atctaaggtc	36540

acaccactgc	actccagcct	gggcaacaga	gtgagactct	gtctcaaaaa	aaaaaaaaaa	36600
aaaaaaatca	caggagagca	gattggagct	ggtgagacag	gatccactgc	tttttagggg	36660
acaaggagag	gacagggagg	aagcctctgt	aggttcagag	ggagggagga	aagggattca	36720
gtgaaggggc	ctgatgaggc	atctgtaaaa	tgggatagta	ctagcacctc	acttaggggt	36780
tgttgtgaga	gtgaaaacgc	aaataataaa	agcattagta	aacatttctg	gagcactttc	36840
tatgagctaa	gcatgttcta	tgtattaact	caaacttcac	aacaactcag	agatcagtat	36900
taccagtccc	aatttacaga	tgggaaaact	gagactgagc	tatgaagtgc	ttttcccaat	36960
gtctcccagc	tgaaagcaaa	tatcccattt	gtgcaaactg	gaaaatgtac	ctggagcatt	37020
taacacactg	cccagcacat	attaggtgct	gggttaatgt	taaaggaaga	aggaagtcac	37080
ggagttgctt	cctcatctgg	ggacaccaag	gtggatgagg	aagtcaccag	atggaagcag	37140
gtttggggaa	ggtgaggagt	tcatthtagg	gggtaatggg	tctgaaagct	aggggacctg	37200
aggtggggac	actgtggagg	tagctggtgc	ccaggggtta	gggccttgtc	cctggagtcc	37260
tttggcctaa	actccatgaa	gaagacattg	tgagagaacc	actcaccttc	tctcctgcgt	37320
ggatcttgaa	ggacacgccc	tgcacagcca	gcgggagctc	aggtcggtat	cttagcccaa	37380
agtcccggaa	ctcgatctgc	ccgccctgag	gccagggggg	ctgagctgca	catgtgggca	37440
gcctccaggg	agcctggagc	aggaggggaa	actgagtcag	aggagccttc	ctctaagact	37500
tcacacaaga	tggcccacct	ctatcagctt	cagttttctc	ttccgcaaaa	tggacgtatt	37560
tattgctggt	ttacagggtt	gttatgggaa	ttcaacaaga	gagggcatgg	actatgtcaa	37620
tgctaaaaac	agatggtggt	ggctactttt	agtctattht	attgthatta	ttagccactg	37680
tttattataa	aataatctct	ttttctatag	tgggagcaga	cattttctct	tgtctttgtg	37740
aaaggacatg	actgtgcagt	gggaagacca	atactgcctt	tgtgtgccc	gtgaccttga	37800
acagatcatt	ctacccctt	gagtcttgg	tttccaatct	gggaaatagg	gctaataaga	37860
gcagcagaca	tgtattgagt	gtttgcaatg	gaccaggcac	tctattaaat	catttctttg	37920
caggatctca	tttgatcttc	ccagtaaact	caacgctgtt	atgttactgt	tacattagt	37980
ctatgctgct	gttcttatcc	tttcttccac	ccaatcccat	ccatccattc	atccatccat	38040
ctcttatcct	ttatccaccc	catccacccc	atccatccat	ccatgcatcc	atccatccat	38100
ctccaatccc	atccctccat	ctctcattct	tccatcccat	tccatccatt	catctgtcca	38160
tctctcacca	tttcttctac	cctattcatc	aactaattaa	ttcttccttg	ttctgttact	38220
gtaatgttac	tgttatattg	ctaacacatt	atatcatggt	gctgttttgt	taccgttgcg	38280
ttgctatggt	gctgttctgt	ccttataatg	ctactgttat	gttgctggaa	ttttgccatc	38340
atgttactat	aatgttgctg	ttttcttact	gttacattgc	catgttgcta	ttccgttact	38400
ataatttcag	ttattttgct	ggaatgttgc	catcatgtta	ctataatggt	gctgttttgt	38460
tactgttaca	ttgttatggt	gctactctgt	tactctgtta	cagtcgtgtt	gctgggatgt	38520
tgctgtcatg	ttatgatggt	gctgttgtgt	tactattgca	ttgctatggt	gctgttttgt	38580
ttctatcatg	ttactaaaat	gttgctatta	cgttactatt	acattgctat	gttggtggtg	38640
tattgctgga	atgttgccat	catgttacta	taatgtctct	attatgttac	tattacactg	38700
ctatgttgct	attctggtag	tgcaatattg	tgggttatggt	gctgttacat	tactgttaca	38760
ttgctgttgc	attactctca	tgttctggaa	tattgccatt	gtgttgctgt	tgccattatg	38820
ttactatcat	gttgagccta	tgttgctggt	gcaatgctgt	tccttggtgt	tccttgact	38880
cccatgggtg	acctgctttc	ctcaagctca	gaagcaaagg	aaccaagatt	tggcctggct	38940
ccaaacctta	tgtctctaac	cactgctgcc	accctgtctg	tgactctgac	ctatagtgg	39000
gggggttgag	tgaggggaga	agaggggtata	aactccaaag	cctgtagcag	atgtcaacag	39060
ggacccattg	cccccccccac	aatatgtcct	tgttgggacc	ccctccccac	ctcccgccca	39120
tcacctcctt	gggcgtccag	gcatagtcct	gcatccgctc	cactgacacg	atgctgttct	39180
ctaggtctgt	ccagttgcga	acaaccact	gcagtgtctg	ggtcacctgg	tgcaagaaag	39240
cctctctggc	tgggtttggc	aaggccactt	gagggcttgc	aacagccccc	ctggtttccc	39300
aaccttttct	gggaggccag	acccagggga	gtaaagaggg	gaggcaggaa	tgggacagtc	39360
tgaggacctg	ggcccagggg	attgggattt	ggatacaacc	aacaggtccc	tctcttcctt	39420
cagtagaacc	agagcatgca	gagcaaaaag	aagccctcag	acatcagctt	gtacaaactg	39480
gcttgatgca	ggtgagtaga	caggatcaga	gaggggtgtg	ggccctccca	aggacacaca	39540
gcaggaccca	ggcccactga	ttccattctg	acggctttct	cgcagcgact	gggtggccac	39600
caatttccca	tgacacttag	aaccactcca	agctcctccc	tatgagccat	tagcagctct	39660
agccctgcc	tcccatcccc	aaccttgtct	cccagcacc	ctgccttcac	ccaccctctc	39720
cagccacacc	cgtcttcttg	ctgttcctct	aacacaccag	ggatgaacct	tcaactccca	39780
ggccttttct	tctgtctggt	aacctcactt	cctcctaagt	cacctcctca	gagaggcctt	39840
tctggatgca	gtaggaaagt	tccctcactg	ccaccaaca	tgtccagcc	tcttacttca	39900
tccttaagct	tagcagcctt	gactgtaaaa	tgaggataat	aacagtgtct	ctctgatggg	39960
gttggtgggca	gtattaagt	agttaattatt	tataaaattc	ttgtgcacag	tggctcatgc	40020

```

ctataatccc agcttttttgg aagtctaagc aggaagattg tttgaaccca ggaattgaag 40080
gctgcagtga gctgtgatca caccactgca ctccagtctg ggcaaaagag tgagaccttg 40140
tctcaaaaca aaacagctgg gcatggtggc tcacacctat aatctcagca ttttgggagg 40200
ctgggggcagg cagaccactt gaacctagag tttgagacca ggttgggcaa catggtgaaa 40260
ctgtttctac caaaaaaaaaa aaaaaaaaaa aaaaaaaaaa attagccagg catggtggtg 40320
catgcttgta gtcccagcta attgggaaag tgaggtggga gaatcccttg agcctggaga 40380
tgagggtga agtgagccaa gatcatgcca ctgcactcaa gcctaggcaa caaaatgaga 40440
tcctgtctca aacagcaaca acaacaaacc aaaacgaaca aaaacatata aagctcttag 40500
aataatgcct cctccataac aaatgcttat gagtgtatat atatattttt ttcgtagatg 40560
tcatgaactg acattacata ctgttaatag ttaacaaaaa ttagccaggc atagtggctc 40620
acgcctgtaa ttccagcaac ttgggaggct gaggcataag aatcgcttga acccaggagg 40680
cagagttctc agtgagccga gattgcacca ctgcactcca gcctgagtaa aagagagaga 40740
ctctgtcttc aaaacaaaac aaaagttaac aatgcactag aaatgtcctc cacaggatat 40800
gctttgtctc aactagtctt tataacatca gaagtagtgg gatttctggc ctgtctttcc 40860
aaggagcaca ctgacactcc acaaggaaag actcttgccc aaggttgcaa gttcacctta 40920
gctgagtctg gctctttag agctgcgtgt ccctccttgg tggagggact ccacacacca 40980
tggtggtttg gacacagggt cttcaaaggt ccactagca ggggtccgac agtctctgcc 41040
tctgtctgtc cctcaagccc agtttgggga tgtggggagt acctggaggg cagcagagac 41100
agagaagccc acgaggccag cactgagggt ggctttgctc agcacagcac acgtggcagc 41160
tgcaaacacc aggccattcc ccaggagctc cacattggcc gcaagccacc tgcaaaaggga 41220
agcgacagca ggggtgagtgg ttactctcat ctgcaggag atgcttctct gggcacaagg 41280
actggtcatc acaccagctt tgtacacaca ggggtcccag caatggcctc cacatgcaac 41340
ccaggctcag ggagtagagg aagatgacac cgtcctgtct caactaagcc cactttaggg 41400
tctggggtac actcgggtgt ctgaagagca tccctgtgtg gctgcttttc tgtccctgga 41460
at ttgccaaag ccatgtccac ctgccattcc cctggcctga accatggcct ccatggtttg 41520
gctctgtgtc cccacccaaa tctcatctca aattgtaatc cccacatgtg gagggaggga 41580
tctgggtggga ggtgactgga tcatgggggc agttttcccc atattgttct cgagatagt 41640
agttctcaca agatcatatg gcgtaaaagg atgcggcagt tcccacctca tgtctccct 41700
ctcctgctgc catgtaagac gtgccttgct tccctttcca ccatgattgt aagtttcctg 41760
aggcctcccc agccacgtgg aactgagtca attaaacctt cttttcttta taaattactc 41820
agtctcaggt agttcttttt agcagtgtga agatggacta atacacagcc ccagctggct 41880
ggggacctga gatgaaagga aaaaggactt cacatgtatt gagcacctag tgtgtacttg 41940
accctctcca cactctggta ccagactgct tggattcaaa tcttggtctt gccagtatta 42000
gctgtgagac cctggacaag tttccaaacc tcaactgtgc taggatttat catctataga 42060
acagtttctt cctggtgaag ctgttagcag aattaaata attaatctac atagattgct 42120
cagaacagtg ccaggcatgc agtaagcatg ttacagggtc tacctatgag tgtctgtatt 42180
taatcctcat atccactcca tgagcacgat ccagtttgaa caaatgaggc tcagagaggt 42240
tatgtaactt gcctgaaatc aaccagctgg taagtggcag agctgggatt tgaacctgtg 42300
tctatttgtg cttaaagctt gtgttcttgt tcttgcttag tacctaaaga tggctgagga 42360
tgcttatatg gctgctttat caccaaggca aaagagggtg atccagttgc ctggcaacag 42420
aagcttcttc ctgtaccccc cgcccacctg ctgttgagaa tctctcggtc atgttccatc 42480
tgcccacggt gagaactgat agactgcctg tgggatctag cctcaactat gtccctgact 42540
ctctgggtga cctcgctacc atacaatatg acctcagggtc tcacctcta aggatatgga 42600
tgaattgcaa ggtcttctct gccctggctc ttcctacctg tcagccacca gtcgaggga 42660
actgatcctc tggctttcat ctacgcgagc attgttctga gccacaaagg gggcctgggt 42720
tcggaatgcc cggaccactg tgctgccctg gaacgtctca gccatgtggg agcagacaga 42780
cgagtagctg gctgactcca agcgtctcag ctggcatgag ctaaccacat acaggctctg 42840
agaaggatgg atgggagagg gaagaggaga agccacagac atagagaggt agtttccaga 42900
agcacagaga gcccacagta caggattcca gaccaggatc tgttaacagc ttactgtgtg 42960
accttgggct agttgcttgc cctctctggg ttctcatttc cttgcagaat cagagttcta 43020
tggttttttt gaaaatcacc tggggagctt caaaaacctc taatgccccca cccagaatg 43080
actgaatcgg aatctctgga aatgtcacct tgactttggt gctgtttaaa tagccttcca 43140
gatgattcta agggacagcc aggggtgaga aaccaccaat ttagtttaag tgtctcactt 43200
cccagcactg aggccgacta cttcatttac ggctggctcag tgggagaaca aaactgtaag 43260
gggcaatgaa ggcagtggc caagtcagtt tcaactcatgt aacccaaggg ttacatgcca 43320
ggtgatgtgc agaaaatatt cgttatttgg tttgcagctg caggttgggt gcagctggca 43380
gacaggcagg cagggaggaa ctgaatttgc tgaacacca actgtatgtg ccaggctttt 43440
cacacagtgt ctcatcatt gcagagttag cattcgcgtc attcatcagt tagtggtgag 43500

```

aacatccaag	gctcggggga	ttcagcagct	gtcctgagtg	ccacagtaag	tgatagagcc	43560
tggattttaa	cccatctttg	cttgactcta	aagcttgaga	cagaaacagc	ccatcctcgg	43620
agtcaagtga	acttagagaa	gacctaggac	aattgtcggg	gacagtggta	gccatggggt	43680
ttgttgtttg	ttttttgaga	tggagtctct	ctctgtcacc	caggctggag	tgcagtgggt	43740
caatctcagc	tcgctgcaac	ctctgcctcc	cgggctcaag	caatcctccc	gcctcatcct	43800
cccaagaagc	tgggattaca	agcatgcgcc	accacactgg	ctaaattttt	gtatttttag	43860
tagacggagt	ttcaccatgt	tgaccaggct	ggtctcgaac	tcctgacctc	aagtgatctg	43920
cccacctcag	cctcccaaag	tgctgtgatt	agatgtgtga	gccaccatgc	ctagccctag	43980
ccatgggttt	tatctgacta	ccatgttttc	tacttctggg	ttcctgtggg	aaagggctgg	44040
gttgggggtg	tgtcaatcat	gggacctgat	cagagagggt	gtcacatgat	gcagcctagt	44100
gtatcagaat	ctactatcca	ttcagttact	gtgacgagtt	cagagatgga	cacatgatcc	44160
acaaagggcc	aatcagaacc	ttccctggga	ttaatatatg	actactgagc	tgaagaaacg	44220
ttttttgcat	gttgagttgc	taagggtgaga	tgatatgata	gctagtggcc	ataagacctg	44280
ccctggaaag	agagcgtgta	caaaattaga	ccagaggtaa	gccagtgggt	cctaaacatt	44340
tgtgtacatc	agaattactt	ggaggggttaa	ttaaaacctt	gattcatggg	ccgacccaca	44400
tagtatctga	ggcagtagtc	ctgggctggg	gcctaagaat	gtactttgct	aactagtccc	44460
caggtgatac	tactgctggg	cctgggggtca	cactttgaga	agcactgagt	gaagatatgg	44520
agagagtcac	tgtgtcctga	tgacaactgg	gcccattgcc	ccaaggaaat	ataagccatt	44580
aaattctatt	cttttggtta	agctaatttt	agttgggtcg	tgggtcccagc	aattgaaaga	44640
atctagcttc	atataatagc	ctttgagacc	ttgcaatgcc	tttttggttt	ccagataatt	44700
ggagaggaag	aaattacggc	aggataaaaa	cattacgcgt	gaaaggctct	ggcccttaat	44760
atttaactgt	gccgtggggc	acaggggctc	atgccctgta	atcccagaac	tttgggaggc	44820
caaggtggga	ggatcacttg	gggccaggaa	ttcgagacca	gcctgggcaa	cacaggaaga	44880
cacttgtcct	acaaaaataa	atttaaaaaat	tagccagtca	tgggtggcacg	tgctgttagt	44940
cccagctact	tgagaggctg	aggtaggagg	atcacctgaa	cccaggagtt	caaggctgca	45000
gggagctatg	atcacctatt	gcacttcagc	cttggcagga	gagcaagatt	ctgtctctct	45060
aaaaaaaaaga	actttgatgt	gaacatttag	agacagacac	tagtggagat	accagaaaga	45120
ctgtagtgtc	cctgtccctg	ggaattctag	gaacagcccc	tagatgtcca	gctgggtgaa	45180
acctcatata	tggagtcttc	cccagagaca	ggggactggc	tgagttgacc	tcagccgggtc	45240
ccggaagcct	ccctgacctc	tccgtacctg	aaaccacagc	tagaggagaa	acagtggcag	45300
gatggccaca	gtggccagtg	gggtagccac	tgccaccacc	aggctgacct	ccaggagtcc	45360
aaaggcgtac	atcagcaggg	accggagttt	gtctggaatg	tccacgtcaa	ccgtgtctgt	45420
ctccttggag	aagcggttta	gcaggtgacc	aatgggtgtc	cgctcaaaga	agctgatggg	45480
agatcgcacc	acatcccaca	ggagcctctg	gaagagcaac	ctggatgccc	gggccccacc	45540
taggagcacc	gcagccatgg	aggcaaacag	cccaatggct	ggggagggag	aggaggtaag	45600
agcatgaggg	ctggagaccc	tcaggagcgg	cccacggggc	cctgcgcagg	tctctcccg	45660
taccccatgg	tggacatctt	atggcttggc	caccttgatt	attatatatt	tttgagacag	45720
ggtctcactc	tgtcacccat	gttgaagtgc	agtagcatga	tgatggctca	gtgcagcctt	45780
gacctcctgc	actcaagcga	tcctcctgcc	tcacctccg	agtagctggg	accacagggt	45840
tacgccacca	tgccggctaa	tttgggggtat	ttttgtagag	atgggatctt	gctatgctgt	45900
ccaggctggg	ctcgaactcc	tgggatcaag	tgatctgcct	gccttggcct	cccaaagtgc	45960
tgagatgaca	ggcatgagcc	actgcgcctg	tacctgctt	gtttcttgat	gtaatgggtt	46020
gaagagtgtc	ccccaaaatt	catttgggat	gggtcctaaa	ttcagtgact	gccatttata	46080
taagaatact	agaggatact	cagagacaca	gcaggagata	tgaagatggg	gacacagatg	46140
ggaggggtga	tctacaagcc	aaggaatgcc	agcgactgcc	ggcgaccacc	agaaaccagg	46200
agagaagcct	gggggtgtatt	ctccatcaga	gcctccacga	ggggccgggc	acagtggctc	46260
atgcctgtaa	tcacagcact	ttggggaggcc	aaggcgggtg	gatcacctga	ggtcaggagt	46320
tcgagaccag	cctgagcaac	acggtgaaac	cctactaaac	cctactctct	actaaaaata	46380
caaaaattag	ctgggcgtgg	tggcaggcac	ctgtagtcct	agctactcag	gaggcttagt	46440
caggagaaac	actggaacc	aggaggcaga	ggttgagtg	agccataagc	cgagatcgtg	46500
ctactgcact	ccagcctggg	tgacagagca	agactccgtc	tcagaaaaaa	caaacaacaa	46560
aacaaacaaa	aaaaccaaaa	aaacctccac	aaagagttaa	cactgctgac	accttgattt	46620
tagacttcag	gcctcagaac	tgcgacagaa	caaatttcaa	ttgtgctggg	ctcccaagtt	46680
tgtggcaact	tgtttggcag	tagccctgtg	agagaaatgc	acatccttcc	tcccagtgtc	46740
aatctgtatg	cctgggggtg	ggctaacttc	tcctctgggg	tggggcaaat	ttcatccatg	46800
gccaatccaa	accactgcag	ttgggttcagg	gatgaacaca	taaccacaag	caggccaatg	46860
acagggagac	ctgggacttc	actagaactt	ttggaaaagt	ggtacttggt	tgttgagggt	46920
agccaagctg	gagctgtgga	atatcatctt	actgccaggg	gcagcagcta	agctggacag	46980

gaagctgtca	cagaggaggg	aaataaagcg	atttcttggt	tggaccccta	catccagcca	47040
tacctgaagc	cagaaatcta	gggatactgg	tcccaagagc	caatcaattc	tcttggtgct	47100
taaacacttt	gaattggagc	tgaatttggt	tatttttcaga	cggagtcctg	ctctgtcacc	47160
caggctggag	tgcagtgggtg	caatctctgc	tcactgcaaa	ctccacctcc	caggttcaag	47220
cgattctcct	tcctcagcct	cccaagtagc	tgggattaca	aacactgaca	ccatgcctgg	47280
ctaatttttg	tatttttagt	agagacgggg	tttcaccatg	ttcgccaggc	tgatcctgaa	47340
ctcctgacct	caagtgatcc	acccgcctcg	gcctcccaaa	gtgctgggat	tacaggcatg	47400
agccactgta	tctggcctgg	agctgaattt	tttattcttt	gtattcgaga	gtcataacca	47460
atttctctct	ctcagctccc	atctctccat	ctttaggggg	gagtaagact	tgcccttagc	47520
tatcaaataga	gggatggaag	tgggaaggatt	ttgaaagggc	tatttgccac	ccaaatgagg	47580
atttgggtta	attccagggc	tcggctgact	ctgagaatcc	ctaatttcct	cttgggttaag	47640
taaccattcg	ccttgagtat	tccactgtac	atgcagttgt	ggtgagtagg	tgtacaggtt	47700
cttaggacta	gaagagtcct	caagttcagg	cctggcgccc	cctattttac	aggggaggtc	47760
acaggctcac	agcatttttg	tgatgtggcc	aatgtcaccc	agtgaatgag	gacgaatcaa	47820
catgaaaacg	aggcaactgt	cctttaaaga	tgaagccagg	ccgggcgtgg	tggctcatgc	47880
ctgtgatccc	aacacttttg	gagtttgagg	cggaggattg	cctgagccca	ggagtttgag	47940
accaggccgg	gcctgggtggc	tcatgcctgt	gatcccaaca	ctttgggagg	ttgaggcgga	48000
ggattgcctg	agcccaggag	tttgagacca	gcctgggcaa	cacggcgaaa	ctgtctctat	48060
caaaaacaaa	aattagccag	catggtggca	tgtgcatgta	gtcccagcta	ctcgggaggc	48120
tgaggtggga	ggattgcttg	agcccaggag	gcagaggttg	cagtgagccg	agttcgtgcc	48180
actgcattcc	agcctgggtg	acaaagccag	acccagtcta	tatatatgtg	tgtgtgtgta	48240
taaataagaa	gccaaactca	catgtgcact	cctgttactc	ccttcagcca	ggccacgtat	48300
taaaaggaga	agaaccaggg	gttggggaca	gggtgggcca	ggcaggagaa	gggtgggtgt	48360
ggttgcaaaa	gggcaacacg	agagcgcttc	gtggtgacgg	tggtgttcag	tatctcaact	48420
gtcaaccatc	gtgatggatg	cgagagactg	aacaggggat	acgactgcac	agaggcaaac	48480
atgcgcacac	ccacgtgcaa	gcaaaactgg	ggaaatcaca	atgagatcca	tagggccggg	48540
tgcgggggct	cacacctgta	atcccaacac	tctgggaggc	cgaggcgggc	agatcatttg	48600
aggtcaggag	tttgagacca	gcttggccaa	catggtgaaa	ccccatctct	actaaaaata	48660
caaaaattaa	ccaggctgca	cacttgtaat	cccagcttcc	agctactcag	gaagctgagg	48720
taggagaact	gcttgaacct	cggagatggg	ggttgcagtg	agccgagacg	gcagcactgc	48780
cctccagccc	gggcaacaga	gcaagactct	gtctcaaaat	aaaataaaca	aataaataaa	48840
taaataaata	attgagatcc	atggattgat	gggtgtcagg	atcctttgtg	tgatacttta	48900
ctatcagttt	gcaaaatata	accaatggga	gaaactgggc	agactgttca	aggtagctgg	48960
ctgccttatt	tcctagaact	gcatgtgaat	ctacaattat	ttcaagaaga	agtctttcca	49020
tttttgacga	ggagaagaag	gagtgatagc	ggtgatgcat	ttgttaggga	gggtctggct	49080
ctgtctggag	gtttgggggc	aggcactgaa	agccaccagc	aggcaggcct	tgcagacgcc	49140
ttccgctagt	ggggaggggac	tgggagaggt	tctgaagcct	ccagaaaagg	agggatgtgc	49200
cctgtccttc	ccgttccttc	cagcctcatc	ttaaggacac	agatccttgc	ctggacccca	49260
gacgttttgc	acactgttcc	agggggacag	ggtgaccacg	ggaggggtgg	ggtaaaggag	49320
tcctgagcac	cccttggtgc	agctgggagg	agagggatga	ggagggcagg	tgaggcgtac	49380
cttgagagaca	gccgaggagc	ccgaagatcc	cgccacgcag	ggctgcctgc	gtctgctgcc	49440
cacctactgc	agggtcgtcc	gcccacaggc	tcagccagta	gccccggcag	aaggaggcca	49500
cttgctggca	gaggaagagg	aagagtgcgt	agaggcagag	gggggtgccc	acggcacgca	49560
ggtaggccag	gtgcactgtg	gccttcacct	gtagcacaca	tgagggagag	ggaggcagag	49620
agagccccc	gtgggagggg	tgggttgagg	caaggccagg	cgaggctccc	agaaaacatg	49680
cccatggcag	atgggaccac	cagcgagacc	tcaccgggtc	tcccgctgtg	cctcccacca	49740
ggagcaccat	ttccccgaca	ggccccagcc	agccttagaa	ccccatctc	ctatacaatc	49800
cccagggagc	tagtattaat	attttttctt	ttcttttttt	ttttttgagg	acagggtctt	49860
gctttgtcgc	ccatgtcacc	caggctggag	tacactggca	tgatcatggc	tcactgcagc	49920
cttgaactcc	taggtcaag	taatccccc	gcctcagcct	cccgagtagt	caggactaga	49980
ggtttgtacc	accatgtttt	gttaattttt	atagttttta	agagatggag	tctcgctgtg	50040
ttgccaggc	tagtctcaga	ctcctggcct	caagcgatcc	tccctcctcg	gccttccaaa	50100
gtgcttggtg	tacagggtgtg	agccaccaca	cccagctaga	agggttttct	tgaacaccca	50160
ccatagggtca	ggcatgtgtc	tctccttata	acaacctcca	tttcacagat	aaggaaactg	50220
aggcacagag	aggttcagcc	actggcttaa	ggtcctgctc	ctacaaatct	gaagttctct	50280
gcacagctgc	agccaggcgg	gactgttgaa	aacattaatc	taattatatc	ttgtcgttgg	50340
cctgtccatg	gctatctctt	gctcttagaa	gaaatcccag	ccaggagggg	tggctcatac	50400
ctgtaagcac	tttgggaggc	caaggcgggt	gtgtcacctg	agctcaggag	tttgagacca	50460

gcctggacca	acgtagtgaa	accccgtctc	tactaaaaat	acaaaaatta	gccacgtgtg	50520
gtggcaggca	cctgtagtcc	cagctactcg	agaggctaag	gcaagagaat	cgtttgaagc	50580
caggaggtgg	aggttgcagt	gagctgagat	tgcgccatta	cactcttctc	tgggcgacaa	50640
gagcgaaact	ctgtctcaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaagaaag	aaagaaagaa	50700
agaaagaaat	tccaagcttc	ttatctcgcc	cccactcact	gcctgccagc	ctcatgggac	50760
ccctttctct	ggcaccctaa	gctacttccc	acctcggagc	cattgcacct	gctgctctct	50820
ctgcctggag	cgctctttct	cctgcccttt	gtatgattga	ttccttcaca	cattcttttg	50880
ggaagctcaa	atgtcacttc	tcagagcatc	ctgtccatac	caaccatggt	atggtttctc	50940
agtggctctc	atttcatcat	tctttctttt	aagaggcagg	gtctcactct	gtcaccacag	51000
ctggattgca	gtgacatgat	catagctcac	tgcagcctcg	aactcctggc	ctcaagcaat	51060
cctcctgcct	cagcctctga	aagtgttggg	attacaggca	tgagccactg	cgctgatca	51120
ttcttatttt	ctttatagca	cttattgtta	ttggacatag	cttacttatt	agcataatta	51180
tttactctcc	gtctatcctc	actagtgtct	aatctctacc	agacttagcc	tggcacatag	51240
tgggtattgt	gtacatgttt	gctggatgga	tgaggagggt	aggtgggtga	ataaatgagc	51300
gggtgggtag	gtaggtaggt	gtgtgaatga	gtggatgaat	ggatggaaag	atcaatgaat	51360
ggatgaacag	ctgaacagac	agatgcatag	gtgagggaat	ggttggatgt	attgttaggt	51420
gggatagatg	gatgggtaag	agaatgggat	ggataaatga	gtaggtgggt	gagtggatgg	51480
gttggacaga	taaatgagtg	ggtgggatag	atggataaat	gagtggatgg	gatggacaga	51540
taaatgagtg	cctgggatgg	atggataaat	gagtgggtgg	ggatggataa	atgagttggt	51600
gggaggggatg	gataaatgac	taggtgggat	ggatggataa	atgaatgggt	gggtgggtgg	51660
catggataaa	tgagtgggtg	ggatggataa	atgagtgggt	gggtgggtgg	gatggataaa	51720
taagtggatg	ggatggataa	atgggagggt	ggatggata	aatgagtagg	tgggatgcat	51780
aaatgagtgg	gatggataaa	tgagtgggtg	ggatggctaa	atgagtggnn	nnnnnnnnnn	51840
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnngtaggtg	aatggatggg	atggataaat	51900
gagtgggtgg	gatggatagg	tgggtgggtg	gatgagcatc	taggtggatg	atggaatggg	51960
taagtagggtg	ggtggagata	catagcagta	tagaagatga	gaaacagtgt	aagcttcaga	52020
ctcagattgg	cctagatttg	agtcccaggt	tgtgtcccag	gctagatatg	aaaacacaaa	52080
caagtctctt	aactctttta	gacttcagtt	tcttggctgg	gcacagtggc	tcacacctgt	52140
aaccccagca	ctttgggagg	cagaggccag	aggatcactt	gagcccagga	gttccagacc	52200
aacctgggca	acatggcaaa	acccatctct	actgaaaata	caaacattag	ctgggcatgg	52260
tggcacacgc	ctgtagtccc	agctacttga	gagactgagg	taggaggatt	gcttgagccc	52320
aggaggtcga	ggctgccgtg	agctatgatt	acatcactgc	ggtccagcct	gggtgagtga	52380
gcgagccact	ttctcaaaat	caaaataaaa	taaattttta	aagaattcag	tttctttatg	52440
tctgaaatag	acctatcata	tctatttttt	agggtggttg	tgaggattaa	gaaaatgaac	52500
atctagaatg	ctactggcac	atagtaggtg	ctcaagaaag	gtgagtatca	ctgccaagtg	52560
ctacatttgg	tgggaggact	tgggcccctg	gaggtggcac	agtgggtggg	gaggggtggg	52620
tgaagctggt	ggttaccctg	ccgtattgga	tgctgtcctt	tcctgctggc	catcctgccc	52680
tgtcagggtc	atccagagga	acctctgtct	gggcttctga	agtgggtacg	tccttctcag	52740
ggactgactt	gatggacctg	tcatttagag	gaaatgaaga	caaagtcaat	atctctccca	52800
atggtggggg	gtatgtgcct	aaccctcagg	cccactgaca	gccactgagc	tctgggtaca	52860
ctctgtactc	tttcattcat	tcatttatct	aacagaatac	tgaccagata	tcacacttcc	52920
cttcttccca	tatggtaccc	agctaaatgc	catctattac	cccagggtca	agcaagccca	52980
ttcttctgat	gccaattcac	aggatgaact	taacttgccc	accattggaa	ctctgttctc	53040
agaattttct	ttcttttttt	tttttttttg	agatgggggc	ttgctgcatt	gcccagggtg	53100
gtctcaaact	cctgagctca	agcaatccac	ctgcctcagc	ctcccaaagt	gctgggatta	53160
caggcatgag	ccaccatgcc	cagcctgttc	tcagaatttt	tattttggct	taagctttcg	53220
tgcaattggt	ttgttcctac	tgtataccat	cagatttgct	agtccaactg	gcagaatata	53280
aattatgcac	aattcagatg	ctaaagactc	tttgaatggt	ttatctgtgg	atgagtaggc	53340
tgacttaacc	tctgtgcctc	agtttccctc	gctgtaaaaa	taggaatatt	atctatctat	53400
ccatccatcc	atttatccat	tcactctacat	acctgtatat	ctacatatac	atgtctacct	53460
accttctatt	aaattgaggt	tagcccaaag	ctgcctcctt	acataattta	agtttggcct	53520
aaagggttttc	cccgtacata	gtgaactgta	acctaattgg	actcaaacag	actgcaacct	53580
actcctgtgt	caatcactga	gtttcagcca	atcaaaggca	accaaccggt	caaaccatgt	53640
tccaataaag	caaacgctga	gctgtaacca	atccggctgt	ttctgtacct	cacttctggt	53700
ttctgtcctt	caccttcctt	tttctgtcta	ttaatctttg	accccgtggc	tgtaccagag	53760
cctctctgga	cgtattctgg	ttcagggaact	gcccgatgtg	cggatcattc	tttgcttagt	53820
taacctctgt	tagccagggtg	cagtggctca	cgtgtgtaat	cccagcactt	tgggaggctg	53880
aggcagggtg	aacacctgaa	gtcaggagtt	tgagaccatc	ctggacaaca	tggcaaaacc	53940

ctgtctctac	taaaaataca	aaaattagcc	gggcctggtc	acatgtgcct	gtagtcccag	54000
ctactcaaga	gactgaggca	tgagaatcgc	ttgaacctgg	gagacgggga	ttgcagttag	54060
ccgagattgt	gccattgcac	tccagcctgg	gcgacagagc	aagattctgt	ctcaaacccc	54120
gcccccccg	caaaaaacaa	aaaacctcag	acacattaaa	tttgctagag	gttaattttg	54180
cacaatctcg	gctcactgca	acctccgcct	ccgaggttca	agtgattctc	gtgcctcagc	54240
ctcccagagta	gctgggacta	caggcacatg	ccaccacgcc	ggcttttttt	tttaaattta	54300
cttatttttt	atttttagta	gagacgggtt	caccatgttg	gccaggctgg	tctcgaactc	54360
ctgacctcta	gctagtgate	caccgccttc	agtttcccaa	agtgtctggga	ttacagggtgt	54420
gagccaccgt	gcccagcctt	aatgtgtcta	ctgggtttct	tttaacatga	ctacctatcc	54480
atctgatctt	acttcagatt	cttgtgcgct	gtgaagggtg	tgggattttct	cagtgtgtgt	54540
gtgattgaga	agtgccctca	gggtggctag	ctgggatggg	ggtcagcccc	aatggtccct	54600
ggggactgag	gcccctcaag	atcgtcgccg	cccaccaccc	ctgtatagca	ggcacttaag	54660
ctcaggccat	ctggtatcag	tggcctgttg	ttctgcttcc	caagacccct	ctcattaaga	54720
ggggagagta	tcaggcagca	ggtccttctg	ctgcagacag	ctccacagtg	aaccacagctg	54780
tgtcctggct	ggagggagct	gagaaaagag	gggaccggag	gcctcctcct	ggcccccttg	54840
ccacgtgttc	tggccagcgt	caagtgatgc	tgtgcataca	gacccaagcc	ctgtgcatag	54900
ccagcctgtc	aaagcataag	tggccggggc	tggcatgggt	gtttacagct	atggggagga	54960
accagtccctg	ccctactgca	gcattcagac	aactccagca	agctggcctc	ggccccacttg	55020
aagacatcca	tcaattggaa	ggcatattgt	tcattccatg	aactggcctt	atgggggcct	55080
aatcatcttg	gctaactgga	ccaatttttg	taaattatcc	ctcagcaggg	caccatgggg	55140
ggacttcagc	aggttctcta	tccataatgg	ttttggttgc	ccgcctaact	gcccagagatg	55200
cgggtgggtcc	cttcagctac	ttcagcttca	gcctgtgccc	ttctgagtgt	ggcaccatgg	55260
tggactcacc	tctcgcgtct	aagctcgggc	ctcctgcctg	cagaggtgcc	tctgggggtcc	55320
ttggtgctgg	tcccagggtc	tgtttctgca	aggtcaagag	agtcctgtca	cgcaacacgg	55380
cccagatacc	cactttgaca	cccactgact	atgtggcctt	aaccgctctg	accatccatt	55440
tcccctgata	tggctcctgc	cacgtctcca	gcaacctctc	tcaacacccc	actctgagtt	55500
cttccaggaa	catccttcag	gcattcactc	actcattcat	ttcttcaatc	agtgataact	55560
gagcacctac	tatgaacttg	aggttggaag	aacagcattt	aacactgtac	aaagtcaagt	55620
tacctctgtt	tcccccaaca	gccttgctca	agcagttcct	tgtgtctgga	atgctctttt	55680
ctggctaact	ctcacctacc	ctcaggtacc	atctccccta	ggaaggacac	ctccccacca	55740
ctatccccca	ggtgtggcca	gtaactgaaa	gcaaactctgt	agtagtttaa	ccacagacct	55800
gtaagcaaca	agtaactgct	actgtaagct	gctaggattt	ggggggctat	ttgttacaca	55860
gcatcatcac	agcaaaagct	gaccaacaca	aacaggcaag	ttctatcttc	aagcttcagg	55920
actgtgacat	tgtgaatcaa	cacttaaggt	tttaaccagg	ttgggccagt	gctaagcaga	55980
tgttctcaga	agaagcaaag	cctgagattg	aggagagacct	ggatgtgaat	ccttgctttg	56040
tcatgaaggg	atagtgtaga	gggtagcaat	taaaaaacac	attctctgga	atcaagttgc	56100
ttgggttcaa	atcccagtg	tgccacttac	aagccatgta	acctgggact	agttccttaa	56160
cttctggggc	tcagtttcct	catctgtgaa	atggaaatga	ttctagtacc	agcctcacag	56220
gggcattatg	ttgattaaat	gagctaacct	ctgtgatgtg	ctgttagttg	ctacttttca	56280
gtcattgtga	gtgagcttgg	cttggcaact	ttacttccag	aaccttgcca	tgtatccagc	56340
acactgtttt	tttggattat	tagaaaccct	agctagcatg	gtgtagcttg	ctaggcatca	56400
aagtccttct	tgggctgtct	ccatagcaac	tgcaagcata	gactctggag	ctggacatac	56460
tcaagttcta	atcttgtgac	cttgggcaag	tgatttaact	ctctttgcct	cagtttgctc	56520
atctgtaaaa	tgacagcaat	aacttcacat	gcctctgggg	catgtgtgag	aatcaaataga	56580
aatagtgtat	tttttacaga	agcacttagc	acaacccttg	gctcatggat	gatgttatcg	56640
gctattcttg	gagaaagggt	acctattaag	agagctgtct	gcttccagge	ctaggcctgc	56700
agacagggtg	tggccagagc	actccattca	tgccagtagg	acccttcgag	ccttttcccc	56760
caagggtggc	aggagccagg	cctggagaat	cagcaaagcc	cacctagtac	ctccttctcc	56820
tctatctcct	ggctgtctgg	cttgatccag	aagacacacg	agggccccct	tcctctgcag	56880
aagctcctgg	taggaaccca	tctctgcgat	ggccccattt	gccagcacta	tgatccaatc	56940
agcctggggc	aggatgtgga	gtgcgtgcgt	cacgagaatc	cgtgtctggg	caggggaagg	57000
gtagaagtta	cacacatgtg	gccgggtgca	gtggctcatg	cctgtaatcc	caacactttg	57060
ggaagccaaa	gcatgtggat	cacttgaggc	cagaagtctg	agaccagcct	ggctgacacg	57120
gctaagccct	atctctacta	aaaatacaaa	aattagctag	gtgaggtggc	gcacacctgt	57180
agtctcagct	actttggagg	ctaaggcaag	agaatcactt	aaacctggga	ggtggagctt	57240
gcagtgaggc	gagattggac	cacagcactc	catcctgggt	gacagagcaa	gactctgtca	57300
agaaaggaaa	gaaagaaaaga	gaagaaaaga	aagaagaaaa	gaaaagaaac	aaaggaagga	57360
aggaaagaga	gagagagaga	aagaaagaaa	aaaaaatgt	acggccgagc	gcagtggctc	57420

atgcctgtaa	tcccagcact	ttgggaggcc	gaggcagatg	gatcacctga	ggtcaggagt	57480
tcgagaccag	cctggccaac	atggtgaaac	cctttctcta	ctaaaaatac	aaaaaattag	57540
ctgggcgtgg	tggcgggcac	ctgtagtccc	agctactcgg	gaggctgagg	caggagaatg	57600
gcgtgaaccc	gggagccgga	gcttccagtg	agcggagatc	gcaccactgc	cctccagact	57660
gaaagacaga	gcgagactcc	atctcaaaaa	aaaaagaaaa	agaaaaaagt	tacacacatg	57720
tgcttggcca	gcctcctgag	ctggggggtg	gggtgggggt	attgtccctg	gactcagagt	57780
ggggacagct	ccccttcttg	tgctcctgcc	gcctttcttg	taaacagcat	atccaaatag	57840
agaaacagag	gggactccct	tagcctgtgt	ctcaaaaaca	gaagacaagg	agtacatctg	57900
accctggcca	atcatccaag	gcaaagctgt	agtagttaaa	tcacagatcc	ataaggaaga	57960
aacacctgct	gttgtaagct	gctgggatct	ggggggtgtt	tgttacatag	cattgtcaca	58020
gcaaaagctg	accaatacaa	agaggaaatt	ggactcaagt	ggaaggggga	ggtgagataa	58080
acttgggtta	ggactggatg	ctaagtgctt	cctctgcctt	tgccctgtac	tgtctgacac	58140
atgttcccaa	acttactgtt	ccctggagta	gcccaccagg	cccaatgacc	tggttgaaga	58200
catgctggcc	aacgtgggca	tccagggccg	ccaggggggtc	atccagcagg	tacacagctg	58260
cctttctgta	tacagcccgg	gccaggctca	gccgctgctt	ctggcctccg	gagagattca	58320
tgccctgtgg	ccacaaaagg	aacagtggcc	tgagtcagca	tctacagggt	gaaactgggg	58380
tgcccaggct	gtggcaggtc	agggcacacc	tgcccatcag	ggtgaggtag	agctcaacat	58440
gcctattccc	tggggacagg	cccagcttcc	aaggcactcg	ctctcaagcc	aacaatgcct	58500
ccatccttac	ccgacctcac	ttctccactt	cccaagcacg	cttcttgagg	gagttaccta	58560
cacttcccaa	tccactctgt	ctctcctgc	tcactctctc	tatctctttg	agtccaactc	58620
ttgtttccct	ttctccactg	agaccaccat	ccatttccct	attccctcat	ccagtggcag	58680
cttttcagtc	ctacttttgt	atttttaaatt	ttaattgttt	tcttttagtt	ttcattgata	58740
tgtaatagtt	gtaactattc	gaggggcaca	agtggtagtt	ggataacctgt	agggcagtag	58800
tccccagcct	ttttggcacc	agggaccagt	tttgtagaag	acgatttttc	catggacctg	58860
ggggcagggg	gatggtccgg	gggatggttt	caggacgatt	caagcacatt	acgttgattg	58920
tgcaattcta	ttattattat	tactgctgtt	gtcgttggtt	ttattgagat	ggagttttgc	58980
tcttgtcacc	caggctggga	gtgcaatggc	atgatcttga	ctcactgcaa	cctctgcctc	59040
ctgggttcaa	gcaattctcc	tgctcagcc	tcctgagtag	ctggaattac	aggcaccac	59100
taccacgcct	ggctagtttc	tgtattttta	gtagagatgg	ggtttcacca	tggtggccag	59160
gctggtctcg	aactcctgcc	ctcaggtgat	ccgcccacct	tgccctccca	aagtgctggg	59220
attacaggcg	tgagccactg	cgcccggcct	acttgtatta	ttattgcatt	gtaatatata	59280
atgactcacc	atcatgcagt	atcagtggga	gccctgagct	tgttttcctg	aaactagata	59340
gtcccttctg	gggatgatgg	gaggcagtga	cagatcatca	ggcattagat	tctcataaga	59400
tccctcacat	gtgcagttta	cagtaggggt	tgtgctccta	tgagaatcta	atgctgccac	59460
tgatctgaca	ggaggtggag	ctcaggcggt	gatgggaaca	ataaggaatg	gctgtaaata	59520
cagatgaaac	ctcactcgcc	tgccctctgc	ccacctcctg	ctgtgctgcc	tgcccagttc	59580
ctaacaggcc	acagactggg	gctgatccat	ggcccggggg	ttggggaccc	ctgctgtaga	59640
caatatgtaa	tgatcaaata	agggtaactg	agatagtcat	cacctcaaata	atttatcttt	59700
tgtattgcga	acacaaccat	ccttctcttc	tagctatctt	gaaatatata	agtaaataatg	59760
cattaactat	aatttccctt	gtgcactatt	gattacttta	acttattcct	tctatctagg	59820
ccttcttgte	tttcattcat	tcttttaaaa	cttattttta	tttatttttg	agatggagtt	59880
ccactctgac	acccaggctg	gagtgcattg	gcttgatctc	ggctcactgc	aacctctgcc	59940
tactgggttc	aagcgattct	cctgcctcag	cctcccaagt	agctgggatt	acaggtagcg	60000
caccatgcct	ggctaatttt	tgtattttta	gtagagatgg	ggcttcacca	tggtggccag	60060
gctggtctca	aactcctgac	ctcaagcaac	cctcccgcct	tggttccca	aagtgctggg	60120
attacaggca	tgagccaccg	taccagcca	ttcattcatt	cttacattca	gtcattccac	60180
taataaccac	tgctcgttta	tcataaacca	ggcatggttc	taggctctgg	agaaacagca	60240
atgagcaaaa	caaagttgct	gctctcttaa	tggatccatc	attctcatga	aggggacaga	60300
gacaggcaat	ccataaacia	gtaaggcaga	cagcacatca	gggtgaaagt	gctatgaaga	60360
ataaatagta	aagcaggggg	agccagggtc	aggggctcac	gcctgtaatc	ccagcacttt	60420
gggaggcgga	gctgggtgga	tcacttgagg	tcagaagttc	aagaccagcc	tgcccaacat	60480
ggtgaaaccc	catctctact	aaaagtacaa	aaaaaaatta	gccagttgtg	gtggtacatg	60540
gctgtaattc	tagctactca	tgaggctgag	gtgggaggat	tgcttgaact	actcatgagg	60600
ctgaggtggg	aggaatgctt	gaactcagga	ggtggagggt	acagtgaacc	aagattgtgc	60660
cactgcactc	cagcctgggc	aacagagcga	gactccgtct	cagaaaaaaa	aaaaaaaaaa	60720
gagaaaaagc	aggtgcagg	gtaggggtgca	ctaacaatag	taggggtggct	gtggtggtag	60780
ataaggtggg	caggaaaggc	ctctctgtga	aggtgataga	agtgagggat	gagccctggg	60840
gactcctggg	gagagctttc	cagcagaggg	aacagcagtg	caaaggccct	ggggccagag	60900

tgtgctgtgg	gggatcaggg	aatatcacag	agactaaggt	ggctgcagta	aagctgagag	60960
gtgatgatgg	gagatggggc	taatggatac	cagagccagg	tcacagggac	cttgccaggg	61020
attgtcatga	cttgggcttt	gtctctgagg	taaatgggga	gatcacctga	ggtccggagt	61080
ttgagaccag	cctggccaac	atggtgaaac	cctgtctcta	ctaaaaatat	aaaaattagc	61140
caggtatggt	ggcatgtgcc	tgtaattcca	gctactcagg	aggctgaggt	gtgagaattg	61200
cttgaacgtg	ggaggcggag	gttgcagtga	gccgagattg	catcactgca	tgccagcctg	61260
tgcaacagag	caagactctg	tctccaaaac	aaaacaaaaa	acaaaaccac	aagtgggtgg	61320
ctggatttgg	cttgggggtca	cagtttgcca	acccctgccc	aatccatagc	tccagatgca	61380
tatatcctgt	ttcttggaac	tctctgtcca	gacccttggt	tgaggcccag	agaggggaag	61440
caattacacc	aacattactc	agcaaggcag	ggcagagtaa	gacaggagtc	taggtcttct	61500
cactctcagt	tgtcagagag	ctcctcactg	ccaatccctg	ccacaactcc	ctgcctctct	61560
ctttgtgtct	atctctgctt	atcaattagt	gattacgtat	tgagcaccta	gcacgtgctt	61620
gacgtgagc	tgagcccttt	ttctccgcta	cttccctaac	cattcctctc	atctctccat	61680
catactgccc	atgatgagtc	ggggacccaa	atgactccca	actgcaatgt	ctccctgtcc	61740
caaaaagacc	cccaaactct	cacctgctcc	ccaattgaag	tgtggattcc	ctcaggggaag	61800
ctgtccacat	ctggctgcag	ggcacaggct	tctagtactc	tctccagcca	gggtgggtcc	61860
agctcctgcc	cgaagcacac	attctctacc	acagaggtgt	tctgcaccca	ggcctcctgg	61920
ggcacgtagg	ccacagcacc	ctaaaacaca	acttactttg	gtcacaggag	gatgatgggg	61980
acagaggtgg	gataggtttt	gaggagcagt	gggagctggg	ctctcagtgg	tgggtgagag	62040
gtggagagaa	tgagtgaag	tgaacttggc	tgggatgggg	agggtgggaa	ggcagcgagg	62100
aagtgggact	ttcaggatgg	ggacatccta	gcagacaggc	tgggggtggc	ctcacctcga	62160
tgctcacgaa	cccctccacc	tttgacagct	ccccaggag	ggcggacagc	agggaggact	62220
tccctgcccc	cactggaccg	acaacagcca	gcagacagcc	ctggggcacc	gtgaggttta	62280
ttctggacac	gcaagagggg	agacatgacc	ttggttaggg	ttcagcccgc	ctctgtgagg	62340
aaggatgagc	cccagacgga	gctgagcttt	cctgctctgg	gagtctccaa	gaggacctgt	62400
ggggctgttc	tttttcccag	tccttgtcta	gctatttgag	gaactatcct	gtgcacatct	62460
gtgcatgtac	acatgcacac	aaagcgtgca	cacatgcatg	cacatttgca	cactcataca	62520
agcatgctag	catgcacagc	aacacaatgt	gggcacgcat	ccacacacac	acaagtgcac	62580
gcacataccc	aatcaatcca	tgctcacacg	catacatgtg	tgacacacac	cacaccacgc	62640
acacacacac	agggttgact	atagcctgag	ggtttcacca	gcctggcctc	ctgccttggc	62700
tcttgcgata	aataggctct	ttcctccctc	cctcccgcta	ctcttggtcc	cgccccactc	62760
ctgtccacgt	cccacagccc	atcctccacc	cagtgcaccg	agggatctgt	taaaacccaa	62820
gtcagatcgt	gacacttccc	agctaaaccc	gccagcactc	ccatttcact	cagggtcaaa	62880
gctaaagtcc	tgacgatcag	gaatgacatc	tcccgcctcc	ttccgctctg	tgccctcagct	62940
gctcggccct	ggccttgctg	acctccttgc	tgtttcttga	acacaaaagg	ccagtgggtc	63000
tcaccagggg	gtgactgcat	cccccaggag	tcatttgga	agatctagag	atatttttgg	63060
atgtcacaac	cagtaggggg	tgctgctggc	atctagtggg	tagagactgg	ggtcagctaa	63120
acatcccaca	atgcacacga	cagcccccaa	caaaggagtt	tcagcccaaa	atatcaacca	63180
tgctgaggtt	gagaaaccca	ggtccaggca	ctctcctgcc	ccaggacctt	tgctgatgcc	63240
attcccaccg	cctagaaggt	tcttctccca	ggccggggc	ggtggctcat	gcctgtaatc	63300
ctagtccttt	gggaactgag	gcaggtggat	cacttgaggt	caggagttgg	agaccagcct	63360
gacgaacatg	gtaaaaccca	tctctactaa	aaatacaaaa	attagctggg	tgtggtagca	63420
tgcgccctgta	atcccagcta	ctcgggaggc	tgaggcagga	gaattgcttg	aatccggaag	63480
gtggaggttg	cagtgcagccg	agatcatgcc	attgcactcc	agcccgcgtg	atagagcaag	63540
actccgtttc	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	acagctcttc	tcccagacac	63600
tccttcctta	tgatctcggc	ttgaatgcaa	agccttccct	cgctagacat	gccatcgtac	63660
tctgttccct	tgctctggtt	ttctgtttgg	gcctcacctc	tatcagcatg	tcaccccacg	63720
agagcagggc	ccttgtctgt	ttccttcgcc	ctatccccaa	tacctagaac	agagcgtggc	63780
ccatacctag	tgctctatcg	atgaagtgag	tgaatgacaa	ccaatacaaa	tactacctgg	63840
ggcatattcc	ttctcttctt	aggaggtttc	agggtgtct	gagatttttg	gccacaaaga	63900
ccaagcgata	gagttggaga	ctatagatga	tcatgacctc	ggactgatac	aggaggcaca	63960
gaagtgcagca	cagctgatag	ggctgaacct	tggggctcct	ctcagccagc	cctcccttgg	64020
catcgtcttg	gccagcctgg	gagcacaggg	gtgtctcccc	ctaattggggg	aggctcagat	64080
gccctgggtcc	ccgtctgcag	gagatactgg	tctatgctgt	gcaggtcccc	accttcagga	64140
ggtagagatg	tatcctgaga	acctccccgg	cagagcccca	gcccagccaa	acccaccctc	64200
cagtcccagg	ctggaaacct	acaccacctc	tcaggtggga	ggcagcagga	gccccatgca	64260
tcttctccct	aaaaacatga	ggctgggttac	tacgggtgtc	gttctgtacc	tgtggaggca	64320
gggagggctt	tcctgggacc	aggcgaaggt	ggcactgtgt	atggtgatgc	aatccttccc	64380

ggcagctgca	gggcacaaga	ggccatttac	aggagacccc	tgacctggcc	ggcctctgca	64440
tcggagaggc	ccccaggcac	catccccgc	ccccccagg	ggcagaggct	gcaggaagaa	64500
atctctcca	ctgaacaaat	tgccttgcta	ctcactggct	tgtgggtgac	cccgcagggt	64560
tcttgttctg	tccgtgtccc	atggctacat	aatccagggg	gaggcaaact	gtggcccaga	64620
gaccaaattc	tgcttgctgc	cttttcttat	aaataaagtt	ttattggaac	acggccacat	64680
ccattcattt	ctctatttca	tgctttgagc	agttgtgaca	gagactgtgt	ggcccacagg	64740
cctaaaatat	gcacaatctg	gtcatttatg	gaaaaagtta	gtgaatttct	gaaataaatt	64800
atcatcaaatt	cccagccttc	ccagagtga	gggggtgtta	ttaatttcac	tgtggccggc	64860
acagtgtctc	atgcctgtaa	tcccagcact	ttaggaagca	gaggtggtag	gatcacttga	64920
ggtcaggagt	ttgagaccag	cctggccaac	atggcaaaac	cctgcctcta	ccaaaaaata	64980
caaaaattag	ccaggcgtgg	tgggtgggcgc	ctgtaatcac	agctacttga	gaggctaagg	65040
caggagaatt	gcttgaaccc	aggaggcggg	ggttgcagag	aaccaagatt	gcaccactgc	65100
actccagcct	ggatgacgga	gtaagactgt	gtctcaaaaa	tactactgct	actactacta	65160
attattatta	ttatttctact	gtgataacaa	gtgtaattag	attagtgggt	cttgatcctt	65220
aagacgtagt	tagaattgcc	tgaagattt	tctaaaaatc	aaagctctca	tggcttagcc	65280
cagatcaatt	aaattcatcg	tcacaattag	ctgctataac	gattaacatg	cccatttttg	65340
agatgggaac	acggaagctc	agagagatga	tctacttgct	aggatcaccc	agctagtcag	65400
tgctggggct	gggatttgga	cctgggcagt	tgaatgccac	aggctcggct	tcttaccact	65460
atgtgggtgt	tttccaggta	cacagtttgc	ccaggttctt	cagtgcaca	agggggagg	65520
tgtcttgccc	cgtggcataa	aagaaggatg	gggtggagg	ggaagcccag	gtaacttgag	65580
cttggttaagt	ctcatcgtgc	aatggtgctt	gaaatgctgc	tattttccag	cttgatcaaa	65640
atgctgtcat	gcttattacc	tgggactttc	tgcatgagga	caaggacctg	gtctgttaga	65700
gcaggagtcc	tcaacccccca	ggccacagac	tggtagcaga	gtgtcatctg	tgtttatagc	65760
ggccatacag	caggaggtga	gcgcagggca	ggtgagcaga	gtgtcatctg	tgtttatagc	65820
cactccccat	cactcccatc	accgcctgag	ctccacctcc	tgccaaatca	gcagcagcaa	65880
tagattctca	aaggagcacg	aacacttggt	aactgtgcat	gtgaggaatc	tgggttgctg	65940
gttcccttata	agaatcta	gcctgatgat	ctctgtctcc	catcacccgc	tttggggcca	66000
tctagttgac	ggaaagcaag	ctcagggtct	ccactgggtc	tacgttatgg	tgagttgtat	66060
aattattttca	ttatatagta	caatgtaata	ataataaagg	gcacaataaa	tggaaatgtgt	66120
ttgaatcatc	ccaaaaccac	gcgcctctcc	ccggtccgtg	ggaaaactgt	cttccacaaa	66180
accagtcctt	ggtgccaaaa	agcttgggga	ccactgtgtt	agagtgttcc	ctgttggtaca	66240
cccaggatgg	tacaaagtgg	gcgctcagtc	agtggctcgt	gaatggctag	cagaaagaag	66300
agcagcacgg	tgccagtttc	caagtgcac	gcagatggcg	tgatctgcac	gtgtcatcca	66360
ttgcccgcag	cccccatctc	cccccagtac	tgatgctggc	ttgccattat	gggccggggt	66420
ggccccca	tcccccatcc	ctccacacc	cctcctgcca	gactcagcac	tcaccgcttc	66480
cagaggaact	tgagtctacg	acaccagggt	caacttcttc	caggcagagg	aaggtgacca	66540
gacggtcaaa	ggacacccgg	gcctaggaaa	accgaagccg	caggtcaccc	agcaagaaga	66600
gcaaagaact	caggtttttg	gtgtcggtgt	ctcaagatgt	gtggcaacag	cttcctgtct	66660
accaagctct	gtgcatagga	ggcgtgagga	caaagctttc	tagttcatgg	gaaacgatgc	66720
aaccgcagtg	gtgaccttga	tgggtggtgat	ctcccacctc	tgcgatccta	caaatcagtg	66780
acaccgaagc	aagccagctg	ccatttctgca	gacaagatct	gggaagagga	tgggtggcttt	66840
tccaataagg	ttatcaagcc	attgtgtgga	acaatttcaa	atgttggtcca	cctgggggcg	66900
ctctctcca	gtcacaaccc	catctttggg	gaagaaagag	accagtcgtt	aaaatagaga	66960
ttagggccagg	tgacgcggct	catgccggta	atcccagcac	tttgggaagc	caagtgcagg	67020
aggatcactt	gaggccagga	gttgagagacc	tggggaacat	agcaagactc	tttgtttcta	67080
caaaaaatta	aaaaaattag	ccggtatgtg	tggcccatgc	ctgtagtccc	agctactcag	67140
gaggctggga	ggtagaagca	tcacttgagt	ccaggagtgt	gagcatgcag	tgagctgaga	67200
tcgtgccact	gcactccagc	ctgggtgaca	gagtgcagca	ctgtctcaat	aaataaatta	67260
aataaataaa	taaataaata	aataaataaa	taaataaggc	ggccaggcgc	ggtgggtcat	67320
gcctgtaatc	ctagcacttt	gggaggctga	ggcgggctta	ttacatgagg	tcgggggttc	67380
aagaccagcc	tggcctggcc	aacatggtga	aaccctgtct	ctactaaaaa	cacaataaat	67440
aaataaataa	gactgggtgc	agtgggtcat	gtctgtaatc	agcactttgg	gaggccaagg	67500
tgggcagatc	acctgaggtc	agcgggtcaa	gacctgcctg	gccaacatgg	tgaaatctca	67560
tctctactaa	aaatacaaaa	aaaaaaaaaa	aaattagctg	ggcatggttg	tgcatgcctg	67620
tgggtcccagc	tacttggcag	gctggggcag	gagaatcact	tgaatctgcg	aggtagatct	67680
tgcatgtgagc	cgagattgca	ccactgcact	ccagcctggg	tgacagagtg	agactccatc	67740
tcaaataaat	aaataaataa	aaataaaaaa	taaaaaacat	ggagatggct	cagggtatgcc	67800
gccgtttctt	gttttcacca	tgctgaaagg	actagagata	gcaaaggaag	agaaacaaaa	67860

tcgctttgta	taaaaaaggg	aactgacatg	attgcttgta	tgtggaattg	ctgggcagat	67920
ggacaagtat	gcatgttctg	aggtgtgtgt	ggaaaggtct	gcacattgcc	ctccaaaggc	67980
tgacccttc	cagatgtatt	tgtgtactc	tctgcccgcc	tctgttcttg	cccctacccg	68040
cctcttttcc	agctccacac	catccctctc	cctcccactc	tgtcttccct	ctcctctgca	68100
aatggcaggg	gtagggaagc	tggagccagg	tgtagcccac	gcactctccc	aggatggctc	68160
cagcccttgc	accacacctca	cctggacgag	ggagtggatg	gagaagggca	ggaaagcctg	68220
ggccttggtg	aggatgttga	gaactgtgag	agtcacaaag	gctttctctg	cattcatagc	68280
attctcggcc	accagagtgt	ggacagcaaa	caccaccagt	gcgacctggg	gggtgggggg	68340
gacacgtggg	gcaacagtga	gacacgcaag	catggatagg	gcagcctggg	caagctgtgg	68400
tgctgcacg	gtccatgtgg	cccacccgcc	atgtccgcat	gtgcttccct	ccgtagatcc	68460
cactcccagt	cctgctaaca	catgtcctct	ccgcagtcac	aagctacata	aggctctctc	68520
taaagacaca	gcgcattgct	aatggtgatg	agtgcgcagc	cccacggctc	taggcatcac	68580
tagaacctag	gggagaacct	aatgcctcta	ggttccaggc	atcggggggac	agcagagttt	68640
ttgatcttgg	tagccctggt	gttctagacg	tggtggaact	tgtgattcta	gagtccttg	68700
gaagatgact	ctaaagttag	aggcaggagc	agcacttgag	ggctctagg	gttggtgcca	68760
tttgtggtgc	tttttttttt	ttttttgaga	tgaagtcttg	ctctgtcgcc	caggctggag	68820
tacagtggca	tgatctcggc	tcactgcaac	ctctgcctcc	tgggttcaag	tgattctcct	68880
gcctcagact	cccaagtagc	tgggattaca	ggcgcccgcc	actgcaacca	gctaattttt	68940
gtatttttag	tagagacagg	gtttcgccat	gttggccagg	ctggtcttga	actcctgacc	69000
tcaggtgatc	caccacctc	ggcctcccaa	agtattggga	cgacaggcat	gagccaccac	69060
accagccta	cgtatcaaat	tttttaaaac	tgtggttttag	gaaggttggt	ctgacagcaa	69120
tatgaaataa	attacagaat	ggcaggacaa	ggatcacgtc	cagtgcagag	gtggctatgg	69180
acatctgctg	gccaggatca	gggaagtcac	tctgaccacg	gattctacct	ctgccacccc	69240
cctgcactctg	taccctcctc	cccacatcgg	tagaagcctg	gaactctctc	tgagagttca	69300
gcagacttta	tcagccactg	ccacctttgc	tagaataata	tgattaatta	gttctttag	69360
aagacagcag	ggacccagag	agaacaggat	ccagaatgag	tgggttttga	tggacggggg	69420
ggtaggatct	ggggggctcc	acctacctca	ccctgcccc	accccgccac	tccttccccca	69480
gtgctgctca	gcatagagac	tagagtgcag	tcaccagaaa	tgtagacact	tgggaaggaca	69540
ccagcgacac	agagaagagg	aggccggagg	tccgcaaggc	gccagctcc	tggcctcgga	69600
tgcccaggac	tctgtccaga	aaggctccct	cccagccatg	gaacttgatg	gtcttcgagt	69660
tcctgaggat	agagctgggtg	agccgtgccc	gtgagtcctt	ctgcctcatt	tgctcctcct	69720
gggatcggag	ggaaaaagag	agatgaagac	agggacagtt	gagaattctt	ccctgcaccc	69780
tgacagccac	ccttcagcaa	atcccattca	tctcacaaa	ctgcgtccca	aacctgtctg	69840
cctctcagca	cctctgaccc	tcactcctgg	tccaaccacc	atcatcctgt	acctggactt	69900
ctgcaggagt	gcccctggga	taatgtgccc	cacggaggaa	gcctctgatg	cccggagaa	69960
agaggcagcc	tgagcccacc	tgggtatgac	accatcagga	aggctacctg	gaggtgggtg	70020
atgcctgagc	tacgtctttt	ttttttttta	ccttttacat	tttttgtgga	gttgggggtct	70080
cactatgttg	cccagggttg	cctcgagctc	ctgggctcaa	gtgatcctct	gccctcagcc	70140
tcctaaaatg	ctgggattac	agcctgagct	aaatcttaaa	tgaccaggaa	gtgcgtgctg	70200
agcaggcaga	ggatgggggg	atggagctgg	agaagaaggg	aggggagggg	cttgagatgg	70260
gggtgggggg	tgggggctgg	ggggtagggg	ggtggcgggg	gcagctaaaa	cccaggcaca	70320
gggaatagca	tgactcagag	gacactcagt	gtgaccagag	gaccgtgtgg	gcagggtcac	70380
ttggcacttt	aaagtccagg	agaagaattc	agggctctct	gtgcttcacc	atggggcggg	70440
ggcatcatca	gaggggcagc	tgcttgagga	aggttttact	ttttgagacc	gagtccttct	70500
ctgtcgccca	ggctggagtg	cagtgggtgtg	gtctcggtct	actgtaacct	ccgcctcctg	70560
ggttcaagcg	attctcctgc	ctgagcctcc	cgagtagctg	ggattacagg	cgcccggccac	70620
cacgcccggc	taaattttat	attttttgtg	gaggcagggg	tatgccatgt	tggccaggct	70680
ggttttgaac	tcctgacctc	aggtgatctg	cctgcctcgg	cctcccaaag	tgctgggatt	70740
acagggtgtg	cctcccaaag	tgctgggatt	acagggtgtca	gccactgtgc	ccagcctaga	70800
atgttttaga	ggagtccacg	caggaggctg	aagaaacagc	ccagggtgaca	gacggacact	70860
gggacagctg	ggccaagaga	ggaaataagt	tccttccctc	catcccccat	ctctccctct	70920
ctctttcccg	ccttttcttt	ccttcccttc	ctatctcctt	tcttctctct	tcctttgctt	70980
tcttccctct	ttcatttctt	tccctccctc	ccccctttct	tccttctctc	cctcattcct	71040
tcttctctct	cctcaattct	tcttccctct	ccttccctct	gtccttctct	ccctttccta	71100
tcttctctct	cctccctcct	ttctctctct	tccctccctc	tcttctctct	ctcctttcct	71160
tcttccctcc	ctcctttctt	ccatagttca	caaacactta	ctgagaacct	tctgcctgcc	71220
aagcactaac	tagatgccga	gttgggccaca	atcagtggcc	tgtgctgttg	caaagcttcc	71280
agttaaggaa	aacaaggcaa	tcaaccctgc	cgggtgcttc	ctgtaggacc	ctgtatgttg	71340

tgggaagtgc	tgtgggggga	aaaaagcaaa	aacaatccca	gggcaggcaa	aggagaggct	71400
gctgctggga	ggggagggat	ggacgtgcca	tttccttgct	ggaggggtgt	gaggggaagcc	71460
gccctgactg	cagggagggtg	acagaggatc	ttcgggagtg	aggggtgatcc	aggtggagggg	71520
aacagctaaa	gcgaaggcct	gcagggatgt	gtgagatcgg	gcagggtttga	ggatgggaga	71580
tgtgtgggga	aaggcaggga	aggaggggag	atgggtagaa	ggtgaggttg	gaagcaataa	71640
ggccagctca	gggcgggcct	ggtgggccac	tgtggggtct	ttggctcagt	ctgaggaaaa	71700
tggggccgct	gtgggtctga	gtagaggagg	ggtacaacgt	atgtggtttg	cataggtctc	71760
ctctggctgg	gagtggagag	aggctgaggg	cagaggcggg	gagtgagcca	ggggcttgct	71820
gctgtgacct	gggttagaga	tcatgggggt	tggagagcct	atgctgggaa	gtgtgacatt	71880
ttggatgcat	tttgaagggtg	atgccaaagca	aatctgctga	cagatgggat	gtgagagaaa	71940
aaggcattga	actgaccag	ggcctgtggc	ctgaacattg	gagggacgga	gccactgtcc	72000
attgagagga	tagggggagg	gggtgcaggt	ctgagtgatg	ggcagctcac	agacgacaag	72060
aacaaagcca	gacccgtggg	ctcgcactca	gctctccct	ccccatctcc	cacaccagga	72120
cctgtggctt	cctccctact	tcctgcctgg	tcctgcctt	tcccaaaagc	caaacctgat	72180
ggtgggtcct	tttcttgag	atgaagaaat	tcagagggag	gaggctcagg	aagacagcga	72240
tggcagtga	ggcggagggc	cccaggagct	ggggatagaa	ggggcaggat	gtcaggagat	72300
cccaggagc	ccagctctca	gaggcacgtg	aaccagagca	actccatctt	gaatagggac	72360
tgggtaaaaat	gaggctgaga	cctactgggc	tgcattccca	gacgggttagg	gtattgtaag	72420
tcacaggatg	agataggagg	tcggcacaag	atacagggtca	caaagacctt	cctgataaaa	72480
caggttgca	taaagaaggc	ggccaaatcc	cacccaaacc	aagatggcta	cgagagtga	72540
ctcccgctcat	cctcactgct	acactccacc	agcgccatga	cagtttataa	atgccatggc	72600
aacatcagga	agttacccta	tatgggtctaa	gaaggaaagg	catgaataat	ccaccccttg	72660
tttagcatat	catcaagaaa	taaccataaa	aatgggcaac	cagcagccct	ctgggttgct	72720
ctctctatgg	agtagccatt	cttttagatc	tttactttac	taaaaaactt	gcttttgccc	72780
gggcacgggtg	gatcatgcct	gtaataccag	cactttggga	ggccggaggc	gggcagatca	72840
cctgaggtca	ggagtttgag	accagcctgg	ccaacatagt	gaaacacagt	ctctactaaa	72900
aatataaaaa	ctatccagggt	gtggtggtgg	gcacctgtga	tcccagctac	tcgagaggct	72960
gaggcaggag	aatagcttga	acccaggagg	cggagcttac	agtgaagccac	gatcgacca	73020
ctgcactcca	gcctgggtgg	cagagtga	ctccgtctca	aaaaacaaac	aaacaaacac	73080
ttgctttcac	tttatggact	cgccctgaat	tctttcttgc	acgagatcca	agaaccctct	73140
tttgggatct	ggatcaggac	cccttttctg	taacacagct	gcagaccccg	aaggtggtea	73200
gacttgggtc	ctaagatggg	gatgtcaggg	aatctgataa	gggcagccac	caggtcccag	73260
ggatctgtgc	tcatggggtc	tgctgtgtca	ggagatgcct	gctgaagggtg	gggtccttca	73320
atgtcaggga	gggaaacagc	cctcttacac	gatagggaga	gagttatatt	caagacagat	73380
tgtgcacaca	cacgagtggg	actgggggggt	gttcccagcc	acaacagtaa	agttgagacc	73440
tatggaatca	ggggacctgg	ttcaaatect	gacctgaga	gttttgagtg	tggccttggg	73500
gcaagtcac	tccttaggt	gcaattctct	tgtctgcaaa	atgggaatag	agttgttctc	73560
atgtggcatt	ttctcttatt	gcgtttaatt	attttcctaa	tcttcatttc	atccctcgca	73620
agggttgtca	gatttagtaa	atcatcatat	agaatgccc	gttacatttg	aagataaaga	73680
gtgaataagg	ttttagtcta	agtctcgtga	aatatttggt	acatacactg	agaaattctt	73740
ccgtttgtct	gaaactcaca	cttcactgaa	tgctctgtgt	tttctctggc	aacctgctc	73800
ccccaccaac	gtgggtgattt	tgggatgggt	atcttcccc	tctcagcttt	ggtttctata	73860
tctggaaaat	gtggaagtgg	ggggtagaat	aatgatttt	taagttgctg	tgactttctg	73920
agattttctgc	acaggttatt	tggacccatt	ctcttgacaa	gccccacccc	aactccagtc	73980
tgtgtgcctc	agtttcccg	ctcagtcctt	aggaacacta	tgtttattta	tttatttatt	74040
tgtttgttta	ttttgagatg	gattcttggt	ctgtgacca	ggctggagtg	cagtctcatg	74100
atcttggtc	actgcaacct	ctgcttccca	agcgattctc	ctgtctcagc	ctcctgagta	74160
gctgggatta	caggcatgtg	tcactcggct	aatttttgta	tttttagtag	agatgggggt	74220
tcaccacgtt	gccaggttg	gtctcgaact	cctggcctca	agtgatccac	ccacctcagc	74280
ctcccaaagt	gctgatatta	caggtttgag	ccacccacc	tggcctggga	acactatttt	74340
ctaacttggt	gccagtttg	ttcatttatg	cggcaatggc	gctacctagt	ggctcaatgg	74400
agaagggcgc	agagggtaaa	caccagccca	cagcagggtc	tggaaaaaca	ctcaaggaat	74460
gtgagcagaa	gatgaacatc	tctgtctggg	ggaaaaatgg	tatcattaaa	ctgtagcaac	74520
ctcagtgtcc	actcctcctt	caccaagacc	tcacgggtgat	gttaggaact	gtctaccaag	74580
aggcaggtaa	agtacacaag	caaagtaaca	tgggtgatta	tctatggata	tcttggtggt	74640
ctcatctaat	tttttttttt	tttttttttt	ttttttttaga	aggagtctca	ctctgtcgtc	74700
caggctgcag	tgcagtgatg	tgatctcagc	tcactgcaac	ctccacctcc	cgggttcaag	74760
tgattctcct	gcctcagcct	ctctagtagc	tgggattaca	ggcacatgcc	accatgcccc	74820

gctaattttt	atatttttcag	tagagacagg	gttttgccat	gttggccagg	ctggtcttga	74880
actcctgacc	tcaagtgttc	tgccggcctt	cacctcccaa	agtgctggga	ttacaggcgt	74940
gagccaccgt	gccccgcctg	gtctcatctg	attttttagca	acgggtgggt	caacctgatc	75000
aattgccctg	aattttccca	cgttcttcct	ctctccctct	ctttcttcct	aatgatgaca	75060
tttatgtact	gcacatgaag	ccctgtctga	gtgccttatg	ttgtaattgc	taagcacctg	75120
cctattgttt	gcaaggccct	ggaatacaag	gtgaagacac	tggaaaaagt	cctggccccct	75180
agccctagca	aaaacaatca	tatgcatgag	cattcgagtt	ttttttggaa	tattcagcaa	75240
ttacaatcaa	aatgccatta	acagttttta	caaggccagg	cacagtggct	catgccccgt	75300
atcccagcac	tttgggaggc	tgaggtgggc	agatcacctg	aggtcaggag	ttcaggacca	75360
gcccagccaa	catggtgaaa	cccagtttct	actaaaaata	caaaaattag	ccagatgtcg	75420
tgggtgcacgc	ctgtaatccc	agctactcag	gaggctgagg	ctggataatt	gcttgaacct	75480
gggaggtgga	ggttgcagtg	agccgaagtt	gtgccattgc	accaaagcct	gggcaacaca	75540
gtgagactct	gtctcaaaaa	aaaaaaaaaa	atcaaaagga	tactatttca	cgacatatga	75600
aaatgatatg	cacttcaaat	gtcagcatcc	ataaatagag	ttttattgga	ggaataccat	75660
gcctgtttgc	ttagtatggt	ctacagccac	ttctgcactc	caagggcaga	gatgaatatt	75720
tgcaggagag	gtggtgtggc	ctccagtgtg	aaaagcatct	actgtcttat	ccttttatgga	75780
aaagtaacta	atgataatat	tacaaatacc	tacagggtag	agttgtgtgc	ctggcaccct	75840
tttaagtgc	ttctacatat	gggctcgttt	aatgcctcag	cccctctggg	gcaggagtgc	75900
tactgttaat	tatgatcctc	acgttggaga	caagaacagg	aggcacagag	agagtagggt	75960
ccttgccacac	agattcacaa	ctgataagtg	gtcagaagga	ggatttgagc	ctaggcagtt	76020
cccgatacag	agtctaattt	tattttttact	tttattttatt	tgttggagac	agagtctcac	76080
tctgtcaccc	aggctggagt	gcagtggcat	tatctcagct	cactgcaact	tccacctcca	76140
aggctcaagc	gattctcctg	cctcagcctc	ctgagtggat	ggggttatag	gcacccacca	76200
ctatgcccg	ctaatttttg	tatcttttcag	tagagacggg	gttggccagg	ctggtctgga	76260
actcctggcc	tcaagtgatc	cacctacctc	accccccaa	ttgctgagat	tataggcatg	76320
agccactgtg	cctggccccag	agtctgattt	taatttttaa	aaagaaaatc	ctataaccaca	76380
acgttaaagg	aatgaagttg	gaaagtaaat	gttttggttg	ttttggttg	ttgtttcctg	76440
atggctactt	tgtgtttttt	gaacactaag	tagcaatttt	tccccctaaa	atgttctcct	76500
cttgtgtttt	gtggacagtg	gctatggtgg	tgcctcaggg	ttactggtaa	cttcaaaaca	76560
tggttaactt	gcctactggg	taccctaata	gcacatgggg	aagtatcaac	gtcatcatca	76620
tcatctttct	acagaggaaa	ctgaggccca	gagaggggtg	acttcctgcc	caaggtcaag	76680
tgaaggatcat	ccttatttgag	gactttttccc	atcgtatcag	acaatagtag	gcaaattgag	76740
acaggattgg	aggaggagga	gaaggaggag	atgggggtgg	aaggggagga	gaaaaaggag	76800
gagaggaaga	agaaagggaa	gagaaggaga	gggaagagca	gaggggaagag	agggaggacg	76860
gtagaggaga	agaagggaga	agggaagaag	tgggagggaa	gatgacaggg	agcagaaagg	76920
aagaagaagg	tggagcagga	gagaggaaga	ggaggaggag	ggggaaggag	gaaaagggaag	76980
gggtgcagga	agaggagggg	gtgcgtgggc	agaagggtgg	agagatgcag	gaggagggag	77040
ggtgcagggg	ggggtgcaag	aggaggaggg	caggaggagg	aggctggggc	agagggagag	77100
gggaggaagc	cttatgagct	tctacaccag	gaatggaatc	cagggtgatg	aaggcagaac	77160
aagggtaaaa	cctttcatgt	gcctctctga	caccaacctg	gttctcccac	agcctcagac	77220
ttgccctaac	cctgggggtca	cagcggacct	cttcagacct	cttgaatgct	aagtcaggag	77280
gaggaagggt	gggagggggg	aggacgaggg	ggagaaggag	ggggtggggg	actccgttca	77340
aatcccgtct	tctcctctg	gcatacctgc	cagagataga	cgaagcagac	cacgatccag	77400
acgagaggca	gccacagccc	gttgaggtag	aggacgctct	cggtcagccg	ctgcacgtcc	77460
acggacacca	gattgaccac	atcaccacc	gcactggcct	ttctggagcc	gctggacaga	77520
gccaggacct	ggcgggtggg	cagaaggaga	gaagttaaagt	ggggaggccg	gggcagaggg	77580
atgccccagg	tggcttctcc	accactgag	ccccacctca	cacgtctgcg	agggtgggtga	77640
gtaaagtctc	ttaggccaac	ctctcagggc	tctttgagga	tccacagaga	tgacaaaaat	77700
gaaaatcctc	caagatccct	aaagcacggg	aggcataata	atgaataaca	tgcacgaaaa	77760
caccagatta	acacagataa	cggtggtcat	ctgcccagtg	ctcaccatgt	cgcaggcact	77820
gtgctaaatg	aacagcctta	tcttttccc	gggtgctcac	agccatgaat	ggtaccaagc	77880
aggcactacc	atattcattc	cctctaattgc	caggccaggt	gcagtggcct	ctgcctgtaa	77940
tcccgccact	ctgggaggct	gaggtgggag	gattgcttga	tcccaggagt	tcgaaaccag	78000
cccgcgcgac	atagtaagac	ccaagctcta	caaaataactt	taaaaaatta	gccagggggc	78060
cgggtgcggt	gcctcacgtc	tataatccca	gcactttggg	aggccgaggt	ggacagatca	78120
cctgaggtca	ggaggtggag	accagcctgg	ccaacatggg	gaaaccctgt	ctctaccaa	78180
aatacaaaaa	ttagccgggc	atggtggcag	gcacctgtaa	tcccagctac	ttgggaggct	78240
gaggcaagag	aatcgcttaa	accaggagg	cagagggtgc	agtgagccca	gatcaagcca	78300

ttgcattcca	gtctgggcaa	caagagcaaa	atccatttcg	gggggggaaa	aagaaaaaat	78360
tagccaggca	tggttgtggt	gcgcctgtgg	tcctagctag	ctactgggga	ggctgaggtg	78420
ggaggattaa	ttgagtacag	gaggttgagg	ctgcagtgag	ccatgttggt	gccactgcac	78480
tctagcctgg	gcaacagagc	aagaccctgt	ctttaaaaaa	aattctatgg	ataaattgct	78540
ctctattatt	ctctcaccaa	ggaaaatacc	acttccagtt	aaattaagac	atgtaagaga	78600
catctcgatt	ttggaagtat	tagagtgaag	aaaaaatgtg	agacgagaat	caatgaaatg	78660
aacattttact	aaccccatte	tatggctaaa	gaaactgagg	cagagagaag	ttgagcaact	78720
tgcccaaagt	cacaggcctt	gtaagctcct	acacaaggaa	tggaatccag	ggtgacgaag	78780
gcatgacaag	ggtgagacct	ttcatgtgct	tctgtgacac	caacctggtt	ctctggcagc	78840
ctcacatctg	ccttaaccct	ggggtcacag	tggaacctct	ccagcctggt	gaatgctaaa	78900
ttccaaatgc	agccctccct	ttgtgactgc	gtgaggggtg	gaagaagtga	tccaggaatg	78960
actggacata	gaaattctcc	acttagcaag	tctttgaaga	gtgctcactg	tgtgactcac	79020
actgagctgg	gaactgaaaa	tacagctgtg	aacaacagag	atgaggcttg	ctctcccggg	79080
cctggagttt	gaggtgggga	acaaggctct	ataataaaga	tttatataac	tggccgggca	79140
cagtggctca	cacctgtaat	cccagcactt	tgggaggctg	aggcgggtgg	attgcttgag	79200
gccgggagtt	cgagatcagc	ctggccaata	tggcaaaacc	ccatctctag	taaaaataca	79260
aaaattaact	gggcatgctg	gtgggcacct	gtaatcccag	ctatttgga	gggtgaggca	79320
ggacaattgc	ttgaacccag	gaggcagagg	ttgcagtgag	ccaagattgc	accgctgcac	79380
tacagcctgg	gtgacagagt	gagactctgt	ctcaaaaaaa	taagacaaaa	caaaaatatt	79440
tctaaaactc	atgctttaat	ggcagttatg	atgagtaaca	taaaaaagta	gcccaggctg	79500
agcgcgttgg	ctcatgtctg	taatcccagc	actttgggag	gctgaggtgg	gtggatcacc	79560
tgaggtcagg	agttcgatac	cagcttggcc	aacatggtaa	aacctgtctt	actaaaaata	79620
caaaattagc	cgggcatggg	ggcgcacacc	tgtaatccca	gctactcagg	aagctgagac	79680
aggagaatca	cttgaaccca	gggggcggag	gttgtagtga	gccgggactg	tgccactgca	79740
ctccagcctg	ggcaacaaga	gcgaaactct	gtcagaaaaa	aaaaaaaaaa	aaaaagccca	79800
gaggttagag	aggagggatc	tgatctcatc	aggagatcaa	agaaggcctc	ctggcgtgtg	79860
ggtggggaat	aggaagatca	atgcctgctc	accaggcggc	cttccctctt	ggctcaagga	79920
aatgtggact	ctcaagacag	gatagggcac	acctagctct	ggcatgctca	ggggaacagg	79980
agcctgggat	gcagcactct	ggcaggaaag	catcaagagc	tgccctctcg	gccacctagg	80040
agctgtcccc	tctgtccctt	cctcccctag	gtgacagctc	aggtgtcagg	gaatgacact	80100
tacatgggac	gggacctgcc	ctggctcaga	tgctccatac	cccacaggag	ccaatagctc	80160
ttgggggcagc	agtccaggga	cttagcttcc	agagtcccag	gaacggacaa	gagccactgc	80220
acagagagaa	gtctaaagct	atggcctcca	accagggtatt	cacagtcaat	ggacagaact	80280
tccagcccag	atgcaatttg	ggtttttttg	ttttgttttt	ttttgtttct	gagacgaggt	80340
ctcgctctct	tacccaggct	gcgctgtagt	ggcgtgatct	cagttcactg	caacctccac	80400
ctcccggggt	caagcgattc	tcctgtgtca	gcttcccagg	tagctggaat	tacaggcaca	80460
tgccaccatg	cctggctaat	ttttgtattt	ttagtagaga	tggggtttcg	ccatgttggc	80520
caggctgggtc	ttgaactcct	gacctcaagt	gatccgcctg	tctcagcctc	ccaaattgct	80580
ggaattacag	gcgtgcacca	ctgtgcccag	cctaggggtc	atttttacc	caagcagtat	80640
tgtctgggaa	cacagctgac	aggccacctt	atcagaaggt	taatccttta	tcctcaaggg	80700
ggaatgagtg	gaagttaaaa	tcaggctcaa	aaattaaaa	tagattgggg	gagtagaagt	80760
ggtgcctaga	cagtgagaac	agctgcaaag	gccccagggt	gggtgggggc	ctggagtgtt	80820
tgaggaaactg	aaaggagacc	tgtgtggctg	gaggagagtg	agcatgggag	gaggtgacgg	80880
gatgaggtca	gagacaccct	agggacagat	cacacaagac	cttacaggaa	taactaagga	80940
gctgagacag	atcacttgag	gctaggaggt	cgagaccagc	ctgaccaaca	tggcaaaacc	81000
ttgtctctac	caaaaatata	aaaattagct	gggcgtgggtg	acacgtgtct	atagtcccag	81060
ttactcagga	ggctgaggca	ggagaatcac	ttgaacccgg	gaggcggagg	ttgcagtgag	81120
ccgagattgc	accactgcac	tccagcctgg	gtgacagagc	aagactccat	ctcaaaaaaa	81180
taaatacata	taatacagag	aaataactaa	ggaagtgaga	atgtatgggtg	agtgactcta	81240
ataagcaagg	actgaatgcg	ttctcagctg	ctgataacat	tactgcccgc	tcagtgatac	81300
tgcttttcct	ggctgggaag	acctgccctt	gtcccccagg	gctcaccttt	ctgtacacca	81360
ggccagtgat	ggccgaccgc	aacctcatct	gcagcacctt	gagcctgtac	atgttctgct	81420
gctcaaacag	cgtttgcagg	caggctgaga	ggaacatcag	cacggcgagg	aggtagccct	81480
tccaggctgg	aggcttgagg	tcaccaataa	actccaggaa	aaggcttgca	ggggaaggag	81540
ggagaaggta	cagctggtga	gaggaggtgc	ctaagggtgt	tgcctttgcc	caaaccagtc	81600
cagatgtgga	ggatcagtcg	gcccacacta	gtccagggtgt	ggaggatcag	tcagtgtggt	81660
tttttttgca	ataatggtct	ccgttatctt	ccccactgtc	catactcctt	ttcaatctga	81720
ctgcagctcc	tcaagatcaa	gaggtggagt	ttttgttccc	acttggtata	ggctaaattg	81780

tgtcctcaca	aagtttatat	gttgaagccc	cgacccccag	tacctctgaa	tgtgactgta	81840
tttggaata	gggccttta	agaggcaatg	aagttaaaaa	tgaggtcatt	aggctgggcc	81900
ctaatacaat	ctgactgggg	tcctttttaag	aagaggaaat	gtagacacac	aaggagacac	81960
cagggggcgc	aaacagaaga	aagaccatat	ggggacacag	ggaggagggtg	gccaaactgca	82020
agccaaggac	agaggcctca	gatggaacca	ccttgcagat	actaatctcg	aacttccagc	82080
tttgagaatc	atgataaaat	acatttctgt	tgttcaagcc	actcagtctc	agtctgtgat	82140
gctttgttat	gtcagctgag	cagacaccac	ttgaatctgg	gctggctaca	aaaccggctt	82200
tggccaacag	agtacagtgg	aggtaaagcc	atgctggctc	tgagcctagg	cctcaagaga	82260
aaatgtggtt	tttgggtctat	ttcttagaac	cctcccaagc	accacatga	acaagtctga	82320
gctagccttt	tggaggatgg	ggacccacat	ggagcagaga	cagccatccc	agtctcagat	82380
acacaactgc	aggcacatga	gaaaacccag	ccaagaaaag	aaccaccacc	cagctgagcc	82440
cagcccacat	tactgaccca	cattaccatg	aactaaataa	aagaatgttt	gtcattttaa	82500
gccactcact	tttggggcat	tttacagcaa	aaactaattg	atgcagtcag	gtaagagctt	82560
gcttatttgc	ccttctgggg	gtcagtcact	ttctcattaa	tccatttccc	ttcctcagtg	82620
tccttctcac	ccaccatcca	gtgtcccag	caccagatgt	ataggcagag	gcaggagagc	82680
tgaagcccc	tggccctgga	aggatgccac	taagagacca	cccaccttag	cagggcactt	82740
gaggtctggg	actcacctga	gcagcttggg	gacagtgaac	ctgaagacat	cactgatgat	82800
gaggctgagg	gtccccagga	ggaaggtaga	atggaacacc	tgccagatgg	ccttcagcag	82860
tgggcgccac	tggctccctt	cttgccgtag	gaagggtcgc	gtctctggag	ccttcatgcc	82920
actgccgcct	ttccttttta	atgctattgc	cttggtgtgc	ctgaggggaa	gggagagatt	82980
agctctgggt	cccattttat	actctcagcc	gccagcggca	gggccaggca	ttaaagggtt	83040
gttttcccaa	cagtggagat	gggtgggtgt	ggatctagcc	tggctccctc	acctgttccct	83100
ccttatcacc	ctgagtaccc	acttaagagg	caatcatggg	agttgggggg	cagggcagga	83160
gggcactctg	aggcctctta	gatggccatg	ggaaagcaca	cctgttgagc	acctactatg	83220
tgccaggcac	tccccagtca	tcctaagacc	ccctgagaag	ccaggtgttg	ttcccatctc	83280
acagatgaga	aaactggggc	tcagagaagc	gaacttgccc	aagggcacac	agctgagaag	83340
taaaagaact	ggaatttgat	tccagctctc	tgcctccaga	gcccattgcac	ttttcttttt	83400
tcttttccct	tttttttttt	tgagacgaag	tcttgctctg	tcgcccaggc	tggagtgcag	83460
tgggtgtgatc	tcagctcacg	gcaacctcca	cttcccagtt	caagtgattg	ttccacctca	83520
gcctctcgag	tagctgggat	tacaggcaag	tgccaccata	cccagctaata	ttttgtattt	83580
tcagtagaga	aggggttatg	ccatgttggc	caggttgggt	ttgaactcct	gacctgaggt	83640
gatctgctcg	ccttggcctc	ccaaagtgtc	gggattacag	atgtgagcca	ccacacctgg	83700
cctctcatgt	acttttcaac	ctatcgtgtt	gtcaacctgg	aggaagaaca	gcaccccgtc	83760
cccaacacac	acaatcatcc	agcccttagg	tggttttgaa	ctggtggaga	atcacggctg	83820
atgggcatgg	ggcctggtgc	tctagctctg	ggtgaaagtg	cagacagaag	ctcaggctgc	83880
ctcaaactaa	taagatcccc	agcctttggc	tataaccagg	ggccacagag	aagagctaag	83940
gtgagggagg	gagaggagga	gatgggggag	gcccaggggc	ccctgtgagg	caggtcagaa	84000
gccctggggc	agaaaggaga	ggctggggcg	atgcagctgc	tgacagtccg	gttgctgtgt	84060
ggctcctgggc	ggggacactg	ctcctctctc	tgtgtgtgag	aggatgggtg	tggctcccctg	84120
ctgagtcccc	tgtggctctg	acaacctata	aggttatcag	taatttcttt	ttctttttct	84180
tttctttttt	tttttttttt	gagacagagt	ttcgctcttg	tcgcccaggc	tggagtgcag	84240
tgtagcaatc	tcggctcacc	gcaacctctg	cctcctgggt	tcaagcaatt	ctcctgcctc	84300
agcctcccaa	gtagctggga	ttacaggcac	acaccaccat	gcctggctaa	tttttgtatt	84360
tttggtagag	acagggtttc	acaacgttag	ccaggctgggt	cttaaactcc	tgacctcagg	84420
tgatccacct	gcctcggcct	cccaaagtgc	tgggattaca	ggtgtgagcc	accatgcccg	84480
gccacttata	agtaatttca	atccccatta	cagatctgtg	acccggggcc	acgtgctggg	84540
atcagctctt	tacacgaagg	agctcactga	ctccccctga	tccccctgcc	aggtgagcat	84600
tattaggttt	tccattttac	agaaggggaa	gctgaggctc	tgagagatgg	cgacagccgc	84660
ccgaggtcac	acagcaaggg	cagagcaggg	atttgagcct	agatcttgat	ttatggtttg	84720
taaagggttt	cttgtgcact	aaggaccccc	aacctcacca	taataaaaata	ataataaaaa	84780
aagaagcata	agaaaaacct	ctggtgagct	caggtggcca	gacccttcaa	ggccaaggctc	84840
tctgtcccac	attattggtc	tgatctgggtg	tttggtttgg	catctatgga	gggttgtggt	84900
tcagctctgt	tactgagtgg	gtgtggcctg	ctgctcacia	atattttggc	atttggatct	84960
caaagccaag	aagatgcccc	ttccatacag	agagcatccc	tgcccaccct	ttcctgtttg	85020
atcctgccat	ttaattcatt	gccttcacag	ccatgtccat	ggctccaacc	ctctctttgt	85080
ctcgttagaa	ccccagggtg	gtagactttg	cctgtgtttt	ccaccaagat	gtccctagta	85140
tagagtccag	ctcctgcaca	cagtaggagc	tcaataaaca	cttgtcaaat	gaatgggaaa	85200
aacagattga	gtgatgtgtg	caaagggcct	aataagagtg	ccccctgcac	atactgttat	85260

aaaaatttat	agaaggaagg	aaggagcttg	gctgggtgga	cagaacttgg	ctttggagcc	85320
aggagactgt	ggttccaatg	cctgctctgt	ctcctctcct	ctgagcctta	gtgtttccat	85380
ctgcaaaatg	gggtcgggga	agagttcact	ggaaagtttt	ctttctggct	gaggttctgc	85440
tcagttctat	ttgagctggt	taacccagag	agtcagtggt	ttcagcctgc	aggctccata	85500
gcaagtgttt	tcctctcctg	caggtctcac	ctcccatcaa	ggaagatgtc	cagattgctg	85560
tctgacgtct	ggtctctgga	ctgaaggcca	tttagtgag	atctcacaaa	tgatggtggg	85620
gcaaggcagg	gggtatgcat	gagtggcatg	ggcaagggtg	gagttggggg	atacaaaagg	85680
gagtgggtgga	ggccgggcac	ggtggctcac	acctgtaatc	ccagcacttt	gggaggccaa	85740
tgccggcgaa	tcacctgagg	tcaggagttc	agggccagtc	tgatagcctg	agcaacatgg	85800
agaaaccccg	cctctaataa	aaaatacaaa	aattagttaa	gccgactgga	ccagcagggtg	85860
gctgttggtg	ggcctctcag	gaggacgccc	tctcccttcc	cccagtgggt	gcaaaatact	85920
tcagaaagaa	aaccaaagtt	ctctgtgggt	gcagtcgggt	gtttcagaag	ctgacggagc	85980
ctggctcttg	tataacccca	tctttccctt	ttctttctgt	caactgttta	tgaggaggatt	86040
ctcaaactgt	tctggagaat	gtttctaccc	tttagttcta	gtgttgggtg	acctgtaatt	86100
ttcatgttgg	ctggggatgc	caggagttgg	cagaggctcc	ttccagagcc	cctgtggact	86160
ggattctgcc	acttccgtaa	aatcattcaa	aagtagaggg	tgagtcaggt	gcagtagctc	86220
acatctgtaa	tcccagcacc	ttgagaggcc	aaggcaggca	gatcccttga	ggtcaggagt	86280
tcaagatcac	cctggccaac	atggtgagac	cctgtctcta	ctaaaaaaa	tttaaaaatc	86340
agctagatgt	ggtggcacac	gcctgtggtc	ccagctactc	agaaggctga	ggcaggagaa	86400
ttgcttgaac	ccaggaggtg	gaggttgag	tgagctgaga	tcataccaca	acccagttaa	86460
gggggtccag	caagccatgc	ctgggggtgag	agagaactga	tgttttgggt	ctctcacact	86520
acttattctg	tttggaaaaa	cacatgccct	tcctttgtgg	gaacagcccc	taccacttcc	86580
tgtggctctg	aagggaccac	cagtcattgg	accagccccc	tgggcatggg	attggccccc	86640
gacaggcaca	tgacttgagc	caggccaatt	agaggccttc	cttgggattt	actatatgga	86700
cgtaggagaa	gagatgctct	cttattctgc	tgaggtttgc	tgaacttgca	tggaaggaga	86760
taggccttat	ggagagacca	acacatagat	aatagttggg	atgggagatg	aaaggagaga	86820
atcctgacat	catttgagtc	ccctgatcca	gcaacacctg	aggctagatc	ctcttagctg	86880
tgtgagccta	tagtatcagt	ctctgtctcc	tctgtctctc	ttaatgtgtg	ggattcagcc	86940
atctgcaaca	actaccacaa	aatcccggag	tatgcaggga	acttcccaca	gagctaactt	87000
ccttttttgt	tctgtctcct	aaaacaccaa	gatccgggtg	ggttaagcaa	cgtgtccaag	87060
gtcatcacta	tttgaaggca	gggcagcatt	taacccaatt	ttatctaata	ctatgcaggc	87120
tcattttatct	agaccagagt	ttctcaaagt	aggcatccca	ggctctaagg	gctgcagaga	87180
agtttccaga	gatgccactg	agggcaggag	tgagcagagt	ggataactcc	aaagatctta	87240
acaccctctg	gatgactaac	agtgttgag	cacttcccat	ttgcaagaca	tttgcaagtt	87300
cttttccata	aatcatcctt	ttttttcatc	cccataagct	atgagctggg	gctaatagca	87360
tccccactga	acagatgaga	aaactgaggg	ccaggaaagg	aattgctcag	gttatatagt	87420
aagtgagcag	ctgcttggtg	gttgagtcac	ctcccaaccc	tccaccccg	ccttaaaata	87480
cctcttctgt	ttgctgcctg	tcattctgcc	atttcccat	ttgtaggaa	ctgtttgttc	87540
ccggtttgta	ggaacctgtg	atgcgttctg	ggaggaaacca	tatcttaagc	ctgatactac	87600
ttagtgggat	cagctggaag	gcaagggtgg	gaggcggcag	tgccgccaga	gtagcgttgg	87660
gggctggact	gggggtcaaa	tgatgaggtt	tttttgtttt	tgtttttgtt	tttgtcttgt	87720
ttgtttgttt	ttttttttga	tacggagtct	ggccctgtca	ctcaggctgg	agtgcaatgg	87780
tgacatctcc	actcactgca	acctctgcct	cctgggttca	aacgattctc	ctgcctcaag	87840
cctcctgagt	agctgggatt	ataggtgcct	accaccacgc	ccagctaatt	tttctatttt	87900
tagcagagat	ggggtttcac	tatgttggcc	agattggtct	tgaactcctg	accttgtgat	87960
ccgcctgcct	cggcctccca	aatgcccggg	attacagtcg	tgagccaccg	caccgcgcca	88020
atgatgagct	tttctgaagt	agcatcaggt	gagttcttga	cctccaccca	cttacctccg	88080
ggctgcactg	cggttcctca	tccactcctt	ttcaagccgg	gaaacaagtt	cttctgagga	88140
gttttctctc	ccaagcgacc	agaggtcttt	tggtctcagt	ggcctcctgt	atccccctca	88200
gaccaggctg	caaaagaggg	gcaccaggga	aagcttttcc	tgccattcac	ccctgcagga	88260
tcctggccag	gcgagtagct	gtgtgacctt	gggtaagtca	ctttacctct	ctgtacctct	88320
actggccccct	gggtaaaaag	aaagcaattc	actaacccca	cctaattgtct	gcagggcatt	88380
tctcgtttca	caaagattgt	ctcattaatt	cttacatgaa	cccataaggt	aggttattat	88440
tgtttgtttg	agatggagtc	ttgttctgtc	tcccaggctg	gagtgcagtg	gtgcaatctc	88500
ggctcactgc	aacctccacc	tcccagggtc	aagcgattct	cccacctcag	cctcctgagt	88560
agctgggatt	acaggcacc	accaccatac	ccggctaatt	tttgtatttt	ttgtagagat	88620
ggagtttcac	catgttggcc	agactgggtc	cgaactcctg	acctcaggtg	atccacctgc	88680
ctcagcctcc	caaagtgtct	ggattacagg	catgagccac	cacaccagc	ctgtaaattg	88740

atagtttata	attgtataaa	tgtatgagta	tattattata	gatctatttt	acagatgggg	88800
aaggaaatag	aagtgcagag	agattcagtg	gctaaaccaa	gggatagccc	ttggcaaggg	88860
aaacagacat	ttccctggga	atcagaagtc	cgttgaccaa	aactatcatt	gtagaagaag	88920
cttgaactcc	tccctcagct	tttttttttt	aattattatt	attttttttg	agatggagtc	88980
tcactctgtt	gcctaggctg	gagtgcactg	atgtgatctg	ggctcactgc	aacctccgcc	89040
tccctggctc	aagcgattct	cacgcctcag	ccttctgagt	agttgaaatt	acaagccacc	89100
atcacacctg	gctaattttt	gtgttttttg	atgggtgtatc	accatgctgg	ccaggctggt	89160
ctcgacctac	tggcctcaag	caatcctccc	acctcagcct	cccaaagtgc	taggactaca	89220
ggcgtaagcc	accacacctg	gctaattttt	ttgttttatag	tagagatggg	atttcgccat	89280
gttggccagg	ctggtctcga	actcccggcc	tcaagtgatc	tgtcagggtt	ggccttccaa	89340
agtgttgga	ttatgggtgt	gagccactgt	gcctggcctc	aggtctcttt	aatctttctg	89400
atgacaccag	ccagaaggtc	ttgcctgggt	ctggtctctg	actcttctct	aagccttacc	89460
aagttccctt	ttctttttta	tttttattct	ttttattttt	ttgagatgga	atctcactct	89520
gttgctcagg	ctggagtgc	ctggtgtgat	ctcggctcac	cgcaacctcc	acctcctggg	89580
ttcaagtgat	tctcctgcct	cagcctcctg	agtgactggg	attgcaggct	cccaccacca	89640
cacctggcta	attttttatat	tttttagtaga	gatgggggtt	caccatgttg	gtcaggctgg	89700
tctcgaaatc	ctgacctcag	gtgatccacc	tgcctcagcc	tccaagggtg	ttgggattat	89760
aggcgtgagc	cactgcgcca	ggccaccaag	ttcccttttc	taatgcagag	ccaacttggg	89820
gaagcaaccg	ttctgacata	gaaattatta	acgtggcctt	attttccctg	aaattatttt	89880
tggagttctc	ctatatggca	agtgatgcta	tagatttttc	ctattttagc	agtgatagag	89940
agtttctttt	taaaaacagt	ttattcgagt	aaaaaaagt	actcaattta	gtttttgccc	90000
cagtaggaca	aaaaagcatc	aagagtggtc	cataaatgct	taagtttggg	aagcaggggc	90060
tggaccccc	agtagagctg	tttcgaaaac	ctctaagctc	tttctaccag	ttccacacat	90120
tcaaagcctg	atattttttca	tttatttaat	agccatttag	gccgggtgcg	gtggcttatg	90180
cctgtaatcc	cagcactttg	ggaggtcgag	tggggtagat	cacttgaggt	caggagtttg	90240
agaccagctt	ggccaacgtg	gtgaaacccg	gtctctacaa	aaaactacaa	aaattagctg	90300
ggcatgatgg	caggcgccctg	taatcccagc	tgctcgggag	gctgaggcag	gagaattgct	90360
tgaacctggg	aggtggaggt	tgcagtgagc	tgagattgtg	ccattgcact	gcagcctggg	90420
caacaagagt	gaaactctgt	ctcaaaaaaa	aaaagagaaa	atgaatagcc	caggcacagt	90480
gggtcacacc	tgtaatccca	gcactttggg	aagccgaggc	gggcagatca	cctgaggtcg	90540
ggagtttcag	atcagcctga	ccaacatgga	gaaacactgt	ctctactaaa	aatacaaaat	90600
tagccgagca	tagtggtgca	tgcctgtaat	ctcagctact	cgggaggctg	aggcaggaga	90660
atcgcttgaa	cccaggaggc	ggaggttgca	gtgagccaag	atagtgccat	tgtactccag	90720
cctgggcaac	aagaacggaa	ctccatctca	aaagaaaaaa	aaataattac	cacttaaact	90780
cattattttg	caggccctgt	tctaagtgtc	ttacagatct	catcttattt	aagcttcaca	90840
accctatgag	ctaagtgtca	ctatcaatcc	cattttgaag	gagtggagac	tgaggcacag	90900
agaggttaag	taactgtcca	aagcaacaca	gctaggaagt	ggtagggcca	ggattcaa	90960
ccatatgtca	ggtgctactg	aggtctgaat	gccgtgtggt	taggagagag	cacatcctca	91020
agtgccttgt	gagctggccc	tggagaagca	gctgttttct	caatctgcct	ggaaccctct	91080
agaaagtaga	cacttgctcc	tttatctcct	caccctggg	gcttagcaca	tagtaggtgc	91140
ctattaaatg	ttggtggaat	gactgaaatc	aagtattgga	gacaattcta	attactatta	91200
agcaccgcgt	gtgtgcaagc	actaagcact	ttccgtctca	tgcagggtga	gtcatcccca	91260
ttttacagag	ggaaaactga	gactccggag	gtttgcgaca	tggcctgcta	acaggcagag	91320
ccgggattca	aatcaagatc	tactcctcag	gagtgaatgg	gaacaggatg	cagatggtag	91380
acactgaaca	cgaagaagaa	agcactgagg	ctgggatgga	gaaagacttg	ctggcctttg	91440
taagcacagg	ggaagggcca	tggctgggaa	tcagagcagc	aaatgcaggc	gggtgaggca	91500
ccacccaac	ccttccgtgc	gactttactt	acccagaaac	ccaccagaac	gtggcttttg	91560
aggggaaggc	tgccccagtc	tctggacagg	ggttctgcaa	cagacaaaaa	tggagaaggg	91620
aagtatgtgg	caagggtagg	aagacaggac	gaactgtgta	tttttttttt	tttcgagaca	91680
ggttttcgct	ctgttgccca	ggccagagta	cagcgggtgtg	atcttggctc	actactacct	91740
ctgcctcctg	ggttcaagcg	attctcctgc	ctcagccttc	caaagagctg	ggatgacagg	91800
tgtgcgccac	cacacacagc	taattttttg	tgttttttagt	agagacaggg	tttcaccatg	91860
ttggccaggc	tggctctcaa	ctcctaacct	caagtgatct	gcctatctcg	gcctcccaaa	91920
gtgctgggat	tacaggcatg	agccactaca	cccagccctg	acgggtgtatt	tagtactgaa	91980
agtaaacatc	gaggtgcctt	gtctccttgc	caggggtgta	gaccagtgag	cttgggtgctt	92040
cccagcaggc	agcgtaaaaa	gaggttgggc	cacaggcctg	acaatgtcca	caaggtaaga	92100
aataacagtg	gctcagaaga	acaactatga	ttatactgaa	accaaaacct	tgctttgctt	92160
ctcaaaagga	aggacactgc	ataacgaaga	aattagatcc	ttgacaatat	ccctcggcaa	92220

atgttgtgaa	gacagacctg	tcgtgcgatt	tttgtcaggt	gctccaggaa	gattacaaca	92280
gtctgtactc	tttaccaata	aggcgtgaag	gtgcccattt	caccacgttt	ttgccatcac	92340
agcttattaa	tttttaaatt	ttgttgctac	tctggtaggt	acaaaaaaga	ttcctatgat	92400
agttttaact	attctcaagc	cttcgagcaa	tttttttttt	tttttttttt	tgaatacagg	92460
gtctcgtctc	gtcaccacag	ctggagtgca	atgggtgcaat	catagctcac	tgcagccttt	92520
atctcttgga	ttcaagcaat	cctcctgctt	tagtctccac	agagctactc	tgtagtggga	92580
ctacaggcat	gcaccaccac	actaggctat	ttttaaaaac	ctttttgtag	agatgggggtc	92640
tcactacatt	gcctagtctg	atctagaaca	cctgggcaca	aacaatcctc	cttcctcggt	92700
ctcccaaagt	gttgagatta	caggcatgat	ccactgcac	tggcccccatt	tgaacatctg	92760
tttatatgat	gtcagatcag	tctcttccac	aaaagaattg	tttcttgatt	tcacagactg	92820
cttcactggt	acctattgta	aatctctcaa	tctctcatga	gcttcttcta	tggagcactt	92880
accccaaggg	taattttctt	tttccttctt	tttttttttt	tttttttttg	tggagtcccg	92940
ctcttggtgc	ccaggctgga	gtgcaaattg	acagtcttgg	ctccctgcaa	cctccacatc	93000
ccggattcaa	gcaattctcc	tgcctcagcc	tcccagtag	ctgggattac	aggcgtgcac	93060
caccatgcct	ggctaatttt	tgtaatttta	gaagagatga	ggctttacca	tgttggccag	93120
gctggctttg	aactctcgac	ctcaagtgat	ccacctgcct	tggcctccca	aagtgttggg	93180
attacaggca	tgagccactg	tgaccatcca	attttcaaca	tatttgttta	attttgtgac	93240
cagtgtctgg	ttccctgct	tgaccagtag	ctacgtgaga	acagaaactc	tatctgcttg	93300
ttcaccatag	atccttatgc	ccttgctagg	gcatagcggg	gtttggcaaa	ctatgaccaa	93360
atctggccca	ctgcctgttt	ctgcaaatag	tgttattgca	acacagccat	gcaatttggt	93420
gacatattct	gcttttgctg	tcaatggcag	agttgagtaa	ttgccactga	gatcactgta	93480
tggctcacag	agtccaaaat	attttctctt	ggcccatata	gaaaaagtct	gccaactgtg	93540
gcatcgagta	gaaatgtggg	acactttttg	ctgaatggct	aaatgaataa	aaaaatttaa	93600
gacttttggt	cacctggggg	agactgagac	ctcaaagtgg	aacaggaatg	aggttggaac	93660
ttgggtgactt	acagactgct	gggggtcttc	agggaagaag	gggggttgat	ccgccaggca	93720
ggacagcaca	aactgtgcca	ccaccagaga	caggcatagg	taggtggaca	ggtggcggac	93780
agggtcgtct	tggagccct	gtgggaggga	aagcagaaga	taaggaatgg	agacagagga	93840
gggtgctcag	aggagagaaa	aggtttctga	tcttgggtca	gtgcccactc	tggggaccag	93900
ggcaagagta	tttgaaagcc	agagccctgg	ctttcctagt	ggttctaatt	ttctttcttt	93960
cttttttttt	taagacaaag	tctcacttgg	tgcgccaggc	tgaagtgcag	tggcatgac	94020
tgggtccct	gcaacctctg	cctcctgggt	tcaagtgatt	ctcctgcttc	tgccctctta	94080
gtagttggga	ttacaggtgc	ccaccaccat	gcctggctaa	ctttttttaa	atatttttag	94140
tagagatggg	gttttgccat	gttggttagg	ctgacctcaa	actgctgacc	taaagtgatc	94200
tgccctgcct	ggcctcccaa	agtgttggga	ttacaggcat	gagccaccat	gcccagcagg	94260
tcctaatttt	caaataccca	atttataata	ttctgtctat	acaaatgggt	ggccagggct	94320
gcgtctgggt	tttgtcctta	gccacatgat	gattggccac	agctgctggg	acaatgagat	94380
gaagaaacaa	tttaccttct	tctttgtgcc	acaaaagaaa	tcctttctcc	gttccaccct	94440
ctaccccaat	cttcaaccct	gctccccctt	ggccaggggt	ctctgggttg	cagagatgag	94500
agctgggttt	attgagcact	gaccctgccc	tgagcacatg	cggcattctt	gccatacaca	94560
gtctcatcag	ctggagttta	cttgcttcct	ttgactcagg	gggaaaccaa	ggctcagaga	94620
agtgcagca	ccttgttcaa	ggacacgcag	atgatctggg	ccaaattgtg	atgctcctgc	94680
tgccacacca	caatgatatt	tgcactctgt	gccctgtcat	ctgggtcagaa	acacccta	94740
tttctttctt	tttttaattt	aaagcatttt	ttatttttta	attttaggtg	tgtgtgtgtg	94800
tgtgtgtgtg	tgtgtgtgtg	tgtatacttt	tttttttttt	gagacggagt	cttgctttgt	94860
caccagggct	gatgtgcagt	ggcatgatct	tggctcactg	caccctccgc	ctcctgggtt	94920
caagcgattc	tcctgcctta	gcctcctgag	tagctgggat	tacaggcatg	tgccacgacc	94980
cctggcta	ttttgtattt	ttagtagaga	tggagtttta	ccatgtaggc	caggctgggtc	95040
ttgaactcct	gacctcaggt	gatccgcctg	ccttggcctc	ccaaagtgct	gggattacag	95100
gcatgagcca	ccgcgcccgg	cctgatatat	atatttctgg	atgacgtgag	atattttgat	95160
acaggcatgc	aatgcataat	aatcacatca	aggtaaata	ggtctccatc	cccgaatca	95220
tttatccttt	ctgttacaaa	tgatccattc	tactcttgta	gttattttat	tttttagttt	95280
attattgagt	tggagtctca	ctctgttgcc	caggctggag	tgcagtggct	tgattttggc	95340
tcactgcaac	ctccgtctcc	tggattcaag	tgattctcct	gccttagcct	cctgagtatc	95400
tgagattaca	gatgtgtgcc	agcacgcctg	gctacttttt	ttgtattttt	agtagagaca	95460
gggtttcacc	atgttgccca	tgctggctct	gaactcctga	cctcagatga	tcctcctgcc	95520
ttggcctccc	aaagtgctgg	aattacaggt	gtgagccact	gtgtccagcc	tcttttagtt	95580
attttaaaat	gtacaattaa	attattattg	actatagtca	ccctgttgtg	ctatcaaata	95640
gatattattc	tttctgtttt	tttgtaccca	ttaaccatcc	ccatttcccc	caccactgt	95700

ccttcctagc	ctctagtaac	cttccatcta	ctctatatgt	tcatgagtta	cattgtttta	95760
atTTTTtagct	ttcacaaata	agtgagaata	tgtaaagttt	gtctttctgt	gcctggctta	95820
tttcaacttaa	catccatggt	gttgaaaatg	acagtacctc	attctttttt	atggctgcat	95880
agtacttcat	tgtgtatata	taccacattt	tctttatcag	ttcgtctgtt	gatggacact	95940
taggttgctt	ccaaatcttg	tttattgtga	acagtgtgt	aataatcatg	ggagtgcaga	96000
gatctcttcc	atgtactgat	tttctttctt	cctaagtttt	ttgcttgtgt	tgggctgtgt	96060
gatttgtgca	gaactgactc	tactccgagg	ctgggtgggt	gaatgaggcc	tggccaacga	96120
atacgttctg	gtcttttggc	taccatggca	gggttaggaa	tgcacatagc	accccatgct	96180
gggtacttga	gagctggaac	catcgggaga	ttctgctggc	tttgctacat	gctagaatgt	96240
aagtgtgaag	gtattgggtg	ctcttcttgc	cactccattg	gagaatcaag	ctaacatggc	96300
agagccaaga	ggcagaagtg	gagatctggt	gatggtacct	ggtcccaggc	ctggatcagt	96360
catgcctggg	agatcccatg	ggtatgagct	aataaatgca	tgagctaattg	aacccccctg	96420
acttaccctt	ttcattaagc	tagtgtgaac	tgaggtttta	tggcttttaa	ccagagccct	96480
agttttaaat	catgattcct	ctactggatt	ttatactctt	ctagttttgg	gtttttgttt	96540
gtttgtttgt	tttttggcag	atagcagaca	attggatatt	ccaatgacaa	tatggcccat	96600
cttccctaaa	ctcccactgt	tttccccact	gtttctctca	gaaagtttgt	tctgaatttg	96660
cctgagatga	actcgggctc	tgcactccca	agctttgtgg	ccctgaggcc	gtcattccct	96720
tctcctagcc	ttagtctccc	tcatctttaa	aatgggacgg	ctagaattca	tcattggctg	96780
gggcacattg	gctcaagcct	gtaatcccag	cactttggga	ggcttaggtg	gaaagatcgc	96840
ttgagcccag	gagtttgaga	ccagccttgg	gaacataatg	agactttgtt	tctatttcta	96900
tttaaaaaaa	taaagaaccc	atcactgtga	actcttgtga	gaatccagt	aggagacgtg	96960
tgtaagtgcc	tgccacagt	cctggcacat	ggttggaacc	ccagaatgta	tatgggtcca	97020
gtattattgt	ttctatgctg	tgtcccaaaa	agctgactta	tgtcaactgt	gggagcccac	97080
catttcagaa	attactgaat	aacctgtgga	atttccccct	agttacaaag	gttactcttt	97140
taaaaactct	gtcctcggtc	aggcgctgtg	gctcacgcct	gtaatcccag	cactttggga	97200
ggccgaggcg	ggtgagtcac	ttgaggtcag	gcatttgaga	tgagcctggc	caacatattg	97260
aaaccttgtc	tctactaaaa	atacaaaaat	tagctgggca	tgggtggcaca	tgcctgtaat	97320
cccagctact	tgggaggctg	aggtatggga	atcgattgaa	cccggagggtg	gaggttgtag	97380
tgagccaaga	tcggtgccact	gcactccagc	ctgggcaata	gagcaagact	ctgtctcaga	97440
atgaacaaac	aaaaaataaa	aactctgtcc	ttaaggacag	ggtgatgctt	ctctaccttc	97500
tcctttaggg	gcaggatgga	gtaaccactg	gactgaagaa	atgatctgtg	agtccagacg	97560
tgggtggctca	tgcctctaata	cccagcattt	taggaggctg	aggtcagaga	attgctcgag	97620
ccgaggagtt	caagatcagc	ctgggcaaca	aagcatgatg	ttgtctccac	aaaaataaaa	97680
taatgaagta	aaatatctga	aacctgctgc	agcctgttca	ttgggtgttaa	gataactccc	97740
tctcccagaa	gccttggcta	agcacactgt	tgaggccagt	gcttctcaat	aggtgggtga	97800
ctttgtcctc	ctcaccccca	gggacacttg	gtaatatctg	gagacatttt	gggttactgc	97860
aattggatgg	tatgctactg	gcacctatgg	gcagaagcca	gggatgctgt	ttcacaccct	97920
gcagcaaaca	agacagccct	gtccacccaa	caaagaattg	tctggccaca	acattactaa	97980
agctgaggct	gaggggaagt	ggtctaggct	acatgttttt	ctctttacag	agaaaatgac	98040
ccatcatgtc	tcctaataga	gaaacgctgc	ttccggccga	atgacaagag	ctcacgcctg	98100
taatcccgac	actttgggag	gccaaggcag	gtggatcact	tgaggtcagg	agctcgagac	98160
cagcctggcc	aacatggtga	aacctcgtct	ctactaaaaa	tacaaaaatt	tttagtagaa	98220
atttagtaga	aatttttagt	agaaatttag	tagaaattta	gaataagcca	ggtgtagtgg	98280
cacacacctg	taatcccagc	tacacaggaa	gcagaggcag	gagaagtgt	tgaacccgag	98340
aggcagaaat	tgcagtgagc	tgagatcatg	ccacttcatt	ccagtctggg	cgacagagca	98400
agcctctcaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaagc	tgcttcccag	attgggcaac	98460
agaaatacga	gtggtgtgca	gaatgagtgt	gtaaatatag	gtgcatagga	acatggggag	98520
ggtgaatcca	tgacatgagg	ggaggtgtgc	acggagggggt	atgtgtgcac	acaggtgtgt	98580
ctgtgcccag	gttgtgtgtg	tgtgctgtgc	tgcattgtact	tgtgctgtgt	atgaatcagt	98640
gcctataagt	gtgtgcatcg	tgtgcaagt	gcacgtgtga	tgtgggcctg	taagacagga	98700
aattgtgttg	ataagaaatg	tatgggatga	tgggtactga	caggtgcggg	agtggatttt	98760
gtgtctctag	agtgtgaagt	actggcttgt	gtgtgtcact	gtatagagaa	taagtgttat	98820
gtggaaacag	gaggagaaag	gaagggaacc	aaggcatgag	ccaccatttt	ggtttcccag	98880
ggtggcccac	gccccgactt	accgctccgg	aggcctgctg	ggcagcgttg	gtagctggca	98940
agacaaagca	gagaagccag	taaccaaaaca	gcactccaga	tgactggact	ccctttttcc	99000
tctcgggtgtg	aatcaggaac	actgcgaagc	tctggacggg	aaagtcaggg	aggcccccta	99060
ggggagggtg	ggaggctgag	gggagcctct	tctcttcccc	ttgttctcca	ctgtggcagg	99120
caaagcagca	gctgggagga	agccgggctc	cagactgaag	gcatcattac	catcgtgggtg	99180

agccacacag	taggatgaat	gaggaattct	ggggcctcag	gcgttccttg	ttggattttc	99240
caaagagcga	cagccacgct	ggaggtacac	aggactatga	gggcgaatcc	aagcacctga	99300
ggatacaggc	ttagataagc	ttggggggca	ataagagagg	tcacagcaaa	ctggtaggcg	99360
gccccatgtc	caactgggag	ctggttctgc	aacatcctgg	ctgatactga	gtataaccagg	99420
gtcaccagct	agcaacgtgc	caatgtgaac	aatgtgtaaa	gggcattgca	gatcactcct	99480
gacctgtaac	tgtcatataa	ataatgcaca	ggaagggctt	gagccaaccg	agtgttttcc	99540
aaaatgcagg	aagtgtctca	atcgtgcaca	tatgagatga	ctttgggtat	ggagaaacag	99600
caggaaatga	aatgtactca	ccaggtaaaa	aactatcctt	tctccaagtc	atttttcaat	99660
ccctgctatg	aaatcaagga	gcaactctct	gttgggccag	taagtctcta	gggtctctct	99720
aatatatatt	ggtttctcta	ttgaataaaa	gaaaggaaga	aaatgagaga	acgtgggcac	99780
accagaggga	aggccagagc	taggttacgt	tggaggaact	gctcaaagaa	cctcagttta	99840
aagcagaagt	tggcaaacta	tcaatcatca	aagaaaaaca	aaaagcatat	gtcatgacag	99900
gtgaaaatta	catgaaatcc	aaatttcagt	gactacaaat	aaagttttat	tgaaacgcag	99960
tcggccgggg	gtggtggctt	acacctgtaa	tcccagcact	ttggcaggcc	aaggcaggca	100020
gatcacctga	ggtcaggagt	tggagaccag	cctggccaac	atggcgaaac	cctgtttcta	100080
ctaaaaatac	aaaaaaatag	cgaggtgtgg	gggtgggcac	ctgtaatccc	agctactcgg	100140
gaagctgagg	caggagaatc	acttgaaccc	aggaggcgga	ggttgcagtg	agccgagatc	100200
gcaccattgc	actccagcct	gggtaacaag	agcaaaaactg	catctcaaaa	aaaaaaaaaca	100260
aacaaaaaag	taacacagtc	atgactattg	tctatggtta	tgactattgc	gttcattctg	100320
gaatggcaga	gttcagtggt	cggaaggaag	attacctggc	tcacaaagtc	tcaaatactg	100380
tgtaccgctt	ggctctttaa	gtttgccaac	ccctgggttg	gtggcggggtg	ataatgtaaa	100440
aattaataca	atggcgagaag	aatgaatgaa	ctctgaagaa	cattcttttg	aagcctacaa	100500
gaatggagta	gaagaggatg	gatgagcaga	aaggctcaca	cttggaatgc	cagtgtttat	100560
ttaacacact	aaggtaaata	catatcacat	ataaaaattg	tcctataata	cagccagtgg	100620
gggaacataa	aaataaatgc	ataacttttt	aaaagggtca	tcctaattgt	gctctaaaat	100680
taccttgtgt	atccaagagt	ctacatggta	tgttttgga	aatgccagg	tatggtagct	100740
ataaactgtc	caggaacatg	ggagtgtatg	cgtatgtttg	cgcattgcgtg	gattttcggg	100800
attacaaaat	ctgtttggga	gaaccgtgtt	ccactgagtt	gacctctgta	gcctttctaa	100860
tattgctctg	tttgattaac	agattccctt	ctacaccccg	ataggaggag	tctactttaa	100920
gacttcacca	ggttccagcc	tgtcccctgc	ctcccccgaa	cattgcctgg	ttccaggctc	100980
ccagggatgg	cagctaccat	cttggccttg	aagagtgggg	acatccacag	gtagcccccg	101040
ccatggtggt	ggatgaagag	gaggtagatg	ggaccaagga	cccagaggta	catggggggg	101100
accagagccc	ctgctgttct	caggaagcac	aggctcagca	ggctgggtgg	ggcagggttc	101160
ggctctgtct	ggttccagac	ctgagggaac	acaaagagga	cccttaggat	ggtacaaggc	101220
aggggtcccc	agctcacctg	cccagggggc	caggcaactt	tttggatctt	taacattttac	101280
acaaaaatgt	accaagtact	ctttggaata	cctactaatt	ctcaattcct	ttcatcctga	101340
cattaaccct	aggtagttgc	aattatattg	atgttcagat	gaagaagctg	aggaccagag	101400
aggttgagta	actttgctga	ctttaccag	ctgaggagtg	gaagggctgg	gatttgaacc	101460
cagggaaactg	ggccatgtgg	tctaggagac	ctgggctcca	taatcattgc	taggcatgga	101520
ctgtcagtta	atccttataa	caactccagg	acgcagacag	tactgtctcc	atttcagaaa	101580
ccagcagact	gaggcaccag	tgggggaact	gcctcccca	gggacacaca	aatgggaagt	101640
ggcaaagctg	actctgaccc	aggcttatct	gaccccaaac	ctcgttcgac	tggtggtctt	101700
gatgtatgat	ttgtttttat	tttttattat	taattaattt	atgtttttaga	gacaggggtct	101760
cactctgttg	cccaggctga	agtggcacia	tcaaagctca	acaaagcttc	gaatttcctg	101820
ggctcaagca	atcctccac	ctcggcctcc	cagagtgtctg	ggattacagg	cataagcagc	101880
ctcaccaggc	ctggctaatt	tttttttttt	atgttttgta	gagatggggg	tctctctatg	101940
ctggctctga	actcctggtc	tcaagcaatc	ctcctgcctc	agcctcctag	gtactgggat	102000
tacaggcaag	agccaccggc	ccagcttgat	ctgttatatt	catctcagca	ggtctgctgg	102060
tcctatctaa	ccctagaaga	aatttgaagt	ttagtggacg	tggcctcttc	aattctctct	102120
ccgtgtctt	tttactcctc	ctggtttcac	aactcaccgg	ctgtgcaaac	tttaacctct	102180
ctgtatctca	gtttccttcc	ctgtaaaagg	gggaaaacga	gactctacct	ctatgagttg	102240
tattaaatgg	attaatagca	gcaaagttca	tagcagcatg	gcacaagggt	gggcacaagg	102300
ctaggcacag	agaaagccct	cagttcattg	ccagtttatt	gcttcaactc	cctggccctc	102360
gaaatgctgg	cagtttgcaa	ccccacccc	cactccatga	actccactcc	ctggagtcct	102420
ttgctaagag	caatggaaaa	agaaaccaga	gaggtaaagg	ctctccgggg	gtaggagggc	102480
ttggggggacc	cactagcttt	atgcaaagaa	gagtcaaagc	ccctagtagc	tgggaggtct	102540
ggtggccctt	taaatagagc	tgggctctcg	gctgctggct	tggtgaaaga	aatccaaccc	102600
gctgcagtga	gggggcccga	gtaagtctcc	tcgcttcccc	ggtccaggaa	tttgggggtc	102660

tctcctctcc	ccagtatcgc	agccccgagag	atctgcagcc	aaaccaagcc	tggaaaagga	102720
gagtggggcg	cgatgggggg	cactcacccc	ctgccccgcg	cagggctcag	caggcgcggc	102780
catcggcgcc	ttctgtcgtc	gtgggtccca	gcgtctgtct	gtcgctaagt	ctctgggcag	102840
actgctcggc	cgcgatcctg	ccggagaaga	ggcggggctg	ggctggtcgg	gctgggctgg	102900
tccggctggg	attcgagctc	cgggatcggg	aggccccggg	caaggtccag	ctgcgcggcg	102960
ggagtgaggc	cacgggaggt	gaaaacaggc	gaggtggggg	atgggggaag	agaggcgctc	103020
ggggagctgg	gacgggcacc	gggttggggg	gtcccggaac	ccctgaaagt	tcagtgcacac	103080
ctccatagtt	ccctcttccc	cctgcaacaa	gaatcactcc	agacttccta	aacacttttg	103140
accagcaat	ttccaggagt	tcatcctgat	gagagaactg	aaaggtgtgc	acacgttagt	103200
aacaaggagg	cctggtgacc	gcctaagcgt	ccaatcgcg	ggaccaccgg	gtcgaggccg	103260
agaggatgga	gaccgcgtca	caggcacctc	gctgctggaa	tggaggggtg	tggggagAAC	103320
ttagaagatt	atgcaatggg	ctggcagggc	tatacccagc	cgccctggta	agcagaaact	103380
caagaaacct	ctagggctct	gttttctggg	cgtatgatcc	caggagtgcA	catgggcccc	103440
tgggtgtct	gaacagaagg	gcataggagg	gagggccgca	gccctgcagt	cttactctgc	103500
tgggtgtagc	gtcacctgcc	aactcccacc	ccaccctgca	ccgcgggctc	ctgagtcggc	103560
agattaagca	ttttataaat	tctatttttaa	atacgtgttt	taaacttgtc	agatatttgt	103620
cttcatttca	gtccctgcgc	ctctacctct	tgctgtggtc	gcttatttaa	cactgggggg	103680
ctacgttctg	ctaagtccca	gggagagact	gttcctaata	tccgagggag	atattattcc	103740
taatatacag	ctgggtgaac	accacgtgtg	tacagcctct	gatacgattg	gtaatatcca	103800
aggagatat	tatcctaaca	tcccagtggt	tgaacaccat	gtgtgtaaac	gctgtggtat	103860
tattagaaat	atccaaggga	gatattactc	ctaatatcac	agtgggtgta	catcctgtga	103920
tattattcgt	aatatctgaa	ggagatttta	ctcctaatat	cacagtggga	gtacacactg	103980
tgatattatt	tgtaatatcc	gaggagatt	ttactcctaa	tatcacagta	ggtgtacaac	104040
ctgtgatatt	attcataata	tgctagagat	atattactcc	aaatctcatg	gtgggtgtac	104100
actctgtcat	agaattcgtg	atatacctagg	gagttattac	cgctaataatc	acagtgagag	104160
tacaccctgt	gatattattc	atactatcct	agaaagatat	tacttttaat	atcacagagg	104220
gtgtacaccc	tgtgatatta	ttcataatat	tctatgaaga	tataactcct	gatataaccg	104280
taggtgtata	ccctgtgata	ttattttgtta	tatcctaggg	agataactaca	cctaatacca	104340
cagtgggtgt	acaccctgtg	atatgattttg	taataatccta	gggagatata	actcctaata	104400
tcacagaggg	agtacaccct	gtaatatatt	tcataatatc	ctagaaagat	aatactttca	104460
atatcacagt	gggtgtacac	tctgtgataa	tattcgtaat	ttcctaggga	gatactactc	104520
ctaatatcac	cttgagtgtA	cactgcgtga	tattattcgt	aatatcgtag	ggagctattg	104580
cttttaattt	cacagtgggt	gtatacccta	tgatattatt	cataatatct	taagaaggta	104640
gtactcctaa	aatcacagtg	cctgtacaca	ctgtgatatt	attcataata	ttctagggag	104700
atgttactcc	taatctcata	gtgggtgtac	accttgtgat	actatttgta	atgttctaga	104760
aagatattcc	ttttaatatc	acagtgggtg	tacaccctgt	gatattgattc	gaaatattct	104820
agggcgatat	tactcctaata	atcccagtga	atttacacca	tgcgtgtaca	cgctgtgacc	104880
tcccagaaag	atatgactcc	taatatcaca	gtgggggtac	accctgtgct	attatttgta	104940
ataccctatg	gatatacata	tatcacaaatg	aacgtacacc	attgtgtaca	tgctgtgata	105000
ttattttgtaa	tattttttggg	tgatattacc	cctaattgtca	cagtgcgtgt	acatcttttg	105060
atattatttg	taatattctg	tggagatatt	gcccctaata	tcacagtggg	tgtatactct	105120
ttgatactat	tcgtaacatc	ctggaagata	ttatccatat	tgtcacgggtg	ggtgtacacc	105180
ctgtgatatt	attcgttata	ttctggggat	atactattac	ccctaataata	ctgtgggtgt	105240
acccctgtg	atattattca	ctatatcttg	gagatataat	attaccctca	atatcacagt	105300
gggtgtatac	tttgtgatat	tattcattat	atcctgaaga	gatattattt	cctttaatat	105360
cacagtgcac	gtacaccttg	tgatattatt	tgttatatcc	tggggagata	ctactatatt	105420
actcctagta	tcacagtggc	tgtacgcctt	gtgatactat	tcattataatc	ctggggagat	105480
attattactc	ctaatatcac	agtaagtgtA	taccctgtga	tattattcat	aatatcctgg	105540
gagatattac	ccatattgtc	acagtgggtg	tacatcctgt	aatattattt	gtaatatcct	105600
ggggagatat	tattactcct	aatagcacag	tgggtgtaca	ccctgtgata	ttattgggtta	105660
tatcctgggg	aggtattatt	attcctaata	tcacagtggg	tgaacattct	gtaatatatt	105720
tcattataatt	ttggggagat	attaattcct	ctaatatcac	agtgggtgta	caccctgtga	105780
tattattcat	tatatcctgg	gaagatatta	atccctctaa	tatcacagtg	ggtgtacacc	105840
ctgtaatat	attcattata	tcctgggaag	atattatttc	ctctaataatc	acagtgggtg	105900
tacaccctgt	gatattattt	gttgtatcct	ggggagatat	tattatgtct	catatcacia	105960
tgggtgaaca	ccctgtgata	gtattcgtta	tattttgggga	agatgttatt	acccttaata	106020
tcacagtggg	gtacactctg	tgatattatt	cattatgtag	tggggagata	gtattaccca	106080
taatatacaca	gtggatgtac	accctgtcat	attatttggt	atataccttga	gaaatattat	106140

```

tattcctctt atcacagtgg gtgtacaccc tgtgatatta ttcgttacat cctagggaga 106200
tattggtacc cataatatca cagtggatgt acaccctgtc atattattcg ttatatcctt 106260
gagagatggt actaccocta atatcacagt ggggtgtatac cctgtgatat tattcatcaa 106320
atcttctgga gatattatta cccataatat cacagtgtgt gtaccactg tgacagtatt 106380
gattatatct tggggcgata ttactcttaa tttcacagtg gctgtatccc tgtgtttaca 106440
ccctgtgatg ttattcataa tatttttaggg agatattact cctaatatca cagtcagtgt 106500
ataccatggt tgtacaccct atgatattat ttgtaattat ttagggagat attactccta 106560
atatcggtgt ggggtgtacag catgttttga aacactgtga tattattcat aatatctgag 106620
agagatatta ctgccaatat cacagtgggt gtacaccctg tacaccgtgt gatacgattc 106680
ataatatccg agggagatat tactcccagt atcacagtgg gtttacaccc tgtgggtatta 106740
ttcataatat tcgagggaga tattactctc aatatcacag tggatgtaca ccctgtgata 106800
ttatttgcaa tatccgaggg aaacattact gctaatatca cagtgggagt acaccctgtg 106860
atattatttg ttttatcctg gagacatatt attcctatta tcacagtgggt tgtacaccct 106920
gtgatattct tcgctatatt catggaagat gttattacc ctaatatcac agttgggtga 106980
caccctgtga tattattcgt tatatcctgg ggagatattg ttaccctag tatcacagt 107040
gggtgtacgc ctgtcatatt atccattaca tcatgggaag atattattac atctaatac 107100
actgtgggtg tacaccctgt gatattattt attatattc ggtgagatgt tattactgct 107160
aatatcacag ggtgtgtcaa attttctgga gatattatta cccttaatat cacagtgggt 107220
gtgcaccctg tgtgtacact ctgtaattat atttgtaata ttttagggag atattactac 107280
taatatacaca gtgggtgtac accctgagga gatattactt cctctgatat cacagtgggt 107340
gtacaccctc tcatattatt cgttatgtgc taagtagata ttattacccc taatatcaca 107400
gtgggtgtac accctgtgat gttattcctt atatcccaag aagatattat tataactaat 107460
atcacagtgg gtgtacaccc tatgatatta tctgttatat actgggggga tattatttgt 107520
aatatttttag ggagatacta ctccataatat catagtgggt gtactcatat ttacagata 107580
tattactttt aatatcacag tgggtgtaca ccctgtgtgt acaccctgta atattattag 107640
taatatttta gggagatatt actcctaata tcatagtggg tgtacaccat gtttgtaaac 107700
cctaggatat tattcataat atccgagggg gatattactc ccaatatcac ggtgggttta 107760
caccctatga tattatttgt aatatctgag gcagggtatta ctctccatat cacagtgagt 107820

```

<210> 2

<211> 4512

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(4512)

<223> cDNA for human MRP6 protein

<400> 2

```

atg gcc gcg cct gct gag ccc tgc gcg ggg cag ggg gtc tgg aac cag 48
Met Ala Ala Pro Ala Glu Pro Cys Ala Gly Gln Gly Val Trp Asn Gln
1 5 10 15

```

```

aca gag cct gaa cct gcc gcc acc agc ctg ctg agc ctg tgc ttc ctg 96
Thr Glu Pro Glu Pro Ala Ala Thr Ser Leu Leu Ser Leu Cys Phe Leu
20 25 30

```

```

aga aca gca ggg gtc tgg gta ccc ccc atg tac ctc tgg gtc ctt ggt 144
Arg Thr Ala Gly Val Trp Val Pro Pro Met Tyr Leu Trp Val Leu Gly
35 40 45

```

```

ccc atc tac ctc ctc ttc atc cac cac cat ggc cgg ggc tac ctg tgg 192
Pro Ile Tyr Leu Leu Phe Ile His His His Gly Arg Gly Tyr Leu Trp
50 55 60

```

```

atg tcc cca ctc ttc aaa gcc aag atg gtg ctt gga ttc gcc ctc ata 240
Met Ser Pro Leu Phe Lys Ala Lys Met Val Leu Gly Phe Ala Leu Ile

```

65						70						75						80	
gtc	ctg	tgt	acc	tcc	agc	gtg	gct	gtc	gct	ctt	tgg	aaa	atc	caa	cag				288
Val	Leu	Cys	Thr	Ser	Ser	Val	Ala	Val	Ala	Leu	Trp	Lys	Ile	Gln	Gln				
				85					90					95					
gga	acg	cct	gag	gcc	cca	gaa	ttc	ctc	att	cat	cct	act	gtg	tgg	ctc				336
Gly	Thr	Pro	Glu	Ala	Pro	Glu	Phe	Leu	Ile	His	Pro	Thr	Val	Trp	Leu				
			100					105					110						
acc	acg	atg	agc	ttc	gca	gtg	ttc	ctg	att	cac	acc	gag	agg	aaa	aag				384
Thr	Thr	Met	Ser	Phe	Ala	Val	Phe	Leu	Ile	His	Thr	Glu	Arg	Lys	Lys				
		115					120					125							
gga	gtc	cag	tca	tct	gga	gtg	ctg	ttt	ggt	tac	tgg	ctt	ctc	tgc	ttt				432
Gly	Val	Gln	Ser	Ser	Gly	Val	Leu	Phe	Gly	Tyr	Trp	Leu	Leu	Cys	Phe				
	130					135					140								
gtc	ttg	cca	gct	acc	aac	gct	gcc	cag	cag	gcc	tcc	gga	gcg	ggc	ttc				480
Val	Leu	Pro	Ala	Thr	Asn	Ala	Ala	Gln	Gln	Ala	Ser	Gly	Ala	Gly	Phe				
145					150					155					160				
cag	agc	gac	cct	gtc	cgc	cac	ctg	tcc	acc	tac	cta	tgc	ctg	tct	ctg				528
Gln	Ser	Asp	Pro	Val	Arg	His	Leu	Ser	Thr	Tyr	Leu	Cys	Leu	Ser	Leu				
				165					170					175					
gtg	gtg	gca	cag	ttt	gtg	ctg	tcc	tgc	ctg	gcg	gat	caa	ccc	ccc	ttc				576
Val	Val	Ala	Gln	Phe	Val	Leu	Ser	Cys	Leu	Ala	Asp	Gln	Pro	Pro	Phe				
			180					185					190						
ttc	cct	gaa	gac	ccc	cag	cag	tct	aac	ccc	tgt	cca	gag	act	ggg	gca				624
Phe	Pro	Glu	Asp	Pro	Gln	Gln	Ser	Asn	Pro	Cys	Pro	Glu	Thr	Gly	Ala				
		195					200					205							
gcc	ttc	ccc	tcc	aaa	gcc	acg	ttc	tgg	tgg	gtt	tct	ggc	ctg	gtc	tgg				672
Ala	Phe	Pro	Ser	Lys	Ala	Thr	Phe	Trp	Trp	Val	Ser	Gly	Leu	Val	Trp				
	210					215					220								
agg	gga	tac	agg	agg	cca	ctg	aga	cca	aaa	gac	ctc	tgg	tcg	ctt	ggg				720
Arg	Gly	Tyr	Arg	Arg	Pro	Leu	Arg	Pro	Lys	Asp	Leu	Trp	Ser	Leu	Gly				
225					230					235					240				
aga	gaa	aac	tcc	tca	gaa	gaa	ctt	gtt	tcc	cgg	ctt	gaa	aag	gag	tgg				768
Arg	Glu	Asn	Ser	Ser	Glu	Glu	Leu	Val	Ser	Arg	Leu	Glu	Lys	Glu	Trp				
			245					250						255					
atg	agg	aac	cgc	agt	gca	gcc	cgg	agg	cac	aac	aag	gca	ata	gca	ttt				816
Met	Arg	Asn	Arg	Ser	Ala	Ala	Arg	Arg	His	Asn	Lys	Ala	Ile	Ala	Phe				
			260				265						270						
aaa	agg	aaa	ggc	ggc	agt	ggc	atg	aag	gct	cca	gag	acc	gag	ccc	ttc				864
Lys	Arg	Lys	Gly	Gly	Ser	Gly	Met	Lys	Ala	Pro	Glu	Thr	Glu	Pro	Phe				
		275				280						285							
cta	cgg	caa	gaa	ggg	agc	cag	tgg	cgc	cca	ctg	ctg	aag	gcc	atc	tgg				912
Leu	Arg	Gln	Glu	Gly	Ser	Gln	Trp	Arg	Pro	Leu	Leu	Lys	Ala	Ile	Trp				
	290					295					300								

cag	gtg	ttc	cat	tct	acc	ttc	ctc	ctg	ggg	acc	ctc	agc	ctc	atc	atc	960
Gln	Val	Phe	His	Ser	Thr	Phe	Leu	Leu	Gly	Thr	Leu	Ser	Leu	Ile	Ile	
305					310				315					320		
agt	gat	gtc	ttc	agg	ttc	act	gtc	ccc	aag	ctg	ctc	agc	ctt	ttc	ctg	1008
Ser	Asp	Val	Phe	Arg	Phe	Thr	Val	Pro	Lys	Leu	Leu	Ser	Leu	Phe	Leu	
				325					330					335		
gag	ttt	att	ggt	gat	ccc	aag	cct	cca	gcc	tgg	aag	ggc	tac	ctc	ctc	1056
Glu	Phe	Ile	Gly	Asp	Pro	Lys	Pro	Pro	Ala	Trp	Lys	Gly	Tyr	Leu	Leu	
			340					345					350			
gcc	gtg	ctg	atg	ttc	ctc	tca	gcc	tgc	ctg	caa	acg	ctg	ttt	gag	cag	1104
Ala	Val	Leu	Met	Phe	Leu	Ser	Ala	Cys	Leu	Gln	Thr	Leu	Phe	Glu	Gln	
		355					360					365				
cag	aac	atg	tac	agg	ctc	aag	gtg	ctg	cag	atg	agg	ttg	cgg	tcg	gcc	1152
Gln	Asn	Met	Tyr	Arg	Leu	Lys	Val	Leu	Gln	Met	Arg	Leu	Arg	Ser	Ala	
	370					375					380					
atc	act	ggc	ctg	gtg	tac	aga	aag	gtc	ctg	gct	ctg	tcc	agc	ggc	tcc	1200
Ile	Thr	Gly	Leu	Val	Tyr	Arg	Lys	Val	Leu	Ala	Leu	Ser	Ser	Gly	Ser	
385					390					395				400		
aga	aag	gcc	agt	gcg	gtg	ggt	gat	gtg	gtc	aat	ctg	gtg	tcc	gtg	gac	1248
Arg	Lys	Ala	Ser	Ala	Val	Gly	Asp	Val	Val	Asn	Leu	Val	Ser	Val	Asp	
				405					410					415		
gtg	cag	cgg	ctg	acc	gag	agc	gtc	ctc	tac	ctc	aac	ggg	ctg	tgg	ctg	1296
Val	Gln	Arg	Leu	Thr	Glu	Ser	Val	Leu	Tyr	Leu	Asn	Gly	Leu	Trp	Leu	
			420					425					430			
cct	ctc	gtc	tgg	atc	gtg	gtc	tgc	ttc	gtc	tat	ctc	tgg	cag	ctc	ctg	1344
Pro	Leu	Val	Trp	Ile	Val	Val	Cys	Phe	Val	Tyr	Leu	Trp	Gln	Leu	Leu	
		435					440					445				
ggg	ccc	tcc	gcc	ctc	act	gcc	atc	gct	gtc	ttc	ctg	agc	ctc	ctc	cct	1392
Gly	Pro	Ser	Ala	Leu	Thr	Ala	Ile	Ala	Val	Phe	Leu	Ser	Leu	Leu	Pro	
	450					455					460					
ctg	aat	ttc	ttc	atc	tcc	aag	aaa	agg	aac	cac	cat	cag	gag	gag	caa	1440
Leu	Asn	Phe	Phe	Ile	Ser	Lys	Lys	Arg	Asn	His	His	Gln	Glu	Glu	Gln	
465					470					475				480		
atg	agg	cag	aag	gac	tca	cgg	gca	cgg	ctc	acc	agc	tct	atc	ctc	agg	1488
Met	Arg	Gln	Lys	Asp	Ser	Arg	Ala	Arg	Leu	Thr	Ser	Ser	Ile	Leu	Arg	
				485					490					495		
aac	tcg	aag	acc	atc	aag	ttc	cat	ggc	tgg	gag	gga	gcc	ttt	ctg	gac	1536
Asn	Ser	Lys	Thr	Ile	Lys	Phe	His	Gly	Trp	Glu	Gly	Ala	Phe	Leu	Asp	
			500					505					510			
aga	gtc	ctg	ggc	atc	cga	ggc	cag	gag	ctg	ggc	gcc	ttg	cgg	acc	tcc	1584
Arg	Val	Leu	Gly	Ile	Arg	Gly	Gln	Glu	Leu	Gly	Ala	Leu	Arg	Thr	Ser	
		515					520					525				
ggc	ctc	ctc	ttc	tct	gtg	tcg	ctg	gtg	tcc	ttc	caa	gtg	tct	aca	ttt	1632
Gly	Leu	Leu	Phe	Ser	Val	Ser	Leu	Val	Ser	Phe	Gln	Val	Ser	Thr	Phe	

530					535					540						
ctg	gtc	gca	ctg	gtg	gtg	ttt	gct	gtc	cac	act	ctg	gtg	gcc	gag	aat	1680
Leu	Val	Ala	Leu	Val	Val	Phe	Ala	Val	His	Thr	Leu	Val	Ala	Glu	Asn	
545					550					555					560	
gct	atg	aat	gca	gag	aaa	gcc	ttt	gtg	act	ctc	aca	gtt	ctc	aac	atc	1728
Ala	Met	Asn	Ala	Glu	Lys	Ala	Phe	Val	Thr	Leu	Thr	Val	Leu	Asn	Ile	
				565					570					575		
ctc	aac	aag	gcc	cag	gct	ttc	ctg	ccc	ttc	tcc	atc	cac	tcc	ctc	gtc	1776
Leu	Asn	Lys	Ala	Gln	Ala	Phe	Leu	Pro	Phe	Ser	Ile	His	Ser	Leu	Val	
			580					585					590			
cag	gcc	cgg	gtg	tcc	ttt	gac	cgt	ctg	gtc	acc	ttc	ctc	tgc	ctg	gaa	1824
Gln	Ala	Arg	Val	Ser	Phe	Asp	Arg	Leu	Val	Thr	Phe	Leu	Cys	Leu	Glu	
		595					600					605				
gaa	gtt	gac	cct	ggt	gtc	gta	gac	tca	agt	tcc	tct	gga	agc	gct	gcc	1872
Glu	Val	Asp	Pro	Gly	Val	Val	Asp	Ser	Ser	Ser	Ser	Gly	Ser	Ala	Ala	
	610					615					620					
ggg	aag	gat	tgc	atc	acc	ata	cac	agt	gcc	acc	ttc	gcc	tgg	tcc	cag	1920
Gly	Lys	Asp	Cys	Ile	Thr	Ile	His	Ser	Ala	Thr	Phe	Ala	Trp	Ser	Gln	
625					630					635					640	
gaa	agc	cct	ccc	tgc	ctc	cac	aga	ata	aac	ctc	acg	gtg	ccc	cag	ggc	1968
Glu	Ser	Pro	Pro	Cys	Leu	His	Arg	Ile	Asn	Leu	Thr	Val	Pro	Gln	Gly	
				645					650					655		
tgt	ctg	ctg	gct	gtt	gtc	ggt	cca	gtg	ggg	gca	ggg	aag	tcc	tcc	ctg	2016
Cys	Leu	Leu	Ala	Val	Val	Gly	Pro	Val	Gly	Ala	Gly	Lys	Ser	Ser	Leu	
			660					665					670			
ctg	tcc	gcc	ctc	ctt	ggg	gag	ctg	tca	aag	gtg	gag	ggg	ttc	gtg	agc	2064
Leu	Ser	Ala	Leu	Leu	Gly	Glu	Leu	Ser	Lys	Val	Glu	Gly	Phe	Val	Ser	
		675					680					685				
atc	gag	ggt	gct	gtg	gcc	tac	gtg	ccc	cag	gag	gcc	tgg	gtg	cag	aac	2112
Ile	Glu	Gly	Ala	Val	Ala	Tyr	Val	Pro	Gln	Glu	Ala	Trp	Val	Gln	Asn	
	690					695					700					
acc	tct	gtg	gta	gag	aat	gtg	tgc	ttc	ggg	cag	gag	ctg	gac	cca	ccc	2160
Thr	Ser	Val	Val	Glu	Asn	Val	Cys	Phe	Gly	Gln	Glu	Leu	Asp	Pro	Pro	
705					710					715					720	
tgg	ctg	gag	aga	gta	cta	gaa	gcc	tgt	gcc	ctg	cag	cca	gat	gtg	gac	2208
Trp	Leu	Glu	Arg	Val	Leu	Glu	Ala	Cys	Ala	Leu	Gln	Pro	Asp	Val	Asp	
				725				730						735		
agc	ttc	cct	gag	gga	atc	cac	act	tca	att	ggg	gag	cag	ggc	atg	aat	2256
Ser	Phe	Pro	Glu	Gly	Ile	His	Thr	Ser	Ile	Gly	Glu	Gln	Gly	Met	Asn	
			740					745					750			
ctc	tcc	gga	ggc	cag	aag	cag	cgg	ctg	agc	ctg	gcc	cgg	gct	gta	tac	2304
Leu	Ser	Gly	Gly	Gln	Lys	Gln	Arg	Leu	Ser	Leu	Ala	Arg	Ala	Val	Tyr	
		755					760					765				

aga aag gca gct gtg tac ctg ctg gat gac ccc ctg gcg gcc ctg gat	2352
Arg Lys Ala Ala Val Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu Asp	
770 775 780	
gcc cac gtt ggc cag cat gtc ttc aac cag gtc att ggg cct ggt ggg	2400
Ala His Val Gly Gln His Val Phe Asn Gln Val Ile Gly Pro Gly Gly	
785 790 795 800	
cta ctc cag gga aca aca cgg att ctc gtg acg cac gca ctc cac atc	2448
Leu Leu Gln Gly Thr Thr Arg Ile Leu Val Thr His Ala Leu His Ile	
805 810 815	
ctg ccc cag gct gat tgg atc ata gtg ctg gca aat ggg gcc atc gca	2496
Leu Pro Gln Ala Asp Trp Ile Ile Val Leu Ala Asn Gly Ala Ile Ala	
820 825 830	
gag atg ggt tcc tac cag gag ctt ctg cag agg aag ggg gcc ctc gtg	2544
Glu Met Gly Ser Tyr Gln Glu Leu Leu Gln Arg Lys Gly Ala Leu Val	
835 840 845	
tgt ctt ctg gat caa gcc aga cag cca gga gat aga gga gaa gga gaa	2592
Cys Leu Leu Asp Gln Ala Arg Gln Pro Gly Asp Arg Gly Glu Gly Glu	
850 855 860	
aca gaa cct ggg acc agc acc aag gac ccc aga ggc acc tct gca ggc	2640
Thr Glu Pro Gly Thr Ser Thr Lys Asp Pro Arg Gly Thr Ser Ala Gly	
865 870 875 880	
agg agg ccc gag ctt aga cgc gag agg tcc atc aag tca gtc cct gag	2688
Arg Arg Pro Glu Leu Arg Arg Glu Arg Ser Ile Lys Ser Val Pro Glu	
885 890 895	
aag gac cgt acc act tca gaa gcc cag aca gag gtt cct ctg gat gac	2736
Lys Asp Arg Thr Thr Ser Glu Ala Gln Thr Glu Val Pro Leu Asp Asp	
900 905 910	
cct gac agg gca gga tgg cca gca gga aag gac agc atc caa tac ggc	2784
Pro Asp Arg Ala Gly Trp Pro Ala Gly Lys Asp Ser Ile Gln Tyr Gly	
915 920 925	
agg gtg aag gcc aca gtg cac ctg gcc tac ctg cgt gcc gtg ggc acc	2832
Arg Val Lys Ala Thr Val His Leu Ala Tyr Leu Arg Ala Val Gly Thr	
930 935 940	
ccc ctc tgc ctc tac gca ctc ttc ctc ttc ctc tgc cag caa gtg gcc	2880
Pro Leu Cys Leu Tyr Ala Leu Phe Leu Phe Leu Cys Gln Gln Val Ala	
945 950 955 960	
tcc ttc tgc cgg ggc tac tgg ctg agc ctg tgg gcg gac gac cct gca	2928
Ser Phe Cys Arg Gly Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Ala	
965 970 975	
gta ggt ggg cag cag acg cag gca gcc ctg cgt ggc ggg atc ttc ggg	2976
Val Gly Gly Gln Gln Thr Gln Ala Ala Leu Arg Gly Gly Ile Phe Gly	
980 985 990	
ctc ctc ggc tgt ctc caa gcc att ggg ctg ttt gcc tcc atg gct gcg	3024
Leu Leu Gly Cys Leu Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala	

995	1000	1005	
gtg ctc cta ggt ggg gcc cgg gca tcc agg ttg ctc ttc cag agg ctc Val Leu Leu Gly Gly Ala Arg Ala Ser Arg Leu Leu Phe Gln Arg Leu 1010 1015 1020			3072
ctg tgg gat gtg gtg cga tct ccc atc agc ttc ttt gag cgg aca ccc Leu Trp Asp Val Val Arg Ser Pro Ile Ser Phe Phe Glu Arg Thr Pro 1025 1030 1035 1040			3120
att ggt cac ctg cta aac cgc ttc tcc aag gag aca gac acg gtt gac Ile Gly His Leu Leu Asn Arg Phe Ser Lys Glu Thr Asp Thr Val Asp 1045 1050 1055			3168
gtg gac att cca gac aaa ctc cgg tcc ctg ctg atg tac gcc ttt gga Val Asp Ile Pro Asp Lys Leu Arg Ser Leu Leu Met Tyr Ala Phe Gly 1060 1065 1070			3216
ctc ctg gag gtc agc ctg gtg gtg gca gtg gct acc cca ctg gcc act Leu Leu Glu Val Ser Leu Val Val Ala Val Ala Thr Pro Leu Ala Thr 1075 1080 1085			3264
gtg gcc atc ctg cca ctg ttt ctc ctc tac gct ggg ttt cag agc ctg Val Ala Ile Leu Pro Leu Phe Leu Leu Tyr Ala Gly Phe Gln Ser Leu 1090 1095 1100			3312
tat gtg gtt agc tca tgc cag ctg aga cgc ttg gag tca gcc agc tac Tyr Val Val Ser Ser Cys Gln Leu Arg Arg Leu Glu Ser Ala Ser Tyr 1105 1110 1115 1120			3360
tcg tct gtc tgc tcc cac atg gct gag acg ttc cag ggc agc aca gtg Ser Ser Val Cys Ser His Met Ala Glu Thr Phe Gln Gly Ser Thr Val 1125 1130 1135			3408
gtc cgg gca ttc cga acc cag gcc ccc ttt gtg gct cag aac aat gct Val Arg Ala Phe Arg Thr Gln Ala Pro Phe Val Ala Gln Asn Asn Ala 1140 1145 1150			3456
cgc gta gat gaa agc cag agg atc agt ttc ccg cga ctg gtg gct gac Arg Val Asp Glu Ser Gln Arg Ile Ser Phe Pro Arg Leu Val Ala Asp 1155 1160 1165			3504
agg tgg ctt gcg gcc aat gtg gag ctc ctg ggg aat ggc ctg gtg ttt Arg Trp Leu Ala Ala Asn Val Glu Leu Leu Gly Asn Gly Leu Val Phe 1170 1175 1180			3552
gca gct gcc acg tgt gct gtg ctg agc aaa gcc cac ctc agt gct ggc Ala Ala Ala Thr Cys Ala Val Leu Ser Lys Ala His Leu Ser Ala Gly 1185 1190 1195 1200			3600
ctc gtg ggc ttc tct gtc tct gct gcc ctc cag gtg acc cag aca ctg Leu Val Gly Phe Ser Val Ser Ala Ala Leu Gln Val Thr Gln Thr Leu 1205 1210 1215			3648
cag tgg gtt gtt cgc aac tgg aca gac cta gag aac agc atc gtg tca Gln Trp Val Val Arg Asn Trp Thr Asp Leu Glu Asn Ser Ile Val Ser 1220 1225 1230			3696

gtg gag cgg atg cag gac tat gcc tgg acg ccc aag gag gct ccc tgg	3744
Val Glu Arg Met Gln Asp Tyr Ala Trp Thr Pro Lys Glu Ala Pro Trp	
1235 1240 1245	
agg ctg ccc aca tgt gca gct cag ccc ccc tgg cct cag ggc ggg cag	3792
Arg Leu Pro Thr Cys Ala Ala Gln Pro Pro Trp Pro Gln Gly Gly Gln	
1250 1255 1260	
atc gag ttc cgg gac ttt ggg cta aga tac cga cct gag ctc ccg ctg	3840
Ile Glu Phe Arg Asp Phe Gly Leu Arg Tyr Arg Pro Glu Leu Pro Leu	
1265 1270 1275 1280	
gct gtg cag ggc gtg tcc ttc aag atc cac gca gga gag aag gtg ggc	3888
Ala Val Gln Gly Val Ser Phe Lys Ile His Ala Gly Glu Lys Val Gly	
1285 1290 1295	
atc gtt ggc agg acc ggg gca ggg aag tcc tcc ctg gcc agt ggg ctg	3936
Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ala Ser Gly Leu	
1300 1305 1310	
ctg cgg ctc cag gag gca gct gag ggt ggg atc tgg atc gac ggg gtc	3984
Leu Arg Leu Gln Glu Ala Ala Glu Gly Gly Ile Trp Ile Asp Gly Val	
1315 1320 1325	
ccc att gcc cac gtg ggg ctg cac aca ctg cgc tcc agg atc agc atc	4032
Pro Ile Ala His Val Gly Leu His Thr Leu Arg Ser Arg Ile Ser Ile	
1330 1335 1340	
atc ccc cag gac ccc atc ctg ttc cct ggc tct ctg cgg atg aac ctc	4080
Ile Pro Gln Asp Pro Ile Leu Phe Pro Gly Ser Leu Arg Met Asn Leu	
1345 1350 1355 1360	
gac ctg ctg cag gag cac tcg gac gag gct atc tgg gca gcc ctg gag	4128
Asp Leu Leu Gln Glu His Ser Asp Glu Ala Ile Trp Ala Ala Leu Glu	
1365 1370 1375	
acg gtg cag ctc aaa gcc ttg gtg gcc agc ctg ccc ggc cag ctg cag	4176
Thr Val Gln Leu Lys Ala Leu Val Ala Ser Leu Pro Gly Gln Leu Gln	
1380 1385 1390	
tac aag tgt gct gac cga ggc gag gac ctg agc gtg ggc cag aaa cag	4224
Tyr Lys Cys Ala Asp Arg Gly Glu Asp Leu Ser Val Gly Gln Lys Gln	
1395 1400 1405	
ctc ctg tgt ctg gca cgt gcc ctt ctc cgg aag acc cag atc ctc atc	4272
Leu Leu Cys Leu Ala Arg Ala Leu Leu Arg Lys Thr Gln Ile Leu Ile	
1410 1415 1420	
ctg gac gag gct act gct gcc gtg gac cct ggc acg gag ctg cag atg	4320
Leu Asp Glu Ala Thr Ala Ala Val Asp Pro Gly Thr Glu Leu Gln Met	
1425 1430 1435 1440	
cag gcc atg ctc ggg agc tgg ttt gca cag tgc act gtg ctg ctc att	4368
Gln Ala Met Leu Gly Ser Trp Phe Ala Gln Cys Thr Val Leu Leu Ile	
1445 1450 1455	
gcc cac cgc ctg cgc tcc gtg atg gac tgt gcc cgg gtt ctg gtc atg	4416
Ala His Arg Leu Arg Ser Val Met Asp Cys Ala Arg Val Leu Val Met	

1460					1465					1470						
gac	aag	ggg	cag	gtg	gca	gag	agc	ggc	agc	ccg	gcc	cag	ctg	ctg	gcc	4464
Asp	Lys	Gly	Gln	Val	Ala	Glu	Ser	Gly	Ser	Pro	Ala	Gln	Leu	Leu	Ala	
1475					1480					1485						
cag	aag	ggc	ctg	ttt	tac	aga	ctg	gcc	cag	gag	tca	ggc	ctg	gtc	tga	4512
Gln	Lys	Gly	Leu	Phe	Tyr	Arg	Leu	Ala	Gln	Glu	Ser	Gly	Leu	Val		
1490					1495					1500						

<210> 3
 <211> 1503
 <212> PRT
 <213> Homo sapiens

<400> 3

Met	Ala	Ala	Pro	Ala	Glu	Pro	Cys	Ala	Gly	Gln	Gly	Val	Trp	Asn	Gln
1				5					10					15	
Thr	Glu	Pro	Glu	Pro	Ala	Ala	Thr	Ser	Leu	Leu	Ser	Leu	Cys	Phe	Leu
			20					25					30		
Arg	Thr	Ala	Gly	Val	Trp	Val	Pro	Pro	Met	Tyr	Leu	Trp	Val	Leu	Gly
		35					40					45			
Pro	Ile	Tyr	Leu	Leu	Phe	Ile	His	His	His	Gly	Arg	Gly	Tyr	Leu	Trp
	50					55					60				
Met	Ser	Pro	Leu	Phe	Lys	Ala	Lys	Met	Val	Leu	Gly	Phe	Ala	Leu	Ile
65					70					75					80
Val	Leu	Cys	Thr	Ser	Ser	Val	Ala	Val	Ala	Leu	Trp	Lys	Ile	Gln	Gln
				85					90					95	
Gly	Thr	Pro	Glu	Ala	Pro	Glu	Phe	Leu	Ile	His	Pro	Thr	Val	Trp	Leu
			100					105					110		
Thr	Thr	Met	Ser	Phe	Ala	Val	Phe	Leu	Ile	His	Thr	Glu	Arg	Lys	Lys
		115					120					125			
Gly	Val	Gln	Ser	Ser	Gly	Val	Leu	Phe	Gly	Tyr	Trp	Leu	Leu	Cys	Phe
	130					135					140				
Val	Leu	Pro	Ala	Thr	Asn	Ala	Ala	Gln	Gln	Ala	Ser	Gly	Ala	Gly	Phe
145					150					155					160
Gln	Ser	Asp	Pro	Val	Arg	His	Leu	Ser	Thr	Tyr	Leu	Cys	Leu	Ser	Leu
				165					170					175	
Val	Val	Ala	Gln	Phe	Val	Leu	Ser	Cys	Leu	Ala	Asp	Gln	Pro	Pro	Phe
		180						185					190		
Phe	Pro	Glu	Asp	Pro	Gln	Gln	Ser	Asn	Pro	Cys	Pro	Glu	Thr	Gly	Ala
		195					200					205			
Ala	Phe	Pro	Ser	Lys	Ala	Thr	Phe	Trp	Trp	Val	Ser	Gly	Leu	Val	Trp
	210					215					220				
Arg	Gly	Tyr	Arg	Arg	Pro	Leu	Arg	Pro	Lys	Asp	Leu	Trp	Ser	Leu	Gly
225					230					235					240
Arg	Glu	Asn	Ser	Ser	Glu	Glu	Leu	Val	Ser	Arg	Leu	Glu	Lys	Glu	Trp
				245					250					255	
Met	Arg	Asn	Arg	Ser	Ala	Ala	Arg	Arg	His	Asn	Lys	Ala	Ile	Ala	Phe
		260						265					270		
Lys	Arg	Lys	Gly	Gly	Ser	Gly	Met	Lys	Ala	Pro	Glu	Thr	Glu	Pro	Phe
		275					280					285			
Leu	Arg	Gln	Glu	Gly	Ser	Gln	Trp	Arg	Pro	Leu	Leu	Lys	Ala	Ile	Trp
	290					295					300				
Gln	Val	Phe	His	Ser	Thr	Phe	Leu	Leu	Gly	Thr	Leu	Ser	Leu	Ile	Ile
305					310					315					320
Ser	Asp	Val	Phe	Arg	Phe	Thr	Val	Pro	Lys	Leu	Leu	Ser	Leu	Phe	Leu

				325					330					335			
Glu	Phe	Ile	Gly	Asp	Pro	Lys	Pro	Pro	Ala	Trp	Lys	Gly	Tyr	Leu	Leu		
			340						345				350				
Ala	Val	Leu	Met	Phe	Leu	Ser	Ala	Cys	Leu	Gln	Thr	Leu	Phe	Glu	Gln		
		355					360					365					
Gln	Asn	Met	Tyr	Arg	Leu	Lys	Val	Leu	Gln	Met	Arg	Leu	Arg	Ser	Ala		
	370					375					380						
Ile	Thr	Gly	Leu	Val	Tyr	Arg	Lys	Val	Leu	Ala	Leu	Ser	Ser	Gly	Ser		
385					390					395					400		
Arg	Lys	Ala	Ser	Ala	Val	Gly	Asp	Val	Val	Asn	Leu	Val	Ser	Val	Asp		
				405					410					415			
Val	Gln	Arg	Leu	Thr	Glu	Ser	Val	Leu	Tyr	Leu	Asn	Gly	Leu	Trp	Leu		
			420					425					430				
Pro	Leu	Val	Trp	Ile	Val	Val	Cys	Phe	Val	Tyr	Leu	Trp	Gln	Leu	Leu		
		435					440					445					
Gly	Pro	Ser	Ala	Leu	Thr	Ala	Ile	Ala	Val	Phe	Leu	Ser	Leu	Leu	Pro		
	450					455					460						
Leu	Asn	Phe	Phe	Ile	Ser	Lys	Lys	Arg	Asn	His	His	Gln	Glu	Glu	Gln		
465					470					475					480		
Met	Arg	Gln	Lys	Asp	Ser	Arg	Ala	Arg	Leu	Thr	Ser	Ser	Ile	Leu	Arg		
				485					490					495			
Asn	Ser	Lys	Thr	Ile	Lys	Phe	His	Gly	Trp	Glu	Gly	Ala	Phe	Leu	Asp		
		500						505					510				
Arg	Val	Leu	Gly	Ile	Arg	Gly	Gln	Glu	Leu	Gly	Ala	Leu	Arg	Thr	Ser		
		515					520					525					
Gly	Leu	Leu	Phe	Ser	Val	Ser	Leu	Val	Ser	Phe	Gln	Val	Ser	Thr	Phe		
	530					535					540						
Leu	Val	Ala	Leu	Val	Val	Phe	Ala	Val	His	Thr	Leu	Val	Ala	Glu	Asn		
545					550					555					560		
Ala	Met	Asn	Ala	Glu	Lys	Ala	Phe	Val	Thr	Leu	Thr	Val	Leu	Asn	Ile		
				565					570					575			
Leu	Asn	Lys	Ala	Gln	Ala	Phe	Leu	Pro	Phe	Ser	Ile	His	Ser	Leu	Val		
		580						585					590				
Gln	Ala	Arg	Val	Ser	Phe	Asp	Arg	Leu	Val	Thr	Phe	Leu	Cys	Leu	Glu		
		595					600					605					
Glu	Val	Asp	Pro	Gly	Val	Val	Asp	Ser	Ser	Ser	Ser	Gly	Ser	Ala	Ala		
	610					615					620						
Gly	Lys	Asp	Cys	Ile	Thr	Ile	His	Ser	Ala	Thr	Phe	Ala	Trp	Ser	Gln		
625					630					635					640		
Glu	Ser	Pro	Pro	Cys	Leu	His	Arg	Ile	Asn	Leu	Thr	Val	Pro	Gln	Gly		
				645					650					655			
Cys	Leu	Leu	Ala	Val	Val	Gly	Pro	Val	Gly	Ala	Gly	Lys	Ser	Ser	Leu		
		660						665					670				
Leu	Ser	Ala	Leu	Leu	Gly	Glu	Leu	Ser	Lys	Val	Glu	Gly	Phe	Val	Ser		
		675					680					685					
Ile	Glu	Gly	Ala	Val	Ala	Tyr	Val	Pro	Gln	Glu	Ala	Trp	Val	Gln	Asn		
	690				695						700						
Thr	Ser	Val	Val	Glu	Asn	Val	Cys	Phe	Gly	Gln	Glu	Leu	Asp	Pro	Pro		
705					710					715					720		
Trp	Leu	Glu	Arg	Val	Leu	Glu	Ala	Cys	Ala	Leu	Gln	Pro	Asp	Val	Asp		
				725					730					735			
Ser	Phe	Pro	Glu	Gly	Ile	His	Thr	Ser	Ile	Gly	Glu	Gln	Gly	Met	Asn		
		740						745					750				
Leu	Ser	Gly	Gly	Gln	Lys	Gln	Arg	Leu	Ser	Leu	Ala	Arg	Ala	Val	Tyr		
		755					760					765					
Arg	Lys	Ala	Ala	Val	Tyr	Leu	Leu	Asp	Asp	Pro	Leu	Ala	Ala	Leu	Asp		
	770					775					780						
Ala	His	Val	Gly	Gln	His	Val	Phe	Asn	Gln	Val	Ile	Gly	Pro	Gly	Gly		

785					790					795				800	
Leu	Leu	Gln	Gly	Thr	Thr	Arg	Ile	Leu	Val	Thr	His	Ala	Leu	His	Ile
				805					810					815	
Leu	Pro	Gln	Ala	Asp	Trp	Ile	Ile	Val	Leu	Ala	Asn	Gly	Ala	Ile	Ala
			820					825					830		
Glu	Met	Gly	Ser	Tyr	Gln	Glu	Leu	Leu	Gln	Arg	Lys	Gly	Ala	Leu	Val
		835					840					845			
Cys	Leu	Leu	Asp	Gln	Ala	Arg	Gln	Pro	Gly	Asp	Arg	Gly	Glu	Gly	Glu
	850					855				860					
Thr	Glu	Pro	Gly	Thr	Ser	Thr	Lys	Asp	Pro	Arg	Gly	Thr	Ser	Ala	Gly
865					870					875					880
Arg	Arg	Pro	Glu	Leu	Arg	Arg	Glu	Arg	Ser	Ile	Lys	Ser	Val	Pro	Glu
			885					890						895	
Lys	Asp	Arg	Thr	Thr	Ser	Glu	Ala	Gln	Thr	Glu	Val	Pro	Leu	Asp	Asp
			900					905					910		
Pro	Asp	Arg	Ala	Gly	Trp	Pro	Ala	Gly	Lys	Asp	Ser	Ile	Gln	Tyr	Gly
		915					920					925			
Arg	Val	Lys	Ala	Thr	Val	His	Leu	Ala	Tyr	Leu	Arg	Ala	Val	Gly	Thr
	930					935					940				
Pro	Leu	Cys	Leu	Tyr	Ala	Leu	Phe	Leu	Phe	Leu	Cys	Gln	Gln	Val	Ala
945					950					955					960
Ser	Phe	Cys	Arg	Gly	Tyr	Trp	Leu	Ser	Leu	Trp	Ala	Asp	Asp	Pro	Ala
			965					970						975	
Val	Gly	Gly	Gln	Gln	Thr	Gln	Ala	Ala	Leu	Arg	Gly	Gly	Ile	Phe	Gly
			980					985					990		
Leu	Leu	Gly	Cys	Leu	Gln	Ala	Ile	Gly	Leu	Phe	Ala	Ser	Met	Ala	Ala
		995					1000					1005			
Val	Leu	Leu	Gly	Gly	Ala	Arg	Ala	Ser	Arg	Leu	Leu	Phe	Gln	Arg	Leu
	1010					1015					1020				
Leu	Trp	Asp	Val	Val	Arg	Ser	Pro	Ile	Ser	Phe	Phe	Glu	Arg	Thr	Pro
1025					1030					1035					1040
Ile	Gly	His	Leu	Leu	Asn	Arg	Phe	Ser	Lys	Glu	Thr	Asp	Thr	Val	Asp
			1045					1050						1055	
Val	Asp	Ile	Pro	Asp	Lys	Leu	Arg	Ser	Leu	Leu	Met	Tyr	Ala	Phe	Gly
		1060						1065					1070		
Leu	Leu	Glu	Val	Ser	Leu	Val	Val	Ala	Val	Ala	Thr	Pro	Leu	Ala	Thr
		1075					1080					1085			
Val	Ala	Ile	Leu	Pro	Leu	Phe	Leu	Leu	Tyr	Ala	Gly	Phe	Gln	Ser	Leu
	1090					1095					1100				
Tyr	Val	Val	Ser	Ser	Cys	Gln	Leu	Arg	Arg	Leu	Glu	Ser	Ala	Ser	Tyr
1105					1110				1115						1120
Ser	Ser	Val	Cys	Ser	His	Met	Ala	Glu	Thr	Phe	Gln	Gly	Ser	Thr	Val
			1125					1130						1135	
Val	Arg	Ala	Phe	Arg	Thr	Gln	Ala	Pro	Phe	Val	Ala	Gln	Asn	Asn	Ala
		1140						1145					1150		
Arg	Val	Asp	Glu	Ser	Gln	Arg	Ile	Ser	Phe	Pro	Arg	Leu	Val	Ala	Asp
		1155					1160					1165			
Arg	Trp	Leu	Ala	Ala	Asn	Val	Glu	Leu	Leu	Gly	Asn	Gly	Leu	Val	Phe
	1170					1175					1180				
Ala	Ala	Ala	Thr	Cys	Ala	Val	Leu	Ser	Lys	Ala	His	Leu	Ser	Ala	Gly
1185					1190					1195					1200
Leu	Val	Gly	Phe	Ser	Val	Ser	Ala	Ala	Leu	Gln	Val	Thr	Gln	Thr	Leu
			1205						1210					1215	
Gln	Trp	Val	Val	Arg	Asn	Trp	Thr	Asp	Leu	Glu	Asn	Ser	Ile	Val	Ser
		1220						1225					1230		
Val	Glu	Arg	Met	Gln	Asp	Tyr	Ala	Trp	Thr	Pro	Lys	Glu	Ala	Pro	Trp
	1235						1240					1245			
Arg	Leu	Pro	Thr	Cys	Ala	Ala	Gln	Pro	Pro	Trp	Pro	Gln	Gly	Gly	Gln

1250	1255	1260
Ile Glu Phe Arg Asp Phe Gly Leu Arg Tyr Arg Pro Glu Leu Pro Leu		
1265	1270	1275
Ala Val Gln Gly Val Ser Phe Lys Ile His Ala Gly Glu Lys Val Gly		1280
	1285	1290
Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ala Ser Gly Leu		1295
	1300	1305
Leu Arg Leu Gln Glu Ala Ala Glu Gly Gly Ile Trp Ile Asp Gly Val		1310
	1315	1320
Pro Ile Ala His Val Gly Leu His Thr Leu Arg Ser Arg Ile Ser Ile		1325
	1330	1335
Ile Pro Gln Asp Pro Ile Leu Phe Pro Gly Ser Leu Arg Met Asn Leu		1340
1345	1350	1355
Asp Leu Leu Gln Glu His Ser Asp Glu Ala Ile Trp Ala Ala Leu Glu		1360
	1365	1370
Thr Val Gln Leu Lys Ala Leu Val Ala Ser Leu Pro Gly Gln Leu Gln		1375
	1380	1385
Tyr Lys Cys Ala Asp Arg Gly Glu Asp Leu Ser Val Gly Gln Lys Gln		1390
	1395	1400
Leu Leu Cys Leu Ala Arg Ala Leu Leu Arg Lys Thr Gln Ile Leu Ile		1405
	1410	1415
Leu Asp Glu Ala Thr Ala Ala Val Asp Pro Gly Thr Glu Leu Gln Met		1420
1425	1430	1435
Gln Ala Met Leu Gly Ser Trp Phe Ala Gln Cys Thr Val Leu Leu Ile		1440
	1445	1450
Ala His Arg Leu Arg Ser Val Met Asp Cys Ala Arg Val Leu Val Met		1455
	1460	1465
Asp Lys Gly Gln Val Ala Glu Ser Gly Ser Pro Ala Gln Leu Leu Ala		1470
	1475	1480
Gln Lys Gly Leu Phe Tyr Arg Leu Ala Gln Glu Ser Gly Leu Val		1485
	1490	1495
		1500

<210> 4
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> PCR primer for ABCC6

<400> 4
 agccacgttc tgggtgggttt

20

<210> 5
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> PCR primer for ABCC6

<400> 5
 ggaggcttgg gatcaccaat

20

<210> 6
 <211> 20
 <212> DNA

<213> Artificial

<220>

<223> PCR primer for MRP-1

<400> 6

caactgcatc gttctgtttg

20

<210> 7

<211> 20

<212> DNA

<213> Artificial

<220>

<223> PCR primer for MRP-1

<400> 7

atactccttg agcctctcca

20

<210> 8

<211> 4980

<212> DNA

<213> Mus musculus

<220>

<221> CDS

<222> (12) .. (4508)

<223> cDNA for mouse MRP6

<400> 8

ccgcgtcgcac g atg aac agc ggg cgc tcc atg gcc acg cct gga gag cag 50
Met Asn Ser Gly Arg Ser Met Ala Thr Pro Gly Glu Gln
1 5 10

tgc gcc ggc ctg agg gtc tgg aac cag aca gag cag gag cct gcg gcc 98
Cys Ala Gly Leu Arg Val Trp Asn Gln Thr Glu Gln Glu Pro Ala Ala
15 20 25

tat cac ttg ctc agc ctg tgc ttc gtg aga gcc gcc agc agc tgg gtg 146
Tyr His Leu Leu Ser Leu Cys Phe Val Arg Ala Ala Ser Ser Trp Val
30 35 40 45

ccc ccc atg tac ctc tgg gtc ctc ggc ccc atc tac ctt ctc tac atc 194
Pro Pro Met Tyr Leu Trp Val Leu Gly Pro Ile Tyr Leu Leu Tyr Ile
50 55 60

cat cgc cat ggc cgg tgc tac ctc cgg atg tcc cac ctc ttc aaa acc 242
His Arg His Gly Arg Cys Tyr Leu Arg Met Ser His Leu Phe Lys Thr
65 70 75

aaa atg gtg ctg ggc ttg gcc ctc atc ctt ctg tat acc ttc aac gtg 290
Lys Met Val Leu Gly Leu Ala Leu Ile Leu Leu Tyr Thr Phe Asn Val
80 85 90

gcc gtg cct ctg tgg agg atc cac cag ggc gtg ccc cag gcc cca gag 338
Ala Val Pro Leu Trp Arg Ile His Gln Gly Val Pro Gln Ala Pro Glu
95 100 105

ctt cta att cac cct act gtg tgg ctc acc acc atg agc ttt gcc acc	386
Leu Leu Ile His Pro Thr Val Trp Leu Thr Thr Met Ser Phe Ala Thr	
110 115 120 125	
ttt ctg atc cac atg gag aga agg aag gga gtc cgg tca tcc ggg gtg	434
Phe Leu Ile His Met Glu Arg Arg Lys Gly Val Arg Ser Ser Gly Val	
130 135 140	
ttg ttc ggg tac tgg ctg ctc tgc tgc atc ttg cca gga atc aac act	482
Leu Phe Gly Tyr Trp Leu Leu Cys Cys Ile Leu Pro Gly Ile Asn Thr	
145 150 155	
gtg cag cag gcc tct gca ggg aac tta cgt cag gag ccc ctc cac cac	530
Val Gln Gln Ala Ser Ala Gly Asn Leu Arg Gln Glu Pro Leu His His	
160 165 170	
ctg gcc acc tac ctg tgc ttg tcc ctg gtg gtg gct gag ctg gtg ctg	578
Leu Ala Thr Tyr Leu Cys Leu Ser Leu Val Val Ala Glu Leu Val Leu	
175 180 185	
tcc tgt ctg gtg gac cag cca ccc ttc ttc tcg gaa gac tcc cag cca	626
Ser Cys Leu Val Asp Gln Pro Pro Phe Phe Ser Glu Asp Ser Gln Pro	
190 195 200 205	
ttg aat ccg tgt cca gag gct gag gcc tcc ttt ccc tcc aag gcc atg	674
Leu Asn Pro Cys Pro Glu Ala Glu Ala Ser Phe Pro Ser Lys Ala Met	
210 215 220	
ttc tgg tgg gcc tct gga ctg cta tgg agg ggc tac aaa aag ctg ctg	722
Phe Trp Trp Ala Ser Gly Leu Leu Trp Arg Gly Tyr Lys Lys Leu Leu	
225 230 235	
gga cca aaa gac ctc tgg tca ctt ggg aga gaa aac tct tca gaa gaa	770
Gly Pro Lys Asp Leu Trp Ser Leu Gly Arg Glu Asn Ser Ser Glu Glu	
240 245 250	
ctc gtt tcc cag ctg gaa aga gaa tgg agg aga agc tgc aat ggg ctg	818
Leu Val Ser Gln Leu Glu Arg Glu Trp Arg Arg Ser Cys Asn Gly Leu	
255 260 265	
cca ggg cac aaa ggg cac agt agt gtg ggg gcc cct gag aca gag gcc	866
Pro Gly His Lys Gly His Ser Ser Val Gly Ala Pro Glu Thr Glu Ala	
270 275 280 285	
ttc ctg cag cca gag agg agt cag agg ggc cca cta ctc agg gct atc	914
Phe Leu Gln Pro Glu Arg Ser Gln Arg Gly Pro Leu Leu Arg Ala Ile	
290 295 300	
tgg cgc gtg ttc cgg tcc acc ttc ctg ctg ggg acc ctc agc ctg gtc	962
Trp Arg Val Phe Arg Ser Thr Phe Leu Leu Gly Thr Leu Ser Leu Val	
305 310 315	
att agc gat gcc ttc agg ttt gct gtt ccc aag ctc ctc agt ctg ttt	1010
Ile Ser Asp Ala Phe Arg Phe Ala Val Pro Lys Leu Leu Ser Leu Phe	
320 325 330	
ctg gag ttc atg ggt gac cgc aac tcc tcg gcg tgg aca ggc tgg ctc	1058
Leu Glu Phe Met Gly Asp Arg Asn Ser Ser Ala Trp Thr Gly Trp Leu	

335	340	345	
cta gct gtg ctg atg ttc gcg gca gcc tgc cta cag acg ttg ttt gaa Leu Ala Val Leu Met Phe Ala Ala Ala Cys Leu Gln Thr Leu Phe Glu 350 355 360 365			1106
cag cag cac atg tac aga gcc aag gtc ctg cag atg agg ctg cga aca Gln Gln His Met Tyr Arg Ala Lys Val Leu Gln Met Arg Leu Arg Thr 370 375 380			1154
gcc atc act ggc ctg gtg tac aga aag gtc ctg gtc ctg tcc agt ggt Ala Ile Thr Gly Leu Val Tyr Arg Lys Val Leu Val Leu Ser Ser Gly 385 390 395			1202
tcc aga aag tcc agc gca gca gga gac gtg gtc aac ctg gtg tcg gtg Ser Arg Lys Ser Ser Ala Ala Gly Asp Val Val Asn Leu Val Ser Val 400 405 410			1250
gac atc cag cgg ctg gcc gag agc atc atc tac ctc aac ggg ctg tgg Asp Ile Gln Arg Leu Ala Glu Ser Ile Ile Tyr Leu Asn Gly Leu Trp 415 420 425			1298
ctg ctc ttc ctg tgg atc ttt gtg tgc ttt gtc tac ctg tgg cag ctc Leu Leu Phe Leu Trp Ile Phe Val Cys Phe Val Tyr Leu Trp Gln Leu 430 435 440 445			1346
ctt gga ccc tct gct ctc aca gcc gtt gct gtc ttc ctg agc ctc ctc Leu Gly Pro Ser Ala Leu Thr Ala Val Ala Val Phe Leu Ser Leu Leu 450 455 460			1394
cct ctg aac ttc ttc atc acc aag aag agg ggc ttc cat cag gaa gaa Pro Leu Asn Phe Phe Ile Thr Lys Lys Arg Gly Phe His Gln Glu Glu 465 470 475			1442
cag atg agg cag aag gcc tcc aga gca cgg ctc acc agc tcc atg ctc Gln Met Arg Gln Lys Ala Ser Arg Ala Arg Leu Thr Ser Ser Met Leu 480 485 490			1490
aga act gtg aga acc atc aag tcc cac ggc tgg gag cat gcc ttc ctg Arg Thr Val Arg Thr Ile Lys Ser His Gly Trp Glu His Ala Phe Leu 495 500 505			1538
gag cga ctc ctt cac atc cgg ggc cag gag ctc agc gcc ctg aag acc Glu Arg Leu Leu His Ile Arg Gly Gln Glu Leu Ser Ala Leu Lys Thr 510 515 520 525			1586
tcc acc ctc ctc ttc tct gtg tct ctc gtg tcc ttc caa gtg tct aca Ser Thr Leu Leu Phe Ser Val Ser Leu Val Ser Phe Gln Val Ser Thr 530 535 540			1634
ttt ctg gtg gcg ctg gtc gtg ttt gct gtc cac acc ctg gtg gca gag Phe Leu Val Ala Leu Val Val Phe Ala Val His Thr Leu Val Ala Glu 545 550 555			1682
gac aat gcc atg gat gca gag aag gcc ttt gtg acg ctc aca gtg ctc Asp Asn Ala Met Asp Ala Glu Lys Ala Phe Val Thr Leu Thr Val Leu 560 565 570			1730

agc atc ctt aac aaa gcc cag gcc ttc ctc ccc ttc tct gtg cac tgc	1778
Ser Ile Leu Asn Lys Ala Gln Ala Phe Leu Pro Phe Ser Val His Cys	
575 580 585	
atc gtt cag gct cga gtg tcc ttt gac cgg ctg gct gcc ttc ctg tgc	1826
Ile Val Gln Ala Arg Val Ser Phe Asp Arg Leu Ala Ala Phe Leu Cys	
590 595 600 605	
ctg gaa gaa gta gac ccc aat ggc atg atc gcg agt aac tcc agg cgc	1874
Leu Glu Glu Val Asp Pro Asn Gly Met Ile Ala Ser Asn Ser Arg Arg	
610 615 620	
tcc tcg aag gat cga att tct gta cac aat ggc acc ttc gct tgg tcc	1922
Ser Ser Lys Asp Arg Ile Ser Val His Asn Gly Thr Phe Ala Trp Ser	
625 630 635	
cag gag agc cca ccc tgc ctg cac ggg atc aac ctc acc gtg ccc cag	1970
Gln Glu Ser Pro Pro Cys Leu His Gly Ile Asn Leu Thr Val Pro Gln	
640 645 650	
ggc tgt ctg ctg gct gtt gtg ggt cca gtg ggg gct ggg aag tcc tcc	2018
Gly Cys Leu Leu Ala Val Val Gly Pro Val Gly Ala Gly Lys Ser Ser	
655 660 665	
ctg ctg tct gcc ctg ctt ggg gag ctg ttg aag gta gaa ggg tct gtg	2066
Leu Leu Ser Ala Leu Leu Gly Glu Leu Leu Lys Val Glu Gly Ser Val	
670 675 680 685	
agc att gag ggt tcc gtg gct tac gtg cct cag gag gcc tgg gtc cag	2114
Ser Ile Glu Gly Ser Val Ala Tyr Val Pro Gln Glu Ala Trp Val Gln	
690 695 700	
aat acc tct gtg gcg gag aat gtg tgc ttc agg caa gag ctg gac ctg	2162
Asn Thr Ser Val Ala Glu Asn Val Cys Phe Arg Gln Glu Leu Asp Leu	
705 710 715	
ccc tgg ttg cag aaa gtt cta gac gcc tgt gcc ttg ggg tct gat gtg	2210
Pro Trp Leu Gln Lys Val Leu Asp Ala Cys Ala Leu Gly Ser Asp Val	
720 725 730	
gcc agc ttc cct gca gga gtt cac acc cca ata ggg gag cag ggc atg	2258
Ala Ser Phe Pro Ala Gly Val His Thr Pro Ile Gly Glu Gln Gly Met	
735 740 745	
aat ctt tct ggg ggc cag aag cag cgg ctg agc ttg gct cgg gct gtg	2306
Asn Leu Ser Gly Gly Gln Lys Gln Arg Leu Ser Leu Ala Arg Ala Val	
750 755 760 765	
tac aaa aag gct gcc atc tac ttg ctg gat gac ccc ctg gca gcg ctg	2354
Tyr Lys Lys Ala Ala Ile Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu	
770 775 780	
gat gcc cac gtc agc cag cag gtc ttc aaa cag gtc atc ggg ccc agt	2402
Asp Ala His Val Ser Gln Gln Val Phe Lys Gln Val Ile Gly Pro Ser	
785 790 795	
gga ttg ctc cag ggt acg act cgg atc ctt gta aca cac acg ctg cac	2450
Gly Leu Leu Gln Gly Thr Thr Arg Ile Leu Val Thr His Thr Leu His	

800	805	810	
gtc ctg ccc cag gct gac cgg atc ctg gtg ctg gcc aat ggg acc atc Val Leu Pro Gln Ala Asp Arg Ile Leu Val Leu Ala Asn Gly Thr Ile 815 820 825			2498
gca gag atg ggc tcc tac cag gac ctt ctg caa agg aac gga gcc ctg Ala Glu Met Gly Ser Tyr Gln Asp Leu Leu Gln Arg Asn Gly Ala Leu 830 835 840 845			2546
gtg ggt ctt ctg gat gga gcc aga cag cct gca gga aca cac gat gca Val Gly Leu Leu Asp Gly Ala Arg Gln Pro Ala Gly Thr His Asp Ala 850 855 860			2594
gct acc agt gac gac ctc gga ggc ttt cct gga ggt ggg agg ccc aca Ala Thr Ser Asp Asp Leu Gly Gly Phe Pro Gly Gly Gly Arg Pro Thr 865 870 875			2642
tgc aga cca gac agg ccc agg ccc acg gag gca gcc cct gtg aag ggc Cys Arg Pro Asp Arg Pro Arg Pro Thr Glu Ala Ala Pro Val Lys Gly 880 885 890			2690
agg agc aca tct gag gta cag atg gag gct tct ctg gat gac cct gag Arg Ser Thr Ser Glu Val Gln Met Glu Ala Ser Leu Asp Asp Pro Glu 895 900 905			2738
gcc aca gga ttg aca gca gaa gag gat agt gtg cga tat ggc cgg gtg Ala Thr Gly Leu Thr Ala Glu Glu Asp Ser Val Arg Tyr Gly Arg Val 910 915 920 925			2786
aag atc acc ata tac ctg agc tac ctg cgg gcg gtg ggc aca ccc ctc Lys Ile Thr Ile Tyr Leu Ser Tyr Leu Arg Ala Val Gly Thr Pro Leu 930 935 940			2834
tgt acc tac acc ctg ttc ctc ttc ctc tgc cag caa gtg gca tcc ttc Cys Thr Tyr Thr Leu Phe Leu Phe Leu Cys Gln Gln Val Ala Ser Phe 945 950 955			2882
tcc caa ggc tac tgg ctg agc ctt tgg gcc gat gac ccg gtt gtg gat Ser Gln Gly Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Val Val Asp 960 965 970			2930
ggg cgg cag atg cat gca gcc ctg cgt ggc tgg gtc ttt ggg ctc ctt Gly Arg Gln Met His Ala Ala Leu Arg Gly Trp Val Phe Gly Leu Leu 975 980 985			2978
ggc tgt ctg caa gcc atc gga ctg ttt gcc tcc atg gct gcg gtg ttc Gly Cys Leu Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala Val Phe 990 995 1000 1005			3026
ctg ggt gga gcc cgg gcc tca ggc ctc ctt ttc cgg agt ctc ctg tgg Leu Gly Gly Ala Arg Ala Ser Gly Leu Leu Phe Arg Ser Leu Leu Trp 1010 1015 1020			3074
gac gtg gct cgc tct ccc atc ggc ttc ttt gag cgc acg cca gtc ggg Asp Val Ala Arg Ser Pro Ile Gly Phe Phe Glu Arg Thr Pro Val Gly 1025 1030 1035			3122

aac ctg ctg aac cgc ttt tcc aag gag aca gac aca gtg gat gtg gac Asn Leu Leu Asn Arg Phe Ser Lys Glu Thr Asp Thr Val Asp Val Asp 1040 1045 1050	3170
atc ccg gac aag ctg agg tcc ctt ctg acc tat gcc ttt ggg ctc ctg Ile Pro Asp Lys Leu Arg Ser Leu Leu Thr Tyr Ala Phe Gly Leu Leu 1055 1060 1065	3218
gag gtc ggc ctg gca gtg acg atg gcc acg cct ctg gcc att gtg gcc Glu Val Gly Leu Ala Val Thr Met Ala Thr Pro Leu Ala Ile Val Ala 1070 1075 1080 1085	3266
atc cta cct ctc atg gtc ctc tat gct ggg ttt cag agc ctc tat gtg Ile Leu Pro Leu Met Val Leu Tyr Ala Gly Phe Gln Ser Leu Tyr Val 1090 1095 1100	3314
gcc aca tct tgc cag ctg aga cgt cta gag tca gcc cgc tac tca tct Ala Thr Ser Cys Gln Leu Arg Arg Leu Glu Ser Ala Arg Tyr Ser Ser 1105 1110 1115	3362
gtg tgt tcc cat atg gct gag acc ttc cag gga agt ctg gtg gtc agg Val Cys Ser His Met Ala Glu Thr Phe Gln Gly Ser Leu Val Val Arg 1120 1125 1130	3410
gcc ttc cgg gcc cag gcg tcc ttc acg gct cag cac gat gct ctc atg Ala Phe Arg Ala Gln Ala Ser Phe Thr Ala Gln His Asp Ala Leu Met 1135 1140 1145	3458
gat gag aac cag agg gtc agt ttc ccg aaa ctg gtg gct gac agg tgg Asp Glu Asn Gln Arg Val Ser Phe Pro Lys Leu Val Ala Asp Arg Trp 1150 1155 1160 1165	3506
ctg gct act aac ctg gag ctt cta ggg aat ggc ttg gta ttc gtg gct Leu Ala Thr Asn Leu Glu Leu Leu Gly Asn Gly Leu Val Phe Val Ala 1170 1175 1180	3554
gct aca tgt gct gtg ctg agc aag gct cac cta agt gct ggc ctc gtg Ala Thr Cys Ala Val Leu Ser Lys Ala His Leu Ser Ala Gly Leu Val 1185 1190 1195	3602
ggc ttc tcg gtc tcc gct gcc ctc cag gtg aca cag act ctg cag tgg Gly Phe Ser Val Ser Ala Ala Leu Gln Val Thr Gln Thr Leu Gln Trp 1200 1205 1210	3650
gtg gtc cgc agc tgg aca gat ctg gag aac agc atg gta gcc gtg gag Val Val Arg Ser Trp Thr Asp Leu Glu Asn Ser Met Val Ala Val Glu 1215 1220 1225	3698
cgc gtg cag gac tac gct cgc atc ccc aaa gag gct ccc tgg agg ctg Arg Val Gln Asp Tyr Ala Arg Ile Pro Lys Glu Ala Pro Trp Arg Leu 1230 1235 1240 1245	3746
ccc acc tgc gca gcc cag cct ctc tgg cct tgt ggg gga cag att gag Pro Thr Cys Ala Ala Gln Pro Leu Trp Pro Cys Gly Gly Gln Ile Glu 1250 1255 1260	3794
ttc cgg gac ttt ggg ctc aga cac cga cca gag ctg ccc ttg gct gtg Phe Arg Asp Phe Gly Leu Arg His Arg Pro Glu Leu Pro Leu Ala Val 1270 1275 1280 1285	3842

1265	1270	1275	
cag gga gtg tcc ctg aag atc cat gca gga gag aag gtg ggc atc gtg Gln Gly Val Ser Leu Lys Ile His Ala Gly Glu Lys Val Gly Ile Val 1280	1285	1290	3890
ggc aga aca ggg gcc ggg aag tcc tcc ctg gct tgg ggc ctg ctg cgg Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ala Trp Gly Leu Leu Arg 1295	1300	1305	3938
ctt cag gag gct gcc gag ggt aat atc tgg atc gat ggg gtc cct atc Leu Gln Glu Ala Ala Glu Gly Asn Ile Trp Ile Asp Gly Val Pro Ile 1310	1315	1320	3986
acc cat gtg ggg ctg cac aca ctg agg tcc cga atc acc atc atc cct Thr His Val Gly Leu His Thr Leu Arg Ser Arg Ile Thr Ile Ile Pro 1330	1335	1340	4034
cag gac cct gtc ctg ttc cca ggc tct ctg cgg atg aac ctg gac ctg Gln Asp Pro Val Leu Phe Pro Gly Ser Leu Arg Met Asn Leu Asp Leu 1345	1350	1355	4082
ctt cag gag cac aca gat gaa ggc atc tgg gca gcg ctg gag aca gtg Leu Gln Glu His Thr Asp Glu Gly Ile Trp Ala Ala Leu Glu Thr Val 1360	1365	1370	4130
cag ctc aag gcc ttc gtg acc agc ctg cct ggc cag ctg caa tat gag Gln Leu Lys Ala Phe Val Thr Ser Leu Pro Gly Gln Leu Gln Tyr Glu 1375	1380	1385	4178
tgt gca ggc cag gga gat gac ctg agc gtg ggt cat aaa cag ctc ctg Cys Ala Gly Gln Gly Asp Asp Leu Ser Val Gly His Lys Gln Leu Leu 1390	1395	1400	4226
tgc ctg gca cga gcc ctt ctc cgg aaa acc cag atc ctc atc ctg gac Cys Leu Ala Arg Ala Leu Leu Arg Lys Thr Gln Ile Leu Ile Leu Asp 1410	1415	1420	4274
gag gcg act gcc tct gtg gac cca ggg acg gag atg cag atg cag gcg Glu Ala Thr Ala Ser Val Asp Pro Gly Thr Glu Met Gln Met Gln Ala 1425	1430	1435	4322
gcc ctg gag cgc tgg ttt aca cag tgt acc tta ctg ctt atc gct cac Ala Leu Glu Arg Trp Phe Thr Gln Cys Thr Leu Leu Leu Ile Ala His 1440	1445	1450	4370
cgc ctg cgc tcc gtg atg gac tgt gcc aga gtc cta gtc atg gat gag Arg Leu Arg Ser Val Met Asp Cys Ala Arg Val Leu Val Met Asp Glu 1455	1460	1465	4418
ggg cag gtg gca gaa agt ggc aat cct gct cag ctg ctg gcc cag aaa Gly Gln Val Ala Glu Ser Gly Asn Pro Ala Gln Leu Leu Ala Gln Lys 1470	1475	1480	4466
ggc ctg ttt tac agg cta gcc cat gag tcg ggc ctc gct tga Gly Leu Phe Tyr Arg Leu Ala His Glu Ser Gly Leu Ala 1490	1495		4508

```

atgaggattc ttaccaaccc ccgtggagcc agccatagag cctgcagtgg ctggagatgc 4568
cagagactcc aatctaaact cctctttggg agggagatgg cagagaaagt gatggagtat 4628
tgggatacca gaccagaag aaccagcac gccaggttg gcctgagcaa ggccatgccc 4688
accccaggcc aaagagaatg gtaactctca gcccaagctg tctacttcaa ggccacgccc 4748
actccaggcc aatcagattg gatgccctgg acccaggtga tgggtgtgcac atattcccta 4808
actccttatt ttgaagtcac tgtagatttc agtcacagtt ttaagaaata acacggagag 4868
aaactgtgac ccctctgccc tgtttattcc aagggtgaca ccttgtccaa ctctagagca 4928
tcacaccgac tctgaccgac tcgtctttac aactccaaaa aaaaaaaaaa aa 4980

```

```

<210> 9
<211> 1498
<212> PRT
<213> Mus musculus

```

```

<400> 9
Met Asn Ser Gly Arg Ser Met Ala Thr Pro Gly Glu Gln Cys Ala Gly
 1          5          10          15
Leu Arg Val Trp Asn Gln Thr Glu Gln Glu Pro Ala Ala Tyr His Leu
 20          25          30
Leu Ser Leu Cys Phe Val Arg Ala Ala Ser Ser Trp Val Pro Pro Met
 35          40          45
Tyr Leu Trp Val Leu Gly Pro Ile Tyr Leu Leu Tyr Ile His Arg His
 50          55          60
Gly Arg Cys Tyr Leu Arg Met Ser His Leu Phe Lys Thr Lys Met Val
 65          70          75          80
Leu Gly Leu Ala Leu Ile Leu Leu Tyr Thr Phe Asn Val Ala Val Pro
 85          90          95
Leu Trp Arg Ile His Gln Gly Val Pro Gln Ala Pro Glu Leu Leu Ile
100          105          110
His Pro Thr Val Trp Leu Thr Thr Met Ser Phe Ala Thr Phe Leu Ile
115          120          125
His Met Glu Arg Arg Lys Gly Val Arg Ser Ser Gly Val Leu Phe Gly
130          135          140
Tyr Trp Leu Leu Cys Cys Ile Leu Pro Gly Ile Asn Thr Val Gln Gln
145          150          155          160
Ala Ser Ala Gly Asn Leu Arg Gln Glu Pro Leu His His Leu Ala Thr
165          170          175
Tyr Leu Cys Leu Ser Leu Val Val Ala Glu Leu Val Leu Ser Cys Leu
180          185          190
Val Asp Gln Pro Pro Phe Phe Ser Glu Asp Ser Gln Pro Leu Asn Pro
195          200          205
Cys Pro Glu Ala Glu Ala Ser Phe Pro Ser Lys Ala Met Phe Trp Trp
210          215          220
Ala Ser Gly Leu Leu Trp Arg Gly Tyr Lys Lys Leu Leu Gly Pro Lys
225          230          235          240
Asp Leu Trp Ser Leu Gly Arg Glu Asn Ser Ser Glu Glu Leu Val Ser
245          250          255
Gln Leu Glu Arg Glu Trp Arg Arg Ser Cys Asn Gly Leu Pro Gly His
260          265          270
Lys Gly His Ser Ser Val Gly Ala Pro Glu Thr Glu Ala Phe Leu Gln
275          280          285
Pro Glu Arg Ser Gln Arg Gly Pro Leu Leu Arg Ala Ile Trp Arg Val
290          295          300
Phe Arg Ser Thr Phe Leu Leu Gly Thr Leu Ser Leu Val Ile Ser Asp
305          310          315          320
Ala Phe Arg Phe Ala Val Pro Lys Leu Leu Ser Leu Phe Leu Glu Phe

```

				325					330					335			
Met	Gly	Asp	Arg	Asn	Ser	Ser	Ala	Trp	Thr	Gly	Trp	Leu	Leu	Ala	Val		
			340					345						350			
Leu	Met	Phe	Ala	Ala	Ala	Cys	Leu	Gln	Thr	Leu	Phe	Glu	Gln	Gln	His		
		355					360					365					
Met	Tyr	Arg	Ala	Lys	Val	Leu	Gln	Met	Arg	Leu	Arg	Thr	Ala	Ile	Thr		
	370					375					380						
Gly	Leu	Val	Tyr	Arg	Lys	Val	Leu	Val	Leu	Ser	Ser	Gly	Ser	Arg	Lys		
385					390					395					400		
Ser	Ser	Ala	Ala	Gly	Asp	Val	Val	Asn	Leu	Val	Ser	Val	Asp	Ile	Gln		
				405				410						415			
Arg	Leu	Ala	Glu	Ser	Ile	Ile	Tyr	Leu	Asn	Gly	Leu	Trp	Leu	Leu	Phe		
			420					425						430			
Leu	Trp	Ile	Phe	Val	Cys	Phe	Val	Tyr	Leu	Trp	Gln	Leu	Leu	Gly	Pro		
	435						440					445					
Ser	Ala	Leu	Thr	Ala	Val	Ala	Val	Phe	Leu	Ser	Leu	Leu	Pro	Leu	Asn		
	450					455					460						
Phe	Phe	Ile	Thr	Lys	Lys	Arg	Gly	Phe	His	Gln	Glu	Glu	Gln	Met	Arg		
465					470					475					480		
Gln	Lys	Ala	Ser	Arg	Ala	Arg	Leu	Thr	Ser	Ser	Met	Leu	Arg	Thr	Val		
				485				490						495			
Arg	Thr	Ile	Lys	Ser	His	Gly	Trp	Glu	His	Ala	Phe	Leu	Glu	Arg	Leu		
			500					505					510				
Leu	His	Ile	Arg	Gly	Gln	Glu	Leu	Ser	Ala	Leu	Lys	Thr	Ser	Thr	Leu		
	515						520					525					
Leu	Phe	Ser	Val	Ser	Leu	Val	Ser	Phe	Gln	Val	Ser	Thr	Phe	Leu	Val		
	530					535					540						
Ala	Leu	Val	Val	Phe	Ala	Val	His	Thr	Leu	Val	Ala	Glu	Asp	Asn	Ala		
545					550					555					560		
Met	Asp	Ala	Glu	Lys	Ala	Phe	Val	Thr	Leu	Thr	Val	Leu	Ser	Ile	Leu		
				565				570						575			
Asn	Lys	Ala	Gln	Ala	Phe	Leu	Pro	Phe	Ser	Val	His	Cys	Ile	Val	Gln		
			580					585					590				
Ala	Arg	Val	Ser	Phe	Asp	Arg	Leu	Ala	Ala	Phe	Leu	Cys	Leu	Glu	Glu		
	595						600					605					
Val	Asp	Pro	Asn	Gly	Met	Ile	Ala	Ser	Asn	Ser	Arg	Arg	Ser	Ser	Lys		
	610					615					620						
Asp	Arg	Ile	Ser	Val	His	Asn	Gly	Thr	Phe	Ala	Trp	Ser	Gln	Glu	Ser		
625					630					635					640		
Pro	Pro	Cys	Leu	His	Gly	Ile	Asn	Leu	Thr	Val	Pro	Gln	Gly	Cys	Leu		
				645				650						655			
Leu	Ala	Val	Val	Gly	Pro	Val	Gly	Ala	Gly	Lys	Ser	Ser	Leu	Leu	Ser		
			660				665						670				
Ala	Leu	Leu	Gly	Glu	Leu	Leu	Lys	Val	Glu	Gly	Ser	Val	Ser	Ile	Glu		
	675						680					685					
Gly	Ser	Val	Ala	Tyr	Val	Pro	Gln	Glu	Ala	Trp	Val	Gln	Asn	Thr	Ser		
	690					695					700						
Val	Ala	Glu	Asn	Val	Cys	Phe	Arg	Gln	Glu	Leu	Asp	Leu	Pro	Trp	Leu		
705					710					715					720		
Gln	Lys	Val	Leu	Asp	Ala	Cys	Ala	Leu	Gly	Ser	Asp	Val	Ala	Ser	Phe		
				725				730						735			
Pro	Ala	Gly	Val	His	Thr	Pro	Ile	Gly	Glu	Gln	Gly	Met	Asn	Leu	Ser		
			740					745					750				
Gly	Gly	Gln	Lys	Gln	Arg	Leu	Ser	Leu	Ala	Arg	Ala	Val	Tyr	Lys	Lys		
	755						760					765					
Ala	Ala	Ile	Tyr	Leu	Leu	Asp	Asp	Pro	Leu	Ala	Ala	Leu	Asp	Ala	His		
	770					775					780						
Val	Ser	Gln	Gln	Val	Phe	Lys	Gln	Val	Ile	Gly	Pro	Ser	Gly	Leu	Leu		

785					790					795					800
Gln	Gly	Thr	Thr	Arg	Ile	Leu	Val	Thr	His	Thr	Leu	His	Val	Leu	Pro
				805					810					815	
Gln	Ala	Asp	Arg	Ile	Leu	Val	Leu	Ala	Asn	Gly	Thr	Ile	Ala	Glu	Met
			820					825					830		
Gly	Ser	Tyr	Gln	Asp	Leu	Leu	Gln	Arg	Asn	Gly	Ala	Leu	Val	Gly	Leu
		835					840					845			
Leu	Asp	Gly	Ala	Arg	Gln	Pro	Ala	Gly	Thr	His	Asp	Ala	Ala	Thr	Ser
	850					855				860					
Asp	Asp	Leu	Gly	Gly	Phe	Pro	Gly	Gly	Gly	Arg	Pro	Thr	Cys	Arg	Pro
865					870					875					880
Asp	Arg	Pro	Arg	Pro	Thr	Glu	Ala	Ala	Pro	Val	Lys	Gly	Arg	Ser	Thr
			885						890					895	
Ser	Glu	Val	Gln	Met	Glu	Ala	Ser	Leu	Asp	Asp	Pro	Glu	Ala	Thr	Gly
			900					905					910		
Leu	Thr	Ala	Glu	Glu	Asp	Ser	Val	Arg	Tyr	Gly	Arg	Val	Lys	Ile	Thr
		915					920					925			
Ile	Tyr	Leu	Ser	Tyr	Leu	Arg	Ala	Val	Gly	Thr	Pro	Leu	Cys	Thr	Tyr
	930					935					940				
Thr	Leu	Phe	Leu	Phe	Leu	Cys	Gln	Gln	Val	Ala	Ser	Phe	Ser	Gln	Gly
945					950					955					960
Tyr	Trp	Leu	Ser	Leu	Trp	Ala	Asp	Asp	Pro	Val	Val	Asp	Gly	Arg	Gln
			965						970					975	
Met	His	Ala	Ala	Leu	Arg	Gly	Trp	Val	Phe	Gly	Leu	Leu	Gly	Cys	Leu
			980					985					990		
Gln	Ala	Ile	Gly	Leu	Phe	Ala	Ser	Met	Ala	Ala	Val	Phe	Leu	Gly	Gly
		995					1000					1005			
Ala	Arg	Ala	Ser	Gly	Leu	Leu	Phe	Arg	Ser	Leu	Leu	Trp	Asp	Val	Ala
	1010					1015					1020				
Arg	Ser	Pro	Ile	Gly	Phe	Phe	Glu	Arg	Thr	Pro	Val	Gly	Asn	Leu	Leu
1025					1030					1035					1040
Asn	Arg	Phe	Ser	Lys	Glu	Thr	Asp	Thr	Val	Asp	Val	Asp	Ile	Pro	Asp
			1045						1050				1055		
Lys	Leu	Arg	Ser	Leu	Leu	Thr	Tyr	Ala	Phe	Gly	Leu	Leu	Glu	Val	Gly
			1060					1065					1070		
Leu	Ala	Val	Thr	Met	Ala	Thr	Pro	Leu	Ala	Ile	Val	Ala	Ile	Leu	Pro
		1075					1080					1085			
Leu	Met	Val	Leu	Tyr	Ala	Gly	Phe	Gln	Ser	Leu	Tyr	Val	Ala	Thr	Ser
	1090					1095					1100				
Cys	Gln	Leu	Arg	Arg	Leu	Glu	Ser	Ala	Arg	Tyr	Ser	Ser	Val	Cys	Ser
1105					1110					1115				1120	
His	Met	Ala	Glu	Thr	Phe	Gln	Gly	Ser	Leu	Val	Val	Arg	Ala	Phe	Arg
			1125						1130					1135	
Ala	Gln	Ala	Ser	Phe	Thr	Ala	Gln	His	Asp	Ala	Leu	Met	Asp	Glu	Asn
			1140					1145					1150		
Gln	Arg	Val	Ser	Phe	Pro	Lys	Leu	Val	Ala	Asp	Arg	Trp	Leu	Ala	Thr
		1155					1160					1165			
Asn	Leu	Glu	Leu	Leu	Gly	Asn	Gly	Leu	Val	Phe	Val	Ala	Ala	Thr	Cys
	1170					1175				1180					
Ala	Val	Leu	Ser	Lys	Ala	His	Leu	Ser	Ala	Gly	Leu	Val	Gly	Phe	Ser
1185					1190					1195					1200
Val	Ser	Ala	Ala	Leu	Gln	Val	Thr	Gln	Thr	Leu	Gln	Trp	Val	Val	Arg
			1205						1210					1215	
Ser	Trp	Thr	Asp	Leu	Glu	Asn	Ser	Met	Val	Ala	Val	Glu	Arg	Val	Gln
			1220					1225					1230		
Asp	Tyr	Ala	Arg	Ile	Pro	Lys	Glu	Ala	Pro	Trp	Arg	Leu	Pro	Thr	Cys
		1235					1240					1245			
Ala	Ala	Gln	Pro	Leu	Trp	Pro	Cys	Gly	Gly	Gln	Ile	Glu	Phe	Arg	Asp

1250	1255	1260
Phe Gly Leu Arg His Arg	Pro Glu Leu Pro Leu	Ala Val Gln Gly Val
1265	1270	1275
Ser Leu Lys Ile His Ala	Gly Glu Lys Val Gly Ile Val	Gly Arg Thr
1285	1290	1295
Gly Ala Gly Lys Ser Ser	Leu Ala Trp Gly Leu Leu	Arg Leu Gln Glu
1300	1305	1310
Ala Ala Glu Gly Asn Ile	Trp Ile Asp Gly Val Pro	Ile Thr His Val
1315	1320	1325
Gly Leu His Thr Leu Arg	Ser Arg Ile Thr Ile Ile	Pro Gln Asp Pro
1330	1335	1340
Val Leu Phe Pro Gly Ser	Leu Arg Met Asn Leu Asp	Leu Leu Gln Glu
1345	1350	1355
His Thr Asp Glu Gly Ile	Trp Ala Ala Leu Glu Thr	Val Gln Leu Lys
1365	1370	1375
Ala Phe Val Thr Ser Leu	Pro Gly Gln Leu Gln Tyr	Glu Cys Ala Gly
1380	1385	1390
Gln Gly Asp Asp Leu Ser	Val Gly His Lys Gln Leu	Leu Cys Leu Ala
1395	1400	1405
Arg Ala Leu Leu Arg Lys	Thr Gln Ile Leu Ile Leu	Asp Glu Ala Thr
1410	1415	1420
Ala Ser Val Asp Pro Gly	Thr Glu Met Gln Met Gln	Ala Ala Leu Glu
1425	1430	1435
Arg Trp Phe Thr Gln Cys	Thr Leu Leu Leu Ile Ala	His Arg Leu Arg
1445	1450	1455
Ser Val Met Asp Cys Ala	Arg Val Leu Val Met Asp	Glu Gly Gln Val
1460	1465	1470
Ala Glu Ser Gly Asn Pro	Ala Gln Leu Leu Ala Gln	Lys Gly Leu Phe
1475	1480	1485
Tyr Arg Leu Ala His Glu	Ser Gly Leu Ala	
1490	1495	

<210> 10
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> primer corresponding to a G to A mutation in exon 24 of the ABCC6 gene

<400> 10
 cagtgggtcca ggcattccga 20

<210> 11
 <211> 20
 <212> DNA
 <213> Artificial

<220>
 <223> primer corresponding to a C to T mutation in exon 24 of the ABCC6 gene

<400> 11
 cagtgggtccg ggcattctga 20

<210> 12
 <211> 26
 <212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to C mutation in exon 24 of the ABCC6 gene

<400> 12

gacccttgga gtcagccagc tactcg

26

<210> 13

<211> 26

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a C to G mutation in exon 24 of the ABCC6 gene

<400> 13

gacgcttgga gtcagccagc tactgg

26

<210> 14

<211> 26

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a C to T mutation in exon 26 of the ABCC6 gene

<400> 14

ggatgtagga ctatgcctgg acgccc

26

<210> 15

<211> 26

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a G to C mutation in exon 26 of the ABCC6 gene

<400> 15

ggatgcagga ctatgcctgc acgccc

26

<210> 16

<211> 20

<212> DNA

<213> Artificial

<220>

<223> primer corresponding to a C to A mutation in exon 27 of the ABCC6 gene

<400> 16

tgcagctaag cccccctggc

20

<210> 17

<211> 19

<212> DNA

<213> Artificial

CTGCGGCTCCAGGAGGCAGCTGAGAGTGGG (SEQ ID NO: 21)

Probes in SEQ ID NOs. 22, 23, 24 and 25 are used for the detection of additional specific mutations in Exon 28 of the ABCC6 gene.

GTGGGCATCTTTGGCAGGACCGGGG (SEQ ID NO: 22)

5 GTGGGCATCGTTGGCAGGACTGGGG (SEQ ID NO: 23)

GTGGGCATCTTTGGCAGGACCAGGG (SEQ ID NO: 24)

GTGGGCATCTTTGGCAGGACCGGGC (SEQ ID NO: 25)

EQUIVALENTS

10 The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The foregoing embodiments are therefore to be considered in all respects illustrative rather than limiting on the invention described herein. Scope of the invention is thus indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of
15 equivalency of the claims are intended to be embraced therein.

<400> 22
 gtgggcatct ttggcaggac cgggg 25

<210> 23
 <211> 25
 <212> DNA
 <213> Artificial

<220>
 <223> primer corresponding to a C to T mutation in exon 28 of the ABCC6 gene

<400> 23
 gtgggcatcg ttggcaggac tgggg 25

<210> 24
 <211> 25
 <212> DNA
 <213> Artificial

<220>
 <223> primer corresponding to a G to A mutation in exon 28 of the ABCC6 gene

<400> 24
 gtgggcatcg ttggcaggac caggg 25

<210> 25
 <211> 25
 <212> DNA
 <213> Artificial

<220>
 <223> primer corresponding to a G to C mutation in exon 28 of the ABCC6 gene

<400> 25
 gtgggcatcg ttggcaggac cgggc 25

<210> 26
 <211> 21
 <212> DNA
 <213> Homo sapiens

<220>
 <221> CDS
 <222> (1)..(12)
 <223> Mutation in Exon 24 of human MRP6 gene

<400> 26
 cgg gca ttc tga acccaggcc 21
 Arg Ala Phe
 1

<210> 27
 <211> 18
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature

<223> mutation in Intron 21 of human MRP6 gene

<400> 27

tacggcaggt taaccacc

18

THE EMBODIMENTS OF THE INVENTION FOR WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS SOUGHT ARE DEFINED AS FOLLOWS:

1. A method for screening a patient for the presence of a *Pseudoxanthoma elasticum* mutation, the method comprising the steps of:
 - a) analyzing an (MRP6)ABCC6 nucleic acid in a patient sample for the presence of a mutation shown to be associated with *Pseudoxanthoma elasticum* , wherein said mutation is :
 - i) at codon 1114, nucleotide 3341G>C;
 - ii) at codon 1138, nucleotide 3413G>A;
 - iii) at codon 1141, nucleotide 3421C>T;
 - iv) at codon 1259, nucleotide 3775delT;
 - v) at codon 1298, nucleotide 3892G>T;
 - vi) at codon 1302, nucleotide 3904G>A;
 - vii) at codon 1303, nucleotide 3907G>C;
 - viii) at codon 1314, nucleotide 3940C>T; or
 - ix) at codon 1321, nucleotide 3961G>A, and
 - b) identifying said patient as having a *Pseudoxanthoma elasticum* mutation if the mutation from step a) is detected in said (MRP6)ABCC6 nucleic acid, wherein analysis of the (MRP6)ABCC6 nucleic acid is conducted using a nucleic acid based detection assay, a specific mutation detection assay or a nucleic acid sequencing assay.
2. The method according to claim 1, wherein the patient sample is blood, saliva, amniotic fluid, or tissue.
3. The method according to claim 2, wherein the patient sample is blood.

4. The method according to claim 1, wherein analysis of the MRP6(ABCC6) nucleic acid is conducted using said nucleic acid based detection assay.
5. The method according to claim 4, wherein said nucleic acid based detection assay is single-strand conformation polymorphism, denaturing gradient gel electrophoresis, restriction fragment length polymorphism, ligase chain reaction, denaturing high performance liquid chromatography, or enzymatic cleavage.
6. The method according to claim 1, wherein said analysis of the MRP6(ABCC6) nucleic acid is conducted using said specific mutation detection assay.
7. The method according to claim 6, wherein said specific mutation detection assay is oligonucleotide hybridization or primer extension assays.
8. The method according to claim 1, wherein said analysis of the MRP6(ABCC6) nucleic acid is conducted using said nucleic acid sequencing assay.
9. The method according to claim 1, wherein said nucleic acid is mRNA, genomic DNA, or cDNA.
10. The method according to claim 1, wherein said analysis of the MRP6(ABCC6) nucleic acid is conducted using a hybridization assay.




Figure 1




Figure 2

MAAPAEPCAGQG VWNQTEPEPAATSLLSLCFLRTAGVWVPPMYLWVLGP IYLLFIHHGR
GYLWMSPLFKAKMVLGFALIVLCTSSVAVALWKIQQGTPEAPEFLIHPTVWLT TMSFAVF
LIHTERKKGVQSSGVLF GYWLLCFVLPATNAAQQASGAGFQSDPVRHLSTYLCLSLVVAQ
FVLSCLADQPPFFPEDPQQSNPCPETGA AFPSKATFWVWSGLVWRGYRRPLRPKDLWSLG
RENSSEELVSRLEKEWMRNRSAARRHNKAI AFKRKGSGMKAPETEPFLRQEGSQWRPLL
KAIWQVFHSTFLLGTLSLIISDVFRFTVPKLLSLFLEFIGDPKPPAWKGYLLAVLMFLSA
CLQTLFEQQNMYRLKVLQMRLRSAITGLVYRKVLALSSGSRKASAVGDVVNLVSVDVQRL
TESVLYLNGLWLPLVWIVVCFVYLWQLLGPSALTAIAVFLSLLPLNFFISKRNHHQEEQ
MRQKDSRARLTSSILRNSKTIKFHGWEGAF LDRVLGIRGOELGALRTSGLLFSVSLVSFQ
VSTFLVALVVFVAVHTLVAENAMNAEKA FVTLTVLNLNKAQAFLPFSIHSLVQARVSFDR
LVTFCLCLEEVDPGVVDSSSSSGSAAGKDCITIHSATFAWSQESPPCLHRINLTVPQGCLLA
VVGPVGAGKSSLLSALLGELSKVEGFVSIEGAVAYVPQEA WQNTSVVENVCFGQELDPP
WLERVLEACALQPDVDSFPEGIHTS IGEQGMNLSGGQKQRLSLARAVYRKA AVYLLDDPL
AALDAHVGQHVFNQVIGPGG LLQGTTRILVTHALHILPQADWIIVLANGAIAEMGSYQEL
LQRKGALVCLLDQARQPGDRGEGETEPGTSTK DPRGTSAGRRPELRRERSIKSVPEKDRT
TSEAQTEVPLDDPDRA GWPAGKDSIQYGRVKATVHLAYLRAVGTPLCLYALFLFLCQQVA
SFCRGYWL SLWADDPVGGQQTQAALRGGIFGLLGCLQAIGLFASMAAVLLGGARASRL
FQRLLDVVRSPISFFERTPIGHLLNRFSKETD TVDVIDPKLRSLLMYAFGLLEVSLVV
AVATPLATVAILPLFLLYAGFQSLYVVSSCQLRRLESASYSSVCSHMAETFQGSTVVR AF
RTQAPFVAQNNARVDESQRISFPRLVADRWLAANVELLGNGLVFAAATCAVL SKAHL SAG
LVGFSVSAALQVTQTLQWVVRNWDLENSIVSVERMQDYAWTPKEAPWRLPTCAAQPPWP
QGGQIEFRDFGLRYRPELPLAVQGV SFKIHAGEKVGIVGRTGAGKSSLASGLLRLQEAAE
GGIWIDGVPIAHVGLHTLRSRISIIPODPILFP GSLRMNLDLLQEHSD EAIWAALET VQL
KALVASLPGQLQYKCADRGEDLSVGQKQLLCLARALLRKTQILILDEATAAVDPGT ELQM
QAMLGSWFAQCTVLLIAHRLRSVMDCARVLVMDKGQVAESGSPAQLLAQKGLFYRLAQES
GLV

Figure 3




Figure 4




Figure 5

6 / 6




Figure 6