



(12) **United States Patent**
Ceci et al.

(10) **Patent No.:** **US 9,730,927 B2**
(45) **Date of Patent:** ***Aug. 15, 2017**

(54) **USE OF FLIBANSERIN IN THE TREATMENT OF OBESITY**
(71) Applicant: **Sprout Pharmaceuticals, Inc.**, Raleigh, NC (US)
(72) Inventors: **Angelo Ceci**, Mittelbiberach (DE); **Marcus Schindler**, Biberach (DE)
(73) Assignee: **Sprout Pharmaceuticals, Inc.**, Bridgewater, NJ (US)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
This patent is subject to a terminal disclaimer.
(21) Appl. No.: **14/940,802**
(22) Filed: **Nov. 13, 2015**

3,472,854 A 10/1969 Archer
4,200,641 A 4/1980 Vandenberk et al.
4,367,217 A 1/1983 Gruber et al.
4,438,091 A 3/1984 Gruber et al.
4,737,500 A 4/1988 Sorg
4,792,452 A 12/1988 Howard et al.
4,797,399 A 1/1989 Ueda et al.
4,859,692 A 8/1989 Bernstein et al.
4,886,803 A 12/1989 Sueda et al.
4,940,793 A 7/1990 Botrè et al.
4,954,503 A 9/1990 Strupczewski et al.
4,968,508 A 11/1990 Oren et al.
5,002,948 A 3/1991 Perregaard et al.
5,036,088 A 7/1991 Kitaura et al.
5,225,417 A 7/1993 Dappen et al.
5,281,585 A 1/1994 Duggan et al.
5,405,642 A 4/1995 Gilis et al.
5,407,686 A 4/1995 Patel et al.
5,434,156 A 7/1995 Björk et al.
5,482,948 A 1/1996 Soyka et al.
5,492,907 A 2/1996 Pickar et al.
5,552,412 A 9/1996 Cameron et al.
5,576,290 A 11/1996 Hadley
5,576,318 A 11/1996 Bietti et al.
5,591,743 A 1/1997 Patoiseau et al.
5,854,290 A 12/1998 Arnsten et al.
5,883,094 A 3/1999 Fliri et al.
5,916,916 A 6/1999 Hauser et al.
5,929,054 A 7/1999 Baker et al.
5,977,106 A 11/1999 Patoiseau et al.
6,051,555 A 4/2000 Hadley
6,068,846 A 5/2000 Cho et al.
6,083,947 A 7/2000 Granger et al.

(65) **Prior Publication Data**
US 2016/0136161 A1 May 19, 2016

Related U.S. Application Data
(60) Division of application No. 14/336,663, filed on Jul. 21, 2014, now abandoned, which is a continuation of application No. 13/550,062, filed on Jul. 16, 2012, now Pat. No. 8,785,458, which is a division of application No. 11/997,567, filed as application No. PCT/EP2006/064825 on Jul. 31, 2006, now Pat. No. 8,227,476.

(Continued)
FOREIGN PATENT DOCUMENTS
AU 2006311038 B2 1/2013
AU 2007247094 B2 2/2013
(Continued)

(51) **Int. Cl.**
A61K 31/517 (2006.01)
A61K 31/335 (2006.01)
A61K 31/135 (2006.01)
A61K 31/496 (2006.01)
A61K 31/137 (2006.01)
A61K 31/34 (2006.01)
A61K 31/365 (2006.01)
A61K 45/06 (2006.01)
A61K 31/131 (2006.01)
A61K 31/13 (2006.01)

OTHER PUBLICATIONS
U.S. Appl. No. 11/097,939.
U.S. Appl. No. 11/364,306.
U.S. Appl. No. 11/364,785.
U.S. Appl. No. 11/524,268.
U.S. Appl. No. 11/554,855.
U.S. Appl. No. 11/740,959.
U.S. Appl. No. 11/745,515.
U.S. Appl. No. 11/837,957.
U.S. Appl. No. 11/837,959.
U.S. Appl. No. 11/837,962.
U.S. Appl. No. 11/956,949.

(52) **U.S. Cl.**
CPC *A61K 31/496* (2013.01); *A61K 31/13* (2013.01); *A61K 31/131* (2013.01); *A61K 31/137* (2013.01); *A61K 31/34* (2013.01); *A61K 31/365* (2013.01); *A61K 45/06* (2013.01); *A61K 31/335* (2013.01); *Y10S 514/909* (2013.01)

(Continued)
Primary Examiner — Kevin E Weddington
(74) *Attorney, Agent, or Firm* — Additon, Higgins & Pendleton, P.A.

(58) **Field of Classification Search**
CPC ... A61K 31/137; A61K 31/135; A61K 31/335
USPC 514/266.22, 909, 449, 646
See application file for complete search history.

(57) **ABSTRACT**
The invention relates to compositions for the treatment of obesity and related diseases comprising a) an active substance being not flibanserin, selected from the group consisting of active substances for the treatment of obesity and obesity related diseases and b) flibanserin, optionally in the form of pharmacologically acceptable acid addition salts thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS
3,096,248 A 7/1963 Rudzki
3,406,189 A 10/1968 Crocker et al.

20 Claims, No Drawings

(56)

References Cited

U.S. PATENT DOCUMENTS

6,165,513	A	12/2000	Dansereau et al.
6,187,340	B1	2/2001	Fukuta et al.
6,281,218	B1	8/2001	Cereda et al.
6,284,757	B1	9/2001	Sanner
6,346,548	B1	2/2002	Miller et al.
6,426,087	B1	7/2002	Saslowski et al.
6,482,841	B1	11/2002	Letelier et al.
6,521,623	B1	2/2003	Cereda et al.
6,586,435	B2	7/2003	Cereda et al.
6,627,646	B2	9/2003	Bakale et al.
6,680,071	B1	1/2004	Johnson et al.
7,151,103	B2	12/2006	Borsini et al.
7,183,410	B2	2/2007	Bombarda et al.
7,241,805	B2	7/2007	Oberegger et al.
7,420,057	B2	9/2008	Bombarda et al.
7,923,449	B2	4/2011	Ceci
7,973,043	B2	7/2011	Migaly
8,030,314	B2	10/2011	Beck
8,227,471	B2	7/2012	Borsini et al.
8,227,476	B2	7/2012	Ceci et al.
8,545,886	B2	10/2013	Eisenreich et al.
8,658,207	B2	2/2014	Eisenreich et al.
8,722,682	B2	5/2014	Volz et al.
8,785,458	B2*	7/2014	Ceci

A61K 31/137
514/266.22

2008/0038347	A1	2/2008	Eisenreich et al.
2008/0069873	A1	3/2008	Pearnchob et al.
2008/0103155	A1	5/2008	Mendla et al.
2008/0119482	A1	5/2008	Dolsten
2008/0242678	A1	10/2008	Ceci et al.
2008/0242679	A1	10/2008	Ceci
2008/0275082	A1	11/2008	Brum et al.
2009/0022797	A1	1/2009	Rossi et al.
2009/0023712	A1	1/2009	Ferger et al.
2009/0054458	A1	2/2009	Bombarda et al.
2009/0176698	A1	7/2009	Baiker et al.
2009/0239881	A1	9/2009	Becker
2009/0247546	A1	10/2009	Ceci et al.
2009/0312242	A1	12/2009	Castro et al.
2009/0318469	A1	12/2009	Pyke et al.
2011/0015207	A1	1/2011	Volz et al.
2011/0136825	A1	6/2011	Hanes et al.
2012/0035185	A1	2/2012	Borsini
2012/0122883	A1	5/2012	Mazurek et al.
2012/0270883	A1	10/2012	Bombarda et al.
2013/0079355	A1	3/2013	Ceci et al.
2013/0079356	A1	3/2013	Pyke
2013/0096137	A1	4/2013	Borsini
2013/0172304	A1	7/2013	Boeck
2013/0203671	A1	8/2013	Castro et al.
2013/0203766	A1	8/2013	Mendla et al.

FOREIGN PATENT DOCUMENTS

2002/0001397	A1	1/2002	Ishikawa et al.
2002/0010216	A1	1/2002	Rogosky et al.
2002/0052370	A1	5/2002	Barber et al.
2002/0091115	A1	7/2002	Dyatkin et al.
2002/0103208	A1	8/2002	Cereda et al.
2002/0151543	A1	10/2002	Barberish et al.
2002/0160042	A1	10/2002	Petereit et al.
2003/0027823	A1	2/2003	Cereda et al.
2003/0055070	A1	3/2003	Harrison et al.
2003/0060475	A1	3/2003	Borsini
2003/0083228	A1	5/2003	Carpino
2003/0104980	A1	6/2003	Borsini et al.
2003/0119850	A1	6/2003	Bombarda et al.
2004/0023948	A1	2/2004	Green et al.
2004/0048877	A1	3/2004	Friedl et al.
2004/0116532	A1	6/2004	Heacock et al.
2004/0132697	A1	7/2004	Thurlow et al.
2004/0147581	A1	7/2004	Taylor et al.
2004/0180904	A1	9/2004	Beck
2004/0193452	A1	9/2004	Berman
2004/0198706	A1	10/2004	Carrara et al.
2004/0235861	A1	11/2004	Borsini
2004/0258749	A1	12/2004	Guldner et al.
2005/0004105	A1	1/2005	Leahy et al.
2005/0037983	A1	2/2005	Dinan
2005/0065158	A1	3/2005	Naylor et al.
2005/0090550	A1	4/2005	Barrett
2005/0095293	A1	5/2005	Brauns et al.
2005/0159430	A1	7/2005	Bombarda et al.
2005/0239798	A1	10/2005	Pyke
2005/0245539	A1	11/2005	Mendla et al.
2006/0014757	A1	1/2006	Pyke
2006/0025420	A1	2/2006	Brauns et al.
2006/0052391	A1	3/2006	Dolsten
2006/0160822	A1	7/2006	Borsini
2006/0199805	A1	9/2006	Pyke et al.
2006/0204486	A1	9/2006	Pyke et al.
2006/0211685	A1	9/2006	Pyke et al.
2006/0252773	A1	11/2006	Ceci et al.
2006/0258640	A1	11/2006	Ceci et al.
2006/0264511	A1	11/2006	Pyke
2006/0264512	A1	11/2006	Pyke
2007/0032654	A1	2/2007	Bombarda et al.
2007/0032655	A1	2/2007	Bombarda et al.
2007/0072872	A1	3/2007	Borsini et al.
2007/0105869	A1	5/2007	Pollentier et al.
2007/0123540	A1	5/2007	Ceci
2007/0196473	A1	8/2007	Friedl et al.
2007/0265276	A1	11/2007	Pollentier et al.
2008/0038346	A1	2/2008	Eisenreich et al.

BE	904945	12/1986
CA	2455628	A1 2/2003
CA	2 515 426	C 1/2012
CA	2 563 167	C 4/2013
CL	1033-1999	5/1999
CL	2394-1999	10/1999
CL	1491-2001	6/2001
CL	2833-2001	11/2001
CL	418-2002	3/2002
CL	1706-2002	7/2002
CL	1878-2002	8/2002
CL	2389-2002	10/2002
CL	1751-2004	7/2004
CL	911-2005	4/2005
CN	1571670	A 1/2005
CN	1655789	A 8/2005
DE	3620643	A1 1/1987
DE	10209982.0	3/2002
DE	10138273	A1 2/2003
EP	0200322	A1 11/1986
EP	0376607	A1 7/1990
EP	0497985	A1 8/1992
EP	0 526 434	A1 2/1993
EP	0526434	B1 2/1993
EP	0547517	A1 6/1993
EP	0705832	A1 4/1996
EP	0816356	A1 1/1998
EP	0982030	A2 3/2000
EP	1 256 343	A1 11/2002
EP	1256343	A1 11/2002
EP	1 285 658	A2 2/2003
EP	1285658	2/2003
EP	1285658	A2 2/2003
EP	1014985	5/2003
EP	1518858	A1 3/2005
EP	1674102	6/2006
EP	1 948 177	B1 8/2011
EP	1 322 622	B1 10/2012
GB	2023594	A 1/1980
IE	1992/1340	10/1992
IL	159151	2/2003
IL	160389	2/2004
JP	58134033	8/1983
JP	8-143476	6/1996
RU	9314306	A 3/1995
WO	WO 9202215	A1 2/1992
WO	92/03167	A1 3/1992
WO	92/19606	A1 11/1992
WO	93/03016	A1 2/1993
WO	95/01965	A1 1/1995

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO 9519978	7/1995
WO	95/34555 A1	12/1995
WO	96/05834 A1	2/1996
WO	96/16949 A1	6/1996
WO	WO 9819668 A1	5/1998
WO	98/33784 A1	8/1998
WO	98/42344 A1	10/1998
WO	99/19302 A1	4/1999
WO	WO 9959593 A1	5/1999
WO	WO 99/59584 A1	11/1999
WO	99/64002 A1	12/1999
WO	00/28993 A1	5/2000
WO	WO 00/24383 A1	5/2000
WO	WO 0063193	10/2000
WO	00/64441 A2	11/2000
WO	WO 0067735 A2	11/2000
WO	01/00224 A1	1/2001
WO	WO 0100224 A1	1/2001
WO	01/12170 A2	2/2001
WO	01/21593 A1	3/2001
WO	WO 02/00654 A1	1/2002
WO	02/24662 A1	3/2002
WO	WO 02/41894 A2	5/2002
WO	02/074288 A2	9/2002
WO	WO 02/072586 A1	9/2002
WO	02/079143 A1	10/2002
WO	03/007949 A1	1/2003
WO	WO 03007949 A1	1/2003
WO	03/011396 A1	2/2003
WO	03/013539 A1	2/2003
WO	03/014079 A1	2/2003
WO	03/030869 A1	4/2003
WO	03/035072 A1	5/2003
WO	03/074032 A1	9/2003
WO	WO 03074032 A1	9/2003
WO	03/097058 A1	11/2003
WO	2004/041259 A1	5/2004
WO	2004/045509 A2	6/2004
WO	2004/069339 A1	8/2004
WO	2005/007166 A1	1/2005
WO	WO 2005/007166 A1	1/2005
WO	2005/044238 A1	5/2005
WO	2005/087207 A1	9/2005
WO	2005/102342 A1	11/2005
WO	2005/102343 A1	11/2005
WO	2005/102342 A1	11/2005
WO	2006/010574 A1	2/2006
WO	2006/019715 A1	2/2006
WO	2006/024471 A1	3/2006
WO	WO 2006/024471 A1	3/2006
WO	2006/096435 A1	9/2006
WO	WO 2006/096434 A2	9/2006
WO	2006/125041 A1	11/2006
WO	2007/014929 A1	2/2007
WO	WO 2007/023325 A2	3/2007
WO	2007/048803 A1	5/2007
WO	WO 2007/090091 A2	8/2007
WO	2008/006838 A1	1/2008
WO	WO 2008/006839 A	1/2008
WO	2008-019996 A2	2/2008
WO	2008-022932 A2	2/2008
WO	WO 2008/022932 A2	2/2008
WO	2008-116890 A2	10/2008

U.S. Appl. No. 12/867,097.
U.S. Appl. No. 12/987,388.
U.S. Appl. No. 13/131,926.
U.S. Appl. No. 13/276,970.
U.S. Appl. No. 13/541,214.
U.S. Appl. No. 13/550,062.
U.S. Appl. No. 13/551,036.
U.S. Appl. No. 13/559,852.
U.S. Appl. No. 13/654,674.
U.S. Appl. No. 13/657,147.
U.S. Appl. No. 13/671,864.
U.S. Appl. No. 13/674,486.
U.S. Appl. No. 13/675,164.
U.S. Appl. No. 13/680,722.
U.S. Appl. No. 13/749,152.
U.S. Appl. No. 13/847,683.
U.S. Appl. No. 13/863,566.
U.S. Appl. No. 13/920,354.
U.S. Appl. No. 13/905,709.
U.S. Appl. No. 13/906,766.
U.S. Appl. No. 14/196,431.
U.S. Appl. No. 14/269,468.
U.S. Appl. No. 14/269,420.
U.S. Appl. No. 14/273,126.
U.S. Appl. No. 14/269,373.
U.S. Appl. No. 14/475,755.
U.S. Appl. No. 14/313,291.
U.S. Appl. No. 14/336,663.
U.S. Appl. No. 14/583,292.
U.S. Appl. No. 14/519,374.
U.S. Appl. No. 14/583,275.
U.S. Appl. No. 14/570,467.
U.S. Appl. No. 14/484,900.
U.S. Appl. No. 14/319,420.
U.S. Appl. No. 14/640,055.
U.S. Appl. No. 14/665,083.
U.S. Appl. No. 14/690,981.
U.S. Appl. No. 14/656,877.
U.S. Appl. No. 14,702,125.
U.S. Appl. No. 14/809,862.
U.S. Appl. No. 14/867,779.
U.S. Appl. No. 14/876,235.
U.S. Appl. No. 14/940,802.

Office Action in commonly owned European Patent Application No. 06807537.3; dated Mar. 8, 2013, 3 pages.

Office Action in commonly owned Canadian Patent Application No. 2,649,938; dated May 7, 2013, 3 pages.

Office Action in commonly owned Canadian Patent Application No. 2,654,798; dated May 7, 2013, 2 pages.

Office Action in commonly owned Canadian Patent Application No. 2,672,957; dated Nov. 1, 2013, 2 pages.

Office Action in counterpart Canadian Patent Application No. 2,563,743; dated Aug. 8, 2012, 2 pages.

Office Action in commonly owned Canadian Patent Application No. 2,802,600; dated Nov. 28, 2014, 2 pages.

Office Action in commonly owned Canadian Patent Application No. 2,682,015; dated Aug. 26, 2014, 2 pages.

Office Action in commonly owned Canadian Patent Application No. 2,802,600; dated Sep. 25, 2014, 2 pages.

New Collegiate Dictionary, 1981, p. 311 (i.e. definition of the term "diagnosis" as provided).

Office Action in commonly owned Korean Patent Application No. 10-2013-7033147; dated Feb. 28, 2014, 7 pages.

Office Action in commonly owned Chinese Patent Application No. 201310074677.5; dated Mar. 24, 2014, 8 pages.

Dennerstein et al.; Hypoactive Sexual Desire Disorder in Menopausal Women: A Survey of Western European Women; Journal of Sexual Medicine 2006; No. 3, 11 pages.

Leiblum et al.; Hypoactive Sexual Desire Disorder in Postmenopausal Women: US Results from the Women's International Study of Health and Sexuality (WISHeS); Menopause: The Journal of The North American Menopause Society 2006; vol. 13, No. 1, 11 pages.

OTHER PUBLICATIONS

U.S. Appl. No. 11/997,567.
U.S. Appl. No. 12/170,884.
U.S. Appl. No. 12/279,589.
U.S. Appl. No. 12/306,878.
U.S. Appl. No. 12/306,945.
U.S. Appl. No. 12/390,665.
U.S. Appl. No. 12/518,574.
U.S. Appl. No. 12/532,269.
U.S. Appl. No. 12/675,231.

(56)

References Cited

OTHER PUBLICATIONS

- Simon et al.; Efficacy and Safety of Flibanserin in Postmenopausal Women with Hypoactive Sexual Desire Disorder: Results of the SNOWDROP Trial; *Menopause: The Journal of The North American Menopause Society* 2013; vol. 21, No. 6, 8 pages.
- Office Action in commonly owned Canadian Patent Application No. 2,699,414; dated Oct. 30, 2014, 3 pages.
- Crenshaw; *The Sexual Aversion Syndrome*; *J. Sex Marital Ther.*; 1985; vol. 11, Issue 4, abstract 1 page.
- Muir et al.; Dose Optimization of Intravenous Magnesium Sulfate After Acute Stroke; *Stroke*; May 1998; 29:918-923; 7 pages.
- Khaled; Role of 5-HT Receptors in Treatment of Overactive Bladder; *Drugs Today (Barc)*. Aug. 2003; 39 (8); 599-607 (abstract only); 2 pages.
- Office Action in commonly owned Chinese Patent Application No. 201310074677.5; dated Dec. 5, 2014, 8 pages.
- Nitti; Duloxetine: A New Pharmacologic Therapy for Stress Urinary Incontinence; *Reviews in Urology*; 2004; vol. 6 (Suppl. 3): S48-S55; 8 pages.
- Rezakhaniha; Efficacy of Desmopressin in Treatment of Nocturia in Elderly Men; *J Res Med Sci.*; Apr. 2011; 16 (4):516-523; 8 pages.
- Mayo Clinic: Overactive Bladder, 2015; <http://www.mayoclinic.org/diseases-conditions/overactive-bladder/basics/prevention/con-2>; 3 pages.
- Urinary Incontinence—Prevention—NHS Choices, 2014, <http://www.nhs.uk/Conditions/Incontinence-urinary/Pages/Prevention.aspx>.
- Robinson, et al., “First Pharmacological Therapy for Hypoactive Sexual Desire Disorder in Premenopausal Women: Flibanserin”, *Annals of Pharmacotherapy*, 2016, vol. 50(2), pp. 125-132.
- Dow; Using Dow Excipients for Controlled Release of Drugs in Hydrophilic Matrix Systems, 2006; pp. 1-34,36 pages.
- Gao et al., “Efficacy and Safety of Flibanserin in Women with Hypoactive Sexual Desire Disorder: A Systematic Review and Meta-Analysis”, *J Sex Med*, 2015, vol. 12, pp. 2095-2104.
- Office Action in commonly owned Brazilian Patent Application No. PI0211601-4; dated Feb. 27, 2012 8 pages.
- Office Action in commonly owned Canadian Patent Application No. 2,682,015; dated Dec. 20, 2013, 3 pages.
- International Search Report for PCT/US00/18217 mailed Oct. 26, 2000.
- International Search Report for PCT/EP00/08891 mailed Jan. 30, 2001.
- International Search Report for PCT/US05/24623 mailed Nov. 4, 2005.
- International Search Report for PCT/EP02/08466 mailed Nov. 21, 2002.
- International Search Report for PCT/EP02/11103 mailed Jan. 14, 2003.
- International Search Report for PCT/EP03/02184 mailed Aug. 12, 2003.
- International Search Report for PCT/EP03/05226 mailed Sep. 17, 2003.
- Office Action in commonly owned Korean Patent Application No. 10-2008-7013699; dated Mar. 21, 2014, 5 pages.
- International Search Report for PCT/EP05/04081 mailed Oct. 11, 2005.
- International Search Report for PCT/EP05/04086 mailed Oct. 11, 2005.
- International Search Report for PCT/EP06/64825 mailed Nov. 17, 2006.
- International Search Report for PCT/EP07/57064 mailed Nov. 6, 2007.
- International Search Report for PCT/EP07/58301 mailed Jul. 24, 2008.
- International Search Report for PCT/EP07/58302 mailed Jun. 4, 2008.
- International Search Report for PCT/EP08/53592 mailed Jun. 4, 2009.
- Office Action in counterpart Canadian Patent Application No. 2,563,743; dated Apr. 3, 2013, 2 pages.
- Office Action in commonly owned Korean Patent Application No. 10-2008-7013699; dated Jun. 12, 2013, 10 pages.
- Office Action in commonly owned Brazilian Patent Application No. PI0211601-4; dated Sep. 20, 2012 9 pages.
- Office Action in commonly owned Japanese Patent Application No. 2005-530787; dated Jun. 30, 2014, 2 pages.
- Jaspers et al., “Efficacy and Safety of Flibanserin for the Treatment of Hypoactive Sexual Desire Disorder in Women: A Systematic Review and Meta-analysis”, Abstract downloaded at <http://www.ncbi.nlm.nih.gov/pubmed/26927498> on May 19, 2016, pp. 1-2.
- Office Action in commonly owned Canadian Patent Application No. 2,617,546; dated Jul. 26, 2012, 2 pages.
- Office Action in commonly owned Canadian Patent Application No. 2,654,798; dated Jan. 23, 2014, 2 pages.
- Office Action in commonly owned Canadian Patent Application No. 2,649,938; dated Jan. 10, 2014, 3 pages.
- Taavoni et al.; Psychogeriatrics, Hormone Replacement Therapy: Post-Menopausal Sex Life and Attitudes Towards Sex, 2005; 5:9-14, 6 pages.
- Selective Serotonin Reuptake Inhibitors (SSRIs) Information; <http://www.fda.gov/Drugs/DrugSafety/InformationbyDrugClass/ucm283587.htm> as downloaded on Feb. 16, 2016; 2 pages.
- Kurtel et al.; *Journal of the American Society of Hypertension, Impaired Vasomotor Function Induced by the Combination of Hypertension and Hypercholesterolemia*, 2013; 7(1) pp. 14-23,10 pages.
- Menopause Practice: A Clinician’s Guide* 3rd edition (NAMS 2007), 7 pages.
- Katz et al.; *Journal of Sex and Marital Therapy, The Relationship between Worry, Sexual Aversion, and Low Sexual Desire*, 1999, vol. 25, Issue 4, abstract, 9 pages.
- Office Action in European Patent Office in EP 09709701.8 on Oct. 22, 2015.
- Kibbe et al.; *Hydroxypropyl Methylcellulose: Handbook of Pharmaceutical Excipients*, 2000, 6 pages, XP-002376679.
- Office Action in counterpart European Patent Application No. 09774901.4; dated Aug. 9, 2013, 4 pages.
- Office Action in counterpart European Patent Application No. 07728833.0; dated Aug. 21, 2012, 5 pages.
- Office Action in counterpart European Patent Application No. 06764270.2; dated Mar. 6, 2012, 4 pages.
- Office Action in counterpart Australian Patent Application No. 2006311038; dated Aug. 25, 2011, 2pages.
- Office Action in counterpart Australian Patent Application No. 2007247094; dated Aug. 30, 2011, 2 pages.
- Office action in counterpart Brazilian Patent Application No. PI0311189-0; dated Jun. 26, 2012, 10 pages.
- Office Action in counterpart European Patent Application No. 07787338.8; dated Jul. 6, 2012, 4 pages.
- Office Action in commonly owned Brazilian Patent Application No. PI0213358-0; dated Jul. 24, 2015, 4 pages.
- Sexual and Gender Identity Disorders, Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition Text Revision*, American Psychiatric Association, 2000, 34 pages, 535-566.
- Katz et al.; Efficacy of Flibanserin in Women with Hypoactive Sexual Desire Disorder: Results from the BEGONIA Trial; *J Sex Med* 2013, 10, 9 pages 1807-1815.
- Office Action in commonly owned European Patent Application No. 07728833.0; dated Apr. 9, 2013, 1 page.
- Office Action in counterpart Canadian Patent Application No. 2,626,797; dated Aug. 21, 2012, 3 pages.
- Office Action in counterpart Canadian Patent Application No. 2,626,134; dated Aug. 24, 2012, 2 pages.
- Office Action in counterpart Canadian Patent Application No. 2,617,546; dated Mar. 25, 2013, 2 pages.
- Office Action in commonly owned Brazilian Patent Application No. 122012029907-3; dated Mar. 24, 2015, 11 pages.
- International Search Report for PCT/IB04/02286 mailed Sep. 24, 2004.
- Berge et al.; *Pharmaceutical Salts*; *Journal of Pharmaceutical Sciences*; Jan. 1977; vol. 66, No. 1; pp. 1-19.

(56)

References Cited

OTHER PUBLICATIONS

- Borsini et al.; Flibanserin; *Drugs of the Future*; 1998, 23(1): pp. 9-16.
- Cremers et al.; Non Erectile Dysfunction Application of Sildenafil; *Herz*, 2003; 28, No. 4; pp. 325-333.
- Fourcroy; Female Sexual Dysfunction, Potential for Pharmacotherapy; *Drugs* 2003; 63 (14) pp. 1445-1457.
- Hancock et al.; What is the True Solubility Advantage for Amorphous Pharmaceuticals; *Pharmaceutical Research*, vol. 17, No. 4; 2000; pp. 397-404.
- Kumar et al.; An overview of automated systems relevant in pharmaceutical salt screening; *Drug Discovery Today*, vol. 12, Nos. 23/24, Dec. 2007; pp. 1046-1053.
- Molinoff et al.; PT-141: A Melanocortin Agonist for the Treatment of Sexual Dysfunction; *Annals New York Academy of Sciences*; 994; 2003; pp. 96-102.
- Quirk et al.; Development of a Sexual Function Questionnaire for Clinical Trails of Female Sexual Dysfunction; *Journal of Women's Health & Gender-Based Medicine*, vol. 11, No. 3; 2002; pp. 277-289.
- Rosen et al.; The Female Sexual Functon Index (FSFI): A Multi-dimensional Self-Report Instrument for the Assessment of Female Sexual Function; *Journal of Sex & Marital Therapy*, 26:191-208, 2000.
- Salonia et al.; Sexual Dysfunction is Common in Women with Lower Urinary Tract Symptoms and Urinary Incontinence: Results of a Cross-Sectional Study; *European Urology* 45, 2004; pp. 642-648.
- Stahl et al.; *Handbook of Pharmaceutical Salts Properties, Selection, and Use*; pp. 211-217; International Union of Pure and Applied Chemistry (IUPAC) date unknown.
- Tanaka et al.; B3-Adrenoceptor Agonists for the Treatment of Frequent Urination and Urinary Incontinence: 2-[4-2-[(1S,2R)-2-Hydroxy-2-(4-hydroxyphenyl)-1-methylethyl]amino]ethyl]phenoxy]-2-methylpropionic Acid; *Bioorganic & Medicinal Chemistry* 9 (2001); 3265-3271.
- Poster, presented Nov. 6, 2009 at Sexual Medicine Society of North American 2009 Fall Scientific Meeting, 3 pages.
- Transcript of Poster, presented Nov. 6, 2009 at Sexual Medicine Society of North American 2009 Fall Scientific Meeting, "Pooled Clinical Trial Analysis of Flibanserin Safety and Tolerability in Premenopausal Women with Hypoactive Sexual Desire Disorder", 7 pages.
- Semkova et al., Neuroprotective effect of 5-HT1A receptor agonist, Bay x 3702, demonstrated in vitro and in vivo, 1998, *European Journal of Pharmacology*, vol. 359, pp. 251-260.
- Prehn et al., Neuroprotective properties of 5-HT1A receptor agonists in rodent models of focal and global cerebral ischemia, 1991, *European Journal of Pharmacology*, vol. 203, pp. 213-222.
- Elger et al., Oedema reduction by levemopamil in focal cerebral ischemia of spontaneously hypertensive rats studied by magnetic resonance imaging, 1994, *European Journal of Pharmacology*, vol. 254, pp. 65-71.
- Borsini et al., BIMT 17: a putative antidepressant with a fast onset of action?, 1997, *Psychopharmacology*, vol. 134, pp. 378-386.
- Walsh et al.; Sexual Dysfunction in the Older Woman, An Overview the Current Understanding and Management; *Drugs Aging* 2004; 21 (10); pp. 656-675.
- Albertazzi; Noradrenergic and serotonergic modulation to treat vasomotor symptoms; *J. Br. Menopause Soc.*, Mar. 12, 2006; (1) 7-11; Abstract.
- Berman et al.; Safety and Efficacy of Sildenafil Citrate for the Treatment of Female Sexual Arousal Disorder: A Double-blind, Placebo Controlled Study; *The Journal of Urology*; Dec. 2003; vol. 170, pp. 2333-2338.
- Flibanserin, from Wikipedia, 6 pages, retrieved from the Internet at <http://en.wikipedia.org/wiki/Flibanserin> on Jul. 3, 2012.
- Ghizzani, et al.; Management of Sexual Dysfunctions in Women; *J. Endorinol. Invest.* 26 (Suppl to No. 3); 2003; pp. 137-138.
- Kaur, et al.; Premenstrual Dysphoric Disorder: A Review for the Treating Practitioner; *Cleveland Clinic Journal of Medicine*, vol. 71, No. 4, Apr. 2004; pp. 303-321.
- Kroll, Treatment of Premenstrual Disorders, *J. Reprod. Med.*, Apr. 2006; (4 Suppl)—Abstract.
- Lachman et al.; *The Theory and Practice of Industrial Pharmacy*, 3rd Edition, Lea and Febiger Philadelphia, 1986, pp. 324-333.
- Salerian et al.; Sildenafil for Psychotropic-Induced Sexual Dysfunction in 31 Women and 61 Men; *Journal of Sex & Marital Therapy*; 2000, 26:2, pp. 133-140.
- Sietsema et al.; From Taboo Treatment?; 2005 PJB Publications, Jan. 2005; pp. 23-27.
- Response filed Jan. 25, 2013 in counterpart Canadian Patent Application No. 2,617,546; 17 pages.
- Response filed Feb. 7, 2013 in counterpart Canadian Patent Application No. 2,563,743; 15 pages.
- Response filed Feb. 20, 2013 in counterpart Canadian Patent Application No. 2,626,134; 7 pages.
- Response filed Feb. 20, 2013 in counterpart Canadian Patent Application No. 2,626,797; 8 pages.
- Response filed Aug. 24, 2012 in counterpart Brazilian Patent Application No. PI0311189-0; 13 pages [Portuguese-language only].
- Response filed Sep. 6, 2012 in counterpart European Patent Application No. 07787338.8; 4 pages.
- Response filed Feb. 17, 2012 in counterpart European Patent Application No. 09774901.4; 7 pages.
- Response filed Apr. 17, 2012 in counterpart European Patent Application No. 07728833.0; 19 pages.
- Response filed Apr. 30, 2012 in counterpart Brazilian Patent Application No. PI0211601-4; 12 pages [Portuguese-language only].
- Response filed Aug. 27, 2012 in counterpart Australian Patent Application No. 2006311038; 16 pages.
- Response filed Sep. 12, 20012 in counterpart Australian Patent Application No. 2007247094; 23 pages.
- Response filed Dec. 19, 2012 in counterpart European Patent Application No. 06764270.2; 26 pages.
- U.S. Appl. No. 12/987,388, filed Jan. 10, 2011, Mendla et al.
- Anonymous, Gel significantly increases sexual-activity in surgically menopausal women, Online, Nov. 1, 2004, XP002455243, Retrieved from the Internet: URL:http://www.news-medical.net/print_article.asp?id=5960 [retrieved on Oct. 17, 2007] 8 pgs.
- Eriksson, Serotonin reuptake inhibitors for the treatment of premenstrual dysphoria, *Intl. Clin. Psychopharm*, 1999, 14Suppl2:S27-S33.
- Steiner et al., Seretonin re-uptake inhibitors in the treatment of premenstrual dysphoria: Current status of knowledge, 1997, 1:241-247.
- Office Action dated Oct. 26, 2010, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 10 pgs.
- Office Action dated Oct. 5, 2010; U.S. Appl. No. 11/956,949, filed Dec. 14, 2007, 10 pgs.
- Advisory Action dated Nov. 8, 2010; U.S. Appl. No. 11/960,957, filed Dec. 20, 2007, 3 pgs.
- Acknowledgment of Priority Document dated Nov. 4, 2010; U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 1 pg.
- Notice of Allowance dated Nov. 15, 2010; U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 4 pgs.
- RCE dated Dec. 20, 2010; U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 3 pgs.
- Office Action dated Dec. 30, 2010; U.S. Appl. No. 12/390,665, filed Feb. 23, 2009, 9 pgs.
- Response to Final Office Action dated Jan. 20, 2011; U.S. Appl. No. 11/745,515, filed May 8, 2007, 7 pgs.
- Response to Final Office Action dated Jan. 20, 2011; U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 9 pgs.
- Response to Office Action dated Jan. 28, 2011, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 7 pgs.
- Response to Final Office Action dated Feb. 7, 2011; U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 9 pgs.
- RCE dated Feb. 15, 2011; U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 2 pgs.

(56)

References Cited

OTHER PUBLICATIONS

- Response to Final Office Action dated Feb. 15, 2011; U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 15 pgs.
- Notice of Allowance dated Feb. 16, 2011; U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 8 pgs.
- Advisory Action dated Feb. 17, 2011; U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 3 pgs.
- Notice of Appeal dated Feb. 22, 2011; U.S. Appl. No. 11/745,515, filed May 8, 2007, 1 pgs.
- Notice of Appeal dated Feb. 22, 2011; U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 1 pgs.
- Advisory Action dated Mar. 2, 2011; U.S. Appl. No. 11/745,515, filed May 8, 2007, 3 pgs.
- Advisory Action dated Mar. 2, 2011; U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 3 pgs.
- RCE dated Mar. 7, 2011; U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 2 pgs.
- Response to Final Office Action dated Mar. 7, 2011; U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 9 pgs.
- Response to Office Action dated Mar. 14, 2011; U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 20 pgs.
- Interview Summary dated Mar. 15, 2011; U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 4 pgs.
- Anderson et al., Guidelines for choice of selective serotonin reuptake inhibitor in depressive illness, *Adv. Psychia. Treatment*, 2001, 7:170-180.
- Freeman et al., Differential Response to Antidepressants in Women With Premenstrual Syndrome/Premenstrual Dysphoric Disorder, *Arch Gen Psych*, 1999, 56:932-939.
- Yekimov, Sex toys and devices in sexual dysfunction therapy, www.mosmedclinic.ru/conf_library/2002/2/130/, 2002, 6 pgs.
- Richelson, Pharmacology of Antidepressants, *Mayo Clin Proc.*, 2001, 76:511-527.
- Werneke et al., Antidepressants and sexual dysfunction. *Acta Psychia. Scand*, 2005, 114:384-397.
- Response to Final Office Action dated Aug. 17, 2010; U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 22 pgs.
- RCE dated Aug. 17, 2010; U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 3 pgs.
- RCE dated Sep. 27, 2010, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 2 pg.
- Response to Final Office Action dated Sep. 27, 2010, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 20 pgs..
- Response to Final Office Action dated Sep. 27, 2010 U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 8 pgs.
- Interview Summary dated Jul. 19, 2010; U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 3pgs.
- Final Office Action dated Aug. 20, 2010 U.S. Appl. No. 11/745,515, filed May 8, 2007, 7 pgs.
- Final Office Action dated Aug. 30, 2010 U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 10 pgs.
- Notice of Missing Requirements dated Aug. 24, 2010 U.S. Appl. No. 12/675,231, filed Feb. 25, 2010, 2 pgs.
- Interview Summary dated Aug. 25, 2010 U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 3 pgs.
- Final Office Action dated Sep. 13, 2010, U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 20 pgs.
- Office Action dated Sep. 14, 2010; U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 18 pgs.
- Interview Summary dated Sep. 15, 2010, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 4 pg.
- Notice of Allowance dated Sep. 20, 2010 U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 7 pgs.
- Final Office Action dated Oct. 6, 2010; U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 10 pgs.
- Response to Final Office Action dated Oct. 12, 2010; U.S. Appl. No. 11/960,957, filed Dec. 20, 2007, 16 pgs.
- Briefing Document; Flibanserin (BIMT 17 BS); Boehringer Ingelheim; May 14, 2010; 248 pgs.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting; Draft Agenda; Jun. 18, 2010; 1 pg.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting; Draft Questions to the Committee; Jun. 18, 2010; 1 pg.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting; Draft Meeting Roster; Jun. 18, 2010; 2 pgs.
- Advisory Committee for Reproductive Health Drugs—2010 Members; Jun. 2010; 2 pgs.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting; Agenda; Jun. 18, 2010; 2 pgs.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting; Questions to the Committee; Jun. 18, 2010; 1 pgs.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting; Meeting Roster; Jun. 18, 2010; 2 pgs.
- (Slides) Division of Reproductive and Urologic Drug Products Advisory Committee Meeting; Flibanserin (NDA-22526); Boehringer Ingelheim; Jun. 18, 2010; 110 pgs.
- Press Release May 19, 2010; women with hypoactive sexual desire disorder (HSDD) report that flibanserin increased their sexual desire and reduced associated distress; http://www.boehringer-ingenheim.com/news/news_releases/press_releases/2010/19_May_2010/; 4 pgs.
- Press Release Jun. 17, 2010; Key Facts on HSDD and Flibanserin; http://us.boehringer-ingenheim.com/news_events/press_releases/press_release_archive/2010/; 2 pgs.
- Press Release Jun. 18, 2010; Boehringer Ingelheim comments on Jun. 18th FDA Advisory Committee Meeting; http://us.boehringer-ingenheim.com/news_events/press_releases/press_release_archive/2010/; 2 pgs.
- FDA (U.S. Food and Drug Administration); Transcript of Advisory Committee for Reproductive Health Drugs; Jun. 18, 2010; 293 pgs.
- U.S. Appl. No. 08/039,002, filed Jul. 30, 1992, Beitti.
- U.S. Appl. No. 11/956,949, filed Dec. 14, 2007, Lewis-D'Agostino, et al.
- U.S. Appl. No. 12/280,804, filed Aug. 27, 2008, Ceci.
- U.S. Appl. No. 12/306,946, filed Dec. 29, 2008, Becker.
- U.S. Appl. No. 12/306,945, filed Dec. 29, 2008, Pyke.
- U.S. Appl. No. 12/306,878, filed Dec. 29, 2008, Castrol et al.
- U.S. Appl. No. 12/390,665, filed Feb. 23, 2009, Wunderlich et al.
- U.S. Appl. No. 12/532,269, filed Dec. 14, 2009, Boeck et al.
- U.S. Appl. No. 12/675,231, filed Feb. 25, 2010, Hanes et al.
- Alexander et al., *J. of Am. Acad. of Nurse Practitioners*, 2007, 19:152-163.
- Anonymous: "Hormone Patch May Provide Some Increase in Sexual Desire in Menopausal Women" Jul. 25, 2005; URL:<http://pubs.ama-assn.org/media/2005a/0725.dtl>, 2pgs.
- Guilleminault et al., Atypical Sexual Behavior During Sleep, *Psychosomatic Med.*, 2002, 64:328-336.
- Basson et al., Sexual psychophysiology and effects of sildenafil citrate in oestrogenised women with acquired genital arousal disorder and impaired orgasm: a randomised controlled trial, *BJOG: an International Journal of Obstetrics and Gyn.*, Nov. 2003, 110:1014-1024.
- Basson et al., Efficacy and Safety of Sildenafil Citrate in Women with Sexual Dysfunction Associated with Female Sexual Arousal Disorder, *J Women's Health & Gender-Based Medicine*, Nov. 4, 2002 11:367-77.
- Bechard, et al., *Int. J. Pharm.*, 1992, 87:133-139.
- Black et al., Inappropriate sexual behaviors in dementia, *J of Geriatric Psychiatry & Neurology*, Sep. 2005, 18(3):155-162.
- Braiman, Psychosexual disorders of young adulthood, *Clin Obstetrics and Gynecology*, 1970, 13(3):734-745.
- Buhrich et al., Can fetishism occur in transsexuals?, *Arch Sex Behav*, 1977, 6(3):223-235.
- Butts, The relationship between sexual addiction and sexual dysfunction, *J. Health Care Underserved*, 1992, 3(1):128-35; discussion 136-7.
- Buvat et al., Role of hormones in sexual dysfunction, homosexuality, transsexualism, and paraphilia related disorders. *Diagnostic*

(56)

References Cited

OTHER PUBLICATIONS

- and therapeutic consequences, *Contracept Fertil Sex*, 1996, 24(11):834-846-only English abstract.
- Bymaster et al., Fluoxetine, but not other selective serotonin uptake inhibitors, increases norepinephrine and dopamine extracellular levels in prefrontal cortex, *Psychopharmacology*, 2002, 160:353-361.
- Byrn et al., Hydrates & solvates, *Solid State Chemistry & Drugs*, 1999, Chpt. 11, pp. 233-247.
- Chiao et al., Sistemas de liberacion sostenida de drogas, *Farmacia Industrial*, Chpt. 19, 1988, pp. 2535-2537.
- Clayton, *Epidemiology and Neurobiology of Femal Sexual Dysfunction*, *J Sex Med.*, Nov. 4, 2007, Suppl 4:260-8.
- Clayton et al., Burden of phase-specific sexual dysfunction with SSRIs, *J Affect Disord.*, Mar. 2006, 91(1):27-32.
- Clayton et al., Prevalence of Sexual Dysfunction Among Newer Antidepressants, *J. Clin. Psychiatry*, 2002, 63(4):357-366.
- CMU Pharmaceutical polymorphism, <http://www.andrew.cmu.edu/user/suter/polymorph.html>, internet p. 1-3 (2002): obtained Feb. 11, 2009.
- Sexual Dysfunction and Hypotestosteronemia in Patients With Obstructive Sleep Apnea Syndrome and Its Effects With CPAP Therapy, <http://clinicaltrials.gov/ct2/show/NCT00832065>, obtained Apr. 1, 2009, 4pgs.
- Cooper et al., A female sex offender with multiple paraphilias: a psychologic, physiologic (laboratory sexual arousal) and endocrine case study, *Can J Psychiatry*, 1990, 35(4):334-7.
- Damour et al., *Chemical Abstract*, Mar. 29, 1993, 118(13):124537e.
- Doelker et al., Crystalline modifications and polymorphism changes during drug manufacturing, *Annales Pharmaceutiques Francaises*, 2002, 60(3):161-169.
- Doelker et al., Physicochemical behavior of active substances. Consequences for the feasibility and stability of pharmaceutical forms, *S.T.P. Pharma Pratiques*, 1999, 9(5):399-409.
- Engleson, *Concise Encyclopedia Chemistry*, 1993, pp. 872-873.
- Giraldi et al., Physiology of Female Sexual Function: Animal Models, *J Sex Med*, 2004, 1(3):237-253.
- Girgis et al., A double-blind trial of clomipramine in premature ejaculation, *Andrologia*, Jul.-Aug. 1982, 14(4):364-8.
- Giron, Thermal analysis and calorimetric methods in the characterisation of polymorphs and solvates, *Thermochemica ACTA*, 1995, 248:1-59, Elsevier Science.
- Grau et al., Risk Factors, Outcome, and Treatment in Subtypes of Ischemic Stroke: The German Stroke Data Bank, *Stroke*, 2001; 32:2559-2566.
- Guarraci et al.: Coffee, Tea and Me: Moderate doses of caffeine affect sexual behavior in female rats, *Pharma Biochem and Behavior*, Nov. 2005, 82(3):522-530. ISSN: 0091-3057 Elsevier, US, abstract.
- Goldfischer et al., Selected 2008 Abstracts from the International Society for the Study of Women's Sexual Health, *J. Sex. Med.*, 2008, 5(suppl. 3):159-160.
- Goodman, An assessment of clomipramine (Anafranil) in the treatment of premature ejaculation. *J Int Med Res.*, 1980; 8(Suppl 3):53-9.
- Haensel et al., Fluoxetine and premature ejaculation: A double-blind, crossover, placebo-controlled study, *J Clin Psychopharmacology*, 1998, 18:72-77.
- Haensel et al., Clomipramine and sexual function in men with premature ejaculation and controls, *J Urology*, Oct. 1996, 156(B193):1310-1315.
- Kafka, A Monoamine Hypothesis for the Pathophysiology of Paraphilic Disorders, *Archives of Sex Behav*, 1997, 26(4):343-58.
- Kandeel et al., Male Sexual Function and its Disorders: Physiology, Pathophysiology, Clinical investigation, and Treatment, *Endocrine Reviews*, 2001, 22(3):342-388 at 370.
- Kennedy et al., Antidepressant-Induced Sexual Dysfunction During Treatment with Moclobemide, Paroxetine, Sertraline, and Venlafaxine, *J Clin Psychiatry*, 2000; 61:276-81.
- Kennedy et al., Sexual dysfunction before antidepressant therapy in major depression, *J. Affective Disorders*, 1999, 56:201-208.
- Konarski et al., Effects of Acute Flibanserin on FDG-PET Brain Glucose Metabolism in Men with Major Depressive Disorder, Aug. 2008 Barcelona meeting of the European College of Neuropsychopharmacology, 3 pgs. (poster-abstract).
- Jain et al., Polymorphism in Pharmacy, *Indian Drugs*, 1986, 23(6):315-329.
- Marshall, Unified Approach to the Analysis of Genetic Variation in Serotonergic Pathways, *Am. J. Med. Genetics Neurophysiatric Genetics*, 1999, 88:621-627.
- McKenna, Neural Circuitry Involved in Sexual Function, *J Spinal Cord Med.*, 2001, 24:148-154.
- McMahon et al., Efficacy of type-5 phosphodiesterase inhibitors in the drug treatment of premature ejaculation: a systematic review, *BJU Int.*, 2006, 98:259-72.
- Montejo-Gonzales et al., SSRI-induced sexual dysfunction: fluoxetine, paroxetine, sertraline, and fluvoxamine in a prospective, multicenter, and descriptive clinical study of 344 patients, *J Sex Marital*, 1997 Fall; 23(3):176-94.
- Moser, Lust, lack of desire and paraphilias: some thoughts and possible connections, *J of Sex & Marital Ther*, 1992, 18(1):65-9.
- Mutschler et al., *The Effect of Drugs: Antidepressive Agents*, *Manual of Pharmacology and Toxicology*, 2001, 8th Ed, pp. 171-172, Scientific Publishing Company PLC, Stuttgart.
- Muzaffar et al., *J. Pharmacy*, 1979, 1(1):59-66.
- Nurnberg et al., Sildenafil for Sexual Dysfunction in Women Taking Antidepressants, *Am J Psychiatry*, October—Letters to the Editor, 1999, 156(10):1664.
- Nurnberg et al., Sildenafil Treatment of Women with Antidepressant-Associated Sexual Dysfunction, *JAMA*, Jul. 2008, 300(4):395-404.
- Otsuka, et al., *Chem. Pharm. Bull.*, 1999, 47(6):852.856.
- Pharmacopia*, 1995, p. 1843.
- Porter, Coating of Pharmaceutical Dosage Forms, *Remingtons*, 1990, Chpt 90, pp. 1666-1675.
- Pfaus et al., What can animal models tell us about human sexual response?, *Annu Rev Sex Res*, 2003, 14:1-63.
- Pryor et al., Efficacy and tolerability of dapoxetine in treatment of premature ejaculation: an integrated analysis of two double-blind, randomized controlled trials, *Lancet*, 2006, 368(9539):929-37.
- Pyke et al., Flibanserin: A Novel Centrally Acting Agent that is not an Effective Antidepressant but has Potential to Treat Decreased Sexual Desire in Women, *APA*, May 2008, 1 pg. (accepted poster).
- Pyke et al., Flibanserin: A Novel Centrally Acting Agent that is not an Effective Antidepressant but has Potential to Treat Decreased Sexual Desire in Women, *APA*, May 2008, 1 pg. (accepted abstract).
- Rapkin, *General Gynecology*, 2007, 196:97-106.
- Rendell et al., Sildenafil for Treatment of Erectile Dysfunction in Men with Diabetes, *JAMA*, 1999, 281:421-426.
- Rosen et al., Effects of SSRIs on sexual function: a critical review, *J Clin Psychopharmacol.*, Feb. 1999 19(1):67-85.
- Rosen et al., PDE-5 inhibition and sexual response: Pharmacological mechanisms and clinical outcomes, *Annual Review of Sex Res*, 2002, pp. 36-88.
- Rosen, Sexual pharmacology in the 21st century, *J Gend Specif Med.*, Jul.-Aug. 2000, 3(5):45-52.
- Rowland, Neurobiology of Sexual Response in Men and Women, *1:CNS Spectr.*, Aug. 2006, 11(8 Suppl 9):6-12.
- Rubenstein, *Pharmaceutics: The Science of Dosage Form Design*, ed. Aulton, 1988, pp. 304-321, Churchill Livingstone.
- Schwartz et al., Conceptual factors in the treatment of paraphilias: a preliminary rep., *J of Sex & Marital Ther*, 1983, 9(1):3-18.
- Semkova et al., Neuroprotective effect of 5-HT_{1A} receptor agonist, Bay x 3702, demonstrated in vitro and in vivo, *Euro J Pharm*, 1998, 359:251-260.
- Martin, Sexomnia, <http://lakesidepress.com/pulmonary/Sleep/sexomnia.html>, obtained Apr. 1, 2009, 5pgs.
- Singhal, et al., *Advanced Drug Delivery Reviews*, 2004, 56:335-347.
- Soederberg et al., Leptin Is a Risk Marker for First-Ever Hemorrhagic Stroke in a Population-Based Cohort, *Stroke*, *Jl of the Am Heart Assoc.*, 1999; 30:328-337.

(56)

References Cited

OTHER PUBLICATIONS

- Stearns et al., *J. of Clin. Oncology*, 2002, 20(6):1436-1438.
- Stedman's Medical Dictionary definition "Prevention," 2000, 28th Ed., 3 pgs., Lippincott Williams & Wilkins.
- Stedman's Medical Dictionary definition "Anxiety", 28th Ed., 2006, p. 114, Lippincott Williams & Wilkins, Baltimore MD.
- Stoleru et al., Brain processing of visual sexual stimuli in men with hypoactive sexual desire disorder, *Psychiatry Res.: Neuroimaging*, 2003, 124(2):67-86.
- Thrombolytic Therapy: MedlinePlus Medical Encyclopedia; <http://www.nlm.nih.gov/medlineplus/ency/article/007089.htm> accessed Dec. 19, 2009, pp. 1-4.
- Vippagunta, *Advanced Drug Del. Rev.*, 2001, 48:3-26.
- Welsh et al., Effect of Lactacidosis on Pyridine Nucleotide Stability During Ischemia in Mouse Brain, *J Neurochemistry*, 1987, 49(3):546-851.
- Zverina et al., The occurrence of atypical sexual experience among various femals groups, *Arch Sex Behav*, 1987, 16(4):321-6.
- Clayton et al., Validation of the Decreased Sexual Desire Screener (DSDS): a Brief Diagnostic Instrument for Generalized, Acquired Hypoactive Sexual Desire Disorder in Women, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 2 pgs. (poster and abstract).
- Wunderlich et al., Using e-Diaries to Measure Sexual Desire in Women with Hypoactive Sexual Desire Disorder, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 11 pgs. (Oral Presentation).
- Clayton et al., Validation of the Sexual Interest and Desire Inventory-Female (SIDI-F) in North American Women, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 3 pgs. (poster and abstract).
- Clayton et al., Validity of Sexual Distress Scales vs Electronic Diary in Women with Decreased Sexual Desire , American College of Obstetrics and Gynecologists (ACOG) annual meeting, 2007, 1 pg. (abstract only).
- Clayton et al., Validating the Sexual Interest and Desire Inventory (SIDI-F) in North American Women , American College of Obstetrics and Gynecologists (ACOG) annual meeting, 2007, 1 pg. (abstract only).
- Clayton et al., Validation of the Sexual Interest and Desire Inventory (SIDI-F) in North American Women, American Psychiatric Association (APA) annual meeting, 2007, 2 pgs. (poster and abstract).
- Tignol et al., Using e-Diaries to Measure Sexual Desire in Women with Hypoactive Sexual Desire Disorder, European Society for Sexual Medicine (ESSM) annual meeting, 2007, 9 pgs. (oral presentation).
- Clayton, Baseline characteristics of patients enrolled in three Phase III North American trials of flibanserin in premenopausal women with Hypoactive Sexual Desire Disorder, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM) 2008, 10 pgs. (oral presentation).
- Clayton et al., Baseline characteristics of patients enrolled in three Phase III North American trials of flibanserin in premenopausal women with Hypoactive Sexual Desire Disorder, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM) 2008, 1 pgs. (abstract).
- Clayton et al., Baseline characteristics of patients enrolled in three Phase III North American trials of flibanserin in premenopausal women with Hypoactive Sexual Desire Disorder, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting 2009, poster, 2 pgs. (poster and abstract).
- Clayton et al., Validation of the Decreased Sexual Desire Screener (DSDS): A Brief Diagnostic Instrument for Generalized Acquired Female Hypoactive Sexual Desire Disorder (HSDD); *J. Sex Med.*, 2009, pp. 1-9. (epub ahead of print).
- Dean, Decreased Sexual Desire Screener© (DSDS©) for Diagnosis of Hypoactive Sexual Desire Disorder in Women, WONCA Europe conference, 2008, 8 pgs. (oral presentation).
- Dean et al., Decreased Sexual Desire Screener© (DSDS©) for Diagnosis of Hypoactive Sexual Desire Disorder in Women, WONCA Europe conference, 2008, 1 pg. (abstract).
- Derogatis et al., Validation of Sexual Distress Scales and Electronic Diary in Women with Hypoactive Sexual Desire Disorder, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 3 pgs. (poster and abstract).
- Derogatis et al., Validation of Sexual Distress Scales and Electronic Diary in Women with Hypoactive Sexual Desire Disorder. American Psychiatric Association (APA) annual meeting, 2007, 2 pgs. (poster and abstract).
- Derogatis et al., Content Validity of the Female Sexual Distress Scale-Revised (FSDS-R) in Women with Hypoactive Sexual Desire Disorder (HSDD), Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM) 2008, 5 pgs. (poster, oral presentation and abstract).
- Derogatis et al., Validation of the Female Sexual Distress Scale Revised (FSDS-R) for assessing distresss in women with Hypoactive Sexual Desire Disorder (HSDD), *J Sex Med.*, 2008, 5:537-364.
- Dennerstein et al., Differentiating Four Cognitive-Behavioral Types of Women with Low Sexual Desire, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 9 pgs. (Oral Presentation).
- Dennerstein et al., Differentiating Four Cognitive-Behavioral Types of Women with Decreased Sexual Desire, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 2 pgs. (abstract).
- Dennerstein et al., Differentiating Four Cognitive-Behavioral Types of Women with Decreased Sexual Desire, American Psychiatric Association (APA) annual meeting, 2007, 3 pgs. (poster and abstract).
- Dennerstein et al., Differentiating Four Cognitive-Behavioral Types of Women with Decreased Sexual Desire, European Society for Sexual Medicine (ESSM) annual meeting, 2007, 3 pgs. (poster and abstract).
- Dennerstein, Differentiating Four Cognitive-Behavioral Types of Women with Low Sexual Desire, European Society for Sexual Medicine (ESSM) annual meeting, 2007, 10 pgs. (oral presentation).
- Dennerstein et al., Attitudes Towards Partner Interactions of Women With Characteristics of HSDD: Preliminary Results of a Multinational Study of 1,402 Women. International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2008, 12 pgs. (oral presentation and abstract).
- Goldfischer et al., Validation of the Decreased Sexual Desire Screener (DSDS): a Brief Diagnostic Instrument for Generalized, Acquired Hypoactive Sexual Desire Disorder in Women, American Psychiatric Association (APA) annual meeting, 2007, 2 pgs. (poster and abstract).
- Pyke et al., The ROSE Study: Placebo-controlled Randomized Withdrawal Trial of Flibanserin for Hypoactive Sexual Desire Disorder in Premenopausal Women, Sexual Medicine Society of North America (SMSNA) annual meeting, 2007, 1 pg. (poster).
- Goldfischer et al., Efficacy of Continued Flibanserin Treatment on Sexual Desire and Satisfying Sexual Events in Premenopausal Women with HSDD: Results From the ROSE Study, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2008, 1 pgs. (abstract).
- Goldfischer et al., Efficacy of Continued Flibanserin Treatment on Distress Associated with Sexual Dysfunction in Premenopausal Women With HSDD: Results From the ROSE Study, International Society for the Study or Womens Sexual Health (ISSWSH) annual meeting, 2008, 2 pgs. (poster and abstract).
- Goldfischer et al., Efficacy of Continued Flibanserin Treatment on Sexual Functioning in Premenopausal Women With HSDD: Results From the ROSE Study, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2008, oral presentation, 1 pg. (abstract only).
- Goldfischer et al., The ROSE Study: Placebo-controlled Randomized Withdrawal Trial of Flibanserin for Hypoactive Sexual Desire Disorder in Premenopausal Women, European Board and College of Obstetrics and Gynaecology (EBCOG) annual meeting, 2008, 1 pg. (abstract only).

(56)

References Cited

OTHER PUBLICATIONS

- Goldfischer et al., The ROSE Study: Placebo-controlled Randomized Withdrawal Trial of Flibanserin for Hypoactive Sexual Desire Disorder in Premenopausal Women. European Federation of Sexology (EFS), 2008, 7 pgs. (oral presentation and abstract).
- Goldfischer et al., Decreased Sexual Desire Screener (DSDS) for Diagnosis of Hypoactive Sexual Desire Disorder in Women, American College of Obstetrics and Gynecologists (ACOG) annual meeting, 2008, 2 pgs. (poster and abstract).
- Goldfischer et al., Efficacy of Continued Flibanserin Treatment in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results from the ROSE Study, International Academy of Sex Research (IASR) annual meeting, 2008, 3 pgs. (poster and abstract).
- Goldfischer et al., Safety and Tolerability of Flibanserin in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results from the ROSE Study, International Academy of Sex Research (IASR) annual meeting, 2008, 3 pgs. (poster and abstract).
- Goldfischer et al., Efficacy and Safety of Flibanserin in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results from the Randomized Withdrawal ROSE Study, Institute on Psychiatric Services (IPS) annual meeting, 2008, 2 pgs. (poster and abstract).
- Goldfischer et al., Decreased Sexual Desire Screener (DSDS) for Diagnosis of Hypoactive Sexual Desire Disorder in Women, Sexual Medicine Society of North America (SMSNA) annual meeting, 2008, 3 pgs. (poster and abstract).
- Goldfischer et al., Efficacy and Safety of Flibanserin in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results From the Randomized Withdrawal ROSE Study, Sexual Medicine Society of North America (SMSNA) annual meeting, 2008, 3 pgs. (poster and abstract).
- Goldfischer, Efficacy of Continued Flibanserin Treatment in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results From the ROSE Study, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM), 2008, 10 pgs. (oral presentation).
- Goldfischer et al., Efficacy of Continued Flibanserin Treatment in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results From the ROSE Study, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM), 2008, 2 pgs. (abstract).
- Goldfischer et al., Safety and Tolerability of Continued Flibanserin Treatment in Premenopausal Women with Hypoactive Sexual Desire Disorder: Results From the ROSE Study, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM), 2008, 2 pgs. (poster and abstract).
- Goldstein et al., Differences in Patient-Physician Communication Regarding Hypoactive Sexual Desire Disorder (HSDD), Sexual Medicine Society of North America (SMSNA) annual meeting, 2007, 3 pgs. (poster and abstract).
- Goldstein et al., Emotions Related to Distress in Patients with Hypoactive Sexual Desire Disorder: Results of Patient and Physician Interviews, Sexual Medicine Society of North America (SMSNA) annual meeting, 2007, 3 pgs. (poster and abstract).
- Jolly et al., Design of Phase III Pivotal Trials of Flibanserin in Female Hypoactive Sexual Desire Disorder (HSDD), European Federation of Sexology (EFS), 2008, 2 pgs. (poster and abstract).
- Nappi et al., Validation of the Sexual Interest and Desire Inventory-Female (SIDI-F) in European Women, European Federation of Sexology (EFS), 2008, 2 pgs. (poster and abstract).
- Nappi, Decreased Sexual Desire Screener (DSDS) for Diagnosis of Hypoactive Sexual Desire Disorder (HSDD) in European Women, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM), 2008, 8 pgs. (oral presentation).
- Nappi et al., Decreased Sexual Desire Screener (DSDS) for Diagnosis of Hypoactive Sexual Desire Disorder (HSDD) in European Women, Joint Congress of the European and International Societies of Sexual Medicine (ESSM/ISSM), 2008, 1 pg. (abstract).
- Nappi et al., Decreased Sexual Desire Screener (DSDS) for Diagnosis of Hypoactive Sexual Desire Disorder (HSDD) in European Women, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2009, oral presentation, 8 pgs. (oral presentation).
- Nappi et al., Decreased Sexual Desire Screener (DSDS) for Diagnosis of Hypoactive Sexual Desire Disorder (HSDD) in European Women, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2009, oral presentation, 1 pg. (abstract).
- Pyke et al., Using e-Diaries to Measure Sexual Desire in Women with Hypoactive Sexual Desire Disorder, American Psychiatric Association (APA) annual meeting, 2007, 2 pgs. (poster and abstract).
- Pyke et al., The ROSE Study: Placebo-Controlled Randomized Withdrawal Trial of Flibanserin for Hypoactive Sexual Desire Disorder in Premenopausal Women (Study Design Only), Institute on Psychiatric Services (IPS) annual meeting, 2007, 2 pgs. (poster abstract).
- Pyke et al., Safety and Tolerability of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder (HSDD): Results From the ROSE Study, American Psychiatric Association (APA) annual meeting, 2008, 2 pgs. (poster and abstract).
- Pyke et al., Flibanserin: a Novel Centrally Acting Agent That is not an Effective Antidepressant but has Potential to Treat Decreased Sexual Desire in Women, American Psychiatric Association (APA) annual meeting, 2008, 2 pgs. (poster and abstract).
- Rosen et al., The Predictors of Sexual Distress in Women With Low Sexual Desire, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2009, oral presentation, 15 pgs. (oral presentation and abstract).
- Shifren et al., Sexual Problems and Distress in United States Women: Prevalence and Correlates, *Obstet. Gynecology*, Nov. 2008, 112(5):970-978.
- Shifren et al., Treatment-seeking Behavior of U.S. Women with Hypoactive Sexual Desire Disorder (HSDD), American College of Obstetrics and Gynecologists (ACOG) annual meeting, 2008, 2 pgs. (poster and abstract).
- Pyke et al., Validation of the Sexual Interest and Desire Inventory-Female (SIDI-F) in European Women, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 20 pgs. (oral presentation).
- Nappi et al., Validation of the Sexual Interest and Desire Inventory-Female (SIDI-F) in European Women, European Society for Sexual Medicine (ESSM) annual meeting, 2007, 19 pgs. (oral presentation).
- Sand et al., The Female Sexual Function Index (FSFI): A Potential "Gold Standard" Measure for Assessing Therapeutically-Induced Change in Female Sexual Function, ASRM, 2009, Oct. 17-21, 2009, Atlanta, Georgia, 2 pgs. (poster and abstract).
- Smith et al., Pharmacokinetics of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder Including Effects on the Female Sexual Function Index, ESSM, 2009, Nov. 2009, 2 pgs., Lyon. (poster and abstract).
- Clayton et al., Efficacy of Flibanserin as a Potential Treatment for Hypoactive Sexual Desire Disorder in North American Premenopausal Women; Results From the Dahlia Trial, ESSM, 2009, Nov. 2009, 2 pgs., Lyon. (poster and abstract).
- Thorp et al., Efficacy of Flibanserin as a Potential Treatment for Hypoactive Sexual Desire Disorder in North American Premenopausal Women: Results From the Daisy Trial, ESSM, 2009, Nov. 2009, 3 pgs., Lyon. (poster and abstract).
- Jolly et al., Design of Randomized Controlled Trials of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder, ESSM 2009, Nov. 2009, 3 pgs., Lyon. (poster and abstract).
- Revicki et al., Content Validity of the Female Sexual Function Index in Pre- and Postmenopausal Women With Hypoactive Sexual Desire Disorder, ESSM 2009, Nov. 2009, 2 pgs., Lyon. (poster and abstract).
- Aubert et al., Comparison of Flibanserin With the 5-HT_{1A} Agonist (+)-8-Oh-Dpat in Affecting Interactions Between Male-Female Marmoset Pairs, ESSM 2009, Nov. 2009, 2 pgs., Lyon (poster and abstract).
- Rosen et al., Criterion Validity of the Sexual Desire Domain of the Female Sexual Function Index (Fsfi): Identifying a Diagnostic

(56)

References Cited

OTHER PUBLICATIONS

- Cut-Point for Differentiating Women With and Without Hsdd, ESSM 2009, Nov. 2009, 3 pgs., Lyon. (poster and abstract).
- Rosen et al., Validation of the FSFI Sexual Desire Domain Diagnostic Cut-Point in Predicting Hsdd in Women: Independent Replication and Confirmation, ESSM 2009, Nov. 2009, 2 pgs., Lyon. (poster and abstract).
- Nappi, Efficacy of Flibanserin as a Potential Treatment for Hypoactive Sexual Desire Disorder in European Premenopausal Women: Results From the Orchid Trial; ESSM 2009, Nov. 2009, 12 pgs., Lyon. (oral presentation).
- Nappi et al., Efficacy of Flibanserin as a Potential Treatment for Hypoactive Sexual Desire Disorder in European Premenopausal Women: Results From the Orchid Trial; ESSM 2009, Nov. 2009, 1 pgs., Lyon. (abstract).
- Holstege et al., Differences in Brain Activity in Premenopausal Women With Hypoactive Sexual Desire Disorder (Hsdd) Compared to Women Without Sexual Dysfunction, ESSM 2009, Nov. 2009, 2 pgs., Lyon. (abstract only).
- Holstege et al., Brain activation and de-activation caused by erotic movies is lower in HSDD—than in non-HSDD volunteers, ESSM 2009, 8 pgs. (oral presentation).
- Jolly, Efficacy of Flibanserin 100 Mg Qhs as a Potential Treatment for Hypoactive Sexual Desire Disorder in Premenopausal Women, ESSM 2009, Nov. 2009, 12 pgs., Lyon. (oral presentation).
- Jolly et al., Efficacy of Flibanserin 100 Mg Qhs as a Potential Treatment for Hypoactive Sexual Desire Disorder in Premenopausal Women, ESSM 2009, Nov. 2009, 1 pgs., Lyon. (abstract).
- Jolly et al., Efficacy of Flibanserin 100 Mg Qhs as a Potential Treatment for Hypoactive Sexual Desire Disorder in North American Premenopausal Women, ESSM 2009, Nov. 2009, 2 pgs., Lyon. (poster and abstract).
- Clayton, Safety and Tolerability of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder, ESSM 2009, Nov. 2009, 12 pgs., Lyon. (oral presentation).
- Jolly et al., Safety and Tolerability of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder, ESSM 2009, Nov. 2009, 1 pgs., Lyon. (abstract).
- Jolly et al., Efficacy of Flibanserin as a Potential Treatment for Hypoactive Sexual Desire Disorder in North American Premenopausal Women: Results From the Violet Trial, ESSM 2009, Nov. 2009, 3 pgs., Lyon. (poster and abstract).
- Fuchs, Baseline Characteristics of Patients Enrolled in Three Phase III North American Trials of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder, FIGO 2009, Oct. 2009, 10 pgs., Cape Town, South Africa. (oral presentation).
- Goldfischer, Efficacy and Safety of Flibanserin in a Randomized Withdrawal Study of Premenopausal Women With Hypoactive Sexual Desire Disorder, FIGO2009, Oct. 2009, 12 pgs., Cape Town, South Africa. (oral presentation).
- Goldfischer et al., Efficacy and Safety of Flibanserin in a Randomized Withdrawal Study of Premenopausal Women With Hypoactive Sexual Desire Disorder, FIGO2009, Oct. 2009, 1 pgs., Cape Town, South Africa. (abstract).
- Revicki et al., Content Validity of the Female Sexual Function Index in Pre- and Postmenopausal Women With Hypoactive Sexual Desire Disorder, ICSM 2009, Jul. 2009, 2 pgs., Paris. (poster and abstract).
- Revicki et al., Content Validity of the Female Sexual Function Index in Pre-Menopausal Women With Hypoactive Sexual Desire Disorder, ICSM 2009, Jul. 2009, 2 pgs., Paris. (poster and abstract).
- Rosen et al., Criterion Validity of the Sexual Desire Domain of the Female Sexual Function Index (Fsf): Identifying a Diagnostic Cut-Point for Differentiating Women With and Without Hsdd, ICSM 2009, Jul. 2009, 2 pgs., Paris. (poster and abstract).
- Rosen et al., Validation of the Fsf Sexual Desire Domain Diagnostic Cut-Point in Predicting Hsdd: Independent Replication and Confirmation, ICSM 2009, Jul. 2009, 2 pgs., Paris. (poster and abstract).
- Sand et al., The Female Sexual Function Index (Fsf): A Potential “Gold Standard” Measure for Assessing Sexual Function in Women, ICSM 2009, Jul. 2009, 2 pgs., Paris. (poster and abstract).
- Jayne, Results From the Dahlia (511.70) Trial: A Prospective Study of Flibanserin for the Treatment of Hypoactive Sexual Desire Disorder in North American Premenopausal Women, SMSNA 2009, Nov. 2009, 3 pgs., San Diego, USA (oral presentation).
- Jayne et al., Results From the Dahlia (511.70) Trial: A Prospective Study of Flibanserin for the Treatment of Hypoactive Sexual Desire Disorder in North American Premenopausal Women, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA (abstract and poster).
- Sand et al., Efficacy of Flibanserin in North American Premenopausal Women With Hypoactive Sexual Desire Disorder: Results From the Daisy Trial, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA. (poster and abstract).
- Sand, Efficacy of Flibanserin in North American Premenopausal Women With Hypoactive Sexual Desire Disorder: Results From the Daisy Trial, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA. (oral presentation).
- Sand et al., The Female Sexual Function Index (Fsf) is a Potential “Gold Standard” Measure for Assessing Sexual Function in Pre- and Post-Menopausal Women: A Systematic Review, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA. (poster and abstract).
- Sand et al., Efficacy of Flibanserin 100 Mg Qhs as a Potential Treatment for Hypoactive Sexual Desire Disorder in North American Premenopausal Women, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA. (poster and abstract).
- Sand, Efficacy of Flibanserin 100 Mg Qhs as a Potential Treatment for Hypoactive Sexual Desire Disorder in North American Premenopausal Women, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA. (oral presentation).
- Holstege, et al., Differences in Brain Activity in Premenopausal Women With Hypoactive Sexual Desire Disorder (Hsdd) Compared to Women Without Sexual Dysfunction, SMSNA 2009, Nov. 2009, 2 pgs., San Diego, USA (abstract only).
- Holstege et al., Brain activation and de-activation caused by erotic movies is lower in HSDD—than in non-HSDD volunteers, SMSNA. 2009, 4 pgs (poster & oral presentation).
- Sand et al., Pooled Clinical Trail Analysis of Flibanserin Safety and Tolerability in Premenopausal Women with Hypoactive Sexual Desire Disorder, SMSNA, 2009, 2 pgs. (poster and abstract).
- Sand, Pooled Clinical Trail Analysis of Flibanserin Safety and Tolerability in Premenopausal Women with Hypoactive Sexual Desire Disorder, SMSNA, 2009, 2 pgs. (oral presentation).
- Sand et al., Efficacy of Flibanserin in North American Premenopausal Women with Hypoactive Sexual Desire Disorder: Results from the Violet Trial, SMSNA, 2009, 3 pgs. (poster and abstract).
- Sand, Efficacy of Flibanserin in North American Premenopausal Women with Hypoactive Sexual Desire Disorder: Results from the Violet Trial, SMSNA, 2009, 2 pgs. (oral presentation).
- Meston, The Female Sexual Function Index (FSFI) is a Potential “Gold Standard” Measure for Assessing Sexual Function in Pre- and post-menopausal Women: a Systematic Review, SMSNA, 2009, 3 pgs. (oral presentation).
- Goldfischer, Efficacy and Safety of Flibanserin in a Randomized Withdrawal Study of Premenopausal Women With Hypoactive Sexual Desire Disorder, WAS, 2009, 12 pgs. (oral presentation).
- Goldfischer et al., Efficacy and Safety of Flibanserin in a Randomized Withdrawal Study of Premenopausal Women With Hypoactive Sexual Desire Disorder, WAS, 2009, 1 pgs. (abst.).
- Clayton et al., Baseline Characteristics of Patients Enrolled in Three Phase III North American Trials of Flibanserin in Premenopausal Women with Hypoactive Sexual Desire Disorder, WAS, 2009, 2 pgs. (poster and abstract).
- Clayton, Baseline Characteristics of Patients Enrolled in Three Phase III North American Trials of Flibanserin in Premenopausal Women with Hypoactive Sexual Desire Disorder, WAS, 2009, 4 pgs. (oral presentation).
- Derogatis et al., Content Validity of the Female Sexual Distress Scale-Revised in Women With Hypoactive Sexual Desire Disorder, WAS, 2009, 1 pg. (abstract only).
- Dennerstein et al., Attitudes Toward and Frequency of Partner Interactions Among Women Reporting Decreased Sexual Desire, J. Sex Med., 2009, 6:1668-1673.

(56)

References Cited

OTHER PUBLICATIONS

Goldstein et al., National Differences in Patient-Clinician Communication Regarding Hypoactive Sexual Desire Disorder, *J. Sex Med.*, 2009, 6:1349-1357.

Johannes et al., Distressing Sexual Problems in United States Women Revisited: Prevalence After Accounting for Depression, *J. Clin. Psych.*, 2009, 70(12):1698-1706.

Pflaus, Pathways of Sexual Desire, *J. Sex Med.*, 2009, 6:1506-1533.

Rosen et al., Correlates of Sexually Related Personal Distress in Women with Low Sexual Desire, *J. Sex Med.*, 2009, 6:1549-1560.

Lewis-D' Agostino et al., Validating the Sexual Interest and Desire Inventory (SIDI-F) in North American Women, American College of Obstetrics and Gynecologists (ACOG) annual meeting, 2007, 1 pg. (poster).

Shifren et al., Help-Seeking Behavior of Women with Self-Reported Distressing Sexual Problems, *J. of Women's Health*, 2009, 18(4):461-468.

Wunderlich et al., Validity of Sexual Distress Scales vs Electronic Diary in Women with Decreased Sexual Desire, American College of Obstetrics and Gynecologists (ACOG) annual meeting, 2007, 1 pg. (poster).

Clayton et al., Using e-Diaries to Measure Sexual Desire in Women with Hypoactive Sexual Desire Disorder, European Society for Sexual Medicine (ESSM) annual meeting, 2007, 2 pgs. (abstract).

Van Lunsen et al., Validation of the Sexual Interest and Desire Inventory-Female (SIDI-F) in European Women, European Society for Sexual Medicine (ESSM) annual meeting, 2007, 1 pg. (abstract).

Clayton et al., Using e-Diaries to Measure Sexual Desire in Women with Hypoactive Sexual Desire Disorder, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2007, 2 pgs. (abstract).

Van Lunsden, Validation of the Sexual Interest and Desire Inventory-Female (SIDI-F) in European women, ISSWSH, 2007, 2 pgs. (abstract).

Goldfischer et al., The ROSE Study: Placebo-controlled Randomized Withdrawal Trial of Flibanserin for Hypoactive Sexual Desire Disorder in Premenopausal Women, Sexual Medicine Society of North America (SMSNA) annual meeting, 2007, 1 pg. (abstract).

Krychman et al., The ROSE Study: Placebo-controlled Randomized Withdrawal Trial of Flibanserin for Hypoactive Sexual Desire Disorder in Premenopausal Women, European Board and College of Obstetrics and Gynaecology (EBCOG) annual meeting, 2008, 6 pgs. (poster and oral presentation).

Clayton et al., Baseline Characteristics of Patients Enrolled in Three Phase III North American Trials of Flibanserin in Premenopausal Women With Hypoactive Sexual Desire Disorder, FIGO 2009, Oct. 2009, 1 pg., Cape Town, South Africa. (abstract).

Scandroglio et al., Ex Vivo binding of Flibanserin to Serotonin-5-HT_{1A} and 5-HT_{2A} Receptors, *Pharm. Res.*, 2001, 43(2):179-183.

D'Aquila et al., Anti-anhedonic actions of the novel serotonergic agent flibanserin, a potential rapidly-acting antidepressant, *Euro. J. Pharm.*, 1997, 340:121-132.

Flik et al., Assessment of serotonin and catecholamine levels in the female rat brain following acute and chronic administration with flibanserin, a potential novel treatment for hypoactive sexual desire disorder: An in vivo microdialysis study, presented at Neuroscience 2009, Feb. 3, 2010, <http://www.abstractsonline.com/Plan/AbstractPrintView.aspx?mID=2285&sKey=65206> . . . , 2 pgs.

Banfi et al., Benzimidazolone Derivatives: a new class of putative antidepressant agents, 13th Int. Symp. on Medicinal Chemistry, Sep. 19-23, 1994, p. 102. (abstract).

Borsini et al., BIMT 17, a 5-HT_{1A} receptor agonist/5-HT_{2A} receptor antagonist, directly activates postsynaptic 5-HT inhibitory responses in the rat cerebral cortex, *Naunyn-Schmiedeberg's Arch Pharm.*, 1995, 352:283-290.

Boehringer Ingelheim, Flibanserin BIMT-17, *Drugs of the Future*, 1999, 24(1):91.

Podhorna et al., Flibanserin has anxiolytic effects without locomotor side effects in the infant rat ultrasonic vocalization model of anxiety, Workshop on Depression Anxiety Spectrum Disorders: from

Neurobiology to Novel Pharm. Treatmts, *Int. Acad. for Biomed. and Drug Res.*, Abstract-Book, Milan, Sep. 6-7, 2000, 1 pg.

Vaccarino et al., Flibanserin, a 5-HT_{1A} agonist/5-HT_{2A} antagonist, decreases sucrose intake in operant and non-operant paradigms in rats, *Soc. Neurosci. Abstr.*, 2000, 26:394:Abstr 144.9, 30th Ann. Mtg. of Soc. for Neurosci, New Orleans, Nov. 4-9, 1000, 1 pg.

Borsini et al., Further characterisation of potential antidepressant action of flibanserin, *Psychopharm.*, 2001, 159:64-69.

Rueter et al., In Vivo Electrophysiological Assessment of the Agonistic Properties of Flibanserin at Pre- and Postsynaptic 5-HT_{1A} Receptors in the Rat Brain, *Synapse*, 1998, 29:392-405.

Cervo et al., Involvement of 5-HT_{1A} receptors in flibanserin discriminative stimulus in female rats, *Neurosci* 2009, Feb. 3, 2010, <http://www.abstractsonline.com/Plan/AbstractPrintView.aspx?mID=2285&sKey=65206> . . . , 2 pgs.

Cervo et al., Involvement of 5-HT_{1A} receptors in flibanserin discriminative stimulus in female rats, *Dept. CNS Diseases, Prog. No. 465.20*, 2009 *Neurosci.*, Oct. 19, 2009, 1 pg. (poster).

Ferger et al., Neurochemical characterization of Flibanserin a phase III drug for treatment of hypoactive sexual desire disorder (HSDD) in women, *Neurosci* 2009, Feb. 3, 2010, <http://www.abstractsonline.com/Plan/AbstractPrintView.aspx?mID=2285&sKey=65206> . . . , 2 pgs.

Flik et al., Assessment of serotonin and catecholamine levels in the female rat brain following acute and chronic administration with flibanserin, a potential novel treatment for hypoactive sexual desire disorder: An in vivo microdialysis study, *SFN*, 2009, 1 pg. (poster).

Ferger et al., Neurochemical characterization of Flibanserin a phase III drug for treatment of hypoactive sexual desire disorder (HSDD) in women, *SFN*, 2009, 1 pg. (poster).

Evans et al., The Effects of Flibanserin on Amphetamine Withdrawal-Induced hypolocomotion in Rats, *Soc. Neurosci Abstr.*, Nov. 7-12, 1998, 24:2133:Abstr 848.5, 28th Ann. Mtg. of the Soc. for Neurosci, Los Angeles, 1 pg.

Advisory Action dated Dec. 27, 2005, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 3 pgs.

Examiner's Interview dated Jun. 23, 2006, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 2 pgs.

Examiner's Interview dated Oct. 20, 2005, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 1 pg.

Final Office Action dated Jun. 2, 2005, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 9 pgs.

Notice of Allowance dated Jun. 23, 2006, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 7 pgs.

Notice of Appeal/Amendment dated Nov. 8, 2005, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 9 pgs.

Office Action dated Oct. 14, 2004, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 8 pgs.

RCE/Supp. Amendment dated Jun. 8, 2006, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 29 pgs.

Reply dated Feb. 14, 2005, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 20 pgs.

Examiner's Search Strategy dated Jun. 20, 2006, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 2 pgs.

Examiner's Search Strategy dated Jun. 21, 2006, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 20 pgs.

Examiner's Search Strategy dated Sep. 22, 2004, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 83 pgs.

Examiner's Search Strategy dated Sep. 28, 2004, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 117 pgs.

(56)

References Cited

OTHER PUBLICATIONS

Examiner's Search Strategy dated Sep. 29, 2004, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 1 pg.

Examiner's Search Strategy dated Oct. 14, 2004, U.S. Appl. No. 10/272,603, filed Oct. 16, 2002 now U.S. Pat. No. 7,151,103, issued Dec. 19, 2006, 3pgs.

Final Office Action dated Oct. 5, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 6 pgs.

Notice of Allowance dated Jan. 30, 2006, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 7 pgs.

Notice of Allowance dated Jul. 12, 2006, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 7 pgs.

Office Action dated Mar. 16, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 9 pgs.

Office Action dated Jul. 26, 2004, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 7 pgs.

Response to Final Office Action dated Dec. 15, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 9 pgs.

Reply dated Jan. 26, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 24 pgs.

Amendment dated Jul. 11, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 13 pgs.

Examiner's Search Strategy dated Mar. 10, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. 7,183,410, issued Feb. 27, 2007, 36 pgs.

Examiner's Search Strategy dated Sep. 30, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 6 pgs.

Reply with Amendment dated Mar. 8, 2005, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 10 pgs.

Supplemental Amendment dated Jan. 19, 2006, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 6 pgs.

Examiner's Interview dated Nov. 19, 2007, U.S. Appl. No. 11/546,303, filed Oct. 12, 2006, 3 pgs.

Final Office Action dated Sep. 14, 2007, U.S. Appl. No. 11/546,303, filed Oct. 12, 2006, 4 pgs.

Office Action dated Jan. 5, 2007, U.S. Appl. No. 11/546,303, filed Oct. 12, 2006, 7 pgs.

Response dated Jul. 5, 2007, U.S. Appl. No. 11/546,303, filed Oct. 12, 2006, 6 pgs.

Examiner's Search Strategy dated Mar. 10, 2005, U.S. Appl. No. 11/546,303, filed Oct. 12, 2006, 36 pgs.

Examiner's Interview Summ. Dated Jan. 17, 2008, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 3 pgs.

Notice of Allowance dated Apr. 30, 2008, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 8 pgs.

Office Action dated Jan. 3, 2007, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 7 pgs.

Office Action dated Jul. 18, 2007, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 4 pgs.

Response dated Jan. 17, 2008, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 24 pgs.

Response dated Apr. 3, 2007, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 7 pgs.

Supp. Response dated Mar. 19, 2008, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 13 pgs.

Supp. Response dated Mar. 24, 2008, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 14 pgs.

2nd Supp. Response dated Apr. 23, 2008, U.S. Appl. No. 11/546,304, filed Oct. 12, 2006 now U.S. Pat. No. 7,420,057 issued Sep. 2, 2008, 14 pgs.

Final Office Action dated Apr. 23, 2007, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 11 pgs.

Notice of Allowance dated Sep. 14, 2007, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 6 pgs.

Office Action dated Jan. 11, 2008, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 8 pgs.

Office Action dated Sep. 13, 2006, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 5 pgs.

Response to Final Office Action dated Jul. 23, 2007, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 7 pgs.

RCE dated Nov. 2, 2007, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 4 pgs.

Response dated Jan. 16, 2007, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 8 pgs.

Examiner Search Strategy dated Jan. 3, 2008, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 20 pgs.

Examiner's Search Strategy dated Jul. 21, 2006, U.S. Appl. No. 11/079,070, filed Mar. 14, 2005, 106 pgs.

Advisory Action dated Jul. 2, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 3 pgs.

Final Office Action dated Apr. 13, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 9 pgs.

Office Action dated Jun. 1, 2007, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 9 pgs.

Office Action dated Jul. 6, 2006, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 8 pgs.

Office Action dated Jul. 9, 2008, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 12 pgs.

Office Action dated Dec. 28, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 9 pgs.

Responsive Amendment to Final Office Action, dated Jun. 12, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 63 pgs.

RCE and Responsive Amendment to Final Office Action, dated Oct. 7, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 14 pgs.

Response dated Jan. 9, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 64 pgs.

Response dated Nov. 30, 2007, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 25 pgs.

Response dated Dec. 19, 2006, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 4 pgs.

Examiner's Search Strategy dated Apr. 13, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 2 pgs.

Examiner's Search Strategy dated Jun. 1, 2007, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 10 pgs.

Examiner's Search Strategy dated Jun. 26, 2006, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 19 pgs.

Examiner's Search Strategy dated Jul. 9, 2008, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 6 pgs.

Examiner's Search Strategy dated Dec. 28, 2009, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 3 pgs.

Final Office Action dated Sep. 12, 2008, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 10 pgs.

Office Action dated Apr. 3, 2007, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 8 pgs.

Office Action dated Dec. 27, 2007, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 8 pgs.

Response dated Jun. 26, 2008, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 7 pgs.

Amendment and Reply dated Oct. 3, 2007, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 8 pgs.

Examiner's Search Strategy dated Mar. 30, 2007, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 48 pgs.

Office Action dated Mar. 23, 2009, U.S. Appl. No. 11/383,796, filed May 17, 2006; 11 pgs.

(56)

References Cited

OTHER PUBLICATIONS

- Examiner's Search Strategy dated Mar. 23, 2009, U.S. Appl. No. 11/383,796, filed May 17, 2006; 2 pgs.
Office Action dated Mar. 19, 2009, U.S. Appl. No. 11/383,793, filed May 17, 2006, 12 pgs.
Examiner's Search Strategy dated Mar. 19, 2009, U.S. Appl. No. 11/383,793, filed May 17, 2006, 3 pgs.
Advisory Action dated Feb. 10, 2009, U.S. Appl. No. 11/381,130, filed May 2, 2006, 3 pgs.
Final Office Action dated Jul. 18, 2008, U.S. Appl. No. 11/381,130, filed May 2, 2006, 17 pgs.
Office Action dated Oct. 9, 2007, U.S. Appl. No. 11/381,130, filed May 2, 2006, 13 pgs.
Response to Final Office Action dated Jan. 21, 2009, U.S. Appl. No. 11/381,130, filed May 2, 2006, 13 pgs.
Response dated Apr. 9, 2008, U.S. Appl. No. 11/381,130, filed May 2, 2006, 36 pgs.
Office Action dated Jun. 1, 2009, U.S. Appl. No. 11/364,306, filed Feb. 28, 2006, 18 pgs.
Examiner's Search Strategy dated Jun. 1, 2009, U.S. Appl. No. 11/364,306, 3 pgs.
Final Office Action dated Sep. 4, 2008, U.S. Appl. No. 11/364,153, filed Feb. 28, 2006, 12 pgs.
Office Action dated Nov. 29, 2007, U.S. Appl. No. 11/364,153, filed Feb. 28, 2006, 11 pgs.
Response dated May 29, 2008, U.S. Appl. No. 11/364,153, filed Feb. 28, 2006, 62 pgs.
Office Action dated Apr. 29, 2009, U.S. Appl. No. 11/364,785, filed Feb. 28, 2006, 23 pgs.
Examiner's Search Strategy dated Apr. 29, 2009, U.S. Appl. No. 11/364,785, filed Feb. 28, 2006, 19 pgs.
Office Action dated Apr. 9, 2009, U.S. Appl. No. 12/170,884, filed Jul. 10, 2008, 10 pgs.
Response dated Oct. 9, 2009, U.S. Appl. No. 12/170,884, filed Jul. 10, 2008, 3 pgs.
Examiner's Search Strategy dated Feb. 19, 2010, U.S. Appl. No. 12/170,884, filed Jul. 10, 2008, 26 pgs.
Examiner's Interview Summary dated Feb. 19, 2010, U.S. Appl. No. 12/170,884, filed Jul. 10, 2008, 4 pgs.
Notice of Allowance dated Feb. 19, 2010, U.S. Appl. No. 12/170,884, filed Jul. 10, 2008, 5 pgs.
Office Action dated Mar. 5, 2009, U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 30 pgs.
Response dated Sep. 3, 2009, U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 12 pgs.
Examiner's Search Strategy dated Mar. 5, 2009, U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 12 pgs.
Final Office Action dated Jan. 20, 2010; U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 33 pgs.
Examiner's Search Strategy dated Jan. 20, 2010, U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 6 pgs.
Office Action dated Apr. 13, 2009, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 12 pgs.
Amendment and Response dated Sep. 14, 2009, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 8 pgs.
Examiner's Search Strategy dated Apr. 13, 2009, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 3 pgs.
Final Office Action dated Feb. 17, 2010, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 16 pgs.
Examiner's Search Strategy dated Feb. 17, 2010, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 2 pgs.
Office Action dated Mar. 19, 2009, U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 11 pgs.
Response dated Aug. 19, 2009, U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 7 pgs.
Examiner's Search Strategy dated Mar. 19, 2009, U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 3 pgs.
Office Action dated Dec. 4, 2009, U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 15 pgs.
Examiner's Search Strategy dated Dec. 4, 2009, U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 3 pgs.
Office Action dated Mar. 19, 2009, U.S. Appl. No. 11/745,515, filed May 8, 2007, 11 pgs.
Office Action dated Dec. 4, 2009, U.S. Appl. No. 11/745,515, filed May 8, 2007, 16 pgs.
Examiner's Search Strategy dated Mar. 19, 2009, U.S. Appl. No. 11/745,515, filed May 8, 2007, 3 pgs.
Response dated Aug. 19, 2009, U.S. Appl. No. 11/745,515, filed May 8, 2007, 8 pgs.
Examiner's Search Strategy dated Dec. 4, 2009, U.S. Appl. No. 11/745,515, filed May 8, 2007, 3 pgs.
Office Action dated Oct. 11, 2005, U.S. Appl. No. 10/882,613, filed Jul. 1, 2004, 7 pgs.
Examiner's Search Strategy dated Oct. 2, 2005, U.S. Appl. No. 10/882,613, filed Jul. 1, 2004, 17 pgs.
Advisory Action dated Mar. 16, 2007, U.S. Appl. No. 10/444,392, filed May 22, 2003, 2 pgs.
Advisory Action dated Mar. 29, 2007, U.S. Appl. No. 10/444,892, filed May 22, 2003, 3 pgs.
Examiner's Interview Summ. Dated Oct. 4, 2007, U.S. Appl. No. 10/444,892, filed May 22, 2003, 2 pgs.
Final Office Action dated Aug. 29, 2006, U.S. Appl. No. 10/444,892, filed May 22, 2003, 7 pgs.
Office Action dated Mar. 1, 2006, U.S. Appl. 10/444,892, filed May 22, 2003, 5 pgs.
Amendment After Final dated Feb. 28, 2007, U.S. Appl. No. 10/444,892, filed May 22, 2003, 8 pgs.
Amendment dated Jun. 27, 2006, U.S. Appl. No. 10/444,892, filed May 22, 2003, 5 pgs.
Office Action dated Jul. 2, 2007, U.S. Appl. No. 11/110,449, filed Apr. 20, 2005, 11 pgs.
Examiner's Search Strategy dated Jun. 20, 2007, U.S. Appl. No. 11/110,449, filed Apr. 20, 2005, 7 pgs.
Office Action dated Jun. 29, 2009, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 12 pgs.
Response dated Dec. 29, 2009, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 10 pgs.
Examiner's Search Strategy dated Jun. 29, 2009, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 1 pgs.
Notice of Non-Compliant Amendment dated Mar. 10, 2010, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 2 pgs.
Amendment and Response to Notice of Non-Compliant Amendment dated Apr. 9, 2010, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 5 pgs.
Office Action dated Jan. 26, 2007, U.S. Appl. No. 11/178,716, filed Jul. 11, 2005, 8 pgs.
Office Action dated Apr. 14, 2006, U.S. Appl. No. 11/178,716, filed Jul. 11, 2005, 8 pgs.
Amendment dated Jul. 25, 2006, U.S. Appl. No. 11/178,716, filed Jul. 11, 2005, 5 pgs.
Examiner's Search Strategy dated Jan. 21, 2007, U.S. Appl. No. 11/178,716, filed Jul. 11, 2005, 1 pg.
Examiner's Search Strategy dated Mar. 30, 2006, U.S. Appl. No. 11/178,716, filed Jul. 11, 2005, 15 pgs.
Examiner's Search Strategy dated Apr. 11, 2006, U.S. Appl. No. 11/178,716, filed Jul. 11, 2005, 1 pg.
Final Office Action dated May 18, 2007, U.S. Appl. No. 11/218,107, filed Sep. 1, 2005, 11 pgs.
Office Action dated Aug. 15, 2006, U.S. Appl. No. 11/218,107, filed Sep. 1, 2005, 8 pgs.
Response dated Feb. 14, 2007, U.S. Appl. No. 11/218,107, filed Sep. 1, 2005, 4 pgs.
Examiner's Search Strategy dated Jun. 30, 2006, U.S. Appl. No. 11/218,107, filed Sep. 1, 2005, 8 pgs.
Examiner's Search Strategy dated Aug. 11, 2006, U.S. Appl. No. 11/218,107, filed Sep. 1, 2005, 2 pgs.
Office Action dated Aug. 26, 2008, U.S. Appl. No. 11/940,655, filed Nov. 15, 2007, 7 pgs.
Office Action dated Jan. 25, 2010, U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 11 pgs.
Examiner's Search Strategy dated Jan. 25, 2010, U.S. Appl. No. 11/837,957, 6 pgs.

(56)

References Cited

OTHER PUBLICATIONS

- Examiner's Interview Summ. dated Oct. 2, 2009, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 2 pgs.
Office Action dated Jul. 20, 2009, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 8 pgs.
Examiner's Search Strategy dated Jul. 20, 2009, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 5 pgs.
Final Office Action dated Mar. 25, 2010, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 12 pgs.
Response dated Jan. 20, 2010, U.S. Appl. No. 11/837,959, filed Aug. 13, 2007, 11 pgs.
Ferber et al., Flibanserin, a drug intended for treatment of hypoactive sexual desire disorder in pre-menopausal women, affects spontaneous motor activity and brain neurochemistry in female rats, *Naunyn Schmiedeberg's Arch Pharmacol.*, Apr. 27, 2010, pp. 1-17 (epub ahead of print).
Aubert et al., Comparison of Flibanserin With the 5-Ht1a Agonist (+)-8-Oh-Dpat in Affecting Interactions Between Male-Female Marmoset Pairs, *J. Sex Med.*, May 2010, 7(s3):118. (abstract).
Aubert et al., Initial PET Assessment of Flibanserin-induced Neural Changes in Female Marmoset Monkeys, *J. Sex Med.*, May 2010, 7(s3):131. (abstract).
Aubert et al., Chronic Treatment of Female Marmoset Monkeys with (+)-8-OH-DPAT or Flibanserin Differentially Alters Response of the Hypothalamic-Pituitary-Adrenal Axis to Restraint and Acute Serotonergic Challenge, *J. Sex Med.*, May 2010, 7(s3):131. (abstract).
Gelez et al., Chronic Flibanserin Treatment Increases Solicitations in the Female Rat, *J. Sex Med.*, May 2010, 7(s3):118. (abstract).
Allers et al., Acute and Repeated Flibanserin Administration in Female Rats Modulates Monoamines Differentially Across Brain Areas: A Microdialysis Study, *J. Sex Med.*, Feb. 2010, 33 pgs. (Epub ahead of print).
Goldfischer et al., Efficacy of Continued Flibanserin Treatment on Sexual Desire, Satisfying Sexual Events and Sexual Functioning in Premenopausal Women With HSDD: Results From the Researching Outcomes on Sustained Efficacy (ROSE) Study, International Society for the Study of Womens Sexual Health (ISSWSH) annual meeting, 2008, 17 pgs. (oral presentation).
Final Office Action dated May 27, 2010, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 8 pgs.
Examiner's Search Strategy dated May 27, 2010, U.S. Appl. No. 11/278,551, filed Apr. 4, 2006, 3 pgs.
Response dated Jun. 4, 2010, U.S. Appl. No. 11/554,855, filed Oct. 31, 2006, 10 pgs.
Response dated Jun. 4, 2010, U.S. Appl. No. 11/745,515, filed May 8, 2007, 8 pgs.
Restriction Requirement dated May 24, 2004, U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 6 pgs.
Response to Restriction Requirement dated Jun. 9, 2004 U.S. Appl. No. 10/210,474, filed Aug. 1, 2002 now U.S. Pat. No. 7,183,410, issued Feb. 27, 2007, 2 pgs.
Restriction Requirement dated Aug. 20, 2008, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 8 pgs.
Response to Restriction Requirement dated Feb. 12, 2009, U.S. Appl. No. 11/097,939, filed Apr. 4, 2005, 2 pgs.
Restriction Requirement dated Feb. 8, 2007, U.S. Appl. No. 11/110,449, filed Apr. 20, 2005, 8 pgs.
Response to Restriction Requirement dated Jun. 7, 2007, U.S. Appl. No. 11/110,449, filed Apr. 20, 2005, 2 pgs.
Restriction Requirement dated Dec. 23, 2008, U.S. Appl. No. 11/187,422, filed Jul. 22, 2005, 11 pgs.
Restriction Requirement dated May 23, 2007, U.S. Appl. No. 11/364,153, filed Feb. 28, 2006, 7 pgs.
Response to Restriction Requirement dated Sep. 24, 2007, U.S. Appl. No. 11/364,153, filed Feb. 28, 2006, 2 pgs.
Restriction Requirement dated Dec. 18, 2006, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 7 pgs.
Response to Restriction Requirement dated Mar. 9, 2007, U.S. Appl. No. 11/381,590, filed Apr. 4, 2006, 2 pgs.
Restriction Requirement dated Aug. 18, 2008; U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 9 pgs.
Response to Restriction Requirement dated Nov. 18, 2008; U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 6 pgs.
Restriction Requirement dated Aug. 21, 2009, U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 7 pgs.
Response to Restriction Requirement dated Sep. 21, 2009, U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 2 pgs.
Restriction Requirement dated Jun. 21, 2010, U.S. Appl. No. 11/956,949, filed Dec. 14, 2007, 7 pgs.
Restriction Requirement dated Feb. 5, 2009, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 8 pgs.
Response to Restriction Requirement dated Mar. 4, 2009, U.S. Appl. No. 11/960,957, filed Oct. 20, 2007, 2 pgs.
Restriction Requirement dated May 4, 2010, U.S. Appl. No. 12/279,589, filed Sep. 26, 2008, 9 pgs.
RCE dated May 19, 2010, U.S. Appl. No. 12/170,884, filed Jul. 10, 2008, 3 pgs.
Examiner's Interview dated Apr. 15, 2009, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 4 pgs.
Examiner's Interview dated Oct. 23, 2007, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 1 pg.
Notice of Allowance dated Jan. 11, 2010, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 7 pgs.
Office Action dated Feb. 11, 2008, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 15 pgs.
Office Action dated May 2, 2007, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 10 pgs.
Office Action dated Dec. 1, 2008, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 16 pgs.
Amendment dated Jun. 1, 2009, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 64 pgs.
Response dated Aug. 11, 2008, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 15 pgs.
Response dated Nov. 2, 2007, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 32 pgs.
Examiner's Search Strategy dated Jan. 11, 2010, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 5 pgs.
Examiner's Search Strategy dated Dec. 1, 2008, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 4 pgs.
RCE dated Apr. 9, 2010, U.S. Appl. No. 11/524,268, filed Sep. 21, 2006, 2 pgs.
Office Action dated Jan. 11, 2010, U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 17 pgs.
Examiner's Search Strategy dated Jan. 11, 2010, U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 8 pgs.
Response dated Jun. 11, 2010 U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 16 pgs.
Restriction Requirement dated Sep. 9, 2009, U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 10 pgs.
Response to Restriction Requirement dated Sep. 25, 2009, U.S. Appl. No. 11/837,962, filed Aug. 13, 2007, 2 pgs.
Office Action dated Jan. 14, 2010, U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 5 pgs.
Examiner's Search Strategy dated Jan. 14, 2010, U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 47 pgs.
Response dated Jun. 14, 2010 U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 5 pgs.
Restriction Requirement dated Oct. 7, 2009, U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 5 pgs.
Response to Restriction Requirement dated Nov. 9, 2009, U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 9 pgs.
Notice of Non-Compliant Amendment dated Jun. 22, 2010 U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 2 pgs.
Response to Notice of Non-Compliant Amdmt dated Jun. 23, 2010 U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, 6 pgs.
Final Office Action dated Jul. 9, 2010; U.S. Appl. No. 11/960,957, filed Dec. 20, 2007, 9 pgs.
Response to Final Office Action dated Jul. 20, 2010; U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 14 pgs.

(56)

References Cited

OTHER PUBLICATIONS

- Response to Office Action dated Jul. 26, 2010; U.S. Appl. No. 11/837,957, filed Aug. 13, 2007, 11 pgs.
- Restriction Requirement dated Oct. 4, 2005; U.S. Appl. No. 10/444,892, filed May 22, 2003, 7 pgs.
- Response to Restriction Requirement dated Dec. 1, 2005; U.S. Appl. No. 10/444,892, filed May 22, 2003, 2 pgs.
- RCE dated Jul. 20, 2010; U.S. Appl. No. 11/740,959, filed Apr. 27, 2007, 3 pgs.
- FDA (U.S. Food and Drug Administration); Reproductive Health Drugs Advisory Committee Meeting Announcement; URL: <http://www.fda.gov/AdvisoryCommittees/Calendar/ucm210886.htm>; Jun. 18, 2010; 1 pg.
- Background Document for Meeting of Advisory Committee for Reproductive Health Drugs (Jun. 8, 2010); NDA 22-526 Flibanserin; Boehringer Ingelheim; May 20, 2010; 80 pgs.
- Aizenberg et al, "Cyproheptadine Treatment of Sexual Dysfunction Induced by Serotonin Reuptake Inhibitors," *Clinical Neuropharmacology*, vol. 18, No. 4, pp. 320-324, 1995 Lippincott-Raven Publishers, Philadelphia.
- Archer, T.; "5-HT_{1A} Pain and Anxiety" *Behavioural Pharmacology of 5-HT*, pp. 299-300 (1989).
- Chemical Abstract 88-98788c (Apr. 10, 1978), Awouters et al, "Oxatomide, a new orally active drug which inhibits both the release and the effects of allergic mediators."
- Backhaus et al., "A Mouse Model of Focal Cerebral Ischemia for Screening Neuroprotective Drug Effects," *Journal of Pharmacological Methods* 27, 1992, pp. 27-32.
- Basson, R. et al; "Report of the international consensus development conference on female sexual dysfunction: definitions and classifications;" *The Journal of Urology*; vol. 163 pp. 888-893, Mar. 2000.
- Baxter, G., "5-HT₂ Receptor Subtypes: a family re-united?" *Trends in Pharmacological Sciences*, Elsevier, Haywarth, GB, vol. 16, No. 3, Mar. 1995, pp. 105-110.
- Beers, M.H. et al; *The Merck Manual of Diagnosis and Therapy*; 17th Ed., 1999, pp. 1595-1598.
- Bernstein, J. et al; "Concomitant Polymorphs"; *Angewandte Chemie, Int. Ed.*, 1999, pp. 3441-3461.
- Bevan et al; "5-HT and sexual behaviour" *Behavioural Pharmacology of 5-HT*, pp. 33-34, 87-88 (1989).
- Borsini, F. et al; Behavioral Effects of Flibanserin (BIMT 17), Sep. 1999, *Pharmacology, Biochemistry and Behavior*, vol. 64, Issue 1, abstract.
- Borsini, F. et al; Behavioral Effects of Flibanserin (BIMT 17), Sep. 1999, *Pharmacology Biochemistry and Behavior*, vol. 64, Issue 1, abstract. pp. 137-146.
- Borsini, F. et al; "Flibanserin," *Drugs of the future*, (1998) vol. 23 (1) pp. 9-16.
- Borsini, F. et al.; "BIMT 17, a 5-HT_{2A} receptor antagonist and 5-HT_{1A} receptor full agonist in rat cerebral cortex"; *Naunyn-Schmiedeberg's Archives of Pharm.*, 1995, 352 pp. 276-282.
- Borsini, F. et al; "Lack of interaction between flibanserin and antidepressants in inducing serotonergic syndrome in rats" *International Journal of Neuropsychopharmacology* (2001) pp. 9-15, vol. 4, No. 1, University Press, Cambridge, GB.
- Borsini, F. et al, "Mechanism of action of flibanserin in the learned helplessness paradigm in rats" *European Journal of Pharmacology* 433:81-89 (2001).
- Borsini, F. et al; "Pharmacology of Flibanserin" *CNS Drug Reviews* 2002; vol. 8, No. 2, pp. 117-142.
- Borsini, F. et al., "BIMT 17: a putative antidepressant with a fast onset of action?" *Psychopharmacology* (1997) 134:378-386.
- Brambilla et al., "Effect of Flibanserin (BIMT 17), fluoxetine 8-OH-DPAT and buspirone on serotonin synthesis in rat brain," *Europ. Neuropsychopharmacology*, Vo. 10, No. 1, 1999, pp. 63-67.
- Carey, John, "Viagra for Women?" *Business Week.com* (Dec. 28, 2006).
- R. Cesana et al; "The effect of MIMT 17, a new potential antidepressant, in the forced swimming test in mice" *Behavioral Pharmacology* (1995) pp. 688-694, vol. 6. Rapid Science Publishers, GB.
- Chalmers et al; "Corticotrophin-releasing factor receptors: from molecular biology to drug design" *TIPS* vol. 17 pp. 166-172, Apr. 1996.
- Chemical Abstract: Database, Collino, F. et al; accession No. 98:16650: "Mannich bases of benzimidazoles, benzotriazoles and other analogous compounds, with pharmacological activity."-XP002197885.
- Cloninger, C.R.; "A systematic method for clinical description and classification of personality variants" *Arch. Gen. Psychiatry*, vol. 44 pp. 573-588 (Jun. 1987).
- Cools, A.R.; "Depression and psychosis" *Behavioural Pharmacology of 5-HT*, pp. 153-155 (1989).
- Crook, T. and Larkin, M.; "Effects of ondansetron in age-associated memory impairment" *The role of ondansetron, a novel 5-HT₃ antagonist, in the treatment of psychiatric disorders*, 5th World Congress of Biochemical Psychiatry, pp. 21-23 (1991).
- Cyr, Monica et al; "Nefazodone: Its place among antidepressants," *Annals of Pharmacotherapy*, vol. 30 No. 9 pp. 1006-1012; 1996. Chemical Abstracts Service, Columbus 1978, Damir et al., "Hemodynamic effects of pharmacological block during acute overload of the heart" *Database accession # 1978:591197 XP-002436715*.
- Chemical Abstract 118-124537e Damour et al, "Preparation and formulation of I[(4-phenylpiperazino)alkyl]benzimidazolin-2-ones and analogs as serotonin S₂ antagonists"(Mar. 29, 1993).
- Darlington, C.; "Flibanserin Boehringer Ingelheim Corp.;" *Current Opinion in CPNS investigational drugs*, vol. 1, No. 4, 1999, pp. 510-513; Pharma Press Ltd, London, GB.
- De Vry, J.; "5-HT_{1A} receptors in psychopathology and the mechanism of action of clinically effective therapeutic agents" *Drug News and Perspectives* 1996, vol. 9 No. 5 pp. 270-280.
- Deangelis, L.; "5-HT_{2A} antagonists in psychiatric disorders;" *Current Opinion in Investigational Drugs* 2002; vol. 3 No. 1 pp. 106-112; ISSN: 1472-4472.
- Dimmock, P. et al; "Efficacy of selective serotonin-reuptake inhibitors in premenstrual syndrome: A systematic review" *The Lancet*, vol. 356, No. 9236 pp. 1131-1136, Sep. 30, 2000.
- Fourcroy, Jean L. ; "Female sexual dysfunction; potential for pharmacotherapy" *Drugs* 2003, vol. 63 No. 14 pp. 1445-1457.
- Frampton, et al; "Pentoxifylline (Oxpentifylline) A Review of its Therapeutic Efficacy in the Management of Peripheral Vascular and Cerebrovascular Disorders;" *(Drug Evaluation) Drugs and Aging* 7 (6) pp. 480-503, 1995.
- Fujikura et al; "Effects of naftidrofuryl oxalate, a 5-HT₂ antagonist, on neuronal damage and local cerebral blood flow following transient cerebral ischemia in gerbils;" *Brain Research* 636 (1994) pp. 103-106.
- Geyer, M.; "5-HT₂ antagonists increase tactile startle habituation in an animal model of habituation deficit in schizophrenia" *Behavioural Pharmacology of 5-HT*, pp. 243-246 (1989).
- Giron, D; "Thermal analysis and calorimetric methods in the characterisation of polymorphs and solvates"; *Thermochemica ACTA*, Elsevier Science; 248; 1995; pp. 1-59.
- Goa, et al; "Buspirone. A preliminary review of its pharmacological properties and therapeutic efficacy as an anxiolytic;" *Drugs* 1986 vol. 32 pp. 114-129.
- Gonzales, "Natural Compound May Offer New Treatment for Chronic Pain" *NIDA Notes*, vol. 16, No. 3-Aug. 2001, www.nida.nih.gov/NIDA_Notes/NNVol16N3/Natural.htm.
- Gould; "Salt selection for basic drugs;" *International Journal of Pharmaceutics*; vol. 33, Issue 1-3, pp. 201-217, Nov. 1986.
- Greene, T.; "Protective groups in organic synthesis.;" *Harvard University* pp. 10-17 (1981), Wiley-Interscience Publication).
- Hansenne, M. et al; "Harm avoidance dimension of the tridimensional personality questionnaire and serotonin-1A activity in depressed patients;" *Biol. Psychiatry* 1997, vol. 42 pp. 959-961.
- Invernizzi et al, "Flibanserin, a potential antidepressant drug, lowers 5-HT and raises dopamine and noradrenaline in the rat prefrontal

(56)

References Cited

OTHER PUBLICATIONS

- cortex dialysate: role of 5-HT_{1A} receptors"; *British Journal of Pharmacology*, vol. 139 pp. 1281-1288, Jun. 2003.
- Kleven, M., "Modification of behavioral effects of 8-hydroxy-2-(di-*n*-propylamino) tetralin following chronic ethanol consumption in the rat: evidence for the involvement of 5-HT_{1A} receptors in ethanol dependence.", *European Journal of Pharmacology*, 1995, vol. 281, No. 3, pp. 219-228.
- Caplus abstract 1999:285050, Koba, "Involvement of peripheral 5-HT_{2A} receptor activation in pain behavior evoked by formalin paw injection in the rat," *Kyushu Shika Gakkai Zaahi* 53(1):253-60 (1999).
- Lammers, G.J. et al; "Ritanserin, a 5-HT₂ receptor blocker, as add on treatment in narcolepsy;" *Sleep* 1991, vol. 14, No. 2 pp. 130-132.
- Leonard, B.E.; "Sub-types of serotonin receptors: biochemical changes and pharmacological consequences" *International Clinical Psychopharmacology* 7, pp. 13-21 (1992).
- Lyrer, "Neue Ansätze in der Akutbehandlung des zerebrovaskulären Insultes(New Approaches in the Acute Treatment of Cerebrovascular Insult)" *Schweiz. Med. Wochenschr.* vol. 124 No. 45 pp. 2005-2012 (1994).
- Marazziti, Donatella et al; "Region-dependent effects of flibanserin and buspirone on adenylyl cyclase activity in the human brain" *Int'l Journal of Neuropsychopharmacology*, Jun. 2002, p. 131-140, vol. 5, No. 2.
- Martindale: "Anxiolytic Sedatives Hypnotics and Antipsychotics" *The complete drug reference*, 1999, p. 635, Pharmaceutical Press, London 32.
- McCall, R.B. et al; "Role of serotonin 1A and serotonin 2 receptors in the central regulation of the cardiovascular system;" *Pharmacological Reviews* 1994, vol. 46 No. 3 pp. 231-243.
- Merriam Webster New Collegiate Dictionary, definition of Diagnosis, 1981, p. 311.
- Meston and Gorzalka, "Psychoactive Drugs and Human Sexual Behavior: The Role of Serotonergic Activity," *Journal of Psychoactive Drugs*, vol. 24(1), Jan.-Mar. 1992 pp. 1-40.
- "The Merck Manual of diagnosis and therapy", Merck Research Laboratories, USA 1999, p. 1410, col. 1-p. 1413, col. 2, paragraph 1; p. 1412, tables 173-2 XP-002439435.
- Miranda, et al., *Dexketoprofen-Induced antinociception in animal models of acute pain: Synergy with morphine and paracetamol; Neuropharmacology* 52 (2007) 291-296.
- Moynihn, R., "The making of disease: female sexual dysfunction" *British Medical Journal*, 2003. vol. 326, pp. 45-47.
- Nadeson, et al., "Antinociceptive role of 5-HT_{1A} receptors in rat spinal cord" *Laboratory Investigations, British Journal of Anaesthesia* 88(5):679-84 (2002).
- Okamoto et al., "5-HT_{2A} receptor subtype in the peripheral branch of sensory fibers is involved in the potential of inflammatory pain in rats," *Pain* 99 (2002) 133-143.
- Petkov, V.D. et al; "Participation of different 5-HT receptors in the memory process in rats and its modulation by the serotonin depletory p-chlorophenylalanine," *Acta Neurobiol. Exp.* 1999 vol. 55 pp. 243-252.
- Philips & Slaughter; "Depression and Sexual Desire," *American Family Physician*, vol. 62/No. 4, Aug. 15, 2000.
- Podhorna, J. et al; "Flibanserin has anxiolytic effects without locomotor side effects in the infant rat ultrasonic vocalization model of anxiety;" *British Journal of Pharmacology* (2000) vol. 130 No. 4 pp. 739-746.
- Prehn et al; "Neuroprotective properties of 5-HT_{1A} receptor agonists in rodent models of focal and global cerebral ischemia;" *European Journal of Pharmacology*, 203 (1991) 213-222.
- Prehn et al., "Effects of serotonergic drugs in experimental brain ischemia: evidence for a protective role of serotonin in cerebral ischemia;" *Brain Research* 630 (1993) pp. 10-20.
- Riekkinen et al; "The effects of increased serotonergic and decreased cholinergic activities on spatial navigation performance in rats" *Pharmacology Biochemistry & Behavior*, vol. 39 pp. 25-29 (1991).
- Rueter, L.E. et al; "Electrophysiological examination of the effects of sustained flibanserin administration on serotonin receptors in rat brain;" *British J. of Pharm.* 1999, vol. 126, No. 3, pp. 627-638.
- Risch, S. Craig et al; "Neurochemical alterations of serotonergic neuronal systems in depression;" *J. Clin. Psychiatry* 1992, vol. 53 No. 10 Suppl. 3-7.
- Robinson, D.S. "Serotonin receptor subtypes and affective disorders;" *Clinical Neuropharmacology* 1993, vol. 16 No. Suppl. 3 pp. S1-S5.
- Rosland et al., "The formalin test in mice: effect of formalin concentration," *Pain* 42 (1990) 235-242.
- Shibata et al., "Ischemia-induced impairment of 2-deoxyglucose uptake and CA1 field potentials in rat hippocampal slices: protection by 5-HT_{1A} receptor agonists and 5-HT₂ receptor antagonists;" *European Journal of Pharmacology*, 229 (1992) pp. 21-29.
- Shipton, B. et al., "Valvular heart disease: review and update," *American Family Physician* Jun. 1, 2001, vol. 63 # 11, pp. 2201-2208.
- Sietsema, D. et al, "From Taboo to Treatment?" *Good Clinical Practice Journal*, Jan. 2005, vol. 12, # 1, pp. 23-27.
- Spine-health.com, Types of Back Pain: Acute Pain, Chronic Pain and Neuropathic Pain, www.spine-health.com/topics/cd/chronic_pain/chronicpain02.html, Oct. 2, 2007.
- Steiner, M., Recognition of Premenstrual Dysphoric Disorder and Its Treatment; *The Lancet*, vol. 356, No. 9236, Sep. 30, 2000, pp. 1126-1127.
- Vandenberk et al; Piperazine and piperidine derivatives, *Chemical Abstract* 88-50920n (Jan. 30, 1978).
- Walsh K. et al., "Sexual dysfunction in the older women and overview of the current understanding and management" *Drugs and Aging*, 2004, vol. 21, # 10 pp. 655-675.
- Zajacka, John et al; "Sexual function and satisfaction in the treatment of chronic major depression with nefazodone, psychotherapy, and their combination;" *Journal Clin. Psychiatry*, vol. 63 No. 8 pp. 709-716, Aug. 2002.
- U.S. Appl. No. 11/956,949, filed Dec. 14, 2007, D. Lewis-D'Agostino et.
- U.S. Appl. No. 11/960,957, filed Dec. 20, 2007, Klaus Mendla et al.
- U.S. Appl. No. 11/940,655, filed Nov. 15, 2007; Dolsten, Mikael.
- U.S. Appl. No. 12/091,848, filed Apr. 28, 2008, Ceci et al.
- Cremers et al.; *Non Erectile Dysfunction Application of Sildenafil*; Herz; 2003; vol. 28; No. 4; pp. 325-333.
- International Search Report (Form PCT/ISA/210) for corresponding PCT/EP2006/064825.

* cited by examiner

1

USE OF FLIBANSERIN IN THE TREATMENT OF OBESITY

CROSS-REFERENCE TO PRIORITY APPLICATIONS

This application is a divisional of U.S. patent application Ser. No. 14/336,663 for USE OF FLIBANSERIN IN THE TREATMENT OF OBESITY, filed Jul. 21, 2014, which is a continuation of U.S. patent application Ser. No. 13/550,062 for USE OF FLIBANSERIN IN THE TREATMENT OF OBESITY, filed Jul. 16, 2012, now U.S. Pat. No. 8,785,458, issued on Jul. 22, 2014, which is itself a divisional of U.S. patent application Ser. No. 11/997,567 for USE OF FLIBANSERIN IN THE TREATMENT OF OBESITY, filed Feb. 1, 2008, now U.S. Pat. No. 8,227,476, issued on Jul. 24, 2012, which is a national stage entry of International Patent Application PCT/EP06/64825 for USE OF FLIBANSERIN IN THE TREATMENT OF OBESITY, filed Jul. 31, 2006, which claims the benefit of European Patent Application No. EP 05016867.3, filed Aug. 3, 2005. This nonprovisional application claims the benefit of and incorporates entirely by reference the above-referenced non-provisional U.S. patent application, international patent application, and European patent application.

FIELD OF THE INVENTION

The invention relates to compositions for the treatment of obesity and related diseases, comprising the administration of a therapeutically effective amount of Flibanserin. The invention relates further to new pharmaceutical compositions for the treatment of obesity and related diseases.

BACKGROUND OF THE INVENTION

The intake of food and its conversion in the body is an essential part of life for all living creatures. Therefore, deviations in the intake and conversion of food generally lead to problems and also illness. The changes in the lifestyle and nutrition of humans, particularly in industrialised countries, have promoted morbid overweight (also known as corpulence or obesity) in recent decades.

The prevalence of obesity has risen significantly in the past decade in the United States and many other developed countries, (Fiegel et al, *Int. J. Obesity* 22:39-47 (1998), Mokdad et al, *JAMA* 282:1519-1522 (1999)). Because obesity is associated with a significantly elevated risk for diabetes, especially for type 2 diabetes, dyslipidaemia, arteriosclerosis, coronary heart disease, hypertension, and numerous other major illnesses, and overall mortality from all causes (Must et al, *JAMA* 282:1523-1529 (1999), Calle et al, *N. Engl. J. Med.* 341:1097-1105 (1999)), weight reduction is critical for the obese patient (Blackburn, *Am. J. Clin. Nutr.* 69:347-349 (1999), Galuska et al, *JAMA* 282:1576 (1999)). Moreover, high body weight alone puts an increased strain on the support and mobility apparatus, which can lead to chronic pain and diseases such as arthritis or osteoarthritis. Thus, obesity is a serious health problem for society.

There is good evidence that pharmacotherapy can enhance weight loss when combined with interventions aimed at changing life style (National Heart, Lung and Blood Institute, Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults: the evidence report, NIH Publication No. 98-4083, September 1998). Yet, the available pharmacological thera-


2

pies to facilitate weight loss fail to provide adequate benefit to many obese patients because of side effects, contraindications or lack of positive response (National Heart, Lung and Blood Institute, Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults: the evidence report, NIH Publication No. 98-4083, September 1998). Hence, there is impetus for developing new and alternative treatments for management of obesity.

Apart from physical activity and a change in nutrition, there is currently no convincing treatment option for effectively reducing body weight. However, as obesity is a major risk factor in the development of serious and even life-threatening diseases, it is all the more important to have access to pharmaceutical active substances for the prevention and/or treatment of obesity.

DESCRIPTION OF THE INVENTION

The compound 1-[2-(4-(3-trifluoromethyl-phenyl)piperazin-1-yl)ethyl]-2,3-dihydro-1H-benzimidazol-2-one (Flibanserin) is disclosed in form of its hydrochloride in European Patent Application EP-A-526434 and has the following chemical structure:



Flibanserin shows affinity for the 5-HT_{1A} receptor and the 5-HT₂-receptor family. It is therefore a promising therapeutic agent for the treatment of a variety of diseases, for instance depression, schizophrenia and anxiety.

Surprisingly it has been found that Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof proved to be a weight-loss agent and therefore is useful to treat obesity and related diseases.

As used herein, the term "obesity" means an excess of adipose tissue in the body. In this connection, obesity is fundamentally to be seen as the increased level of fatness which leads to a health risk. There is no sharp distinction between normal individuals, overweight individuals and those suffering from obesity, but the health risk accompanying obesity is presumed to rise continuously as the level of fatness increases. For simplicity's sake, in the present invention, individuals with a Body Mass Index (BMI), which is defined as the body weight measured in kilograms divided by the height (in meters) squared, above a value of 25 and more particularly above 30, are preferably regarded as suffering from obesity.

One object of the present invention is directed to the use of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, for the preparation of a medicament for the treatment and/or prevention of obesity.

The indication obesity includes in particular exogenic obesity, hyperinsulinaemic obesity, hyperplasmic obesity, hyperphyseal adiposity, hypoplasmic obesity, hypothyroid obesity, hypothalamic obesity, symptomatic obesity, infan-

tile obesity, upper body obesity, alimentary obesity, hypogonadal obesity and central obesity.

Therefore, the present invention is directed also to the use of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, for the preparation of a medicament for the treatment and/or prevention of exogenic obesity, hyperinsulinaemic obesity, hyperplasmic obesity, hyperphyseal adiposity, hypoplasmic obesity, hypothyroid obesity, hypothalamic obesity, symptomatic obesity, infantile obesity, upper body obesity, alimentary obesity, hypogonadal obesity and central obesity.

In another embodiment, this invention relates to the use of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, for the preparation of a medicament for promoting, increasing or facilitating weight loss.

Furthermore, this invention relates to the use of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, for the preparation of a medicament for prevention of body weight gain.

In another embodiment, this invention relates to the use of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, for the preparation of a medicament for inhibiting or reducing appetite.

In another embodiment, this invention relates to the use of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, for the preparation of a medicament for the treatment and/or prevention of diseases and/or disorders associated with obesity, such as the metabolic syndrome (syndromeX), hypertension, osteoarthritis, diabetes, especially type II diabetes, complications of diabetes including diabetic retinopathy, diabetic neuropathy, diabetic nephropathy, insulin resistance, pathological glucose tolerance, encephalorrhagia, heart diseases, cardiac insufficiency, arteriosclerosis, arthritis, gonitis, stroke and dyslipidaemia, preferably metabolic syndrome, diabetes and dyslipidaemia, comprising the administration of a therapeutically effective amount of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof.

Another embodiment of the present invention relates to a method of treating and/or preventing the above mentioned diseases and/or disorders comprising the administration of a therapeutically effective amount of Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof.

For the treatment of the aforementioned diseases, Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof may also be co-administered with a second active substance selected from the group consisting of

- active substances for the treatment of diabetes,
- active substances for the treatment of diabetic complications,
- active substances for the treatment of obesity,
- active substances for the treatment of high blood pressure,
- active substances for the treatment of hyperlipidaemia, including arteriosclerosis,

active substances for the treatment of dyslipidaemia, including arteriosclerosis,

active substances for the treatment of arthritis.

Examples of active substances for the treatment of diabetes are insulin sensitisers, insulin secretion accelerators, biguanides, insulins, α -glucosidase inhibitors, β 3 adreno-receptor agonists.

Insulin sensitisers include glitazones, particularly pioglitazone and its salts (preferably hydrochloride), troglitazone, rosiglitazone and its salts (preferably maleate), JTT-501, GI-262570, MCC-555, YM-440, DRF-2593, BM-13-1258, KRP-297, R-119702 and GW-1929.

Insulin secretion accelerators include sulphonylureas, such as for example tolbutamide, chlorpropamide, tolazamide, acetohexamide, glyclopyramide and its ammonium salts, glibenclamide, gliclazide, glimepiride. Further examples of insulin secretion accelerators are repaglinide, nateglinide, mitiglinide (KAD-1229) and JTT-608.

Biguanides include metformin, buformin and phenformin.

Insulins include those obtained from animals, particularly cattle or pigs, semisynthetic human insulins which are synthesised enzymatically from insulin obtained from animals, human insulin obtained by genetic engineering, e.g. from *Escherichia coli* or yeasts. Moreover, the term insulin also includes insulin-zinc (containing 0.45 to 0.9 percent by weight of zinc) and protamine-insulin-zinc obtainable from zinc chloride, protamine sulphate and insulin. Insulin may also be obtained from insulin fragments or derivatives (for example INS-1, etc.).

Insulin may also include different kinds, e.g. with regard to the onset time and duration of effect ("ultra immediate action type", "immediate action type", "two phase type", "intermediate type", "prolonged action type", etc.), which are selected depending on the pathological condition of the patient.

α -Glucosidase inhibitors include acarbose, voglibose, miglitol, emiglitate.

β 3 Adreno receptor agonists include AJ-9677, BMS-196085, SB-226552, AZ40140.

Active substances for the treatment of diabetes other than those mentioned above include ergoset, pramlintide, leptin, BAY-27-9955 as well as glycogen phosphorylase inhibitors, sorbitol dehydrogenase inhibitors, protein tyrosine phosphatase 1B inhibitors, dipeptidyl protease inhibitors, glipazide, glyburide.

Active substances for the treatment of diabetic complications include for example aldose reductase inhibitors, glycation inhibitors and protein kinase C inhibitors, DPPIV blockers, GLP-1 or GLP-2 analogues and SGLT-2 inhibitors.

Aldose reductase inhibitors are for example tolrestat, epalrestat, imirestat, zenarestat, SNK-860, zopolrestat, ARI-50i, AS-3201.

An example of a glycation inhibitor is pimagedine.

Protein Kinase C inhibitors are for example NGF, LY-333531.

DPPIV blockers are for example LAF237 (Novartis), MK431 (Merck) as well as 815541, 823093 and 825964 (all GlaxoSmithkline).

GLP-1 analogues are for example Liraglutide (NN2211) (NovoNordisk), CJC1131 (Conjuchem), Exenatide (Amylin).

SGLT-2 inhibitors are for example AVE-2268 (Aventis) and T-1095 (Tanabe, Johnson&Johnson).

Active substances other than those mentioned above for the treatment of diabetic complications include alprostadiol,

thiapride hydrochloride, cilostazol, mexiletine hydrochloride, ethyl eicosapentate, memantine, pimagedine (ALT-711).

Active substances for the treatment of obesity, other than Flibanserin, include lipase inhibitors and anorectics.

A preferred example of a lipase inhibitor is orlistat.

Examples of preferred anorectics are phenetermine, mazindol, fluoxetine, sibutramine, baiamine, (S)-sibutramine, SR-141716, NGD-95-1.

Active substances other than those mentioned above for the treatment of obesity include lipstatin, Rimonabant and topiramate

Moreover for the purposes of this application the active substance group of anti-obesity active substances also includes the anorectics, of which the β_3 agonists, thymimetic active substances and NPY antagonists should be emphasised. The range of substances which may be considered as preferred anti-obesity or anorectic active substances is indicated by the following additional list, by way of example: phenylpropanolamine, ephedrine, pseudoephedrine, phenetermine, a cholecystokinin-A (hereinafter referred to as CCK-A) agonist, a monoamine reuptake inhibitor (such as for example sibutramine), a sympathomimetic active substance, a serotonergic active substance (such as for example dexfenfluramine, fenfluramine, a 5-HT_{2C} agonist such as BVT.933 or APD356), a dopamine antagonist (such as for example bromocriptine or pramipexol), a melanocyte-stimulating hormone receptor agonist or mimetic, an analogue of melanocyte-stimulating hormone, a cannabinoid receptor antagonist (Rimonabant, ACOMPLIA TM), an MCH antagonist, the OB protein (hereinafter referred to as leptin), a leptin analogue, a fatty acid synthase (FAS) antagonist, a leptin receptor agonist, a galanine antagonist, a GI lipase inhibitor or reducer (such as for example orlistat). Other anorectics include bombesin agonists, dehydroepiandrosterone or its analogues, glucocorticoid receptor agonists and antagonists, orexin receptor antagonists, urocortin binding protein antagonists, agonists of the Glucagon-like Peptide-1 receptor, such as for example exendin, AC 2993, CJC-1131, ZP10 or GRT0203Y, DPPIV inhibitors and ciliary neurotrophic factors, such as for example axokines. In this context mention should also be made of the forms of therapy which produce weight loss by increasing the fatty acid oxidation in the peripheral tissue, such as for example inhibitors of acetyl-CoA carboxylase.

Active substances for the treatment of high blood pressure include inhibitors of angiotensin converting enzyme, calcium antagonists, potassium channel openers and angiotensin II antagonists.

Inhibitors of angiotensin converting enzyme include captopril, enalapril, alacepril, delapril (hydrochloride), lisinopril, imidapril, benazepril, cilazapril, temocapril, trandolapril, manidipine (hydrochloride).

Examples of calcium antagonists are nifedipine, amlodipine, efonidipine, nicardipine.

Potassium channel openers include levcromakalim, L-27152, AL0671, NIP-121.

Angiotensin II antagonists include telmisartan, losartan, candesartan cilexetil, valsartan, irbesartan, CS-866, E4177.

Active substances for the treatment of hyperlipidaemia, including arteriosclerosis, include HMG-CoA reductase inhibitors, fibrate compounds.

HMG-CoA reductase inhibitors include pravastatin, simvastatin, lovastatin, atorvastatin, fluvastatin, lipantil, cerivastatin, itavastatin, ZD-4522 and their salts.

Fibrate compounds include bezafibrate, clinofibrate, clofibrate and simfibrate.

Active substances for the treatment of dyslipidaemia, including arteriosclerosis, include e.g. medicaments which raise the HDL level, such as e.g. nicotinic acid and derivatives and preparations thereof, such as e.g. niaskan, as well as agonists of the nicotinic acid receptor.

Active substances for the treatment of arthritis include NSAIDs (non-steroidal antiinflammatory drugs), particularly COX2 inhibitors, such as for example meloxicam or ibuprofen.

Accordingly, the invention also relates to combining separate pharmaceutical compositions in kit form which may be co-administered separately. Therefore, in a further embodiment the present invention provides a kit comprising a) a first pharmaceutical composition comprising an active substance being not flibanserin, selected from the group consisting of active substances for the treatment of diabetes, active substances for the treatment of diabetic complications, active substances for the treatment of obesity, active substances for the treatment of high blood pressure, active substances for the treatment of hyperlipidaemia, including arteriosclerosis active substances for the treatment of dyslipidaemia, including arteriosclerosis, active substances for the treatment of arthritis, b) a second pharmaceutical composition comprising Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof for the treatment of the above mentioned diseases; and a container for both compositions.

In a preferred embodiment the present invention provides a kit comprising a) a first pharmaceutical composition comprising one or more, preferably one active substance for the treatment of obesity, preferably orlistat, phenetermine, sibutramine or topiramate; b) a second pharmaceutical composition comprising Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof for the treatment of the above mentioned diseases; and a container for both compositions

The term "co-administration", within the present invention means that both active ingredients mentioned above can be taken from the kit and combined for administration together as a composition or as part of the same, unitary dosage form, such as an parenterally or orally administered solution. "Co-administration" also includes administering the components separately (e.g. as tablets or capsules), but as part of the same therapeutic treatment program or regimen. Both components need not be administered at essentially the same time, although they can be if so desired. Thus "co-administration" includes, for example administering all active ingredients as separate dosages or dosage forms and at essentially the same time. The term also includes separate administration at different times, in any order, and if preferred by different routes of administration. An example of a kit is the so-called blister pack well known in the packaging industry particularly for packaging pharmaceutical dosage forms.

Instead of a kit, Flibanserin and the second active substance according to the invention can be combined in one dosage form. Therefore, the present invention also relates to compositions comprising Flibanserin optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof and a second active substance active being not flibanserin, selected from the group consisting of active substances for the treatment of diabetes, active substances for the treatment of diabetic complications, active substances for the treatment of obesity, active substances for the

treatment of high blood pressure, active substances for the treatment of hyperlipidaemia, including arteriosclerosis active substances for the treatment of dyslipidaemia, including arteriosclerosis, active substances for the treatment of arthritis in one dosage form.

Preferably, the present invention also relates to compositions comprising a) one or more, preferably one active substance for the treatment of obesity preferably orlistat, phenetermine, sibutramine or topiramate and b) Flibanserin, optionally in form of the free base, the pharmacologically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof.

Above mentioned kits and compositions can be used for the treatment and/or prevention of obesity like exogenic obesity, hyperinsulinaemic obesity, hyperplasmic obesity, hyperphyseal adiposity, hypoplasmic obesity, hypothyroid obesity, hypothalamic obesity, symptomatic obesity, infantile obesity, upper body obesity, alimentary obesity, hypogonadal obesity and central obesity as well as for promoting, increasing or facilitating of weight loss, for the prevention of body weight gain, and for inhibiting or reducing appetite.

Furthermore the above mentioned kits and compositions can be used for the treatment and/or prevention of diseases and/or disorders associated with obesity, such as the metabolic syndrome (syndromeX), hypertension, osteoarthritis, diabetes, especially type II diabetes, complications of diabetes including diabetic retinopathy, diabetic neuropathy, diabetic nephropathy, insulin resistance, pathological glucose tolerance, encephalorrhagia, heart diseases, cardiac insufficiency, arteriosclerosis, arthritis, gonitis, stroke and dyslipidaemia, preferably metabolic syndrome, diabetes and dyslipidaemia.

As already mentioned above, Flibanserin may be used in form of the free base, optionally in form of its pharmaceutically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof. Suitable acid addition salts include for example those of the acids selected from, succinic acid, hydrobromic acid, acetic acid, fumaric acid, maleic acid, methanesulphonic acid, lactic acid, phosphoric acid, hydrochloric acid, sulphuric acid, tartaric acid and citric acid. Mixtures of the abovementioned acid addition salts may also be used. From the aforementioned acid addition salts the hydrochloride and the hydrobromide, particularly the hydrochloride, are preferred. If Flibanserin is used in form of the free base, it is preferably used in form of Flibanserin polymorph A as disclosed in WO 03/014079.

The active substances which are suitable to be combined with Flibanserin within the teaching of the instant invention and which are mentioned hereinbefore may also be capable of forming acid addition salts with pharmaceutically acceptable acids. Representative salts include the following: Acetate, Benzenesulfonate, Benzoate, Bicarbonate, Bisulfate, Bitartrate, Borate, Bromide, Camsylate, Carbonate, Chloride, Clavulanate, Citrate, Dihydrochloride, Edetate, Edisylate, Estolate, Esylate, Fumarate, Gluceptate, Gluconate, Glutamate, Glycolylarsanilate, Hexylresorcinolate, Hydrabamine, Hydrobromide, Hydrochloride, Hydroxynaphthoate, Iodide, Isothionate, Lactate, Lactobionate, Laurate, Malate, Maleate, Mandelate, Mesylate, Methylbromide, Methylnitrate, Methylsulfate, Mucate, Napsylate, Nitrate, N-methylglucamine ammonium salt, Oleate, Oxalate, Pamoate (Embonate), Palmitate, Pantothenate, Phosphate/diphosphate, Polygalacturonate, Salicylate, Stearate, Sulfate, Subacetate, Succinate, Tannate, Tartrate, Teoclate, Tosylate, Triethiodide and Valerate.

Furthermore, where the other anti-obesity compounds carry an acidic moiety, suitable pharmaceutically acceptable

salts thereof may include alkali metal salts, e.g., sodium or potassium salts; alkaline earth metal salts, e.g., calcium or magnesium salts; and salts formed with suitable organic ligands, e.g., quaternary ammonium salts.

The active substances which are suitable to be combined with Flibanserin may have chiral centers and occur as racemates, racemic mixtures and as individual diastereomers, or enantiomers with all isomeric forms being included in the present invention. Therefore, where a compound is chiral, the separate enantiomers, substantially free of the other, are included within the scope of the invention. Further included are all mixtures of the two enantiomers. Also included within the scope of the invention are polymorphs and hydrates of the compounds of the instant invention.

The present invention includes within its scope prodrugs of Flibanserin and of the active substances which are suitable to be combined with Flibanserin. In general, such prodrugs will be functional derivatives of the compounds of this invention which are readily convertible in vivo into the required compound.

Flibanserin, optionally used in form of its pharmaceutically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof, or in form of Flibanserin polymorph A, as well as the other anti-obesity compounds may be incorporated into the conventional pharmaceutical preparation in solid, liquid or spray form. The compositions may, for example, be presented in a form suitable for oral, rectal, parenteral administration or for nasal inhalation: preferred forms include for example, capsules, tablets, coated tablets, ampoules, suppositories and nasal spray.

The active ingredients may be incorporated in excipients or carriers conventionally used in pharmaceutical compositions such as, for example, talc, arabic gum, lactose, gelatine, magnesium stearate, corn starch, aqueous or non aqueous vehicles, polyvinyl pyrrolidone, semisynthetic glycerides of fatty acids, benzalconium chloride, sodium phosphate, EDTA, polysorbate 80. The compositions are advantageously formulated in dosage units, each dosage unit being adapted to supply a single dose of the active ingredient.

Within the instant invention flibanserin is preferably administered in such an amount that per single dosage between 0.01 to 400 mg of flibanserin are applied. Preferred are ranges of between 1.0 to 300 mg, particular preferred 2.0 to 200 mg of flibanserin. Suitable dosage forms may contain for instance 5, 10, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95 or 100 mg of flibanserin. The dosis range applicable per day is between 0.1 to 400, preferably between 1.0 to 300, more preferably between 2 to 200 mg. The aforementioned values are based on flibanserin in form of the free base. If flibanserin is applied in form of one of its acid addition salts, the corresponding values are readily calculable from the aforementioned values. Advantageously, flibanserin may be administered in a single daily dose, or the total daily dosage may be administered in divided doses of two, three or four times daily.

The dosage of the active ingredients suitable for coadministration with flibanserin in the compositions of this invention may be varied. However, it is necessary that the amount of the active ingredients be such that a suitable dosage form is obtained. The selected dosage and the dosage form depend upon the desired therapeutic effect, on the route of administration and on the duration of the treatment. Dosage ranges in the combination are approximately one

9

tenth to one times the clinically effective ranges required to induce the desired therapeutic effect, respectively when the compounds are used singly.

In case of the preferred compound orlistat particularly preferred doses per day are in the range of about 100 to 400 mg. In case of the preferred compound sibutramine particularly preferred doses per day are in the range of about 5 to 15 mg. In case of the preferred compound phenetermine particularly preferred doses per day are in the range of about 30 to 90 mg. Suitable dosage forms may contain for instance 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95 or 100 mg of the above mentioned compounds. Advantageously, the compounds of the present invention may be administered in a single daily dose, or the total daily dosage may be administered in divided doses of two, three or four times daily.

Suitable tablets may be obtained, for example, by mixing the active substance(s) with known excipients, for example inert diluents such as calcium carbonate, calcium phosphate or lactose, disintegrants such as corn starch or alginic acid, binders such as starch or gelatine, lubricants such as magnesium stearate or talc and/or agents for delaying release, such as carboxymethyl cellulose, cellulose acetate phthalate, or polyvinyl acetate. The tablets may also comprise several layers.

Coated tablets may be prepared accordingly by coating cores produced analogously to the tablets with substances normally used for tablet coatings, for example collidone or shellac, gum arabic, talc, titanium dioxide or sugar. To achieve delayed release or prevent incompatibilities the core may also consist of a number of layers. Similarly the tablet coating may consist of a number or layers to achieve delayed release, possibly using the excipients mentioned above for the tablets.

Syrups or elixirs containing the active substances or combinations thereof according to the invention may additionally contain a sweetener such as saccharine, cyclamate, glycerol or sugar and a flavour enhancer, e.g. of a flavouring such as vanilline or orange extract. They may also contain suspension adjuvants or thickeners such as sodium carboxymethyl cellulose, wetting agents such as, for example, condensation products of fatty alcohols with ethylene oxide, or preservatives such as p-hydroxybenzoates.

Solutions for injection are prepared in the usual way, e.g. of. with the addition of preservatives such as p-hydroxybenzoates, or stabilisers such as alkali metal salts of ethylenediamine tetraacetic acid, and transferred into injection vials or ampoules.

Capsules containing one or more active substances or combinations of active substances may for example be prepared by mixing the active substances with inert carriers such as lactose or sorbitol and packing them into gelatine capsules. Suitable suppositories may be made for example by mixing with carriers provided for this purpose, such as neutral fats or polyethyleneglycol or the derivatives thereof.

The Examples which follow illustrate the present invention without restricting its scope:

Examples of Pharmaceutical Formulations

A)	
Tablets	per tablet
Flibanserin hydrochloride	100 mg
lactose	240 mg
corn starch	340 mg

10

-continued

A)	
Tablets	per tablet
polyvinylpyrrolidone	45 mg
magnesium stearate	15 mg
	740 mg

The finely ground active substance, lactose and some of the corn starch are mixed together. The mixture is screened, then moistened with a solution of polyvinylpyrrolidone in water, kneaded, wet-granulated and dried. The granules, the remaining corn starch and the magnesium stearate are screened and mixed together. The mixture is compressed to produce tablets of suitable shape and size.

B)	
Tablets	per tablet
Flibanserin hydrochloride	80 mg
corn starch	190 mg
lactose	55 mg
microcrystalline cellulose	35 mg
polyvinylpyrrolidone	15 mg
sodium-carboxymethyl starch	23 mg
magnesium stearate	2 mg
	400 mg

The finely ground active substance, some of the corn starch, lactose, microcrystalline cellulose and polyvinylpyrrolidone are mixed together, the mixture is screened and worked with the remaining corn starch and water to form a granulate which is dried and screened. The sodium-carboxymethyl starch and the magnesium stearate are added and mixed in and the mixture is compressed to form tablets of a suitable size.

C)	
Coated tablets	per coated tablet
Flibanserin hydrochloride	5 mg
corn starch	41.5 mg
lactose	30 mg
polyvinylpyrrolidone	3 mg
magnesium stearate	0.5 mg
	80 mg

The active substance, corn starch, lactose and polyvinylpyrrolidone are thoroughly mixed and moistened with water. The moist mass is pushed through a screen with a 1 mm mesh size, dried at about 45° C. and the granules are then passed through the same screen. After the magnesium stearate has been mixed in, convex tablet cores with a diameter of 6 mm are compressed in a tablet-making machine. The tablet cores thus produced are coated in known manner with a covering consisting essentially of sugar and talc. The finished coated tablets are polished with wax.

5

10

15

20

25

30

35

40

45

50

55

60

65

11

D)	
Capsules	per capsule
Flibanserin hydrochloride	1.50 mg
Corn starch	268.5 mg
Magnesium stearate	1.5 mg
	420 mg

The substance and corn starch are mixed and moistened with water. The moist mass is screened and dried. The dry granules are screened and mixed with magnesium stearate. The finished mixture is packed into size 1 hard gelatine capsules.

E) Ampoule solution	
Flibanserin hydrochloride	50 mg
sodium chloride	50 mg
water for inj.	5 ml

The active substance is dissolved in water at its own pH or optionally at pH 5.5 to 6.5 and sodium chloride is added to make it isotonic. The solution obtained is filtered free from pyrogens and the filtrate is transferred under aseptic conditions into ampoules which are then sterilised and sealed by fusion.

F) Suppositories	
Flibanserin hydrochloride	50 mg
solid fat	1650 mg
	1700 mg

The hard fat is melted. At 40° C. the ground active substance is homogeneously dispersed. It is cooled to 38° C. and poured into slightly chilled suppository moulds.

In a particular preferred embodiment of the instant invention, Flibanserin is administered in form of specific film coated tablets. Examples of these preferred formulations are listed below. The film coated tablets listed below can be manufactured according to procedures known in the art (see hereto WO 03/097058).

G) Film coated tablet	
Constituents	mg/tablet
Core	
Flibanserin	25.000
Lactose monohydrate	71.720
Microcrystalline cellulose	23.905
HPMC (Methocel E5)	1.250
Carboxymethylcellulose sodium	2.500
Magnesium stearate	0.625
Coating	
HPMC (Methocel E5)	1.440
Polyethylene Glycol 6000	0.420
Titanium dioxide	0.600
Talc	0.514
Iron oxide red	0.026
Total Film coated tablet	128.000

12

H) Film coated tablet	
Constituents	mg/tablet
Core	
Flibanserin	50.000
Lactose monohydrate	143.440
Microcrystalline cellulose	47.810
HPMC (e.g. Pharmacoat 606)	2.500
Carboxymethylcellulose sodium	5.000
Magnesium stearate	1.250
Coating	
HPMC (e.g. Pharmacoat 606)	2.400
Polyethylene Glycol 6000	0.700
Titanium dioxide	1.000
Talc	0.857
Iron oxide red	0.043
Total Film coated tablet	255.000

I) Film coated tablet	
Constituents	mg/tablet
Core	
Flibanserin	100.000
Lactose monohydrate	171.080
Microcrystalline cellulose	57.020
HPMC (e.g. Methocel E5)	3.400
Carboxymethylcellulose sodium	6.800
Magnesium stearate	1.700
Coating	
HPMC (e.g. Methocel E5)	3.360
Polyethylene Glycol 6000	0.980
Titanium dioxide	1.400
Talc	1.200
Iron oxide red	0.060
Total Film coated tablet	347.000

J) Film coated tablet	
Constituents	mg/tablet
Core	
Flibanserin	2.000
Dibasic Calciumphosphate, anhydrous	61.010
Microcrystalline cellulose	61.010
HPMC (Methocel E5)	1.950
Carboxymethylcellulose sodium	2.600
Colloidal silicon dioxide	0.650
Magnesium stearate	0.780
Coating	
HPMC (Methocel E5)	1.440
Polyethylene Glycol 6000	0.420
Titanium dioxide	0.600
Talc	0.514
Iron oxide red	0.026
Total Film coated tablet	133.000

13

K) Film coated tablet	
Constituents	mg/tablet
Core	
Flibanserin	100.000
Dibasic Calciumphosphate, anhydrous	69.750
Microcrystalline cellulose	69.750
HPMC (e.g. Methocel E5)	2.750
Carboxymethylcellulose sodium	5.000
Colloidal silicon dioxide	1.250
Magnesium stearate	1.500
Coating	
HPMC (e.g. Methocel E5)	2.400
Polyethylene Glycol 6000	0.700
Titanium dioxide	1.043
Talc	0.857
Total Film coated tablet	255.000

L) Film coated tablet	
Constituents	mg/tablet
Core	
Flibanserin	20.000
Lactose monohydrate	130.000
Microcrystalline cellulose	43.100
Hydroxypropyl Cellulose (e.g. Klucel LF)	1.900
Sodium Starch Glycolate	4.000
Magnesium stearate	1.000
Coating	
HPMC (e.g. Methocel E5)	2.400
Polyethylene Glycol 6000	0.700
Titanium dioxide	1.043
Talc	0.857
Total Film coated tablet	205.000

M)	
Constituents	mg/tablet
Core	
Flibanserin (free base)	50.000
Orlistat	120.000
Anhydrous dibasic calcium phosphate	100.000
Microcrystalline cellulose	203.090
HPMC (Methocel E5)	6.615
Croscarmellose sodium	8.820
Magnesium stearate	2.250
Coating	
HPMC (Methocel E5)	4.320
Polyethylene Glycol 6000	1.260
Titanium dioxide	1.800
Talc	1.542
Iron oxide red	0.078
Total Film coated tablet	499.775

14

N)	
Constituents	mg/tablet
Core:	
Flibanserin (free base)	50.000
Sibutramine	10.000
Lactose monohydrate	133.750
Microcrystalline cellulose	40.000
Hydroxypropylcellulose	2.500
Corn starch	12.500
Magnesium stearate	1.250
Coating	
HPMC (e.g. Pharmacoat 606)	2.400
Polyethylene Glycol 6000	0.700
Titanium dioxide	1.000
Talc	0.857
Iron oxide yellow	0.043
Total Film coated tablet	255.000

O)	
Constituents	mg/tablet
Core	
Flibanserin (free base)	50.000
Phentermine	30.000
Lactose monohydrate	143.490
Microcrystalline cellulose	47.810
HPMC (e.g. Pharmacoat 606)	2.500
Carboxymethylcellulose sodium	5.000
Mannitol	60.000
Corn starch	36.500
Povidone	1.000
Colloidal silicon dioxide	1.000
Magnesium stearate	1.700
Coating	
HPMC (e.g. Methocel E5)	3.360
Polyethylene Glycol 6000	0.980
Titanium dioxide	1.400
Talc	1.200
Iron oxide red	0.060
Total Film coated bilayer tablet	386.000

45 Pharmacological Experiments

50 To test the efficacy of Flibanserin in the treatment of obesity groups of the rats per sex per group (gang-housed) received Flibanserin at dosages of 0 (control), 100, 200, and 600 mg/kg/day via dietary admixture. The test compound was mixed with the food to obtain a 3% premix. This premix was prepared in week -1 and drug week 7 and was used to prepare the substance/food mixtures for all individual groups. The substance/food concentration was calculated using the mean daily food intake from the study week before. The substance/food mixture was made weekly for every dose group and stored under darkness in the animal room. The concentration, homogeneity and stability of the test substance in the food was checked during study week 2 with reanalysis one and four weeks later. One further check of concentration and homogeneity was performed in week 13. The body weight of each animal was determined and recorded once a week including the pretest acclimation period, in the morning on the same day of the week.

65 The following tables presents the results of the above described experiments as absolute body weights at start of

15

treatment (week -1) as well as in drug week 6 and 13, including percentage change compared to controls. (in parentheses).

TABLE 1

Table. Mean absolute body weights of males [#] in grams and percent change to controls				
Drug week	Dosage BIMT 17 BS (mg/kg/day)			
	0 (Con-trols)	100	200	600
-1	191.3	188.1 (-1.7)	189.3 (-1.0)	186.8 (-2.4)
6	368.2	340.9 (-7.4)↓	340.4 (-7.5)↓	284.8 (-22.7)↓
13	440.4	397.4 (-9.8)↓	400.9 (-9.0)↓	333.2 (-24.3)↓

↓significantly decreased compared to controls (p < 0.05; t-test, pooled variance)
[#]n = 10/group

TABLE 2

Table. Mean absolute body weights of females [#] in grams and percent change to controls				
Drug week	Dosage BIMT 17 BS (mg/kg/day)			
	0 (Con-trols)	100	200	600
-1	141.2	141.3 (40.1)	142.2 (40.7)	140.7 (-0.4)
6	229.1	213.6 (-6.8)↓	209.7 (-8.5)↓	196.0 (-14.4)↓
13	261.5	234.5 (-10.3)↓	234.9 (-10.2)↓	225.8 (-13.7)↓

↓significantly decreased compared to controls (p < 0.05; t-test, pooled variance)
[#]n = 10/group

From Tables 1 and 2 it can be taken that the body weight gain of males and females were significantly decreased in almost all drug weeks. At study end the difference compared to controls was 10%, 9% and 24% in males and 10%, 10% and 14% in females at 100, 200 and 600 mg/kg/day, respectively.

This pharmacological data provide evidence for the efficacy of Flibanserin in the treatment of obesity and can be used for the preparation of a medicament for promoting, increasing or facilitating weight loss and for inhibiting or prevention of body weight gain.

The invention claimed is:

1. A pharmaceutical composition comprising a) an active substance being not flibanserin, selected from the group consisting of orlistat, phentermine, sibutramine and topiramate and pharmaceutically acceptable salts thereof and b) flibanserin, optionally in form of the free base, and/or the pharmacologically pharmaceutically acceptable acid addition salts and/or optionally in form of the hydrates and/or solvates thereof.

2. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmacologically acceptable acid addition salt thereof selected from the salts formed by the acids selected from the group consisting of succinic acid, hydrobromic acid, acetic acid, fumaric acid, maleic acid, methanesulphonic acid, lactic acid, phosphoric acid, hydrochloric acid, sulphuric acid, tartaric acid, citric acid, and mixtures thereof.

3. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with succinic acid.

16

4. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with hydrobromic acid.

5. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with acetic acid.

6. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with fumaric acid.

7. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with maleic acid.

8. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with methanesulphonic acid.

9. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with lactic acid.

10. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with phosphoric acid.

11. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with hydrochloric acid.

12. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with sulphuric acid.

13. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with tartaric acid.

14. A pharmaceutical composition according to claim 1, wherein flibanserin is in the form of a pharmaceutically acceptable acid addition salt thereof and wherein the salt is formed with citric acid.

15. A pharmaceutical composition according to claim 1, wherein the composition contains between 0.01 to 400 mg of flibanserin.

16. A pharmaceutical composition according to claim 1, wherein the composition contains between 2.0 to 200 mg of flibanserin.

17. A pharmaceutical composition according to claim 1, wherein the composition contains 100 mg of flibanserin.

18. A pharmaceutical composition according to claim 1, wherein the active substance is orlistat in an amount of between about 100 mg to 400 mg.

19. A pharmaceutical composition according to claim 1, wherein the active substance is sibutramine in an amount of between about 5 to 15 mg.

20. A pharmaceutical composition according to claim 1, wherein the active substance is phentermine in an amount of between about 30 to 90 mg.

* * * * *