



(22) Date de dépôt/Filing Date: 1994/08/15

(41) Mise à la disp. pub./Open to Public Insp.: 1995/02/19

(45) Date de délivrance/Issue Date: 2005/10/18

(30) Priorités/Priorities: 1993/08/18 (P 4327743.8) DE;
1994/04/08 (P 4412079.6) DE

(51) Cl.Int.⁵/Int.Cl.⁵ C07D 239/54, A01N 43/54, C07C 311/53,
C07D 409/12, C07D 403/12, C07D 401/12, C07C 265/12


(72) Inventeurs/Inventors:
ANDREE, ROLAND, DE;
DREWES, MARK-WILHELM, DE;
MARHOLD, ALBRECHT, DE;
SANTEL, HANS-JOACHIM, DE;
DOLLINGER, MARKUS, DE

(73) Propriétaire/Owner:
BAYER AKTIENGESELLSCHAFT, DE

(74) Agent: FETHERSTONHAUGH & CO.

(54) Titre : COMPOSES HETEROCYCLIQUES AZOTES A GROUPEMENT N-CYANOARYLE

(54) Title: N-CYANOARYL-NITROGEN HETEROCYCLES



(57) Abrégé/Abstract:


The invention relates to new N-cyanoaryl-nitrogen heterocycles of the general formula (I) (see formula I) in which R¹, R², R³, R⁴ and Z have the meanings given in the description, to a plurality of processes for their preparation, to their use as herbicides and to novel intermediates.

CA2117511

N-cyanoaryl-nitrogen heterocycles

A b s t r a c t

The invention relates to new N-cyanoaryl-nitrogen heterocycles of the general formula (I)



in which

R^1 , R^2 , R^3 , R^4 and Z have the meanings given in the description,


to a plurality of processes for their preparation, to their use as herbicides and to novel intermediates.

The invention relates to new N-cyanoaryl-nitrogen heterocycles, to a plurality of processes for their preparation, to their use as herbicides, and to new intermediates.

- 5 It has already been disclosed that certain N-cyanoaryl-nitrogen heterocycles have herbicidal properties (cf. WO 91/00278, WO 92/11244, DE 4237920, EP 408382/US 5084084, EP 438209, EP 473551).

- 10 However, the herbicidal activity or the compatibility of the previously known N-cyanoaryl-nitrogen heterocycles with crop plants are not entirely satisfactory.

The new N-cyanoaryl-nitrogen heterocycles of the general formula (I)



in which

- 15 R¹ represents hydrogen or halogen,

R² represents halogen, cyano, amino or the group

-N(A¹)SO₂A,

5

where A represents in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, arylalkyl, heterocyclyl or heterocyclylalkyl,



and A¹ represents hydrogen or optionally substituted alkyl, alkenyl, alkynyl, alkoxy, alkylcarbonyl, alkoxycarbonyl, arylcarbonyl, arylalkylcarbonyl or aryloxycarbonyl,

10

R³ represents hydrogen, halogen, cyano or optionally substituted alkyl,

R⁴ represents optionally substituted alkyl or together with R³ represents alkanediyl,

Z represents one of the groups below



15



in which

R⁵ represents hydrogen, amino (bonded to N only) or in each case optionally substituted alkyl,

alkenyl, alkynyl, alkylcarbonyl or alkoxy-carbonyl,

and their salts, the compounds 1-(4-cyano-3-ethylsulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine, 1-(4-cyano-3-n-propylsulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine, 1-(4-cyano-3-isopropylsulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine, 1-(4-cyano-5-ethylsulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine, 1-(4-cyano-5-n-propylsulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine and 1-(4-cyano-5-isopropylsulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine - all disclosed in US 5084084 - being excepted by disclaimer, have now been found.


Thus, the general formula (I) represents the isomeric compounds of the general formulae (IA) and (IB) below



The new N-cyanoaryl-nitrogen heterocycles of the general formula (I) and salts thereof are obtained when,

- 5 (a) to prepare compounds of the formulae (IA) and (IB) in which R⁵ represents hydrogen and R¹, R², R³ and R⁴ have the abovementioned meanings,


Aminoalkenoic esters of the general formula (II)



in which

R³ and R⁴ have the abovementioned meanings and


- 10 R represents alkyl, aryl or arylalkyl are reacted with cyanoaryl isocyanates of the general formula (III)



in which

R¹ and R² have the abovementioned meanings,

or with cyanoarylurethanes (cyanoaryl-carbamates) of the general formula (IV)



in which

R¹ and R² have the abovementioned meanings and

5

R represents alkyl, aryl or arylalkyl,

if appropriate in the presence of a reaction auxiliary and if appropriate in the presence of a diluent, or when,

10


(b) to prepare compounds of the formulae (IA) and/or (IB) in which R⁵ represents in each case optionally substituted alkyl, alkenyl, alkynyl, alkylcarbonyl or alkoxycarbonyl and R¹, R², R³ and R⁴ have the abovementioned meanings,

15

N-cyanoaryl-nitrogen heterocycles of the general formula (IA) or (IB)

in which R⁵ represents hydrogen and R¹, R², R³ and R⁴ have the abovementioned meanings,

are reacted with alkylating agents or acylating agents of the general formula (V) or (VI)



5 in which R^5 represents in each case optionally substituted alkyl, alkenyl, alkynyl, alkylcarbonyl or alkoxycarbonyl and X in formula (V) represents halogen,

10 if appropriate in the presence of an acid acceptor and if appropriate in the presence of a diluent, or when,

(c) to prepare compounds of the formula (I) in which R^2 represents amino or the group $-N(A^1)SO_2A$ and A, A^1 , R^1 , R^3 , R^4 and Z have the abovementioned meanings,

15 N-cyanoaryl-nitrogen heterocycles of the general formula (I) in which R^2 represents halogen and R^1 , R^3 , R^4 and Z have the abovementioned meanings,

are reacted with ammonia or with amides of the general formula (VII)




20 in which

A and A^1 have the abovementioned meanings,

if appropriate in the presence of an acid acceptor
and if appropriate in the presence of a diluent.

The compounds of the formula (IA) in which R⁵ represents amino can be prepared in a known manner by reacting
5 corresponding compounds of the formula (IA), in which R⁵ represents hydrogen, with aminating agents, such as, for example, 1-aminoxy-2,4-dinitro-benzene (ADNB) in accordance with the equation below (cf. EP 476697, Example 4):



10 The new N-cyanoaryl-nitrogen heterocycles of the general formula (I) and salts thereof are distinguished by a powerful herbicidal activity.

In the definitions, the saturated or unsaturated hydrocarbon chains, such as alkyl, alkanediyl, alkenyl or
15 alkinyl, are in each case straight chain or branched. Halogen generally represents fluorine, chlorine, bromine or iodine, preferably fluorine, chlorine or bromine, in particular fluorine or chlorine.

The invention preferably relates to compounds of the formula (I) in which

R¹ represents hydrogen, fluorine, chlorine or bromine,

5 R² represents fluorine, chlorine, bromine, cyano, amino or the group -N(A¹)SO₂A in which

10 A represents a radical from the series comprising alkyl, alkenyl or alkynyl, each of which has up to 10 carbon atoms and each of which is optionally substituted by fluorine, chlorine, bromine, cyano or C₁-C₄-alkoxy,

15 A furthermore represents cycloalkyl or cycloalkyl-alkyl, each of which has 3 to 8 carbon atoms in the cycloalkyl moiety and, if appropriate, 1 to 4 carbon atoms in the alkyl moiety and each of which is optionally substituted by fluorine, chlorine, bromine, cyano or C₁-C₄-alkyl,

20 A furthermore represents aryl or arylalkyl, each of which has 6 or 10 carbon atoms in the aryl moiety and 1 to 4 carbon atoms in the alkyl moiety and each of which is optionally substituted by fluorine, chlorine, bromine, cyano, nitro, carboxyl, carbamoyl, by C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulphinyl or C₁-C₄-alkylsulphonyl (each of which is optionally substituted by fluorine and/or chlorine), by dimethylaminosulphonyl or

25

- diethylaminosulphonyl, by C₁-C₄-alkoxycarbonyl (which is optionally substituted by fluorine, chlorine, bromine, methoxy or ethoxy), by phenyl, phenyloxy or phenylthio (each of which is optionally substituted by fluorine, chlorine, bromine, cyano, methyl, methoxy, trifluoromethyl and/or trifluoromethoxy),
- 5
- A furthermore represents heterocyclyl or heterocyclyl-alkyl, each of which has 2 to 6 carbon atoms and 1 to 4 nitrogen atoms and/or 1 or 2 oxygen or sulphur atoms in the saturated or unsaturated heterocyclyl moiety and optionally 1 to 4 carbon atoms in the alkyl moiety and each of which is optionally substituted by fluorine, chlorine, bromine, cyano, nitro, carboxyl, carbamoyl, by C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulphinyl, C₁-C₄-alkylsulphonyl or C₁-C₄-alkoxycarbonyl (each of which is optionally substituted by fluorine and/or chlorine), by phenyl, phenoxy or phenylthio (each of which is optionally substituted by fluorine, chlorine, bromine, cyano, methyl, methoxy, trifluoromethyl and/or trifluoromethoxy), and
- 10
- 15
- 20
- A¹ represents hydrogen or alkyl, alkenyl, alkynyl, alkoxy, alkylcarbonyl or alkoxycarbonyl, each of which has up to 6 carbon atoms and each of which is optionally substituted by halogen or C₁-C₄-alkoxy, or represents phenylcarbonyl, naphthylcarbonyl, phenylmethylcarbonyl, naphthylmethylcarbonyl, phenoxy carbonyl or naphthyloxy carbonyl (each of
- 25

CA2117511



which is optionally substituted by fluorine, chlorine, bromine, cyano, methyl, methoxy, trifluoromethyl and/or trifluoromethoxy),

5 R³ represents hydrogen, fluorine, chlorine, bromine, cyano or alkyl having 1 to 6 carbon atoms which is optionally substituted by fluorine and/or chlorine,

R⁴ represents alkyl having 1 to 6 carbon atoms which is optionally substituted by fluorine, chlorine, bromine, methoxy or ethoxy,

10 or together with R³ represents alkanediyl having 2 to 8 carbon atoms, and

Z represents one of the groups below



in which

15 R⁵ represents hydrogen or amino, or represents alkyl, alkenyl, alkynyl, alkylcarbonyl or alkoxy carbonyl, each of which has up to 6 carbon atoms and each of which is optionally substituted by fluorine, chlorine, bromine, cyano, C₁-C₄-alkoxy, C₁-C₄-alkyl-carbonyl or C₁-
20 C₄-alkoxy-carbonyl, and salts thereof with

5 bases, such as, for example, sodium, potassium or calcium hydroxide, hydride, amide or carbonate, sodium or potassium C₁-C₄-alkanolates, ammonia, C₁-C₄-alkylamines, di-(C₁-C₄-alkyl)-amines, tri-(C₁-C₄-alkyl)-amines or with tris-(2-hydroxyethyl)amine, the abovementioned compounds being excepted.

The invention particularly relates to compounds of the formula (I) in which

10 R¹ represents hydrogen, fluorine or chlorine,

R² represents fluorine, chlorine, bromine, cyano, amino or the group -N(A¹)SO₂A in which

15 A represents methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl or n-, i-, s- or t-pentyl, each of which is optionally substituted by fluorine or chlorine,

20 A furthermore represents cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl or cyclohexylmethyl, each of which is optionally substituted by fluorine, chlorine, bromine, methyl and/or ethyl,

25 A furthermore represents phenyl, naphthyl, phenylmethyl or phenylethyl, each of which is optionally substituted by fluorine, chlorine,

5 bromine, cyano, nitro, carboxy, methyl, trifluoromethyl, methoxy, ethoxy, difluoromethoxy, trifluoromethoxy, methylthio, ethylthio, methylsulphinyl, ethylsulphinyl, methylsulphonyl, ethylsulphonyl, dimethylaminosulphonyl, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl or phenyl,

10 A furthermore represents thienyl, pyrazolyl or pyridyl, each of which is optionally substituted by fluorine, chlorine, bromine, cyano, methyl, ethyl, trifluoromethyl, methoxy, ethoxy, methylthio, ethylthio, methylsulphinyl, ethylsulphinyl, methylsulphonyl, ethylsulphonyl, methoxycarbonyl or ethoxycarbonyl, and

15 A¹ represents hydrogen or methyl, ethyl, n- or i-propyl, n-, i- or s-butyl, propenyl, butenyl, propinyl, butinyl, methoxy, ethoxy, n- or i-propoxy, n-, i-, s- or t-butoxy, acetyl, propionyl, methoxycarbonyl or ethoxycarbonyl, 20 each of which is optionally substituted by fluorine, chlorine, methoxy or ethoxy, or represents phenylcarbonyl or phenoxycarbonyl,



R³ represents hydrogen, fluorine, chlorine, bromine, methyl, trifluoromethyl, ethyl or n- or i-propyl,

25 R⁴ represents methyl, ethyl, n- or i-propyl, each of which is optionally substituted by fluorine or

chlorine,

or together with R^3 represents trimethylene or tetramethylene, and

Z represents one of the groups below



5 in which

10 R^5 represents hydrogen, amino or methyl, ethyl, n- or i-propyl, n-, i- or s-butyl, propenyl, butenyl, propinyl, butinyl, acetyl, propionyl, methoxycarbonyl or ethoxycarbonyl, each of which is optionally substituted by fluorine, chlorine or cyano, and salts thereof with bases, such as, for example, sodium, potassium or calcium hydroxide, hydride, amide or carbonate, sodium or potassium C_1 - C_4 -alkanolates, ammonia, C_1 - C_4 -alkylamines, di- $(C_1$ - C_4 -alkyl)-amines, tri- $(C_1$ - C_4 -alkyl)-amines or with tris-(2-hydroxyethyl)amine, the above-mentioned compounds being excepted.

20 A very particularly preferred group of compounds of the formula (I) are those compounds of the formula (IA) in which R^1 , R^2 , R^3 , R^4 and R^5 have the meaning given above as


30517-17

being particularly preferred.

The above-listed general radical definitions, or those given in preference ranges, apply both to the end products of the formula (I) and also, correspondingly, to the starting materials or intermediates required in each case for the preparation.

These radical definitions can be combined with each other as desired, that is to say combinations between the ranges of preferred compounds which have been given are also possible.

In one aspect, the invention provides an N-cyanoaryl-nitrogen heterocycle of the general formula (I):



wherein:

R^1 represents hydrogen, fluorine or chlorine;

R^2 represents the group $-N(A^1)SO_2A$, wherein:

20 A represents:

(i) methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, each of which is optionally substituted by chlorine, or

(ii) cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclobutylmethyl,

25

30517-17

cyclopentylmethyl or cyclohexylmethyl, each of which is optionally substituted by fluorine, chlorine, bromine, methyl and/or ethyl, and


A^1 represents hydrogen, methyl, ethyl, n- or
 5 i-propyl, n-, i- or s-butyl, propenyl, butenyl, propynyl, butynyl, methoxy, ethoxy, n- or i-propoxy, n-, i-, s- or t-butoxy, acetyl, propionyl, methoxycarbonyl or ethoxycarbonyl, each of which is optionally substituted by methoxy or ethoxy;

10 R^3 represents hydrogen, fluorine, chlorine, bromine, methyl, trifluoromethyl, ethyl or n- or i-propyl;

R^4 represents methyl, ethyl, n- or i-propyl, each of which is optionally substituted by fluorine or chlorine; or

15 R^3 and R^4 together represent trimethylene or tetramethylene; and

Z represents one of the groups:



wherein:

R^6 represents hydrogen, amino, methyl, ethyl, n- or
 i-propyl, n-, i- or s-butyl, propenyl, butenyl, propynyl,
 butynyl, acetyl, propionyl, methoxycarbonyl or
 25 ethoxycarbonyl, each of which is optionally substituted by fluorine, chlorine or cyano;

30517-17

or a salt thereof with sodium, potassium or calcium hydroxide, hydride, amide, or carbonate, a sodium or potassium C₁-C₄-alkanolate, ammonia, a C₁-C₄-alkyl-amine, a di-(C₁-C₄-alkyl)-amine, a tri-(C₁-C₄-alkyl)-amine or with
 5 tris-(2-hydroxy-ethyl)amine;

with the exception of the compounds:

1-(4-cyano-3-ethyl-sulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-cyano-3-n-propylsulphonylamino-phenyl)-3,6-dihydro-2,6-
 10 dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-cyano-3-isopropylsulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-cyano-5-ethyl-sulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-
 15 cyano-5-n-propylsulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; and 1-(4-cyano-5-isopropyl)-sulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine.


20 The above noted intermediates (III) and (IV) also form a part of the invention.

The invention also provides herbicidal compositions comprising a compound of the invention and methods of combating weeds using the compounds or
 25 compositions of the invention. Uses of the compounds of the invention as a herbicide or for preparing a herbicidal composition are also provided. Further, the invention provides a process for preparing a herbicidal composition comprising admixing a compound of the invention with a
 30 diluent, carrier or surface-active agent.

30517-17

Examples of the compounds of the formula (I) according to the invention are listed in Table 1 below.


Table 1 Examples of the compounds of the formula (I)

R^1	R^2	R^3	R^4	R^5
F	F	H	CH ₃	H
F	F	H	CH ₃	CH ₃
F	F	H	CH ₃	CHF ₂
F	F	H	CH ₃	NH ₂
F	NHSO ₂ C ₂ H ₅	H	CH ₃	CH ₃
F	NHSO ₂ CH ₃	H	CH ₃	CHF ₂
F	NHSO ₂ CH ₃	H	CH ₃	NH ₂
H	NHSO ₂ CH ₃	H	CH ₃	NH ₂
F	F	H	CF ₃	CH ₃
F	F	H	CF ₃	C ₃ H ₇
Cl	F	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ CH ₃	H	CF ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	H	CF ₃	C ₂ H ₅
F	NHSO ₂ 	H	CF ₃	CHF ₂
F	NHSO ₂ CH ₃	H	CF ₃	CH ₂ -C≡CH
F	NHSO ₂ C ₂ H ₅	H	CF ₃	
F	NHSO ₂ CH ₃	H	CF ₃	NH ₂




CA2117511

R^1	R^2	R^3	R^4	R^5
F	$\text{NHSO}_2\text{C}_2\text{H}_5$	H	CH_2Cl	CH_3
F	F	H	CF_2CF_3	H
F	F	H	CF_2CF_3	CH_3
H	F	H	CF_2CF_3	C_2H_5
H	F	H	CF_2CF_3	$\text{CH}_2\text{CH}=\text{CH}_2$
F	NHSO_2CH_3	H	CF_2CF_3	CH_3
F	$\text{NHSO}_2\text{C}_2\text{H}_5$	H	CF_2CF_3	CH_3
F	F	H	CHF_2	H
F	F	H	CHF_2	CH_3
F	F	H	CHF_2	CHF_2
F	F	H	CHF_2	NH_2
F	NHSO_2CH_3	H	CHF_2	CH_3
F	NHSO_2CH_3	H	CHF_2	CHF_2
F	NHSO_2CH_3	H	CHF_2	NH_2
F	$\text{NHSO}_2\text{C}_2\text{H}_5$	Cl	CHF_2	$\text{CH}_2\text{CH}=\text{CH}_2$
F	NHSO_2CF_3	H	CH_3	CH_3
F	NHSO_2CH_3	H	CF_3	H
F	$\begin{array}{c} \text{NSO}_2\text{CH}_3 \\ \\ \text{CH}_3 \end{array}$	H	CF_3	CH_3




CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	[⊖] NSO ₂ CH ₃ K [⊕]	H	CF ₃	CH ₃
F	[⊖] NSO ₂ C ₂ H ₅ Na [⊕]	H	CF ₃	CH ₃
F	[⊖] NSO ₂ C ₃ H _{7-n} K [⊕]	H	CF ₃	CH ₃
F	[⊖] NSO ₂ C ₃ H _{7-i} Na [⊕]	H	CF ₃	CH ₃
F	[⊖] NSO ₂ CH ₃ K [⊕]	H	CF ₃	CH ₃
H	NHSO ₂ CH ₃	H	CH ₃	CH ₃
H	NHSO ₂ C ₂ H ₅	H	CH ₃	CH ₃
H	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	CH ₃
H	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	CH ₃
H	NHSO ₂ - 	H	CH ₃	CH ₃
H	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	CH ₃
H	NHSO ₂ C ₆ H ₅	H	CH ₃	CH ₃
H	NHSO ₂ - 	H	CH ₃	CH ₃
F	NHSO ₂ CH ₃	H	CH ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	H	CH ₃	CH ₃





CA2117511


R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	CH ₃
F	NHSO ₂ 	H	CH ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	CH ₃
F	NHSO ₂ C ₆ H ₅	H	CH ₃	CH ₃
F	NHSO ₂ 	H	CH ₃	CH ₃
F	NHSO ₂ CH ₃	CH ₃	CH ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	CH ₃	CH ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CH ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CH ₃	CH ₃
F	NHSO ₂ 	CH ₃	CH ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CH ₃	CH ₃
F	NHSO ₂ C ₆ H ₅	CH ₃	CH ₃	CH ₃
F	NHSO ₂ 	CH ₃	CH ₃	CH ₃
F	NHSO ₂ CH ₃	Cl	CH ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	Cl	CH ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	Cl	CH ₃	CH ₃



CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H _{7-i}	Cl	CH ₃	CH ₃
F	NHSO ₂ 	Cl	CH ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	Cl	CH ₃	CH ₃
F	NHSO ₂ C ₆ H ₅	Cl	CH ₃	CH ₃
F	NHSO ₂ 	Cl	CH ₃	CH ₃
F	NHSO ₂ CH ₃	F	CH ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	F	CH ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	F	CH ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	F	CH ₃	CH ₃
F	NHSO ₂ 	F	CH ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	F	CH ₃	CH ₃
F	NHSO ₂ C ₆ H ₅	F	CH ₃	CH ₃
F	NHSO ₂ 	F	CH ₃	CH ₃
H	NHSO ₂ CH ₃	H	CH ₃	CHF ₂
H	NHSO ₂ C ₂ H ₅	H	CH ₃	CHF ₂
H	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	CHF ₂
H	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	CHF ₂

CA2117511





R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ - 	H	CH ₃	CHF ₂
H	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	CHF ₂
H	NHSO ₂ C ₆ H ₅	H	CH ₃	CHF ₂
H	NHSO ₂ - 	H	CH ₃	CHF ₂
F	NHSO ₂ CH ₃	H	CH ₃	CHF ₂
F	NHSO ₂ C ₂ H ₅	H	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	CHF ₂
F	NHSO ₂ - 	H	CH ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	CHF ₂
F	NHSO ₂ C ₆ H ₅	H	CH ₃	CHF ₂
F	NHSO ₂ - 	H	CH ₃	CHF ₂
F	NHSO ₂ CH ₃	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CH ₃	CHF ₂

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ C ₆ H ₅	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ - 	CH ₃	CH ₃	CHF ₂
F	NHSO ₂ CH ₃	Cl	CH ₃	CHF ₂
F	NHSO ₂ C ₂ H ₅	Cl	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	Cl	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	Cl	CH ₃	CHF ₂
F	NHSO ₂ - 	Cl	CH ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	Cl	CH ₃	CHF ₂
F	NHSO ₂ C ₆ H ₅	Cl	CH ₃	CHF ₂
F	NHSO ₂ - 	Cl	CH ₃	CHF ₂
F	NHSO ₂ CH ₃	F	CH ₃	CHF ₂
F	NHSO ₂ C ₂ H ₅	F	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	F	CH ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	F	CH ₃	CHF ₂




R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	F	CH ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	F	CH ₃	CHF ₂
F	NHSO ₂ C ₆ H ₅	F	CH ₃	CHF ₂
F	NHSO ₂ - 	F	CH ₃	CHF ₂
F	NHSO ₂ CH ₃	H	CH ₃	C ₂ H ₅
F	NHSO ₂ C ₂ H ₅	H	CH ₃	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	C ₂ H ₅
F	NHSO ₂ - 	H	CH ₃	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	C ₂ H ₅
F	NHSO ₂ C ₆ H ₅	H	CH ₃	C ₂ H ₅
F	NHSO ₂ - 	H	CH ₃	C ₂ H ₅
H	NHSO ₂ CH ₃	H	CH ₃	NH ₂
H	NHSO ₂ C ₂ H ₅	H	CH ₃	NH ₂
H	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	NH ₂
H	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	NH ₂












R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ - 	H	CH ₃	NH ₂
H	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	NH ₂
H	NHSO ₂ C ₆ H ₅	H	CH ₃	NH ₂
H	NHSO ₂ - 	H	CH ₃	NH ₂
F	NHSO ₂ CH ₃	H	CH ₃	NH ₂
F	NHSO ₂ C ₂ H ₅	H	CH ₃	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	H	CH ₃	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	H	CH ₃	NH ₂
F	NHSO ₂ - 	H	CH ₃	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	H	CH ₃	NH ₂
F	NHSO ₂ C ₆ H ₅	H	CH ₃	NH ₂
F	NHSO ₂ - 	H	CH ₃	NH ₂
F	NHSO ₂ CH ₃	CH ₃	CH ₃	NH ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CH ₃	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CH ₃	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CH ₃	NH ₂



CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	CH ₃	CH ₃	NH ₂
F	NHSO ₂ C ₄ H ₉ -n	CH ₃	CH ₃	NH ₂
F	NHSO ₂ C ₆ H ₅	CH ₃	CH ₃	NH ₂
F	NHSO ₂ -  -CH ₃	CH ₃	CH ₃	NH ₂
H	NHSO ₂ CH ₃	H	CF ₃	CH ₃
H	NHSO ₂ CF ₃	H	CF ₃	CH ₃
H	NHSO ₂ C ₂ H ₅	H	CF ₃	CH ₃
H	NHSO ₂ CH ₂ CF ₃	H	CF ₃	CH ₃
H	NHSO ₂ C ₃ H ₇ -n	H	CF ₃	CH ₃
H	NHSO ₂ C ₃ H ₇ -i	H	CF ₃	CH ₃
H	NHSO ₂ - 	H	CF ₃	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₃	CH ₃
H	NHSO ₂ C ₄ H ₉ -n	H	CF ₃	CH ₃
H	NHSO ₂ C ₄ H ₉ -sec	H	CF ₃	CH ₃
H	NHSO ₂ C ₄ H ₉ -iso	H	CF ₃	CH ₃
H	NHSO ₂ C ₅ H ₁₀ -n	H	CF ₃	CH ₃
H	NHSO ₂ - 	H	CF ₃	CH ₃

CA2117511





R ¹	R ²	R ³	R ⁴	R ⁵
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
F	NHSO ₂ CH ₃	H	CF ₃	CH ₃
F	NHSO ₂ CF ₃	H	CF ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	H	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CF ₃	H	CF ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	H	CF ₃	CH ₃
F		H	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	H	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	H	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	H	CF ₃	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	H	CF ₃	CH ₃
F		H	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	CF ₃	CH ₃
F		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
H	N-SO ₂ C ₄ H ₉ -sec CH ₃	H	CF ₃	CH ₃
H	N-SO ₂ C ₄ H ₉ -iso CH ₃	H	CF ₃	CH ₃
H	N-SO ₂ C ₆ H ₁₀ -n CH ₃	H	CF ₃	CH ₃
H	N-SO ₂ -  CH ₃	H	CF ₃	CH ₃
H	N-SO ₂ -  CH ₃	H	CF ₃	CH ₃
H	N-SO ₂ -  CH ₃	H	CF ₃	CH ₃
F	N-SO ₂ CH ₃ CH ₃	H	CF ₃	CH ₃
F	N-SO ₂ CF ₃ CH ₃	H	CF ₃	CH ₃
F	N-SO ₂ C ₂ H ₅ CH ₃	H	CF ₃	CH ₃
F	N-SO ₂ CH ₂ CF ₃ CH ₃	H	CF ₃	CH ₃
F	N-SO ₂ C ₃ H ₇ -n CH ₃	H	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i}$ CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2$ -  CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$ CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n}$ CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec}$ CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso}$ CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n}$ CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2$ -  CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2$ -  CH_3	H	CF_3	CH_3
F	$\text{N}-\text{SO}_2$ -  CH_3	H	CF_3	CH_3
H	$\text{N}-\text{SO}_2\text{CH}_3$ C_2H_6	H	CF_3	CH_3




R ¹	R ²	R ³	R ⁴	R ⁵
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃


R ¹	R ²	R ³	R ⁴	R ⁵
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
H		H	CF ₃	CH ₃
F	N-SO ₂ CH ₃ C ₂ H ₅	H	CF ₃	CH ₃
F	N-SO ₂ CF ₃ C ₂ H ₅	H	CF ₃	CH ₃
F	N-SO ₂ C ₂ H ₅ C ₂ H ₅	H	CF ₃	CH ₃
F	N-SO ₂ CH ₂ CF ₃ C ₂ H ₅	H	CF ₃	CH ₃
F	N-SO ₂ C ₃ H _{7-n} C ₂ H ₅	H	CF ₃	CH ₃
F	N-SO ₂ C ₃ H _{7-l} C ₂ H ₅	H	CF ₃	CH ₃
F		H	CF ₃	CH ₃
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl C ₂ H ₅	H	CF ₃	CH ₃

CA2117511


R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅




R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Phenyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Tolyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Cl-Phenyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	C ₂ H ₅




R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ CH ₃	H	CF ₃	C ₂ H ₅
H	NHSO ₂ CF ₃	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₂ H ₅	H	CF ₃	C ₂ H ₅
H	NHSO ₂ CH ₂ CF ₃	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₃ H _{7-n}	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₃ H _{7-i}	H	CF ₃	C ₂ H ₅
H	NHSO ₂ 	H	CF ₃	C ₂ H ₅
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-n}	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-sec}	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-iso}	H	CF ₃	C ₂ H ₅
H	NHSO ₂ C ₅ H _{10-n}	H	CF ₃	C ₂ H ₅
H	NHSO ₂ 	H	CF ₃	C ₂ H ₅
H	NHSO ₂ 	H	CF ₃	C ₂ H ₅
H	NHSO ₂ 	H	CF ₃	C ₂ H ₅
F	NHSO ₂ CH ₃	H	CF ₃	C ₂ H ₅








R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CF ₃	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₂ H ₅	H	CF ₃	C ₂ H ₅
F	NHSO ₂ CH ₂ CF ₃	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-i}	H	CF ₃	C ₂ H ₅
F	NHSO ₂ 	H	CF ₃	C ₂ H ₅
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-n}	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-sec}	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-iso}	H	CF ₃	C ₂ H ₅
F	NHSO ₂ C ₅ H _{10-n}	H	CF ₃	C ₂ H ₅
F	NHSO ₂ 	H	CF ₃	C ₂ H ₅
F	NHSO ₂ 	H	CF ₃	C ₂ H ₅
F	NHSO ₂ 	H	CF ₃	C ₂ H ₅
H	NHSO ₂ CH ₃	CH ₃	CF ₃	CH ₃
H	NHSO ₂ CF ₃	CH ₃	CF ₃	CH ₃



CA2117511


R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ C ₂ H ₅	CH ₃	CF ₃	CH ₃
H	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₃	CH ₃
H	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₃	CH ₃
H	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₃	CH ₃
H	NHSO ₂ - 	CH ₃	CF ₃	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₃	CH ₃
H	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₃	CH ₃
H	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₃	CH ₃
H	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₃	CH ₃
H	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₃	CH ₃
H	NHSO ₂ - 	CH ₃	CF ₃	CH ₃
H	NHSO ₂ - 	CH ₃	CF ₃	CH ₃
H	NHSO ₂ - 	CH ₃	CF ₃	CH ₃
F	NHSO ₂ CH ₃	CH ₃	CF ₃	CH ₃
F	NHSO ₂ CF ₃	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	CH ₃	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₃	CH ₃
F	NHSO ₂ 	CH ₃	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₃	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₃	CH ₃
F	NHSO ₂ 	CH ₃	CF ₃	CH ₃
F	NHSO ₂ 	CH ₃	CF ₃	CH ₃
F	NHSO ₂ 	CH ₃	CF ₃	CH ₃
F	NHSO ₂ CH ₃	Cl	CF ₃	CH ₃
F	NHSO ₂ CF ₃	Cl	CF ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	Cl	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CF ₃	Cl	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H _{7-n}	Cl	CF ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	Cl	CF ₃	CH ₃
F	NHSO ₂ 	Cl	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	Cl	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	Cl	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	Cl	CF ₃	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	Cl	CF ₃	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	Cl	CF ₃	CH ₃
F	NHSO ₂ 	Cl	CF ₃	CH ₃
F	NHSO ₂ 	Cl	CF ₃	CH ₃
F	NHSO ₂ 	Cl	CF ₃	CH ₃
F	NHSO ₂ CH ₃	F	CF ₃	CH ₃
F	NHSO ₂ CF ₃	F	CF ₃	CH ₃
F	NHSO ₂ C ₂ H ₅	F	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CF ₃	F	CF ₃	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	F	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H ₇ -i	F	CF ₃	CH ₃
F	NHSO ₂ - 	F	CF ₃	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	F	CF ₃	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	F	CF ₃	CH ₃
F	NHSO ₂ C ₄ H ₉ -sec	F	CF ₃	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	F	CF ₃	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	F	CF ₃	CH ₃
F	NHSO ₂ - 	F	CF ₃	CH ₃
F	NHSO ₂ - 	F	CF ₃	CH ₃
F	NHSO ₂ - 	F	CF ₃	CH ₃
F		CH ₃	CF ₃	CH ₃
F		CH ₃	CF ₃	CH ₃
F		CH ₃	CF ₃	CH ₃
F		CH ₃	CF ₃	CH ₃







R ¹	R ²	R ³	R ⁴	R ⁵
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_3\text{H}_7\text{-n}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_3\text{H}_7\text{-i}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2$ 	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_4\text{H}_9\text{-n}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_4\text{H}_9\text{-sec}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_4\text{H}_9\text{-iso}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_5\text{H}_{10}\text{-n}$	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2$ 	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2$ 	CH ₃	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2$ 	CH ₃	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ CH ₃ CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ CF ₃ CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ C ₂ H ₅ CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ CH ₂ CF ₃ CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ C ₃ H _{7-n} CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ C ₃ H _{7-i} CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ -  CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ C ₄ H _{9-n} CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ C ₄ H _{9-sec} CH ₃	Cl	CF ₃	CH ₃
F	N-SO ₂ C ₄ H _{9-iso} CH ₃	Cl	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_6\text{H}_{10-n}$	Cl	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_6\text{H}_5$	Cl	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_6\text{H}_4\text{CH}_3$	Cl	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_6\text{H}_4\text{Cl}$	Cl	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{CH}_3$	F	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{CF}_3$	F	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_2\text{H}_5$	F	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{CH}_2\text{CF}_3$	F	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_3\text{H}_7-n$	F	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_3\text{H}_7-i$	F	CF ₃	CH ₃
F	$\text{N}(\text{CH}_3)\text{SO}_2\text{C}_3\text{H}_5$	F	CF ₃	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-CH}_3 \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-Cl} \\ \\ \text{CH}_3 \end{array}$	F	CF ₃	CH ₃
F	NHSO ₂ CH ₃	H	CF ₃	NH ₂
F	NHSO ₂ CF ₃	H	CF ₃	NH ₂
F	NHSO ₂ C ₂ H ₅	H	CF ₃	NH ₂
F	NHSO ₂ CH ₂ CF ₃	H	CF ₃	NH ₂
F	NHSO ₂ C ₃ H ₇ -n	H	CF ₃	NH ₂




CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H ₇ -i	H	CF ₃	NH ₂
F	NHSO ₂ - 	H	CF ₃	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₃	NH ₂
F	NHSO ₂ C ₄ H ₉ -n	H	CF ₃	NH ₂
F	NHSO ₂ C ₄ H ₉ -sec	H	CF ₃	NH ₂
F	NHSO ₂ C ₄ H ₉ -iso	H	CF ₃	NH ₂
F	NHSO ₂ C ₅ H ₁₀ -n	H	CF ₃	NH ₂
F	NHSO ₂ - 	H	CF ₃	NH ₂
F	NHSO ₂ - 	H	CF ₃	NH ₂
F	NHSO ₂ - 	H	CF ₃	NH ₂
F	N-  -SO ₂ CH ₃	H	CF ₃	NH ₂
F	N-  -SO ₂ CF ₃	H	CF ₃	NH ₂
F	N-  -SO ₂ C ₂ H ₅	H	CF ₃	NH ₂




CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Phenyl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Tolyl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Chlorophenyl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	NH ₂

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₃	CH ₃	CF ₃	NH ₂
F	NHSO ₂ CF ₃	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CF ₃	NH ₂
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₃	NH ₂
F	NHSO ₂ 	CH ₃	CF ₃	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₃	NH ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₃	NH ₂
F	NHSO ₂ 	CH ₃	CF ₃	NH ₂
F	NHSO ₂ 	CH ₃	CF ₃	NH ₂
F	NHSO ₂ 	CH ₃	CF ₃	NH ₂
F	NHSO ₂ CH ₃	H	CF ₃	CHF ₂





CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CF ₃	H	CF ₃	CHF ₂
F	NHSO ₂ C ₂ H ₅	H	CF ₃	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	H	CF ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	H	CF ₃	CHF ₂
F	NHSO ₂ - 	H	CF ₃	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	H	CF ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-sec}	H	CF ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-iso}	H	CF ₃	CHF ₂
F	NHSO ₂ C ₅ H _{10-n}	H	CF ₃	CHF ₂
F	NHSO ₂ - 	H	CF ₃	CHF ₂
F	NHSO ₂ - 	H	CF ₃	CHF ₂
F	NHSO ₂ - 	H	CF ₃	CHF ₂
F		H	CF ₃	CHF ₂

CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
F	N—SO ₂ CF ₃ CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₂ H ₅ CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ CH ₂ CF ₃ CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₃ H _{7-n} CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₃ H _{7-i} CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ —  CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₄ H _{9-n} CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₄ H _{9-sec} CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₄ H _{9-iso} CH ₃	H	CF ₃	CHF ₂
F	N—SO ₂ C ₅ H _{10-n} CH ₃	H	CF ₃	CHF ₂






CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	CF ₃	CHF ₂
F		H	CF ₃	CHF ₂
F		H	CF ₃	CHF ₂
F	NHSO ₂ CH ₃	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ CF ₃	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ 	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₃	CHF ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₃	CHF ₂




R ¹	R ²	R ³	R ⁴	R ⁵
F		CH ₃	CF ₃	CHF ₂
F		CH ₃	CF ₃	CHF ₂
F		CH ₃	CF ₃	CHF ₂

CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ CH ₃	H	CHF ₂	CH ₃
H	NHSO ₂ CF ₃	H	CHF ₂	CH ₃
H	NHSO ₂ C ₂ H ₅	H	CHF ₂	CH ₃
H	NHSO ₂ CH ₂ CF ₃	H	CHF ₂	CH ₃
H	NHSO ₂ C ₃ H _{7-n}	H	CHF ₂	CH ₃
H	NHSO ₂ C ₃ H _{7-i}	H	CHF ₂	CH ₃
H	NHSO ₂ 	H	CHF ₂	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	CH ₃
H	NHSO ₂ C ₄ H _{9-n}	H	CHF ₂	CH ₃
H	NHSO ₂ C ₄ H _{9-sec}	H	CHF ₂	CH ₃
H	NHSO ₂ C ₄ H _{9-iso}	H	CHF ₂	CH ₃
H	NHSO ₂ C ₅ H _{10-n}	H	CHF ₂	CH ₃
H	NHSO ₂ 	H	CHF ₂	CH ₃
H	NHSO ₂ 	H	CHF ₂	CH ₃
H	NHSO ₂ 	H	CHF ₂	CH ₃
F	NHSO ₂ CH ₃	H	CHF ₂	CH ₃
F	NHSO ₂ CF ₃	H	CHF ₂	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₂ H ₅	H	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CF ₃	H	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	H	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	H	CHF ₂	CH ₃
F	NHSO ₂ 	H	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	H	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	H	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	H	CHF ₂	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	H	CHF ₂	CH ₃
F	NHSO ₂ 	H	CHF ₂	CH ₃
F	NHSO ₂ 	H	CHF ₂	CH ₃
F	NHSO ₂ 	H	CHF ₂	CH ₃
H		H	CHF ₂	CH ₃
H		H	CHF ₂	CH ₃



R ¹	R ²	R ³	R ⁴	R ⁵
H	$\text{N}-\text{SO}_2\text{C}_2\text{H}_5$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{CH}_2\text{CF}_3$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2$  CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n}$ CH_3	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2$  CH_3	H	CHF_2	CH_3

R ¹	R ²	R ³	R ⁴	R ⁵
H		H	CHF ₂	CH ₃
H		H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CH ₃	H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CF ₃	H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₂ H ₅	H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CH ₂ CF ₃	H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₃ H _{7-n}	H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₃ H _{7-I}	H	CHF ₂	CH ₃
F		H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₄ H _{9-n}	H	CHF ₂	CH ₃

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ C ₄ H ₉ -sec CH ₃	H	CHF ₂	CH ₃
F	N-SO ₂ C ₄ H ₉ -iso CH ₃	H	CHF ₂	CH ₃
F	N-SO ₂ C ₅ H ₁₀ -n CH ₃	H	CHF ₂	CH ₃
F	N-SO ₂ -  CH ₃	H	CHF ₂	CH ₃
F	N-SO ₂ -  CH ₃	H	CHF ₂	CH ₃
F	N-SO ₂ -  CH ₃	H	CHF ₂	CH ₃
H	N-SO ₂ CH ₃ C ₂ H ₅	H	CHF ₂	CH ₃
H	N-SO ₂ CF ₃ C ₂ H ₅	H	CHF ₂	CH ₃
H	N-SO ₂ C ₂ H ₅ C ₂ H ₅	H	CHF ₂	CH ₃
H	N-SO ₂ CH ₂ CF ₃ C ₂ H ₅	H	CHF ₂	CH ₃
H	N-SO ₂ C ₃ H ₇ -n C ₂ H ₅	H	CHF ₂	CH ₃


CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
H	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i}$ C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$ C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n}$ C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec}$ C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso}$ C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n}$ C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3
H	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3



CA2117511


R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_6\text{H}_5\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃




R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	CH ₃



R ¹	R ²	R ³	R ⁴	R ⁵
F	$\text{N}-\text{SO}_2\text{C}_5\text{H}_{10-n}$ C_2H_5	H	CHF_2	CH_3
F	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3
F	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3
F	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	CH_3
F	$\text{N}-\text{SO}_2\text{CH}_3$ C_2H_5	H	CHF_2	C_2H_5
F	$\text{N}-\text{SO}_2\text{CF}_3$ C_2H_5	H	CHF_2	C_2H_5
F	$\text{N}-\text{SO}_2\text{C}_2\text{H}_5$ C_2H_5	H	CHF_2	C_2H_5
F	$\text{N}-\text{SO}_2\text{CH}_2\text{CF}_3$ C_2H_5	H	CHF_2	C_2H_5
F	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7-n$ C_2H_5	H	CHF_2	C_2H_5
F	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7-i$ C_2H_5	H	CHF_2	C_2H_5
F	$\text{N}-\text{SO}_2$ -  C_2H_5	H	CHF_2	C_2H_5



R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ CH ₃	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ CF ₃	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ C ₂ H ₅	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ CH ₂ CF ₃	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ C ₃ H ₇ -n	H	CHF ₂	C ₂ H ₅

R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ C ₃ H ₇ -i	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ C ₄ H ₉ -n	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ C ₄ H ₉ -sec	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ C ₄ H ₉ -iso	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ C ₅ H ₁₀ -n	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ CH ₃	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ CF ₃	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₂ H ₅	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ CH ₂ CF ₃	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₃ H ₇ -n	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₃ H ₇ -i	H	CHF ₂	C ₂ H ₅


R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₄ H ₉ -n	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₄ H ₉ -sec	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₄ H ₉ -iso	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ C ₅ H ₁₀ -n	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
F	NHSO ₂ - 	H	CHF ₂	C ₂ H ₅
H	NHSO ₂ CH ₃	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ CF ₃	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₂ H ₅	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ CH ₂ CF ₃	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₃ H ₇ -n	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₃ H ₇ -i	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃



R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₄ H ₉ -n	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₄ H ₉ -sec	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₄ H ₉ -iso	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ C ₅ H ₁₀ -n	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
H	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ CH ₃	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ CF ₃	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ C ₂ H ₅	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H ₇ -n	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H ₇ -i	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CHF ₂	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₄ H ₉ -n	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -sec	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ - 	CH ₃	CHF ₂	CH ₃
F	NHSO ₂ CH ₃	Cl	CHF ₂	CH ₃
F	NHSO ₂ CF ₃	Cl	CHF ₂	CH ₃
F	NHSO ₂ C ₂ H ₅	Cl	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CF ₃	Cl	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H ₇ -n	Cl	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H ₇ -i	Cl	CHF ₂	CH ₃
F	NHSO ₂ - 	Cl	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	Cl	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	Cl	CHF ₂	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₄ H ₉ -sec	Cl	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	Cl	CHF ₂	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	Cl	CHF ₂	CH ₃
F	NHSO ₂ - 	Cl	CHF ₂	CH ₃
F	NHSO ₂ - 	Cl	CHF ₂	CH ₃
F	NHSO ₂ - 	Cl	CHF ₂	CH ₃
F	NHSO ₂ CH ₃	F	CHF ₂	CH ₃
F	NHSO ₂ CF ₃	F	CHF ₂	CH ₃
F	NHSO ₂ C ₂ H ₅	F	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CF ₃	F	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H ₇ -n	F	CHF ₂	CH ₃
F	NHSO ₂ C ₃ H ₇ -i	F	CHF ₂	CH ₃
F	NHSO ₂ - 	F	CHF ₂	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	F	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	F	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -sec	F	CHF ₂	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	F	CHF ₂	CH ₃

CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₅ H _{10-n}	F	CHF ₂	CH ₃
F	NHSO ₂ - 	F	CHF ₂	CH ₃
F	NHSO ₂ - 	F	CHF ₂	CH ₃
F	NHSO ₂ - 	F	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CH ₃	CH ₃	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CF ₃	CH ₃	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₂ H ₅	CH ₃	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ CH ₂ CF ₃	CH ₃	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₃ H _{7-n}	CH ₃	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₃ H _{7-i}	CH ₃	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ - 	CH ₃	CHF ₂	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ C ₄ H ₉ -n CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ C ₄ H ₉ -sec CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ C ₄ H ₉ -iso CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ C ₆ H ₁₀ -n CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ -  CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ -  CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ -  CH ₃	CH ₃	CHF ₂	CH ₃
F	N-SO ₂ CH ₃ CH ₃	Cl	CHF ₂	CH ₃
F	N-SO ₂ CF ₃ CH ₃	Cl	CHF ₂	CH ₃
F	N-SO ₂ C ₂ H ₅ CH ₃	Cl	CHF ₂	CH ₃



CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Phenyl} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Tolyl} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃










R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4-\text{Cl} \\ \\ \text{CH}_3 \end{array}$	Cl	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_3 \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	F	CHF ₂	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	N(CH ₃)SO ₂ C ₄ H ₉ -iso	F	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ C ₅ H ₁₀ -n	F	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ - 	F	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ - 	F	CHF ₂	CH ₃
F	N(CH ₃)SO ₂ - 	F	CHF ₂	CH ₃
F	NHSO ₂ CH ₃	H	CHF ₂	NH ₂
F	NHSO ₂ CF ₃	H	CHF ₂	NH ₂
F	NHSO ₂ C ₂ H ₅	H	CHF ₂	NH ₂
F	NHSO ₂ CH ₂ CF ₃	H	CHF ₂	NH ₂
F	NHSO ₂ C ₃ H ₇ -n	H	CHF ₂	NH ₂
F	NHSO ₂ C ₃ H ₇ -i	H	CHF ₂	NH ₂
F	NHSO ₂ - 	H	CHF ₂	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	NH ₂
F	NHSO ₂ C ₄ H ₉ -n	H	CHF ₂	NH ₂


CA2117511








R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₄ H ₉ -sec	H	CHF ₂	NH ₂
F	NHSO ₂ C ₄ H ₉ -iso	H	CHF ₂	NH ₂
F	NHSO ₂ C ₅ H ₁₀ -n	H	CHF ₂	NH ₂
F	NHSO ₂ - 	H	CHF ₂	NH ₂
F	NHSO ₂ - 	H	CHF ₂	NH ₂
F	NHSO ₂ - 	H	CHF ₂	NH ₂
F	N(CH ₃)-SO ₂ CH ₃	H	CHF ₂	NH ₂
F	N(CH ₃)-SO ₂ CF ₃	H	CHF ₂	NH ₂
F	N(CH ₃)-SO ₂ C ₂ H ₅	H	CHF ₂	NH ₂
F	N(CH ₃)-SO ₂ CH ₂ CF ₃	H	CHF ₂	NH ₂
F	N(CH ₃)-SO ₂ C ₃ H ₇ -n	H	CHF ₂	NH ₂
F	N(CH ₃)-SO ₂ C ₃ H ₇ -i	H	CHF ₂	NH ₂

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F		H	CHF ₂	NH ₂
F	NHSO ₂ CH ₃	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ CF ₃	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CHF ₂	NH ₂

CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ - 	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ - 	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ - 	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ - 	CH ₃	CHF ₂	NH ₂
F	NHSO ₂ CH ₃	H	CHF ₂	CHF ₂
F	NHSO ₂ CF ₃	H	CHF ₂	CHF ₂
F	NHSO ₂ C ₂ H ₅	H	CHF ₂	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	H	CHF ₂	CHF ₂




R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H ₇ -n	H	CHF ₂	CHF ₂
F	NHSO ₂ C ₃ H ₇ -i	H	CHF ₂	CHF ₂
F	NHSO ₂ - 	H	CHF ₂	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CHF ₂	CHF ₂
F	NHSO ₂ C ₄ H ₉ -n	H	CHF ₂	CHF ₂
F	NHSO ₂ C ₄ H ₉ -sec	H	CHF ₂	CHF ₂
F	NHSO ₂ C ₄ H ₉ -iso	H	CHF ₂	CHF ₂
F	NHSO ₂ C ₅ H ₁₀ -n	H	CHF ₂	CHF ₂
F	NHSO ₂ - 	H	CHF ₂	CHF ₂
F	NHSO ₂ - 	H	CHF ₂	CHF ₂
F	NHSO ₂ - 	H	CHF ₂	CHF ₂
F		H	CHF ₂	CHF ₂
F		H	CHF ₂	CHF ₂
F		H	CHF ₂	CHF ₂

CA2117511





R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-CH}_3 \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CHF ₂



CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	CHF ₂	CHF ₂
F	NHSO ₂ CH ₃	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ CF ₃	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ 	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ 	CH ₃	CHF ₂	CHF ₂
F	NHSO ₂ 	CH ₃	CHF ₂	CHF ₂

R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ C ₃ H _{7-n}	H	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₃ H _{7-i}	H	C ₂ F ₅	CH ₃
H	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₄ H _{9-n}	H	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₄ H _{9-sec}	H	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₄ H _{9-iso}	H	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₅ H _{10-n}	H	C ₂ F ₅	CH ₃
H	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
H	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
H	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₃	H	C ₂ F ₅	CH ₃
F	NHSO ₂ CF ₃	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₂ H ₅	H	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CF ₃	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	H	C ₂ F ₅	CH ₃












CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H ₉ -sec	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	H	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	H	C ₂ F ₅	CH ₃
F	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
F	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
F	NHSO ₂ - 	H	C ₂ F ₅	CH ₃
H	N(CH ₃)-SO ₂ CH ₃	H	C ₂ F ₅	CH ₃
H	N(CH ₃)-SO ₂ CF ₃	H	C ₂ F ₅	CH ₃
H	N(CH ₃)-SO ₂ C ₂ H ₅	H	C ₂ F ₅	CH ₃
H	N(CH ₃)-SO ₂ CH ₂ CF ₃	H	C ₂ F ₅	CH ₃
H	N(CH ₃)-SO ₂ C ₃ H ₇ -n	H	C ₂ F ₅	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
H	$\text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-I}$ CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2$ -  CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$ CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n}$ CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec}$ CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso}$ CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n}$ CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2$ -  CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2$ -  CH_3	H	C_2F_5	CH_3
H	$\text{N}-\text{SO}_2$ -  CH_3	H	C_2F_5	CH_3
F	$\text{N}-\text{SO}_2\text{CH}_3$ CH_3	H	C_2F_5	CH_3

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	CH ₃

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	C ₂ F ₅	CH ₃
F		H	C ₂ F ₅	CH ₃
F		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃
H		H	C ₂ F ₅	CH ₃





R ¹	R ²	R ³	R ⁴	R ⁵
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃

CA2117511






R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-l} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{cyclopropyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{phenyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-tolyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-chlorophenyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2-\triangle \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	C ₂ F ₅	C ₂ H ₅






CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	C ₂ F ₅	C ₂ H ₅
F		H	C ₂ F ₅	C ₂ H ₅
F		H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ CH ₃	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ CF ₃	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₂ H ₅	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ CH ₂ CF ₃	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₃ H _{7-n}	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₃ H _{7-i}	H	C ₂ F ₅	C ₂ H ₅
H		H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-n}	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-sec}	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-iso}	H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ C ₅ H _{10-n}	H	C ₂ F ₅	C ₂ H ₅





CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
H		H	C ₂ F ₅	C ₂ H ₅
H		H	C ₂ F ₅	C ₂ H ₅
H		H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ CH ₃	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ CF ₃	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₂ H ₅	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ CH ₂ CF ₃	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-n}	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-i}	H	C ₂ F ₅	C ₂ H ₅
F		H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-n}	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-sec}	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-iso}	H	C ₂ F ₅	C ₂ H ₅
F	NHSO ₂ C ₅ H _{10-n}	H	C ₂ F ₅	C ₂ H ₅
F		H	C ₂ F ₅	C ₂ H ₅




CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	C ₂ F ₅	C ₂ H ₅
F		H	C ₂ F ₅	C ₂ H ₅
H	NHSO ₂ CH ₃	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ CF ₃	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₂ H ₅	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ CH ₂ CF ₃	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₃ H _{7-n}	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₃ H _{7-i}	CH ₃	C ₂ F ₅	CH ₃
H		CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₄ H _{9-n}	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₄ H _{9-sec}	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₄ H _{9-iso}	CH ₃	C ₂ F ₅	CH ₃
H	NHSO ₂ C ₅ H _{10-n}	CH ₃	C ₂ F ₅	CH ₃
H		CH ₃	C ₂ F ₅	CH ₃
H		CH ₃	C ₂ F ₅	CH ₃




CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
H		CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₃	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ CF ₃	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₂ H ₅	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CF ₃	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃

CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₃	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ CF ₃	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₂ H ₅	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CF ₃	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ 	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ 	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ 	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ 	Cl	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₃	F	C ₂ F ₅	CH ₃
F	NHSO ₂ CF ₃	F	C ₂ F ₅	CH ₃

CA2117511


R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₂ H ₅	F	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CF ₃	F	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	F	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	F	C ₂ F ₅	CH ₃
F	NHSO ₂ 	F	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	F	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	F	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	F	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	F	C ₂ F ₅	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	F	C ₂ F ₅	CH ₃
F	NHSO ₂ 	F	C ₂ F ₅	CH ₃
F	NHSO ₂ 	F	C ₂ F ₅	CH ₃
F	NHSO ₂ 	F	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Phenyl} \\ \\ \text{CH}_3 \end{array}$	CH ₃	C ₂ F ₅	CH ₃

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		CH ₃	C ₂ F ₅	CH ₃
F		CH ₃	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ CH ₃	Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ CF ₃	Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ C ₂ H ₅	Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ CH ₂ CF ₃	Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ C ₃ H _{7-n}	Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ C ₃ H _{7-i}	Cl	C ₂ F ₅	CH ₃
F		Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ CH ₂ CH ₂ CH ₂ Cl	Cl	C ₂ F ₅	CH ₃
F	N(CH ₃)SO ₂ C ₄ H _{9-n}	Cl	C ₂ F ₅	CH ₃





CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ C ₄ H ₉ -sec CH ₃	Cl	C ₂ F ₅	CH ₃
F	N-SO ₂ C ₄ H ₉ -iso CH ₃	Cl	C ₂ F ₅	CH ₃
F	N-SO ₂ C ₅ H ₁₀ -n CH ₃	Cl	C ₂ F ₅	CH ₃
F	N-SO ₂ -  CH ₃	Cl	C ₂ F ₅	CH ₃
F	N-SO ₂ -  CH ₃	Cl	C ₂ F ₅	CH ₃
F	N-SO ₂ -  CH ₃	Cl	C ₂ F ₅	CH ₃
F	N-SO ₂ CH ₃ CH ₃	F	C ₂ F ₅	CH ₃
F	N-SO ₂ CF ₃ CH ₃	F	C ₂ F ₅	CH ₃
F	N-SO ₂ C ₂ H ₅ CH ₃	F	C ₂ F ₅	CH ₃
F	N-SO ₂ CH ₂ CF ₃ CH ₃	F	C ₂ F ₅	CH ₃
F	N-SO ₂ C ₃ H ₇ -n CH ₃	F	C ₂ F ₅	CH ₃

CA2117511





R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Phenyl} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Tolyl} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{p-Chlorophenyl} \\ \\ \text{CH}_3 \end{array}$	F	C ₂ F ₅	CH ₃
F	NHSO ₂ CH ₃	H	C ₂ F ₅	NH ₂
F	NHSO ₂ CF ₃	H	C ₂ F ₅	NH ₂

CA2117511





R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₂ H ₅	H	C ₂ F ₅	NH ₂
F	NHSO ₂ CH ₂ CF ₃	H	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	H	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	H	C ₂ F ₅	NH ₂
F	NHSO ₂ 	H	C ₂ F ₅	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	H	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₄ H _{9-sec}	H	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₄ H _{9-iso}	H	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₅ H _{10-n}	H	C ₂ F ₅	NH ₂
F	NHSO ₂ 	H	C ₂ F ₅	NH ₂
F	NHSO ₂ 	H	C ₂ F ₅	NH ₂
F	NHSO ₂ 	H	C ₂ F ₅	NH ₂
F	 -SO ₂ CH ₃	H	C ₂ F ₅	NH ₂
F	 -SO ₂ CF ₃	H	C ₂ F ₅	NH ₂

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Phenyl} \\ \\ \text{CH}_3 \end{array}$	H	C ₂ F ₅	NH ₂


CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	C ₂ F ₅	NH ₂
F		H	C ₂ F ₅	NH ₂
F	NHSO ₂ CH ₃	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ CF ₃	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ CH ₂ CF ₃	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ 	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ 	CH ₃	C ₂ F ₅	NH ₂






CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
F		CH ₃	C ₂ F ₅	NH ₂
F		CH ₃	C ₂ F ₅	NH ₂
F	NHSO ₂ CH ₃	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ CF ₃	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₂ H ₅	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	H	C ₂ F ₅	CHF ₂
F		H	C ₂ F ₅	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₄ H _{9-sec}	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₄ H _{9-iso}	H	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₅ H _{10-n}	H	C ₂ F ₅	CHF ₂
F		H	C ₂ F ₅	CHF ₂
F		H	C ₂ F ₅	CHF ₂

CA2117511






R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ CH ₃ CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ CF ₃ CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ C ₂ H ₅ CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ CH ₂ CF ₃ CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ C ₃ H _{7-n} CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ C ₃ H _{7-i} CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ -  CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ C ₄ H _{9-n} CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ C ₄ H _{9-sec} CH ₃	H	C ₂ F ₅	CHF ₂
F	N-SO ₂ C ₄ H _{9-iso} CH ₃	H	C ₂ F ₅	CHF ₂

CA2117511












R ¹	R ²	R ³	R ⁴	R ⁵
F		H	C ₂ F ₅	CHF ₂
F		H	C ₂ F ₅	CHF ₂
F		H	C ₂ F ₅	CHF ₂
F		H	C ₂ F ₅	CHF ₂
F	NHSO ₂ CH ₃	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ CF ₃	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ 	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	C ₂ F ₅	CHF ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	C ₂ F ₅	CHF ₂

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	C ₂ F ₅	CHF ₂
F		CH ₃	C ₂ F ₅	CHF ₂
F		CH ₃	C ₂ F ₅	CHF ₂
F		CH ₃	C ₂ F ₅	CHF ₂
H	NHSO ₂ CH ₃	H	CF ₂ Cl	CH ₃
H	NHSO ₂ CF ₃	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	CH ₃
H	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₃ H _{7-n}	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₃ H _{7-i}	H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₄ H _{9-n}	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₄ H _{9-sec}	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₄ H _{9-iso}	H	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₅ H _{10-n}	H	CF ₂ Cl	CH ₃



CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₃	H	CF ₂ Cl	CH ₃
F	NHSO ₂ CF ₃	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H _{7-i}	H	CF ₂ Cl	CH ₃
F		H	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H _{9-n}	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H _{9-sec}	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H _{9-iso}	H	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₅ H _{10-n}	H	CF ₂ Cl	CH ₃
F		H	CF ₂ Cl	CH ₃


CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		H	CF ₂ Cl	CH ₃
F		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃

CA2117511





R ¹	R ²	R ³	R ⁴	R ⁵
H	N-SO ₂ C ₄ H ₉ -sec CH ₃	H	CF ₂ Cl	CH ₃
H	N-SO ₂ C ₄ H ₉ -iso CH ₃	H	CF ₂ Cl	CH ₃
H	N-SO ₂ C ₅ H ₁₀ -n CH ₃	H	CF ₂ Cl	CH ₃
H	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
H	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
H	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₃ CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CF ₃ CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₂ H ₅ CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₂ CF ₃ CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₃ H ₇ -n CH ₃	H	CF ₂ Cl	CH ₃



CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ C ₃ H ₇ -l CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H ₉ -n CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H ₉ -sec CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H ₉ -iso CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₅ H ₁₀ -n CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	H	CF ₂ Cl	CH ₃
H	N-SO ₂ CH ₃ C ₂ H ₅	H	CF ₂ Cl	CH ₃




R ¹	R ²	R ³	R ⁴	R ⁵
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CF}_3 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_3\text{H}_7\text{-i} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃
H	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₂ Cl	CH ₃

CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
H		H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₃ C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CF ₃ C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₂ H ₅ C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₂ CF ₃ C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₃ H _{7-n} C ₂ H ₅	H _n	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₃ H _{7-i} C ₂ H ₅	H	CF ₂ Cl	CH ₃
F		H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl C ₂ H ₅	H	CF ₂ Cl	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ C ₄ H ₉ -n C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H ₉ -sec C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H ₉ -iso C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₅ H ₁₀ -n C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ -  C ₂ H ₅	H	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₃ C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N-SO ₂ CF ₃ C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N-SO ₂ C ₂ H ₅ C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N-SO ₂ CH ₂ CF ₃ C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅




CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
F	N—SO ₂ C ₃ H ₇ -n C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂ C ₃ H ₇ -i C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂  C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂ CH ₂ CH ₂ CH ₂ Cl C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂ C ₄ H ₉ -n C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂ C ₄ H ₉ -sec C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂ C ₄ H ₉ -iso C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂ C ₅ H ₁₀ -n C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂  C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂  C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	N—SO ₂  C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅

CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ CH ₃	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ CF ₃	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₃ H _{7-n}	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₃ H _{7-i}	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ - 	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-n}	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-sec}	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₄ H _{9-iso}	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ C ₅ H _{10-n}	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ - 	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ - 	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ - 	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ CH ₃	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ CF ₃	H	CF ₂ Cl	C ₂ H ₅

CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ C ₃ H _{7-i}	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ 	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-n}	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-sec}	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ C ₄ H _{9-iso}	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ C ₅ H _{10-n}	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ 	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ 	H	CF ₂ Cl	C ₂ H ₅
F	NHSO ₂ 	H	CF ₂ Cl	C ₂ H ₅
H	NHSO ₂ CH ₃	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ CF ₃	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₂ H ₅	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₂ Cl	CH ₃






R ¹	R ²	R ³	R ⁴	R ⁵
H	NHSO ₂ C ₃ H ₇ -n	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₃ H ₇ -i	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ 	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₄ H ₉ -n	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₄ H ₉ -sec	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₄ H ₉ -iso	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ C ₅ H ₁₀ -n	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ 	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ 	CH ₃	CF ₂ Cl	CH ₃
H	NHSO ₂ 	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₃	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ CF ₃	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₂ H ₅	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H ₇ -n	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H ₇ -i	CH ₃	CF ₂ Cl	CH ₃

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ - 	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -sec	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	CH ₃	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₃	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ CF ₃	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₂ H ₅	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CF ₃	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H ₇ -n	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H ₇ -i	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	Cl	CF ₂ Cl	CH ₃

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -sec	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	Cl	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₃	F	CF ₂ Cl	CH ₃
F	NHSO ₂ CF ₃	F	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₂ H ₅	F	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CF ₃	F	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H ₇ -n	F	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₃ H ₇ -i	F	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	F	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	F	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -n	F	CF ₂ Cl	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₄ H ₉ -sec	F	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₄ H ₉ -iso	F	CF ₂ Cl	CH ₃
F	NHSO ₂ C ₅ H ₁₀ -n	F	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	F	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	F	CF ₂ Cl	CH ₃
F	NHSO ₂ - 	F	CF ₂ Cl	CH ₃
F	N()SO ₂ CH ₃	CH ₃	CF ₂ Cl	CH ₃
F	N()SO ₂ CF ₃	CH ₃	CF ₂ Cl	CH ₃
F	N()SO ₂ C ₂ H ₅	CH ₃	CF ₂ Cl	CH ₃
F	N()SO ₂ CH ₂ CF ₃	CH ₃	CF ₂ Cl	CH ₃
F	N()SO ₂ C ₃ H ₇ -n	CH ₃	CF ₂ Cl	CH ₃
F	N()SO ₂ C ₃ H ₇ -i	CH ₃	CF ₂ Cl	CH ₃




CA2117511



R ¹	R ²	R ³	R ⁴	R ⁵
F	$\text{N}-\text{SO}_2-\text{Cyclopropyl}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2-\text{Phenyl}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2-\text{p-Tolyl}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2-\text{p-Cl-Phenyl}$ CH_3	CH ₃	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{CH}_3$ CH_3	Cl	CF ₂ Cl	CH ₃
F	$\text{N}-\text{SO}_2\text{CF}_3$ CH_3	Cl	CF ₂ Cl	CH ₃

CA2117511









R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ C ₂ H ₅ CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₂ CF ₃ CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₃ H _{7-n} CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₃ H _{7-i} CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H _{9-n} CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H _{9-sec} CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H _{9-iso} CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₅ H _{10-n} CH ₃	Cl	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	Cl	CF ₂ Cl	CH ₃

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F		Cl	CF ₂ Cl	CH ₃
F		Cl	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -CH ₃	F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -CF ₃	F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -C ₂ H ₅	F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -CH ₂ -CF ₃	F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -C ₃ H _{7-n}	F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -C ₃ H _{7-i}	F	CF ₂ Cl	CH ₃
F		F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -CH ₂ -CH ₂ -CH ₂ -Cl	F	CF ₂ Cl	CH ₃
F	N(CH ₃)-SO ₂ -C ₄ H _{9-n}	F	CF ₂ Cl	CH ₃

R ¹	R ²	R ³	R ⁴	R ⁵
F	N-SO ₂ C ₄ H ₉ -sec CH ₃	F	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₄ H ₉ -iso CH ₃	F	CF ₂ Cl	CH ₃
F	N-SO ₂ C ₅ H ₁₀ -n CH ₃	F	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	F	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	F	CF ₂ Cl	CH ₃
F	N-SO ₂ -  CH ₃	F	CF ₂ Cl	CH ₃
F	NHSO ₂ CH ₃	H	CF ₂ Cl	NH ₂
F	NHSO ₂ CF ₃	H	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₃ H ₇ -n	H	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₃ H ₇ -i	H	CF ₂ Cl	NH ₂
F	NHSO ₂ - 	H	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₂ Cl	NH ₂



CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₄ H ₉ -n	H	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H ₉ -sec	H	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H ₉ -iso	H	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₅ H ₁₀ -n	H	CF ₂ Cl	NH ₂
F	NHSO ₂ - 	H	CF ₂ Cl	NH ₂
F	NHSO ₂ - 	H	CF ₂ Cl	NH ₂
F	NHSO ₂ - 	H	CF ₂ Cl	NH ₂
F	N- 	H	CF ₂ Cl	NH ₂
F	N- 	H	CF ₂ Cl	NH ₂
F	N- 	H	CF ₂ Cl	NH ₂
F	N- 	H	CF ₂ Cl	NH ₂
F	N- 	H	CF ₂ Cl	NH ₂
F	N- 	H	CF ₂ Cl	NH ₂



CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{Cyclopropyl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{Cl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-sec} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_4\text{H}_9\text{-iso} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2\text{C}_5\text{H}_{10}\text{-n} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-CH}_3 \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	$\begin{array}{c} \text{N}-\text{SO}_2-\text{C}_6\text{H}_4\text{-Cl} \\ \\ \text{CH}_3 \end{array}$	H	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₃	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ CF ₃	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CF ₂ Cl	NH ₂







CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₃	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ CF ₃	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₂ Cl	CHF ₂



CA2117511




R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	NH ₂
F	NHSO ₂ CH ₃	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ CF ₃	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₂ H ₅	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	H	CF ₂ Cl	CHF ₂

CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ C ₃ H ₇ -i	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ - 	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₄ H ₉ -n	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₄ H ₉ -sec	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₄ H ₉ -iso	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₅ H ₁₀ -n	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ - 	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ - 	H	CF ₂ Cl	CHF ₂
F	NHSO ₂ - 	H	CF ₂ Cl	CHF ₂
F		H	CF ₂ Cl	CHF ₂
F		H	CF ₂ Cl	CHF ₂
F		H	CF ₂ Cl	CHF ₂
F		H	CF ₂ Cl	CHF ₂


CA2117511

R ¹	R ²	R ³	R ⁴	R ⁵
F	N—SO ₂ C ₃ H _{7-n} CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ C ₃ H _{7-i} CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ —  CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ CH ₂ CH ₂ CH ₂ CH ₂ Cl CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ C ₄ H _{9-n} CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ C ₄ H _{9-sec} CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ C ₄ H _{9-iso} CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ C ₅ H _{10-n} CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ —  CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ —  CH ₃	H	CF ₂ Cl	CHF ₂
F	N—SO ₂ —  CH ₃	H	CF ₂ Cl	CHF ₂


R ¹	R ²	R ³	R ⁴	R ⁵
F	NHSO ₂ CH ₃	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ CF ₃	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₂ H ₅	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ CH ₂ CF ₃	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₃ H _{7-n}	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₃ H _{7-i}	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ CH ₂ CH ₂ CH ₂ Cl	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₄ H _{9-n}	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₄ H _{9-sec}	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₄ H _{9-iso}	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ C ₅ H _{10-n}	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	CHF ₂
F	NHSO ₂ 	CH ₃	CF ₂ Cl	CHF ₂

CA2117511


If, for example, methyl 3-aminocrotonate and 4-cyano-2,5-difluorophenyl isocyanate are used as starting substances, the course of the reaction in process (a) according to the invention can be outlined by the following equation:




If, for example, 1-(3-chloro-4-cyano-phenyl)-3,6-dihydro-2,6-dioxo-4-trifluoromethyl-1(2H)-pyrimidine and methyl bromide are used as starting substances, the course of the reaction in process (b) according to the invention can be outlined by the following equation:




CA2117511



and



If, for example, 1-(4-cyano-2,5-difluoro-phenyl)-3,6-dihydro-3,4-dimethyl-2,6-dioxo-1(2H)-pyrimidine and ethanesulphonamide are used as starting substances, the course of the reaction in process (c) according to the invention can be outlined by the following equation:



Formula (II) provides a general definition of the amino-alkenoic esters to be used as starting substances in process (a) according to the invention for the preparation of compounds of the formula (I).

CA2117511

In Formula (II) R^3 and R^4 , preferably, or in particular, have those meanings which have already been mentioned above in connection with the description of the compounds of the formula (I) according to the invention as being
5 preferred, or particularly preferred, for R^3 and R^4 .

R preferably represents C_1 - C_4 -alkyl, phenyl or benzyl, in particular methyl or phenyl.


The starting substances of formula (II) are known and/or can be prepared by known processes (cf. J. Heterocycl.
10 Chem. 9 (1972), 513-522).

Formula (III) provides a general definition of the cyanoaryl isocyanates furthermore to be used as starting substances in process (a) according to the invention.

In Formula (III), R^1 and R^2 preferably, or in particular,
15 have those meanings which have already been mentioned above in connection with the description of compounds of the formula (I) according to the invention as being preferred, or particularly preferred, for R^1 and R^2 .
The cyanoaryl isocyanates of the general formula (III)
20 were hitherto not known from the literature and, being new substances, are the subject of the present application.

The new cyanoaryl isocyanates of the formula (III) are obtained when cyanoarylamines of the general formula
25 (VIII)

CA2117511



(VIII)

in which

R^1 and R^2 have the abovementioned meanings,

are reacted with phosgene in the presence of a diluent,
such as, for example, chlorobenzene, at temperatures
5 between -20°C and $+150^\circ\text{C}$ (cf. the preparation examples).

The cyanoarylurethanes optionally to be used as starting
materials in process (a) according to the invention are
defined in general by the formula (IV). In the formula
(IV), R^1 and R^2 preferably or in particular have those
10 meanings which have already been mentioned above in
connection with the description of the compounds of the
formula (I) as being preferred or particularly preferable
for R^1 and R^2 ; R preferably represents C_1 - C_4 -alkyl, phenyl
or benzyl, in particular methyl or phenyl.

15 The cyanoarylurethanes of the general formula (IV) are
not yet known from the literature; as novel substances,

they are the subject of the present application.

The novel cyanoarylurethanes of the formula (IV) are obtained if cyanoarylamines of the general formula (VIII) - above - are reacted with chlorocarbonyl compounds of the general formula (IX)



in which

R has the abovementioned meaning,

optionally in the presence of an acid acceptor, such as, for example, pyridine, and optionally in the presence of a diluent, such as, for example, methylene chloride, at temperatures between 0°C and 100°C (cf. preparation examples).

Process (a) according to the invention for the preparation of the new N-cyanoaryl-nitrogen heterocycles of the formula (I) is preferably carried out using diluents. Diluents which are suitable are virtually all inert organic solvents. These preferably include aliphatic and aromatic, optionally halogenated hydrocarbons, such as pentane, hexane, heptane, cyclohexane, petroleum ether, benzine, ligroin, benzene, toluene, xylene, methylene chloride, ethylene chloride, chloroform, tetrachloromethane, chlorobenzene and o-dichlorobenzene, ethers,

such as diethyl ether, dibutyl ether, glycol dimethyl ether, diglycol dimethyl ether, tetrahydrofuran and dioxane, ketones, such as acetone, methyl ethyl ketone, methyl isopropyl ketone and methyl isobutyl ketone, 5 esters, such as methyl acetate and ethyl acetate, nitriles, such as, for example, acetonitrile and propionitrile, amides, such as, for example, dimethylformamide, dimethylacetamide and N-methylpyrrolidone, and also dimethyl sulphoxide, tetramethylene sulphone and hexa- 10 methylphosphoric triamide.

Process (a) according to the invention is preferably carried out in the presence of a reaction auxiliary. Suitable as reaction auxiliaries are mainly acid acceptors. The following are preferably suitable: alkali metal 15 hydrides and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal hydroxides and alkaline earth metal hydroxides, such as lithium hydroxide, sodium hydroxide, potassium hydroxide and calcium hydroxide, 20 alkali metal carbonates, alkali metal hydrogen carbonates, alkaline earth metal carbonates and alkaline earth metal hydrogen carbonates, such as sodium carbonate, sodium hydrogen carbonate, potassium carbonate or potassium hydrogen carbonate, and calcium carbonate, alkali 25 metal acetates, such as sodium acetate and potassium acetate, alkali metal alcoholates, such as sodium methylate, sodium ethylate, sodium propylate, sodium isopropylate, sodium butylate, sodium isobutylate, sodium tert-butylate, potassium methylate, potassium ethylate,

potassium propylate, potassium isopropylate, potassium butylate, potassium isobutylate and potassium tert-butylate, furthermore basic nitrogen compounds, such as trimethylamine, triethylamine, tripropylamine, tributyl-
5 amine, diisobutylamine, dicyclohexylamine, ethyldiisopropylamine, ethyldicyclohexylamine, N,N-dimethylbenzylamine, N,N-dimethyl-aniline, pyridine, 2-methyl-, 3-methyl-, 4-methyl-, 2,4-dimethyl-, 2,6-dimethyl-, 2-ethyl-, 4-ethyl- and 5-ethyl-2-methyl-pyridine, 1,5-
10 diazabicyclo[4,3,0]-non-5-ene (DBN), 1,8-diazabicyclo[5,4,0]-undec-7-ene (DBU) and 1,4-diazabicyclo-[2,2,2]-octane (DABCO).

When carrying out process (a) according to the invention, the reaction temperatures can be varied within a substantial
15 tial range. In general the process is carried out at temperatures between -120°C and $+100^{\circ}\text{C}$, preferably at temperatures between -70°C and $+80^{\circ}\text{C}$.

In general, process (a) according to the invention is carried out under atmospheric pressure. However, it is
20 also possible to carry out the process under elevated or reduced pressure.

To carry out process (a) according to the invention, the starting substances required in each case are generally employed in approximately equimolar amounts. However, it
25 is also possible to use one of the two components employed in each case in a relatively large excess. In general, the reactions are carried out in a suitable

diluent in the presence of a reaction auxiliary, and the reaction mixture is stirred for several hours at the temperature required in each case. Working-up in process (a) according to the invention is carried out in each case by customary methods (cf. the preparation examples).

Formulae (IA) and (IB) - with the proviso that R^5 in these formulae represents hydrogen - provide a general definition of the N-cyanoaryl-nitrogen heterocycles to be used as starting substances in process (b) according to the invention for the preparation of compounds of the formula (I).

In formulae (IA) and (IB), R^1 , R^2 , R^3 and R^4 preferably, or in particular, have those meanings which have already been mentioned above in connection with the description of the compounds of the formula (I) according to the invention as being preferred, or particularly preferred, for R^1 , R^2 , R^3 and R^4 .

The starting substances of the formulae (IA) and (IB) for process (b) are new compounds according to the invention; they can be prepared by process (a) according to the invention.

Formulae (V) and (VI) provide general definitions of the alkylating agents furthermore to be used as starting substances in process (b) according to the invention.

In formulae (V) and (VI), R^5 preferably, or in

particular, has the meaning which has already been mentioned above in connection with the description of the compounds of the formula (I) according to the invention as being preferred, or particularly preferred, for R⁵.

- 5 The starting substances of the formulae (V) and (VI) are known chemicals for organic synthesis.

Process (b) according to the invention is preferably carried out using a diluent. Suitable diluents are mainly those which have already been mentioned in the description of the process (a) according to the invention.

Acid acceptors which can be employed in process (b) according to the invention are all acid-binding agents which can conventionally be used for such reactions. The following are preferably suitable: alkali metal hydrides and alkaline earth metal hydrides, such as lithium
15 hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal hydroxides and alkaline earth metal hydroxides, such as lithium hydroxide, sodium hydroxide, potassium hydroxide and calcium hydroxide, alkali metal
20 carbonates, alkali metal hydrogen carbonates, alkaline earth metal carbonates and alkaline earth metal hydrogen carbonates, such as sodium carbonate, sodium hydrogen carbonate, potassium carbonate or potassium hydrogen carbonate, and calcium carbonate, alkali metal acetates,
25 such as sodium acetate and potassium acetate, alkali metal alcoholates, such as sodium methylate, sodium ethylate, sodium propylate, sodium isopropylate, sodium

butylate, sodium isobutylate, sodium tert-butylate, potassium methylate, potassium ethylate, potassium propylate, potassium isopropylate, potassium butylate, potassium isobutylate and potassium tert-butylate, furthermore basic nitrogen compounds, such as trimethyl-
5 amine, triethylamine, tripropylamine, tributylamine, diisobutylamine, dicyclohexylamine, ethyldiisopropylamine, ethyldicyclohexylamine, N,N-dimethylbenzylamine, N,N-dimethyl-aniline, pyridine, 2-methyl-, 3-methyl-, 4-
10 methyl-, 2,4-dimethyl-, 2,6-dimethyl-, 2-ethyl-, 4-ethyl- and 5-ethyl-2-methyl-pyridine, 1,5-diazabicyclo[4,3,0]-non-5-ene (DBN), 1,8-diazabicyclo-[5,4,0]-undec-7-en (DBU) and 1,4-diazabicyclo-[2,2,2]-octane (DABCO).

When carrying out process (b) according to the invention,
15 the reaction temperatures can be varied within a substantial range. In general the process is carried out at temperatures between 0°C and 120°C, preferably at temperatures between 10°C and 100°C.

In general, process (b) according to the invention is
20 carried out under atmospheric pressure. However, it is also possible to carry out the process under elevated or reduced pressure.

To carry out process (b) according to the invention, the starting substances required in each case are generally
25 employed in approximately equimolar amounts. However, it is also possible to use one of the two components employed in each case in a relatively large excess. In

general, the reactions are carried out in a suitable diluent in the presence of an acid acceptor, and the reaction mixture is stirred for several hours at the temperature required in each case. Working-up in process
5 (b) according to the invention is carried out in each case by customary methods (cf. the preparation examples).

Formula (I) - with the proviso that R^2 in this formula represents halogen - provides a general definition of the N-cyanoaryl-nitrogen heterocycles to be used as starting
10 substances in process (c) according to the invention for the preparation of compounds of the formula (I).

In formula (I), R^1 , R^3 , R^4 and Z then preferably, or particularly preferably, have those meanings which have already been mentioned above in connection with the
15 description of the compounds of the formula (I) according to the invention as being preferred, or particularly preferred, for R^1 , R^3 , R^4 and Z.

The starting substances of the formula (I) for process (c) are new compounds according to the invention; they
20 can be prepared by processes (a) and (b) according to the invention.

Formula (VII) provides a general definition of the amides furthermore to be used as starting substances in process (c) according to the invention.

25 In formula (VII), A preferably, or in particular, has the

meaning which has already been mentioned above in connection with the description of the compounds of the formula (I) according to the invention as being preferred, or particularly preferred, for A.

- 5 The starting substances of the formula (VII) are known chemicals for organic synthesis.

Process (c) according to the invention is preferably carried out using a diluent. Suitable diluents are mainly those diluents which have already been mentioned in the
10 description of process (a) according to the invention.

If appropriate, process (c) according to the invention is carried out in the presence of an acid acceptor. Suitable acid acceptors are those which have already been mentioned in the description of the process (b) according to
15 the invention.

When carrying out process (c) according to the invention, the reaction temperatures can be varied within a substantial range. In general, the process is carried out at temperatures between 0°C and 200°C, preferably at temperatures between 20°C and 180°C.
20

In general, process (c) according to the invention is carried out under atmospheric pressure. However, it is also possible to carry out the process under elevated or reduced pressure.

To carry out process (c) according to the invention, the starting substances required in each case are generally employed in approximately equimolar amounts. However, it is also possible to use one of the two components employed in each case in a relatively large excess. In general, the reactions are carried out in a suitable diluent in the presence of an acid acceptor, and the reaction mixture is stirred for several hours at the temperature required in each case. Working-up in process (c) according to the invention is carried out in each case by customary methods (cf. preparation examples).

The active compounds according to the invention can be used as defoliants, desiccants, agents for destroying broad-leaved plants and, especially, as weed-killers. By weeds, in the broadest sense, there are to be understood all plants which grow in locations where they are undesired. Whether the substances according to the invention act as total or selective herbicides depends essentially on the amount used.

The active compounds according to the invention can be used, for example, in connection with the following plants:

Dicotyledon weeds of the genera: Sinapis, Lepidium, Galium, Stellaria, Matricaria, Anthemis, Galinsoga, Chenopodium, Urtica, Senecio, Amaranthus, Portulaca, Xanthium, Convolvulus, Ipomoea, Polygonum, Sesbania, Ambrosia, Cirsium, Carduus, Sonchus, Solanum, Rorippa,

Rotala, Lindernia, Lamium, Veronica, Abutilon, Emex, Datura, Viola, Galeopsis, Papaver, Centaurea, Trifolium, Ranunculus and Taraxacum.

Dicotyledon cultures of the genera: Gossypium, Glycine, Beta, Daucus, Phaseolus, Pisum, Solanum, Linum, Ipomoea, Vicia, Nicotiana, Lycopersicon, Arachis, Brassica, Lactuca, Cucumis and Cucurbita.

Monocotyledon weeds of the genera: Echinochloa, Setaria, Panicum, Digitaria, Phleum, Poa, Festuca, Eleusine, Brachiaria, Lolium, Bromus, Avena, Cyperus, Sorghum, Agropyron, Cynodon, Monochoria, Fimbristylis, Sagittaria, Eleocharis, Scirpus, Paspalum, Ischaemum, Sphenoclea, Dactyloctenium, Agrostis, Alopecurus and Apera.

Monocotyledon cultures of the genera: Oryza, Zea, Triticum, Hordeum, Avena, Secale, Sorghum, Panicum, Saccharum, Ananas, Asparagus and Allium.

However, the use of the active compounds according to the invention is in no way restricted to these genera, but also extends in the same manner to other plants.

The compounds are suitable, depending on the concentration, for the total combating of weeds, for example on industrial terrain and rail tracks, and on paths and squares with or without tree plantings. Equally, the compounds can be employed for combating weeds in perennial cultures, for example afforestations, decorative tree plantings, orchards, vineyards, citrus groves, nut orchards, banana plantations, coffee plantations, tea

30517-17

plantations, rubber plantations, oil palm plantations, cocoa plantations, soft fruit plantings and hopfields, in lawns, turf and pasture-land, and for the selective combating of weeds in annual cultures.

5 The compounds of the formula (I) according to the invention - inclusively those disclaimed by disclaimer - are particularly suitable for selectively combating dicotyledonous weeds in monocotyledon and dicotyledon cultures, such as, for example, in wheat, maize and soya
10 beans, both in the pre-emergence method and in the post-emergence method, although the individual compounds also have selective activity in all the stated cultures.

 The active compounds can be converted into the customary formulations, such as solutions, emulsions,
15 wetttable powders, suspensions, powders, dusting agents, pastes, soluble powders, granules, suspension-emulsion concentrates, natural and synthetic materials impregnated with active compound, and very fine capsules in polymeric substances.

20 These formulations are produced in a known manner, for example by mixing the active compounds with extenders, that is liquid solvents and/or solid carriers, optionally with the use of surface-active agents, that is emulsifying agents and/or dispersing agents and/or foam-forming agents.
25 For example, the active compounds may be in admixture with a solid diluent or carrier, a liquified normally gaseous diluent or carrier, or a liquid diluent or carrier containing a surface active agent.

 In the case of the use of water as an extender,
30 organic solvents can, for example, also be used as auxiliary

solvents. As liquid solvents, there are suitable in the main: aromatics, such as xylene, toluene or alkyl-naphthalenes, chlorinated aromatics and chlorinated aliphatic hydrocarbons, such as chlorobenzenes, chloro-ethylenes or methylene chloride, aliphatic hydrocarbons, 5 such as cyclohexane or paraffins, for example petroleum fractions, mineral and vegetable oils, alcohols, such as butanol or glycol as well as their ethers and esters, ketones, such as acetone, methyl ethyl ketone, methyl 10 isobutyl ketone or cyclohexanone, strongly polar solvents, such as dimethylformamide and dimethyl sulphoxide, as well as water.

As solid carriers there are suitable: for example ammonium salts and ground natural minerals, 15 such as kaolins, clays, talc, chalk, quartz, attapulgite, montmorillonite or diatomaceous earth, and ground synthetic minerals, such as highly disperse silica, alumina and silicates, as solid carriers for granules there are suitable: for example crushed and fractionated natural 20 rocks such as calcite, marble, pumice, sepiolite and dolomite, as well as synthetic granules of inorganic and organic meals, and granules of organic material such as sawdust, coconut shells, maize cobs and tobacco stalks; as emulsifying and/or foam-forming agents there are 25 suitable: for example non-ionic and anionic emulsifiers, such as polyoxyethylene fatty acid esters, polyoxyethylene fatty alcohol ethers, for example alkylaryl polyglycol ethers, alkylsulphonates, alkyl sulphates, arylsulphonates as well as albumen hydrolysis products; as

dispersing agents there are suitable: for example lignin-sulphite waste liquors and methylcellulose.

Adhesives such as carboxymethylcellulose and natural and synthetic polymers in the form of powders, granules or
5 latexes, such as gum arabic, polyvinyl alcohol and polyvinyl acetate, as well as natural phospholipids, such as cephalins and lecithins, and synthetic phospholipids, can be used in the formulations. Further additives can be mineral and vegetable oils.

10 It is possible to use colorants such as inorganic pigments, for example iron oxide, titanium oxide and Prussian Blue, and organic dyestuffs, such as alizarin dyestuffs, azo dyestuffs and metal phthalocyanine dyestuffs, and trace nutrients such as salts of iron,
15 manganese, boron, copper, cobalt, molybdenum and zinc.

The formulations in general contain between 0.1 and 95 per cent by weight of active compound, preferably between 0.5 and 90%.

For combating weeds, the active compounds according to
20 the invention, as such or in their formulations, can also be used in mixtures with known herbicides, finished formulations or tank mixtures being possible.

Suitable herbicides for the mixtures are known herbicides, for example anilides such as, for example, diflu-
25 fenican and propanil; arylcarboxylic acids such as, for

example, dichloropicolinic acid, dicamba and picloram; aryloxyalkanoic acids such as, for example, 2,4-D, 2,4-DB, 2,4-DP, fluroxypyr, MCPA, MCPP and triclopyr; aryloxy-phenoxy-alkanoic esters such as, for example, 5 diclofopmethyl, fenoxapropethyl, fluazifop-butyl, haloxyfop-methyl and quizalofop-ethyl; azinones such as, for example, chloridazon and norflurazon; carbamates such as, for example, chlorpropham, desmedipham, phenmedipham and propham; chloroacetanilides such as, for example, 10 alachlor, acetochlor, butachlor, metazachlor, metolachlor, pretilachlor and propachlor; dinitroanilines such as, for example, oryzalin, pendimethalin and trifluralin; diphenyl ethers such as, for example, acifluorfen, bifenox, fluoroglycofen, fomesafen, halo- 15 safen, lactofen and oxyfluorfen; ureas such as, for example, chlortoluron, diuron, fluometuron, isoproturon, linuron and methabenzthiazuron; hydroxylamines such as, for example, alloxydim, clethodim, cycloxydim, sethoxydim and tralkoxydim; imidazolinones such as, for example, 20 imazethapyr, imazamethabenz, imazapyr and imazaquin; nitriles such as, for example, bromoxynil, dichlobenil and ioxynil; oxyacetamides such as, for example, mefenacet; sulphonylureas such as, for example, amidosulfuron, bensulfuron-methyl, chlorimuron-ethyl, 25 chlorsulfuron, cinosulfuron, metsulfuron-methyl, nicosulfuron, primisulfuron, pyrazosulfuron-ethyl, thifensulfuron-methyl, triasulfuron and tribenuron-methyl; thiocarbamates such as, for example, butylate, cycloate, di-allate, EPTC, esprocarb, molinate, 30 prosulfocarb, thiobencarb and tri-allate; triazines such

as, for example, atrazine, cyanazine, simazine, simetryn, terbutryn and terbutylazine; triazinones such as, for example, hexazinone, met amitron and metribuzin; others such as, for example, aminotriazole, benfuresate, bentazone, cinmethylin, clomazone, clopyralid, difenzoquat, dithiopyr, ethofumesate, fluorochloridone, glufosinate, glyphosate, isoxaben, pyridate, quinchlorac, quinmerac, sulphosate and tridiphane.

Mixtures with other known active compounds, such as fungicides, insecticides, acaricides, nematocides, bird repellents, plant nutrients and agents which improve soil structure, are also possible.

The active compounds can be used as such, in the form of their formulations or in the use forms prepared therefrom by further dilution, such as ready-to-use solutions, suspensions, emulsions, powders, pastes and granules. They are used in the customary manner, for example by watering, spraying, atomizing or scattering.

The active compounds according to the invention can be applied either before or after emergence of the plants. They can also be incorporated into the soil before sowing.


The amount of active compound used can vary within a substantial range. It depends essentially on the nature of the desired effect. In general, the amounts used are between 10 g and 10 kg of active compound per hectare of

soil surface, preferably between 50 g and 5 kg per ha.

The preparation and use of the active compounds according to the invention can be seen from the following examples.

Preparation Examples:

5 Example 1



(Process (a))


1.8 g (10 mMol) of ethyl 3-amino-4,4,4-trifluorocrotonate are introduced into 30 ml of dimethylformamide and 2 ml of toluene, and 0.3 g (10 mMol) of sodium hydride (80%) is added at 0°C to 5°C. The mixture is stirred for 30 minutes at 0°C to 5°C. After the mixture has been cooled to -70°C, 0.9 g (5 mMol) of 4-cyano-2,5-difluoro-phenyl isocyanate - dissolved in 10 ml of toluene - are added and the mixture is stirred for 150 minutes at -60°C to -70°C. After the cooling bath has been removed, 2 ml of acetic acid are added. The mixture is then diluted with water to approximately twice its volume and extracted

CA2117511

using ethyl acetate. The organic phase is concentrated, and the residue is crystallized using diisopropyl ether.

1.1 g (69% of theory) of 1-(4-cyano-2,5-difluoro-phenyl)-3,6-dihydro-2,6-dioxo-4-trifluoromethyl-1(2H)-pyrimidine
5 of melting point 194°C are obtained.

Example 2




(process (b))

A mixture of 3.2 g (10 mMol) of 1-(4-cyano-2,5-difluoro-phenyl)-3,6-dihydro-2,6-dioxo-4-trifluoromethyl-1(2H)-
10 pyrimidine, 3.1 g (20 mMol) of diethyl sulphate, 2.8 g of potassium carbonate and 100 ml of acetonitrile is refluxed for 3 hours. It is then concentrated in vacuo and extracted by shaking with water/chloroform, and the
15 organic phase, again, is concentrated in vacuo, and the residue is separated by column chromatography (silica gel, petroleum ether/ethyl acetate 1:1).

The first fraction obtained is 0.30 g of 1-(4-cyano-2,5-difluoro-phenyl)-1,6-dihydro-2-ethoxy-6-oxo-4-trifluoro-methyl-pyrimidine (amorphous) and the second fraction is 0.38 g of 1-(4-cyano-2,5-difluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-ethyl-4-trifluoromethyl-1(2H)-pyrimidine (amorphous, $^1\text{H-NMR}$: $\delta = 6.36$ ppm). Total yield: 0.68 g (20% of theory).

Example 3




(Process (c))

- 10 A mixture of 0.83 g (3 mMol) 1-(4-cyano-2,5-difluoro-phenyl)-3,6-dihydro-2,6-dioxo-3,4-dimethyl-1(2H)-pyrimidine, 0.32 g (3 mMol) of methanesulfonamide, 0.6 g of potassium carbonate and 10 ml of dimethyl sulphoxide is heated for 10 hours at 120°C. After the mixture has been cooled, it is poured into ice-water and acidified using 2N-hydrochloric acid. It is then extracted using ethyl acetate, and the organic phase is washed with water,


dried using sodium sulphate and filtered. The solvent is carefully removed from the filtrate by distillation under a water pump vacuum.

0.8 g (76% of theory) of 1-(4-cyano-2-fluoro-5-methylsulphonylaminophenyl)-3,6-dihydro-2,6-dioxo-3,4-dimethyl-1(2H)-pyrimidine is obtained as a crystalline residue (melting point $> 250^{\circ}\text{C}$).

Examples of the compounds of the formula (I) or of the formulae (IA) and (IB) which can be prepared analogously to Examples 1 to 3 and following the general description of the preparation processes according to the invention are those listed in Table 2 below.



(IA)



(IB)

CA2117511

Table 2: Examples of the compounds of the formula (I)

Ex. no.	Gen. formula	R ¹	R ²	R ³	R ⁴	R ⁵	melting point (°C)
4	IA	F	F	H	CH ₃	H	273
5	IA	F	F	H	CH ₃	CH ₃	264
6	IA	F	F	H	CH ₃	CHF ₂	
7	IA	F	F	H	CH ₃	NH ₂	
8	IA	F	NHSO ₂ C ₂ H ₅	H	CH ₃	CH ₃	¹ H-NMR: d = 5,76 ppm
9	IA	F	NHSO ₂ CH ₃	H	CH ₃	CHF ₂	
10	IA	F	NHSO ₂ CH ₃	H	CH ₃	NH ₂	
11	IA	H	NHSO ₂ CH ₃	H	CH ₃	NH ₂	
12	IA	F	F	H	CF ₃	CH ₃	155
13	IA	F	F	H	CF ₃	C ₃ H ₇	
14	IA	Cl	F	CH ₃	CF ₃	CHF ₂	
15	IA	F	NHSO ₂ CH ₃	H	CF ₃	CH ₃	
16	IA	F	NHSO ₂ C ₂ H ₅	H	CF ₃	C ₂ H ₅	
17	IA	F	NHSO ₂ 	H	CF ₃	CHF ₂	
18	IA	F	NHSO ₂ CH ₃	H	CF ₃	NH ₂	

CA2117511

Ex. no.	Gen. for- mula	R ¹	R ²	R ³	R ⁴	R ⁵	melting point (°C)
19	IA	F	NHSO ₂ C ₂ H ₅	H	CH ₂ Cl	CH ₃	
20	IA	F	F	H	CF ₂ CF ₃	H	172
21	IA	F	F	H	CF ₂ CF ₃	CH ₃	97
22	IA	H	F	H	CF ₂ CF ₃	C ₂ H ₅	
23	IA	H	F	H	CF ₂ CF ₃	CH ₂ CH=CH ₂	
24	IA	F	NHSO ₂ CH ₃	H	CF ₂ CF ₃	CH ₃	
25	IA	F	NHSO ₂ C ₂ H ₅	H	CF ₂ CF ₃	CH ₃	
26	IA	F	F	H	CHF ₂	H	
27	IA	F	F	H	CHF ₂	CH ₃	
28	IA	F	F	H	CHF ₂	CHF ₂	
29	IA	F	F	H	CHF ₂	NH ₂	
30	IA	F	NHSO ₂ CH ₃	H	CHF ₂	CH ₃	188
31	IA	F	NHSO ₂ CH ₃	H	CHF ₂	CHF ₂	
32	IA	F	NHSO ₂ CH ₃	H	CHF ₂	NH ₂	
33	IA	F	NHSO ₂ C ₂ H ₅	Cl	CHF ₂	CH ₂ CH=CH ₂	
34	IB	F	F	H	CF ₃	CH ₃	¹ H-NMR: d = 6.92 ppm


CA2117511

Ex. no.	Gen. for- mula	R ¹	R ²	R ³	R ⁴	R ⁵	melting point (°C)
35	IB	F	F		H	CF ₂ CF ₃	CH ₃ 116
36	IB	F	NHSO ₂ CH ₃		H	CF ₃	CH ₃ 192
37	IB	F	NHSO ₂ C ₂ H ₅		H	CF ₃	CH ₃
38	IB	F	NHSO ₂ CH ₃		H	CF ₃	C ₂ H ₅
39	IB	F	NHSO ₂ C ₂ H ₅		H	CF ₂ CF ₃	CH ₃
40	IB	F	NHSO ₂ C ₃ H ₇		H	CF ₃	CH ₃
41	IA	F	NHSO ₂ CF ₃		H	CH ₃	CH ₃
42	IA	F	NHSO ₂ CH ₃		H	CF ₃	H 248
43	IA	F	NSO ₂ CH ₃ CH ₃		H	CF ₃	CH ₃ 115
44	IA	F	NHSO ₂ C ₂ H ₅		H	CF ₃	H 228
45	IA	F	NSO ₂ C ₂ H ₅ CH ₃		H	CF ₃	H 49
46	IA	F	NSO ₂ C ₂ H ₅ CH ₃		H	CF ₃	CH ₃ 162
47	IA	F	NHSO ₂ C ₃ H ₇		H	CF ₃	H 154
48	IA	F	NSO ₂ C ₂ H ₅ C ₂ H ₅		H	CF ₃	C ₂ H ₅ 177

CA2117511

Ex. no.	Gen. for- mula	R ¹	R ²	R ³	R ⁴	R ⁵	melting point (°C)
49	IA	F	$\begin{array}{c} \text{NSO}_2\text{C}_2\text{H}_5 \\ \\ \text{C}_2\text{H}_5 \end{array}$	H	CF ₃	H	¹ H-NMR: 6,5 ppm
50	IA	F	$\begin{array}{c} \text{NSO}_2\text{C}_3\text{H}_7 \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	CH ₃	¹ H-NMR: 6,4 ppm
51	IA	F	NHSO ₂ C ₂ H ₅	H	CHF ₂	H	258
52	IA	F	$\begin{array}{c} \text{NSO}_2\text{C}_2\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CH ₃	173
53	IA	F	NHSO ₂ C ₆ H ₅	H	CF ₃	H	253
54	IA	F	$\begin{array}{c} \text{NSO}_2\text{C}_6\text{H}_5 \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	CH ₃	136
55	IA	F	NHSO ₂ CH ₃	H	CF ₃	CHF ₂	230
56	IA	F	NHSO ₂ CH(CH ₃) ₂	H	CF ₃	H	217
57	IA	F	$\begin{array}{c} \text{NSO}_2\text{CH}(\text{CH}_3)_2 \\ \\ \text{CH}_3 \end{array}$	H	CF ₃	CH ₃	163
58	IA	F	NHSO ₂ CH ₃	CH ₃	CF ₃	H	229
59	IA	F	$\begin{array}{c} \text{NSO}_2\text{CH}_3 \\ \\ \text{CH}_3 \end{array}$	CH ₃	CF ₃	CH ₃	115
60	IA	F	NHSO ₂ CH ₃	H	CHF ₂	H	281
61	IA	F	$\begin{array}{c} \text{NSO}_2\text{CH}_3 \\ \\ \text{CH}_3 \end{array}$	H	CHF ₂	CH ₃	264


CA2117511

Ex. no.	Gen. for- mula	R ¹	R ²	R ³	R ⁴	R ⁵	melting point (°C)
62	IA	F	NHSO ₂ - 	H	CF ₃	H	262
63	IA	F	NHSO ₂ CH ₃	H	CF ₂ Cl	H	269
64	IA	F	NSO ₂ -  CH ₃	H	CF ₃	CH ₃	150
65	IA	F	NSO ₂ CH ₃ CH ₃	H	CF ₂ Cl	CH ₃	97
66	IA	F	NHSO ₂ CH ₃	H	CF ₂ Cl	CH ₃	206
67	IA	F	NHSO ₂ - 	H	CF ₃	CH ₃	180

CA2117511

Starting substances of the formula (III):

Example (III-1)




5 660 g of phosgene are condensed into 1.6 litres of chlorobenzene at -5°C to 0°C . At the same temperature, a solution of 400 g of 4-cyano-2,5-difluoro-aniline in 800 ml of chlorobenzene is added dropwise in the course of 60 minutes. The reaction mixture is subsequently heated up slowly (HCl evolution!) to 120°C , and, after a temperature of 80°C has been reached, phosgene is passed
10 in continuously. After heating for 1 hour at 120°C , excess phosgene is purged using nitrogen and the reaction mixture is worked up by means of distillation.

15 248 g (53% of theory) of 4-cyano-2,5-difluoro-phenyl isocyanate of boiling point $108-110^{\circ}\text{C}/14$ mbar (melting point: 53°C) are obtained.

CA2117511

Starting materials of the formula (IV):

Example (IV-1)




- 13.0 g (0.05 mol) of ethyl chloroformate are added dropwise to a mixture of 11.5 g (0.05 mol) of 4-cyano-2-fluoro-5-methylsulphonylaminoaniline, 18 g of pyridine and 400 ml of methylene chloride at 20°C while stirring, and the reaction mixture is stirred for a further 30 minutes at 20°C to 30°C. Thereafter the mixture is washed with water, then with 5% strength hydrochloric acid and again with water, dried with sodium sulphate and filtered, and the filtrate is evaporated down. The remaining residue is digested with a little ethyl acetate, and the product obtained in crystalline form is isolated by filtration with suction.
- 15 15.8 g (85% of theory) of N-ethoxycarbonyl-N-(2-cyano-4-fluoro-5-ethoxycarbonylamino-phenyl)-methanesulphonamide of melting point 129°C are obtained.

For example, the compounds of the formula (IV) shown in Table 3 below may also be prepared analogously to

CA2117511

Example (IV-1).



CA2117511

Table 3: Examples of compounds of the formula (IV)

Ex. no.	R	R ¹	R ²	melting point (°C)
	$\begin{array}{c} \text{NSO}_2\text{C}_2\text{H}_5 \\ \\ \text{COOCH}_3 \end{array}$		IV-2 CH ₃	H
	$\begin{array}{c} \text{NSO}_2\text{C}_2\text{H}_5 \\ \\ \text{CO-CH}_3 \end{array}$	129	IV-3 C ₂ H ₅	F
	$\begin{array}{c} \text{NSO}_2\text{C}_2\text{H}_5 \\ \\ \text{COOC}_2\text{H}_5 \end{array}$	140	IV-4 C ₂ H ₅	F
	$\begin{array}{c} \text{NSO}_2\text{C}_2\text{H}_5 \\ \\ \text{COOCH}_3 \end{array}$		IV-5 CH ₃	F
	$\begin{array}{c} \text{N-SO}_2\text{CH}_3 \\ \\ \text{COOCH}_3 \end{array}$		IV-6 CH ₃	F
	$\begin{array}{c} \text{N-SO}_2\text{C}_3\text{H}_7 \\ \\ \text{COOCH}_3 \end{array}$		IV-7 CH ₃	F
	$\begin{array}{c} \text{N-SO}_2\text{CH}(\text{CH}_3)_2 \\ \\ \text{COOCH}_3 \end{array}$		IV-8 CH ₃	F
	$\begin{array}{c} \text{N-SO}_2-\triangle \\ \\ \text{COOCH}_3 \end{array}$		IV-9 CH ₃	F
	$\begin{array}{c} \text{N-SO}_2\text{C}_4\text{H}_9 \\ \\ \text{COOCH}_3 \end{array}$		IV-10 CH ₃	F
	$\begin{array}{c} \text{N-SO}_2\text{C}_6\text{H}_5 \\ \\ \text{COOCH}_3 \end{array}$		IV-11 CH ₃	F

CA2117511

Ex. no.	R	R ¹	R ²	melting point (°C)
IV-12	C ₂ H ₅		F N-SO ₂ C ₆ H ₅ COOC ₂ H ₅	178
IV-13	C ₂ H ₅		F N-SO ₂ C ₄ H ₉ COOC ₂ H ₅	92
IV-14	C ₂ H ₅		F N-SO ₂ C ₃ H ₇ COOC ₂ H ₅	109
IV-15	C ₂ H ₅		F N-SO ₂ CH(CH ₃) ₂ COOC ₂ H ₅	158
IV-16	C ₂ H ₅		F N-SO ₂  COOC ₂ H ₅	142

CA2117511

Use Examples:

Example A

Pre-emergence test

- Solvent: 5 parts by weight of acetone
5 Emulsifier: 1 part by weight of alkylaryl polyglycol ether

- 10 To produce a suitable preparation of active compound, 1 part by weight of active compound is mixed with the stated amount of solvent, the stated amount of emulsifier is added and the concentrate is diluted with water to the desired concentration.

- 15 Seeds of the test plants are sown in normal soil and, after 24 hours, watered with the preparation of the active compound. It is expedient to keep constant the amount of water per unit area. The concentration of the active compound in the preparation is of no importance, only the amount of active compound applied per unit area being decisive. After three weeks, the degree of damage to the plants is rated in % damage in comparison to the development of the untreated control. The figures denote:
- 20

0% = no action (like untreated control)
100% = total destruction

In this test, the compounds of preparation examples 2 (2nd fraction) and 12, for example, show a very potent

CA2117511

activity against weeds, while being well-tolerated by crop plants, such as, for example, maize.

Example B

Post-emergence test

- 5 Solvent: 5 parts by weight of acetone
Emulsifier: 1 part by weight of alkylaryl polyglycol ether

- 10 To produce a suitable preparation of active compound, 1 part by weight of active compound is mixed with the stated amount of solvent, the stated amount of emulsifier is added and the concentrate is diluted with water to the desired concentration. Test plants which have a height of 5 - 15 cm are sprayed with the preparation of the active compound in such a way as to apply the particular amounts of active compound desired per unit area. After three weeks, the degree of damage to the plants is rated in % damage in comparison to the development of the untreated control. The figures denote:


- 20 0% = no action (like untreated control)
100% = total destruction

In this test, the compounds of preparation examples 2 (2nd fraction) and 12, for example, show potent activity against weeds, while being well tolerated by crop plants, such as, for example, wheat.

30517-17

CLAIMS:

1. An N-cyanoaryl-nitrogen heterocycle of the general formula (I):



wherein:

R^1 represents hydrogen, fluorine or chlorine;

10 R^2 represents the group $-N(A^1)SO_2A$, wherein:

A represents:

(i) methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, each of which is optionally substituted by chlorine, or

15 (ii) cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl or cyclohexylmethyl, each of which is optionally substituted by fluorine, chlorine, bromine, methyl and/or ethyl, and

20 A^1 represents hydrogen, methyl, ethyl, n- or i-propyl, n-, i- or s-butyl, propenyl, butenyl, propynyl, butynyl, methoxy, ethoxy, n- or i-propoxy, n-, i-, s- or t-butoxy, acetyl, propionyl, methoxycarbonyl or ethoxycarbonyl, each of which is optionally substituted by
25 methoxy or ethoxy;


30517-17

R^3 represents hydrogen, fluorine, chlorine, bromine, methyl, trifluoromethyl, ethyl or n- or i-propyl;

R^4 represents methyl, ethyl, n- or i-propyl, each of which is optionally substituted by fluorine or chlorine;
5 or

R^3 and R^4 together represent trimethylene or tetramethylene; and

Z represents one of the groups:



wherein:

R^5 represents hydrogen, amino, methyl, ethyl, n- or i-propyl, n-, i- or s-butyl, propenyl, butenyl, propynyl,
15 butynyl, acetyl, propionyl, methoxycarbonyl or ethoxycarbonyl, each of which is optionally substituted by fluorine, chlorine or cyano;

or a salt thereof with sodium, potassium or calcium hydroxide, hydride, amide, or carbonate, a sodium or
20 potassium C₁-C₄-alkanolate, ammonia, a C₁-C₄-alkyl-amine, a di-(C₁-C₄-alkyl)-amine, a tri-(C₁-C₄-alkyl)-amine or with tris-(2-hydroxy-ethyl)amine;

with the exception of the compounds:

1-(4-cyano-3-ethyl-sulphonylamino-phenyl)-3,6-dihydro-2,6-
25 dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-cyano-3-n-propylsulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-

30517-17

cyano-3-isopropylsulphonylamino-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-cyano-5-ethyl-sulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; 1-(4-cyano-5-n-propylsulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine; and 1-(4-cyano-5-isopropyl)-sulphonylamino-2-fluoro-phenyl)-3,6-dihydro-2,6-dioxo-3-methyl-4-trifluoromethyl-1(2H)-pyrimidine.

10 2. A herbicidal composition comprising a herbicidally effective amount of a compound according to claim 1 in admixture with a suitable carrier or diluent.

3. A herbicidal composition comprising a herbicidally effective amount of a compound according to claim 1 in
15 admixture with a solid diluent or carrier, a liquified normally gaseous diluent or carrier, or a liquid diluent or carrier containing a surface active agent.

4. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a
20 herbicidally effective amount of a compound according to claim 1 or a composition according to claim 2 or 3.

5. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a herbicidally effective amount of a composition comprising
25 between 0.1 and 95% by weight of a compound according to claim 1 in admixture with a suitable carrier or diluent.

6. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a herbicidally effective amount of a composition comprising

30517-17

between 0.5 and 90% by weight of a compound according to claim 1 in admixture with a suitable carrier or diluent.

7. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a
5 herbicidally effective amount of a compound according to claim 1, wherein the compound is applied as a pre-emergence herbicide.

8. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a
10 herbicidally effective amount of a compound according to claim 1, wherein the compound is applied as a post-emergence herbicide.

9. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a
15 herbicidally effective amount of a compound according to claim 1, wherein the compound is applied to an area of cultivation at a rate of between 10 g and 10 kg/ha.

10. A method of combating weeds which comprises applying to the weeds, or to a habitat thereof, a
20 herbicidally effective amount of a compound according to claim 1, wherein the compound is applied to an area of cultivation at a rate of between 50 g and 5 kg/ha.

11. A process for preparing a herbicidal composition comprising admixing an N-cyanoaryl-nitrogen heterocycle of
25 the general formula (I) according to claim 1 with a diluent, carrier or surface-active agent.

12. Use of a compound according to claim 1 as a herbicide.


30517-17

13. Use of a compound according to claim 1 for preparing a herbicidal composition.


14. A process for the preparation of an N-cyanoaryl-nitrogen heterocycle of the general formula (I) as defined
5 in claim 1, or a salt thereof, which process comprises:

(a) to prepare a compound wherein for Z, R⁵ represents hydrogen, and R¹, R², R³ and R⁴ are as defined in claim 1:

10 reacting an aminoalkenoic ester of the general formula (II):




15 wherein R³ and R⁴ are as defined in claim 1, and R represents alkyl, aryl, or arylalkyl, with a cyanoaryl isocyanate of the general formula (III):



20

wherein R¹ and R² are as defined in claim 1, or with a cyanoaryluethane of the general formula (IV):

30517-17



5 wherein R is as defined above, and R¹ and R² are as defined in claim 1; or

 (b) to prepare a compound wherein for Z, R⁵ represents methyl, ethyl, n- or i-propyl, n-, i- or s-butyl, propenyl, butenyl, propynyl, butynyl, acetyl, propionyl,
 10 methoxycarbonyl or ethoxycarbonyl, each of which is optionally substituted by fluorine, chlorine or cyano, and R¹, R², R³ and R⁴ are as defined in claim 1:

 reacting an N-cyanoaryl-nitrogen heterocycle of the general formula (I) as defined in claim 1, wherein for
 15 Z, R⁵ represents hydrogen, and R¹, R², R³ and R⁴ are as defined in claim 1 with an alkylating agent or acylating agent of the general formula (V) or (VI)




 wherein R⁵ is as defined above other than hydrogen,
 20 and X in the general formula (V) represents halogen; or

 (c) to prepare a compound wherein R¹, R², R³, R⁴ and Z are as defined in claim 1:

 reacting an N-cyanoaryl-nitrogen heterocycle of the general formula (I) as defined in claim 1, wherein R²
 25 represents halogen, and R¹, R³, R⁴ and Z are as defined in claim 1, with ammonia or with a compound of the general formula (VII):

30517-17



wherein A and A¹ are as defined in claim 1; or

(d) where required, forming a salt thereof.


15. A cyanoaryl isocyanate of the general formula
5 (III) as defined in claim 14.

16. A cyanoarylurethane of the general formula (IV) as
defined in claim 14.

FETHERSTONHAUGH & CO.

OTTAWA, CANADA

PATENT AGENTS



(I)