

(12) United States Design Patent (10) Patent No.:

Nagamoto

US D896,743 S

(45) **Date of Patent:**

Sep. 22, 2020

(54) TREAD PORTION OF AN AUTOMOBILE

(71) Applicant: BRIDGESTONE CORPORATION,

Tokyo (JP)

Inventor: Shoko Nagamoto, Tokyo (JP)

Assignee: BRIDGESTONE CORPORATION,

Chuo-ku, Tokyo (JP)

Term: 15 Years

Appl. No.: 29/678,619

(22)Filed: Jan. 30, 2019

(30)Foreign Application Priority Data

| LOC (12) Cl 12-15 | (51) |
|---------------------------------------|------|
| U.S. Cl. | (52) |
| USPC D12/602 | |
| Field of Classification Search | (58) |
| USPC D12/568–604 | |
| CPC Y10T 152/10027; B60C 1/0016; B60C | |

Jul. 31, 2018 (JP) 2018-016762

See application file for complete search history.

11/0306; B60C 11/0302; B60C 3/06;

(56)**References Cited**

U.S. PATENT DOCUMENTS

| D354,027 | S | * | 1/1995 | Grosskopf | D12/596 |
|----------|--------------|---|---------|-----------|---------|
| D445,070 | \mathbf{S} | * | 7/2001 | Schuster | D12/602 |
| D583,312 | S | * | 12/2008 | Murphy | D12/596 |
| D624,490 | \mathbf{S} | * | 9/2010 | Kaji | D12/602 |
| D660,224 | \mathbf{S} | * | 5/2012 | Takahashi | D12/602 |
| D661,643 | \mathbf{S} | * | 6/2012 | Kaji | D12/602 |
| | | | | | |

| D823,782 | S | * | 7/2018 | Bortolet | D12/583 |
|----------|--------------|---|---------|--------------|---------|
| D834,511 | \mathbf{S} | * | 11/2018 | Wang | D12/602 |
| D837,138 | S | * | 1/2019 | Reygrobellet | D12/602 |
| D849,669 | \mathbf{S} | * | 5/2019 | Reygrobellet | D12/583 |
| D858,427 | S | * | 9/2019 | Kochanek | D12/583 |

* cited by examiner

Primary Examiner — Lakiya G Rogers Assistant Examiner — John A Voytek

(74) Attorney, Agent, or Firm — Sughrue Mion, PLLC

CLAIM

I claim the ornamental design for tread portion of an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread portion of an auto mobile tire showing my design;

FIG. 2 is a front view thereof.

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a fragmentary enlarged front view surrounded by lines 6-6 in FIG. 2 thereof;

FIG. 7 is a section view taken along line 7-7 in FIG. 6 thereof;

FIG. 8 is a section view taken along line 8-8 in FIG. 6 thereof; and,

FIG. 9 is reference view.

In FIG.9, the solid contrast is for the purpose of highlighting the grooves. The dark gray contrast is for the purpose of highlighting the deepest grooves, and the light gray contrast is for the purpose of highlighting the less deep grooves. In the drawings, the broken line are for defining the sidewall, inner bead and the boundary between the claimed tire tread and the unclaimed sidewall, and from no part of the claimed design.

1 Claim, 9 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

