



US00D821301S

(12) **United States Design Patent**
Bardin et al.

(10) **Patent No.:** **US D821,301 S**

(45) **Date of Patent:** **** Jun. 26, 2018**

(54) **TIRE TREAD**

(71) Applicants: **COMPAGNIE GENERALE DES
ETABLISSEMENTS MICHELIN,**
Clermont-Ferrand (FR); **Michelin
Recherche et Technique S.A.,**
Granges-Paccot (CH)

(72) Inventors: **Damien Bardin,** Clermont-Ferrand
(FR); **Arnaud Larregain,**
Clermont-Ferrand (FR); **Frederic
Honnorat,** Clermont-Ferrand (FR)

(73) Assignees: **Compagnie Generale Des
Etablissements Michelin (FR);
Michelin Recherche Et Technique
S.A. (CH)**

(**) Term: **15 Years**

(21) Appl. No.: **29/601,017**

(22) Filed: **Apr. 18, 2017**

(30) **Foreign Application Priority Data**

Oct. 19, 2016 (FR) 2016-5261

(51) **LOC (11) Cl.** **12-15**

(52) **U.S. Cl.**

USPC **D12/604; D12/596**

(58) **Field of Classification Search**

USPC D12/521, 523, 553, 555, 564, 565, 588,
D12/590, 604

CPC B60C 2011/0386; B60C 2011/0388; B60C
2011/039

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D83,804 S * 3/1931 Hargraves 152/209.28
3,004,578 A * 10/1961 Braudorn B60C 11/00
152/209.1

D275,386 S * 9/1984 Baus D12/596
D275,474 S * 9/1984 Graas D12/596
D284,750 S * 7/1986 Kawabata D12/565
D296,541 S 7/1988 Gettys
5,131,443 A 7/1992 Kuhr
D333,455 S * 2/1993 Himuro D12/565
D346,349 S * 4/1994 Himuro D12/565
D346,775 S 5/1994 Loser
D350,319 S * 9/1994 Egan D12/564

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0609194 A1 8/1994
FR 06/5978 12/2006

(Continued)

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the tire tread of our design; FIG. 2 is a front elevation view of the tire tread of our design;

FIG. 3 is a side elevation view of the tire tread of our design; FIG. 4 is a side elevation view of the tire tread of our design, taken from the opposite side of that shown in FIG. 3; and, FIG. 5 is an enlarged, partial view of the tire tread of FIG. 1, as indicated by the break lines.

In the drawings, the broken line disclosure depicts environmental subject matter and forms no part of the claimed design. The dash-dot-dot-dash lines represent the peripheral boundary of the claim.

1 Claim, 5 Drawing Sheets



US D821,301 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D355,876 S 2/1995 Diensthuber
D360,861 S 8/1995 Graas
D361,966 S * 9/1995 Graas D12/560
D370,880 S 6/1996 Graas
D379,449 S * 5/1997 Graas D12/563
D384,314 S * 9/1997 Heinen D12/565
D390,512 S 2/1998 Eromaki
D391,207 S * 2/1998 Ratliff, Jr. D12/565
D395,625 S * 6/1998 Mori D12/565
D395,856 S * 7/1998 Horie D12/565
D397,971 S 9/1998 Horie
D398,888 S * 9/1998 de Barsy D12/553
D402,241 S 12/1998 Villamizar
D403,283 S * 12/1998 Ball D12/558
D403,633 S 1/1999 Legge
D426,855 S 6/2000 Niwa
D429,194 S 8/2000 Heinen
D432,057 S 10/2000 Himuro
D444,743 S 7/2001 Labbe
D451,439 S * 12/2001 Hashimoto D12/555
D451,853 S * 12/2001 Heinen D12/553
D451,856 S * 12/2001 Graas D12/567
D454,523 S * 3/2002 Traulle D12/553
6,352,091 B1 3/2002 Hanya
D455,998 S 4/2002 Heinen
D464,931 S * 10/2002 Slingluff D12/521
D472,872 S 4/2003 O
D485,230 S * 1/2004 Williams D12/564
D487,053 S 2/2004 Masuko
D491,516 S 6/2004 Miller
D498,459 S 11/2004 Allison
D504,387 S 4/2005 Welbes
D505,111 S 5/2005 Allison
D516,998 S 3/2006 Wang
D525,580 S * 7/2006 Weber D12/564
D531,955 S 11/2006 Fontaine
D544,827 S 6/2007 Lee
D550,148 S 9/2007 Fontaine
D555,581 S * 11/2007 Salvan D12/553
D557,196 S * 12/2007 Fugier D12/531
D579,855 S * 11/2008 Fontaine D12/521
D579,861 S 11/2008 Haas
D579,863 S 11/2008 Harvey
D583,753 S * 12/2008 Licht D12/565
D591,220 S * 4/2009 Minagawa D12/549

D595,218 S 6/2009 Rodicq
D595,639 S 7/2009 de Briey-Terlinden
D596,109 S * 7/2009 de Briey-Terlinden D12/553
D596,558 S * 7/2009 de Briey-Terlinden D12/553
D601,946 S 10/2009 Fontaine
D606,927 S 12/2009 Kang
D607,810 S 1/2010 Oizumi
D610,963 S * 3/2010 Ochi D12/552
D612,324 S 3/2010 Harvey
D615,479 S 5/2010 Lee
D626,911 S * 11/2010 Takashima D12/551
D634,700 S * 3/2011 Ebel D12/546
D640,184 S 6/2011 de Briey-Terlinden
D640,966 S * 7/2011 Fontaine D12/563
D651,163 S * 12/2011 Shimizu D12/560
D668,205 S * 10/2012 Ebel D12/546
D669,021 S * 10/2012 Cano D12/553
D669,416 S * 10/2012 Cano D12/552
D683,301 S 5/2013 Kang
D705,718 S 5/2014 Hirama
D718,224 S * 11/2014 Guichon D12/563
D722,012 S * 2/2015 Belarbi D12/564
D722,290 S * 2/2015 Jamot D12/563
D724,007 S * 3/2015 Belarbi D12/564
D724,522 S * 3/2015 D'Abrigeon D12/552
D739,809 S * 9/2015 Reim D12/547
D750,013 S * 2/2016 Houis D12/553
D754,588 S * 4/2016 Hye D12/544
D756,292 S * 5/2016 Yoon D12/545
D766,813 S * 9/2016 Wang D12/545
D775,060 S * 12/2016 Saeki D12/553
D777,089 S * 1/2017 Bardin D12/553
D777,090 S * 1/2017 Kang D12/553
D777,649 S * 1/2017 Ropars D12/553
D778,230 S * 2/2017 Haanketo D12/564
D780,107 S * 2/2017 Bardin D12/521
D785,557 S * 5/2017 Bardin D12/596
D810,004 S * 2/2018 Hutz D12/564
D811,990 S * 3/2018 Raatikainen D12/564
2008/0149237 A1 * 6/2008 Cambron B60C 1/0016
152/154.2

FOREIGN PATENT DOCUMENTS

FR 06/5980 12/2006
FR 07/5041 11/2007

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5