
W. TISCH.
BOX LID HOLDER.
APPLICATION FILED DEC. 16, 1903.



UNITED STATES PATENT OFFICE.

WILLIAM TISCH, OF LA CROSSE, WISCONSIN.

BOX-LID HOLDER.

No. 828,350.

Specification of Letters Patent.

Patented Aug. 14, 1906.

Application filed December 16, 1903. Serial No. 185,378.

To all whom it may concern:

Be it known that I, WILLIAM TISCH, a citizen of the United States, residing at La Crosse, in the county of La Crosse and State of Wisconsin, have invented new and useful Improvements in Box-Lid Holders, of which the following is a specification.

This invention relates to cigar-box-lid holders adapted for sustaining the lid of the cigarbox in an open position to display the contents of the box and the label or trade-mark on the under side of the cover thereof.

The object of the present invention is to provide a simple, inexpensive, and improved article of manufacture of the kind named and for the purposes stated whereby a substantial support for the lid is provided, so that the hinge thereof will be relieved of strain and the lid held in the most desirable position for exhibiting the label and the goods.

For a full understanding of the merits and advantages of my invention reference is to be had to the following description and to the accompanying drawings, in which—

Figure 1 is a perspective view of a cigarbox with my improved lid-holder applied thereto. Fig. 2 is a plan view of the same with the lid or cover open. Fig. 3 is an end elevation of the box, showing a lid which has been entirely removed from the box supported by my improved lid-holder. Fig. 4 is a detail sectional view showing the box-hook engaged over the end piece of a box and the diagonally-arranged arm as placed to support the raised lid. Figs. 5 and 6 are end and front elevations of the device, respectively.

Making renewed reference to the drawings, wherein similar reference-notations indicate corresponding parts appearing in the several illustrations, 1 designates a cigar-box having the usual hinged lid or cover 2, which is shown held in an open position in Figs. 1, 2, and 4 by my improved lid-holder 3.

The lid-holder 3 is formed from a single piece of wire of sufficient rigidity to meet the purposes for which it is intended, and the several bends formed therein are of such dimension as to properly engage with and be substantially supported upon a cigar-box of the usual size. The wire or rod of which the lid-holder is constructed is formed at its lower end with a hook 8, formed with a vertically-depending shank and adapted to ensemble the lower end of the shank of hook 8 the wire

is directed outward and horizontal to the hook-shank, as at 7. Thence the wire is bent inward and horizontally at right angles to the part 7 to rest against the face of the side 60 of the box, as at 6, and thence from the inner end of the part 6 is directed upward at right angles thereto, as at 5, and diagonally or inclined outward from the box to constitute the supporting element for the box-lid, and 65 from the upper end of the element or part 5 the wire is bent down to horizontal position, as at 4, and formed into a hook adapted to engage over the end of the box-lid, substantially as shown in the drawings.

From the description thus far given it will be seen that when the lid-holder is applied to the box to support the lid the lower hook 8 is in a true vertical position and fits snug into the corner of the box, so that the bill of the 75 hook will not engage with or tear the cigars contained in the box. The tapering end of the cigar provides a space in the corner of the box, and the hook occupies this space and cannot be displaced therefrom by reason of the right- 80 angular bearing around the corner of the box, which bearing is formed by the bends 6 and 7, and an outward movement away from the end wall of the box is prevented by reason of the bill of the lower hook, which is in sub- 85 stantially the same vertical plane with the crown portion of the upper hook 4, since the latter terminates short of the end of the box, as hereinbefore set forth.

It will also be seen that the several bends 90 formed in the lid-holder are of such dimensions as to provide a snug and tight fit with the several surfaces engaged thereby, whereby a firm bearing is provided and the liability of the bill of the lower hook 8 defacing 95 the cigars is obviated, as that element cannot possibly work away from the corner of the box

By reference to Fig. 3 it will be seen that a lid which has been entirely severed from the 100 box may also be firmly supported by my improved holder, and in this adaptation and use it is preferable to employ a lid-holder at each end of the box, although one may suffice to properly support the lid.

Having thus described my invention, what I claim, and desire to secure by Letters Patent, is—

A box-lid holder made of a single piece of wire formed with a hook 8 at one end having 110 a vertical depending shank and adapted to engage over the upper edge of the end of the box, a part 7 directed horizontally at right angles to the shank of the hook to lie against the outer face of the box end, a part 6 directed inward and horizontally at right angles to the part 7 to rest against the face of the side of the box, a part 5 directed upward at right angles to the part 6 and diagonally outward to support the box-lid, and thence bent horizontally, as at 4, at right angles to the

diagonal part and formed with a hook to en- 10 gage over the end of the box-lid

gage over the end of the box-lid.

In testimony whereof I have signed my name to this specification in the presence of two subscribing witnesses.

WILLIAM TISCH.

Witnesses:

W. F. Wolfe, Rosa Jahn.