



(86) Date de dépôt PCT/PCT Filing Date: 2014/08/12
(87) Date publication PCT/PCT Publication Date: 2015/02/19
(85) Entrée phase nationale/National Entry: 2016/02/11
(86) N° demande PCT/PCT Application No.: EP 2014/067271
(87) N° publication PCT/PCT Publication No.: 2015/022334
(30) Priorités/Priorities: 2013/08/12 (DE20 2013 103 639.0);
2013/09/02 (DE20 2013 103 953.5)

(51) Cl.Int./Int.Cl. *A61F 13/20* (2006.01),
A61F 13/00 (2006.01), *A61F 13/02* (2006.01),
A61F 13/06 (2006.01), *A61F 13/10* (2006.01),
A61F 13/14 (2006.01)
(71) Demandeur/Applicant:
BSN MEDICAL GMBH, DE
(72) Inventeur/Inventor:
RIESINGER, BIRGIT, DE
(74) Agent: ADE & COMPANY INC.

(54) Titre : ARTICLE POUR LE SOIN DES PLAIES PRESENTANT UNE SURFACE DE BASE SENSIBLEMENT
POLYGONALE OU ELLIPSOIDALE ET AU MOINS UN EVIDEMENT PLACE SUR UN COTE
(54) Title: WOUND CARE ARTICLE HAVING AN ESSENTIALLY POLYGONAL OR ELLIPSOID BASE SURFACE AND
AT LEAST ONE RECESS ARRANGED ON ONE SIDE





FIG. 1

(57) Abrégé/Abstract:

The invention relates to a wound care article having a substantially polygonal or ellipsoid main surface and at least one recess arranged on one side.



(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES
PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges

Eigentum

Internationales Büro

(43) Internationales

Veröffentlichungsdatum

19. Februar 2015 (19.02.2015)



(10) Internationale Veröffentlichungsnummer

WO 2015/022334 A1

(51) Internationale Patentklassifikation:

A61F 13/20 (2006.01) *A61F 13/06* (2006.01)

A61F 13/00 (2006.01) *A61F 13/10* (2006.01)

A61F 13/02 (2006.01) *A61F 13/14* (2006.01)

(21) Internationales Aktenzeichen: PCT/EP2014/067271

(22) Internationales Anmeldedatum:

12. August 2014 (12.08.2014)

(25) Einreichungssprache: Deutsch

(26) Veröffentlichungssprache: Deutsch

(30) Angaben zur Priorität:

20 2013 103 639.0

12. August 2013 (12.08.2013)

DE

20 2013 103 953.5

2. September 2013 (02.09.2013)

DE

(72) Erfinder; und

(71) Anmelder : RIESINGER, Birgit [DE/DE];
Raesfeldstraße 67, 48149 Münster (DE).

(74) Anwalt: MICHALSKI HÜTTERMANN & PARTNER
PATENTANWÄLTE MBB; Speditionstr. 21, 40221
Düsseldorf (DE).

(81) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare nationale Schutzrechtsart): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare regionale Schutzrechtsart): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), eurasisches (AM, AZ, BY, KG, KZ, RU, TJ, TM), europäisches (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Veröffentlicht:

— mit internationalem Recherchenbericht (Artikel 21 Absatz 3)

(54) Title: WOUND CARE ARTICLE HAVING A SUBSTANTIALLY POLYGONAL OR ELLIPSOID MAIN SURFACE AND AT LEAST ONE RECESS ARRANGED ON ONE SIDE

(54) Bezeichnung : WUNDPFLEGEARTIKEL AUFWEISEND EINE IM WESENTLICHEN POLYGONALE ODER ELLIPOSIDE GRUNDFLÄCHE SOWIE MINDESTENS EINE AN EINER SEITE ANGEORDNETE AUSNEHMUNG




FIG. 1

(57) Abstract: The invention relates to a wound care article having a substantially polygonal or ellipsoid main surface and at least one recess arranged on one side.

(57) Zusammenfassung: Die Erfindung betrifft einen Wundpflegeartikel aufweisend eine im wesentlichen polygonale oder ellipsoide Grundfläche sowie mindestens eine an einer Seite angeordnete Ausnehmung

WO 2015/022334 A1

**Wound care article having an essentially polygonal or ellipsoid base surface
and at least one recess arranged on one side**

Wound care articles according to the generic part of claim 1 are disclosed, for
5 example, in European patent EP 1507498 and have proven their worth in the care
of chronic and highly exuding wounds.

They have an essentially flat shape and are placed in the area of a body wound
using suitable means.

10

Especially when it comes to large wound care articles, it can happen that the
affected body region is irregular and exhibits indentations, curves or elevations.
An essentially flat wound care article does not conform well to such an anatomy,
so that folds or creases form, which the patient can find uncomfortable and which
15 can have a detrimental effect on the efficacy of the wound care article.

The objective of the present invention is to put forward a wound care article that
can closely conform to the anatomical contours of different body regions of
humans and animals.

20

This objective is achieved by the features of the presented main claim.

Accordingly, the subject matter of the invention is a flat wound care article having
an essentially polygonal or ellipsoid base surface and at least one recess arranged
25 on one side.

It has been surprisingly found that, owing to this quite simple modification, the
wound care article according to the invention exhibits far greater versatility and,
in particular, can closely conform to the anatomical contours of various body
30 regions of humans and animals.

The term “wound care article” will refer below especially to a wound dressing, preferably a flat wound dressing, or a wound care bandage. This wound dressing comprises a flat layer and can be configured so as to be absorbent or non-absorbent or hardly absorbent. In particular, the term “wound care article” can
5 also be used to refer to an array of products that are placed in a certain arrangement on the wound that is to be treated. This array can form a physical unit in that the various products are combined in a shared sheath or – if applicable, without a sheath – are adhesively bonded to each other. However, the array can also be available in the form of a kit in which the various products are placed onto
10 the wound that is to be treated in the given arrangement by means of a wrapper.

The term “recess” refers to a more or less concave absence of material on at least one side of the wound care article.

15 This recess ensures that the wound care article can closely conform to the anatomical contours of various body regions of humans and animals. The drawings demonstrate this advantage in an illustrative manner.

In this context, the base surface is preferably rectangular or derived from a
20 rectangle. Moreover, it is preferably provided for the wound care article to have at least one rounded-off or angled corner. As an alternative, the base surface can preferably be derived from a trapezoid.

If the basic shape of the wound care article is a non-equilateral rectangle or if it is
25 derived from one, it is preferably provided for the recess to be arranged on one lengthwise side.

As an alternative, the base surface is preferably circular, oval or ellipsoid, or else it is derived from a circle, an oval or an ellipsoid. This can also mean that the base
30 surface is a semi-circle, a semi-oval or a semi-ellipsoid.

It is preferably provided for the recess to be configured so as to be shaped like a segment of a circle or like a segment of an ellipse. Especially preferably, it is semi-circular or semi-ellipsoid.

- 5 It is likewise preferably provided for the recess to be configured so as to be rectangular or angular. Especially preferably, it is V-shaped.

In a rectangular embodiment, it can be provided for the removed material to still be connected to the rest of the layer as a “tab” or “tongue”.

10

- In all of the above-mentioned cases, it has proven to be advantageous not to configure the recess only in the form of one or more slits. The recess according to the invention is designed to be wider so that it also allows the recessed area to also be cut out of a sheath that might be present surrounding the flat layer, and this is
15 done in such a way that the sheath also surrounds the flat layer in the area of the recess by means of a seam. If the recess were a slit or a very narrow strip, then it could not be cut out of the sheath that might be present since the sheath always has a slight overhang over the flat layer, and in this case, there would not be enough space for a seam on both sides of the recess.

20

- Although wound care articles are known with which the flat layer has one or more slits, generally speaking, these slits are not accommodated in a sheath. Such slits can fulfill different tasks, but they do not achieve the better anatomical conformity as envisaged according to the invention, since the sheath likewise does not have
25 such slits in the flat layer.

Moreover, it is preferably provided for the wound care article to have at least one flat layer comprising an absorbent material.

- 30 Furthermore, it is preferably provided for the wound care article to comprise at least one superabsorbent polymer.

Here, it is preferably provided for the layer to comprise more than 26%, 27%, 28%, 29%, 30%, 31%, 32%, 33%, 34%, 35%, 36%, 37%, 38%, 39%, 40%, 41%, 42%, 43%, 44%, 45%, 46%, 47%, 48%, 49%, 50%, 51%, 52%, 53%, 54%, 55%,
 5 56%, 57%, 58%, 59%, 60%, 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, 70%, 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% by weight of superabsorbent polymers.

10 The term “superabsorbent polymers” (SAP) refers to synthetics that are capable of absorbing fluids amounting to a multiple – up to 1000 times – of their own weight. Chemically speaking, these are copolymers of acrylic acid (propenic acid, $C_3H_4O_2$) and sodium acrylate (sodium salt of acrylic acid, $NaC_3H_3O_2$), whereby the ratio of the two monomers to each other can vary. In addition, a so-called core
 15 cross-linker (CXL) is added to the monomer solution and it connects (“cross-links”) the formed long-chain polymer molecules to each other in certain places by means of chemical bridges. These bridges render the polymer water-insoluble. When water or aqueous salt solutions penetrate the polymer particles, the polymer swells and strengthens this network on the molecular level, so that the water can
 20 no longer escape unassisted.

As an alternative, the selected superabsorbers can be on the basis of methyl acrylic acid, polyvinyl alcohol maleic acid anhydride copolymers, polysaccharide maleic acid anhydride copolymers, maleic acid derivatives, acrylamido-propane
 25 sulfonic acid copolymers, starch acrylonitrile graft polymers, gelatinized starch derivatives, alkyl or hydroxyalkyl celluloses, carboxymethyl celluloses, starch acrylic acid graft polymers, vinyl acetate acrylic acid ester copolymers, acrylonitrile or acrylamide copolymers.

30 The superabsorbent particles can be present in the form of a powder or as granules having a particle size between 100 μm and approximately 1000 μm .

By the same token, the above-mentioned superabsorbent polymers can also be hydrogel nanoparticles having hydroxy-terminated methacrylate monomers, such as 2-hydroxyethyl methacrylate (HEMA) and/or 2-hydroxypropyl methacrylate (HPMA), which is commercially available, for instance, as Altrazeal.

In this context, the wound care article preferably has a material that is selected from the group comprising a mat, especially made of an airlaid nonwoven containing superabsorbent polymers and/or a loose filling made up of superabsorbent polymers. Said airlaid mat can preferably have an essentially flat material section made of absorbent material that consists, for example, of an absorbent nonwoven with superabsorbent polymers distributed therein.

These wound care articles can correspond to the absorbent insert that is contained in a wound dressing of the applicant of the present invention, as is disclosed, for example, in international patents WO 03094813, WO 2007051599 and WO 0152780, and that is commercially available under the brand name “sorbion sachet”. The disclosure content of the cited specifications is hereby included in its entirety in the disclosure content of this document.

In another embodiment, the wound care article can also comprise a braided fabric consisting of strips that are made partially of a gel-forming material and partially of a non-gel-forming material. Such a braided fabric is known, for example, from European patent EP 2153807.

In another embodiment, the wound care article can also form a core that has – optionally flocculent – fibers or filaments made of superabsorbent polymers as well as superabsorbent polymers in granule form, whereby the granules are adhered or bonded to the fibers or filaments in several levels, and the granules are distributed over more than 50% of the total height of at least one section of the core, whereby mixed sections of granules and fibers are present. Here, the weight

fraction of the superabsorbent polymers can preferably be in the range between 10% and 25% by weight. Similar structures are known from conventional incontinence materials and, like sanitary napkins, are known for their cushioning properties.

5

In another embodiment, the wound care article can contain a mixture of superabsorbent fibers, superabsorbent particles, bio-component fibers and cellulose fibers.

10 In another embodiment, the wound care article can also comprise a flat layer having fibers or filaments made of superabsorbent polymers to which superabsorbent polymers in granule form adhere. In a preferred embodiment, this results in a structure of the body that has at least three layers, whereby two cover layers surround a layer containing superabsorbent polymers.

15

In this context, there are no fibers and superabsorbent polymers that are mixed in the plane but rather only fixed adjacent layers of the two materials. In a preferred embodiment, the multiple layers that might be provided can also be physically compacted together by means of rolling, pressing, calendering or similar
20 processes. Moreover, the structure can have repeating patterns or embossing such as, for example, a checked pattern, a stamped pattern or the like.

The term “nonwoven” refers to a flat textile structure made up of individual fibers that, in contrast to wovens, knits and knitted fabrics, is not made up of filaments.

25 Due to the adhesion of the individual fibers to each other, as a rule, nonwovens retain their structural integrity. These nonwovens are also referred to as “web structures” and are produced, for example, by milling the fibers. The term “airlaid” refers to a special nonwoven made of cellulose and polyolefin fibers in which, if applicable, superabsorbent polymers have been embedded.

30

The term “exudate” refers to a fluid that has escaped from the wound because of inflammatory processes of the blood plasma. By the same token that the blood is responsible for the transport of nutrients and other semiochemicals, thereby supplying various parts of the body, the exudate serves in a very similar manner to supply the wound bed and the healing processes that are taking place there. In order to fulfill these numerous functions, the exudate contains a wide array of components, resulting in a specific weight that is slightly above that of water. In this way, it also differs from a transudate which comes from non-inflammatory processes and which has a much lower specific weight as well as a low cell and protein content. Aside from providing nutrients for the fibroblasts and epithelial cells, due to its high content of growth factors and cytokines, the composition of the exudate influences the various processes of wound healing in terms of time and space. They are formed primarily by thrombocytes, keratinocytes, macrophages und fibroblasts. They influence the motility, the migration and the proliferation of the various cells that are involved in wound healing. Thus, the migration of cells into the wound bed is promoted and so is the supply of the newly formed granulation tissue by means of angiogenesis. The exudate also assists in the cleaning of the wound. It contains various serine, cysteine and aspartate proteases as well as matrix metalloproteases whose activity irreversibly degrades damaged tissue in a strictly regulated process, thereby preparing the wound bed for the subsequent phases of the healing process. In general, a distinction is made in such processes between a physiological and a pathological exudate.

Components of the physiological exudate are especially salts, glucose, cytokines and growth factors, plasma proteins, proteases (particularly matrix metalloproteases), granulocytes und macrophages.

Moreover, the wound care article according to the invention has strong antimicrobial properties that, on the one hand, are due to the property of the superabsorbers to bind proteins and bacteria and that, on the other hand, can be

ascribed to their water-binding properties which are responsible for withdrawing the fluid needed by the bacteria for their activity.

Moreover, it could be shown that the combination of the various superabsorbent materials permits a modulation of pro-inflammatory factors such as matrix metalloproteases (“MMPs”, especially collagenase and elastase), oxygen radicals (“ROS”) IL-1 β , IL-6, IL-8 and TNF α . This effect can also be ascribed to the binding properties of the superabsorbent polymers vis-à-vis proteins.

Moreover, such a product also has a coating-dissolving effect. This is especially true of biofilms and fibrinous coatings.

The following table shows examples of properties of a preferred flat layer. In this context, the value ranges are to be understood as also including the numerical value that delimits the value ranges.

Parameter	Preferred	Very preferred	Especially preferred
Weight per unit area (g/m ²)	100 – 900	450 – 750	550 – 660
Thickness (mm)	1 – 10	2 – 8	3.5 – 4.5
Absorption capacity for 0.9% saline solution (g/g)	10 – 100	20 – 70	30 – 40
Absorption capacity for demineralized water (g/g)	40 – 400	60 – 200	80 – 100

Here, it is preferably provided for the flat layer to be thinner in the edge area, that is to say, for example, that its cross section at the edges is conically tapered. This ensures that there is less material at the edges of the wound.

Moreover, it is preferably provided for the flat layer to be lined or underlined with a thin nonwoven on one side. This can be, for instance, a thin, water-permeable

web made of polypropylene, polyethylene or polyester whose weight per unit area is preferably in the range between 5 g/m² and 20 g/m². Such a nonwoven improves the structural cohesion of the layer, especially after it has absorbed fluid.

- 5 The wound care article according to the invention can also have at least one flat layer containing cellulose fibers, foamed material, modified cellulose and/or alginates.

The term “foamed material” refers to an open-celled or close-celled foamed
10 material, preferably made of polyurethane.

Modified celluloses are preferably derivatives of cellulose, preferably nanocelluloses, sulfonated and/or sulfo-alkylated celluloses and their derivatives, preferably cellulose ethylsulfonates, carboxy-alkylated celluloses, preferably
15 carboxymethyl cellulose, carboxyethyl cellulose and/or carboxypropyl cellulose, more complex cellulose derivatives such as sulpho-ethyl carboxymethyl cellulose, carboxymethyl hydroxyethyl cellulose, hydroxypropyl methyl cellulose, and amidated cellulose derivatives such as carboxymethyl cellulose amide or carboxypropyl cellulose amide. Carboxymethyl cellulose is present especially in
20 the form of sodium carboxymethyl hydroxyethyl cellulose and is commercially available under the brand name “Hydrofiber”. In hygiene and wound products, the fibers are incorporated into a flat matrix. Since they absorb fluid from the wound exudate, the fibers are gradually converted into a gel cushion that retains the fluid and does not release it again. In this context, the fibers are structured in such a
25 way that the wound exudate is only absorbed in the vertical direction. This means that, as long as the capacity is sufficient, the exudate does not flow beyond the edge of the wound. In this manner, maceration of the wound edge can be effectively prevented. In this context, chitins, chitosans and their derivatives should also be understood as cellulose derivatives.

Alginates are obtained from the brown algae and woven to form a fibrous web. Chemically speaking, they are polysaccharides, specifically calcium and/or sodium salts of alginic acids. Alginates can absorb fluid up to 20 times their own weight, a process in which the wound exudate is stored in the cavities. The Ca^{2+} ions contained in the alginate mesh are exchanged for the Na^+ ions from the exudate until the degree of saturation of Na ions in the alginate has been reached. In this process, the wound dressing swells up and the alginate fiber is converted into a gel body due to swelling of the fibers.

Moreover, it is preferably provided for the wound care article to have a sheath consisting at least partially of a fluid-permeable material. Such a sheath has a multifaceted function. Among other things, it can prevent the wound care article from adhering to the wound, it can prevent exudate from flowing back into the wound, it can have a hypoallergenic effect and can prevent maceration of the wound edge. The sheath is preferably at least partially closed off by a seam, for example, an adhesive seam or an ultrasonic seam, and it can comprise a foil or a film (for example, made of polyethylene) or else a nonwoven (for example, made of polypropylene) or fleece.

In particular, it can be provided for the sheath to have pores that, on average, are smaller than the superabsorbent particles. This can prevent particles from trickling out of the sheath. This can especially interfere with the sterilization process, namely, if particles get into the area of the sealing barrier where they might cause leaks.

The sheath can also be coated or mixed with a heavy metal in elementary or ion form, for example, silver, zinc or copper. The sheath can also be coated with a material that binds bacteria by means of hydrophobic interactions such as, for instance, dialkyl carbamoyl chloride (DACC).

The pore size, however, also influences the flow rate of the exudate that is to be absorbed. This applies especially to more or less hydrophobic polymer materials. A suitable avivage process can generally improve the wettability of the sheath, thereby ensuring the proper flow rate, even in case of small pores.

5

The pores or meshes of the sheath are preferably 0.05 mm to 1.0 mm in size, preferably 0.20 mm to 0.50 mm. Moreover, it can preferably be provided for the pores or mesh to be delimited by filament or fiber sections whose cross section through the sheath is approximately arch-shaped and whose arch apexes face

10 outward.

Here, it is preferably provided that

- (i) in a top view, the flat layer has a surface area (F1) that, in the non-wetted state, is 3% to 75% smaller than the surface area (F2) of the interior provided by the sheath, and/or
- (ii) the sheath has material that is flexible, at least in certain sections.

15

In the first case, one speaks of a so-called expansion space that is formed by the sheath of the flat layer. Consequently, in both cases, it is ensured that the sheath does not offer any resistance to the volume increase of the flat layer that is caused by the absorption of fluid, so that the layer can develop its full absorption capacity. The flexible material can contain, for instance, Lycra, Elasthane, polypropylene, rubber, latex, nylon or the like.

20

Moreover, it is preferably provided for the sheath to consist at least partially of a three-dimensional wound spacer mesh or to be lined or underlined with it. Said wound spacer mesh is preferably made of a polyethylene film by means of a blow-molding process as is described, for instance, in European patent application EP 2004116 A1. By the same token, for example, it can be a silicone mesh or else a nylon mesh or else gauze.

25

30

Such a mesh has a wide array of functions. Depending on the configuration of the pores, it can perform a valve function, thereby preventing exudate from flowing back (especially if the pores are configured so as to be funnel-shaped or collar-shaped). It can prevent the wound care article from adhering to the wound (preferably by using a silicone material). In case of an appropriate arrangement, such a mesh can have abrasive properties and thus transfer the biofilms to the wound or prevent their formation (especially if the pores are configured so as to be funnel-shaped or collar-shaped). It can also have anti-hemorrhagic properties and, in certain cases, it can be capable of immobilizing or binding bacteria by means of static interactions (especially with the use of a polyethylene material or of a material with a positive net charge). Furthermore, the surface can be functionalized, for example, with a silver or silicone coating.

Moreover, it is provided for the sheath to consist at least partially of an impregnated or water-impermeable material or to be lined or underlined with it. This can be a colored or conspicuously designed wash protection (backsheet).

Moreover, it is also provided for the wound care article to contain a fraction of at least one heavy metal in elementary or ion form. In the most finely dispersed form, heavy metals have a bactericidal effect, which, due to the large reactive surface area, can be ascribed to the sufficient formation of soluble heavy metal ions.

Doping with at least one heavy metal in elementary or ion form can give the primary bandage an antibacterial effect, which can reduce complications in the case of infection-prone wounds (decubitus, *Ulcus cruris*, burn wounds, etc.) and can, at the same time, increase the time during which the wound dressing can remain in place.

It is preferably provided for the at least one heavy metal in elementary or ion form to be selected from the group containing copper, zinc and/or silver. The above-mentioned bactericidal properties hold true especially for these three metals.

5 Moreover, it is preferably provided for the flat layer or the sheath to be lined or replaced by a cover film on at least one side. Preferably, said cover film has at least one of the following properties:

- adhesive coating
- 10 • fluid-tightness
- water-vapor-permeability and/or
- flexibility.

In this context, it is preferably provided for the cover film to extend beyond the
15 periphery of the wound care article and for it to be applied to the skin surrounding the wound. This yields a so-called border or island dressing.

As an alternative, it is provided for the sheath itself to have an adhesive coating on at least one side. In the above-mentioned cases, the adhesive coating is preferably
20 an acrylate adhesive, a silicone adhesive, a starch adhesive, a hydrocolloid adhesive and/or any other suitable physiologically harmless adhesive.

Said adhesive film or the above-mentioned backsheet can adhere to the layer that is underneath it. In this context, preference is given to the use of a flexible
25 adhesive in order to permit the volume of the product to increase when it absorbs fluid. As an alternative, however, it can also be provided for the cover film or the backsheet not to adhere to the layer that is underneath it.

Furthermore, it is preferably provided according to the invention for the wound
30 care article to have at least one fastening element in order to affix the wound care article to a part of the body. This can be, for example, one or more Velcro

fasteners, one or more adhesive fasteners, one or more bandage clips or the like. In preferred embodiments, these fastening elements can also be configured as compression elements, for example, as compression bands or straps so as to create a compression bandage in this manner.

5

The wound care article can also have at least one component selected from the group containing:

- hyaluronic acid (preferably as a sheathing for superabsorbent polymers)
- 10 • octenidine
- dimethicone
- activated charcoal.

Moreover, it is preferably provided for the wound care article to have one or more fold lines, break lines or creases. This is especially convenient if the wound care article has a certain minimum size. Using these fold lines, break lines or creases, the wound care article can be packaged, sterilized, stored and transported in a space-saving folded state. Only when the wound care article is removed from the packaging does it unfold to its full size.

20

Moreover, the use of a wound care article according to one of the preceding claims is intended for placement:

- on a thigh or calf
- 25 • in the shoulder, chest or neck region
- in the axillary region
- in the upper or lower chest region
- in the infrasternal region
- in the upper arm or forearm region
- 30 • in the region below the eye
- in the sacral region

- on the back
 - in the hollow of the knee
 - in the abdominal region
 - in the region behind the ear or above the ear
- 5
- in the interdigital region and/or
 - in the foot region

of a patient.

- 10 In this context, depending on the placement site of the recess according to the invention, certain body regions are left free, which, in turn, results in excellent conformity to the anatomical circumstances.

Placement site	Region left free by the recess	Indication (by way of example)	Dimensions of the base surface (by way of example)
Calf	top of the foot (midfoot)	treatment of so-called <i>Ulcus cruris venosum</i>	235 x 435 mm
Thigh	hollow of the knee	burns, post-operative care, plastic surgery	280 x 500 mm
Shoulder, chest or neck region	neck	burns, post-operative care, plastic surgery	280 x 500 mm
Axillary region	axilla	burns, post-operative care, plastic surgery	180 x 360 mm
Lower chest region	chest	burns, post-operative care, plastic surgery	180 x 360 mm
Upper chest region	sternum and plexus	burns, post-operative care, plastic surgery	180 x 360 mm
Infrasternal region	infrasternal region	burns, post-	235 x 435 mm

		operative care, plastic surgery	
Lower arm region	crook of the elbow	burns, post- operative care, plastic surgery	200 x 400 mm
Upper arm region	axilla	burns, post- operative care, plastic surgery	235 x 435 mm
Region below the eye	eye socket	burns, post- operative care, plastic surgery	120 x 65 mm
Sacral region	intergluteal cleft	decubitus	200 x 400 mm
Back	neck	burns, post- operative care, plastic surgery	235 x 435 mm
Abdominal region	pubic region	burns, post- operative care, plastic surgery, after liposuction	180 x 360 mm
Region behind the ear or above the ear	ear	burns, post- operative care, plastic surgery, after liposuction	120 x 65 mm
Interdigital region	toes or fingers	burns, post- operative care, plastic surgery, after liposuction	
Foot region	top of foot and ankle	burns, post- operative care, plastic surgery, after liposuction	

The wound care article according to one of the preceding claims is likewise intended for use in a negative-pressure wound care system.

- 5 Additional advantages and advantageous embodiments of the subject matters according to the invention are illustrated by the drawings and in the description below. Here, it should be taken into account that the drawings are only of an

illustrative nature and are not intended to restrict the invention in any manner whatsoever.

The following is shown:

5

Figure 1 shows a flat wound care article 10 having an essentially polygonal base surface 11 as well as a semi-circular recess 12 arranged on one side. The base surface is rectangular and the recess is arranged on one lengthwise side.

10 Owing to this quite simple modification, the wound care article has a much higher versatility and especially can conform closely to the anatomical contours of various body regions of humans and animals.

The wound care article has a flat layer 13 comprising an absorbent material made
15 of a flat layer comprising a superabsorbent polymer.

The wound care article also has a sheath 14 that consists at least partially of a fluid-permeable material and that is closed off by a seam 15 or by an ultrasonic seam. In a top view, the flat layer has a surface area (F1) on its flat side that, in the
20 non-wetted state, is 3% to 75% smaller than the surface area (F2) of the interior provided by the sheath or the seam of the sheath.

In this manner, an expansion space is formed that ensures that the sheath does not offer any resistance to the volume increase of the flat layer that is caused by the
25 absorption of fluid, so that the layer can develop its full absorption capacity.

Figure 2 shows said wound care article in a folded state. For this purpose, as shown in the preceding example, it has four fold lines 21, 22, 23 and 24 by means of which the wound care article is packaged, sterilized, stored and transported in a
30 space-saving folded state. Only when the wound care article is removed from the packaging does it unfold to its full size, as is shown by the two arrows.

Figure 3 shows a flat wound care article 30 that, in contrast to the wound care article shown in Figure 1, has rounded-off corners 31, 32, 33 and 34.

5 Figure 4 shows a flat wound care article 40 that has two angled corners 41, 42 and two rounded-off corners 43, 44.

Figure 5 shows a flat wound care article 50 that has angled corners 51, 52, 53 and 54.

10

Figure 6 shows a flat wound care article 60 having an essentially polygonal base surface 61 with rounded-off corners as well as an angled recess 62 arranged on one side. The base surface is rectangular and the recess is arranged on one lengthwise side.

15

Figure 7 shows a flat wound care article 70 having an essentially polygonal base surface 71 with rounded-off corners as well as two semi-circular recesses 72 and 73 arranged on one side. The base surface is rectangular and the recesses are arranged on one lengthwise side.

20

Figure 8 shows a flat wound care article 80 having an essentially polygonal base surface 81 with rounded-off corners as well as two semi-circular recesses 82 and 83 that are each arranged on opposite lengthwise sides.

25 Figure 9 shows a flat wound care article 90 that has been placed onto a patient's calf 91. Such a wound care article is suitable, for example, to treat a so-called *Ulcus cruris venosum*. The wound care article has a semi-circular recess that leaves the top of the patient's foot (midfoot) free, thereby taking into account the anatomical contours of the affected body region. The wound care article also has
30 Velcro fasteners 93 to affix it to the patient's calf but that can also be used as compression bands so as to create a compression bandage in this manner.

Figure 10 shows a flat wound care article 101, 102, 103 that has been placed onto a patient's axillary region, shoulder region or upper arm. The wound care article has a semi-circular recess that leaves the patient's axilla and neck free, thereby
5 taking into account the anatomical contours of the affected body region.

Figure 11 shows a flat wound care article 110 that has been placed onto a patient's chest region. The wound care article has two semi-circular recesses 111, 112 that leave the patient's breasts free, thereby taking into account the anatomical
10 contours of the affected body region.

Figure 12 shows a flat wound care article 121, 122 that has been placed onto a patient's neck region or forearm region. The wound care article has a semi-circular recess that leaves the patient's neck 123 or crook of the elbow free,
15 thereby taking into account the anatomical contours of the affected body region.
Figure 12 also shows another wound care article 124 of the applicant that has been placed onto the patient's crook of the elbow.

Figure 13 shows a flat wound care article 130 that has been placed onto a patient's
20 infrasternal region. The wound care article has a semi-circular recess that leaves the patient's upper infrasternal region free, thereby taking into account the anatomical contours of the affected body region.

Figure 14 shows a flat wound care article 140 that has been placed onto the region
25 below a patient's eye. The wound care article has two semi-circular recesses 141, 142 that leave the patient's eye sockets free, thereby taking into account the anatomical contours of the affected body region.

Figure 15 shows a flat wound care article 150 that has been placed onto a horse's
30 leg. The wound care article has a semi-circular recess that leaves the hoof of the horse free, thereby taking into account the anatomical contours of the affected

body region. The wound care article also has Velcro fasteners to affix it to the horse's leg.

Figure 16 shows a flat wound care article 161 that has been placed onto a patient's axillary region. The wound care article has a semi-circular recess that leaves the patient's axilla and neck free, thereby taking into account the anatomical contours of the affected body region.

Figure 16 also shows two flat wound care articles 162, 163 that have been placed onto both of a patient's infrasternal regions. The wound care articles have a semi-circular recess that leaves the patient's upper infrasternal region and axilla free, thereby taking into account the anatomical contours of the affected body region.

Figure 17 shows a flat wound care article 170 that has been placed onto a patient's chest region. The wound care article has a semi-circular recess 171 that leaves the patient's plexus region and breastbone free, thereby taking into account the anatomical contours of the affected body region.

Figure 18 shows a flat wound care article 180 that has been placed onto the back of a patient's head. The wound care article has a semi-circular recess 181 that leaves the patient's ear free, thereby taking into account the anatomical contours of the affected body region.

Figure 19 shows a flat wound care article 190 that has been placed onto a patient's sacral region. The wound care article has a semi-circular recess 191 that leaves the patient's intergluteal cleft free, thereby taking into account the anatomical contours of the affected body region.

Figure 20 shows a flat wound care article 201 that has been placed onto a patient's abdomen. The wound care article has a semi-circular recess that leaves the patient's pubic region free, thereby taking into account the anatomical contours of

the affected body region. Here, the base surface of the wound care article is derived from a trapezoid.

Figure 20 also shows a flat wound care article 202 that has been placed onto a patient's thigh. The wound care article has a semi-circular recess that leaves the hollow of the knee free, thereby taking into account the anatomical contours of the affected body region. Moreover, the wound care article has Velcro fasteners 203 that serve to secure the wound care article, but that can also be used as compression bands so as to create a compression bandage in this manner.

10

Figures 21 and 22 show a flat wound care article 210 that has been placed onto a patient's foot 211. The wound care article has two V-shaped recesses 212, 213 that leave the top of the patient's foot free, thereby taking into account the anatomical contours of the affected body region.

15

Figures 23 and 24 show a flat wound care article 230 that has been placed onto the space between the toes on a patient's foot 231. The wound care article has two semi-circular recesses 232, 233 that leave patient's the toes free, thereby taking into account the anatomical contours of the affected body region. In this manner, an interdigital bandage is created that can also be placed, for example, onto a patient's hand.

20

Figure 25 shows a flat wound care article according to the invention, with dimensions given by way of example.

25

Figure 26 shows a flat wound care article 260 that has an essentially ellipsoid base surface 261 as well as an angular recess 262 arranged on one side.

Figure 27 shows said wound care article 260 that has been placed onto the hollow of a patient's knee or onto the top of the foot 272.

30

Figure 28 shows a flat wound care article 280 that has an essentially circular base surface 281 as well as a recess 282 arranged on one side.

Figure 29 shows said wound care article 280 that has been placed onto a patient's
5 ear 290.

Claims

1. A flat wound care article having an essentially polygonal or ellipsoid base surface and at least one recess arranged on one side.
5
2. The wound care article according to claim 1, whereby the base surface is rectangular or derived from a rectangle.
3. The wound care article according to claim 1, whereby the base surface is
10 circular, oval or ellipsoid, or else it is derived from a circle, an oval or an ellipsoid.
4. The wound care article according to claims 1 to 3, having at least one rounded-off or angled corner.
15
5. The wound care article according to claims 1 to 4, whereby the recess is arranged on one lengthwise side.
6. The wound care article according to claims 1 to 5, whereby the recess is
20 shaped like a segment of a circle or like a segment of an ellipse, preferably, it is semi-circular or semi-ellipsoid
7. The wound care article according to claims 1 to 5, whereby the recess is angular, preferably, it is V-shaped.
25
8. The wound care article according to one of the preceding claims, having at least one flat layer comprising an absorbent material.
9. The wound care article according to one of the preceding claims,
30 comprising at least one superabsorbent polymer.

10. The wound care article according to one of the preceding claims, also having at least one flat layer containing cellulose fibers, foamed material, modified cellulose and/or alginates.
- 5 11. The wound care article according to one of the preceding claims, also having a sheath consisting at least partially of a fluid-permeable material.
12. The wound care article according to claim 11, characterized in that
 - 10 (i) in a top view, the flat layer has a surface area (F1) that, in the non-wetted state, is 3% to 75% smaller than the surface area (F2) of the interior provided by the sheath, and/or
 - (ii) the sheath has material that is flexible at least in certain sections.
- 15 13. The wound care article according to claims 11 or 12, whereby the sheath consists at least partially of a three-dimensional wound spacer mesh or it is lined or underlined with it.
- 20 14. The wound care article according to claims 11 to 13, whereby the sheath consists at least partially of an impregnated or water-impermeable material or is lined or underlined with it.
15. The wound care article according to one of the preceding claims, having a
 - 25 fraction of at least one heavy metal in elementary or ion form.
16. The wound care article according to claim 15, whereby the at least one heavy metal in elementary or ion form is selected from the group containing copper, zinc and/or silver.

17. The wound care article according to one of the preceding claims,
characterized in that the flat layer or the sheath is lined or replaced by a
cover film on at least one side.
- 5 18. The wound care article according to claim 17, characterized in that the
cover film extends beyond the periphery of the wound care article and it
can be applied to the skin surrounding the wound.
- 10 19. The wound care article according to one of the preceding claims,
characterized in that the flat layer or the sheath has an adhesive coating on
at least one side.
- 15 20. The wound care article according to one of the preceding claims, also
having at least one fastening element in order to affix the wound care
article to a part of the body.
21. The wound care article according to one of the preceding claims, also
having one or more fold lines, break lines or creases.
- 20 22. The use of a wound care article according to one of the preceding claims,
for placement:
 - on a thigh or calf
 - in the shoulder, chest or neck region
 - in the axillary region
 - 25 • in the upper or lower chest region
 - in the infrasternal region
 - in the upper arm or forearm region
 - in the region below the eye
 - in the sacral region
 - 30 • on the back
 - in the hollow of the knee

- in the abdominal region
- in the region behind the ear or above the ear
- in the interdigital region and/or
- in the foot region

5



of a patient.

23. The use of a wound care article according to one of the preceding claims
in a negative-pressure wound care system.

10

Abstract

The invention relates to a flat wound care article having an essentially polygonal or ellipsoid base surface and at least one recess arranged on one side.






FIG. 3




FIG. 4




FIG. 5






FIG. 6

**FIG. 7****FIG. 8**






**FIG. 9**

FIG. 10**FIG. 11**

**FIG. 12****FIG. 13**




FIG. 14













FIG. 15

**FIG. 16****FIG. 17**

**FIG. 18****FIG. 19**

**FIG. 20**

**FIG. 21****FIG. 22**










Fig 25

FIG. 26

262

FIG. 27

**FIG. 28****FIG. 29**




FIG. 1