United States Patent [19]

Ohta et al.

[11] **Patent Number: Des. 303,390**

[45] **Date of Patent: ** Sep. 12, 1989**

[54] **TELEPHONE SET**

[75] Inventors: **Fumiharu Ohta; Kazumasa Takenaka,** both of Kanagawa, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.,** Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **183,032**

[22] Filed: **Apr. 18, 1988**

[30] **Foreign Application Priority Data**

Oct. 29, 1987 [JP] Japan 62-44242

[52] **U.S. Cl.** **D14/151;** D14/142; D14/248

[58] **Field of Search** D14/140, 151, 150, 248, D14/142, 241; 379/419, 420, 428, 432, 434, 435, 436, 440

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 282,258	1/1986	Brown	D14/151
D. 290,355	6/1987	Nagelo	D14/151
D. 291,691	9/1987	Fellman	D14/151
D. 292,092	9/1987	Rittenhouse et al.	D14/151
D. 293,906	1/1988	Lekiguchi et al.	D14/151
D. 294,023	2/1988	Lekiguchi et al.	D14/151
D. 294,351	2/1988	Richter et al.	D14/151
D. 298,132	10/1988	Hickling	D14/150
D. 299,343	1/1989	Friedrich et al.	D14/151
D. 299,460	1/1989	Aschauer et al.	D14/151

OTHER PUBLICATIONS

Teleconnect Guide to "Which Phone System Should I Buy", ©1985; at p. 15, *Telecom Smart Set.*
Walker's Telephone catalog, dated Oct. 1985.
Escom's Telephone catalog, dated Oct. 1985.
Westars' Telephone catalog, dated Oct. 1985.

Primary Examiner—Horace B. Fay, Jr.
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] **CLAIM**

The ornamental design for a telephone set, as shown and described.

DESCRIPTION

FIG. **1** is a front, top and right side perspective view of a telephone showing our new design;
FIG. **2** is a front elevational view thereof with the cord shown in abbreviated from in this and in FIGS. **3–7** for convenience of illustration;
FIG. **3** is a rear elevational view thereof;
FIG. **4** is a top plan view thereof;
FIG. **5** is a bottom plan view thereof;
FIG. **6** is a left side elevational view thereof;
FIG. **7** is a right side elevational view thereof; and
FIG. **8** is a front, top and right side perspective view thereof with the handset removed from the base and inverted.



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8

