



US00D733535S

(12) **United States Design Patent**  
**Egami**

(10) **Patent No.:** **US D733,535 S**

(45) **Date of Patent:** **\*\* Jul. 7, 2015**

- (54) **ELECTRIC WIRE HOLDER**
- (71) Applicant: **Hitachi Metals, Ltd.**, Tokyo (JP)
- (72) Inventor: **Kenichi Egami**, Kitaibaraki (JP)
- (73) Assignee: **Hitachi Metals, Ltd.**, Tokyo (JP)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/492,127**
- (22) Filed: **May 28, 2014**

(30) **Foreign Application Priority Data**

Nov. 29, 2013 (JP) ..... 2013-028024

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/356**

(58) **Field of Classification Search**  
USPC ..... D8/367, 354, 349, 373, 372, 371, 356,  
D8/353; D6/323; 248/301, 302, 303, 304,  
248/339, 205.3, 544; 294/209, 24, 2, 210,  
294/211; 403/53, 91, 97; 604/179  
CPC ..... F16B 2/00; A63B 27/00  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,114,241	A *	9/1978	Bisping	.....	403/188
4,971,271	A *	11/1990	Sularz	.....	248/68.1
5,316,246	A *	5/1994	Scott et al.	.....	248/68.1
5,992,802	A *	11/1999	Campbell	.....	248/68.1
6,227,502	B1 *	5/2001	Derman	.....	248/74.4
6,360,051	B1 *	3/2002	Daoud	.....	385/137
D485,161	S *	1/2004	Hutchinson	.....	D8/383

D488,054	S *	4/2004	Myers	.....	D8/356
H2203	H *	10/2007	Borchardt et al.	.....	D8/396
D638,690	S *	5/2011	Hoek	.....	D8/356
D638,691	S *	5/2011	Hoek	.....	D8/356
D638,692	S *	5/2011	Hoek	.....	D8/356
D676,310	S *	2/2013	Lowrance	.....	D8/356
D691,875	S *	10/2013	Ganski	.....	D8/356
D691,878	S *	10/2013	Ganski	.....	D8/356
D702,532	S *	4/2014	Garrido et al.	.....	D8/354
8,900,196	B2 *	12/2014	Andino	.....	604/174
D720,606	S *	1/2015	Mathews et al.	.....	D8/356
2003/0132352	A1 *	7/2003	Weaver	.....	248/68.1
2005/0189453	A1 *	9/2005	DeGuevara	.....	248/68.1
2010/0132979	A1 *	6/2010	Chen	.....	174/135

\* cited by examiner

*Primary Examiner* — Cynthia Underwood  
(74) *Attorney, Agent, or Firm* — McGinn IP Law Group, PLLC

(57) **CLAIM**  
The ornamental design for an electric wire holder, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the electric wire holder embodying my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a plan view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a right side view thereof;  
FIG. 7 is a left side view thereof; and,  
FIG. 8 is a front view of FIG. 1 illustrating the electric wire holder in an environment of use.  
The broken lines represent an environment of use and form no part of the claim.

**1 Claim, 4 Drawing Sheets**




FIG.1







FIG.2




**FIG.3**



**FIG.4**



*FIG.5*



*FIG.6*




FIG.7




FIG.8

