

[54] WALL CLOCK

[76] Inventor: Kendall E. Hoke, P.O. Box 272,  
Sidney, N.Y. 13838

[\*\*] Term: 7 Years

[21] Appl. No.: 924,851

[22] Filed: Jul. 13, 1978

[51] Int. Cl. .... D10-01

[52] U.S. Cl. .... D10/6; D10/7

[58] Field of Search .... D10/1, 2, 6, 7, 21,  
D10/122-126; D11/133, 134, 157, 159, 99, 100;  
D30/23

[56] References Cited

U.S. PATENT DOCUMENTS

D. 33,228	9/1900	Clark	.....	D30/23
D. 165,185	3/1952	Goldstein	.....	D11/133
D. 166,184	3/1952	Goldstein	.....	D11/133

D. 208,970	10/1967	Sawallesh	.....	D11/134
D. 246,290	11/1977	Shelton	.....	D10/6
1,402,920	1/1922	Cary	.....	D30/23 X


Primary Examiner—Nelson C. Høltje  
Attorney, Agent, or Firm—Richard G. Stephens

[57] CLAIM

The ornamental design for a wall clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a wall clock showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof, the right side being a mirror image thereto;  
FIG. 6 is a partial left side cross-sectional view of the rear half of the clock illustrating depth of the relief horse-head and clock face.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6