

US00D350830S

United States Patent [19]

Bamber

Patent Number: Des. 350,830 [11] Date of Patent: ** Sep. 20, 1994 [45]

[54]	LANTERN	WITH SLIDABLE SHUTTER
[75]	Inventor:	David J. Bamber, Wichita, Kans.
[73]	Assignee:	The Coleman Company, Inc., Wichita, Kans.
[**]	Term:	14 Years
[21]	Appl. No.:	4,165
[52]	U.S. Cl Field of Sea 362/161,	Jan. 28, 1993
[56]		References Cited

U.S. PATENT DOCUMENTS

D. 263,630 D. 265,593 D. 280,027 D. 342,800	3/1982 7/1982 8/1985 12/1993	Wong D26/37 Mann D26/37 Petterson D26/42 Petterson D26/41
D. 344,348	2/1994	Zo D26/41
1,606,152	11/1926	Douglas .
2,223,345	12/1940	Adams, Sr 362/171
2,309,104	1/1943	Dircksen .
2,482,543	9/1949	Jackson .
2,700,100	1/1955	Wissinger .
3,016,454	1/1962	Simms .
4,074,123	2/1978	Wissinger .
4,663,697	5/1987	Stearns et al 362/186
4,725,934	2/1988	Gordin .
5,293,306	3/1994	Bamber 362/186

OTHER PUBLICATIONS

Drawing of prior art lantern referred to in paragraph 3 on p. 1 of the application.

Primary Examiner—Wallace R. Burke Assistant Examiner—Marcus Jackson

The ornamental design for a lantern with slidable shutter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lantern with slidable shutter with the shutter in the raised position;

FIG. 2 is a rear elevational view of the lantern with slidable shutter with the shutter in the raised position; FIG. 3 is a bottom plan view of the lantern with slidable shutter;

FIG. 4 is a top plan view of the lantern with slidable shutter;

FIG. 5 is a right side elevational view of the lantern with slidable shutter, the left side elevational view being a mirror image thereof;

FIG. 6 is a front elevational view of the lantern with slidable shutter with the shutter in the lowered position; FIG. 7 is a top plan view of the lantern with slidable shutter similar to FIG. 4 with the handle in the lowered position;

FIG. 8 is a front elevational view of the lantern with slidable shutter similar to FIG. 6 with the handle in the lowered position; and,

FIG. 9 is a rear elevational view of the lantern with slidable shutter similar to FIG. 2 with the shutter in the lowered position and the handle in the lowered position.



















