



US010798650B2

(12) **United States Patent**
Murphy et al.

(10) **Patent No.:** **US 10,798,650 B2**
(45) **Date of Patent:** ***Oct. 6, 2020**

(54) **AP-LOCAL DYNAMIC SWITCHING**

(71) Applicant: **Trapeze Networks, Inc.**, Pleasanton, CA (US)

(72) Inventors: **James Murphy**, Alameda, CA (US); **Gary Eugene Morain**, San Jose, CA (US); **Stan Chesnutt**, Berkeley, CA (US)

(73) Assignee: **Trapeze Networks, Inc.**, Pleasanton, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/401,904**

(22) Filed: **May 2, 2019**

(65) **Prior Publication Data**

US 2019/0261266 A1 Aug. 22, 2019

Related U.S. Application Data

(63) Continuation of application No. 15/803,208, filed on Nov. 3, 2017, now Pat. No. 10,327,202, which is a (Continued)

(51) **Int. Cl.**
H04L 12/721 (2013.01)
H04W 40/02 (2009.01)
(Continued)

(52) **U.S. Cl.**
CPC **H04W 48/20** (2013.01); **H04W 4/06** (2013.01); **H04W 12/06** (2013.01); **H04W 36/08** (2013.01);
(Continued)

(58) **Field of Classification Search**

None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,641,433 A 2/1972 Mifflin et al.
3,906,166 A 9/1975 Cooper et al.
(Continued)

FOREIGN PATENT DOCUMENTS

EP 0992921 A2 4/2000
EP 1542409 A1 6/2005
(Continued)

OTHER PUBLICATIONS

Acampora et al., "A Wireless Network for Wide-Band Indoor Communications," IEEE Journal on selected Areas in Communications, vol. SAC-5, No. 5, Jun. 1987, pp. 796-804.
(Continued)


Primary Examiner — Scott M Sciacca
(74) *Attorney, Agent, or Firm* — Cooley LLP

(57) **ABSTRACT**

A technique for implementing AP-local dynamic switching involves Layer 2 switching. This may be accomplished by providing data associated with wireless stations to an AP sufficient to enable the AP to determine whether traffic from a particular wireless station should be locally switched. Alternatively, the wireless station may be able to determine whether to locally switch traffic based upon the traffic itself. For example, it may be desirable to AP-locally switch voice traffic to avoid latency, which is particularly detrimental to voice transmissions such as voice-over-IP. Traffic that is not to be switched locally is Layer 2 tunneled upstream.

20 Claims, 8 Drawing Sheets

300B →



Related U.S. Application Data

continuation of application No. 14/996,088, filed on Jan. 14, 2016, now Pat. No. 9,838,942, which is a continuation of application No. 12/304,100, filed as application No. PCT/US2007/013757 on Jun. 11, 2007, now Pat. No. 9,258,702, which is a continuation-in-part of application No. 11/801,964, filed on May 11, 2007, now Pat. No. 8,818,322.

(60) Provisional application No. 60/812,403, filed on Jun. 9, 2006.

(51) **Int. Cl.**

- H04W 48/20* (2009.01)
- H04W 76/11* (2018.01)
- H04W 12/06* (2009.01)
- H04W 84/22* (2009.01)
- H04W 36/08* (2009.01)
- H04W 4/06* (2009.01)
- H04W 72/04* (2009.01)
- H04W 76/12* (2018.01)
- H04W 84/18* (2009.01)
- H04W 88/14* (2009.01)
- H04W 8/08* (2009.01)
- H04W 80/02* (2009.01)

(52) **U.S. Cl.**

CPC *H04W 40/02* (2013.01); *H04W 72/046* (2013.01); *H04W 76/11* (2018.02); *H04W 76/12* (2018.02); *H04W 84/22* (2013.01); *H04W 8/082* (2013.01); *H04W 80/02* (2013.01); *H04W 84/18* (2013.01); *H04W 88/14* (2013.01)

(56)

References Cited

U.S. PATENT DOCUMENTS

4,168,400 A 9/1979 De Couason et al.
 4,176,316 A 11/1979 DeRoas et al.
 4,247,908 A 1/1981 Lockart et al.
 4,291,401 A 9/1981 Bachmann
 4,291,409 A 9/1981 Weinberg et al.
 4,409,470 A 10/1983 Shepard et al.
 4,460,120 A 7/1984 Shepard et al.
 4,475,208 A 10/1984 Ricketts
 4,494,238 A 1/1985 Groth, Jr.
 4,500,987 A 2/1985 Hasegawa
 4,503,533 A 3/1985 Tobagi et al.
 4,550,414 A 10/1985 Guinon et al.
 4,562,415 A 12/1985 McBiles
 4,630,264 A 12/1986 Wah
 4,635,221 A 1/1987 Kerr
 4,639,914 A 1/1987 Winters
 4,644,523 A 2/1987 Horwitz
 4,672,658 A 6/1987 Kavehrad
 4,673,805 A 6/1987 Shepard et al.
 4,707,839 A 11/1987 Andren et al.
 4,730,340 A 3/1988 Frazier
 4,736,095 A 4/1988 Shepard et al.
 4,740,792 A 4/1988 Sagey et al.
 4,758,717 A 7/1988 Shepard et al.
 4,760,586 A 7/1988 Takeda
 4,789,983 A 12/1988 Acampora et al.
 4,829,540 A 5/1989 Waggenger et al.
 4,850,009 A 7/1989 Zook et al.
 4,872,182 A 10/1989 Mcrae et al.
 4,894,842 A 1/1990 Brockhaven et al.
 4,901,307 A 2/1990 Gilhousen et al.
 4,933,952 A 6/1990 Albriex et al.
 4,933,953 A 6/1990 Yagi
 4,955,053 A 9/1990 Siegmund
 4,995,053 A 2/1991 Simpson et al.

5,008,899 A 4/1991 Yamamoto
 5,027,343 A 6/1991 Chan et al.
 5,029,183 A 7/1991 Tymes
 5,103,459 A 4/1992 Gilhousen et al.
 5,103,461 A 4/1992 Tymes
 5,109,390 A 4/1992 Gilhousen et al.
 5,119,502 A 6/1992 Kailin et al.
 5,142,550 A 8/1992 Tymes
 5,151,919 A 9/1992 Dent
 5,157,687 A 10/1992 Tymes
 5,187,575 A 2/1993 Lim
 5,231,633 A 7/1993 Hluchy et al.
 5,280,498 A 1/1994 Tymes et al.
 5,285,494 A 2/1994 Sprecher et al.
 5,327,144 A 7/1994 Stilp et al.
 5,329,531 A 7/1994 Diepstraten
 5,339,316 A 8/1994 Diepstraten
 5,371,783 A 12/1994 Rose et al.
 5,418,812 A 5/1995 Reyes et al.
 5,432,842 A 7/1995 Kinoshita
 5,444,851 A 8/1995 Woest
 5,448,569 A 9/1995 Huang et al.
 5,450,615 A 9/1995 Fortune et al.
 5,465,401 A 11/1995 Thompson
 5,479,441 A 12/1995 Tymes et al.
 5,483,676 A 1/1996 Mahany et al.
 5,491,644 A 2/1996 Pickering et al.
 5,517,495 A 5/1996 Lund
 5,519,762 A 5/1996 Bartlett
 5,528,621 A 6/1996 Heimann et al.
 5,542,100 A 7/1996 Hatakeyama
 5,546,389 A 8/1996 Wippenbeck et al.
 5,561,841 A 10/1996 Markus
 5,568,513 A 10/1996 Croft et al.
 5,570,366 A 10/1996 Baker et al.
 5,584,048 A 12/1996 Wiczorek
 5,598,532 A 1/1997 Liron
 5,630,207 A 5/1997 Gitlin et al.
 5,640,414 A 6/1997 Blakeney et al.
 5,649,289 A 7/1997 Wang et al.
 5,668,803 A 9/1997 Tymes et al.
 5,670,964 A 9/1997 Dent
 5,677,954 A 10/1997 Hirata et al.
 5,706,428 A 1/1998 Boer et al.
 5,715,304 A 2/1998 Nishida et al.
 5,729,542 A 3/1998 Dupont
 5,734,699 A 3/1998 Lu et al.
 5,740,533 A 4/1998 Lin
 5,742,592 A 4/1998 Scholefield et al.
 5,745,481 A 4/1998 Phillips et al.
 5,774,460 A 6/1998 Schiffel et al.
 5,793,303 A 8/1998 Koga
 5,794,128 A 8/1998 Brockel et al.
 5,812,589 A 9/1998 Sealander et al.
 5,815,811 A 9/1998 Pinard et al.
 5,818,385 A 10/1998 Bartholomew
 5,828,653 A 10/1998 Goss
 5,828,960 A 10/1998 Tang et al.
 5,835,061 A 11/1998 Stewart
 5,838,907 A 11/1998 Hansen
 5,844,900 A 12/1998 Hong et al.
 5,852,722 A 12/1998 Hamilton
 5,862,475 A 1/1999 Zicker et al.
 5,872,968 A 2/1999 Knox et al.
 5,875,179 A 2/1999 Tikalsky
 5,887,259 A 3/1999 Zicker et al.
 5,896,561 A 4/1999 Schrader et al.
 5,909,686 A 6/1999 Muller et al.
 5,915,214 A 6/1999 Reece et al.
 5,920,821 A 7/1999 Seazholtz et al.
 5,933,607 A 8/1999 Tate et al.
 5,938,721 A 8/1999 Dussell et al.
 5,949,988 A 9/1999 Feisullin et al.
 5,953,669 A 9/1999 Stratis et al.
 5,959,546 A 9/1999 Dorenbosch
 5,960,335 A 9/1999 Umemoto et al.
 5,969,678 A 10/1999 Stewart
 5,970,066 A 10/1999 Lowry et al.
 5,977,913 A 11/1999 Christ

(56)

References Cited

U.S. PATENT DOCUMENTS

5,980,078	A	11/1999	Krivoshein et al.	6,584,494	B1	6/2003	Manabe et al.
5,982,779	A	11/1999	Krishnakumar et al.	6,587,604	B2	7/2003	Yamauchi
5,987,062	A	11/1999	Engwer et al.	6,587,680	B1	7/2003	Ala-Laurila et al.
5,987,328	A	11/1999	Ephremides et al.	6,587,835	B1	7/2003	Treyz et al.
5,991,817	A	11/1999	Rowett et al.	6,603,970	B1	8/2003	Huelamo Platas et al.
5,999,813	A	12/1999	Lu et al.	6,614,787	B1	9/2003	Jain et al.
6,005,853	A	12/1999	Wang et al.	6,615,276	B1	9/2003	Mastrianni et al.
6,011,784	A	1/2000	Brown	6,624,762	B1	9/2003	End, III
6,012,088	A	1/2000	Li et al.	6,625,454	B1	9/2003	Rappaport et al.
6,029,196	A	2/2000	Lenz	6,631,267	B1	10/2003	Clarkson et al.
6,041,240	A	3/2000	McCarthy et al.	6,636,524	B1	10/2003	Chen et al.
6,041,358	A	3/2000	Huang et al.	6,650,912	B2	11/2003	Chen et al.
6,070,243	A	5/2000	See et al.	6,658,389	B1	12/2003	Alpdemir
6,073,075	A	6/2000	Kondou et al.	6,659,947	B1	12/2003	Carter et al.
6,073,152	A	6/2000	De Vries	6,661,787	B1	12/2003	O'Connell et al.
6,078,568	A	6/2000	Wright	6,674,403	B2	1/2004	Gray et al.
6,088,591	A	7/2000	Trompower et al.	6,677,894	B2	1/2004	Sheynblat et al.
6,101,539	A	8/2000	Kennelly et al.	6,678,516	B2	1/2004	Nordman et al.
6,115,390	A	9/2000	Chuah	6,678,802	B2	1/2004	Hickson
6,118,771	A	9/2000	Tajika et al.	6,687,498	B2	2/2004	McKenna et al.
6,119,009	A	9/2000	Baranger et al.	6,697,415	B1	2/2004	Mahany
6,122,520	A	9/2000	Want et al.	6,721,334	B1	4/2004	Ketcham
6,130,896	A	10/2000	Lueker et al.	6,721,548	B1	4/2004	Mohindra et al.
6,144,638	A	11/2000	Obenhuber et al.	6,725,260	B1	4/2004	Philyaw
6,148,199	A	11/2000	Hoffman et al.	6,738,629	B1	5/2004	McCormick et al.
6,154,776	A	11/2000	Martin	6,745,333	B1	6/2004	Thomsen
6,160,804	A	12/2000	Ahmed et al.	6,747,961	B1	6/2004	Ahmed et al.
6,177,905	B1	1/2001	Welch	6,756,940	B2	6/2004	Oh et al.
6,188,649	B1	2/2001	Birukawa et al.	6,760,324	B1	7/2004	Scott et al.
6,199,032	B1	3/2001	Anderson	6,785,275	B1	8/2004	Boivie et al.
6,208,629	B1	3/2001	Jaszewki et al.	6,788,938	B1	9/2004	Sugaya et al.
6,208,841	B1	3/2001	Wallace et al.	6,798,788	B1	9/2004	Viswanath et al.
6,212,395	B1	4/2001	Lu et al.	6,801,782	B2	10/2004	McCrary et al.
6,218,930	B1	4/2001	Katzenberg et al.	6,826,399	B1	11/2004	Hoffman et al.
6,240,078	B1	5/2001	Kuhnel et al.	6,839,338	B1	1/2005	Amara et al.
6,240,083	B1	5/2001	Wright	6,839,348	B2	1/2005	Tang et al.
6,240,291	B1	5/2001	Narasimhan et al.	6,839,388	B2	1/2005	Vaidyanathan
6,246,751	B1	6/2001	Bergl et al.	6,847,620	B1	1/2005	Meier
6,249,252	B1	6/2001	Dupray	6,847,892	B2	1/2005	Zhou et al.
6,256,300	B1	7/2001	Ahmed et al.	6,856,800	B1	2/2005	Henry et al.
6,256,334	B1	7/2001	Adachi	6,865,609	B1	3/2005	Gubbi et al.
6,259,405	B1	7/2001	Stewart et al.	6,879,812	B2	4/2005	Agrawal et al.
6,262,988	B1	7/2001	Vig	6,901,439	B1	5/2005	Bonasia et al.
6,269,246	B1	7/2001	Rao et al.	6,917,688	B2	7/2005	Yu et al.
6,285,662	B1	9/2001	Watannabe	6,934,260	B1	8/2005	Kanuri
6,304,596	B1	10/2001	Yamano et al.	6,937,566	B1	8/2005	Forslow
6,304,906	B1	10/2001	Bhatti et al.	6,938,079	B1	8/2005	Anderson et al.
6,317,599	B1	11/2001	Rappaport et al.	6,957,067	B1	10/2005	Iyer et al.
6,326,918	B1	12/2001	Stewart	6,973,622	B1	12/2005	Rappaport et al.
6,336,035	B1	1/2002	Somoza et al.	6,978,301	B2	12/2005	Tindal
6,336,152	B1	1/2002	Richman et al.	6,980,533	B1	12/2005	Abraham et al.
6,347,091	B1	2/2002	Wallentin et al.	6,985,469	B2	1/2006	Leung
6,356,758	B1	3/2002	Almeida et al.	6,985,697	B2	1/2006	Smith et al.
6,393,290	B1	5/2002	Ulfongene	6,990,348	B1	1/2006	Benveniste
6,397,040	B1	5/2002	Titmuss et al.	6,993,683	B2	1/2006	Bhat et al.
6,400,722	B1	6/2002	Chuah et al.	6,996,630	B1	2/2006	Masaki et al.
6,404,772	B1	6/2002	Beach et al.	7,013,157	B1	3/2006	Norman et al.
6,421,714	B1	7/2002	Rai et al.	7,020,438	B2	3/2006	Sinivaara et al.
6,429,879	B1	8/2002	Sturgeon et al.	7,020,773	B1	3/2006	Otway et al.
6,446,206	B1	9/2002	Feldbaum	7,024,199	B1	4/2006	Massie et al.
6,456,239	B1	9/2002	Werb et al.	7,024,394	B1	4/2006	Ashour et al.
6,470,025	B1	10/2002	Wilson et al.	7,027,773	B1	4/2006	McMillin
6,473,449	B1	10/2002	Cafarella et al.	7,031,705	B2	4/2006	Grootwassink
6,490,443	B1	12/2002	Freeny, Jr.	7,035,220	B1	4/2006	Simcoe
6,493,679	B1	12/2002	Rappaport et al.	7,039,037	B2	5/2006	Wang et al.
6,496,290	B1	12/2002	Lee	7,058,414	B1	6/2006	Rofheart et al.
6,512,916	B1	1/2003	Forbes, Jr.	7,062,566	B2	6/2006	Amara et al.
6,526,275	B1	2/2003	Calvert	7,068,999	B2	6/2006	Ballai
6,535,732	B1	3/2003	McIntosh et al.	7,079,537	B1	7/2006	Kanuri et al.
6,564,380	B1	5/2003	Murphy	7,089,322	B1	8/2006	Stallmann
6,567,146	B2	5/2003	Hirakata et al.	7,092,529	B2	8/2006	Yu et al.
6,567,416	B1	5/2003	Chuah	7,110,756	B2	9/2006	Diener
6,570,867	B1	5/2003	Robinson et al.	7,116,979	B2	10/2006	Backes et al.
6,574,240	B1	6/2003	Tzeng	7,126,913	B1	10/2006	Patel et al.
6,580,700	B1	6/2003	Pinard et al.	7,134,012	B2	11/2006	Doyle et al.
				7,139,829	B2	11/2006	Wenzel et al.
				7,142,867	B1	11/2006	Gandhi et al.
				7,146,166	B2	12/2006	Backes et al.
				7,155,236	B2	12/2006	Chen et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,155,518 B2	12/2006	Forslow	7,805,529 B2	9/2010	Galluzzo et al.
7,158,777 B2	1/2007	Lee et al.	7,817,554 B2	10/2010	Skog et al.
7,159,016 B2	1/2007	Baker	7,844,298 B2	11/2010	Riley
7,221,927 B2	5/2007	Kolar et al.	7,856,659 B2	12/2010	Keeler et al.
7,224,970 B2	5/2007	Smith et al.	7,865,713 B2	1/2011	Chesnutt et al.
7,239,862 B1	7/2007	Clare et al.	7,873,061 B2	1/2011	Gast et al.
7,246,243 B2	7/2007	Uchida	7,876,704 B1	1/2011	Bims et al.
7,263,366 B2	8/2007	Miyashita	7,894,852 B2	2/2011	Hansen
7,269,155 B2	9/2007	Joshi	7,912,982 B2	3/2011	Murphy
7,274,730 B2	9/2007	Nakabayashi	7,920,548 B2	4/2011	Lor et al.
7,280,495 B1	10/2007	Zweig et al.	7,929,922 B2	4/2011	Kubo
7,290,051 B2	10/2007	Dobric et al.	7,945,399 B2	5/2011	Nosovitsky et al.
7,293,136 B1	11/2007	More et al.	7,958,953 B2	6/2011	Chafai
7,310,664 B1	12/2007	Merchant et al.	7,986,940 B2	7/2011	Lee et al.
7,313,111 B2	12/2007	Hietalahti et al.	8,000,724 B1	8/2011	Rayburn et al.
7,317,914 B2	1/2008	Adya et al.	8,014,404 B2	9/2011	Eki et al.
7,320,070 B2	1/2008	Baum	8,019,082 B1	9/2011	Wiedmann et al.
7,324,468 B2	1/2008	Fischer	8,019,352 B2	9/2011	Rappaport et al.
7,324,487 B2	1/2008	Saito	8,116,275 B2	2/2012	Matta et al.
7,324,489 B1	1/2008	Iyer et al.	8,140,845 B2	3/2012	Buddhikot et al.
7,336,961 B1	2/2008	Ngan	8,150,357 B2	4/2012	Aragon
7,349,412 B1	3/2008	Jones et al.	8,161,278 B2	4/2012	Harkins
7,350,077 B2	3/2008	Meier et al.	8,189,600 B2	5/2012	Jabr et al.
7,359,676 B2	4/2008	Hrastar	8,190,750 B2	5/2012	Balachandran et al.
7,370,362 B2	5/2008	Olson et al.	8,238,942 B2	8/2012	Gast
7,376,080 B1	5/2008	Riddle et al.	8,270,384 B2	9/2012	Cheng et al.
7,379,423 B1	5/2008	Caves et al.	8,514,827 B2	8/2013	Matta et al.
7,382,756 B2	6/2008	Barber et al.	8,542,836 B2	9/2013	Pochop
7,417,953 B2	8/2008	Hicks et al.	8,594,606 B2	11/2013	Aragon
7,421,248 B1	9/2008	Laux et al.	8,594,697 B2	11/2013	Aragon
7,421,487 B1	9/2008	Peterson et al.	8,635,444 B2	1/2014	Harkins
7,440,416 B2	10/2008	Mahany et al.	8,804,732 B1	8/2014	Hepting et al.
7,441,043 B1	10/2008	Henry et al.	8,818,322 B2	8/2014	Murphy et al.
7,443,823 B2	10/2008	Hunkeler et al.	9,043,792 B1*	5/2015	Xu H04L 49/70 370/218
7,447,502 B2	11/2008	Buckley	9,232,451 B2	1/2016	Murphy et al.
7,451,316 B2	11/2008	Halasz et al.	9,258,702 B2	2/2016	Murphy et al.
7,460,855 B2	12/2008	Barkley et al.	9,838,942 B2	12/2017	Murphy et al.
7,466,678 B2	12/2008	Cromer et al.	2001/0007567 A1	7/2001	Ando et al.
7,475,130 B2	1/2009	Silverman	2001/0024953 A1	9/2001	Balogh
7,477,894 B1	1/2009	Sinha	2002/0021701 A1	2/2002	Lavian et al.
7,480,264 B1	1/2009	Duo et al.	2002/0052205 A1	5/2002	Belostofsky et al.
7,483,390 B2	1/2009	Rover et al.	2002/0060995 A1	5/2002	Cervello et al.
7,489,648 B2	2/2009	Griswold	2002/0062384 A1	5/2002	Tso
7,493,407 B2	2/2009	Leedom et al.	2002/0069278 A1	6/2002	Forslow
7,505,434 B1	3/2009	Backes	2002/0078361 A1	6/2002	Giroux et al.
7,509,096 B2	3/2009	Palm et al.	2002/0080790 A1	6/2002	Beshai
7,519,372 B2	4/2009	MacDonald et al.	2002/0082913 A1	6/2002	Li
7,529,925 B2	5/2009	Harkins	2002/0083316 A1	6/2002	Platenberg et al.
7,551,574 B1	6/2009	Peden, II et al.	2002/0087699 A1	7/2002	Karagiannis et al.
7,551,619 B2	6/2009	Tiwari	2002/0094824 A1	7/2002	Kennedy et al.
7,558,266 B2	7/2009	Hu	2002/0095486 A1	7/2002	Bahl
7,570,656 B2	8/2009	Raphaeli et al.	2002/0101868 A1	8/2002	Clear et al.
7,573,859 B2	8/2009	Taylor	2002/0107023 A1	8/2002	Chari et al.
7,577,453 B2	8/2009	Matta	2002/0116655 A1	8/2002	Lew et al.
7,587,750 B2	9/2009	Zimmer et al.	2002/0157020 A1	10/2002	Royer
7,592,906 B1	9/2009	Hanna et al.	2002/0174137 A1	11/2002	Wolff et al.
7,603,119 B1	10/2009	Durig et al.	2002/0176437 A1	11/2002	Busch et al.
7,603,710 B2	10/2009	Harvey et al.	2002/0188756 A1	12/2002	Weil et al.
7,633,909 B1	12/2009	Jones et al.	2002/0191572 A1	12/2002	Weinstein et al.
7,636,363 B2	12/2009	Chang et al.	2002/0194251 A1	12/2002	Richter et al.
7,665,132 B2	2/2010	Hisada et al.	2003/0014646 A1	1/2003	Buddhikot et al.
7,680,501 B2	3/2010	Sillasto et al.	2003/0018889 A1	1/2003	Burnett et al.
7,685,295 B2	3/2010	Myers et al.	2003/0043073 A1	3/2003	Gray et al.
7,693,526 B2	4/2010	Qian et al.	2003/0055959 A1	3/2003	Sato
7,697,516 B2	4/2010	Frei et al.	2003/0107590 A1	6/2003	Levillain et al.
7,706,749 B2	4/2010	Ritala	2003/0120763 A1	6/2003	Volpano
7,715,432 B2	5/2010	Bennett	2003/0120764 A1	6/2003	Laye et al.
7,716,379 B2	5/2010	Ruan et al.	2003/0133450 A1	7/2003	Baum
7,724,703 B2	5/2010	Matta et al.	2003/0134642 A1	7/2003	Kostic et al.
7,724,704 B2	5/2010	Simons et al.	2003/0135762 A1	7/2003	Macaulay
7,729,278 B2	6/2010	Chari et al.	2003/0145081 A1	7/2003	Lau et al.
7,733,868 B2	6/2010	Van Zijst	2003/0149787 A1	8/2003	Mangan
7,738,433 B2	6/2010	Tao	2003/0156586 A1	8/2003	Lee et al.
7,746,897 B2	6/2010	Stephenson et al.	2003/0174706 A1	9/2003	Shankar et al.
7,788,475 B2	8/2010	Zimmer et al.	2003/0193910 A1	10/2003	Shoab et al.
			2003/0204596 A1	10/2003	Yadav
			2003/0223383 A1	12/2003	Chang et al.
			2003/0227934 A1	12/2003	White et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0002343	A1	1/2004	Brauel et al.	2005/0059406	A1	3/2005	Thomson et al.
2004/0003285	A1	1/2004	Whelan et al.	2005/0064873	A1	3/2005	Karaoguz et al.
2004/0008652	A1	1/2004	Tanzella et al.	2005/0068925	A1	3/2005	Palm et al.
2004/0019857	A1	1/2004	Teig et al.	2005/0073980	A1	4/2005	Thomson et al.
2004/0025044	A1	2/2004	Day	2005/0078644	A1	4/2005	Tsai et al.
2004/0029580	A1	2/2004	Haverinen et al.	2005/0097618	A1	5/2005	Arling et al.
2004/0030777	A1	2/2004	Reedy et al.	2005/0114649	A1	5/2005	Challener et al.
2004/0030931	A1	2/2004	Chamandy et al.	2005/0120125	A1	6/2005	Morten et al.
2004/0038687	A1	2/2004	Nelson	2005/0122927	A1	6/2005	Wentink
2004/0044749	A1	3/2004	Harkin	2005/0122977	A1	6/2005	Lieberman
2004/0047320	A1	3/2004	Eglin	2005/0128142	A1	6/2005	Shin et al.
2004/0049699	A1	3/2004	Griffith et al.	2005/0128989	A1	6/2005	Bhagwat et al.
2004/0053632	A1	3/2004	Nikkelen et al.	2005/0144237	A1	6/2005	Heredia et al.
2004/0054569	A1	3/2004	Pombo et al.	2005/0147032	A1	7/2005	Lyon et al.
2004/0054774	A1	3/2004	Barber et al.	2005/0147060	A1	7/2005	Buckley
2004/0054926	A1	3/2004	Ocepek et al.	2005/0148326	A1	7/2005	Nogawa et al.
2004/0062224	A1	4/2004	Brownrigg et al.	2005/0154933	A1	7/2005	Hsu et al.
2004/0062267	A1	4/2004	Minami et al.	2005/0157730	A1	7/2005	Grant et al.
2004/0064560	A1	4/2004	Zhang et al.	2005/0159154	A1	7/2005	Goren
2004/0064591	A1	4/2004	Noble	2005/0163078	A1	7/2005	Oba et al.
2004/0066756	A1	4/2004	Ahmavaara et al.	2005/0163146	A1	7/2005	Ota et al.
2004/0066757	A1	4/2004	Molteni et al.	2005/0166072	A1	7/2005	Converse et al.
2004/0068668	A1	4/2004	Lor et al.	2005/0175027	A1	8/2005	Miller et al.
2004/0078598	A1	4/2004	Barber et al.	2005/0180345	A1	8/2005	Meier
2004/0093506	A1	5/2004	Grawrock et al.	2005/0180358	A1	8/2005	Kolar et al.
2004/0095914	A1	5/2004	Katsube et al.	2005/0180367	A1	8/2005	Dooley et al.
2004/0095932	A1	5/2004	Astarabadi et al.	2005/0181805	A1	8/2005	Gallagher
2004/0097232	A1	5/2004	Haverinen	2005/0190714	A1	9/2005	Gorbatov et al.
2004/0106403	A1	6/2004	Mori et al.	2005/0193103	A1	9/2005	Drabik
2004/0111640	A1	6/2004	Baum	2005/0207336	A1	9/2005	Choi et al.
2004/0114546	A1	6/2004	Seshadri et al.	2005/0213519	A1	9/2005	Relan et al.
2004/0119641	A1	6/2004	Rapeli	2005/0220033	A1	10/2005	DelRegno et al.
2004/0120370	A1	6/2004	Lupo	2005/0223111	A1	10/2005	Bhandaru et al.
2004/0132438	A1	7/2004	White	2005/0239461	A1	10/2005	Verma et al.
2004/0143428	A1	7/2004	Rappaport et al.	2005/0240665	A1	10/2005	Gu et al.
2004/0143755	A1	7/2004	Whitaker et al.	2005/0243737	A1	11/2005	Dooley et al.
2004/0156399	A1	8/2004	Eran	2005/0245258	A1	11/2005	Classon et al.
2004/0165545	A1	8/2004	Cook	2005/0245269	A1	11/2005	Demirhan et al.
2004/0174900	A1	9/2004	Volpi et al.	2005/0250487	A1	11/2005	Miwa
2004/0184475	A1	9/2004	Meier	2005/0256963	A1	11/2005	Proctor et al.
2004/0193709	A1	9/2004	Selvaggi et al.	2005/0259597	A1	11/2005	Benedetto et al.
2004/0208570	A1	10/2004	Reader	2005/0259611	A1	11/2005	Bhagwat et al.
2004/0214572	A1	10/2004	Thompson et al.	2005/0259654	A1	11/2005	Faulk, Jr.
2004/0215665	A1	10/2004	Edgar et al.	2005/0268335	A1	12/2005	Le et al.
2004/0221042	A1	11/2004	Meier	2005/0270992	A1	12/2005	Sanzgiri et al.
2004/0228319	A1	11/2004	Melville et al.	2005/0273442	A1	12/2005	Bennett et al.
2004/0230370	A1	11/2004	Tzamaloukas	2005/0276218	A1	12/2005	Ooghe et al.
2004/0233234	A1	11/2004	Chaudhry et al.	2005/0286466	A1	12/2005	Tagg et al.
2004/0236702	A1	11/2004	Fink et al.	2006/0030290	A1	2/2006	Rudolf et al.
2004/0236851	A1	11/2004	Kuan et al.	2006/0035662	A1	2/2006	Jeong et al.
2004/0246937	A1	12/2004	Duong et al.	2006/0039395	A1	2/2006	Perez-Costa et al.
2004/0246962	A1	12/2004	Kopeikin et al.	2006/0041683	A1	2/2006	Subramanian et al.
2004/0252656	A1	12/2004	Shiu et al.	2006/0045050	A1	3/2006	Floros et al.
2004/0253969	A1	12/2004	Nguyen et al.	2006/0046744	A1	3/2006	Dublich et al.
2004/0255167	A1	12/2004	Knight	2006/0050742	A1	3/2006	Grandhi et al.
2004/0259552	A1	12/2004	Ihori et al.	2006/0062187	A1	3/2006	Rune
2004/0259555	A1	12/2004	Rappaport et al.	2006/0064480	A1	3/2006	Lesartre et al.
2004/0259575	A1	12/2004	Perez-Breva et al.	2006/0068702	A1	3/2006	Miwa et al.
2004/0268140	A1	12/2004	Zimmer et al.	2006/0072532	A1	4/2006	Dorenbosch et al.
2005/0009565	A1	1/2005	Kwak	2006/0073847	A1	4/2006	Pirzada et al.
2005/0010811	A1	1/2005	Zimmer et al.	2006/0094440	A1	5/2006	Meier et al.
2005/0015592	A1	1/2005	Lin	2006/0098607	A1	5/2006	Zeng et al.
2005/0021979	A1	1/2005	Wiedmann et al.	2006/0104224	A1	5/2006	Singh et al.
2005/0025103	A1	2/2005	Ko et al.	2006/0104231	A1	5/2006	Gidwani
2005/0025105	A1	2/2005	Rue	2006/0114872	A1	6/2006	Hamada
2005/0026611	A1	2/2005	Backes	2006/0114938	A1	6/2006	Kalkunte et al.
2005/0030894	A1	2/2005	Stephens	2006/0117174	A1	6/2006	Lee
2005/0030929	A1	2/2005	Swier et al.	2006/0128415	A1	6/2006	Horikoshi et al.
2005/0037733	A1	2/2005	Coleman et al.	2006/0143496	A1	6/2006	Silverman
2005/0037818	A1	2/2005	Seshadri et al.	2006/0143702	A1	6/2006	Hisada et al.
2005/0040968	A1	2/2005	Damarla et al.	2006/0146748	A1	7/2006	Ng et al.
2005/0054326	A1	3/2005	Rogers	2006/0152344	A1	7/2006	Mowery
2005/0054350	A1	3/2005	Zegelin	2006/0153122	A1	7/2006	Hinman et al.
2005/0058132	A1	3/2005	Okano et al.	2006/0160540	A1	7/2006	Strutt et al.
2005/0059405	A1	3/2005	Thomson et al.	2006/0161983	A1	7/2006	Cothrell et al.
				2006/0165103	A1	7/2006	Trudeau et al.
				2006/0166699	A1	7/2006	Aghvami et al.
				2006/0168383	A1	7/2006	Lin
				2006/0173844	A1	8/2006	Zhang et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0174336	A1	8/2006	Chen	2007/0248009	A1	10/2007	Petersen
2006/0178168	A1	8/2006	Roach	2007/0253369	A1	11/2007	Abhishek et al.
2006/0182118	A1	8/2006	Lam et al.	2007/0253380	A1	11/2007	Jollota et al.
2006/0187878	A1	8/2006	Calhoun et al.	2007/0255116	A1	11/2007	Mehta et al.
2006/0189311	A1	8/2006	Cromer et al.	2007/0258448	A1	11/2007	Hu
2006/0190721	A1	8/2006	Kawakami et al.	2007/0260720	A1	11/2007	Morain
2006/0193258	A1	8/2006	Ballai	2007/0268506	A1	11/2007	Zeldin
2006/0200563	A1	9/2006	Hirose	2007/0268514	A1	11/2007	Zeldin et al.
2006/0200862	A1	9/2006	Olson et al.	2007/0268515	A1	11/2007	Freund et al.
2006/0206582	A1	9/2006	Finn	2007/0268516	A1	11/2007	Bugwadia et al.
2006/0215601	A1	9/2006	Vieugels et al.	2007/0286208	A1	12/2007	Kanada et al.
2006/0217131	A1	9/2006	Alizadeh-Shabdiz et al.	2007/0287390	A1	12/2007	Murphy et al.
2006/0223527	A1	10/2006	Lee et al.	2007/0291689	A1	12/2007	Kapur et al.
2006/0245393	A1	11/2006	Bajic	2007/0297329	A1	12/2007	Park et al.
2006/0248229	A1	11/2006	Saunderson et al.	2008/0002588	A1	1/2008	McCaughan et al.
2006/0248331	A1	11/2006	Harkins	2008/0008117	A1	1/2008	Alizadeh-Shabdiz
2006/0251021	A1	11/2006	Nakano et al.	2008/0013481	A1	1/2008	Simons et al.
2006/0268696	A1	11/2006	Konstantinov et al.	2008/0014916	A1	1/2008	Chen
2006/0268749	A1	11/2006	Rahman et al.	2008/0031257	A1	2/2008	He
2006/0268756	A1	11/2006	Wang et al.	2008/0039114	A1	2/2008	Phatak et al.
2006/0274774	A1	12/2006	Srinivasan et al.	2008/0049615	A1	2/2008	Bugenhagen
2006/0276192	A1	12/2006	Dutta et al.	2008/0052393	A1	2/2008	McNaughton et al.
2006/0285489	A1	12/2006	Francisco et al.	2008/0056200	A1	3/2008	Johnson
2006/0286984	A1	12/2006	Bonner	2008/0056211	A1	3/2008	Kim et al.
2006/0292992	A1	12/2006	Tajima et al.	2008/0064356	A1	3/2008	Khayrallah
2007/0002742	A1	1/2007	Krishnaswamy et al.	2008/0069018	A1	3/2008	Gast
2007/0002833	A1	1/2007	Bajic	2008/0080441	A1	4/2008	Park et al.
2007/0008884	A1	1/2007	Tang	2008/0102815	A1	5/2008	Sengupta et al.
2007/0010248	A1	1/2007	Dravida et al.	2008/0107077	A1	5/2008	Murphy
2007/0011318	A1	1/2007	Roth	2008/0114784	A1	5/2008	Murphy
2007/0021126	A1	1/2007	Nanda et al.	2008/0117822	A1	5/2008	Murphy et al.
2007/0025265	A1	2/2007	Porras et al.	2008/0130523	A1	6/2008	Fridman et al.
2007/0025306	A1	2/2007	Cox et al.	2008/0151844	A1	6/2008	Tiwari
2007/0027964	A1	2/2007	Herrod et al.	2008/0159319	A1	7/2008	Gast et al.
2007/0032219	A1	2/2007	Rudolf et al.	2008/0162921	A1	7/2008	Chesnutt et al.
2007/0054616	A1	3/2007	Culbert	2008/0220772	A1	9/2008	Islam et al.
2007/0058598	A1	3/2007	Ling	2008/0226075	A1	9/2008	Gast
2007/0064673	A1	3/2007	Bhandaru et al.	2008/0228942	A1	9/2008	Lor et al.
2007/0064718	A1	3/2007	Ekl et al.	2008/0250496	A1	10/2008	Namihira
2007/0067823	A1	3/2007	Shim et al.	2008/0261615	A1	10/2008	Kalhan
2007/0070937	A1	3/2007	Demirhan et al.	2008/0276303	A1	11/2008	Gast
2007/0076694	A1	4/2007	Iyer et al.	2009/0010206	A1	1/2009	Giaretta et al.
2007/0081477	A1	4/2007	Jakkahalli et al.	2009/0028118	A1	1/2009	Gray et al.
2007/0082677	A1	4/2007	Donald Hart et al.	2009/0031044	A1	1/2009	Barrack et al.
2007/0083924	A1	4/2007	Lu	2009/0046688	A1	2/2009	Volpi et al.
2007/0086378	A1	4/2007	Matta et al.	2009/0059930	A1	3/2009	Ryan et al.
2007/0086397	A1	4/2007	Taylor	2009/0067436	A1	3/2009	Gast
2007/0086398	A1	4/2007	Tiwari	2009/0073905	A1	3/2009	Gast
2007/0091845	A1	4/2007	Brideglall	2009/0129386	A1	5/2009	Rune
2007/0091889	A1	4/2007	Xiao et al.	2009/0131082	A1	5/2009	Gast
2007/0098086	A1	5/2007	Bhaskaran	2009/0198999	A1	8/2009	Harkins
2007/0104197	A1	5/2007	King	2009/0247103	A1	10/2009	Aragon
2007/0106776	A1	5/2007	Konno et al.	2009/0252120	A1	10/2009	Kim et al.
2007/0109991	A1	5/2007	Bennett	2009/0257437	A1	10/2009	Tiwari
2007/0110035	A1	5/2007	Bennett	2009/0260083	A1	10/2009	Szeto et al.
2007/0115842	A1	5/2007	Matsuda et al.	2009/0274060	A1	11/2009	Taylor
2007/0121618	A1	5/2007	Hirano	2009/0287816	A1	11/2009	Matta et al.
2007/0127423	A1	6/2007	Ho	2009/0293106	A1	11/2009	Gray et al.
2007/0133494	A1	6/2007	Lai et al.	2010/0002610	A1	1/2010	Bowser et al.
2007/0135159	A1	6/2007	Sinivaara	2010/0024007	A1	1/2010	Gast
2007/0135866	A1	6/2007	Baker et al.	2010/0040059	A1	2/2010	Hu
2007/0136372	A1	6/2007	Proctor et al.	2010/0067379	A1	3/2010	Zhao et al.
2007/0140163	A1	6/2007	Meier et al.	2010/0130212	A1	5/2010	So et al.
2007/0143851	A1	6/2007	Nicodemus et al.	2010/0142478	A1	6/2010	Forssell et al.
2007/0147318	A1	6/2007	Ross et al.	2010/0159827	A1	6/2010	Rhodes et al.
2007/0150945	A1	6/2007	Whitaker et al.	2010/0172276	A1	7/2010	Aragon
2007/0160046	A1	7/2007	Matta	2010/0180016	A1	7/2010	Bugwadia et al.
2007/0171909	A1	7/2007	Pignatelli	2010/0195549	A1	8/2010	Aragon et al.
2007/0183375	A1	8/2007	Tiwari	2010/0252120	A1	10/2010	Delves
2007/0183402	A1	8/2007	Bennett	2010/0261475	A1	10/2010	Kim et al.
2007/0189222	A1	8/2007	Kolar et al.	2010/0271188	A1	10/2010	Nysen
2007/0195793	A1	8/2007	Grosser et al.	2010/0329177	A1	12/2010	Murphy et al.
2007/0206527	A1	9/2007	Lo et al.	2011/0013588	A1	1/2011	Jeon et al.
2007/0230457	A1	10/2007	Kodera et al.	2011/0047474	A1	2/2011	Sung et al.
2007/0237093	A1	10/2007	Rajagopalan et al.	2011/0128858	A1	6/2011	Matta et al.
				2011/0158122	A1	6/2011	Murphy et al.
				2011/0255466	A1	10/2011	Gast et al.
				2012/0140705	A1	6/2012	Matta et al.
				2012/0144462	A1	6/2012	Pochop

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0190320	A1	7/2012	Aragon
2012/0190323	A1	7/2012	Aragon
2012/0204031	A1	8/2012	Harkins
2015/0257152	A1	9/2015	Hasegawa et al.
2016/0088551	A1	3/2016	Murphy et al.
2018/0063673	A1	3/2018	Jang et al.

FOREIGN PATENT DOCUMENTS

GB	2329801	A	3/1999
GB	2429080	A	2/2007
JP	2000-215169	A1	8/2000
JP	2003-234751	A1	8/2003
JP	2003-274454	A	9/2003
JP	2004-032525	A1	1/2004
WO	WO 94/03986		2/1994
WO	WO 99/11003		3/1999
WO	WO 00/06271		2/2000
WO	WO 00/18148		3/2000
WO	WO 2002/089442	A1	11/2002
WO	WO 2003/085544	A1	10/2003
WO	WO 2004/013986	A1	2/2004
WO	WO 2004/095192	A2	11/2004
WO	WO 2004/095800	A1	11/2004
WO	WO 2006/014512	A2	2/2006
WO	WO 2010/130133	A1	11/2010

OTHER PUBLICATIONS

Acampora et al., "System Applications for Wireless Indoor Communications" IEEE Communications Magazine, vol. 25, No. 8, Aug. 1987, pp. 11-20.

Bing et al., "A New Multiaccess Technique for Multimedia Wireless LANs" IEEE Global Telecommunications Conference, Nov. 3-8, 1997, pp. 1318-1322.

Durgin et al., "Measurements and Models for Radio Path Loss and Penetration Loss in and Around Homes and Trees at 5.85 GHz", IEEE Transactions on Communications, vol. 46, No. 11, Nov. 1988, pp. 1484-1496.

Freret et al., Applications of Spread-Spectrum Radio to Wireless Terminal Communications, Conf. Record, Nat'l Telecom. Conf., Nov. 30-Dec. 4, IEEE, 1980, pp. 69.7.1-69.7.4.

Fortune et al., "Wise Design of Indoor Wireless Systems: Practical Computation and Optimization", IEEE Computational Science and Engineering, p. 58-68 (1995).

Geier, J., Wireless Lans Implementing Interoperable Networks, Chapter 3 (pp. 89-125) Chapter 4 (pp. 129-157) Chapter 5 (pp. 159-189) and Chapter 6 (pp. 193-234), 1999, United States.

Ho et al., "Antenna Effects on Indoor Obstructed Wireless Channels and a Deterministic Image-Based Wide-Based Propagation Model for In-Building Personal Communications Systems", International Journal of Wireless Information Networks, vol. 1, No. 1, 1994.

Kim et al., "Radio Propagation Measurements and Prediction Using Three-Dimensional Ray Tracing in Urban Environments at 908 MHz and 1.9 GHz", IEEE Transactions on Vehicular Technology, vol. 48, No. 3, May 1999.

Kleinrock et al., "Packet Switching in Radio Channels: New Conflict-Free Multiple Access Schemes for a Small Number of Data Users", Conference record 1977 ICC vol. 2 of 3, Jun. 12-15 Chicago Illinois (1977).

LAN/MAN Standards Committee of the IEEE Computer Society, Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Higher Speed Physical Layer Extension in the 2.4 GHz Band, IEEE Std. 802.11b (1999).

Okamoto et al., IEEE, "Multimedia Communications over Wireless LANs via the SWL Protocol" Proceedings of the 13th Annual Hawaii International Conference on System Sciences, pp. 54-63 (1997).

Panjwani et al., "Interactive Computation of Coverage Regions for Wireless Communication in Multifloored Indoor Environments", IEEE Journal on Selected Areas in Communications, vol. 14, No. 3, Apr. 1996.

Perram et al., "Technology Developments for Low-Cost Residential Alarm Systems", Proceedings 1977 Carnahan Conference on Crime Countermeasures, Apr. 6-8, pp. 45-50 (1977).

Piazzini et al., "Achievable Accuracy of Site-Specific Path-Loss Predictions in Residential Environments", IEEE Transactions on Vehicular Technology, vol. 48, No. 3, May 1999.

Seidel et al., "Site-Specific Propagation Prediction for Wireless In-Building Personal Communications System Design", IEEE Transactions on Vehicular Technology, vol. 43, No. 4, Nov. 1994.

Skidmore et al., "Interactive Coverage Region and System Design Simulation for Wireless Communication Systems in Multi-floored Indoor Environments, SMT Plus" IEEE ICUPC '96 Proceedings (1996).

Ullmo et al., "Wireless Propagation in Buildings: A Statistic Scattering Approach", IEEE Transactions on Vehicular Technology, vol. 48, No. 3, May 1999.

Puttini, R. et al., "A fully distributed IDS for MANET," In: Proceedings of the Ninth international Symposium on Computers and Communications, 2004, vol. 2 (Iscc'04)—vol. 02 (Jun. 28-Jul. 1, 2004). ISCC. IEEE Computer Society, Washington, DC, pp. 331-338.

Martinez, P. et al., "Using the Script MIB for Policy-based Configuration Management," Technical University Braunschweig, Braunschweig, Germany, 2002.

Law, A., "New Service Discovery Protocol," Internet Citation [Online] XP002292473 Retrieved from the Internet: <URL: <http://sern.uccalgary.ca-law/SENG60921/arch/SDP.htm>> [retrieved Aug. 12, 2004] (15 pages).

Bahl, P. et al., Radar: An In-Building RF-based User Location and Tracking System, Microsoft Research, Mar. 2000, 10 pages.

Latvala, J. et al., Evaluation of RSSI-Based Human Tracking, Proceedings for the 2000 European Signal Processing Conference, Sep. 2000, 9 pages.

Bahl, P. et al. "User Location and Tracking in an In-Building Radio Network," Microsoft Research, Feb. 1999, 13 pages.

Bahl, P. et al., A Software System for Locating Mobile Users: Design, Evaluation, and Lessons, Microsoft Research, Feb. 1999, 13 pages.

Chen, Y-C et al., "Enabling Location-Based Services on Wireless LANs", Networks, 2003. ICON2003. The 11th IEEE International Conference, Sep. 28-Oct. 1, 2003, pp. 567-572.

Erten, M., "A Layered Security Architecture for Corporate 802.11 Wireless Networks", Wireless Telecommunications Symposium, May 14-15, 2004, pp. 123-128.

Kleine-Ostmann, T. et al., "A Data Fusion Architecture for Enhanced Position Estimation in Wireless Networks," IEEE Communications Letters , vol. 5(8), Aug. 2001, p. 343-345.

Pulson, Time Domain Corporation, Ultra wideband (UWB) Radios for Precision Location, Third IEEE Workshop on Wireless Local Area Networks, Sep. 27-28, 2001, 8 pages.

Barber, S., Monitoring 802.11 Networks, IEEE 802.11, Sydney, NSW, May 13-17, 2002.

Latvala, J. et al. "Patient Tracking in a Hospital Environment Using Extended Kalman-filtering," Proceedings of the 1999 Middle East Conference on Networking, Nov. 1999, 5 pages.

Myllymaki, P. et al., "A Probabilistic Approach to WLAN User Location Estimation," Third IEEE Workshop on Wireless Local Area Networks, Sep. 27-28, 2001, 12 pages.

Potter, B. et al., 802.11 Security, O'Reilly Media Inc., Dec. 2002, 14 pages.

McCann, S. et al., "Emergency Services for 802," IEEE 802.11-07/0505r1, Mar. 2007, 27 pages.

Di Sorte, D. et al., "On the Performance of Service Publishing in IEEE 802.11 Multi-Access Environment," IEEE Communications Letters, vol. 11, No. 4, Apr. 2007, 3 pages.

Microsoft Computer Dictionary, Fifth Edition, Microsoft Corporation, 2002, 2 pages.

Thomson, A., Cisco Systems, AP Power Down Notification, Power Point slide show; IEEE standards committee meeting Jul. 15, 2008; doc.: IEEE 802.11-08/0759r0, 14 pages.

3COM, Wireless LAN Mobility System: Wireless LAN Switch and Controller Configuration Guide, 3COM, Revision A, Oct. 2004, 476 pages.

(56)

References Cited

OTHER PUBLICATIONS

3COM, Wireless LAN Switch Manager (3WXM), 3COM, Revision C, Oct. 2004, 8 pages.

3COM, Wireless LAN Switch and Controller; Quick Start Guide, 3COM, Revision B, Nov. 2004, 10 pages.

3COM, Wireless LAN Mobility System; Wireless LAN Switch and Controller Installation and Basic Configuration Guide, Revision B, Apr. 2005, 496 pages.

Johnson, D. B. et al., "DSR the Dynamic Source Routing Protocol for Multi-Hop Wireless Ad Hoc Networks," Computer Science Department, Carnegie Mellon University, Nov. 3, 2005 (<http://monarch.cs.rice.edu/monarch-papers/dsr-chapter00.pdf>).

Information Sciences Institute, RFC-791—Internet Protocol, DARPA, Sep. 1981.

Akin, D., Aerohive Blog, Cooperative Control: Part 3, [Online] Retrieved from the Internet: <URL: <http://blog.aerohive.com/blog/?p=71>> Mar. 1, 2010, 3 pages.

Wikipedia, Wireless LAN, 2 definitions for wireless LAN roaming, [Online] [retrieved Oct. 4, 2010] Retrieved from the Internet: <URL: http://en.wikipedia.org/wiki/Wireless_LAN>, 1 page.

Pack, S. et al., "Fast-Handoff Support in IEEE 802.11 Wireless Networks," IEEE Communications Surveys, IEEE, NY, NY, vol. 9, No. 1, First Quarter 2007 (pp. 2-12) ISSN: 1553-877X.

Office Action for U.S. Appl. No. 11/801,964, dated Sep. 17, 2010.

Final Office Action for U.S. Appl. No. 11/801,964, dated May 11, 2011.

Office Action for U.S. Appl. No. 12/304,100, dated Jun. 17, 2011, 17 pages.

Final Office Action for U.S. Appl. No. 12/304,100, dated Feb. 2, 2012.

Office Action for U.S. Appl. No. No. 12/304,100, dated May 29, 2012.

Office Action for U.S. Appl. No. 12/304,100, dated Dec. 11, 2012, 21 pages.

Office Action for U.S. Appl. No. 12/304,100, dated Feb. 13, 2014, 33 pages.

Office Action for U.S. Appl. No. 12/304,100, dated Apr. 20, 2015.

Office Action for U.S. Appl. No. 12/304,100, dated Aug. 28, 2015.

Office Action for U.S. Appl. No. 14/468,079, dated Aug. 25, 2014.

International Search Report and Written Opinion for International Application No. PCT/US07/013758, dated Apr. 3, 2008.

First Office Action for Chinese Application No. 200780029623.X, dated Dec. 31, 2010.

Second Office Action for Chinese Application No. 200780029623.X, dated Mar. 7, 2012.

Third Office Action for Chinese Application No. 200780029623.X, dated Sep. 29, 2012.

Fourth Office Action for Chinese Application No. 200780029623.X, dated Apr. 2, 2013.

Fifth Chinese Office Action for Chinese Application No. 200780029623.X, dated Sep. 3, 2013.

Extended Supplementary European Search Report for Application No. 07796005.2, dated Feb. 14, 2012.

European Examination Report for Application No. 07796005.2, dated Sep. 4, 2012.

International Search Report and Written Opinion for International Application No. PCT/US07/013757, dated Jan. 22, 2008.

Office Action for U.S. Appl. No. 14/951,766, dated Jul. 12, 2017, 25 pages.

Office Action for U.S. Appl. No. 14/951,766, dated Dec. 22, 2017, 25 pages.

Office Action for U.S. Appl. No. 14/996,088, dated Jul. 26, 2016, 36 pages.

Office Action for U.S. Appl. No. 14/996,088, dated Mar. 23, 2017, 17 pages.

U.S. Appl. No. 12/603,391, filed Oct. 21, 2009.

U.S. Appl. No. 12/763,057, filed Apr. 19, 2010.

U.S. Appl. No. 09/866,474, filed May 29, 2001.

Office Action for U.S. Appl. No. 12/957,997, dated Aug. 28, 2012.

Office Action for U.S. Appl. No. 11/784,307, dated Sep. 22, 2009.

Final Office Action for U.S. Appl. No. 11/784,307, dated Jun. 14, 2010.

Non-Final Office Action for U.S. Appl. No. 11/377,859, dated Jan. 8, 2008.

Final Office Action for U.S. Appl. No. 11/377,859, dated Aug. 27, 2008.

Office Action for U.S. Appl. No. 12/401,073, dated Aug. 23, 2010.

Final Office Action for U.S. Appl. No. 12/401,073, dated Apr. 1, 2011.

Office Action for U.S. Appl. No. 12/401,073, dated Sep. 20, 2011.

Office Action for U.S. Appl. No. 11/326,966, dated Nov. 14, 2008.

Office Action for U.S. Appl. No. 12/500,392, dated Jun. 20, 2011.

Office Action for U.S. Appl. No. 11/400,165, dated Aug. 19, 2008.

Office Action for U.S. Appl. No. 12/489,295, dated Apr. 27, 2011.

Final Office Action for U.S. Appl. No. 12/489,295, dated Jan. 18, 2012.

Office Action for U.S. Appl. No. 11/330,877, dated Sep. 11, 2008.

Final Office Action for U.S. Appl. No. 11/330,877, dated Mar. 13, 2009.

Office Action for U.S. Appl. No. 11/330,877, dated Aug. 6, 2009.

Final Office Action for U.S. Appl. No. 11/330,877, dated Apr. 22, 2010.

Office Action for U.S. Appl. No. 11/330,877, dated Jan. 13, 2011.

Final Office Action for U.S. Appl. No. 11/330,877, dated May 27, 2011.

Office Action for U.S. Appl. No. 11/351,104, dated Oct. 28, 2008.

Office Action for U.S. Appl. No. 11/351,104, dated Dec. 2, 2009.

Final Office Action for U.S. Appl. No. 11/351,104, dated Jun. 10, 2009.

Office Action for U.S. Appl. No. 11/351,104, dated May 26, 2010.

Office Action for U.S. Appl. No. 11/351,104, dated Nov. 29, 2010.

Office Action for U.S. Appl. No. 11/351,104, dated Jul. 26, 2011.

Office Action for U.S. Appl. No. 11/351,104, dated Feb. 15, 2012.

Final Office Action for U.S. Appl. No. 11/351,104, dated Aug. 14, 2012.

Non-Final Office Action for U.S. Appl. No. 11/351,104, dated Dec. 17, 2012.

Office Action for U.S. Appl. No. 11/437,537, dated Dec. 23, 2008.

Final Office Action for U.S. Appl. No. 11/437,537, dated Jul. 16, 2009.

Office Action for U.S. Appl. No. 11/331,789, dated Jun. 13, 2008.

Final Office Action for U.S. Appl. No. 11/331,789, dated Oct. 23, 2008.

Office Action for U.S. Appl. No. 11/331,789, dated Aug. 5, 2009.

Office Action for U.S. Appl. No. 12/785,362, dated Apr. 22, 2011.

Office Action for U.S. Appl. No. 13/396,124, dated May 7, 2012.

Office Action for U.S. Appl. No. 11/417,830, dated Nov. 14, 2008.

Final Office Action for U.S. Appl. No. 11/417,830, dated May 28, 2009.

Office Action for U.S. Appl. No. 11/417,993, dated Oct. 29, 2008.

Office Action for U.S. Appl. No. 12/370,562, dated Sep. 30, 2010.

Office Action for U.S. Appl. No. 12/370,562, dated Apr. 6, 2011.

Office Action for U.S. Appl. No. 12/370,562, dated Jan. 17, 2012.

Final Office Action for U.S. Appl. No. 12/370,562, dated Jul. 26, 2012.

Office Action for U.S. Appl. No. 11/592,891, dated Jan. 15, 2009.

Final Office Action for U.S. Appl. No. 11/592,891, dated Jul. 20, 2009.

Office Action for U.S. Appl. No. 11/595,119, dated Jul. 21, 2009.

Final Office Action for U.S. Appl. No. 11/595,119, dated Jan. 5, 2010.

Office Action for U.S. Appl. No. 11/595,119, dated Aug. 19, 2010.

Final Office Action for U.S. Appl. No. 11/595,119, dated Aug. 2, 2011.

Office Action for U.S. Appl. No. 11/604,075, dated May 3, 2010.

Office Action for U.S. Appl. No. 13/437,669, dated May 30, 2012.

Office Action for U.S. Appl. No. 13/437,673, dated May 30, 2012.

Office Action for U.S. Appl. No. 11/845,029, dated Jul. 9, 2009.

Final Office Action for U.S. Appl. No. 11/845,029, dated Jan. 25, 2010.

Office Action for U.S. Appl. No. 11/845,029, dated May 14, 2010.

Final Office Action for U.S. Appl. No. 11/845,029, dated Dec. 9, 2010.

(56)

References Cited

OTHER PUBLICATIONS

Office Action for U.S. Appl. No. 11/845,029, dated Sep. 27, 2011.
Office Action for U.S. Appl. No. 11/437,538, dated Dec. 22, 2008.
Final Office Action for U.S. Appl. No. 11/437,538, dated Jun. 10, 2009.
Office Action for U.S. Appl. No. 11/437,387, dated Dec. 23, 2008.
Final Office Action for U.S. Appl. No. 11/437,387, dated Jul. 15, 2009.
Office Action for U.S. Appl. No. 11/437,582, dated Jan. 8, 2009.
Final Office Action for U.S. Appl. No. 11/437,582, dated Jul. 22, 2009.
Office Action for U.S. Appl. No. 12/683,281, dated Jan. 20, 2012.
Final Office Action for U.S. Appl. No. 12/683,281, dated Sep. 21, 2012.
Office Action for U.S. Appl. No. 11/487,722, dated Aug. 7, 2009.
Office Action for U.S. Appl. No. 11/643,329, dated Jul. 9, 2010.
Office Action for U.S. Appl. No. 11/648,359, dated Nov. 19, 2009.
Office Action for U.S. Appl. No. 11/944,346, dated Nov. 23, 2010.
Office Action for U.S. Appl. No. 13/568,861, dated Oct. 24, 2012.
Office Action for U.S. Appl. No. 12/077,051, dated Dec. 28, 2010.
Final Office Action for U.S. Appl. No. 12/077,051, dated Oct. 25, 2011.
Office Action for U.S. Appl. No. 12/113,535, dated Apr. 21, 2011.
Final Office Action for U.S. Appl. No. 12/113,535, dated Jan. 3, 2012.
Office Action for U.S. Appl. No. 12/113,535, dated Apr. 20, 2012.
Office Action for U.S. Appl. No. 12/113,535, dated Nov. 1, 2012.
Office Action for U.S. Appl. No. 11/852,234, dated Jun. 29, 2009.
Office Action for U.S. Appl. No. 11/852,234, dated Jan. 21, 2010.
Office Action for U.S. Appl. No. 11/852,234, dated Aug. 9, 2010.
Office Action for U.S. Appl. No. 11/852,234, dated Apr. 27, 2011.
Final Office Action for U.S. Appl. No. 11/852,234, dated Jan. 20, 2012.
Office Action for U.S. Appl. No. 11/970,484, dated Nov. 24, 2010.
Final Office Action for U.S. Appl. No. 11/970,484, dated Jul. 22, 2011.
Office Action for U.S. Appl. No. 11/970,484, dated Jun. 20, 2012.
Office Action for U.S. Appl. No. 12/172,195, dated Jun. 1, 2010.
Office Action for U.S. Appl. No. 12/172,195, dated Nov. 12, 2010.
Office Action for U.S. Appl. No. 12/172,195, dated Feb. 14, 2013.
Office Action for U.S. Appl. No. 12/336,492, dated Sep. 15, 2011.
Final Office Action for U.S. Appl. No. 12/336,492, dated Jun. 15, 2012.
Office Action for U.S. Appl. No. 12/210,917, dated Nov. 15, 2010.
Final Office Action for U.S. Appl. No. 12/210,917, dated May 13, 2011.
Office Action for U.S. Appl. No. 12/210,917, dated Dec. 5, 2011.
Office Action for U.S. Appl. No. 12/350,927, dated Aug. 17, 2011.
Final Office Action for U.S. Appl. No. 12/350,927, dated Jan. 18, 2012.
Office Action for U.S. Appl. No. 12/365,891, dated Aug. 29, 2011.
Office Action for U.S. Appl. No. 10/235,338, dated Jan. 8, 2003.
Office Action for U.S. Appl. No. 11/094,987, dated Dec. 27, 2007.
Final Office Action for U.S. Appl. No. 11/094,987, dated May 23, 2008.
Office Action for U.S. Appl. No. 11/094,987, dated Oct. 21, 2008.
Office Action for U.S. Appl. No. 12/474,020, dated Jun. 3, 2010.
Final Office Action for U.S. Appl. No. 12/474,020, dated Oct. 4, 2010.
Office Action for U.S. Appl. No. 09/866,474, dated Nov. 30, 2004.
Final Office Action for U.S. Appl. No. 09/866,474, dated Jun. 10, 2005.

Office Action for U.S. Appl. No. 10/667,027, dated Jul. 29, 2005.
Final Office Action for U.S. Appl. No. 10/667,027, dated Mar. 10, 2006.
Office Action for U.S. Appl. No. 10/667,027, dated May 5, 2006.
Final Office Action for U.S. Appl. No. 10/667,027, dated Feb. 26, 2007.
Office Action for U.S. Appl. No. 10/666,848, dated Mar. 22, 2007.
Office Action for U.S. Appl. No. 10/667,136, dated Jan. 25, 2006.
Office Action for U.S. Appl. No. 10/667,136, dated Aug. 28, 2006.
Final Office Action for U.S. Appl. No. 10/667,136, dated Mar. 9, 2007.
Extended Search Report for European Application No. 11188566.1, dated Jan. 30, 2012.
International Search Report and Written Opinion for International Application No. PCT/US05/004702, dated Aug. 10, 2006.
International Search Report and Written Opinion for International Application No. PCT/US2006/009525, dated Sep. 13, 2007.
International Search Report and Written Opinion for International Application No. PCT/US06/40500, dated Aug. 17, 2007.
International Search Report and Written Opinion for International Application No. PCT/US06/40498, dated Dec. 28, 2007.
International Search Report and Written Opinion for International Application No. PCT/US2007/012194 dated Feb. 4, 2008.
International Search Report and Written Opinion for International Application No. PCT/US06/40499, dated Dec. 13, 2007.
International Search Report and Written Opinion for International Application No. PCT/US2007/19696, dated Feb. 29, 2008.
International Search Report and Written Opinion for International Application No. PCT/US2007/12016, dated Jan. 4, 2008.
International Search Report and Written Opinion for International Application No. PCT/US2007/012195, dated Mar. 19, 2008.
International Search Report and Written Opinion for International Application No. PCT/US07/14847, dated Apr. 1, 2008.
International Search Report and Written Opinion for International Application No. PCT/US07/089134, dated Apr. 10, 2008.
International Search Report and Written Opinion for International Application No. PCT/US2008/010708, dated May 18, 2009.
Office Action for Canadian Application No. 2,638,754, dated Oct. 3, 2011.
Supplementary Partial European Search Report for European Application No. 02770460, dated Aug. 20, 2004.
Supplementary Partial European Search Report for European Application No. 02770460, dated Dec. 15, 2004.
Examination Report for European Application No. 02770460, dated Mar. 18, 2005.
Summons for Oral Hearing Proceedings for European Application No. 02770460, dated Jan. 31, 2006.
International Search Report for International Application No. International Application No. PCT/US02/28090, dated Aug. 13, 2003.
International Preliminary Examination Report for International Application No. PCT/US02/28090, dated Oct. 29, 2003.
Examination Report for European Application No. 06006504, dated Oct. 10, 2006.
English Translation of Office Action for Japanese Application No. 2006-088348, dated Jan. 4, 2011.
International Search Report and Written Opinion for International Application No. PCT/US04/30769, dated Oct. 4, 2005.
International Search Report and Written Opinion for International Application No. PCT/US04/30683, dated Feb. 10, 2006.
International Search Report and Written Opinion for International Application No. PCT/US04/30684, dated Feb. 10, 2006.

* cited by examiner

100 




FIG. 1

200 →




FIG. 2

300A →




FIG. 3A

300B →




FIG. 3B

300C →




FIG. 3C

300D




FIG. 3D




FIG. 4

500 →




FIG. 5

AP-LOCAL DYNAMIC SWITCHING

CROSS-REFERENCE TO RELATED PATENT APPLICATIONS

This patent application is a Continuation of U.S. patent application Ser. No. 15/803,208, entitled "AP-LOCAL DYNAMIC SWITCHING," filed Nov. 3, 2017 (now U.S. Pat. No. 10,327,202), which is a Continuation of U.S. patent application Ser. No. 14/996,088, entitled "AP-LOCAL DYNAMIC SWITCHING," filed Jan. 14, 2016 (now U.S. Pat. No. 9,838,942), which is a Continuation of and claims priority to and the benefit of U.S. patent application Ser. No. 12/304,100, titled "AP-LOCAL DYNAMIC SWITCHING," filed Aug. 6, 2010 (now U.S. Pat. No. 9,258,702), which is the National Stage of International Patent Application Number PCT/US2007/013757, filed Jun. 11, 2007, which claims the benefit of U.S. Provisional Patent Application Ser. No. 60/812,403, filed Jun. 9, 2006, and which is a Continuation-in-Part of U.S. patent application Ser. No. 11/801,964, filed May 11, 2007 (now U.S. Pat. No. 8,818,322), the disclosures of each of which are hereby incorporated by reference in their entireties.

BACKGROUND

An access point (AP) is a device used by wireless clients to connect to a network. An AP functions as a standalone entity in some implementations and auctions in cooperation with distribution hardware in other implementations. Distribution hardware may include a wireless switch used to manage APs and provide network-connectivity to wireless clients. A wireless domain may refer to a group of wireless switches that are configured to exchange relevant information, and using this information make informed decisions. A known device is a station (e.g., a wireless AP or client device) that is part of a network wireless installation.

Trapeze Networks, Inc. (Trapeze), uses a MOBILITY POINT® (MP®) APs in a MOBILITY DOMAIN™ wireless domain. An MP® AP is coupled to a MOBILITY EXCHANGE® (MX®) wireless switch. Trapeze uses MOBILITY DOMAIN™ to refer to a collection of MX® switches. This collection of MX® switches shares RF environment and station association information. This information is used by the MX® switches to support features including by way of example but not limitation roaming, auto channel selection, rogue AP detection, intrusion detection and/or the launching of countermeasures. Some additional details regarding the Trapeze-specific implementation is provided by way of example but not limitation, including novel features that are discussed later in this application, in the provisional application to which this application claims priority.

In a typical implementation, switching is performed, as may be expected, by the switch. However, it is also possible to perform native switching at an AP. It is a non-trivial problem to coordinate AP-local switching with centralized control. It is also a non-trivial problem to provide hybrid switching, that is, AP-local switching combined with switching at the switch.

These are but a subset of the problems and issues associated with wireless access point authentication, and are intended to characterize weaknesses in the prior art by way of example. The foregoing examples of the related art and limitations related therewith are intended to be illustrative and not exclusive. Other limitations of the related art will

become apparent to those of skill in the art upon a reading of the specification and a study of the drawings.

SUMMARY

This Summary is provided to introduce a selection of concepts in a simplified form that are further described below in the Detailed Description. This Summary is not intended to identify key features or essential features of the claimed subject matter, nor is it intended to be used to limit the scope of the claimed subject matter.

A technique for implementing AP-local dynamic switching involves Layer 2 switching. This may be accomplished by providing data associated with wireless stations to an AP sufficient to enable the AP to determine whether traffic from a particular wireless station should be locally switched. Alternatively, the wireless station may be able to determine whether to locally switch traffic based upon the traffic itself. For example, it may be desirable to AP-locally switch voice traffic to avoid latency, which is particularly detrimental to voice transmissions such as voice-over-IP. Traffic that is not to be switched locally is Layer 2 tunneled upstream.

The proposed system can offer, among other advantages, efficient utilization of bandwidth, reduced latency, network efficiency, reliability. This and other advantages of the techniques described herein will become apparent to those skilled in the art upon a reading of the following descriptions and a study of the several figures of the drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Embodiments of the claimed subject matter are illustrated in the figures. However, the embodiments and figures are illustrative rather than limiting; they provide examples of the claimed subject matter.

FIG. 1 depicts an example of a system including an untethered access point (UAP) mesh.

FIG. 2 depicts an example of a AP-local dynamic switching system.

FIGS. 3A to 3D depict by way of example but not limitation various factors that could be considered when determining whether to switch locally at an AP or at a switch.

FIG. 4 depicts an example of an AP capable of AP-local dynamic switching.

FIG. 5 depicts a flowchart of an example of a method for AP-local dynamic switching.

DETAILED DESCRIPTION

In the following description, several specific details are presented to provide a thorough understanding of embodiments of the claimed subject matter. One skilled in the relevant art will recognize, however, that the claimed subject matter can be practiced without one or more of the specific details, or in combination with other components, etc. In other instances, well-known implementations or operations are not shown or described in detail to avoid obscuring aspects of various embodiments, of the claimed subject matter.

FIG. 1 depicts an example of a system **100** including an untethered access point (UAP) mesh. In the example of FIG. 1, the system **100** includes a network **102**, a wireless switch **104**, one or more APs **106-1** to **106-N** (referred to collectively as APs **106**), and a UAP mesh **108**. It should be noted that while an overlay switching model is in some ways replaced by the techniques described herein, it may be

desirable to prevent the implementation of local switching from removing any functionality of the overlay model.

An overlay switch model includes APs that tunnel to an upstream switch (e.g., an MX®), allowing the switch to perform complex policy and forwarding decisions locally. Centralizing switching to an upstream switch has allowed AP switching code to remain relatively simple (supporting the Thin-AP model). The AP at least knows it is on a subnet from which the upstream switch is reachable. The advantages of the overlay model include keeping the AP code and configuration simple; allowing a wireless network to be deployed over an arbitrary access network connecting the AP to the upstream switch (since client traffic is tunneled, it does not see the access network, so stations on the AP can be on completely different LANs than those available to the AP); and switches can form tunnels between themselves and send client traffic in those tunnels to further extend the choice of VLANs any given client on any AP may join. However, the overlay network suffers from the following: all traffic must pass through the upstream switch, which might be very far from the AP; complications involving MTU and other middle box issues when tunneling traffic; and not taking advantage of the distributed forwarding computational power available at the APs (in general, designs that push forwarding issues to the edge scale better).

The network **102** may include an Internet protocol (IP) network. In an embodiment, the network **102** is a wired backbone to which the wireless switch **104** is coupled. However, the network **102** may alternatively represent the network, or any other network, to which a backbone network is coupled or which acts as an alternative to a backbone network. Thus, the network **102** could include, for example, the Internet.

The wireless switch **104** is typically wire connected to the APs **106**. Thus, the “wireless” switch could be thought of, depending upon the implementation, as a switch for wireless traffic to and/or from a wired network. The wireless switch **104** is not necessarily wirelessly connected to anything. Each of the APs **106** could be wire coupled to respective switches such that each switch is wire coupled to only a single AP. So, although the one or more APs **106** is depicted as a plurality in the example of FIG. 1, it should be understood that the number of APs per switch is implementation- and/or embodiment-specific. An AP and the wireless switch **104** could be combined into a single device. However, in this description, the functionality of an AP is differentiated from the functionality of a switch by acting as if the APs and the wireless switches are distinct devices.

The wireless switch **104** may or may not have all of the tools to manage wireless stations and the UAP mesh locally. For example, there may be additional management (e.g., AAA servers) further upstream from the wireless switch **104**. Since it is not critical where these services take place beyond the wireless switch **104**, for illustrative, simplicity, it is assumed that the wireless switch **104** handles all of these functions, either locally or by utilizing upstream components. For this reasons, the figures (other than FIG. 1) do not depict components further upstream from the wireless switch **104**.

Wireless data may include, by way of example but not limitation, station association data and RF environment data. The station and RF data is used by the wireless switches **104** to support features including, by way of example but not limitation, roaming, auto channel selection, rogue AP detection, intrusion detection and the launching of countermeasures. The wireless switch **104** may share wireless data with other wireless switches (not shown).

The wireless switch **104** controls the APs **106** (and the APs in the UAP mesh **108**). In an embodiment, the APs **106** include radio transmitters and receivers (e.g., transceivers) that are used to provide wireless network connectivity for users and station access to the functions of the wireless switch **104**. Within an IEEE 802.11 context, a station is any IEEE 802.11 entity or the equivalent in other related standards, and it may be roaming or stationary. It should be noted that this definition may include APs.

In the example of FIG. 1, each of the APs **106** anchors at least a portion of the UAP mesh **108** to the wired network. The APs **106** may be treated as border devices between the wireless switch **104** (or other upstream components of the system **100**) and the UAP mesh **108**. This enables more efficient use of wireless resources because proxy address resolution protocol (proxy ARP) may be used to enable the APs **106** to answer ARP requests on behalf of a remote device (e.g., a UAP for which an AP serves as an anchor to the wireless switch **104**).

In a non-limiting 802.11 implementation, each of the APs **106** supports switching packets from a radio interface to a wired interface as a standard 802.3 frame. The AP switching path may or may not support 802.1q tagged packets and may or may not support MAC or user-based ACLs. (Port, VLAN, or VPORT based ACLs may or may not be required.) It may be desirable for an AP to support local switching and overlay simultaneously. However, even if it does, it is not a requirement that packets should be switched locally and in overlay mode simultaneously. For example, a given VLAN on an AP may be switched either locally or in overlay mode.

In the example of FIG. 1, the UAP mesh **108** is intended to depict a plurality of potentially discrete APs that do not have a wired connection to the wireless switch **104** or to the APs **106**. That is why the APs in the wireless mesh are referred to as “untethered.” Any station in the UAP mesh **108**, whether a UAP or some other wireless station, is anchored to the wireless switch **104** by the AP **106** and zero or more UAPs that make up a chain of nodes from the station to the AP **106**. An AP that is closer to the wireless switch **104** in the chain may be referred to as anchoring downstream stations. For any given station, the path from the station to the wireless switch **104** may be referred to as a spanning tree because the UAP mesh **108** should not allow loops for traffic passing between a station and the wireless switch **104**.

When a UAP in the UAP mesh **108** is brought online, it will attempt to reach the wireless switch **104** through a path that is optimal. (Note: Although an optimal path is desired, it may or may not be accomplished in practice, depending upon the implemented algorithm and/or environmental factors). There are multiple metrics for measuring the distance of a UAP from one of the APs **106**. For example, the metric may be time. That is, the amount of time it takes for a packet to travel between the UAP and the AP anchoring the UAP. Although such a metric may work fine, it will typically vary depending upon environmental factors, such as traffic congestion or degraded received signal strength. For simplicity, the metric used herein is the number of hops between the UAP and the anchoring AP (AAP), with the understanding that this is but one of many potential metrics. Thus, if a UAP is one hop away from the AAP, the UAP may be referred to as a one-hop UAP. In general, a UAP may be referred to, as an N-hop UAP where the UAP is N hops from the AAP.

Advantageously, UAPs of the UAP mesh **108** may include an AP-local switching engine embodied in a computer-readable medium. An AP-local switching engine may make use of a station switching record (SSR) to determine how to switch a given message unit (e.g., a packet, frame, datagram,

etc.). This enables at least some traffic to be efficiently switched within the UAP mesh **108**. Moreover, advantageously, some traffic may be tunneled back to a switch, while other traffic is locally switched. Which traffic is tunneled back, and which traffic is locally switched, is an implementation-specific decision that becomes available by using the teachings described herein.

The SSR may include any information available at an upstream switch. In a non-limiting embodiment, the data available to the switch following station association and authentication includes station MAC, VLAN number, VLAN name, a local switch flag, a tagging flag, radio port, radio tag (used to map the radio port to the VLAN), ACLs (e.g., ingress and egress ACLs to be mapped to the station MAC), and/or a proxy-ARP flag. (Note: the proxy-ARP might only be honored if local switching is enabled.) In an illustrative embodiment that enables local switching for a particular VLAN (other examples are described later with reference to FIGS. 3A to 3D), the local switch flag is set to TRUE if local switching is enabled for the AP and the AP is connected to the VLAN specified by VLAN name. The tagging flag is set to TRUE if the station's VLAN is reachable through a 0.1 q tag. When this flag is TRUE, the VLAN-number may be taken as the 0.1 q tag value. With this information, the AP can create a VLAN and add the specified radio ports and wired ports to the VLAN with the specified tag values. The AP then sends the packet of learning from its network port to potentially update any intermediate switches.

It will be appreciated in light of the description provided herein that although aspects of the claimed subject matter are described relative to IEEE 802.11 standards, and that certain embodiments have particular features that are implemented within the 802.11 context, the claimed subject matter itself is not limited to 802.11 networks and may generally be applied to any applicable wireless network; and to the extent that future technological enhancements might obscure the distinctions between wireless switches, APs, and/or stations, the claimed subject matter is understood to include components providing the features of such switches, APs, and stations independently of how they are packaged, combined, or labeled.

In an illustrative embodiment, the UAP mesh **108** is created from a spanning tree. Each station in the UAP mesh **108** attempts to reach the wireless switch **104** along an optimal path. Assuming the optimal path is measured in the number of hops to the wire, if a first station's traffic passes through a UAP and along a path from there to the wire, a second station's traffic that passes through the UAP will take the same path from there to the wire. Since all stations take the optimal path, the stations may be represented as edge nodes of a tree where the AP at the wire is the root node. Thus, the AP mesh acts as a spanning tree for each station. It may be noted that the spanning tree is greedy at each node, which naturally results in an efficient (perhaps even optimized) tree flow.

Reducing the amount of data that passes through a wireless node, such as a UAP, to a wired switch is advantageous at least in part because wireless resources are relatively scarce. There is less need to conserve wired resources. However, conservation of wired resources is nevertheless of value in many cases. Accordingly, the teachings described herein with reference to an AP may be applicable to a wired AP, such as the APs **106** (FIG. 1) or to a wireless AP, such as the UAPs of the UAP mesh **108** (FIG. 1). For this reason, in subsequent figures, an AP may refer to a wired or wireless

AP, unless specifically identified as a UAP, which is wireless by definition (i.e., a UAP is an "untethered" AP).

FIG. 2 depicts an example of an AP-local dynamic switching system **200**. The system **200** includes a wireless switch **202**, an AP **204** coupled to the switch **202**, and two stations **206-1** and **206-2** (referred to collectively as wireless stations **206**) wirelessly coupled to the AP **204**. In an illustrative embodiment, the switch **202** provides the AP **204** with data in the form of an SSR, which may include various data about the wireless stations **206** (or, more generally, about wireless stations coupled to the switch **202** through the AP **204**). The SSR may be any data structure that includes data sufficient to facilitate native switching at the AP **204** or switching at the wireless switch **202**. The AP **204** decides whether to natively switch using, by way of example but not limitation, SSID, the class of data associated with the message, a VLAN associated with the station sending the message, authentication data associated with the user of the station sending the message, or some other factor.

In an illustrative embodiment, the wireless switch **202** knows that the AP **204** is to perform local switching and to which VLANs (if applicable) the AP is connected. However, this is not an absolute requirement.

In an illustrative embodiment, the AP **204** is a layer 2 switch. In an illustrative embodiment, the AP **204** is coupled to the wireless switch **202** via a tunnel **208**. Thus, a message can be tunneled to the wireless switch **202** for layer 2 switching at the wireless switch **202**. It should be noted that it may be difficult to support multiple layer 3 protocols. So, by keeping the switching at layer 2, the system **200** need not have a specific layer 3 protocol (e.g., IP). Moreover, if you have a layer 3 backbone with policy in the routers, switching may defeat the policy. Advantageously, layer 2 switching at least reduces or eliminates these problems.

Since the AP **204** is a switching device, in an illustrative embodiment, the wireless switch **202** does not need to perform packet replication for multicast. Hence, a single multicast packet is transmitted from the wireless switch **202** to the AP **204** where it is replicated by the AP **204** as needed.

In the example of FIG. 2, the station **206-2** sends messages **210**, **212** to the AP **204**. The AP **204** treats the messages differently according to data available to the AP **204**. In the example of FIG. 2, the AP **204** sends the message **210** to the switch **202** via the tunnel **208**. In the example of FIG. 2, the AP **204** performs AP-local switching on the message **212** and sends the message **212** to the station **206-1**. It should be noted that the message **210** could be switched at the switch **202** and sent to the station **206-1**. Some examples of the various factors that could be considered when the AP **204** determines whether to switch locally or at the switch **202** (e.g., by tunneling) are explored by way of example but not limitation in the FIGS. 3A to 3D.

FIG. 3A depicts an example of a system **300A** performing AP-local dynamic switching per SSID. The system **300A** includes an AP **302** and stations **304-1** to **304-3** (referred to collectively as the stations **304**). For illustrative purposes only, the AP **302** includes two virtual APs (VAPs) **306-1** and **306-2** (referred to collectively as VAPs **306**). As one of skill in the relevant arts would know, an AP can broadcast or otherwise handle multiple SSIDs. If the AP broadcasts or otherwise handles more than one SSID, the AP may be logically treated as multiple APs; each of the logical APs, associated with respective SSIDs, may be referred to as a VAP. In the example of FIG. 3A, the AP **302** switches traffic through VAP **306-1** locally, if possible, and passes traffic through VAP **306-2** upstream for upstream switching. It may be noted that, in a non-limiting embodiment, the AP **302**

may perform AP-local dynamic switching per SSID, even if the AP 302 handles a single SSID; the determination is still dynamic even if only one outcome is possible.

FIG. 3B depicts an example of a system 300B performing AP-local dynamic switching per VLAN. The system 300B includes an AP 312 and stations 314-1 to 314-3 (referred to collectively as the stations 314). The stations are divided into VLANs 316-1 and 316-2 (referred to collectively as the VLANs 316). For illustrative purposes only, the stations 314-1 and 314-2 are part of the VLAN 316-1 and the station 314-3 is part of the VLAN 316-2. In the example of FIG. 3B, the AP 312 switches traffic from VLAN 316-1 locally, if possible, and passes traffic from VLAN 316-2 upstream for upstream switching.

FIG. 3C depicts an example of a system 300C performing AP-local dynamic switching per class. The system 300C includes an AP 322 and stations 324-1 to 324-2 (referred to collectively as the stations 324). For illustrative purposes only, the station 324-1 sends data traffic 326 and voice traffic 328 to the station 324-2. In the example of FIG. 3C, the AP 322 switches voice traffic 328 locally, if possible, and passes data traffic 326 upstream for upstream switching. Advantageously, this may enable faster transmission times for voice traffic, which tends to be more time-sensitive than data traffic, while maintaining centralized control of data traffic.

FIG. 3D depicts an example of a system 300D performing AP-local dynamic switching per user. The system 300D includes an AP 332 and stations 334-1 to 334-2 (referred to collectively as the stations 334). Each of the stations 334 has a respective associated user 336-1 to 336-3 (referred to collectively as the users 336). The users 336 and an AAA engine 338 are depicted for illustrative purposes only, to represent AP-local dynamic switching based on user authentication (e.g., AAA-driven switching). In the example of FIG. 3D, the AP 332 switches traffic from the station 334-1 locally, if possible, because the user 336-1 is allowed to do AP-local switching. However, the AP 332 passes traffic from the station 334-3 upstream for upstream switching because the user 336-3 is not allowed to do AP-local switching. Advantageously, this may enable faster transmission times for certain users, while maintaining centralized control of other users. By way of example but not limitation, the users allowed to do AP-local switching could be employees, while those not allowed to do AP-local switching could be guests. As another example, the users allowed to do AP-local switching could be employees of a first company, while those not allowed to do AP-local switching could be employees of a second company where the first company has superior (or at least different) access rights.

The examples of FIGS. 3A to 3D are intended to provide only a subset of the possible techniques for implementing AP-local dynamic switching. The techniques, whether illustrated in FIGS. 3A to 3D or not, could be used alone or in combination with other techniques, whether illustrated in FIGS. 3A to 3D or not.

FIG. 4 depicts an example of an AP 400 capable of AP-local dynamic switching. The AP 400 includes a processor 402, an optional Ethernet interface 404, a radio 406, a dynamic switching module 408, and a station switching record (SSR) database 410 coupled together via a bus 412. It may be noted that the various components could be coupled via some means other than the bus 412 without deviating from the scope of the teachings provided herein. The Ethernet interface 404 is optional because, for example, the AP 400 does not use Ethernet, the AP is a UAP that does not have a wired interface, or for some other reason. The radio may be an 802.11 radio, or some other wireless radio.

In an illustrative embodiment, the dynamic switching module 408 is implemented in a computer-readable medium, such as non-volatile storage and/or memory. The SSR database 410 is also implemented in a computer-readable medium, such as non-volatile storage and/or memory. In operation, portions of the dynamic switching module 408 may be loaded from non-volatile storage into memory, and executed by the processor 402. In an alternative embodiment, the dynamic switching module 408 may have a dedicated processor (not shown). Whether the processor is shared or dedicated, the dynamic switching module 408 and the processor may be referred to collectively as a dynamic switching engine.

In the example of FIG. 4, in operation, the AP 400 receives from an upstream switch an SSR associated with a downstream station. The SSR is stored in the SSR database 410. The downstream station may be operationally connected to the AP 400 through a wireless link, either directly or indirectly through intervening nodes of a wireless mesh. The dynamic switching engine uses the SSR to determine whether to perform AP-local switching for traffic received from the downstream station at the AP 400, or to send the traffic upstream toward the upstream switch.

FIG. 5 depicts a flowchart 500 of an example of a method for AP-local dynamic switching. In the example of FIG. 5, the flowchart 500 starts at optional module 502 where data associated with a wireless station is received. The data may be received at, for example, an AP. The module 502 is optional because instead (or in addition), it may be possible to use data associated with traffic to make determinations regarding whether to AP-locally switch the traffic, as is described shortly.

In the example of FIG. 5, the flowchart 500 continues to module 504 where Layer 2 traffic is received from the wireless station. Advantageously, since the traffic is Layer 2, the system may operate using any Layer 3 protocols (e.g., IP), or even multiple Layer 3 protocols.

In the example of FIG. 5, the flowchart 500 continues to decision point 506 where it is determined whether to Layer 2 switch the traffic locally. The determination as to whether to switch the traffic locally may be made using data associated with the wireless station (see, e.g., module 502) or data associated with the traffic itself. For example, the wireless station may be authorized for AP-local switching because the wireless station is associated with a particular VLAN. As a second example, the traffic may have a relatively high priority, such as voice traffic often has. If the traffic has a relatively high priority, the determination may be made to switch locally to get the traffic to its destination more quickly. It may be noted that in the second example, the module 502 is optional.

In the example of FIG. 5, if it is determined that the traffic is to be Layer 2 switched locally (506-Y), the flowchart 500 continues to module 508 where the traffic is Layer 2 switched locally, and to module 510 where the traffic is sent toward its destination. Having switched and sent the traffic, the flowchart 500 ends.

In the example of FIG. 5, if it is determined that the traffic is not to be Layer 2 switched locally (506-N), the flowchart 500 continues to module 512 where the traffic is Layer 2 tunneled upstream. Presumably, the traffic is switched further upstream. Having Layer 2 tunneled traffic upstream that is not to be switched locally, the flowchart 500 ends.

As used herein, an AP may refer to a standard (tethered) AP or to a UAP. Where a distinction should be drawn, an AP may be referred to as a "(tethered) AP" or a "UAP," as

appropriate. As used herein, the term “embodiment” means an embodiment that serves to illustrate by way of example but not limitation.

Although the subject matter has been described in language specific to structural features and/or methodological acts, it is to be understood that the subject matter defined in the appended claims is not necessarily limited to the specific features or acts described above. Rather, the specific features and acts described above are disclosed as example forms of implementing the claims.

The invention claimed is:

1. An apparatus, comprising:
 - a processor; and
 - a non-transitory memory in operable communication with the processor, the memory storing instructions executable by the processor to:
 - receive a signal representing a priority characteristic of a first virtual local area network (VLAN) associated with a first wireless station;
 - determine whether to AP-locally switch traffic from the first wireless station based on the priority characteristic, thereby determining a priority of the first VLAN as compared with a second VLAN;
 - when the priority characteristic is a first value, switch the traffic locally to the second wireless station by forwarding the traffic to the second wireless station without forwarding the traffic to an intervening wireless station; and
 - when the priority characteristic is a second value less than the first value, tunnel the traffic from the first wireless station upstream to the second wireless station.
2. The apparatus of claim 1, wherein the instruction to determine whether to AP-locally switch traffic includes instructions to determine whether to AP-locally switch traffic based on a characteristic of a target of the traffic.
3. The apparatus of claim 1, wherein the priority characteristic is associated with a sender of the traffic.
4. The apparatus of claim 1, wherein the instruction to determine whether to AP-locally switch traffic includes instructions to determine whether to AP-locally switch traffic based on an identifier of the first VLAN associated with the first wireless station.
5. The apparatus of claim 1, wherein the instruction to determine whether to AP-locally switch traffic includes instructions to determine whether to AP-locally switch traffic based on a service set identification (SSID) of the AP.
6. The apparatus of claim 1, wherein the instruction to determine whether to AP-locally switch traffic includes instructions to determine whether to AP-locally switch traffic based on authentication data associated with a user of the first wireless station.
7. The apparatus of claim 1, wherein the instruction to tunnel includes an instruction to tunnel the traffic via a Layer 2 tunnel.
8. An apparatus, comprising:
 - a processor; and
 - a non-transitory memory in operable communication with the processor, the memory storing instructions executable by the processor to:
 - receive data from a first wireless station and data from a second wireless station;
 - determine, at a first time, a first VLAN associated with the first wireless station;
 - at a second time after the first time, Layer-2 switch locally the data from the first wireless station, by

sending the data to a further wireless station without sending the data to an intervening wireless station; determine, at a third time, a second VLAN associated with the second wireless station; and

at a fourth time after the third time, Layer-2 tunnel the data from the second wireless station upstream to a wireless switch.

9. The apparatus of claim 8, wherein the instructions further include instructions to determine, before the second time and after the first time, whether to AP-locally switch or to tunnel the data from the first wireless station, based on the first VLAN being associated with the first wireless station.

10. The apparatus of claim 8, wherein the instructions further includes instructions to determine, before the second time and after the first time, whether to AP-locally switch or to tunnel the data from the first wireless station, based on an SSID of the first wireless station.

11. The apparatus of claim 8, wherein the instructions further include an instruction to determine, before the second time and after the first time, whether to AP-locally switch or to tunnel the data from the first wireless station, based on authentication data associated with a user of the first wireless station.

12. The apparatus of claim 8, wherein the instructions further include instructions to determine, before the second time and after the first time, whether to AP-locally switch or to tunnel the data from the first wireless station, based on an SSR associated with the first wireless station.

13. The apparatus of claim 8, wherein the instructions further include instructions to determine, before the fourth time and after the third time, whether to AP-locally switch or to tunnel the data from the second wireless station, based on an identifier of the second VLAN.

14. The apparatus of claim 8, wherein the instructions further include instructions to determine, before the fourth time, whether to AP-locally switch or to tunnel the data from the second wireless station, based on an SSID of the second wireless station.

15. The apparatus of claim 8, wherein the instructions further include instructions to determine, before the fourth time, whether to AP-locally switch or to tunnel the data from the second wireless station, based on authentication data associated with a user of the second wireless station.

16. An apparatus, comprising:

- a processor; and
- a non-transitory memory in operable communication with the processor, the memory storing instructions executable by the processor to:

- receive data from a wireless station, the data indicating a priority characteristic of a first VLAN associated with the wireless station;

- receive traffic from the wireless station;

- determine whether to AP-locally switch the traffic from the wireless station based on the priority characteristic, thereby determining a priority of the first VLAN as compared with a second VLAN;

- when the priority characteristic is a first value, switch the traffic locally to a second wireless station by forwarding the traffic to the second wireless station without forwarding the traffic to an intervening wireless station; and

- when the priority characteristic is a second value less than the first value, tunnel the traffic from the wireless station upstream to a second wireless station.

17. The apparatus of claim 16, wherein the instruction to determine whether to AP-locally switch traffic include

instructions to determine whether to AP-locally switch traffic based on a station switching record (SSR) associated with the first wireless station.

18. The apparatus of claim 16, wherein:

the instruction to determine whether to AP-locally switch traffic include instructions to determine whether to AP-locally switch traffic based on a station switching record (SSR) that is associated with the first wireless station and that includes data selected from at least one of a station media access control (MAC), a SSID, a VLAN name, an authentication, authorization and accounting (AAA) data, or user data.

19. The apparatus of claim 16, wherein the instruction to determine whether to AP-locally switch traffic include instructions to determine whether to AP-locally switch traffic based on a class of the data.

20. The apparatus of claim 16, wherein the instructions further include instructions to determine, before the fourth time, whether to AP-locally switch or to tunnel the data from the second wireless station, based on an SSR associated with the second wireless station.

* * * * *