

(19)



(11)

EP 1 378 459 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
06.08.2008 Bulletin 2008/32

(51) Int Cl.:
B65D 77/00 (2006.01) B65D 81/05 (2006.01)

(21) Application number: **03254193.0**

(22) Date of filing: **01.07.2003**

(54) **Sandwich packaging**

Sandwich-Packung

Emballage à sandwich

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**

(30) Priority: **01.07.2002 GB 0215186**

(43) Date of publication of application:
07.01.2004 Bulletin 2004/02

(73) Proprietor: **Springpak Solutions Ltd.,
Southampton, Hampshire SO32 1GN (GB)**

(72) Inventor: **Peters, Brian
West Sussex, BN16 2PP (GB)**

(74) Representative: **Bridge-Butler, Alan James et al
Baron Warren Redfern
19 South End
Kensington
London W8 5BU (GB)**

(56) References cited:
**WO-A-00/64759 FR-A- 2 331 492
GB-A- 1 299 690 GB-A- 1 313 950**

EP 1 378 459 B1

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

[0001] This invention relates to a food packaging system, particularly, but not exclusively for packaging sandwiches.

[0002] Sandwiches are a popular fast food widely sold from various outlets, and are commonly created from two square slices of bread laid on top of one another with a filling spread in between. Most pre-packaged sandwiches are sliced into two triangular pieces and sold in a triangular package. The slices are placed next to one another, with the longest side facing uppermost in the package so the filling can be seen.

[0003] Such packages are commonly constructed from a clear plastics material, and may have a paper or cardboard label element contained within the packaging. Various sizes of the package can accommodate two, three or four sandwich slices. However, this kind of packaging must be formed from the plastics material before the food is placed inside it. This results in slow construction of the product because each sandwich has to be placed into the package. Further, this type of packaging may not be recyclable or kind to the environment.

[0004] In order to address this problem, it is also known to package sandwiches in a paper or card package, which can be wrapped around the sandwich slices during construction of the product. It is common to construct a triangular package with an open frontage, through which the slices can be removed. The package can be wrapped in film constructed from a clear plastics material.

[0005] However, this type of packaging suffers from a particular problem. Due to the structural weakness of the card used, it is common for the plastics film to come into contact with the sandwich slices. If the slices contain a large quantity of filling with a low structural integrity, for example egg and mayonnaise or Coronation chicken, the plastics film can come into contact with the filling. This results in a poor appearance, and an unpleasant filling residue being left on the plastics film when the sandwich is removed for consumption.

[0006] GB 1313950 in the name of KARAN discloses a container for containing sandwiches comprising a body portion and a covering sheet, the body portion including two generally triangular side walls separated by a spacing wall, said spacing wall meeting each side wall along two edges thereof to define a mouth between the third edge of each side wall, said covering sheet being connected to one of said side walls and adapted to be folded over said mouth and sealed to the other of said side walls. The spacing wall is further provided with two planar hinged flap portions at each end which are folded inwardly so they abut the third edges of the triangular side walls, and at least partially close said mouth.

[0007] The purpose of the flap portions is to prevent the contents of the container from contacting a heat sealing plate during the packaging process, however to a minor extent they also serve to prevent the cover sheet from coming into contact with the sandwich in use. How-

ever, as the covering sheet is only held away from the opening by the thickness of the flap portions, it would only require a very minor shift in the position of the contents for them to come into contact with the covering sheet.

[0008] The present invention is intended to overcome some of the above problems.

[0009] According to the present invention packaging for food comprises a body portion adapted to contain the food, an opening, and an external wrapping, in which the body portion is provided with extension elements, characterized in that the extension elements are biased such that they extend away from the opening and prevent the external wrapping extending between them from contacting the food through the opening.

[0010] Preferably the packaging is for two triangular sandwich slices, and the body portion is substantially triangular in shape. It will be appreciated that the packaging can also be for three or four sandwich slices. The body portion may be a substantially right angle triangular shape.

[0011] The body portion can also be provided with an opening on the longest side of the triangle, through which the sandwich slices can be observed and removed.

[0012] Preferably the extension elements comprise elongate flaps which extend from the top and the bottom of the rim around the opening, and over part of the front of the sandwich slices.

[0013] As the flaps are biased away from the opening the external wrapper is held away from the sandwich slices, and can be held taught from the edge of one flap to the other.

[0014] In one embodiment the body is constructed from cardboard or solid board, and the flaps extend from the rear and lower sections of the body, so that when they are folded over the opening, they are biased away from the opening.

[0015] The external wrapping can be constructed from a lightweight and clear plastics material.

[0016] The body can be printed with labelling, advertising or colouring, and varnished on the outside face to provide a hard wearing surface. In particular, the extension flaps can also be printed with labelling, advertising or colouring.

[0017] Preferably the materials used are of food grade, are FDA approved and can resist an element of 'fat creep' from the enclosed sandwich.

[0018] The invention can be performed in various ways but one embodiment will now be described by way of example and with reference to the accompanying drawings in which:

Figure 1 is a side view of a sandwich pack according to the present invention: and,

Figure 2 is a front view of the sandwich pack as shown in Figure 1.

[0019] As shown in Figure 1 a sandwich pack 1 comprises a body portion 2 adapted to contain the sandwiches (not shown) an opening 3, and an external wrapping 4. The body portion 2 is provided with extension elements 5 and 6 adapted to prevent the external wrapping 4 contacting the sandwiches through the opening 3.

[0020] The body portion 2 is a substantially isosceles triangle shaped container with one side removed. The corner A is substantially 90 degrees. The body portion 2 is shaped and dimensioned to contain two triangular sandwich slices (not shown) in a sandwich bay area 2a.

[0021] Opening 3 is provided at the front of the body 2, and is shaped and dimensioned to allow the slices to be observed and removed for consumption.

[0022] The extension elements 5 and 6 are flaps which extend from the top edge 7 and the bottom edge 8 of the opening 3. The flaps 5 and 6 extend over part of the front of the sandwich slices and protect their tops and bottoms. The flaps are biased in an outwards direction away from the sandwich slices.

[0023] The external wrapping 4 surrounds the entire body portion 2. As shown in Figure 1 the flaps 5 and 6 hold the forward facing section 9 of the external wrapping 4 away from the sandwich bay area 2a, and hence away from the sandwich slices (not shown).

[0024] Further, the outward biasing of the flaps 5 and 6 holds the forward facing section 9 taught across the opening 3.

[0025] The body portion 2 is constructed from cardboard, and the external wrapping 4 is constructed from a clear plastics material film. The cardboard material is food grade, FDA approved and can resist "fat creep".

[0026] As shown in Figure 2 the front faces 10 and 11 of the flaps 5 and 6 can be printed with labelling 12 or other graphics.

[0027] Thus a sandwich package is provided which is readily constructed and made from recyclable materials, which effectively packages the sandwiches without causing them to be damaged or smeared across the external wrapping.

Claims

1. Packaging for food (1) comprising a body portion (2) adapted to contain the food, an opening (3), and an external wrapping (4), in which the body portion (2) is provided with extension elements (5, 6), **characterized in that** the extension elements (5, 6) are biased such that they extend away from the opening (3) and prevent the external wrapping extending between them (9) from contacting the food through the opening (3).
2. Packaging as claimed in Claim 1 in which the body portion (2) is formed from two spaced apart and substantially right angle triangle shaped sides, which are connected by two substantially rectangle shaped

sides extending between each of the corresponding shorter edges of the triangles, and in which the opening (3) is a rectangular shape defined by the corresponding longer edges of the triangle shaped sides and the corresponding shorter edges of the rectangle shaped sides.

3. Packaging as claimed in Claim 2 in which the extension elements (5, 6) extend from the shorter edges of the rectangle shaped sides which define the opening (3).
4. Packaging as claimed in Claim 3 in which the body portion (2) is formed from a single piece of card board material, and in which the extension elements (5, 6) are biased such that they extend away from the opening (3) by being folded in relation to the rectangular shaped sides to an angle less than the angle of the adjacent corner of the triangle.
5. Packaging as claimed in Claim 4 in which the external wrapping (4) is constructed from a clear plastics material.
6. Packaging as claimed in any of the preceding Claims in which the body portion (2) is adapted to contain sandwiches.

Patentansprüche

1. Verpackung für Lebensmittel (1) umfassend ein zur Aufnahme des Lebensmittels angepasstes Körperteil (2), eine Öffnung (3), und eine Außenhülle (4), wobei das Körperteil (2) mit Verlängerungselementen (5, 6) versehen ist, **dadurch gekennzeichnet, dass** die Verlängerungselemente (5, 6) so vorgespannt sind, dass sie sich von der Öffnung (3) weg erstrecken und verhindern, dass die zwischen ihnen erstreckende Außenhülle (9) das Lebensmittel durch die Öffnung (3) berührt.
2. Verpackung nach Anspruch 1, wobei das Körperteil (2) aus zwei voneinander beabstandeten und im Wesentlichen in Form eines rechtwinkligen Dreiecks geformten Seiten gebildet ist, welche durch zwei im Wesentlichen rechteckförmige Seiten, die sich zwischen jeder der korrespondierenden kürzeren Kanten des Dreiecks erstrecken, verbunden sind, und wobei die Öffnung (3) eine durch die korrespondierenden längeren Kanten der dreieckförmigen Seiten und die korrespondierenden kürzeren Kanten der rechteckförmigen Seiten definierte Rechteckform aufweist.
3. Verpackung nach Anspruch 2, wobei sich die Verlängerungselemente (5, 6) von den kürzeren Kanten der die Öffnung (3) definierenden rechteckförmigen

Seiten erstrecken.

4. Verpackung nach Anspruch 3, wobei das Körperteil (2) aus einem einzelnen Stück eines Kartonmaterials gebildet ist, und wobei die Verlängerungselemente (5, 6) so vorgespannt sind, dass sie sich **dadurch** von der Öffnung (3) wegerstrecken, dass sie in Bezug auf die rechteckförmigen Seiten um einen weniger starken Winkel gefaltet sind als der Winkel der benachbarten Ecke des Dreiecks.

10

5. Verpackung nach Anspruch 4, wobei die Außenhülle (4) aus einem durchsichtigen Plastikmaterial hergestellt ist

15

6. Verpackung nach einem der vorangehenden Ansprüche, wobei der Körperteil (2) zur Aufnahme von Sandwiches angepasst ist.

20

Revendications

1. Emballage pour produit alimentaire (1) comprenant une partie de corps (2) adaptée pour contenir le produit alimentaire, une ouverture (3), et un emballage externe (4), dans lequel la partie de corps (2) comporte des éléments d'extension (5, 6), **caractérisé en ce que** les éléments d'extension (5, 6) sont sollicités de sorte qu'ils s'étendent à distance de l'ouverture (3) et empêchent l'emballage externe s'étendant entre eux (9) d'entrer en contact avec le produit alimentaire par l'ouverture (3).
2. Emballage selon la revendication 1, dans lequel la partie de corps (2) est formée à partir de deux côtés espacés et sensiblement en forme de triangle rectangle, qui sont raccordés par deux côtés sensiblement rectangulaires s'étendant entre chacun des bords correspondants les plus courts des triangles, et dans lequel l'ouverture (3) a une forme rectangulaire définie par les bords correspondants les plus longs des côtés en forme de triangle et les bords correspondants les plus courts des côtés en forme de rectangle.
3. Emballage selon la revendication 2, dans lequel les éléments d'extension (5, 6) s'étendent à partir des bords les plus courts des côtés en forme de rectangle qui définissent l'ouverture (3).
4. Emballage selon la revendication 3, dans lequel la partie de corps (2) est formée à partir d'un seul morceau de carton, et dans lequel les éléments d'extension (5, 6) sont sollicités de sorte qu'ils s'étendent à distance de l'ouverture (3) en étant pliés par rapport aux côtés en forme de rectangle selon un angle inférieur à l'angle du coin adjacent du triangle.

25

30

35

40

45



50

55

5. Emballage selon la revendication 4, dans lequel l'emballage externe (4) est construit à partir d'une matière plastique transparente.

5

6. Emballage selon l'une quelconque des revendications précédentes, dans lequel la partie de corps (2) est adaptée pour contenir des sandwiches.



REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- GB 1313950 A [0006]