

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2011329777 B2**

(54) Title
Modulation of alpha synuclein expression

(51) International Patent Classification(s)
A61K 48/00 (2006.01) **C07H 21/04** (2006.01)
A61P 25/28 (2006.01) **C12Q 1/68** (2006.01)

(21) Application No: **2011329777** (22) Date of Filing: **2011.11.17**

(87) WIPO No: **WO12/068405**

(30) Priority Data

(31)	Number	(32)	Date	(33)	Country
	61/414,848		2010.11.17		US

(43) Publication Date: **2012.05.24**

(44) Accepted Journal Date: **2016.06.09**

(71) Applicant(s)
Ionis Pharmaceuticals, Inc.

(72) Inventor(s)
Bennett, C. Frank;Freier, Susan M.;Mallajosyula, Jyothi

(74) Agent / Attorney
Pizzeys Patent and Trade Mark Attorneys Pty Ltd, PO Box 291, WODEN, ACT, 2606

(56) Related Art
Murphy et al (2000) Journal of Neuroscience, May, 20(9):3214-3220
US 2004/0226056 A1 (Roch et al.) 11 November 2004
WO 2009/079399 A2 (ALNYLAM PHARMACEUTICALS, INC.) 25 June 2009
US 2008/0003570 A1 (Rogers et al.) 3 January 2008
WO 2001/057277 A2 (MOLECULAR DYNAMICS, INC.) 9 August 2001
US 2007/0192879 A1 (Yoshimoto et al.) 16 August 2007
WO 2008/109509 A1 (MDRNA, INC.) 12 September 2008
Liu et al (2004) EMBO Journal, November, 23(22):4506-4516
Monti et al (2007) Journal of Neurochemistry, June, 103(2):518-530



(51) International Patent Classification:

C12Q 1/68 (2006.01) *A61K 48/00* (2006.01)
C07H 21/04 (2006.01)

(21) International Application Number:

PCT/US2011/061245

(22) International Filing Date:

17 November 2011 (17.11.2011)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/414,848 17 November 2010 (17.11.2010) US

(71) Applicant (for all designated States except US): **ISIS PHARMACEUTICALS, INC.** [US/US]; 2855 Gazelle Court, Carlsbad, CA 92010 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BENNETT, C., Frank** [US/US]; 2855 Gazelle Court, Carlsbad, CA 92010 (US). **FREIER, Susan, M.** [US/US]; 2855 Gazelle Court, Carlsbad, CA 92010 (US). **MALLAJOSYULA, Jyothi** [IN/US]; 1762 Cottonwood Ave, Carlsbad, CA 92011 (US).

(74) Agents: **GINGRICH, Brenden** et al.; Knobbe Martens Olson & Bear LLP, 2040 Main Street, 14th Floor, Irvine, CA 92614 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))
- with sequence listing part of description (Rule 5.2(a))

(88) Date of publication of the international search report:

12 July 2012

(54) Title: MODULATION OF ALPHA SYNUCLEIN EXPRESSION

(57) Abstract: Disclosed herein are antisense compounds and methods for decreasing alpha-synuclein mRNA and protein expression. Also disclosed herein are methods for treating, preventing, and ameliorating neurodegenerative diseases in an individual in need thereof.



WO 2012/068405 A3

MODULATION OF ALPHA SYNUCLEIN EXPRESSION

Sequence Listing

The present application is being filed along with a Sequence Listing in electronic format.

- 5 The Sequence Listing is provided as a file entitled BIOL0139WOSEQ.txt created 11/17/2011, which is 170 Kb in size. The information in the electronic format of the sequence listing is incorporated herein by reference in its entirety.

Field of the Invention

- 0 Embodiments of the present invention provide methods, compounds, and compositions for inhibiting expression of alpha-synuclein mRNA and protein in an animal. Such methods, compounds, and compositions are useful to treat, prevent, or ameliorate neurodegenerative diseases, including, Parkinson's disease, dementia, multiple system atrophy, and Alzheimer's disease.

5 Background of the Invention

- Alpha-synuclein (also known as α -synuclein, SNCA, and a-SYN) is a small, highly charged 140-amino acid residue protein, predominantly expressed in central nervous system (CNS) neurons, where it is localized at presynaptic terminals in close proximity to synaptic vesicles (Iwai, et al., *Neuron*. 1995. 14: 467-475). Alpha-synuclein can associate with lipid membranes by forming
- 10 amphipathic α -helices, as shown in vitro (Davidson, et al., *J. Biol. Chem.* 1998. 273: 9443-9449). Although the function of alpha-synuclein is still poorly understood, several studies suggest that it is involved in modulating synaptic transmission, the density of synaptic vesicles, and neuronal plasticity (Cabin et al., *J. Neurosci.* 2002. 22: 8797-8807). It has also been suggested that alpha-synuclein may have a chaperone function, as indicated by its effectiveness in preventing aggregation
- 15 of proteins in *in vitro* assays (Souza et al., *FEBS Lett.* 2000. 474: 116-119). Moreover, *in vivo* assays demonstrate that alpha-synuclein chaperone activity is instrumental in promoting the assembly of the SNARE-complex, which is essential for neurotransmitter release in the presynaptic terminals of the brain (Burre et al., *Science*. 329: 1663-1667). Decreased SNARE-complex assembly is associated with neurological impairment, thus, indicating a link between presynaptic alpha-
- 20 synuclein aggregates and neurodegeneration (Kramer and Schulz-Schaeffer, *J. Neurosci.* 2007. 27: 1405-1410). Knockout mouse models of alpha-synuclein are not lethal, and brain morphology is

intact, suggesting that alpha-synuclein is not required for neuronal development and/ or that compensatory pathways are present (Abeliovich et al., *Neuron*. 2000. 25: 239-252).

Misfolding, aggregation, and fibrillation of alpha-synuclein are implicated as critical factors in several neurodegenerative diseases, including, Parkinson's disease, Lewy body variant of Alzheimer's disease, diffuse Lewy body disease, dementia with Lewy bodies, and multiple system atrophy (Schulz-Schaeffer *Acta Neuropathol*. 2010. 120: 131-143; Yoshida. *Neuropathology*. 2007. 27: 484-493). In each of these cases, alpha-synuclein protein is misfolded and assembles in aggregates in Lewy bodies and Lewy neurites (Uversky. *J. Neurochem*. 2007. 103: 17-37). Several recent studies have shown that lipidic environments that promote alpha-synuclein folding also accelerate alpha-synuclein aggregation, suggesting that the lipid-associated conformation of alpha-synuclein may be relevant to alpha-synuclein misfolding in neurodegenerative diseases (Conway et al., *Science*. 2001. 294: 6-9; Lee et al., *J. Biol. Chem*. 2002. 277: 671-678). Mutations at position 53, where alanine is changed to threonine, and at position 30, where alanine is changed to proline, have been shown to cause alpha-synuclein to be in a random coil state, so that aggregation is more likely to occur (Clayton and George, *J. Neurosci*. 1999. 58: 120-129).

There is a currently a lack of acceptable options for treating such neurodegenerative disorders. It is therefore an object herein to provide compounds and methods for the treatment of such diseases and disorder.

Summary of the Invention

Provided herein are methods, compounds, and compositions for modulating expression of alpha-synuclein mRNA and protein. In certain embodiments, alpha-synuclein specific inhibitors modulate expression of alpha-synuclein mRNA and protein. In certain embodiments, alpha-synuclein specific inhibitors are nucleic acids, proteins, antibodies, or small molecules.

In certain embodiments, modulation can occur in a cell or tissue. In certain embodiments, the cell or tissue is in an animal. In certain embodiments, the animal is a human. In certain embodiments, alpha-synuclein mRNA levels are reduced. In certain embodiments, alpha-synuclein protein levels are reduced. In certain embodiments, alpha-synuclein mRNA and protein levels are reduced. Such reduction can occur in a time-dependent manner or in a dose-dependent manner.

Also provided are methods, compounds, and compositions useful for preventing, treating, and ameliorating diseases, disorders, and conditions. In certain embodiments, such diseases, disorders, and conditions are neurodegenerative diseases, disorders, and conditions. In certain

embodiments, such neurodegenerative diseases, disorders, and conditions include Parkinson's Disease, dementia, multiple system atrophy (also Shy-Drager syndrome), sporadic and familial Alzheimer's Disease, Lewy body variant of Alzheimer's disease, diffuse Lewy body disease, dementia with Lewy bodies, and pure autonomic failure (also known as Bradbury-Eggleston syndrome). In certain embodiments, such diseases, disorders, and conditions are termed synucleinopathies. In certain embodiments, such synucleinopathies include Parkinson's disease, dementia with Lewy bodies, multiple system atrophy, and pure autonomic failure.

Such diseases, disorders, and conditions can have one or more risk factors, causes, or outcomes in common. Certain risk factors and causes for development of a neurodegenerative disease, and, in particular, a synucleinopathy, include older age, exposure to neurotoxins, genetic predisposition, and trauma.

In certain embodiments, methods of treatment include administering an alpha-synuclein specific inhibitor to an individual in need thereof.

Detailed Description of the Invention

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention, as claimed. Herein, the use of the singular includes the plural unless specifically stated otherwise. As used herein, the use of "or" means "and/or" unless stated otherwise. Additionally, as used herein, the use of "and" means "and/or" unless stated otherwise. Furthermore, the use of the term "including" as well as other forms, such as "includes" and "included", is not limiting. Also, terms such as "element" or "component" encompass both elements and components comprising one unit and elements and components that comprise more than one subunit, unless specifically stated otherwise.

The section headings used herein are for organizational purposes only and are not to be construed as limiting the subject matter described. All documents, or portions of documents, cited in this application, including, but not limited to, patents, patent applications, articles, books, and treatises, are hereby expressly incorporated by reference for the portions of the document discussed herein, as well as in their entirety.

Definitions

Unless specific definitions are provided, the nomenclature utilized in connection with, and the procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal

and pharmaceutical chemistry described herein are those well known and commonly used in the art. Standard techniques may be used for chemical synthesis, and chemical analysis. Where permitted, all patents, applications, published applications and other publications, GENBANK Accession Numbers and associated sequence information obtainable through databases such as National Center
5 for Biotechnology Information (NCBI) and other data referred to throughout in the disclosure herein are incorporated by reference for the portions of the document discussed herein, as well as in their entirety.

Unless otherwise indicated, the following terms have the following meanings:

“2’-O-methoxyethyl” (also 2’-MOE and 2’-O(CH₂)₂-OCH₃) refers to an O-methoxy-ethyl
0 modification of the 2’ position of a furosyl ring. A 2’-O-methoxyethyl modified sugar is a modified sugar.

“2’-O-methoxyethyl nucleotide” means a nucleotide comprising a 2’-O-methoxyethyl modified sugar moiety.

“5-methylcytosine” means a cytosine modified with a methyl group attached to the 5’
5 position. A 5-methylcytosine is a modified nucleobase.

“Active pharmaceutical agent” means the substance or substances in a pharmaceutical composition that provide a therapeutic benefit when administered to an individual. For example, in certain embodiments an antisense oligonucleotide targeted to an alpha-synuclein nucleic acid is an active pharmaceutical agent.

0 “Active target region” or “target region” means a region to which one or more active antisense compounds is targeted. “Active antisense compounds” means antisense compounds that reduce target nucleic acid levels or protein levels.

“Administered concomitantly” refers to the co-administration of two agents in any manner in which the pharmacological effects of both are manifest in the patient at the same time. Concomitant
5 administration does not require that both agents be administered in a single pharmaceutical composition, in the same dosage form, or by the same route of administration. The effects of both agents need not manifest themselves at the same time. The effects need only be overlapping for a period of time and need not be coextensive.

“Administering” means providing a pharmaceutical agent to an individual, and includes, but
0 is not limited to, administering by a medical professional and self-administering.

“Alpha-synuclein nucleic acid” or “α-synuclein” or “SNCA” or “a-SYN” means any nucleic acid encoding alpha-synuclein. For example, in certain embodiments, an alpha-synuclein nucleic

acid includes a DNA sequence encoding alpha-synuclein, an RNA sequence transcribed from DNA encoding alpha-synuclein (including genomic DNA comprising introns and exons), and an mRNA sequence encoding alpha-synuclein. "alpha-synuclein mRNA" means an mRNA encoding an alpha-synuclein protein.

5 "Alpha-synuclein specific inhibitor" refers to any agent capable of inhibiting the expression of alpha-synuclein mRNA and/or alpha-synuclein protein with few to no off-target effects. Alpha-synuclein specific inhibitors include, but are not limited to, nucleic acids (including antisense compounds), peptides, antibodies, small molecules, and other agents capable of inhibiting the expression of alpha-synuclein mRNA and/or alpha-synuclein protein. In certain embodiments, by
0 specifically modulating alpha-synuclein mRNA expression and/or alpha-synuclein protein expression, alpha-synuclein specific inhibitors affect other downstream proteins and molecules.

"Amelioration" refers to a lessening of at least one indicator, sign, or symptom of an associated disease, disorder, or condition. The severity of indicators may be determined by subjective or objective measures, which are known to those skilled in the art.

5 "Animal" refers to a human or non-human animal, including, but not limited to, mice, rats, rabbits, dogs, cats, pigs, and non-human primates, including, but not limited to, monkeys and chimpanzees.

"Antibody" refers to a molecule characterized by reacting specifically with an antigen in some way, where the antibody and the antigen are each defined in terms of the other. Antibody may
10 refer to a complete antibody molecule or any fragment or region thereof, such as the heavy chain, the light chain, Fab region, and Fc region.

"Antisense activity" means any detectable or measurable activity attributable to the hybridization of an antisense compound to its target nucleic acid. In certain embodiments, antisense activity is a decrease in the amount or expression of a target nucleic acid or protein encoded by such
5 target nucleic acid.

"Antisense compound" means an oligomeric compound that is capable of undergoing hybridization to a target nucleic acid through hydrogen bonding.

"Antisense inhibition" means reduction of target nucleic acid levels or target protein levels in the presence of an antisense compound complementary to a target nucleic acid as compared to target
0 nucleic acid levels or target protein levels in the absence of the antisense compound.

"Antisense oligonucleotide" means a single-stranded oligonucleotide having a nucleobase sequence that permits hybridization to a corresponding region or segment of a target nucleic acid.

“Bicyclic sugar” means a furosyl ring modified by the bridging of two atoms. A bicyclic sugar is a modified sugar.

“Bicyclic nucleoside” means a nucleoside having a sugar moiety comprising a bridge connecting two carbon atoms of the sugar ring, thereby forming a bicyclic ring system. In certain
5 embodiments, the bridge connects the 4'-carbon and the 2'-carbon of the sugar ring.

“Cap structure” or “terminal cap moiety” means chemical modifications, which have been incorporated at either terminus of an antisense compound.

“cEt” or “constrained ethyl” means a bicyclic nucleoside having a sugar moiety comprising a bridge connecting the 4'-carbon and the 2'-carbon, wherein the bridge has the formula: 4'-
0 CH(CH₃)-O-2'.

“Chemically distinct region” refers to a region of an antisense compound that is in some way chemically different than another region of the same antisense compound. For example, a region having 2'-O-methoxyethyl nucleotides is chemically distinct from a region having nucleotides without 2'-O-methoxyethyl modifications.

5 “Chimeric antisense compound” means an antisense compound that has at least two chemically distinct regions.

“Co-administration” means administration of two or more pharmaceutical agents to an individual. The two or more pharmaceutical agents may be in a single pharmaceutical composition, or may be in separate pharmaceutical compositions. Each of the two or more pharmaceutical agents
0 may be administered through the same or different routes of administration. Co-administration encompasses parallel or sequential administration.

“Complementarity” means the capacity for pairing between nucleobases of a first nucleic acid and a second nucleic acid.

“Contiguous nucleobases” means nucleobases immediately adjacent to each other.

5 “Diluent” means an ingredient in a composition that lacks pharmacological activity, but is pharmaceutically necessary or desirable. For example, the diluent in an injected composition may be a liquid, e.g. saline solution.

“Dose” means a specified quantity of a pharmaceutical agent provided in a single administration, or in a specified time period. In certain embodiments, a dose may be administered in
0 one, two, or more boluses, tablets, or injections. For example, in certain embodiments where subcutaneous administration is desired, the desired dose requires a volume not easily accommodated by a single injection, therefore, two or more injections may be used to achieve the desired dose. In

certain embodiments, the pharmaceutical agent is administered by infusion over an extended period of time or continuously. Doses may be stated as the amount of pharmaceutical agent per hour, day, week, or month.

“Effective amount” means the amount of active pharmaceutical agent sufficient to effectuate a desired physiological outcome in an individual in need of the agent. The effective amount may vary among individuals depending on the health and physical condition of the individual to be treated, the taxonomic group of the individuals to be treated, the formulation of the composition, assessment of the individual’s medical condition, and other relevant factors.

“Fully complementary” or “100% complementary” means each nucleobase of a first nucleic acid has a complementary nucleobase in a second nucleic acid. In certain embodiments, a first nucleic acid is an antisense compound and a target nucleic acid is a second nucleic acid.

“Gapmer” means a chimeric antisense compound in which an internal region having a plurality of nucleosides that support RNase H cleavage is positioned between external regions having one or more nucleosides, wherein the nucleosides comprising the internal region are chemically distinct from the nucleoside or nucleosides comprising the external regions. The internal region may be referred to as the “gap” and the external regions may be referred to as the “wings.”

“Gap-widened” means a chimeric antisense compound having a gap segment of 12 or more contiguous 2'-deoxyribonucleosides positioned between and immediately adjacent to 5' and 3' wing segments having from one to six nucleosides.

“Hybridization” means the annealing of complementary nucleic acid molecules. In certain embodiments, complementary nucleic acid molecules include an antisense compound and a target nucleic acid.

“Identifying an animal at risk for neurodegenerative disease” means identifying an animal having been diagnosed with a neurodegenerative disease or identifying an animal predisposed to develop a neurodegenerative disease. Such identification may be accomplished by any method including evaluating an individual’s medical history and standard clinical tests or assessments.

“Immediately adjacent” means there are no intervening elements between the immediately adjacent elements.

“Inhibiting alpha-synuclein” means reducing expression of alpha-synuclein mRNA and/or protein levels in the presence of an alpha-synuclein specific inhibitor as compared to expression of alpha-synuclein mRNA and/or protein levels in the absence of an alpha-synuclein specific inhibitor.

“Individual” means a human or non-human animal selected for treatment or therapy.

“Internucleoside linkage” refers to the chemical bond between nucleosides.

“Linked nucleosides” means adjacent nucleosides which are bonded together.

“Mismatch” or “non-complementary nucleobase” refers to the case when a nucleobase of a first nucleic acid is not capable of pairing with the corresponding nucleobase of a second or target nucleic acid.

“Modified internucleoside linkage” refers to a substitution or any change from a naturally occurring internucleoside bond (i.e. a phosphodiester internucleoside bond).

“Modified nucleobase” refers to any nucleobase other than adenine, cytosine, guanine, thymidine, or uracil. An “unmodified nucleobase” means the purine bases adenine (A) and guanine (G), and the pyrimidine bases thymine (T), cytosine (C), and uracil (U).

“Modified nucleotide” means a nucleotide having, independently, a modified sugar moiety, modified internucleoside linkage, or modified nucleobase. A “modified nucleoside” means a nucleoside having, independently, a modified sugar moiety or modified nucleobase.

“Modified oligonucleotide” means an oligonucleotide comprising a modified internucleoside linkage, a modified sugar, or a modified nucleobase.

“Modified sugar” refers to a substitution or change from a natural sugar.

“Motif” means the pattern of chemically distinct regions in an antisense compound.

“Naturally occurring internucleoside linkage” means a 3' to 5' phosphodiester linkage.

“Natural sugar moiety” means a sugar found in DNA (2'-H) or RNA (2'-OH).

“Neurodegenerative disease” means a disease characterized by progressive loss of structure or function of neurons, including death of neurons.

“Nucleic acid” refers to molecules composed of monomeric nucleotides. A nucleic acid includes ribonucleic acids (RNA), deoxyribonucleic acids (DNA), single-stranded nucleic acids, double-stranded nucleic acids, small interfering ribonucleic acids (siRNA), and microRNAs (miRNA).

“Nucleobase” means a heterocyclic moiety capable of pairing with a base of another nucleic acid.

“Nucleobase sequence” means the order of contiguous nucleobases independent of any sugar, linkage, or nucleobase modification.

“Nucleoside” means a nucleobase linked to a sugar.

“Nucleoside mimetic” includes those structures used to replace the sugar or the sugar and the base and not necessarily the linkage at one or more positions of an oligomeric compound such as for

example nucleoside mimetics having morpholino, cyclohexenyl, cyclohexyl, tetrahydropyranyl, bicyclo or tricyclo sugar mimetics, *e.g.*, non furanose sugar units. Nucleotide mimetic includes those structures used to replace the nucleoside and the linkage at one or more positions of an oligomeric compound such as for example peptide nucleic acids or morpholinos (morpholinos
5 linked by -N(H)-C(=O)-O- or other non-phosphodiester linkage). Sugar surrogate overlaps with the slightly broader term nucleoside mimetic but is intended to indicate replacement of the sugar unit (furanose ring) only. The tetrahydropyranyl rings provided herein are illustrative of an example of a sugar surrogate wherein the furanose sugar group has been replaced with a tetrahydropyranyl ring system.

0 “Nucleotide” means a nucleoside having a phosphate group covalently linked to the sugar portion of the nucleoside.

“Off-target effect” refers to an unwanted or deleterious biological effect associated with modulation of RNA or protein expression of a gene other than the intended target nucleic acid.

5 “Oligomeric compound” or “oligomer” means a polymer of linked monomeric subunits which is capable of hybridizing to at least a region of a nucleic acid molecule.

“Oligonucleotide” means a polymer of linked nucleosides each of which can be modified or unmodified, independent one from another.

“Parenteral administration” means administration through injection or infusion. Parenteral administration includes subcutaneous administration, intravenous administration, intramuscular
10 administration, intraarterial administration, intraperitoneal administration, or intracranial administration, *e.g.*, intrathecal or intracerebroventricular administration.

“Peptide” means a molecule formed by linking at least two amino acids by amide bonds. Peptide refers to polypeptides and proteins.

5 “Pharmaceutical composition” means a mixture of substances suitable for administering to an individual. For example, a pharmaceutical composition may comprise one or more active pharmaceutical agents and a sterile aqueous solution.

“Pharmaceutically acceptable salts” means physiologically and pharmaceutically acceptable salts of antisense compounds, *i.e.*, salts that retain the desired biological activity of the parent oligonucleotide and do not impart undesired toxicological effects thereto.

0 “Phosphorothioate linkage” means a linkage between nucleosides where the phosphodiester bond is modified by replacing one of the non-bridging oxygen atoms with a sulfur atom. A phosphorothioate linkage (P=S) is a modified internucleoside linkage.

“Portion” means a defined number of contiguous (i.e., linked) nucleobases of a nucleic acid. In certain embodiments, a portion is a defined number of contiguous nucleobases of a target nucleic acid. In certain embodiments, a portion is a defined number of contiguous nucleobases of an antisense compound.

5 “Prevent” refers to delaying or forestalling the onset or development of a disease, disorder, or condition for a period of time from minutes to indefinitely. Prevent also means reducing risk of developing a disease, disorder, or condition.

 “Prodrug” means a therapeutic agent that is prepared in an inactive form that is converted to an active form within the body or cells thereof by the action of endogenous enzymes or other
0 chemicals or conditions.

 “Side effects” means physiological responses attributable to a treatment other than the desired effects. In certain embodiments, side effects include injection site reactions, liver function test abnormalities, renal function abnormalities, liver toxicity, renal toxicity, central nervous system abnormalities, myopathies, and malaise. For example, increased aminotransferase levels in serum
5 may indicate liver toxicity or liver function abnormality. For example, increased bilirubin may
indicate liver toxicity or liver function abnormality.

 “Single-stranded oligonucleotide” means an oligonucleotide which is not hybridized to a complementary strand.

0 “Specifically hybridizable” refers to an antisense compound having a sufficient degree of complementarity between an antisense oligonucleotide and a target nucleic acid to induce a desired effect, while exhibiting minimal or no effects on non-target nucleic acids under conditions in which specific binding is desired, i.e., under physiological conditions in the case of *in vivo* assays and therapeutic treatments.

5 “Targeting” or “targeted” means the process of design and selection of an antisense compound that will specifically hybridize to a target nucleic acid and induce a desired effect.

 “Target nucleic acid,” “target RNA,” “target mRNA,” and “target RNA transcript” all refer to a nucleic acid capable of being targeted by antisense compounds.

 “Target segment” means the sequence of nucleotides of a target nucleic acid to which an antisense compound is targeted. “5’ target site” refers to the 5’-most nucleotide of a target segment.
0 “3’ target site” refers to the 3’-most nucleotide of a target segment.

 “Therapeutically effective amount” means an amount of a pharmaceutical agent that provides a therapeutic benefit to an individual.

“Treat” refers to administering a pharmaceutical composition to effect an alteration or improvement of a disease, disorder, or condition.

“Unmodified nucleotide” means a nucleotide composed of naturally occurring nucleobases, sugar moieties, and internucleoside linkages. In certain embodiments, an unmodified nucleotide is an RNA nucleotide (i.e. β -D-ribonucleosides) or a DNA nucleotide (i.e. β -D-deoxyribonucleoside).

Certain Embodiments

Embodiments of the present invention provide methods, compounds, and compositions for inhibiting alpha-synuclein mRNA and protein expression.

Embodiments of the present invention provide methods for the treatment, prevention, or amelioration of diseases, disorders, and conditions associated with alpha-synuclein in an individual in need thereof. Also contemplated are methods for the preparation of a medicament for the treatment, prevention, or amelioration of a disease, disorder, or condition associated with alpha-synuclein. Alpha-synuclein associated diseases, disorders, and conditions include neurodegenerative diseases and synucleinopathies, which include Parkinson's Disease, dementia, multiple system atrophy (also Shy-Drager syndrome), sporadic and familial Alzheimer's Disease, Lewy body variant of Alzheimer's disease, diffuse Lewy body disease, and dementia with Lewy bodies.

Embodiments of the present invention provide for the use of an alpha-synuclein specific inhibitor for treating, preventing, or ameliorating an alpha-synuclein associated disease. In certain embodiments, alpha-synuclein specific inhibitors are nucleic acids (including antisense compounds), peptides, antibodies, small molecules, and other agents capable of inhibiting the expression of alpha-synuclein mRNA and/or alpha-synuclein protein.

In certain embodiments of the present invention, alpha-synuclein specific inhibitors are peptides or proteins, such as, but not limited to, synthetic construct alpha-synuclein (68-78), N-methylated at Gly73 as described in *Neurosci. Lett.* 2004. 359: 89-93; N-methylated derivative of SNCA (25-35) as described in *J. Biol. Chem.* 2000. 275: 25109-25112; ASI peptides as described in *FASEB J.* 2004. 18: 1315-1317; RGAVVTGR-amide and RGGAVVTGRRRRRRR-amide as described in *Biochem. Soc. Trans.* 2005. 33: 1106-1110; FK506 as described in *J. Neurosci.* 2010. 30: 2454-2463; tissue transglutaminase as described in *Protein Sci.* 2008. 17: 1395-1402; beta-synuclein as described in *J. Biol. Chem.* 2005. 280: 7562-7569; and peptidyl compounds which are retroenantiomers of the alpha-synuclein sequence as described in US 2009/0286745.

In certain embodiments of the present invention, alpha-synuclein specific inhibitors are antibodies, such as, but not limited to, human single-chain Fv (scFv) antibody, D10, as described in *Mol. Ther.* 2004. 10: 1023-1031; human alpha-SNCA antibodies as described in USPN 7,727,957; anti-synuclein antibodies as described in USPN 6,890,535; humanized or chimeric 9E4 antibody as
 5 described in USPPN 2010/0278814; humanized version of mouse monoclonal antibody 6H7 as described in USPPN 2010/0031377; and humanized anti-synuclein monoclonal antibody as described in USPPN 2008/0300204.

In certain embodiments of the present invention, alpha-synuclein specific inhibitors are small molecules, such as, but not limited to, curcumin, nicotine, and wine-related polyphenols as
 0 described in *Curr. Pharm. Des.* 2008. 14: 3247-3266; 4% H₂O₂ as described in *Biochim. Biophys. Acta* 2005. 1703: 157-169; selegiline as described in *J. Mol. Biol.* 2010. Nov. 1st. Epub ahead of print; baicalein as described in *J. Neurochem.* 2010. 114: 419-429; cyclic tetrapyrrole phthalocyanine tetrasulfonate as described in *Proc. Natl. Acad. Sci USA.* 2009. 106: 1057-62; SNX-0723 as described in *J. Pharmacol. Exp. Ther.* 2010. 332: 849-857; N'-benzylidene-benzohydrazide
 5 compounds as described in *Biochem. Biophys. Res. Commun.* 2010. 391: 461-466; MG132 and epoxomicin as described in *Neurotox. Res.* 2010. 17: 215-227; congo red and Lacmoid as described in *Biochemistry.* 2009. 48: 8322-8334; flavonoid quinine as described in *Biochemistry.* 2009. 48: 8206-8224; valproic acid as described in *Neurotox. Res.* 2010. 17: 130-141; 3,4-dihydroxyphenylacetic acid (DOPAC) as described in *J. Mol. Biol.* 2009. 388: 597-610; PAMAM
 0 dendrimers as described in *Macromol. Biosci.* 2009. 9: 230-238; dopamine as described in *PLoS One.* 2008. 3: e3394; melatonin as described in *J. Pineal Res.* 2007. 42: 125-130; rifampicin as described in *Brain Res.* 2007. 1139: 220-225 and *Chem. Biol.* 2004. 11: 1513-1521; ganglioside GM1 as described in *Biochemistry.* 2007. 46: 4868-1877; 4-hydroxy-2-nonenal as described in *J. Biol. Chem.* 2007. 282: 5862-5870; trehalose as described in *J. Biol. Chem.* 2007. 282: 5641-5652;
 5 1,2-dipalmitoyl-sn-glycero-3-phosphate/1,2-dipalmitoyl-sn-glycero-3-phosphocholine and 1,2-dipalmitoyl-sn-glycero-3-phospho-RAC-(1-glycerol)/1,2-dipalmitoyl-sn-glycero-3-phosphocholine as described in *J. Biol. Chem.* 2003. 278: 16873-16877; bis- and tris-dihydroxyaryl compounds and their methylenedioxy analogs as described in USPPN 2010/0179223 and USPN 7,763,747; 5-(fluoromethyl)piperidine-3,4-diol, 5-(chloromethyl)piperidine-3,4-diol as described in USPPN
 0 2010/0261753; ramelteon as described in USPPN 2010/0056622; cleavage agents as described in USPPN 2010/0036122; *Uncaria tomentosa* extract, ginkgo biloba, green tea extract, grape seed extract and curcumin as described in USPPN 2009/0123575; catechin or green tea extract as

described in USPPN 2008/0306143; farnesyl transferase inhibitor as described in USPPN 2007/0213366.

Embodiments of the present invention provide antisense compounds targeted to an alpha-synuclein nucleic acid. In certain embodiments, the alpha-synuclein nucleic acid is any of the sequences set forth in GENBANK Accession No. NM_000345.3, incorporated herein as SEQ ID NO: 1; the complement of GENBANK Accession No. NT_016354.17 truncated from nucleotides 15140000 to 15255000, incorporated herein as SEQ ID NO: 2; GENBANK Accession No. NM_007308.1, incorporated herein as SEQ ID NO: 3; GENBANK Accession No. L36674.1, incorporated herein as SEQ ID NO: 4; GENBANK Accession No. BC013293.2, incorporated herein as SEQ ID NO: 5; GENBANK Accession No. BG701026.1, incorporated herein as SEQ ID NO: 6; or GENBANK Accession No. BM069769.1, incorporated herein as SEQ ID NO: 7.

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide. In certain embodiments, the compound of the invention comprises a modified oligonucleotide consisting of 12 to 30 linked nucleosides.

In certain embodiments, the compound of the invention may comprise a modified oligonucleotide comprising a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% complementary to an equal length portion of SEQ ID NO: 1, 2, 3, 4, 5, 6, or 7. In certain embodiments, the compound of the invention may comprise a modified oligonucleotide comprising a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1, 2, 3, 4, 5, 6, or 7.

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 404 to 463 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 404 to 463 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 40% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in SH-SY5Y cells (e.g., as described in Example 6).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 107 to 126 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 107 to 126 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 70% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 236 to 301 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 236 to 301 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 70% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 304 to 331 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 304 to 331 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ

ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 70% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

5 In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 361 to 400 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 361 to 400 of
0 SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may
5 achieve at least 70% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 404 to 423 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8,
10 at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 404 to 423 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ
15 ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 90% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified
20 oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 444 to 463 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least

20 contiguous nucleobases complementary to an equal length portion of nucleobases 444 to 463 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ

- 5 ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 90% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

- In certain embodiments, the invention provides a compound comprising a modified
 0 oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 469 to 488 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 469 to 488 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at
 5 least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 90% inhibition of human mRNA levels as determined using an RT-PCR assay
 10 method, optionally in HuVEC cells (e.g., as described in Example 1).

- In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 542 to 573 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least
 25 20 contiguous nucleobases complementary to an equal length portion of nucleobases 542 to 573 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100%
 30 complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 60% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 607 to 721 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 607 to 721 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 30% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 734 to 837 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 734 to 837 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 30% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 881 to 927 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 881 to 927 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ

ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 60% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

5 In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 952 to 983 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 952 to 983 of
10 SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may
5 achieve at least 40% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1001 to 1020 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least
20 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1001 to 1020 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of
25 SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 80% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified
30 oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1030 to 1049 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least

20 contiguous nucleobases complementary to an equal length portion of nucleobases 1030 to 1049 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of
 5 SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 30% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified
 0 oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1055 to 1091 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1055 to 1091 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least
 5 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 80% inhibition of human mRNA levels as determined using an RT-PCR assay
 10 method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1242 to 1261 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least
 25 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1242 to 1261 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100%
 30 complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 20% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1292 to 1333 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1292 to 1333 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 20% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1345 to 1374 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1345 to 1374 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 20% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1432 to 1501 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1432 to 1501 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of

SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 30% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

5 In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1522 to 1541 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1522 to 1541
 .0 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may
 .5 achieve at least 40% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

In certain embodiments, the invention provides a compound comprising a modified oligonucleotide comprising a nucleobase sequence complementary to at least a portion of nucleobases 1703 to 1742 of SEQ ID NO: 1. Said modified oligonucleotide may comprise at least
 .10 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19, at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 1703 to 1742 of SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence at least 80%, at least 85%, at least 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% complementary to an equal length portion of
 .15 SEQ ID NO: 1. Said modified oligonucleotide may comprise a nucleobase sequence 100% complementary to an equal length portion of SEQ ID NO: 1. Said modified oligonucleotide may achieve at least 60% inhibition of human mRNA levels as determined using an RT-PCR assay method, optionally in HuVEC cells (e.g., as described in Example 1).

Embodiments of the present invention provide, a modified oligonucleotide consisting of 12
 .20 to 30 linked nucleosides having a nucleobase sequence comprising at least 12 contiguous nucleobases of a nucleobase sequence selected from among the nucleobase sequences recited in SEQ ID NOs: 11 to 88 and 98 to 136.

In certain embodiments, the modified oligonucleotide is a single-stranded oligonucleotide.

In certain embodiments, the modified oligonucleotide has a nucleobase sequence that is 100% complementary to a human alpha-synuclein nucleic acid.

In certain embodiments, the modified oligonucleotide comprises at least one modified
5 internucleoside linkage.

In certain embodiments, the at least one modified internucleoside linkage is a phosphorothioate internucleoside linkage.


In certain embodiments, the at least one nucleoside of the modified oligonucleotide comprises a modified sugar.

0 In certain embodiments, the modified sugar is a bicyclic sugar.

In certain embodiments, the bicyclic sugar comprises a 4'-CH(CH₃)-O-2' bridge.

In certain embodiments, the at least one tetrahydropyran modified nucleoside wherein a tetrahydropyran ring replaces the furanose ring.

In certain embodiments, each of the at least one tetrahydropyran modified nucleoside has the
5 structure:



wherein Bx is an optionally protected heterocyclic base moiety.

In certain embodiments, the modified sugar comprises a 2'-O-methoxyethyl group.

In certain embodiments, the at least one nucleoside of the modified oligonucleotide
0 comprises a modified nucleobase.

In certain embodiments, the modified nucleobase is a 5-methylcytosine.

In certain embodiments, the modified oligonucleotide comprises:

- (i) a gap segment consisting of linked deoxy nucleosides;
- (ii) a 5' wing segment consisting of linked nucleosides;
- 5 (iii) a 3' wing segment consisting of linked nucleosides; wherein the gap segment is positioned between the 5' wing segment and the 3' wing segment and wherein each nucleoside of each wing segment comprises a modified sugar.

In certain embodiments, the modified oligonucleotide comprises:

- (i) a gap segment consisting of ten linked deoxynucleosides;

- (ii) a 5' wing segment consisting of five linked nucleosides;
(iii) a 3' wing segment consisting of five linked nucleosides; wherein the gap segment is positioned between the 5' wing segment and the 3' wing segment, wherein each nucleoside of each wing segment comprises a 2'-O-methoxyethyl sugar; wherein each internucleoside linkage is a
5 phosphorothioate linkage; and wherein each cytosine is a 5-methylcytosine.

Embodiments of the present invention provide methods for identifying an animal having a neurodegenerative disease and administering to said animal a therapeutically effective amount of a composition comprising a modified oligonucleotide consisting of 12 to 30 linked nucleosides having a nucleobase sequence comprising at least 12 contiguous nucleobases of a nucleobase sequence
10 selected from among the nucleobase sequences recited in SEQ ID NOs: SEQ ID NOs: 11 to 88 and 98 to 136.

In certain embodiments, the administration reduces expression of alpha-synuclein.

In certain embodiments, the administration improves motor coordination.

In certain embodiments, the administration improves olfaction.

5 In certain embodiments, the administration improves spatial memory.

In certain embodiments, the administration reduces aggregation of alpha-synuclein.

Embodiments of the present invention provide, a modified oligonucleotide consisting of 12 to 30 linked nucleosides and having a nucleobase sequence comprising a portion of at least 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 contiguous nucleobases complementary to an equal length
10 portion of nucleobases 404 to 463 of SEQ ID NO: 1; and wherein the nucleobase sequence of the modified oligonucleotide is at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% complementary to SEQ ID NO: 1.

Embodiments of the present invention provide, the use of any antisense oligonucleotide described herein for reducing expression of alpha-synuclein in an animal.

15 Embodiments of the present invention provide, the use of any antisense oligonucleotide described herein for improving motor coordination in an animal.

Embodiments of the present invention provide, the use of any antisense oligonucleotide described herein for reducing aggregation of alpha-synuclein in an animal.

Embodiments of the present invention provide, the use of any antisense oligonucleotide
20 described herein for use in treating an animal having a disease or condition associated with alpha-synuclein by administering to the animal a therapeutically effective amount of the compound so that expression of alpha-synuclein is inhibited.

Antisense Compounds

Oligomeric compounds include, but are not limited to, oligonucleotides, oligonucleosides, oligonucleotide analogs, oligonucleotide mimetics, antisense compounds, antisense oligonucleotides, and siRNAs. An oligomeric compound may be “antisense” to a target nucleic acid, meaning that it is capable of undergoing hybridization to a target nucleic acid through hydrogen bonding.

In certain embodiments, an antisense compound has a nucleobase sequence that, when written in the 5' to 3' direction, comprises the reverse complement of the target segment of a target nucleic acid to which it is targeted. In certain such embodiments, an antisense oligonucleotide has a nucleobase sequence that, when written in the 5' to 3' direction, comprises the reverse complement of the target segment of a target nucleic acid to which it is targeted.

In certain embodiments, an antisense compound targeted to an alpha-synuclein nucleic acid is 12 to 30 subunits in length. In other words, such antisense compounds are from 12 to 30 linked subunits. In other embodiments, the antisense compound is 8 to 80, 12 to 50, 15 to 30, 18 to 24, 19 to 22, or 20 linked subunits. In certain such embodiments, the antisense compounds are 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, or 80 linked subunits in length, or a range defined by any two of the above values. In some embodiments the antisense compound is an antisense oligonucleotide, and the linked subunits are nucleotides.

In certain embodiments antisense oligonucleotides targeted to an alpha-synuclein nucleic acid may be shortened or truncated. For example, a single subunit may be deleted from the 5' end (5' truncation), or alternatively from the 3' end (3' truncation). A shortened or truncated antisense compound targeted to an alpha-synuclein nucleic acid may have two subunits deleted from the 5' end, or alternatively may have two subunits deleted from the 3' end, of the antisense compound. Alternatively, the deleted nucleosides may be dispersed throughout the antisense compound, for example, in an antisense compound having one nucleoside deleted from the 5' end and one nucleoside deleted from the 3' end.

When a single additional subunit is present in a lengthened antisense compound, the additional subunit may be located at the 5' or 3' end of the antisense compound. When two or more

additional subunits are present, the added subunits may be adjacent to each other, for example, in an antisense compound having two subunits added to the 5' end (5' addition), or alternatively to the 3' end (3' addition), of the antisense compound. Alternatively, the added subunits may be dispersed throughout the antisense compound, for example, in an antisense compound having one subunit
5 added to the 5' end and one subunit added to the 3' end.

It is possible to increase or decrease the length of an antisense compound, such as an antisense oligonucleotide, and/or introduce mismatch bases without eliminating activity. For example, in Woolf et al. (Proc. Natl. Acad. Sci. USA 89:7305-7309, 1992), a series of antisense oligonucleotides 13-25 nucleobases in length were tested for their ability to induce cleavage of a
0 target RNA in an oocyte injection model. Antisense oligonucleotides 25 nucleobases in length with 8 or 11 mismatch bases near the ends of the antisense oligonucleotides were able to direct specific cleavage of the target mRNA, albeit to a lesser extent than the antisense oligonucleotides that contained no mismatches. Similarly, target specific cleavage was achieved using 13 nucleobase antisense oligonucleotides, including those with 1 or 3 mismatches.

5 Gautschi et al. (*J. Natl. Cancer Inst.* 93:463-471, March 2001) demonstrated the ability of an oligonucleotide having 100% complementarity to the bcl-2 mRNA and having 3 mismatches to the bcl-xL mRNA to reduce the expression of both bcl-2 and bcl-xL *in vitro* and *in vivo*. Furthermore, this oligonucleotide demonstrated potent anti-tumor activity *in vivo*.

0 Maher and Dolnick (*Nuc. Acid. Res.* 16:3341-3358, 1988) tested a series of tandem 14 nucleobase antisense oligonucleotides, and a 28 and 42 nucleobase antisense oligonucleotides comprised of the sequence of two or three of the tandem antisense oligonucleotides, respectively, for their ability to arrest translation of human DHFR in a rabbit reticulocyte assay. Each of the three 14 nucleobase antisense oligonucleotides alone was able to inhibit translation, albeit at a more modest level than the 28 or 42 nucleobase antisense oligonucleotides.

5 *Antisense Compound Motifs*

In certain embodiments, antisense compounds targeted to an alpha-synuclein nucleic acid have chemically modified subunits arranged in patterns, or motifs, to confer to the antisense compounds properties such as enhanced inhibitory activity, increased binding affinity for a target
0 nucleic acid, or resistance to degradation by *in vivo* nucleases.

Chimeric antisense compounds typically contain at least one region modified so as to confer increased resistance to nuclease degradation, increased cellular uptake, increased binding

affinity for the target nucleic acid, and/or increased inhibitory activity. A second region of a chimeric antisense compound may optionally serve as a substrate for the cellular endonuclease RNase H, which cleaves the RNA strand of an RNA:DNA duplex.

Antisense compounds having a gapmer motif are considered chimeric antisense compounds. In a gapmer an internal region having a plurality of nucleotides that supports RNaseH cleavage is positioned between external regions having a plurality of nucleotides that are chemically distinct from the nucleosides of the internal region. In the case of an antisense oligonucleotide having a gapmer motif, the gap segment generally serves as the substrate for endonuclease cleavage, while the wing segments comprise modified nucleosides. In certain embodiments, the regions of a gapmer are differentiated by the types of sugar moieties comprising each distinct region. The types of sugar moieties that are used to differentiate the regions of a gapmer may in some embodiments include β -D-ribonucleosides, β -D-deoxyribonucleosides, 2'-modified nucleosides (such 2'-modified nucleosides may include 2'-MOE, and 2'-O-CH₃, among others), and bicyclic sugar modified nucleosides (such bicyclic sugar modified nucleosides may include those having a 4'-(CH₂)_n-O-2' bridge, where n=1 or n=2). Preferably, each distinct region comprises uniform sugar moieties. The wing-gap-wing motif is frequently described as "X-Y-Z", where "X" represents the length of the 5' wing region, "Y" represents the length of the gap region, and "Z" represents the length of the 3' wing region. As used herein, a gapmer described as "X-Y-Z" has a configuration such that the gap segment is positioned immediately adjacent each of the 5' wing segment and the 3' wing segment. Thus, no intervening nucleotides exist between the 5' wing segment and gap segment, or the gap segment and the 3' wing segment. Any of the antisense compounds described herein can have a gapmer motif. In some embodiments, X and Z are the same, in other embodiments they are different. In a preferred embodiment, Y is between 8 and 15 nucleotides. X, Y or Z can be any of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30 or more nucleotides. Thus, gapmers of the present invention include, but are not limited to, for example 5-10-5, 4-8-4, 4-12-3, 4-12-4, 3-14-3, 2-13-5, 2-16-2, 1-18-1, 3-10-3, 2-10-2, 1-10-1, 2-8-2, 5-8-5, or 6-8-6.

In certain embodiments, the antisense compound has a "wingmer" motif, having a wing-gap or gap-wing configuration, i.e. an X-Y or Y-Z configuration as described above for the gapmer configuration. Thus, wingmer configurations of the present invention include, but are not limited to, for example 5-10, 8-4, 4-12, 12-4, 3-14, 16-2, 18-1, 10-3, 2-10, 1-10, 8-2, 2-13, 5-13, 5-8, or 6-8.

In certain embodiments, antisense compounds targeted to an alpha-synuclein nucleic acid possess a 5-10-5 gapmer motif.

In certain embodiments, an antisense compound targeted to an alpha-synuclein nucleic acid has a gap-widened motif.

Target Nucleic Acids, Target Regions and Nucleotide Sequences

5 Nucleotide sequences that encode alpha-synuclein include, without limitation, the following: GENBANK Accession No. NM_000345.3, incorporated herein as SEQ ID NO: 1; the complement of GENBANK Accession No. NT_016354.17 truncated from nucleotides 15140000 to 15255000, incorporated herein as SEQ ID NO: 2; GENBANK Accession No. NM_007308.1, incorporated herein as SEQ ID NO: 3; GENBANK Accession No. L36674.1, incorporated herein as
10 SEQ ID NO: 4; GENBANK Accession No. BC013293.2, incorporated herein as SEQ ID NO: 5; GENBANK Accession No. BG701026.1, incorporated herein as SEQ ID NO: 6; or GENBANK Accession No. BM069769.1, incorporated herein as SEQ ID NO: 7.

It is understood that the sequence set forth in each SEQ ID NO in the Examples contained herein is independent of any modification to a sugar moiety, an internucleoside linkage, or a
15 nucleobase. As such, antisense compounds defined by a SEQ ID NO may comprise, independently, one or more modifications to a sugar moiety, an internucleoside linkage, or a nucleobase. Antisense compounds described by Isis Number (Isis No) indicate a combination of nucleobase sequence and motif.

In certain embodiments, a target region is a structurally defined region of the target nucleic
20 acid. For example, a target region may encompass a 3' UTR, a 5' UTR, an exon, an intron, an exon/intron junction, a coding region, a translation initiation region, translation termination region, or other defined nucleic acid region. The structurally defined regions for alpha-synuclein can be obtained by accession number from sequence databases such as NCBI and such information is incorporated herein by reference. In certain embodiments, a target region may encompass the
25 sequence from a 5' target site of one target segment within the target region to a 3' target site of another target segment within the same target region.

Targeting includes determination of at least one target segment to which an antisense compound hybridizes, such that a desired effect occurs. In certain embodiments, the desired effect is a reduction in mRNA target nucleic acid levels. In certain embodiments, the desired effect is
30 reduction of levels of protein encoded by the target nucleic acid or a phenotypic change associated with the target nucleic acid.

A target region may contain one or more target segments. Multiple target segments within a target region may be overlapping. Alternatively, they may be non-overlapping. In certain embodiments, target segments within a target region are separated by no more than about 300 nucleotides. In certain embodiments, target segments within a target region are separated by a number of nucleotides that is, is about, is no more than, is no more than about, 250, 200, 150, 100, 90, 80, 70, 60, 50, 40, 30, 20, or 10 nucleotides on the target nucleic acid, or is a range defined by any two of the preceding values. In certain embodiments, target segments within a target region are separated by no more than, or no more than about, 5 nucleotides on the target nucleic acid. In certain embodiments, target segments are contiguous. Contemplated are target regions defined by a range having a starting nucleic acid that is any of the 5' target sites or 3' target sites listed herein.

Suitable target segments may be found within a 5' UTR, a coding region, a 3' UTR, an intron, an exon, or an exon/intron junction. Target segments containing a start codon or a stop codon are also suitable target segments. A suitable target segment may specifically exclude a certain structurally defined region such as the start codon or stop codon.

The determination of suitable target segments may include a comparison of the sequence of a target nucleic acid to other sequences throughout the genome. For example, the BLAST algorithm may be used to identify regions of similarity amongst different nucleic acids. This comparison can prevent the selection of antisense compound sequences that may hybridize in a non-specific manner to sequences other than a selected target nucleic acid (i.e., non-target or off-target sequences).

There may be variation in activity (e.g., as defined by percent reduction of target nucleic acid levels) of the antisense compounds within an active target region. In certain embodiments, reductions in alpha-synuclein mRNA levels are indicative of inhibition of alpha-synuclein expression. Reductions in levels of an alpha-synuclein protein are also indicative of inhibition of target mRNA expression. Further, phenotypic changes are indicative of inhibition of alpha-synuclein expression. For example, improved motor coordination, reduced incidence of resting tremor, reduced incidence of bradykinesia (slow movement), reduced rigidity or inflexibility, improved balance, improved fine motor dexterity, improved gross motor coordination, reduced aggregation of alpha-synuclein, recovery from loss in olfaction, and improved autonomic function, such as, decreased orthostatic hypotension.

Hybridization

In some embodiments, hybridization occurs between an antisense compound disclosed herein and an alpha-synuclein nucleic acid. The most common mechanism of hybridization involves hydrogen bonding (e.g., Watson-Crick, Hoogsteen or reversed Hoogsteen hydrogen bonding) between complementary nucleobases of the nucleic acid molecules.

Hybridization can occur under varying conditions. Stringent conditions are sequence-dependent and are determined by the nature and composition of the nucleic acid molecules to be hybridized.

Methods of determining whether a sequence is specifically hybridizable to a target nucleic acid are well known in the art. In certain embodiments, the antisense compounds provided herein are specifically hybridizable with an alpha-synuclein nucleic acid.

Complementarity

An antisense compound and a target nucleic acid are complementary to each other when a sufficient number of nucleobases of the antisense compound can hydrogen bond with the corresponding nucleobases of the target nucleic acid, such that a desired effect will occur (e.g., antisense inhibition of a target nucleic acid, such as an alpha-synuclein nucleic acid).

Non-complementary nucleobases between an antisense compound and an alpha-synuclein nucleic acid may be tolerated provided that the antisense compound remains able to specifically hybridize to a target nucleic acid. Moreover, an antisense compound may hybridize over one or more segments of an alpha-synuclein nucleic acid such that intervening or adjacent segments are not involved in the hybridization event (e.g., a loop structure, mismatch or hairpin structure).

In certain embodiments, the antisense compounds provided herein, or a specified portion thereof, are, or are at least, 70%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% complementary to an alpha-synuclein nucleic acid, a target region, target segment, or specified portion thereof. Percent complementarity of an antisense compound with a target nucleic acid can be determined using routine methods.

For example, an antisense compound in which 18 of 20 nucleobases of the antisense compound are complementary to a target region, and would therefore specifically hybridize, would represent 90 percent complementarity. In this example, the remaining noncomplementary nucleobases may be clustered or interspersed with complementary nucleobases and need not be contiguous to each other or to complementary nucleobases. As such, an antisense compound which

is 18 nucleobases in length having four noncomplementary nucleobases which are flanked by two regions of complete complementarity with the target nucleic acid would have 77.8% overall complementarity with the target nucleic acid and would thus fall within the scope of the present invention. Percent complementarity of an antisense compound with a region of a target nucleic acid can be determined routinely using BLAST programs (basic local alignment search tools) and PowerBLAST programs known in the art (Altschul *et al.*, *J. Mol. Biol.*, 1990, 215, 403-410; Zhang and Madden, *Genome Res.*, 1997, 7, 649-656). Percent homology, sequence identity or complementarity, can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison Wis.), using default settings, which uses the algorithm of Smith and Waterman (*Adv. Appl. Math.*, 1981, 2, 482-489).

In certain embodiments, the antisense compounds provided herein, or specified portions thereof, are fully complementary (i.e., 100% complementary) to a target nucleic acid, or specified portion thereof. For example, an antisense compound may be fully complementary to an alpha-synuclein nucleic acid, or a target region, or a target segment or target sequence thereof. As used herein, "fully complementary" means each nucleobase of an antisense compound is capable of precise base pairing with the corresponding nucleobases of a target nucleic acid. For example, a 20 nucleobase antisense compound is fully complementary to a target sequence that is 400 nucleobases long, so long as there is a corresponding 20 nucleobase portion of the target nucleic acid that is fully complementary to the antisense compound. Fully complementary can also be used in reference to a specified portion of the first and/or the second nucleic acid. For example, a 20 nucleobase portion of a 30 nucleobase antisense compound can be "fully complementary" to a target sequence that is 400 nucleobases long. The 20 nucleobase portion of the 30 nucleobase oligonucleotide is fully complementary to the target sequence if the target sequence has a corresponding 20 nucleobase portion wherein each nucleobase is complementary to the 20 nucleobase portion of the antisense compound. At the same time, the entire 30 nucleobase antisense compound may or may not be fully complementary to the target sequence, depending on whether the remaining 10 nucleobases of the antisense compound are also complementary to the target sequence.

The location of a non-complementary nucleobase may be at the 5' end or 3' end of the antisense compound. Alternatively, the non-complementary nucleobase or nucleobases may be at an internal position of the antisense compound. When two or more non-complementary nucleobases

are present, they may be contiguous (i.e. linked) or non-contiguous. In one embodiment, a non-complementary nucleobase is located in the wing segment of a gapmer antisense oligonucleotide.

In certain embodiments, antisense compounds that are, or are up to 12, 13, 14, 15, 16, 17, 18, 19, or 20 nucleobases in length comprise no more than 4, no more than 3, no more than 2, or no more than 1 non-complementary nucleobase(s) relative to a target nucleic acid, such as an alpha-synuclein nucleic acid, or specified portion thereof.

In certain embodiments, antisense compounds that are, or are up to 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 nucleobases in length comprise no more than 6, no more than 5, no more than 4, no more than 3, no more than 2, or no more than 1 non-complementary nucleobase(s) relative to a target nucleic acid, such as an alpha-synuclein nucleic acid, or specified portion thereof.

The antisense compounds provided herein also include those which are complementary to a portion of a target nucleic acid. As used herein, "portion" refers to a defined number of contiguous (i.e. linked) nucleobases within a region or segment of a target nucleic acid. A "portion" can also refer to a defined number of contiguous nucleobases of an antisense compound. In certain embodiments, the antisense compounds, are complementary to at least an 8 nucleobase portion of a target segment. In certain embodiments, the antisense compounds are complementary to at least a 12 nucleobase portion of a target segment. In certain embodiments, the antisense compounds are complementary to at least a 15 nucleobase portion of a target segment. Also contemplated are antisense compounds that are complementary to at least a 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more nucleobase portion of a target segment, or a range defined by any two of these values.

Identity

The antisense compounds provided herein may also have a defined percent identity to a particular nucleotide sequence, SEQ ID NO, or compound represented by a specific Isis number, or portion thereof. As used herein, an antisense compound is identical to the sequence disclosed herein if it has the same nucleobase pairing ability. For example, a RNA which contains uracil in place of thymidine in a disclosed DNA sequence would be considered identical to the DNA sequence since both uracil and thymidine pair with adenine. Shortened and lengthened versions of the antisense compounds described herein as well as compounds having non-identical bases relative to the antisense compounds provided herein also are contemplated. The non-identical bases may be adjacent to each other or dispersed throughout the antisense compound. Percent identity of an

antisense compound is calculated according to the number of bases that have identical base pairing relative to the sequence to which it is being compared.

In certain embodiments, the antisense compounds, or portions thereof, are at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to one or more of the antisense

5 compounds or SEQ ID NOs, or a portion thereof, disclosed herein.

In certain embodiments, a portion of the antisense compound is compared to an equal length portion of the target nucleic acid. In certain embodiments, an 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, or 25 nucleobase portion is compared to an equal length portion of the target nucleic acid.

0 In certain embodiments, a portion of the antisense oligonucleotide is compared to an equal length portion of the target nucleic acid. In certain embodiments, an 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, or 25 nucleobase portion is compared to an equal length portion of the target nucleic acid.

5 *Modifications*

A nucleoside is a base-sugar combination. The nucleobase (also known as base) portion of the nucleoside is normally a heterocyclic base moiety. Nucleotides are nucleosides that further include a phosphate group covalently linked to the sugar portion of the nucleoside. For those nucleosides that include a pentofuranosyl sugar, the phosphate group can be linked to the 2', 3' or 5' hydroxyl moiety of the sugar. Oligonucleotides are formed through the covalent linkage of adjacent nucleosides to one another, to form a linear polymeric oligonucleotide. Within the oligonucleotide structure, the phosphate groups are commonly referred to as forming the internucleoside linkages of the oligonucleotide.

Modifications to antisense compounds encompass substitutions or changes to
5 internucleoside linkages, sugar moieties, or nucleobases. Modified antisense compounds are often preferred over native forms because of desirable properties such as, for example, enhanced cellular uptake, enhanced affinity for nucleic acid target, increased stability in the presence of nucleases, or increased inhibitory activity.

Chemically modified nucleosides may also be employed to increase the binding affinity of
0 a shortened or truncated antisense oligonucleotide for its target nucleic acid. Consequently, comparable results can often be obtained with shorter antisense compounds that have such chemically modified nucleosides.

Modified Internucleoside Linkages

The naturally occurring internucleoside linkage of RNA and DNA is a 3' to 5' phosphodiester linkage. Antisense compounds having one or more modified, i.e. non-naturally occurring, internucleoside linkages are often selected over antisense compounds having naturally occurring internucleoside linkages because of desirable properties such as, for example, enhanced cellular uptake, enhanced affinity for target nucleic acids, and increased stability in the presence of nucleases.

Oligonucleotides having modified internucleoside linkages include internucleoside linkages that retain a phosphorus atom as well as internucleoside linkages that do not have a phosphorus atom. Representative phosphorus containing internucleoside linkages include, but are not limited to, phosphodiesters, phosphotriesters, methylphosphonates, phosphoramidate, and phosphorothioates. Methods of preparation of phosphorous-containing and non-phosphorous-containing linkages are well known.

In certain embodiments, antisense compounds targeted to an alpha-synuclein nucleic acid comprise one or more modified internucleoside linkages. In certain embodiments, the modified internucleoside linkages are phosphorothioate linkages. In certain embodiments, each internucleoside linkage of an antisense compound is a phosphorothioate internucleoside linkage.

Modified Sugar Moieties

Antisense compounds of the invention can optionally contain one or more nucleosides wherein the sugar group has been modified. Such sugar modified nucleosides may impart enhanced nuclease stability, increased binding affinity, or some other beneficial biological property to the antisense compounds. In certain embodiments, nucleosides comprise a chemically modified ribofuranose ring moiety. Examples of chemically modified ribofuranose rings include, without limitation, addition of substituent groups (including 5' and 2' substituent groups); bridging of non-geminal ring atoms to form bicyclic nucleic acids (BNA); replacement of the ribosyl ring oxygen atom with S, N(R), or C(R1)(R)2 (R = H, C₁-C₁₂ alkyl or a protecting group); and combinations thereof. Examples of chemically modified sugars include, 2'-F-5'-methyl substituted nucleoside (see, PCT International Application WO 2008/101157, published on 8/21/08 for other disclosed 5', 2'-bis substituted nucleosides), replacement of the ribosyl ring oxygen atom with S with further substitution at the 2'-position (see, published U.S. Patent Application US2005/0130923, published

on June 16, 2005), or, alternatively, 5'-substitution of a BNA (*see*, PCT International Application WO 2007/134181, published on 11/22/07, wherein LNA is substituted with, for example, a 5'-methyl or a 5'-vinyl group).

Examples of nucleosides having modified sugar moieties include, without limitation, nucleosides comprising 5'-vinyl, 5'-methyl (R or S), 4'-S, 2'-F, 2'-OCH₃, and 2'-O(CH₂)₂OCH₃ substituent groups. The substituent at the 2' position can also be selected from allyl, amino, azido, thio, O-allyl, O-C₁-C₁₀ alkyl, OCF₃, O(CH₂)₂SCH₃, O(CH₂)₂-O-N(R_m)(R_n), and O-CH₂-C(=O)-N(R_m)(R_n), where each R_m and R_n is, independently, H or substituted or unsubstituted C₁-C₁₀ alkyl.

As used herein, "bicyclic nucleosides" refer to modified nucleosides comprising a bicyclic sugar moiety. Examples of bicyclic nucleosides include, without limitation, nucleosides comprising a bridge between the 4' and the 2' ribosyl ring atoms. In certain embodiments, antisense compounds provided herein include one or more bicyclic nucleosides wherein the bridge comprises a 4' to 2' bicyclic nucleoside. Examples of such 4' to 2' bicyclic nucleosides, include, but are not limited to, one of the formulae: 4'-(CH₂)-O-2' (LNA); 4'-(CH₂)-S-2'; 4'-(CH₂)₂-O-2' (ENA); 4'-CH(CH₃)-O-2' and 4'-CH(CH₂OCH₃)-O-2', and analogs thereof (*see*, U.S. Patent 7,399,845, issued on July 15, 2008); 4'-C(CH₃)(CH₃)-O-2', and analogs thereof (*see*, published PCT International Application WO2009/006478, published January 8, 2009); 4'-CH₂-N(OCH₃)-2', and analogs thereof (*see*, published PCT International Application WO2008/150729, published December 11, 2008); 4'-CH₂-O-N(CH₃)-2' (*see*, published U.S. Patent Application US2004/0171570, published September 2, 2004); 4'-CH₂-N(R)-O-2', wherein R is H, C₁-C₁₂ alkyl, or a protecting group (*see*, U.S. Patent 7,427,672, issued on September 23, 2008); 4'-CH₂-C(H)(CH₃)-2' (*see*, Chattopadhyaya, *et al.*, *J. Org. Chem.*, 2009, 74, 118-134); and 4'-CH₂-C(=CH₂)-2', and analogs thereof (*see*, published PCT International Application WO 2008/154401, published on December 8, 2008). Also *see*, for example: Singh *et al.*, *Chem. Commun.*, 1998, 4, 455-456; Koshkin *et al.*, *Tetrahedron*, 1998, 54, 3607-3630; Wahlestedt *et al.*, *Proc. Natl. Acad. Sci. U. S. A.*, 2000, 97, 5633-5638; Kumar *et al.*, *Bioorg. Med. Chem. Lett.*, 1998, 8, 2219-2222; Singh *et al.*, *J. Org. Chem.*, 1998, 63, 10035-10039; Srivastava *et al.*, *J. Am. Chem. Soc.*, 129(26) 8362-8379 (Jul. 4, 2007); Elayadi *et al.*, *Curr. Opinion Invens. Drugs*, 2001, 2, 558-561; Braasch *et al.*, *Chem. Biol.*, 2001, 8, 1-7; Orum *et al.*, *Curr. Opinion Mol. Ther.*, 2001, 3, 239-243; U.S. Patent Nos U.S. 6,670,461, 7,053,207, 6,268,490, 6,770,748, 6,794,499, 7,034,133, 6,525,191, 7,399,845; published PCT International applications WO 2004/106356, WO 94/14226, WO 2005/021570, and WO 2007/134181; U.S. Patent Publication

Nos. US2004/0171570, US2007/0287831, and US2008/0039618; and U.S. Patent Serial Nos. 12/129,154, 60/989,574, 61/026,995, 61/026,998, 61/056,564, 61/086,231, 61/097,787, and 61/099,844; and PCT International Application Nos. PCT/US2008/064591, PCT/US2008/066154, and PCT/US2008/068922. Each of the foregoing bicyclic nucleosides can be prepared having one or more stereochemical sugar configurations including for example α -L-ribofuranose and β -D-ribofuranose (see PCT international application PCT/DK98/00393, published on March 25, 1999 as WO 99/14226).

In certain embodiments, bicyclic sugar moieties of BNA nucleosides include, but are not limited to, compounds having at least one bridge between the 4' and the 2' position of the pentofuranosyl sugar moiety wherein such bridges independently comprises 1 or from 2 to 4 linked groups independently selected from $-[C(R_a)(R_b)]_n-$, $-C(R_a)=C(R_b)-$, $-C(R_a)=N-$, $-C(=NR_a)-$, $-C(=O)-$, $-C(=S)-$, $-O-$, $-Si(R_a)_2-$, $-S(=O)_x-$, and $-N(R_a)-$;

wherein:

x is 0, 1, or 2;

n is 1, 2, 3, or 4;

each R_a and R_b is, independently, H, a protecting group, hydroxyl, C_1 - C_{12} alkyl, substituted C_1 - C_{12} alkyl, C_2 - C_{12} alkenyl, substituted C_2 - C_{12} alkenyl, C_2 - C_{12} alkynyl, substituted C_2 - C_{12} alkynyl, C_5 - C_{20} aryl, substituted C_5 - C_{20} aryl, heterocycle radical, substituted heterocycle radical, heteroaryl, substituted heteroaryl, C_5 - C_7 alicyclic radical, substituted C_5 - C_7 alicyclic radical, halogen, OJ_1 , NJ_1J_2 , SJ_1 , N_3 , $COOJ_1$, acyl ($C(=O)-H$), substituted acyl, CN, sulfonyl ($S(=O)_2-J_1$), or sulfoxyl ($S(=O)-J_1$); and


each J_1 and J_2 is, independently, H, C_1 - C_{12} alkyl, substituted C_1 - C_{12} alkyl, C_2 - C_{12} alkenyl, substituted C_2 - C_{12} alkenyl, C_2 - C_{12} alkynyl, substituted C_2 - C_{12} alkynyl, C_5 - C_{20} aryl, substituted C_5 - C_{20} aryl, acyl ($C(=O)-H$), substituted acyl, a heterocycle radical, a substituted heterocycle radical, C_1 - C_{12} aminoalkyl, substituted C_1 - C_{12} aminoalkyl, or a protecting group.

In certain embodiments, the bridge of a bicyclic sugar moiety is, $-[C(R_a)(R_b)]_n-$, $-[C(R_a)(R_b)]_n-O-$, $-C(R_aR_b)-N(R)-O-$ or, $-C(R_aR_b)-O-N(R)-$. In certain embodiments, the bridge is 4'-CH₂-2', 4'-(CH₂)₂-2', 4'-(CH₂)₃-2', 4'-CH₂-O-2', 4'-(CH₂)₂-O-2', 4'-CH₂-O-N(R)-2', and 4'-CH₂-N(R)-O-2', wherein each R is, independently, H, a protecting group, or C_1 - C_{12} alkyl.

In certain embodiments, bicyclic nucleosides are further defined by isomeric configuration. For example, a nucleoside comprising a 4'-2' methylene-oxy bridge, may be in the α -L configuration or in the β -D configuration. Previously, α -L-methyleneoxy (4'-CH₂-O-2') BNA's


have been incorporated into antisense oligonucleotides that showed antisense activity (Frieden *et al.*, *Nucleic Acids Research*, 2003, 21, 6365-6372).

In certain embodiments, bicyclic nucleosides include, but are not limited to, (A) α -L-Methyleneoxy (4'-CH₂-O-2') BNA, (B) β -D-Methyleneoxy (4'-CH₂-O-2') BNA, (C) Ethyleneoxy (4'-(CH₂)₂-O-2') BNA, (D) Aminoxy (4'-CH₂-O-N(R)-2') BNA, (E) Oxyamino (4'-CH₂-N(R)-O-2') BNA, (F) Methyl(methyleneoxy) (4'-CH(CH₃)-O-2') BNA, (G) methylene-thio (4'-CH₂-S-2') BNA, (H) methylene-amino (4'-CH₂-N(R)-2') BNA, (I) methyl carbocyclic (4'-CH₂-CH(CH₃)-2') BNA, and (J) propylene carbocyclic (4'-(CH₂)₃-2') BNA as depicted below.



wherein Bx is the base moiety and R is, independently, H, a protecting group or C₁-C₁₂ alkyl.

In certain embodiments, bicyclic nucleoside having Formula I:



wherein:


Bx is a heterocyclic base moiety;

5 -Q_a-Q_b-Q_c- is -CH₂-N(R_c)-CH₂-, -C(=O)-N(R_c)-CH₂-, -CH₂-O-N(R_c)-, -CH₂-N(R_c)-O-, or -N(R_c)-O-CH₂;

R_c is C₁-C₁₂ alkyl or an amino protecting group; and

T_a and T_b are each, independently, H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety, or a covalent attachment to a support medium.

10 In certain embodiments, bicyclic nucleoside having Formula II:



wherein:


5 Bx is a heterocyclic base moiety;

T_a and T_b are each, independently, H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety, or a covalent attachment to a support medium;

Z_a is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, substituted C₁-C₆ alkyl, substituted C₂-C₆ alkenyl, substituted C₂-C₆ alkynyl, acyl, substituted acyl, substituted amide, thiol, or substituted thio.

20 In one embodiment, each of the substituted groups is, independently, mono or poly substituted with substituent groups independently selected from halogen, oxo, hydroxyl, OJ_e, NJ_eJ_d, SJ_e, N₃, OC(=X)J_e, and NJ_eC(=X)NJ_eJ_d, wherein each J_e, J_d, and J_e is, independently, H, C₁-C₆ alkyl, or substituted C₁-C₆ alkyl and X is O or NJ_e.

In certain embodiments, bicyclic nucleoside having Formula III:




wherein:

Bx is a heterocyclic base moiety;

- 5 T_a and T_b are each, independently, H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety, or a covalent attachment to a support medium;
- Z_b is C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, substituted C_1 - C_6 alkyl, substituted C_2 - C_6 alkenyl, substituted C_2 - C_6 alkynyl, or substituted acyl ($C(=O)-$).

In certain embodiments, bicyclic nucleoside having Formula IV:




wherein:

Bx is a heterocyclic base moiety;

- 5 T_a and T_b are each, independently, H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety, or a covalent attachment to a support medium;
- R_d is C_1 - C_6 alkyl, substituted C_1 - C_6 alkyl, C_2 - C_6 alkenyl, substituted C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, or substituted C_2 - C_6 alkynyl;

- each q_a , q_b , q_c and q_d is, independently, H, halogen, C_1 - C_6 alkyl, substituted C_1 - C_6 alkyl, C_2 - C_6 alkenyl, substituted C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, or substituted C_2 - C_6 alkynyl, C_1 - C_6 alkoxy, substituted C_1 - C_6 alkoxy, acyl, substituted acyl, C_1 - C_6 aminoalkyl, or substituted C_1 - C_6 aminoalkyl;

In certain embodiments, bicyclic nucleoside having Formula V:



wherein:

Bx is a heterocyclic base moiety;

5 T_a and T_b are each, independently, H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety, or a covalent attachment to a support medium;

q_a, q_b, q_e and q_f are each, independently, hydrogen, halogen, C₁-C₁₂ alkyl, substituted C₁-C₁₂ alkyl, C₂-C₁₂ alkenyl, substituted C₂-C₁₂ alkenyl, C₂-C₁₂ alkynyl, substituted C₂-C₁₂ alkynyl, C₁-C₁₂ alkoxy, substituted C₁-C₁₂ alkoxy, OJ_j, SJ_j, SOJ_j, SO₂J_j, NJ_jJ_k, N₃, CN, C(=O)OJ_j, C(=O)NJ_jJ_k,
 10 C(=O)J_j, O-C(=O)NJ_jJ_k, N(H)C(=NH)NJ_jJ_k, N(H)C(=O)NJ_jJ_k or N(H)C(=S)NJ_jJ_k;


or q_e and q_f together are =C(q_g)(q_h);

q_g and q_h are each, independently, H, halogen, C₁-C₁₂ alkyl, or substituted C₁-C₁₂ alkyl.

The synthesis and preparation of the methyleneoxy (4'-CH₂-O-2') BNA monomers adenine, cytosine, guanine, 5-methyl-cytosine, thymine, and uracil, along with their oligomerization, and
 15 nucleic acid recognition properties have been described (*see, e.g.*, Koshkin et al., *Tetrahedron*, 1998, 54, 3607-3630). BNAs and preparation thereof are also described in WO 98/39352 and WO 99/14226.

Analog of methyleneoxy (4'-CH₂-O-2') BNA, methyleneoxy (4'-CH₂-O-2') BNA, and 2'-thio-BNAs, have also been prepared (*see, e.g.*, Kumar et al., *Bioorg. Med. Chem. Lett.*, 1998, 8,
 20 2219-2222). Preparation of locked nucleoside analogs comprising oligodeoxyribonucleotide duplexes as substrates for nucleic acid polymerases has also been described (*see, e.g.*, Wengel et al., WO 99/14226). Furthermore, synthesis of 2'-amino-BNA, a novel conformationally restricted high-affinity oligonucleotide analog, has been described in the art (*see, e.g.*, Singh et al., *J. Org. Chem.*, 1998, 63, 10035-10039). In addition, 2'-amino- and 2'-methyamino-BNA's have been
 25 prepared and the thermal stability of their duplexes with complementary RNA and DNA strands has been previously reported.

In certain embodiments, bicyclic nucleoside having Formula VI:



wherein:

Bx is a heterocyclic base moiety;

- 5 T_a and T_b are each, independently, H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety, or a covalent attachment to a support medium;
- each q_i , q_j , q_k and q_l is, independently, H, halogen, C_1 - C_{12} alkyl, substituted C_1 - C_{12} alkyl, C_2 - C_{12} alkenyl, substituted C_2 - C_{12} alkenyl, C_2 - C_{12} alkynyl, substituted C_2 - C_{12} alkynyl, C_1 - C_{12} alkoxy, substituted C_1 - C_{12} alkoxy, OJ_j , SJ_j , SOJ_j , SO_2J_j , NJ_jJ_k , N_3 , CN, $C(=O)OJ_j$, $C(=O)NJ_jJ_k$, $C(=O)J_j$, $O-$
- 10 $C(=O)NJ_jJ_k$, $N(H)C(=NH)NJ_jJ_k$, $N(H)C(=O)NJ_jJ_k$, or $N(H)C(=S)NJ_jJ_k$; and
- q_i and q_j or q_l and q_k together are $=C(q_g)(q_h)$, wherein q_g and q_h are each, independently, H, halogen, C_1 - C_{12} alkyl, or substituted C_1 - C_{12} alkyl.

One carbocyclic bicyclic nucleoside having a 4'-(CH_2)₃-2' bridge and the alkenyl analog, bridge 4'-CH=CH-CH₂-2', have been described (see, e.g., Freier *et al.*, *Nucleic Acids Research*, 15 1997, 25(22), 4429-4443 and Albaek *et al.*, *J. Org. Chem.*, 2006, 71, 7731-7740). The synthesis and preparation of carbocyclic bicyclic nucleosides along with their oligomerization and biochemical studies have also been described (see, e.g., Srivastava *et al.*, *J. Am. Chem. Soc.* 2007, 129(26), 8362-8379).

As used herein, "4'-2' bicyclic nucleoside" or "4' to 2' bicyclic nucleoside" refers to a bicyclic nucleoside comprising a furanose ring comprising a bridge connecting the 2' carbon atom and the 4' carbon atom.


As used herein, "monocyclic nucleosides" refer to nucleosides comprising modified sugar moieties that are not bicyclic sugar moieties. In certain embodiments, the sugar moiety, or sugar moiety analogue, of a nucleoside may be modified or substituted at any position.

As used herein, "2'-modified sugar" means a furanosyl sugar modified at the 2' position. In certain embodiments, such modifications include substituents selected from: a halide, including, but not limited to substituted and unsubstituted alkoxy, substituted and unsubstituted thioalkyl, substituted and unsubstituted amino alkyl, substituted and unsubstituted alkyl, substituted and unsubstituted allyl, and substituted and unsubstituted alkynyl. In certain embodiments, 2'

modifications are selected from substituents including, but not limited to: $O[(CH_2)_nO]_mCH_3$, $O(CH_2)_nNH_2$, $O(CH_2)_nCH_3$, $O(CH_2)_nONH_2$, $OCH_2C(=O)N(H)CH_3$, and $O(CH_2)_nON[(CH_2)_nCH_3]_2$, where n and m are from 1 to about 10. Other 2'-substituent groups can also be selected from: C_1 - C_{12} alkyl; substituted alkyl; alkenyl; alkynyl; alkaryl; aralkyl; O-alkaryl or O-aralkyl; SH; SCH_3 ;
 5 OCN; Cl; Br; CN; CF_3 ; OCF_3 ; $SOCH_3$; SO_2CH_3 ; ONO_2 ; NO_2 ; N_3 ; NH_2 ; heterocycloalkyl; heterocycloalkaryl; aminoalkylamino; polyalkylamino; substituted silyl; an RNA cleaving group; a reporter group; an intercalator; a group for improving pharmacokinetic properties; and a group for improving the pharmacodynamic properties of an antisense compound, and other substituents having similar properties. In certain embodiments, modified nucleosides comprise a 2'-MOE side chain (see, e.g., Baker et al., J. Biol. Chem., 1997, 272, 11944-12000). Such 2'-MOE substitution have been described as having improved binding affinity compared to unmodified nucleosides and to other modified nucleosides, such as 2'-O-methyl, O-propyl, and O-aminopropyl. Oligonucleotides having the 2'-MOE substituent also have been shown to be antisense inhibitors of gene expression with promising features for *in vivo* use (see, e.g., Martin, P., *Helv. Chim. Acta*,
 5 1995, 78, 486-504; Altmann et al., *Chimia*, 1996, 50, 168-176; Altmann et al., *Biochem. Soc. Trans.*, 1996, 24, 630-637; and Altmann et al., *Nucleosides Nucleotides*, 1997, 16, 917-926).

As used herein, a "modified tetrahydropyran nucleoside" or "modified THP nucleoside" means a nucleoside having a six-membered tetrahydropyran "sugar" substituted in for the pentofuranosyl residue in normal nucleosides (a sugar surrogate). Modified THP nucleosides
 10 include, but are not limited to, what is referred to in the art as hexitol nucleic acid (HNA), anitol nucleic acid (ANA), manitol nucleic acid (MNA) (see Leumann, CJ. *Bioorg. & Med. Chem.* (2002) 10:841-854), fluoro HNA (F-HNA), or those compounds having Formula X:

Formula X:



X

wherein independently for each of said at least one tetrahydropyran nucleoside analog of Formula X:

Bx is a heterocyclic base moiety;

T₃ and T₄ are each, independently, an internucleoside linking group linking the tetrahydropyran nucleoside analog to the antisense compound or one of T₃ and T₄ is an internucleoside linking group linking the tetrahydropyran nucleoside analog to the antisense compound and the other of T₃ and T₄ is H, a hydroxyl protecting group, a linked conjugate group, or a 5' or 3'-terminal group;

q₁, q₂, q₃, q₄, q₅, q₆ and q₇ are each, independently, H, C₁-C₆ alkyl, substituted C₁-C₆ alkyl, C₂-C₆ alkenyl, substituted C₂-C₆ alkenyl, C₂-C₆ alkynyl, or substituted C₂-C₆ alkynyl; and

one of R₁ and R₂ is hydrogen and the other is selected from halogen, substituted or unsubstituted alkoxy, NJ₁J₂, SJ₁, N₃, OC(=X)J₁, OC(=X)NJ₁J₂, NJ₃C(=X)NJ₁J₂, and CN, wherein X is O, S, or NJ₁, and each J₁, J₂, and J₃ is, independently, H or C₁-C₆ alkyl.

In certain embodiments, the modified THP nucleosides of Formula X are provided wherein q_m, q_n, q_p, q_r, q_s, q_t, and q_u are each H. In certain embodiments, at least one of q_m, q_n, q_p, q_r, q_s, q_t, and q_u is other than H. In certain embodiments, at least one of q_m, q_n, q_p, q_r, q_s, q_t and q_u is methyl. In certain embodiments, THP nucleosides of Formula X are provided wherein one of R₁ and R₂ is F. In certain embodiments, R₁ is fluoro and R₂ is H, R₁ is methoxy and R₂ is H, and R₁ is methoxyethoxy and R₂ is H.

As used herein, "2'-modified" or "2'-substituted" refers to a nucleoside comprising a sugar comprising a substituent at the 2' position other than H or OH. 2'-modified nucleosides, include, but are not limited to, bicyclic nucleosides wherein the bridge connecting two carbon atoms of the sugar ring connects the 2' carbon and another carbon of the sugar ring and nucleosides with non-bridging 2'-substituents, such as allyl, amino, azido, thio, O-allyl, O-C₁-C₁₀ alkyl, -OCF₃, O-(CH₂)₂-O-CH₃, 2'-O(CH₂)₂SCH₃, O-(CH₂)₂-O-N(R_m)(R_n), or O-CH₂-C(=O)-N(R_m)(R_n), where each R_m and R_n is, independently, H or substituted or unsubstituted C₁-C₁₀ alkyl. 2'-modified nucleosides may further comprise other modifications, for example, at other positions of the sugar and/or at the nucleobase.

As used herein, "2'-F" refers to a nucleoside comprising a sugar comprising a fluoro group at the 2' position.

As used herein, "2'-OMe" or "2'-OCH₃" or "2'-O-methyl" each refers to a nucleoside comprising a sugar comprising an -OCH₃ group at the 2' position of the sugar ring.

As used herein, "MOE" or "2'-MOE" or "2'-OCH₂CH₂OCH₃" or "2'-O-methoxyethyl" each refers to a nucleoside comprising a sugar comprising a -OCH₂CH₂OCH₃ group at the 2' position of the sugar ring.

As used herein, "oligonucleotide" refers to a compound comprising a plurality of linked nucleosides. In certain embodiments, one or more of the plurality of nucleosides is modified. In certain embodiments, an oligonucleotide comprises one or more ribonucleosides (RNA) and/or deoxyribonucleosides (DNA).

5 Many other bicyclo and tricyclo sugar surrogate ring systems are also known in the art that can be used to modify nucleosides for incorporation into antisense compounds (*see, e.g.*, review article: Leumann, J. C, *Bioorganic & Medicinal Chemistry*, **2002**, *10*, 841-854).

Such ring systems can undergo various additional substitutions to enhance activity.

Methods for the preparations of modified sugars are well known to those skilled in the art.

0 In nucleotides having modified sugar moieties, the nucleobase moieties (natural, modified, or a combination thereof) are maintained for hybridization with an appropriate nucleic acid target.

In certain embodiments, antisense compounds comprise one or more nucleotides having modified sugar moieties. In certain embodiments, the modified sugar moiety is 2'-MOE. In certain

5 embodiments, the modified sugar moiety is a cEt. In certain embodiments, the cEt modified nucleotides are arranged throughout the wings of a gapmer motif.

Compositions and Methods for Formulating Pharmaceutical Compositions

Antisense oligonucleotides may be admixed with pharmaceutically acceptable active or
10 inert substances for the preparation of pharmaceutical compositions or formulations. Compositions and methods for the formulation of pharmaceutical compositions are dependent upon a number of criteria, including, but not limited to, route of administration, extent of disease, or dose to be administered.

An antisense compound targeted to an alpha-synuclein nucleic acid can be utilized in
15 pharmaceutical compositions by combining the antisense compound with a suitable pharmaceutically acceptable diluent or carrier. A pharmaceutically acceptable diluent includes phosphate-buffered saline (PBS). PBS is a diluent suitable for use in compositions to be delivered parenterally. Accordingly, in one embodiment, employed in the methods described herein is a pharmaceutical composition comprising an antisense compound targeted to an alpha-synuclein
20 nucleic acid and a pharmaceutically acceptable diluent. In certain embodiments, the pharmaceutically acceptable diluent is PBS. In certain embodiments, the antisense compound is an antisense oligonucleotide.

Pharmaceutical compositions comprising antisense compounds encompass any pharmaceutically acceptable salts, esters, or salts of such esters, or any other oligonucleotide which, upon administration to an animal, including a human, is capable of providing (directly or indirectly) the biologically active metabolite or residue thereof. Accordingly, for example, the disclosure is also drawn to pharmaceutically acceptable salts of antisense compounds, prodrugs, pharmaceutically acceptable salts of such prodrugs, and other bioequivalents. Suitable pharmaceutically acceptable salts include, but are not limited to, sodium and potassium salts.

A prodrug can include the incorporation of additional nucleosides at one or both ends of an antisense compound which are cleaved by endogenous nucleases within the body, to form the active antisense compound.

Conjugated Antisense Compounds

Antisense compounds may be covalently linked to one or more moieties or conjugates which enhance the activity, cellular distribution or cellular uptake of the resulting antisense oligonucleotides. Typical conjugate groups include cholesterol moieties and lipid moieties. Additional conjugate groups include carbohydrates, phospholipids, biotin, phenazine, folate, phenanthridine, anthraquinone, acridine, fluoresceins, rhodamines, coumarins, and dyes.

Antisense compounds can also be modified to have one or more stabilizing groups that are generally attached to one or both termini of antisense compounds to enhance properties such as, for example, nuclease stability. Included in stabilizing groups are cap structures. These terminal modifications protect the antisense compound having terminal nucleic acid from exonuclease degradation, and can help in delivery and/or localization within a cell. The cap can be present at the 5'-terminus (5'-cap), or at the 3'-terminus (3'-cap), or can be present on both termini. Cap structures are well known in the art and include, for example, inverted deoxy abasic caps. Further 3' and 5'-stabilizing groups that can be used to cap one or both ends of an antisense compound to impart nuclease stability include those disclosed in WO 03/004602 published on January 16, 2003.

Cell culture and antisense compounds treatment

The effects of antisense compounds on the level, activity or expression of alpha-synuclein nucleic acids can be tested *in vitro* in a variety of cell types. Cell types used for such analyses are available from commercial vendors (e.g. American Type Culture Collection, Manassus, VA; Zen-Bio, Inc., Research Triangle Park, NC; Clonetics Corporation, Walkersville, MD) and are cultured

according to the vendor's instructions using commercially available reagents (e.g. Invitrogen Life Technologies, Carlsbad, CA). Illustrative cell types include, but are not limited to, HuVEC cells and SH-SY5Y cells.

5 *In vitro testing of antisense oligonucleotides*

Described herein are methods for treatment of cells with antisense oligonucleotides, which can be modified appropriately for treatment with other antisense compounds.

Cells may be treated with antisense oligonucleotides when the cells reach approximately 60-80% confluency in culture.

0 One reagent commonly used to introduce antisense oligonucleotides into cultured cells includes the cationic lipid transfection reagent LIPOFECTIN (Invitrogen, Carlsbad, CA). Antisense oligonucleotides may be mixed with LIPOFECTIN in OPTI-MEM 1 (Invitrogen, Carlsbad, CA) to achieve the desired final concentration of antisense oligonucleotide and a LIPOFECTIN concentration that may range from 2 to 12 ug/mL per 100 nM antisense oligonucleotide.

5 Another reagent used to introduce antisense oligonucleotides into cultured cells includes LIPOFECTAMINE (Invitrogen, Carlsbad, CA). Antisense oligonucleotide is mixed with LIPOFECTAMINE in OPTI-MEM 1 reduced serum medium (Invitrogen, Carlsbad, CA) to achieve the desired concentration of antisense oligonucleotide and a LIPOFECTAMINE concentration that may range from 2 to 12 ug/mL per 100 nM antisense oligonucleotide.

0 Another technique used to introduce antisense oligonucleotides into cultured cells includes electroporation.

Cells are treated with antisense oligonucleotides by routine methods. Cells may be harvested 16-24 hours after antisense oligonucleotide treatment, at which time RNA or protein levels of target nucleic acids are measured by methods known in the art and described herein. In general, when
5 treatments are performed in multiple replicates, the data are presented as the average of the replicate treatments.

The concentration of antisense oligonucleotide used varies from cell line to cell line. Methods to determine the optimal antisense oligonucleotide concentration for a particular cell line are well known in the art. Antisense oligonucleotides are typically used at concentrations ranging
0 from 1 nM to 300 nM when transfected with LIPOFECTAMINE. Antisense oligonucleotides are used at higher concentrations ranging from 625 to 20,000 nM when transfected using electroporation.

RNA Isolation

RNA analysis can be performed on total cellular RNA or poly(A)⁺ mRNA. Methods of RNA isolation are well known in the art. RNA is prepared using methods well known in the art, for example, using the TRIZOL Reagent (Invitrogen, Carlsbad, CA) according to the manufacturer's recommended protocols.

Analysis of inhibition of target levels or expression

Inhibition of levels or expression of an alpha-synuclein nucleic acid can be assayed in a variety of ways known in the art. For example, target nucleic acid levels can be quantitated by, e.g., Northern blot analysis, competitive polymerase chain reaction (PCR), or quantitative real-time PCR. RNA analysis can be performed on total cellular RNA or poly(A)⁺ mRNA. Methods of RNA isolation are well known in the art. Northern blot analysis is also routine in the art. Quantitative real-time PCR can be conveniently accomplished using the commercially available ABI PRISM 7600, 7700, or 7900 Sequence Detection System, available from PE-Applied Biosystems, Foster City, CA and used according to manufacturer's instructions.

Quantitative Real-Time PCR Analysis of Target RNA Levels

Quantitation of target RNA levels may be accomplished by quantitative real-time PCR using the ABI PRISM 7600, 7700, or 7900 Sequence Detection System (PE-Applied Biosystems, Foster City, CA) according to manufacturer's instructions. Methods of quantitative real-time PCR are well known in the art.

Prior to real-time PCR, the isolated RNA is subjected to a reverse transcriptase (RT) reaction, which produces complementary DNA (cDNA) that is then used as the substrate for the real-time PCR amplification. The RT and real-time PCR reactions are performed sequentially in the same sample well. RT and real-time PCR reagents may be obtained from Invitrogen (Carlsbad, CA). RT real-time-PCR reactions are carried out by methods well known to those skilled in the art.

Gene (or RNA) target quantities obtained by real time PCR are normalized using either the expression level of a gene whose expression is constant, such as cyclophilin A, or by quantifying total RNA using RIBOGREEN (Invitrogen, Inc. Carlsbad, CA). Cyclophilin A expression is quantified by real time PCR, by being run simultaneously with the target, multiplexing, or separately. Total RNA is quantified using RIBOGREEN RNA quantification reagent (Invitrogen,

Inc. Eugene, OR). Methods of RNA quantification by RIBOGREEN are taught in Jones, L.J., et al, (Analytical Biochemistry, 1998, 265, 368-374). A CYTOFLUOR 4000 instrument (PE Applied Biosystems) is used to measure RIBOGREEN fluorescence.

Probes and primers are designed to hybridize to an alpha-synuclein nucleic acid. Methods
5 for designing real-time PCR probes and primers are well known in the art, and may include the use of software such as PRIMER EXPRESS Software (Applied Biosystems, Foster City, CA).

Analysis of Protein Levels

Antisense inhibition of alpha-synuclein nucleic acids can be assessed by measuring alpha-
0 synuclein protein levels. Protein levels of alpha-synuclein can be evaluated or quantitated in a variety of ways well known in the art, such as immunoprecipitation, Western blot analysis (immunoblotting), enzyme-linked immunosorbent assay (ELISA), quantitative protein assays, protein activity assays (for example, caspase activity assays), immunohistochemistry, immunocytochemistry or fluorescence-activated cell sorting (FACS). Antibodies directed to a target
5 can be identified and obtained from a variety of sources, such as the MSRS catalog of antibodies (Aerie Corporation, Birmingham, MI), or can be prepared via conventional monoclonal or polyclonal antibody generation methods well known in the art. Antibodies useful for the detection of mouse, rat, monkey, and human alpha-synuclein are commercially available.

In vivo testing of antisense compounds

Antisense compounds, for example, antisense oligonucleotides, are tested in animals to assess their ability to inhibit expression of alpha-synuclein and produce phenotypic changes, such as, improved motor coordination, improved olfaction, improved spatial memory, reduced incidence of resting tremor, reduced incidence of bradykinesia (slow movement), reduced rigidity or
15 inflexibility, improved balance, improved fine motor dexterity, improved gross motor coordination, reduced aggregation of alpha-synuclein, and improved autonomic function, such as, decreased orthostatic hypotension. Testing may be performed in normal animals, or in experimental disease models. For administration to animals, antisense oligonucleotides are formulated in a pharmaceutically acceptable diluent, such as phosphate-buffered saline. Administration includes
10 parenteral routes of administration, such as intraperitoneal, intravenous, subcutaneous, intramuscular, intraarterial, or intracranial administration, e.g., intrathecal or intracerebroventricular administration. Calculation of antisense oligonucleotide dosage and dosing frequency depends upon

many factors such as route of administration and animal body weight. Following a period of treatment with antisense oligonucleotides, RNA is isolated from liver tissue and changes in alpha-synuclein nucleic acid expression are measured. Changes in alpha-synuclein protein levels are also measured.

5

Certain Indications

In certain embodiments, the invention provides methods, compounds, and compositions of treating an individual comprising administering one or more pharmaceutical compositions of the present invention. In certain embodiments, the individual has a neurodegenerative disease. In certain embodiments, the neurodegenerative disease is Parkinson's Disease, dementia, multiple system atrophy (also Shy-Drager syndrome), sporadic and familial Alzheimer's Disease, Lewy body variant of Alzheimer's disease, diffuse Lewy body disease, or dementia with Lewy bodies. In certain embodiments, the individual has a synucleinopathy. In certain embodiments, the synucleinopathy is Parkinson's Disease, dementia with Lewy bodies, or multiple system atrophy. In certain embodiments, the individual is at risk for developing a neurodegenerative disease and/or a synucleinopathy. This includes individuals having one or more risk factors for developing a neurodegenerative disease and/or synucleinopathy, including, include older age, exposure to neurotoxins, and genetic predisposition. In certain embodiments, the individual has been identified as in need of treatment for a neurodegenerative disease and/or synucleinopathy. In certain embodiments the invention provides methods for prophylactically reducing alpha-synuclein expression in an individual. Certain embodiments include treating an individual in need thereof by administering to an individual a therapeutically effective amount of an antisense compound targeted to an alpha-synuclein nucleic acid.

In certain embodiments, administration of an antisense compound targeted to an alpha-synuclein nucleic acid results in reduction of alpha-synuclein expression by at least 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95 or 99%, or a range defined by any two of these values. In certain embodiments, administration of an antisense compound targeted to an alpha-synuclein nucleic acid results in improved motor coordination, improved olfaction, improved spatial memory, reduced incidence of resting tremor, reduced incidence of bradykinesia (slow movement), reduced rigidity or inflexibility, improved balance, improved fine motor dexterity, improved gross motor coordination, reduced aggregation of alpha-synuclein, and improved autonomic function, such as, decreased orthostatic hypotension. In certain embodiments, administration of an alpha-

synuclein antisense compound improves motor coordination, reduces incidence of resting tremor, reduces incidence of bradykinesia (slow movement), reduces rigidity or inflexibility, improves balance, improves fine motor dexterity, improves gross motor coordination, reduces aggregation of alpha-synuclein, improves autonomic function, and decreases orthostatic hypotension by at least 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95 or 99%, or a range defined by any two of these values.

In certain embodiments, pharmaceutical compositions comprising an antisense compound targeted to alpha-synuclein are used for the preparation of a medicament for treating a patient suffering or susceptible to a neurodegenerative disease and/or synucleinopathy.

Administration

In certain embodiments, the compounds and compositions as described herein are administered parenterally.

In certain embodiments, parenteral administration is by infusion. Infusion can be chronic or continuous or short or intermittent. In certain embodiments, infused pharmaceutical agents are delivered with a pump. In certain embodiments, parenteral administration is by injection.

In certain embodiments, compounds and compositions are delivered to the CNS. In certain embodiments, compounds and compositions are delivered to the cerebrospinal fluid. In certain embodiments, compounds and compositions are administered to the brain parenchyma. In certain embodiments, compounds and compositions are delivered to an animal by intrathecal administration, or intracerebroventricular administration. Broad distribution of compounds and compositions, described herein, within the central nervous system may be achieved with intraparenchymal administration, intrathecal administration, or intracerebroventricular administration.

In certain embodiments, parenteral administration is by injection. The injection may be delivered with a syringe or a pump. In certain embodiments, the injection is a bolus injection. In certain embodiments, the injection is administered directly to a tissue, such as striatum, caudate, cortex, hippocampus and cerebellum.

Certain Combination Therapies

In certain embodiments, one or more pharmaceutical compositions of the present invention are co-administered with one or more other pharmaceutical agents. In certain embodiments, one or

more pharmaceutical compositions of the present invention are antisense oligonucleotides. In certain embodiments, one or more other pharmaceutical agents are any of peptides, antibodies, or small molecules. In certain embodiments, the peptides, antibodies, or small molecules are any of those described hereinabove (e.g., see *Certain Embodiments* above).

5 In certain embodiments, such one or more other pharmaceutical agents are designed to treat the same disease, disorder, or condition as the one or more pharmaceutical compositions of the present invention. In certain embodiments, such one or more other pharmaceutical agents are designed to treat a different disease, disorder, or condition as the one or more pharmaceutical compositions of the present invention. In certain embodiments, such one or more other
0 pharmaceutical agents are designed to treat an undesired side effect of one or more pharmaceutical compositions of the present invention. In certain embodiments, one or more pharmaceutical compositions of the present invention are co-administered with another pharmaceutical agent to treat an undesired effect of that other pharmaceutical agent. In certain embodiments, one or more pharmaceutical compositions of the present invention are co-administered with another
5 pharmaceutical agent to produce a combinational effect. In certain embodiments, one or more pharmaceutical compositions of the present invention are co-administered with another pharmaceutical agent to produce a synergistic effect.

In certain embodiments, one or more pharmaceutical compositions of the present invention and one or more other pharmaceutical agents are administered at the same time. In certain
10 embodiments, one or more pharmaceutical compositions of the present invention and one or more other pharmaceutical agents are administered at different times. In certain embodiments, one or more pharmaceutical compositions of the present invention and one or more other pharmaceutical agents are prepared together in a single formulation. In certain embodiments, one or more pharmaceutical compositions of the present invention and one or more other pharmaceutical agents
15 are prepared separately. In certain embodiments, one or more other pharmaceutical agents include levodopa, dopamine agonists, COMT inhibitors, and antidepressants.

In certain embodiments, one or more pharmaceutical compositions of the present invention are administered with physical therapy.

EXAMPLES

30 *Non-limiting disclosure and incorporation by reference*

While certain compounds, compositions and methods described herein have been described with specificity in accordance with certain embodiments, the following examples serve only to illustrate the compounds described herein and are not intended to limit the same. Each of the references recited in the present application is incorporated herein by reference in its entirety.

5 **Example 1: Antisense inhibition of human alpha-synuclein (SNCA) in HuVEC cells**

Antisense oligonucleotides targeted to an SNCA nucleic acid were tested for their effects on SNCA mRNA *in vitro*. Cultured HuVEC cells at a density of 5,000 cells per well were transfected using LipofectAMINE2000® reagent with 10 nM antisense oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SNCA mRNA levels were
 0 measured by quantitative real time PCR using the human primer probe set RTS2621 (forward sequence ACGAACCTGAAGCCTAAGAAATATCT, designated herein as SEQ ID NO: 8; reverse sequence GAGCACTTGTACAGGATGGAACAT, designated herein as SEQ ID NO: 9, probe sequence TGCTCCCAGTTTCTTGAGATCTGCTGACA, designated herein as SEQ ID NO: 10). SNCA mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN.
 5 Results are presented as percent inhibition of SNCA, relative to untreated control cells.

The chimeric antisense oligonucleotides in Tables 1, 2, and 3 were designed as 5-10-5 MOE gapmers. The gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxynucleosides and is flanked on both sides (in the 5' and 3' directions) by wings comprising five nucleosides each. Each nucleoside in the 5' wing segment and each nucleoside in
 10 the 3' wing segment has a 2'-MOE modification. The internucleoside linkages throughout each gapmer are phosphorothioate (P=S) linkages. All cytidine residues throughout each gapmer are 5-methylcytidines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted in the human gene sequence. Each gapmer listed in Table 1 is targeted to SEQ ID NO: 1
 5 (GENBANK Accession No. NM_000345.3). Each gapmer listed in Table 2 is targeted to SEQ ID NO: 2 (the complement of GENBANK Accession No. NT_016354.17 truncated from nucleotides 15140000 to 15255000). Each gapmer listed in Table 3 is targeted to either SEQ ID NO: 3 (GENBANK Accession No. NM_007308.1), SEQ ID NO: 4 (GENBANK Accession No. L36674.1), SEQ ID NO: 5 (GENBANK Accession No. BC013293.2), SEQ ID NO: 6 (GENBANK
 0 Accession No. BG701026.1), or SEQ ID NO: 7 (GENBANK Accession No. BM069769.1).

As shown in Tables 1 and 2, several of the gapmers exhibited at least 50% inhibition, as measured by primer probe set RTS2621, including ISIS numbers: 387973, 387974, 387975, 387976, 387977, 387978, 387979, 387980, 387981, 387982, 387983, 387984, 387985, 387986, 387987, 387988, 387989, 387990, 387991, 387994, 387995, 387996, 387997, 387998, 387999, 388000, 388001, 388002, 388004, 388005, 388006, 388007, 388008, 388009, 388010, 388012, 388013, 388014, 388016, 388017, 388021, 388025, 388026, 388027, 388029, 388032, 388033, and 3880309.

Several of the gapmers exhibited at least 60% inhibition, including ISIS numbers: 387973, 387974, 387975, 387976, 387977, 387978, 387979, 387980, 387981, 387982, 387983, 387984, 387985, 387986, 387988, 387989, 387990, 387994, 387995, 387996, 387997, 387998, 387999, 388000, 388001, 388002, 388004, 388005, 388006, 388007, 388008, 388009, 388010, 388014, 388016, 388017, 388026, 388027, 388029, 388032, 388033, and 388039.

Several of the gapmers exhibited at least 70% inhibition, including ISIS numbers: 387973, 387974, 387975, 387976, 387977, 387978, 387979, 387980, 387981, 387982, 387983, 387984, 387985, 387986, 387989, 387994, 387995, 387996, 387997, 387998, 387999, 388000, 388001, 388004, 388006, 388008, 388009, 388010, 388014, 388016, 388017, 388027, 388029, and 388039.

Several of the gapmers exhibited at least 80% inhibition, including ISIS numbers: 387973, 387974, 387975, 387976, 387978, 387979, 387981, 387983, 387984, 387985, 387986, 387994, 387998, 387999, 388000, 388001, 388004, 388006, 388008, 388009, 388010, 388014, 388016, and 388017.

Several of the gapmers exhibited at least 90% inhibition, including ISIS numbers: 387973, 387975, 387983, 387984, 387985, 387986, 387994, 387998, and 388004.

Table 1

Inhibition of human SNCA mRNA levels by chimeric antisense oligonucleotides having 5-10-5 MOE wings and deoxy gap targeted to SEQ ID NO: 1

Start Site	Stop Site	Oligo ID	Sequence	% inhibition	SEQ ID NO
236	255	387973	AATTCCTTTACACCACACTG	92	11
246	265	387974	ATGGCTAATGAATTCCTTTA	89	12
256	275	387975	GAATACATCCATGGCTAATG	90	13
266	285	387976	GTCCTTTCATGAATACATCC	89	14
273	292	387977	TTTGAAAGTCCTTTCATGAA	78	15
282	301	387978	TCCTTGGCCTTTGAAAGTCC	88	16

304	323	387979	CTCAGCAGCAGCCACAACCTC	80	17
312	331	387980	TTGGTTTTCTCAGCAGCAGC	77	18
361	380	387981	ATAGAGAACACCCTCTTTTG	83	19
375	394	387982	GTTTTGGAGCCTACATAGAG	77	20
381	400	387983	TCCTTGGTTTTGGAGCCTAC	91	21
404	423	387984	TTGCCACACCATGCACCACT	92	22
444	463	387985	CCAACATTTGTCACTTGCTC	95	23
469	488	387986	TGTCACACCCGTCACCACTG	96	24
542	561	387987	ACTGGTCCTTTTTGACAAAG	58	25
554	573	387988	CATTCTTGCCCAACTGGTCC	65	26
607	626	387989	GTCAGGATCCACAGGCATAT	78	27
622	641	387990	TTCATAAGCCTCATTGTCAG	63	28
629	648	387991	AAGGCATTTCATAAGCCTCA	52	29
637	656	387992	TTCCTCAGAAGGCATTTTCAT	39	30
644	663	387993	GATACCCTTCCTCAGAAGGC	40	31
653	672	387994	CGTAGTCTTGATACCCTTCC	93	32
671	690	387995	TTTCTTAGGCTTCAGGTTTCG	77	33
676	695	387996	AGATATTTCTTAGGCTTCAG	71	34
683	702	387997	GGAGCAAAGATATTTCTTAG	77	35
702	721	387998	AGCAGATCTCAAGAACTGG	92	36
734	753	387999	ACTGAGCACTTGTACAGGAT	86	37
739	758	388000	TTGGAAGTGAAGCACTTGTAC	87	38
745	764	388001	GGCACATTGGAAGTGAAGCAC	87	39
764	783	388002	TTGAGAAATGTCATGACTGG	67	40
774	793	388003	TGTAAAAACTTTGAGAAATG	31	41
792	811	388004	GAAGACTTCGAGATACACTG	94	42
808	827	388005	TCAATCACTGCTGATGGAAG	66	43
818	837	388006	TACAGATACTTCAATCACTG	82	44
881	900	388007	GACCCTGCTACCATGTATTC	68	45
891	910	388008	AGCACACAAAGACCCTGCTA	88	46
897	916	388009	ATCCACAGCACACAAAGACC	80	47
908	927	388010	GAAGCCACAAAATCCACAGC	86	48
952	971	388011	GGTAGTCACTTAGGTGTTTT	49	49
958	977	388012	ATAAGTGGTAGTCACTTAGG	57	50
964	983	388013	TTAGAAATAAGTGGTAGTCA	57	51
1001	1020	388014	AACTTCTGAACAACAGCAAC	82	52
1030	1049	388015	CTTATAATATATGATAGCAA	34	53
1055	1074	388016	GTATCATTAAAAGACACCTA	86	54
1072	1091	388017	GTCATTATTCTTAGACAGTA	82	55
1242	1261	388018	TATTTTTCGAATGAGATAAC	28	56
1249	1268	388019	AATAAAATATTTTTCGAATG	0	57
1292	1311	388020	GCTTATAAGCATGATTTTTA	31	58

1302	1321	388021	AATTCATGTTGCTTATAAGC	51	59
1314	1333	388022	GTGTCAGTTCTTAATTCATG	20	60
1345	1364	388023	GGCTATTAATAACTTTATAT	29	61
1355	1374	388024	TTCTTCAAATGGCTATTAAT	45	62
1432	1451	388025	TTCTGGCAGTGTTGCTTCAG	59	63
1452	1471	388026	CAGTGCATACCAAAACACAC	61	64
1462	1481	388027	CTTAAGGAACCAGTGCATAC	77	65
1472	1491	388028	ATCACAGCCACTTAAGGAAC	31	66
1482	1501	388029	TCAATAATTAATCACAGCCA	70	67
1522	1541	388030	CCACTCTACAATAGTAGTTG	44	68
1693	1712	388031	TATCAGACAAAATAGATTTT	0	69
1703	1722	388032	TTCACACCAATATCAGACAA	67	70
1723	1742	388033	ATTGTCAGAAAGGTACAGCA	64	71
1733	1752	388034	AATATTATTTATTGTCAGAA	0	72
1741	1760	388035	CATGGTCTGAATATTATTAT	5	73
1170	1189	388037	TCGCAAAATGGTAAAATTTC	35	74
107	126	388039	GTCTGCGCTGCAGCCCGCAC	79	75

Table 2

Inhibition of human SNCA mRNA levels by chimeric antisense oligonucleotides having 5-10-5 MOE wings and deoxy gap targeted to SEQ ID NO: 2

Start Site	Stop Site	Oligo ID	Sequence	% inhibition	SEQ ID NO
3451	3470	387973	AATTCCTTTACACCACACTG	92	11
3461	3480	387974	ATGGCTAATGAATTCCTTTA	89	12
3471	3490	387975	GAATACATCCATGGCTAATG	90	13
3481	3500	387976	GTCCTTTCATGAATACATCC	89	14
3488	3507	387977	TTTGAAAGTCCTTTCATGAA	78	15
3497	3516	387978	TCCTTGGCCTTTGAAAGTCC	88	16
3519	3538	387979	CTCAGCAGCAGCCACAACCTC	80	17
3527	3546	387980	TTGGTTTCTCAGCAGCAGC	77	18
3576	3595	387981	ATAGAGAACACCCTCTTTTG	83	19
10958	10977	387983	TCCTTGGTTTTGGAGCCTAC	91	21
10981	11000	387984	TTGCCACACCATGCACCACT	92	22
16775	16794	387985	CCAACATTTGTCACTTGCTC	95	23
16800	16819	387986	TGTCACACCCGTCACCACTG	96	24
16873	16892	387987	ACTGGTCCTTTTGGACAAAG	58	25
109906	109925	387989	GTCAGGATCCACAGGCATAT	78	27
109921	109940	387990	TTCATAAGCCTCATTGTCAG	63	28
109928	109947	387991	AAGGCATTTTCATAAGCCTCA	52	29
112485	112504	387994	CGTAGTCTTGATACCCTTCC	93	32
112503	112522	387995	TTTCTTAGGCTTCAGGTTTCG	77	33

112508	112527	387996	AGATATTTCTTAGGCTTCAG	71	34
112515	112534	387997	GGAGCAAAGATATTTCTTAG	77	35
112534	112553	387998	AGCAGATCTCAAGAACTGG	92	36
112566	112585	387999	ACTGAGCACTTGTACAGGAT	86	37
112571	112590	388000	TTGGAAGTGAAGCACTTGTAC	87	38
112577	112596	388001	GGCACATTGGAAGTGAAGCAC	87	39
112596	112615	388002	TTGAGAAATGTCATGACTGG	67	40
112606	112625	388003	TGTAAAACTTTGAGAAATG	31	41
112624	112643	388004	GAAGACTTCGAGATACACTG	94	42
112640	112659	388005	TCAATCACTGCTGATGGAAG	66	43
112650	112669	388006	TACAGATACTTCAATCACTG	82	44
112713	112732	388007	GACCCTGCTACCATGTATTC	68	45
112723	112742	388008	AGCACACAAAGACCCTGCTA	88	46
112729	112748	388009	ATCCACAGCACACAAAGACC	80	47
112740	112759	388010	GAAGCCACAAAATCCACAGC	86	48
112784	112803	388011	GGTAGTCACTTAGGTGTTTT	49	49
112790	112809	388012	ATAAGTGGTAGTCACTTAGG	57	50
112796	112815	388013	TTAGAAATAAGTGGTAGTCA	57	51
112833	112852	388014	AACTTCTGAACAACAGCAAC	82	52
112862	112881	388015	CTTATAATATATGATAGCAA	34	53
112887	112906	388016	GTATCATTAAAAGACACCTA	86	54
112904	112923	388017	GTCATTATTCTTAGACAGTA	82	55
113074	113093	388018	TATTTTGTCAATGAGATAAC	28	56
113081	113100	388019	AATAAAATATTTTTGCAATG	0	57
113124	113143	388020	GCTTATAAGCATGATTTTAA	31	58
113134	113153	388021	AATTCATGTTGCTTATAAGC	51	59
113146	113165	388022	GTGTCAGTTCTTAATTCATG	20	60
113177	113196	388023	GGCTATTAATAACTTTATAT	29	61
113187	113206	388024	TTCTTCAAATGGCTATTAAT	45	62
113264	113283	388025	TTCTGGCAGTGTTGCTTCAG	59	63
113284	113303	388026	CAGTGCATACCAAAACACAC	61	64
113294	113313	388027	CTTAAGGAACCAAGTGCATAC	77	65
113304	113323	388028	ATCACAGCCACTTAAGGAAC	31	66
113314	113333	388029	TCAATAATTAATCACAGCCA	70	67
113354	113373	388030	CCACTCTACAATAGTAGTTG	44	68
113525	113544	388031	TATCAGACAAAATAGATTTT	0	69
113535	113554	388032	TTACACCAATATCAGACAA	67	70
113555	113574	388033	ATTGTCAGAAAGGTACAGCA	64	71
113565	113584	388034	AATATTATTATTGTCAGAA	0	72
113573	113592	388035	CATGGTTCGAATATTATTTAT	5	73
113002	113021	388037	TCGCAAAATGGTAAAATTTT	35	74
2053	2072	388039	GTCTGCGCTGCAGCCCGCAC	79	75

2183	2202	388040	GGAGGCAAACCCGCTAACCT	63	76
3590	3609	388042	GTTTACCTACCTACATAGAG	8	77
10952	10971	388043	GTTTTGGAGCCTACAAAAAC	56	78
16748	16767	388044	TTCTCAGCCACTGGTACAAA	40	79
49342	49361	388045	CCATTCCCAAGAGACCCAGA	92	80
73617	73636	388046	AGAAGAATCAATTGCTTAC	85	81
94236	94255	388047	TAATCATTAAACCTTAGTA	32	82
112476	112495	388048	GATACCCTTCCTAATATTAG	46	83

Table 3

Inhibition of human SNCA mRNA levels by chimeric antisense oligonucleotides having 5-10-5 MOE wings and deoxy gap targeted to SEQ ID NOs: 3-7

Target SEQ ID NO	Start Site	Stop Site	Oligo ID	Sequence	% inhibition	SEQ ID NO
3	310	329	388036	GATACCCTTCCTTGCCCAAC	12	84
4	124	143	388038	GCCACTACATAGAGAACACC	78	85
5	392	411	388041	CCTTTACACCACACTGAGTC	91	86
6	595	614	388049	ATATCTGCCAGAATGTCCTT	86	87
7	62	81	388050	TTACACCACACTCACTTCCG	55	88

5

Example 2: Dose-dependent antisense inhibition of human SNCA in HuVEC cells

Eleven gapmers, exhibiting over 84 percent or greater *in vitro* inhibition of human SNCA in the study described in Example 1, were tested at various doses in HuVEC cells. Cells were plated at a density of 6,000 cells per well and transfected using LipofectAMINE2000® reagent with 0.08 nM, 0.25 nM, 0.74 nM, 2.22 nM, 6.67 nM, and 20.00 nM concentrations of antisense oligonucleotide, as specified in Table 4. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SNCA mRNA levels were measured by quantitative real-time PCR. Human SNCA primer probe set RTS2621 (described herein above in Example 1) was used to measure mRNA levels. SNCA mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN. Results are presented as percent inhibition of SNCA, relative to untreated control cells. As illustrated in Table 4, SNCA mRNA levels were reduced in a dose-dependent manner in antisense oligonucleotide treated cells.

Table 4

Dose-dependent antisense inhibition of human SNCA in HuVEC cells

Oligo ID	0.08 nM	0.25 nM	0.74 nM	2.22 nM	6.67 nM	20.00 nM	IC ₅₀ (nM)
387973	0	11	23	46	72	81	2.6
387975	9	8	25	57	72	83	2.1
387978	13	28	39	68	81	89	1.1
387983	0	8	17	49	75	85	2.6
387984	3	15	30	66	82	86	1.5
387985	0	6	24	66	77	89	1.8
387986	0	17	33	67	77	84	1.7
388004	0	11	30	65	78	86	1.8
388008	2	0	26	59	77	88	2.1
388010	0	8	24	54	71	87	2.3
388041	0	10	27	55	77	86	2.2

Example 3: Dose-dependent antisense inhibition of human SNCA in SH-SY5Y cells

Gapmers were selected from the study described in Example 2 and tested at various doses in SH-SY5Y cells. Cells were plated at a density of 20,000 cells per well and transfected using electroporation with 5 μ M, 10 μ M, and 20 μ M concentrations of antisense oligonucleotide, as specified in Table 5. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SNCA mRNA levels were measured by quantitative real-time PCR. Human SNCA primer probe set RTS2620 (forward sequence GGTGCTTCCCTTTCACTGAAGT, designated herein as SEQ ID NO: 89; reverse sequence ACATCGTAGATTGAAGCCACAAAA, designated herein as SEQ ID NO: 90, probe sequence AATACATGGTAGCAGGGTCTTTGTGTGCTGTG, designated herein as SEQ ID NO: 91) was used to measure mRNA levels. SNCA mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN. Results are presented as percent inhibition of SNCA, relative to untreated control cells. As illustrated in Table 5, SNCA mRNA levels were reduced in a dose-dependent manner in antisense oligonucleotide treated cells.

Table 5

Dose-dependent antisense inhibition of human SNCA in SH-SY5Y cells

Oligo ID	5 μ M	10 μ M	20 μ M
387978	79	85	94
387984	79	92	96
387985	54	82	93
387986	63	84	91
388004	71	88	92

Example 4: Tolerability of antisense oligonucleotides targeting human SNCA in a mouse model

ISIS oligonucleotides that demonstrated dose-dependent inhibition in the studies described herein in Examples 2 and 3 were evaluated for tolerability in a mouse model by monitoring changes in the levels of various metabolic markers in C57BL/6 mice.

Treatment

C57BL/6 mice were injected with 50 mg/kg of ISIS 387973, ISIS 387975, ISIS 387978, ISIS 387983, ISIS 387984, ISIS 387985, ISIS 387986, ISIS 388004, ISIS 388008, ISIS 388010, or ISIS 388041 administered subcutaneously twice a week for 3 weeks. A control group of mice was injected with phosphate buffered saline (PBS) administered subcutaneously twice a week for 3 weeks. Mice were sacrificed 48 hrs after receiving the last dose. Plasma was collected for further analysis.

Liver function

To evaluate the effect of ISIS oligonucleotides on hepatic function, plasma concentrations of transaminases were measured using an automated clinical chemistry analyzer (Hitachi Olympus AU400e, Melville, NY). Plasma concentrations of ALT (alanine transaminase) and AST (aspartate transaminase) were measured at the end of the treatment period. The results presented in Table 6 indicate that liver transaminases were within normal parameters for all the ISIS oligonucleotides, except for ISIS 387986.

Table 6

Effect of antisense oligonucleotide treatment on ALT and AST (IU/L) of C57BL/6 mice

	ALT	AST
PBS	32	62
ISIS 387973	37	65
ISIS 387975	67	94
ISIS 387978	33	51
ISIS 387983	45	81
ISIS 387984	60	75
ISIS 387985	30	49
ISIS 387986	780	384
ISIS 388004	36	59

ISIS 388008	48	66
ISIS 388010	73	79
ISIS 388041	61	90

Body and organ weights

The body weights of the mice, as well as liver, spleen and kidney weights were measured at the end of the study. All the weights measured were within 13% that of the corresponding weights in the PBS control. The results demonstrate that none of the ISIS oligonucleotides had any adverse effect on the overall health of the mice.

Example 5: Potency of antisense oligonucleotides targeting human SNCA in a transgenic mouse model (SNCA PAC mice)

The ISIS oligonucleotides were further evaluated for potency in the SNCA PAC (PAC-Tg(SNCA^{WT}) Snca^{-/-}) transgenic mouse model. These mice harbor a knockout *Snca* allele and a transgene encoding human SNCA under a PAC (P1 artificial chromosome construct) promoter.

Treatment

Groups of 4 SNCA PAC mice each were injected with 100 µg of ISIS 387973, ISIS 387975, ISIS 387978, ISIS 387983, ISIS 387984, ISIS 387985, ISIS 388004, ISIS 388008, ISIS 388010, or ISIS 388041 administered via an intrastriatal bolus injection. A control group of mice was injected with phosphate buffered saline (PBS) administered via an intrastriatal bolus injection. Mice were sacrificed 2 weeks after receiving the injection. Brain tissue was collected for further analysis.

RNA analysis

RNA was extracted from the striatal and cortical tissues of the brain for real-time PCR analysis of human SNCA mRNA. The results are presented in Table 7, and demonstrate that most of the ISIS oligonucleotides inhibit human SNCA mRNA significantly compared to the PBS control.

Table 7

Percent inhibition of human SNCA mRNA in SNCA PAC mice compared to the PBS control

Oligo ID	Striatum	Cortex
387973	99	92
387975	93	65

387978	39	69
387983	97	65
387984	90	78
387985	98	75
388004	98	54
388008	0	0
388010	0	15
388041	99	74

Example 6: Antisense inhibition of human SNCA in SH-SY5Y cells by oligonucleotides designed by microwalk

Additional gapmers were designed targeting the region of the SNCA gene between the target sites of ISIS 387984 (start site 404 of SEQ ID NO: 1) and ISIS 387985 (start site 444 of SEQ ID NO: 1), which demonstrated significant inhibition of SNCA mRNA. These gapmers were designed by creating gapmers shifted by one nucleobase from each other (i.e. “microwalk”) of the region between the two gapmers. The new antisense oligonucleotides were designed as 5-10-5 gapmers. These gapmers were tested *in vitro*. ISIS 387984 and ISIS 387985 were also included in the assay for comparison. Cultured SH-SY5Y cells at a density of 5,000 cells per well were transfected using electroporation with 2,000 nM antisense oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SNCA mRNA levels were measured by quantitative real-time PCR. Two human primer probe set 672 (forward sequence TGGCAGAAGCAGCAGGAAA, designated herein as SEQ ID NO: 95; reverse sequence TCCTTGGTTTTGGAGCCTACA, designated herein as SEQ ID NO: 96; probe sequence CAAAAGAGGGTGTCTC, designated herein as SEQ ID NO: 97) and primer probe set 673 (forward sequence GGAGCAGGGAGCATTGCA, designated herein as SEQ ID NO: 92; reverse sequence CCTTCTTCATTCTTGCCCAACT, designated herein as SEQ ID NO: 93; probe sequence CACTGGCTTTGTCAAAA, designated herein as SEQ ID NO: 94) were individually used to measure SNCA mRNA levels. SNCA mRNA levels were adjusted according to total RNA content, as measured by Cyclophilin levels. Results are presented as percent inhibition of SNCA, relative to untreated control cells. The results are presented in Table 8.

The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxynucleotides and is flanked on both sides (in the 5' and 3' directions) by wings comprising five nucleosides each. The internucleoside linkages throughout each gapmer are

phosphorothioate (P=S) linkages. All cytidine residues throughout each gapmer are 5-methylcytidines. "Target start site" indicates the 5'-most nucleoside to which the gapmer is targeted. "Target stop site" indicates the 3'-most nucleoside to which the gapmer is targeted. Each gapmer listed in Table 8 is targeted SEQ ID NO: 1 (GENBANK Accession No. NM_000345.3).

5 As shown in Table 8, several of the gapmers exhibited at least 50% inhibition, as measured by primer probe set 673, including ISIS numbers: 387984, 489351, 489352, 489353, 489354, 489355, 489356, 489357, 489358, 489359, 489360, 489361, 489362, 489364, 489365, 489366, 489367, 489368, 489369, 489371, 489372, 489373, 489374, 489375, 489381, 489382, 489383, 489387, and 387985.

0 Several of the gapmers exhibited at least 60% inhibition, including ISIS numbers: 387984, 489351, 489352, 489353, 489355, 489356, 489357, 489358, 489359, 489360, 489361, 489366, 489371, 489372, 489373, 489374, 489381, 489383, and 387985.

5 Several of the gapmers exhibited at least 70% inhibition, including ISIS numbers: 387984, 489351, 489352, 489356, 489357, 489358, 489359, 489360, 489361, 489373, 489374, 489381, and 387985.

Several of the gapmers exhibited at least 80% inhibition, including ISIS numbers: 489357, 489358, 489359, and 489360.

Two of the gapmers exhibited at least 85% inhibition, including ISIS numbers: 489357 and 489358.

0 One gapmer exhibited at least 90% inhibition, which is ISIS 489357.

Table 8

Inhibition of human SNCA mRNA levels by chimeric antisense oligonucleotides targeted to SEQ ID NO: 1

Target Start Site	Target Stop Site	Oligo ID	Sequence	% inhibition (primer probe set 672)	% inhibition (primer probe set 673)	SEQ ID NO
404	423	387984	TTGCCACACCATGCACCACT	79	76	22
405	424	489351	GTTGCCACACCATGCACCAC	81	76	98
406	425	489352	TGTTGCCACACCATGCACCA	75	70	99
407	426	489353	CTGTTGCCACACCATGCACC	70	64	100
408	427	489354	ACTGTTGCCACACCATGCAC	62	56	101
409	428	489355	CACTGTTGCCACACCATGCA	67	61	102
410	429	489356	CCACTGTTGCCACACCATGC	82	79	103

411	430	489357	GCCACTGTTGCCACACCATG	92	90	104
412	431	489358	AGCCACTGTTGCCACACCAT	90	87	105
413	432	489359	CAGCCACTGTTGCCACACCA	89	83	106
414	433	489360	TCAGCCACTGTTGCCACACC	88	84	107
415	434	489361	CTCAGCCACTGTTGCCACAC	83	76	108
416	435	489362	TCTCAGCCACTGTTGCCACA	64	57	109
417	436	489363	TTCTCAGCCACTGTTGCCAC	54	49	110
418	437	489364	CTTCTCAGCCACTGTTGCCA	65	59	111
419	438	489365	TCTTCTCAGCCACTGTTGCC	58	53	112
420	439	489366	GTCTTCTCAGCCACTGTTGC	68	64	113
421	440	489367	GGTCTTCTCAGCCACTGTTG	62	51	114
422	441	489368	TGGTCTTCTCAGCCACTGTT	61	54	115
423	442	489369	TTGGTCTTCTCAGCCACTGT	61	53	116
424	443	489370	TTTGGTCTTCTCAGCCACTG	55	49	117
425	444	489371	CTTTGGTCTTCTCAGCCACT	75	68	118
426	445	489372	TCTTTGGTCTTCTCAGCCAC	65	60	119
427	446	489373	CTCTTTGGTCTTCTCAGCCA	79	75	120
428	447	489374	GCCTTTGGTCTTCTCAGCC	76	72	121
429	448	489375	TGCTCTTTGGTCTTCTCAGC	58	51	122
430	449	489376	TTGCTCTTTGGTCTTCTCAG	46	38	123
431	450	489377	CTTGCTCTTTGGTCTTCTCA	49	46	124
432	451	489378	ACTTGCTCTTTGGTCTTCTC	44	34	125
433	452	489379	CACTTGCTCTTTGGTCTTCT	46	35	126
434	453	489380	TCACTTGCTCTTTGGTCTTC	50	45	127
435	454	489381	GTCACCTTGCTCTTTGGTCTT	80	73	128
436	455	489382	TGTCACCTTGCTCTTTGGTCT	67	58	129
437	456	489383	TTGTCACCTTGCTCTTTGGTC	70	65	130
438	457	489384	TTTGTCACCTTGCTCTTTGGT	42	31	131
439	458	489385	ATTTGTCACCTTGCTCTTTGG	54	43	132
440	459	489386	CATTTGTCACCTTGCTCTTTG	42	38	133
441	460	489387	ACATTTGTCACCTTGCTCTTT	58	50	134
442	461	489388	AACATTTGTCACCTTGCTCTT	46	39	135
443	462	489389	CAACATTTGTCACCTTGCTCT	59	49	136
444	463	387985	CCAACATTTGTCACCTTGCTC	76	71	23

Example 7: Potency of antisense oligonucleotides targeting human SNCA in a transgenic mouse model (SNCA PAC mice)

The ISIS oligonucleotides that demonstrated significant inhibition in the study described herein in Example 6 were further evaluated for potency in SNCA PAC mice.

Treatment

Groups of 12 SNCA PAC mice each were injected with 50 µg of ISIS 387985, ISIS 489351, ISIS 489352, ISIS 489356, ISIS 489357, ISIS 489358, ISIS 489359, ISIS 489360, ISIS 489373, ISIS 489374, ISIS 489381, or ISIS 489383 administered via an intrastriatal bolus injection. A control group of mice was injected with phosphate buffered saline (PBS) administered via an intrastriatal bolus injection. Mice were sacrificed 2 weeks after receiving the injection. Brain tissue was collected for further analysis.

RNA analysis

RNA was extracted from the hippocampal, striatal and cortical tissues of the brain for real-time PCR analysis of human SNCA mRNA using primer probe set 673 (described herein in Example 6 above). The results are presented in Table 9, and demonstrate that most of the ISIS oligonucleotides inhibit human SNCA mRNA significantly compared to the PBS control.

Table 9

Percent (%) inhibition of human SNCA mRNA in SNCA PAC mice compared to the PBS control

Oligo ID	Cortex	Striatum	Hippocampus
387985	86	76	72
489351	77	31	28
489352	81	38	54
489356	83	0	43
489357	91	49	76
489358	75	0	76
489359	81	62	65
489360	72	0	70
489373	78	34	64
489374	77	53	82
489381	73	34	72
489383	59	61	34

Example 8: Potency of antisense oligonucleotides targeting human SNCA in a transgenic mouse model (Thy1-aSYN mice)

The ISIS oligonucleotides that demonstrated significant inhibition in the study described herein in Example 7 were further evaluated in Thy1-aSYN mice.

Treatment

Groups of 4 Thy1-aSYN mice each were injected with 50 μ g of ISIS 387985, ISIS 489352, ISIS 489356, and ISIS 489357 administered via an intrastriatal bolus injection. Mice were anesthetized with sodium pentobarbitone (66 mg/kg Nembutal in sterile 0.9% saline, i.p.). The scalps of the mice were then shaved and, following loss of the pedal reflex, mice were placed in a stereotaxic frame (David Kopf Instruments, CA). To maintain a surgical plane of anesthesia, mice were administered with isoflurane (1-2% in 100% oxygen at 0.5L/min) via a nose cone, as required. The scalp was sterilized using three alternating wipes of Betadine and 70% ethanol. An incision was made in the scalp and the skull surface exposed and bregma positively identified. A hole was drilled in the skull at 0.5 mm AP, 2mm ML, relative to bregma. ISIS 387985, ISIS 489352, ISIS 489356, and ISIS 489357 at a dose of 50 μ g in a 2 μ L solution was injected unilaterally into the right striatum, using a 10 μ L Hamilton syringe with a 27 gauge needle connected to a microsyringe pump controller (KD Scientific 310) at a flow rate of 0.2 μ L/min. The DV coordinate was measured at 3 mm below the skull surface. The needle was left in place for a further 3 minutes after injection to allow diffusion of the solution into the brain. After slowly withdrawing the syringe, the scalp was sutured and mice were subcutaneously injected with 0.5 mL warm sterile saline to aid rehydration, and placed on a warm water heat pad and monitored until they regained consciousness and mobility. A group of 4 mice was injected with PBS in a similar manner. Mice were returned to their home cage and supplied with mashed food on the cage floor. The body weights and health of mice was monitored daily post-surgery. Mice were sacrificed 2 weeks after receiving the injection. Brain tissue was collected for further analysis. A group of 4 mice was injected with PBS in a similar manner.

RNA analysis

RNA was extracted from the striatal and cortical tissues of the brain for real-time PCR analysis of human SNCA mRNA normalized to Cyclophilin A mRNA. The results are presented in Table 10.

Table 10

Percent inhibition of human SNCA mRNA in Thy1-aSYN mice compared to the PBS control

Oligo ID	Cortex	Striatum
387985	67	63

489352	50	18
489356	56	20
489357	64	53

Protein analysis

Protein was extracted from cell lysates of the striatal and cortical tissues of the brain and quantified by western blot analysis using anti-alpha-synuclein, clone Syn211 (Millipore, NY). The results were normalized to alpha-tubulin and are presented in Table 11.

5

Table 11

Percent inhibition of human SNCA protein levels in Thy1-aSYN mice compared to the PBS control

Oligo ID	Cortex	Striatum
387985	24	37
489352	30	51
489356	0	66
489357	0	78

Quantification of antisense oligonucleotide levels in brain sections

The rostral and caudal regions of striatal and cortical tissues of the brain were individually stained using immunofluorescent antibodies against the antisense oligonucleotides (Ab6653, ISIS Pharmaceuticals, CA) or mouse anti-SNCA (BD Transduction Laboratories, CA). Images of the stained sections were acquired using a microarray scanner (Agilent Technologies, CA). Immunofluorescent intensity was quantified using ImageJ (NIH). The results of the quantification of immunofluorescence are presented in Tables 12 and 13. The results from Table 12 demonstrate the even distribution of the antisense oligonucleotides to different regions of the brain, relative to the PBS control level, which was designated zero intensity. Table 13 presents the SNCA protein levels in the corresponding brain sections, and demonstrates inhibition of SNCA by some of the ISIS oligonucleotides.

5

Table 12

Antisense oligonucleotide levels in Thy1-aSYN mice compared to the PBS control (arbitrary units)

Oligo ID	Cortex (rostral)	Striatum (rostral)	Cortex (caudal)	Striatum (caudal)
387985	22607	25225	29899	34625

10

489352	34604	30315	32535	36067
489356	26615	22943	26549	24441
489357	25219	25095	27427	30458

Table 13

Percent reduction in SNCA levels in Thy1-aSYN mice compared to the PBS control

Oligo ID	Cortex (rostral)	Striatum (rostral)	Cortex (caudal)	Striatum (caudal)
387985	17	23	37	16
489352	14	12	28	10
489356	0	0	0	0
489357	0	0	21	0

5 Evaluation of toxicity due to antisense oligonucleotide administration in brain sections

The rostral and caudal regions of striatal and cortical tissues of the brain were also individually stained with immunofluorescent antibodies rabbit anti-GFAP (Dako Inc, CA) or anti-NeuN (Chemicon Inc). Images of the stained sections were acquired using a microarray scanner (Agilent Technologies, CA). Immunofluorescent intensity was quantified using ImageJ (NIH). The results of the quantification are presented in Tables 14 and 15. Table 14 shows the levels of glial fibrillary acidic protein (GFAP), which is moderately increased in a non-specific manner as a result of antisense oligonucleotide administration. This is an expected outcome (Chiasson et al., *Cell. Mol. Neurobiol.* 1994. 14: 507-521) and the results demonstrate that the increase is non-significant. Table 15 presents the data on NeuN, a neuron marker that indicates neuronal toxicity. The results indicate none of the ISIS oligonucleotides induced increase in NeuN levels relative to the PBS control.

The brain sections were separately stained with rabbit anti-Iba1 (Wako Chem. Inc, CA) to detect microglial cells, followed by probing with a biotinylated secondary antibody. The sections were developed using a complex of avidin-biotin peroxidase. The sections were then developed by DAB substrate. The optical fractionator function of Stereo Investigator (MicroBrightField) was used to count 4 representative samples of Iba1-positive microglial cells in the striatum and cortex. The microglia were then scored as either resting or activated microglia. The scoring was based on morphological criteria of either ramified (resting) or amoeboid (activated) appearance. Activated microglia are a marker of neuronal toxicity. The average of the results was expressed as a percent of

the number of activated Iba1-positive cells compared to the total number of Iba1-positive cells. The results are presented in Table 18, and demonstrate that treatment with either ISIS 387985 or ISIS 489357 does not cause microglial activation. Hence, treatment with either antisense oligonucleotide did not cause any neural toxicity.

5

Table 14

Percent increase in GFAP levels in Thy1-aSYN mice compared to the PBS control

Oligo ID	Cortex (caudal)	Striatum (caudal)
387985	70	128
489352	66	151
489356	61	82
489357	120	130

Table 15

Percent change in NeuN levels in Thy1-aSYN mice compared to the PBS control

Oligo ID	Cortex (caudal)	Striatum (caudal)
387985	-11	-11
489352	-28	-38
489356	-5	-1
489357	-10	-15

0

Table 16

Percent of activated microglia in Thy1-aSYN mice

	Cortex	Striatum
PBS	7	19
ISIS 387985	26	27
ISIS 489352	43	49
ISIS 489356	35	66
ISIS 489357	21	37

5 **Example 9: Potency of antisense oligonucleotides targeting human SNCA in a transgenic mouse model (Thy1-aSYN mice)**

Some of the ISIS oligonucleotides from the study described herein in Example 5 were further evaluated in Thy1-aSYN mice, which overexpress human SNCA (Rockenstein et al., J.

Neurosci. Res. 68: 568-578, 2002). ISIS 387978, ISIS 387983, ISIS 387984, and ISIS 387985 all target the transgene mRNA in Thy-aSYN mice and were tested in this model.

The target sites of the human oligonucleotides to the human mRNA sequence, SEQ ID NO: 1 (GENBANK Accession No. NM_000345.3) are presented in Table 17. Some of the human oligonucleotides are cross-reactive with mouse SNCA sequences. The greater the complementarity between the human oligonucleotide and the murine sequence, the more likely the human oligonucleotide can cross-react with the murine sequence. The target start sites of the human oligonucleotides to the murine sequence SEQ ID NO: 137 (GENBANK Accession No NM_001042451.1) are also presented in Table 17. 'n/a' indicates that the antisense oligonucleotide has more than 3 mismatches to the murine sequence.

Table 17

Target Start Sites of antisense oligonucleotides targeting SEQ ID NO: 1 and SEQ ID NO: 137

Human Target Start Site	ISIS No	Murine Target Start Site	SEQ ID NO
282	387978	318	16
381	387983	n/a	20
404	387984	n/a	22
444	387985	480	23

Treatment

Groups of 4 Thy1-aSYN mice each were injected with 50 µg of ISIS 387978, ISIS 387983, ISIS 387984, or ISIS 387985, administered via intrastriatal bolus injection. Mice were anesthetized with sodium pentobarbitone (66 mg/kg Nembutal in sterile 0.9% saline, i.p.). The scalps of the mice were then shaved and, following loss of the pedal reflex, mice were placed in a stereotaxic frame (David Kopf Instruments, CA). To maintain a surgical plane of anesthesia, mice were administered with isoflurane (1-2% in 100% oxygen at 0.5 L/min) via a nose cone, as required. Oxygen was administered throughout the surgery and for 30 min post-surgically. The temperature of the mice was monitored using a rectal probe thermometer (Physitemp). The scalp was sterilized using three alternating wipes of Betadine and 70% ethanol. An incision was made in the scalp and the skull surface exposed and bregma positively identified. After ensuring that the skull surface was flat, i.e. a dorsoventral (DV) deviation of <0.2 mm at bregma +/- 2 mm antero-posterior (AP), a hole was drilled in the skull at 0.5 mm AP, 2mm medialateral (ML), relative to bregma. Each of the ISIS

oligonucleotides at a concentration of 50 mg/mL in a 2 μ L solution was injected unilaterally into the right striatum, using a 10 μ L Hamilton syringe with a 27 gauge needle connected to a microsyringe pump controller (KD Scientific 310) at a flow rate of 0.2 μ L/min. The DV coordinate was measured at 3 mm below the skull surface. The needle was left in place for a further 3 minutes after injection to allow diffusion of the solution into the brain. After slowly withdrawing the syringe, the scalp was sutured, and the mice were subcutaneously injected with 0.5 mL warm sterile PBS, to aid rehydration. The mice were placed on a warm water heat pad and monitored until they regained consciousness and mobility. A group of 4 mice was injected with PBS in a similar manner. The animals were then returned to their home cage and supplied with mashed food on the cage floor.

The body weights and health of mice was monitored daily post-surgery. Mice were sacrificed 2 weeks after receiving the injection by cervical dislocation.

The brains of the mice were immediately collected and dissected. Using a coronal brain matrix, 1 mm slices of the brain were harvested for mRNA and protein extraction. A 1 mm slice immediately rostral to the injection site was taken for mRNA and a 1 mm slice immediately caudal to the injection site was taken for protein analyses. The striatum and cortex from the ipsilateral hemisphere were dissected on ice.

RNA analysis

For mRNA purification, brain tissue was rapidly frozen on dry ice in 2 mL tubes containing 0.5 mL GITC/BME and sterile ceramic beads. RNA was extracted from the striatal and cortical tissues of the brain for real-time PCR analysis of human SNCA mRNA normalized to Cyclophilin A mRNA. Human SNCA mRNA levels were measured using human primer probe set RTS2618 (forward sequence AGACCAAAGAGCAAGTGACAAATG, designated herein as SEQ ID NO: 138; reverse sequence CCTCCACTGTCTTCTGGGCTACT, designated herein as SEQ ID NO: 139; probe sequence TGGAGGAGCAGTGGTGACGGGTG, designated as SEQ ID NO: 140). The results are presented in Table 18, expressed as percent inhibition compared to the PBS control. Mouse SNCA mRNA levels were also measured using murine primer probe set RTS2956 (forward sequence GTCATTGCACCCAATCTCCTAAG, designated herein as SEQ ID NO: 141; reverse sequence GACTGGGCACATTGGAAGTGA, designated herein as SEQ ID NO: 142; probe sequence CGGCTGCTCTTCCATGGCGTACAA, designated herein as SEQ ID NO: 143). The results are presented in Table 19, expressed as percent inhibition compared to the PBS control. Since

ISIS 387978 and ISIS 387985 both target SEQ ID NO: 137, treatment with either antisense oligonucleotide inhibits murine SNCA mRNA expression.

Table 18

Percent inhibition of human SNCA mRNA in Thy1-aSYN mice compared to the PBS control

ISIS No	Striatum	Cortex
387978	35	0
387983	16	0
387984	67	35
387985	89	70

5

Table 19

Percent inhibition of murine SNCA mRNA in Thy1-aSYN mice compared to the PBS control

ISIS No	Striatum	Cortex
387978	62	44
387983	16	0
387984	18	2
387985	84	83

Protein analysis

0 Tissue samples for protein analysis were rapidly frozen in tubes containing sterile ceramic beads. Protein levels of SNCA were measured by western blot analysis using an anti-SNCA antibody (Signet, #4D6) targeting both human and murine SNCA. The results are presented in Table 20, expressed as percent inhibition compared to the PBS control.

Table 20

5 Percent inhibition of SNCA protein levels in Thy1-aSYN mice compared to the PBS control

ISIS No	Striatum	Cortex
387978	0	0
387983	9	0
387984	0	0
387985	29	76

Immunofluorescence analysis

One coronal section from each brain was taken at the level of the caudal striatum. After washing in PBS, the sections were incubated in M.O.M. mouse IgG blocking reagent (Vector
 10 Laboratories, PK-2200) for 1 hour. Sections were then incubated overnight at 4°C in 2% NGS,

0.5% Triton X-100 in PBS with primary antibodies, mouse anti-NeuN (1: 500 dilution; Chemicon MAB377) and 6653Ab rabbit anti-ASO (1: 3,000 dilution; ISIS Pharmaceuticals). After washing in PBS, the sections were incubated for 2 hours in 5% NGS in PBS with secondary antibodies, Cy3-conjugated goat anti-rabbit (1: 250 dilution; Millipore) and Cy5-conjugated goat anti-mouse (1: 250 dilution; Jackson ImmunoResearch). Several sections were incubated with secondary antibodies alone, omitting primary antibody incubation, to serve as controls. After washing in PBS, sections were mounted onto glass microscope slides in water and dried overnight. Slides were scanned using a high-resolution microarray scanner (Agilent) using lasers to excite the Cy3 and Cy5 fluorochromes. The images of the scanned sections were then analyzed using ImageJ (NIH) to quantify the intensity of the immunofluorescent staining. The average intensity of staining in the striatum and cortex of the ipsilateral and contralateral hemispheres from the brains of mice receiving ASOs was calculated and compared to that of the control mice. The immunofluorescence intensity of the PBS control was considered the baseline and was arbitrarily designated as 1.00. The results are presented in Table 21 and indicate that there was negligible neuronal toxicity in most of the ISIS oligonucleotides tested.

Table 21
NeuN quantification by immunofluorescent intensity in the striatum and cortex

	Striatum	Cortex
PBS	1.00	1.00
387978	0.47	0.85
387983	0.77	1.17
387984	0.78	1.02
387985	0.90	0.96

The distribution of ASO, as displayed by Ab6653 staining, was widespread throughout the ipsilateral hemisphere, including the striatum and cortex, extending along the entire rostral-caudal axis of the striatum. Other brain structures, including the globus pallidus, the rostral extent of the hippocampus and the thalamus, were also immunopositive.

Example 10: Effect on behavior of Thy1-aSYN mice after administration of antisense oligonucleotides targeting human SNCA

ISIS 387985, which demonstrated significant potency in the studies described above is administered to Thy1-aSYN mice. Motor function, olfaction, and spatial memory are tested in the mice.

Treatment

Groups of 16 male Thy1-aSYN mice each, 3.5 months in age, are infused ICV, using Alzet minipump model #2002 with brain infusion kit, with 50 µg/day of ISIS 387985 or with sterile PBS for 2 weeks. This is followed by 2 weeks washout, wherein the minipump is removed and mice are allowed to recover. The mice are tested behaviorally between 4.5 months and 5 months of age. The tests used to analyze behavior are a motor test, which includes a challenging beam and pole task (Fleming, S.M. et al., J Neurosci. 24: 9434-9440, 2004), an olfaction test using a buried pellet (Fleming, S.M. et al., Eur. J. Neurosci. 28: 247-256, 2008), and a spatial working memory test using novel place recognition (Magen et al., submitted). Mice are euthanized at 5 months of age. The brain and peripheral tissues are harvested for biochemical and histological analysis.

CLAIMS


What is claimed is:

1. A compound comprising a modified oligonucleotide consisting of 12 to 30 linked nucleosides having a nucleobase sequence 100% complementary to a human alpha-synuclein nucleic acid and comprising at least 8, at least 10, at least 12, at least 14, at least 15, at least 16, at least 17, at least 18, at least 19 or at least 20 contiguous nucleobases complementary to an equal length portion of nucleobases 236 to 301 of SEQ ID NO: 1.
2. The compound of claim 1, wherein the modified oligonucleotide is a single-stranded oligonucleotide.
3. A compound comprising a modified oligonucleotide consisting of 12 to 30 linked nucleosides having a nucleobase sequence 90% complementary to a human alpha-synuclein nucleic acid, wherein the oligonucleotide has a nucleobase sequence comprising at least 12 contiguous nucleobases of SEQ ID NO: 11, 12, 13, 14, 15 or 16.
4. The compound of claim 3, wherein the modified oligonucleotide comprises or consists of SEQ ID NO: 11, 12, 13, 14, 15 or 16.
5. The compound of any one of claims 1-4, wherein the modified oligonucleotide comprises at least one modified internucleoside linkage.
6. The compound of claim 5, wherein at least one modified internucleoside linkage is a phosphorothioate internucleoside linkage.
7. The compound of any one of claims 1-6, wherein at least one nucleoside of the modified oligonucleotide comprises a modified sugar.
8. The compound of claim 7, wherein the modified sugar is a bicyclic sugar.

9. The compound of claim 8, wherein the bicyclic sugar comprises a 4'-CH(CH₃)-O-2' bridge.

10. The compound of claim 7, comprising at least one tetrahydropyran modified nucleoside wherein a tetrahydropyran ring replaces the furanose ring.

11. The compound of claim 10, wherein each of the at least one tetrahydropyran modified nucleoside has the structure:



wherein Bx is an optionally protected heterocyclic base moiety.

12. The compound of claim 7, wherein the modified sugar comprises a 2'-O-methoxyethyl group.

13. The compound of any one of claims 1-12, wherein at least one nucleoside of the modified oligonucleotide comprises a modified nucleobase.

14. The compound of claim 13, wherein the modified nucleobase is a 5-methylcytosine.

15. The compound of any one of claims 1-14, wherein the modified oligonucleotide comprises:

a gap segment consisting of linked deoxy nucleosides;

a 5' wing segment consisting of linked nucleosides;

a 3' wing segment consisting of linked nucleosides;

wherein the gap segment is positioned between the 5' wing segment and the 3' wing segment and wherein each nucleoside of each wing segment comprises a modified sugar.

16. The compound of claim 15, wherein the modified oligonucleotide comprises:

a gap segment consisting of ten linked deoxynucleosides;

a 5' wing segment consisting of five linked nucleosides;

a 3' wing segment consisting of five linked nucleosides;

wherein the gap segment is positioned between the 5' wing segment and the 3' wing segment, wherein each nucleoside of each wing segment comprises a 2'-O-methoxyethyl sugar; wherein each internucleoside linkage is a phosphorothioate linkage; and wherein each cytosine is a 5-methylcytosine.

17. A method, comprising identifying an animal having a neurodegenerative disease and administering to said animal a therapeutically effective amount of a composition comprising a compound according to any one of claims 1-16.

18. Use of a therapeutically effective amount of a composition comprising a compound according to any one of claims 1-16 in the manufacture of a medicament for administration to an animal having a neurodegenerative disease.

19. The method of claim 17 or the use of claim 18, wherein said administration reduces expression of alpha-synuclein.

20. The method of claim 17 or the use of claim 18, wherein said administration improves motor coordination.

21. The method of claim 17 or the use of claim 18, wherein said administration improves olfaction.

22. The method of claim 17 or the use of claim 18, wherein said administration improves spatial memory.

23. The method of claim 17 or the use of claim 18, wherein said administration reduces aggregation of alpha-synuclein.

24. A compound of any one of claims 1-16, for use in treating an animal having a neurodegenerative disease.

25. The compound of claim 24, wherein said treating comprises:

- i.) reducing expression of alpha-synuclein;
- ii.) improving motor coordination;
- iii.) improving olfaction;
- iv.) improving spatial memory; or
- v.) reducing aggregation of alpha-synuclein.

26. A compound according to any one of claims 1-16, 24 or 25, or a method according to any one of claims 17 or 19-23, or a use according to any one of claims 18-23, substantially as herein described with reference to any one or more of the examples, excluding comparative examples.

SEQUENCE LISTING

<110> Isis Pharmaceuticals, Inc.
C. Frank Bennett
Susan M. Freier
Jyothi Mallajosyula

<120> MODULATION OF ALPHA SYNUCLEIN EXPRESSION

<130> BIOL0139W0

<150> 61/414,848

<151> 2010-11-17

<160> 143

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 3215

<212> DNA

<213> Homo sapiens

<400> 1

```

aggagaagga gaaggaggag gactaggagg aggaggacgg cgacgaccag aagggggccca 60
agagaggggg cgagcgaccg agcgccgcga cgcggaagtg aggtgcgtgc gggctgcagc 120
gcagaccccg gcccgcccc tccgagagcg tcctgggcgc tccctcacgc cttgccttca 180
agccttctgc cttccaccc tcgtgagcgg agaactggga gtggccattc gacgacagtg 240
tggtgtaaag gaattcatta gccatggatg tattcatgaa aggactttca aaggccaagg 300
agggagtgtg ggctgctgct gagaaaacca aacagggtgt ggcagaagca gcaggaaaga 360
caaaagaggg tgttctctat gtaggctcca aaaccaagga gggagtgggt catggtgtgg 420
caacagtggc tgagaagacc aaagagcaag tgacaaatgt tggaggagca gtggtgacgg 480
gtgtgacagc agtagcccg aagacagtgg agggagcagg gagcattgca gcagccactg 540
gctttgtcaa aaaggaccag ttgggcaaga atgaagaagg agccccacag gaaggaattc 600
tggaagatat gcctgtggat cctgacaatg aggccttatga aatgccttct gaggaagggg 660
atcaagacta cgaacctgaa gcctaagaaa tatctttgct cccagtttct tgagatctgc 720
tgacagatgt tccatcctgt acaagtgtc agttccaatg tgcccagtca tgacatttct 780
caaagttttt acagtgtatc tcgaagtctt ccatcagcag tgattgaagt atctgtacct 840
gccccactc agcatttcgg tgcttccctt tcaactgaag gaatacatgg tagcaggggtc 900
tttgtgtgtc gtgattttg ttgcttcaat ctacgatgtt aaaacaaatt aaaaacacct 960
aagtgaactac cacttatctc taaatcctca ctattttttt gttgctgttg ttcagaagtt 1020
gttagtgatt tgctatcata tattataaga tttttagggtg tcttttaatg atactgtcta 1080
agaataatga cgtattgtga aatttggtta tatatataat acttaaaaaat atgtgagcat 1140
gaaactatgc acctataaat actaaatatg aaattttacc attttgcgat gtgttttatt 1200
cacttggtgt tgtatataaa cactttaata ataaaaatca agttattaat agccatttga agaaggagga 1380
taagaactga cacaaaggac aaaaatataa agttattaat ctcggaattc cctgaagcaa 1440
attttagaag aggtagagaa aatggaacat taaccctaca gtggctgtga ttaattattg 1500
cactgccaga agtgtgtttt ggtatgcact gggttcctta gtggtgtgta ttaattattg 1500
aaagtggggg gttgaagacc ccaactacta ttgtagagtg gtctatttct cccttcaatc 1560
ctgtcaatgt ttgctttacg tattttgggg aactgttgtt tgatgtgtat gtgtttataa 1620
ttgttataca tttttaattg agccttttat taacatatat tgttattttt gtctcgaaat 1680
aattttttag ttaaaatcta ttttgtctga tattggtgtg aatgctgtac ctttctgaca 1740
ataaataata ttcgaccatg aataaaaaaa aaaaaaaagt gggttcccg gaaactaagca 1800
gtgtagaaga tgattttgac tacaccctcc ttagagagcc ataagacaca ttagcacata 1860
ttagcacatt caaggctctg agagaatgtg gtttaactttg ttttaactcag cattcctcac 1920
tttttttttt taatcatcag aaattctctc tctctctctc tctttttctc tcgctctctt 1980
tttttttttt tttttacagg aaatgccttt aaacatcggt ggaactacca gattcacctt 2040
aaaggagatc aattctctag actgataaaa atttcatggc ctcttttaaa tgttgccaaa 2100
tatatgaatt ctaggatttt tccttaggaa aggtttttct ctttcaggga agatctatta 2160
actcccatg ggtgctgaaa ataaacttga tggtgaaaaa ctctgtataa attaatttaa 2220
aaattatttg gtttctcttt ttaattattc tggggcatag tcatttctaa aagtcactag 2280
tagaaagtat aatttcaaga cagaatattc tagacatgct agcagtttat atgtattcat 2340
gagtaatgtg atatatattg ggcgctgggt aggaaggaa gaggaaatgag tgactataag 2400
gatggttacc atagaaactt ctttttttac ctaattgaag agagactact acagagtgtc 2460

```

BIOL0139WSEQ.txt

aagctgcatg	tgtcatctta	cactagagag	aaatggtaag	tttcttggtt	tatttaagtt	2520
atgtttaagc	aaggaaagga	tttgttatgt	aacagtatat	ttcaggaagg	ttagaaagtg	2580
gcgggttagga	tatatcttaa	atctaccta	agcagcatat	tttaaaaatt	taaaagtatt	2640
ggtattaaat	taagaaatag	aggacagaac	tagactgata	gcagtgcact	agaacaattt	2700
gagattagga	aagtgtgtac	catgaattta	aggatttatg	tggatacaaa	ttctccttta	2760
aagtgtttct	tcccctaata	tttatctgac	ggtaattttt	gagcagtga	ttactttata	2820
tatcttaata	gtttatttgg	gaccaaacac	ttaaacaaaa	agttctttta	gtcatataag	2880
ccttttcagg	aagcttgtct	catattcact	cccagacat	tcacctgcca	agtggcctga	2940
ggatcaatcc	agtcctaggt	ttatttttgc	gacttacatt	ctcccaagtt	attcagcctc	3000
atatgactcc	acggtcggct	ttaccaaacc	agttcagagt	gcactttggc	acacaattgg	3060
gaacagaaca	atctaattgt	tggtttggtg	ttccaagtgg	gggtcttttc	agaatctctg	3120
cactagtgtg	agatgcaaac	atgtttcctc	atctttctgg	cttatccagt	atgtagctat	3180
ttgtgacata	ataaatatat	acatatatga	aaata			3215

<210> 2
 <211> 115001
 <212> DNA
 <213> Homo sapiens

agaatcatct	aatgatattg	tggttatttt	taaacagtc	ttaaattttg	tggatgcata	60
ctgaatgttt	acagctgaaa	agatatatat	aaagcttgaa	tttggtaaaa	aaaaaaaaaa	120
aagagggagg	attggtagt	ataaagttag	tggaacttat	gatgagacat	gatcagccat	180
gcattgaaaa	aatgtaaaag	ttggatgatc	ttcacatgag	agtcctttat	tctgtctact	240
tttgcatatg	tttgaatatt	tcccataaca	aaaagttaga	aataagagtga	tcacatgagt	300
taatctccta	atttacaaaa	aagaaaactg	gaaacagaag	gagaacaaaa	cttggtcaag	360
gtctcaaagc	cagacagcaa	actagctccc	aagtccaacc	ttcttgctct	ggtcctaagc	420
aaacaaaaaa	tattaatatg	agctactgca	ttaaggaaag	tctgcttttc	caaagggcag	480
accaatagtt	caaggaagag	tttaataaat	aaatatattg	gatcttactt	tcatgctttt	540
ctattttcca	ctgaacacat	atgcattatc	ttctatatgt	cttttatgta	taatcatttg	600
cttcctgttc	cttgtggttt	taaagtgtgt	ttgtatgttt	aaatttgatt	ttactcaaat	660
ttcagaaccc	aaattagcgc	agaatcaga	caaagcataa	ctttctataa	atataaaaac	720
aattaaaaaa	aaaacataca	gcaaaaacga	gttggtgttt	ccccctcct	cttcagtg	780
ttaactaatc	ttccgaatcc	aggcacagaa	agcaaaggct	ttctgctagt	gggaggagct	840
tgcttctcca	ttctgggtgt	atccaggaac	agctgtcttc	cagctctgaa	agaggtgaaa	900
atgtgttaag	cgatgcaaaa	attgtcttga	agttcgctgt	tgtatgtctg	tgtgcatgtg	960
cgtgtggtgg	gtggggggag	agaaaagggg	gtgtcaattc	tgagggcaac	gagaatcaga	1020
agtcagaaag	gtgagtgggt	tgtagcatct	ccctttcaga	aggggctgaa	gaagaaattg	1080
gatatgatgg	tccggtaggc	taaatcacgc	tggatttgct	tcccagataa	agggaggtct	1140
gcaaagtaag	tcccatttct	agagcgaaaa	gccttaggac	cgcttggttt	agacggctgg	1200
ggaatattta	ttccttggtc	cactgatggg	aaaatcagcg	tctggcaggc	gctgattggg	1260
ggaaaggaaa	atggtgatag	tggcgtggaa	agaggatttg	ctgagccttc	tcctgcctcc	1320
tcaacctgtg	actcttcctt	agtagctctc	ctttaccct	caggaccctt	tccggctctt	1380
cctagattaa	gagcaaacga	aaaccttgaa	gatatttgaa	ctaaagcgac	ccctaactgt	1440
gtaacctgtg	accgtgatta	aatttcagcg	atgcgagggc	aaagcgctct	cggcgggtgc	1500
gtgtgagcca	cctcccggcg	ctgcctgtct	cctccagcag	ctccccaagg	gataggctct	1560
gcccttggtg	gtcgaccctc	aggccctcgg	ctctcccagg	gcgactctga	cgaggggtag	1620
ggggtggtcc	ccgggaggac	ccagaggaaa	ggcggggaca	agaagggagg	ggaaggggaa	1680
agaggaagag	gcatcatccc	tagcccaacc	gctcccgatc	tccacaagag	tgctcgtgac	1740
cgtaaaactta	acgtgaggcg	caaaagcgcc	cccactttcc	cgccttgctc	ggccaggcag	1800
gcggctggag	ttgatggctc	accccgcgcc	ccctgcccc	tccccatccg	agatagggac	1860
gaggagcacg	ctgcagggaa	agcagcgagc	gccgggagag	gggcgggcag	aagcgctgac	1920
aaatcagcgg	tgggggcgga	gagccgagga	gaaggagaag	gaggaggact	aggaggagga	1980
ggacggcgac	gaccagaagg	ggcccaagag	agggggcgag	cgaccgagcg	ccgcgacgcg	2040
gaagttaggt	gcgtgcgggc	tcagcgcag	accccgccc	ggcccctccg	agagcgtcct	2100
gggcgtctcc	tcacgccttg	ccttcaagcc	ttctgccttt	ccaccctcgt	gagcggagaa	2160
ctgggagtgg	ccattcgacg	acaggttagc	gggtttgcct	cccactcccc	cagcctcgcg	2220
tcgccggctc	acagcggcct	cctctgggga	cagtcccccc	cgggtgccgc	ctccgccctt	2280
cctgtgcgct	ccttttcctt	cttctttcct	attaaatatt	atttggaat	tgtttaaat	2340
ttttttttaa	aaaaagagag	aggcggggag	gagtcggagt	tgtggagaag	cagagggact	2400
caggtaaatg	cctgtggatc	taaacgggcg	tctttgaaa	tcctggagaa	cgccggatgg	2460
gagacgaatg	gtcgtgggca	ccgggagggg	gtggtgctgc	catgaggacc	cgctgggcca	2520
ggtctctggg	aggtgagtac	ttgtcccttt	ggggagccta	aggaaagaga	cttgacctgg	2580
ctttcgtcct	gcttctgata	ttcccttctc	cacaagggct	gagagattag	gctgcttctc	2640
cgggatccgc	ttttccccgg	gaaacgcgag	gatgtccat	ggagcgtgag	catccaactt	2700
ttctctcaca	taaaatctgt	ctgcccgcct	tcttgggttt	tctctgtaaa	gtaagcaagc	2760
tgcgtttggc	aaataatgaa	atggaagtgc	aaggaggcca	agtcaacagg	tggtaacagg	2820
ttaacaagtg	ctggcgcggg	gtccgctagg	gtggaggctg	agaacgcccc	ctcgggtggc	2880

BIOL0139WSEQ.txt

tggcgcgggg	ttggagacgg	cccgcgagtg	tgagcgggcg	ctgctcaggg	tagatagctg	2940
agggcggggg	tggtggttgg	atggattaga	accatcacac	ttgggcctgc	tgtttgctg	3000
agtttgaaac	acaccccgag	tgagcagtta	gttctgttgc	ctacgccttt	ccaccatcaa	3060
cctgttagcc	ttcttctggg	attcatgtta	aggatacccc	tgaccctaag	cctccagctt	3120
ccatgcttct	aactcatact	gttacccttt	agaccccggg	aattttaaaaa	aggggttaat	3180
cttttcatgc	aactccactt	ctgaaatgca	gtaataacaa	ctcagaggat	tcatcctaata	3240
ccgtgggttag	gtggctagac	ttttactagc	caagatggat	gggagatgct	aaattttttaa	3300
tgccagagct	aaaaatgtct	gctttgtcca	atggttaaat	gagtgtacac	ttaaaagagt	3360
ctcacacttt	ggagggtttc	tcatgatttt	tcagtgtttt	ttgtttattt	ttccccgaaa	3420
gttctcattc	aaagtgtatt	ttatgttttc	cagtgtgggtg	taaaggaatt	catttagccat	3480
ggatgtattc	atgaaaggac	tttcaaaggc	caaggaggga	gttgtggctg	ctgctgagaa	3540
aaccaaaacag	ggtgtggcag	aagcagcagg	aaagacaaaa	gaggggtgttc	tctatgtagg	3600
taggtaaacc	ccaaatgtca	gtttggtgct	gtttcatgag	tgatgggtta	ggataatcaa	3660
tactctaaat	gctggtagtt	ctctctcttg	attcattttt	gcatcattgc	ttgtcaaaaa	3720
ggtggactga	gtcagaggta	tgtgtaggtta	ggtgaatgtg	aacgtgtgta	tttgagctaa	3780
tagtaaaaaa	tgcgactggt	tgcttttcca	gattttttaat	tttgccctaa	tatttatgac	3840
tttttaaaaa	tgaatgtttc	tgtacctaca	taattctatt	tcagagaaca	gttttaaaaa	3900
ctcatagtct	tttaaaaaat	aatcaagaat	attccttaaga	atcaaaatca	ttgatggatc	3960
tgtgatttct	tttaccatca	tgaaaaaatgt	ttgtcaattt	taatccattc	tgatttttaa	4020
aatatgactt	tgatatgccc	ctgtgatgtg	tataaagaga	cctattttgtg	gccctaaaaa	4080
ggaaaagaaca	gattagtctt	tgatagagtt	acttcatgtg	atcattttggt	ctctgtgaac	4140
actgaggaca	gagaaaagtg	cttgagggtc	gctactaatc	tctcagaaac	atttgtatag	4200
ttcatccatc	aaatgacaca	catactaaaa	gaataaagaa	attgatgctt	attacctact	4260
tgttcctaaa	gttccacctt	ggggtataca	cccaaactct	gactctcttt	tctgtaactt	4320
gaactgtatt	caattgagtg	ttatttttaca	aaccactttg	aattccttgg	aaaagaatag	4380
acacacactc	tcattccacag	gcatagacac	acacactcaa	cacagacaca	ttgccattc	4440
ttcctctctt	ctttctcctc	tgagcttttt	cacattctct	ggtggcaact	atagcagtaa	4500
gagtcacagg	atgaacagtc	aggtggagga	tgaccacatt	gagttgccta	gctgaaacat	4560
gtgctccgtc	tatgtctgca	aagtgaagaa	aagctacact	atctcttcaa	catagatcag	4620
tgggggaaat	tttatacttg	ggatgattta	tatgaatgca	tctcatcaaa	gttcacaaca	4680
catttttttt	tcagtttttt	attttcagtt	tttagagtca	gggccttgct	ctgtcgccca	4740
ggctggactg	cagttagtgt	atcatagctc	attgcattct	tgaattcctg	ggctcaagtc	4800
atgcccccac	ctcagcctcc	tgagtagcca	ggattatagg	catgtgccac	tgccctatta	4860
tttagacttt	tcttatgttg	acttaactct	cccacaaatc	ttcaatttaa	ttactttttt	4920
tctaccttaa	aacataattt	cagaaagtca	ttgaaatagg	gtgttacaa	aggaaaaaat	4980
tgatgagtta	attttaaata	ttttatgaag	tgtgaattat	accttttttag	atggaatttg	5040
gaatactgaa	tcagtgacat	gcagttttat	aatatctttc	cgtttgtcct	cagattttcca	5100
agttctgcaa	gcacaagttt	ctttgactta	gttacctttt	aactgttcat	tgaaatcatt	5160
ttcaatgtct	ctcatggcat	ttaacacata	gcacattcta	taaaattttt	attgggttaca	5220
ttctgagttc	taattgagag	ttgaacttac	acacagaatt	taagataaaa	aatgaccatg	5280
tgaagacaca	atagtatagt	ccagggattg	gcaaaatttt	gggtaaggaa	tcagatagca	5340
cgtatttttaa	gccatgagat	ctatgtcttg	gccagggtgc	gtggctcagg	tctttaatcc	5400
cagcactttg	agagcccgag	gctggtggat	cacttgagcc	caggggtttg	agaccagctc	5460
gggccacatg	gtgaaaccct	gtgtctacaa	acaacgcaaa	aattagccgg	gtatggtagc	5520
atgcatgtgt	attgccagct	accagggagg	ctgaggtagg	aggatggctt	gagccataca	5580
gctcactgca	gaggttgtag	tgagctgaga	tcgagccact	gcactccagc	ctgggtggca	5640
gagtgatacc	ctgtctaaaa	aaaagaaaaa	aaaatctatg	tctcaattct	gctgttgaag	5700
tgtgaaggta	gtcataaaca	ataactagt	tggtgtgtgc	ccaataaaac	ttcattttatc	5760
aaaacagggtg	gtgggttgga	attgtcttgt	atgttttagc	ttgctgacta	ctgatagagt	5820
ggaaaagaaca	tgcaactaat	acacaaacca	aggttttagt	tgagactaca	tcacttatca	5880
ccttttaggg	cttggggaag	cgtacttaac	atctctgagc	atcacttccc	tgattagtaa	5940
aaaatatgat	ttagaaaact	gcaactacct	tgagttttt	gtgggaatgt	cataataaga	6000
caggacatat	gaataattga	gcacactttt	atatatagga	accatgggtta	ttattatcaa	6060
ataaactctc	caacggaata	attactttgc	caacacgttt	tccattttatt	cttttatcct	6120
tcattacata	actagtttga	aagattggag	gcgaccaaag	accatttttat	aatttcactt	6180
atggctgaag	atgttttgga	gaagcctcat	agaaaaagta	atctcattcc	tttataagaa	6240
tatactttta	acaactactt	tttaactcat	tgaagaacta	ccttaatgat	cagtgttatt	6300
tttatgggtt	ttgttccctc	cattttttgt	atctgcgtac	accaattttc	aatcaacata	6360
cttcaattta	atagacaaaa	atttcttcaa	atgactcaga	aattaattag	atctaaatcc	6420
aaaagcagaa	agattttaatt	atcttttat	aatgctcagt	aatataaatg	caataaatac	6480
aagaaaatga	tgatctttga	gtgtctttcca	atgccactct	gctcaataag	cagcagtggc	6540
catcagtga	attgatagca	aattctcaag	tcaaaatgtg	cttcacctca	ctaagctgac	6600
aaagtcaaca	taacatgcac	aacagggata	actgagttct	caaaactctc	aggtattact	6660
tctgaccttc	ttctccactc	tgtgctcttt	tgaggttggg	aagacaagat	aggggtgtgtg	6720
tgggacacct	ccgctcaggg	aagccatcag	ctctggtgtc	cctacagcat	ttataccttg	6780
ctagtacat	aaccctattg	cacctatttt	tgaggtgtac	gttatcaatt	acagattact	6840
cataaattaa	aggctaacca	tcaattacga	attattagta	aataattatg	acctcaaaga	6900
acaactgatt	ggtttgatac	atggtaacct	tatgaggact	ctcattttatc	tcgtttttttt	6960

BIOL0139WSEQ.txt

aagttatata	cctatctctt	tgggggttgca	ctacaaaaat	ataaaaatatg	ttgcataaga	7020
tatttataaa	aaataaattaa	ttataagttc	taatggtgtg	gtttagtggc	attctttttt	7080
ttttcttttt	ttctgagata	gggtctcaat	ctgtcatttc	actccaggct	gaagtgcagt	7140
ggtgtgatct	cggctcactg	caacctccgc	ctcctgggtt	caagttattc	tcctgactca	7200
gcctcctgag	tagctgaaat	tacaggcatg	caccaccatg	cccggctaata	ttttgtattt	7260
ttagtagaga	tggggtttca	ccatgttagc	caggatgggtc	tcgaactcct	gatctcatca	7320
tccccgacct	cggcctccca	aatgctggg	attacaggcg	tgagccattg	caccggcgct	7380
agtggcattc	ttttttaaaa	ataaaattta	ttgtgtatat	ttagggtatg	caacatgatg	7440
ctatcagata	cattagacac	taaaaaatta	ctatattgaa	gcaaattaat	atattcataa	7500
tctctcatag	ttaccttttt	tgttgttttt	gtggcaagg	cagctaaaaat	ccacttattt	7560
atcatgaatc	tcaaatatag	tacaatttta	tcacctacag	tcctcataca	ttagatctgt	7620
acactttttc	atcttacaca	tctgctactt	gcttggatcc	tatggcctat	atgtccctat	7680
tttctaccta	cttttccacc	cctattaacc	ctgtttttta	cgtagtctct	gtatatttga	7740
attttgtttt	aagcttccac	atatatgtga	gataattgta	tatttttctt	tctgtgtttg	7800
gcttatttca	cttagcataa	ttttgtctgg	gttcatccat	gttgtaaatg	gtaggatctt	7860
gttttttttag	ggctgactga	tattccattg	tatctatgta	ccacaatctt	tttatctacc	7920
tatctatcag	tagacacttt	agttgtggct	attatgtttt	tctttttttc	ttttttggag	7980
acagggtctt	gctgtcacc	aggctgcaat	ggagtgggtg	tatcatagct	cactgtaacc	8040
tcaaacttct	gggtcaaga	gatcctcctg	ccttggcctc	ccaagtagct	gagactacag	8100
gcatacatta	ccatgcttgg	ctaatttttt	ctaatttttg	tagatatagc	atctcactct	8160
gttgcccaga	ctggtctcaa	actcctaatt	caaattttaga	atagagtatg	acaattctgt	8220
aaaatataaa	aaacatgtcc	actccgtata	ggaagttata	caatgagaag	aagacaaaaca	8280
ctattttacat	tactcttgat	aagttttttt	caaagaaata	aaacacttta	atttctaattg	8340
ttttaaaattc	tggtttgcta	aataaataaa	tattagtttt	agtgttttta	aaattccctta	8400
tatagttata	agtgatcttc	ctgcctcagc	ctcccaaagc	actgggattc	caagcaagag	8460
ccactgtgtt	ggggcccttg	gaaacagata	tgtgaaatc	tttcttgtg	gatctacacc	8520
cagaagaggg	attgctgggt	catatgctac	tctattttta	atttttcttt	tatttttagt	8580
gaatatgtaa	taattgtata	taattgtggg	atccagaatt	atatttccat	acatgtatac	8640
aatgtgtgat	aatcaaatta	gggtaattaa	catatccatt	acctgaaaca	tttatcattc	8700
ctttgtgggtg	ggaacagtaa	aaattaaaaa	ttctctcttc	tagatttttg	aacatatgca	8760
ataaactatt	gtaagtata	tcaccctaca	gtactacaga	atgctagaac	tcattcctca	8820
tatttggctc	ttctttaacc	ttctttaacc	aacctctcca	tatcctcccc	tcctctttac	8880
cgttgtcagc	ctctaataat	cataattcta	ctctctactt	ctatctcatt	gtctttgatt	8940
tagaatatgt	ttcataattt	aaccaaaggt	caaattctta	ggtactgcta	aggcaaagaa	9000
caaagatcgc	attccagctg	ttagacattt	cttactacta	gtcattttta	agacaacatg	9060
gggtgcagg	ggtgaggatg	agagatagag	attgaaacat	attctcttaa	atatcagctg	9120
ttctcactct	gcatagtctc	agcacaacaa	aattccagg	actatgggta	gttaaataac	9180
accagccact	aacaacacaa	ttcaaatttc	tgttaccaca	gtataccgaa	agtcattgca	9240
taaagtacaa	actttgtctg	taactcttca	gccttcaaat	cattacataa	ataacagaaa	9300
cccattataa	tcagtacaa	aaccacagca	cttctttcaa	agcttttttg	agattgggtg	9360
cttcacatct	gttatgcagt	tcatacagac	agcaatgcc	ggacttgtgt	ggccacattg	9420
tctcccagtg	gtgagcccat	gtgatgtttc	acgaaaatgc	gcaatcaaaa	gaggaaactg	9480
gccagcaag	atgaaagatg	agcaaacaaa	ggaagtgaat	cattctggaa	gtaaaatttg	9540
aatcaaacat	aagttgatgt	atacaggaag	tagctaccct	gaggatgttg	tcactgtctg	9600
aattcaggag	actctaataa	tgcagtcaga	ggaacgtagt	gaggtgaagg	tatccgtata	9660
atggggaaag	aggttgtgat	aaagagtga	ggtgtcccag	aggaagtgtt	gctgaaaaat	9720
acaccttatg	ttaaatacac	tgtcagtata	tcatgacatt	aaagtgcata	tgataacatt	9780
ttgtaaaactg	atccaaactt	aaaaaggagt	atgataattc	tgtaaaacat	aaaaatcatg	9840
ccgatttccat	aaattataca	gtgtgaatta	cactgaaaaa	tccaacatta	gagaggatag	9900
gaatacaatt	ttttacaagc	ataattttta	taatacacat	aataattatt	tgtattcaag	9960
tttagtaatg	ttcaagggtt	ggaagaaatt	ctgatcctgt	gtagagaccc	tagtttgaat	10020
gtgcttatag	cctattatta	catgtgtaat	gttacataaa	ttacttaact	cggattttta	10080
atttcatcag	ctattttaaa	tgggcataat	ataactatat	taaatggctg	ttatgaagat	10140
taaataagat	gatatgtaaa	atgtgttttt	tgtttgtttg	tttgtttgtc	tgtttgtttt	10200
tttgagacag	agtcttgctc	tgttaccag	gctggagtgc	agtggcacia	tcttggctca	10260
ctgcaagttc	tgcttccga	gttcatgcca	ttctcctgcc	tcagccctc	ccaagtagct	10320
gggactacag	gcaccgccca	ccacgcctgg	ctaatttttt	gtattttttg	tagagatggg	10380
gtttcaccat	attagccagg	atggtctcga	tctcctgacc	tcgtgatctg	cccacctcgg	10440
cctcccaaat	tgctgggatt	acaggcatga	gccactgcgc	ccagcctaaa	atgttttttt	10500
tacataatgg	gtgttcagca	catgttaaag	ccttctctcc	atccttcttc	ccttttgttt	10560
catgggttga	ctgatctgtc	tctagtctgt	tacttttaaa	gcttctacag	ttctgaattc	10620
aaaattatct	tctcactggg	ccccggtgtt	atctcattct	tttttctcct	ctgtaagttg	10680
acatgtgatg	tgggaacaaa	ggggataaag	tcattatttt	gtgctaaaat	cgtaattgga	10740
gaggacctcc	tgttagctgg	gctttcttct	atattattgt	gtgggtactg	gagttccttc	10800
ttctagtttt	aggatatata	tatatatttt	tttctttccc	tgaagatata	ataatatata	10860
tacttctgaa	gattgagatt	tttaaattag	ttgtattgaa	aactagctaa	tcagcaattt	10920
aaggctagct	tgagacttat	gtcttgaatt	tgtttttgta	ggctccaaaa	ccaaggagg	10980
agtgggtgcat	ggtgtggcaa	caggtaagct	ccattgtgct	tatatccaaa	gatgatattt	11040

BIOL0139WSEQ.txt

aaagtatcta	gtgattagtg	tggcccagta	ttcaagattc	ctatgaaatt	gtaaaaacaat	11100
caactgagcat	tctaagaaca	tatcagtcctt	attgaaactg	aattcttttat	aaagtatcttt	11160
taaaataggta	aatatttgatt	ataaaataaaa	aataatacttg	ccaagaataa	tgaggggcttt	11220
gaattgataa	gctatgttta	atttatagta	agtgggcatt	taaaatattct	gacccaaaaat	11280
gtattgacaa	actgctgaca	aaaataaaat	gtgaatatgt	ccataattttt	aaaaaaagta	11340
aaattttctgt	tgattacagt	aaaatatTTTT	gaccttaaat	tatgttgatt	acaatatattcc	11400
tttgataaatt	cagagtgcatt	ttcaggaaac	acccttggac	agtcagtaaa	atgttttattg	11460
tatttatctt	tgtattgtta	tggtatagct	atTTgtacaa	atattattgt	gcaattatta	11520
catttctgat	tatattattc	atTTggccta	aaTTttaccga	gaatttgaac	aagtcaatta	11580
ggtttacaat	caagaaatat	caaaaatgat	gaaaaggatg	ataatcatca	tcagatgttg	11640
aggaagatga	ggatgagagt	gccagaaata	gagaaatcaa	aggagaacca	aaattttaaca	11700
aattaaaaagc	ccacagactt	gctgtaatTA	agTTTTctgt	tgtaagtact	ccacgtttcc	11760
tggcagatgt	ggtgaagcaa	aagatataat	cagaaatata	atTTtatataa	tcggaaagca	11820
ttaaacaaca	tagtgcctat	acaaataaaa	tggtcctatc	actgacttct	aaaatggaaa	11880
tgaggacaat	gatatgggaa	tcttaataca	gtgttggtga	tatgactaaa	aacacaggag	11940
tcagatcttc	ttggttcaac	ttcctgctta	ctccttacca	gctgtgtgtt	ttttgcaaga	12000
ttcttcacct	ctgtgtgatt	tagcttccctc	atctataaaa	taattcagtg	aattaatgta	12060
cacaaaaacat	ctggaaaaca	aaagcaaaaca	atatgtatTT	tataagtgtt	acttatagtt	12120
ttatagttaa	ctttcttgtg	caacattttt	acaactagtg	gagaaaaata	tttcttttaa	12180
tgaataacttt	tgattttaaaa	atcagagtgt	aaaaataaaa	cagactcctt	tgaaactagt	12240
ttgtttagaa	gttaattgtg	cacctttaat	gggctctgtt	gcaatccaac	agagaagtag	12300
ttaagtaagt	ggactatgat	gccttctagg	gacctcctat	aaatatgata	ttgtgaagca	12360
tgattataat	aagaactaga	taacagacag	gtggagactc	cactatctga	agacgggtcaa	12420
cctagatgaa	tggtgttcca	tttagtagtt	gaggaagaac	ccatgagggt	tagaaaagcag	12480
acaagcatgt	ggcaagttct	ggagtcagtg	gtaaaaatta	aagaacccaa	ctattactgt	12540
cacctgatga	tctaattggag	actgtggaga	tggtcctgat	tttttttagtc	ttttccagaa	12600
tgccaaaaatg	taaacacata	tctgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgctgtgtgtg	12660
tgagagagag	agagagactg	aagtttgtac	aattagacat	tttataaaat	gttttctgaa	12720
ggacagtggc	tcacaatctt	aagtttctaa	cattgtacaa	tgttgggaga	ctttgtatac	12780
tttatTTTct	cttttagcgta	ttaaggaatc	tgagatgtcc	tacagtaaaag	aaattttgcat	12840
tacatagtta	aaatcagggt	tattcaaact	ttttgattat	tgaaaacttt	cttcattagt	12900
tactaggggt	gaatgaaact	agtgttccac	agaaaactat	gggaaatgtt	gctaggcagt	12960
aaggacatgg	tgatttcagc	atgtgcaata	tttacagcga	ttgcacccat	ggaccaccct	13020
ggcagtagtg	aaataaccaa	aaatgctgtc	ataactagta	tggtctatgag	aaacacattg	13080
ggataaaatcg	gctgctatca	taatcattcc	tctcccatat	cagataaaatg	aattaacttt	13140
ttgaataggg	ttatTTaata	taaagtgcct	aagtctaatt	atgagaagaa	ataagataat	13200
tacacttcaa	tggttaaaga	gagggagaat	aatTTgcata	ttatgcctga	tgtaaaattgt	13260
ttatttatggg	tacatatTTa	gtgctaacta	attgtttaatt	gttcttgcta	caagtcttaa	13320
tgccagggaaa	caagaaatta	ttacatagta	cctaataTTa	tcttctaata	ttaaagaaac	13380
aaTTtcccct	aaattcatcc	cattagcttt	ttttttttcg	gtggggcagg	ggagaaatac	13440
agacttcagt	aaacttgggc	tgggaacttt	ctacctacaa	agttcaaata	aaataaatta	13500
tcctagttag	ataatatcaa	tgaaaaatcc	accaacttaa	atcctggctg	tttgatctca	13560
ggaaaattatt	tcagttaatca	acttaatgca	tcatattata	gaaatatatg	aaaatgtgtt	13620
taattaaact	tactgaatga	tatgtttttt	caggtaactt	aaaaataaac	tatgatataa	13680
agttacctat	ttttcatgca	agtatagtat	aaagaaattt	ctaacactgg	agattttctg	13740
aaggTTTTga	ttcttataaa	tttattacat	cataatgaac	aaaactaatt	ttcaacatat	13800
tatgatttaa	atTTccttag	taaattgttt	caaattttatt	ttcttttaa	ccatattttac	13860
atatgtatat	ttaaatatac	atattttactt	gtataacaat	tcaaaaccat	atatttaattt	13920
tataaTTTTg	tttaattgca	aaggtttagat	ttggctatat	ctatttctaaa	agttgggtatc	13980
acattttcctt	tttggaaattt	tatttttaaaa	gtagctaag	tcaaatataa	acctattatt	14040
tatattaatg	cagacattag	aggtagacac	taaattcatt	ttagtatat	ctaaattatt	14100
tattatctac	tatgaaataa	tataaagaaa	aataaagcag	aatccctgat	ttcaaagaac	14160
tcaattgccg	aaaaacagtt	accattttatt	agacccaaaa	tgtactaata	tgagtgtgtc	14220
tcttttcctt	ttgttttgtc	accggtcatt	tggaatgtca	gtgagttagag	agatagtgtg	14280
aaaggccctc	aaggggaaaa	atagaggTTa	aaggtcagca	gagaccctac	tagagaaatc	14340
agttctacag	aaatgttttt	aaatgtgtcg	attattgcta	catgtacact	ctgtcatttt	14400
gtaatgtagc	cattttattt	atgattataa	taataaaaaca	acaaaattat	aataatgtgt	14460
agagtacatt	ttactgtgca	gtgtattgca	ttaaaactag	attaaaattt	atacatatat	14520
aaaaggctat	ctagatatta	taaaattttat	ggctggatct	gtaaaaaatt	caaaacctat	14580
ttttaatctc	gctttgagat	tttataacaa	gaaaattgttc	gtttcaagca	aaatttttcaa	14640
ttcactgcct	tgaaaatgaa	aaaaatgaca	acttgaaaca	cataattgac	tatttttaaa	14700
ggatcaacat	ttcagaaatg	ttttaaaaca	taagattttc	agtagacgtt	ttcgctggca	14760
tttaaatcga	actttgaatt	gtaaatagct	cttgctctta	aggagacatc	agccatatcc	14820
ttagaagtgg	cacggagttg	ttaggtagtt	gtacaaaatt	ctagcctaaa	agacaaatag	14880
ggagcaacac	tactgtggac	cgtttctggt	cttgggctgt	gtggctatgt	caggctttgcc	14940
cacattgcct	gtactaagga	gaaagcctct	gtgcctttaca	gaccccttta	gcttcatatag	15000
tctatttgaa	aacaaattgc	tttgtccaca	ccattttaaat	attggcttca	ggccaggcgc	15060
ggtggctcac	gcctgttatc	ccagcacttt	gggaggctga	ggcgggcaga	tcacgaggctc	15120

BIOL0139WSEQ.txt

aggagatcga	gaccatcctg	gctaacacgg	tgaaccctg	tctctactaa	aaatataaaa	15180
aaattagccg	gggtgtgggg	cgcgccactg	tagtcccagc	tgctggggag	gctgaggcag	15240
gagaatggcc	tgaaccggg	agtcggaggt	tgcaatgagc	cgacatcgtg	ccactgcact	15300
ccagcctggg	tgacagagca	agactccgtc	tcaaaataaa	taaataaata	aataaataag	15360
taaatattgg	cttcttcaac	tggtgagatg	aaacctatac	aatagtcagt	tgaatagcac	15420
taaacagctg	acatgggtga	actcctctca	gactgaggct	tatctgggga	gtacaaagca	15480
tgtcaagaaa	atgtgccttc	atttccttag	atgagtgtcc	ccatcctcca	ctctcctcca	15540
ctgttctcct	ctctgcttct	atgatatcaa	cttttctttt	tcttttagatt	ccacatgagt	15600
gagatcatgt	ggttgtttgc	ctttctgttt	ctggcttatt	taactgaaca	agaaagtgtt	15660
tgacatgaaa	ttaaacttct	gcttgtaaac	tcaattcaaa	ctattttacac	tgtcttctca	15720
aaaatgttaa	cttattttta	taaatctact	gaatgaccgt	atctcatttt	gttttatgaa	15780
aagaaattgt	aaggggtgct	aatagcctct	tcatTTTTcat	actgtctagc	tcctgtgctc	15840
ctattaaaat	tactgcaaat	ttagcttttt	aagaaccctt	tgtttacta	cctgaagtcc	15900
tataaaaaa	tccaagttcc	ttcacaacgg	tttcttatgc	tggtatttcgt	acatatgtga	15960
taataccacg	tctgaacacg	tagataataa	gtaggggctg	gggtgcggtg	atcatgctta	16020
taatcctagc	actttgggag	gctaaggcgg	gtggatcacc	tgaggttagg	agttcgagac	16080
cggcctggcc	aacatgatga	aaccctgttt	ctactaaaaa	tacaaataat	aataataata	16140
ataattagcc	aggtgtgggt	gtgggcacct	gtaatcccag	ctactcggga	gactgaggca	16200
ggagaatagc	ttgaactcag	gaggcggagg	ttgtctgtgag	ctgagattgt	gccattgcac	16260
tccagcctga	acaacaagaa	tgaaactcca	tctcaaataa	ataaataaat	agaagtatgt	16320
attgtgttgc	ttagaagggt	tggtggaaat	taacttgctg	agtgaatca	aaggattggc	16380
actgaattga	aataaagaaa	tattcatgct	gagtctgggt	caaataatac	tgcacctgta	16440
agaattgctt	tctgtaaact	ttccatagta	taaaccaa	ccaaatcact	catggcttta	16500
cattcctgat	cgttaaactt	gaagcacttt	ttaatactgc	atgacttttag	ccaaaatata	16560
ttagccaaga	ttcaatgttt	ggttgaacca	cactcacttg	gacatcttgg	tggtctttgt	16620
ttcttctgac	cactcagttt	tctatggcat	ttgtatagac	aggtgtatgg	aagccgatgg	16680
ctagtggaa	tggaatgatt	ttaagtcact	gttattctac	caccctttta	tctgttgttg	16740
ctctttattt	gtaccagtgg	ctgagaagac	caaagagcaa	gtgacaaatg	ttggaggagc	16800
agtgggtgac	gggtgtgacg	cagtagccca	gaagacagtg	gagggagcag	ggagcattgc	16860
agcagccact	ggctttgtca	aaaaggacca	gttgggcaag	gtatggctgt	gtacgttttg	16920
tgttacattt	ataagctggg	gagattacgg	ttcattttca	tgtgaggcct	ggaggcagga	16980
gcaagatact	tactgtgggg	taacggctacc	tgacctccc	cttgtgaaaa	agtgctacct	17040
ttatattggg	cttgcttgtt	tcaggcatta	accagataa	atgccatgca	aattttataa	17100
ttattatgat	tgtttcaatt	tctggaagaa	agttaatgaa	acaaaaaatg	tagtaaaatg	17160
ccaaaggaac	agtgcatttt	cagaaagaat	gagggctttc	atgttaattg	taagtcttgg	17220
aatttctctt	ccttgagata	acaaatccct	ttgtgcctaa	tttcctaatt	tccaaaataa	17280
agttctttta	cttatttctt	tatagtga	tcattcttta	ttaaattggca	tatctgcata	17340
ttacataaca	gttcatttgc	aaatacatat	ttgtgggaaa	tgagagactt	aaaatacata	17400
ccaaccagag	atatagtttt	gaggtagatt	ttaaaattct	gagaagaatt	ttgactgaat	17460
ttttttgaca	aacatgggac	acgaataaga	ttataccaaa	gatattataa	ctttcatttt	17520
aaatatggaa	ctaatacagt	atgaggtgtc	aacaacgttg	aagtttcaca	aacatcacca	17580
ctacaacagc	aaaataattt	ttgctttttc	cctgccacaa	tgacctcctt	gctatttctt	17640
gaataaaatc	agcataccct	tgccctgaca	cggttctggg	gaggcctgcc	ctaacttata	17700
taaaatttga	gccattcttc	tcacctctgg	tattcccagt	ctccctactt	tttttcttct	17760
tttcttctct	tttctttttc	tttctttctt	tccttctttc	tctcttttct	ttcttttctt	17820
tcccttctct	ccttcttctt	tcccttctct	ccttctctcc	tctctccctc	ccttcttctc	17880
tcccttctct	tctttctctt	ttttctttct	tgcttctctc	cttcttctct	tccttttctt	17940
tcttttctct	ttcttttgca	aagtgttatt	caccttttaa	tataatacat	aatgtgctta	18000
ctttaatgta	tgtattttct	tttattttct	cttcttagaa	tgtaggcacc	atgagagtga	18060
aataatattt	ttttgttcat	tgatatttca	caagtgtctg	ggagagtttc	caacttacag	18120
tagacaatta	acaaacattt	attaaattaa	ggaggggaag	aagtgaatga	gcacaacaac	18180
tttcatttct	gggtctttta	taatcatatg	cttagtataa	gaacagtgtc	attcagctat	18240
ccaaaagtta	caatcaaaat	gattttggat	gaatatcttg	aaaattgtga	gaaagaagtt	18300
ttatttgctg	gcaaactatt	ctgggttgtt	tccacttcat	gtaatcctaa	gtagcagcct	18360
taccttgata	gccattttaa	actctgataa	taaaaaggca	gaacaaaaat	atctgtgata	18420
tatttagatt	tactacatgt	acttacatgt	ctagtgtctg	gtgcaatgga	tgctaattgat	18480
ggcaaatcct	tactgggctt	ctagtgaagt	tcttcagcta	atgtttgaat	gcatggttgg	18540
tcatgggtgg	acccctttgt	acaaaatatg	cttttcaaat	aatcttatta	gggataataa	18600
ttatattaat	tcctggtttc	catctaaaa	tttaattcta	tttatagctt	cgtaagattt	18660
cacaagttaa	gagggacctc	agattaaatt	agtacacagg	caattaatca	gttttgtgtc	18720
tccgaccctt	ttcacgggct	aatagaagct	atagaccctc	ttagcttcag	aaaaatgcgc	18780
actcacatac	gcacatcaaa	gagcttaatg	ggaagtccat	tgacagaccc	tctgttcaga	18840
tcaatcttct	gattgtagag	atgaggaaac	agaaatctac	agaggaagtg	ggtagtccaa	18900
gattgcacag	tcatTTTggaa	tagactggac	accagttagta	cttttccagc	cactatatca	18960
cttccccaag	cacttcttca	aaacttacct	tcctttgggt	ctttatacat	tcagtttatgg	19020
acaacatgat	ttaactagag	gattttattg	cttcagaata	tttaagcaaca	gggaaacatg	19080
taccgtcttt	tattcacctg	cattttaaggc	atacaatata	aattgcaaat	ggagcatgaa	19140
agtgtctaat	cttttataaa	actgggtttg	ctttccacc	atctaaaaat	acttctattt	19200

BIOL0139WSEQ.txt

attttaatat	ttaaagcaga	aatctaagtg	atgtgacaaa	attaatcatt	tggagatatt	19260
tcccttatag	gtagtatagt	ttcttactga	tttctaatat	gaaaatgaag	ccatagaacc	19320
tagaaattgc	agcatagttg	tggaaataaa	cattggactg	agagtgaaaa	tggctagtct	19380
tcctctctgc	tcatacacca	cctgactgga	taacctttcg	cagatctcct	aaaagtcttt	19440
ctcataaaat	gaggaagctc	tactagaaaa	ttgttgaagt	ctaatttagc	aataaagttc	19500
tgagtttcta	taataattca	aagaatactc	taataaatgt	ctgcaattgt	ggtcacatct	19560
atgggatgct	aaaaaatctg	gatggtttca	atgaaagtat	ttaatttgtt	cattatgaac	19620
tttgaaaaaa	tttatttcat	tttttaact	ttgatcaaaa	tgaccctggt	aaatagaaat	19680
aagcaaaactc	tttttgcttg	aaatgcttat	taatgactgc	attgagacac	tcattcatca	19740
ttcaagaaag	aatgtttgct	cacactgtgc	cagaaacttg	gaggaagagg	gatgtgacaa	19800
gtaggggtac	tggatgtcta	gcttgtagaa	gtggattaat	ggctctgctt	ttaagatcag	19860
gaacactgaa	agggagtaat	ggcaccggtt	ttcacctttc	atgccctttg	agggtatctg	19920
gtccatcacc	ctctagttga	tgagggaggg	aaagttccct	ctcccttcac	aaataggtgg	19980
aaattaaattg	acataattct	gaacaaccaa	taaatcgaga	gtaaatcaaa	gcagatacct	20040
gttttgtttaa	tttgatcata	tgaatgtagc	tgcccttagt	aataatttct	aagtataaga	20100
ctagttaaag	gacaaatgag	ttatcttgaa	ttataagatt	ttgttttaca	gaacaatatt	20160
aactcttggtg	tttagtacat	tagaataata	gatcttttga	tccatatttt	tactcatgtg	20220
cacataagaa	gttatcagtc	atacaattca	tttcttgaag	ttcataacct	tcattggcag	20280
agtagaaaca	ggttaaaagt	gcacaggcag	aaatttttaag	tgcaaagcaa	cagtgtatgtt	20340
atatagagaa	aattttatatt	tcctactttct	attgaagaag	aaagatctgc	ttgttctaag	20400
aatattgttac	aaagaaagtg	acttgaatca	gcgttattct	gtaatgctac	tatgcgtgca	20460
gtgtggagta	gccactagaa	cacttgggtct	atcccagctc	ctcaacagtg	tcttgcttgt	20520
ggctggtgct	caaataaatc	cttgctgaac	taatgagcat	ctctttcatg	ccacatggaa	20580
tgctctaaaa	gagttggatc	ctgaagtttt	tatatttttg	taattttctg	gagttttaga	20640
gagcaaaagt	cctgaataaa	ctgtgaagcc	actgcctgac	aaataataca	gcagtcagct	20700
tcgttatcat	atcccattga	gacacgactt	atctacatga	tgattaatag	ttttcacgca	20760
agaaataaagc	ttgaaatgtc	tgttgccttg	gatacttaaa	acatccaggt	tcagcgatgt	20820
tatttattgt	tgttcaaaat	cagaatgaag	ttcctaagca	atgccatttt	ggaaaaatta	20880
catcaatata	ttatgaacaa	cttttttttaa	atcttgattt	caaattggatt	gacacgtgta	20940
tattctgtaa	taatcctgac	ttaatccta	aaaggatagc	tagccagttg	tgtgctagat	21000
gaataaaaaa	aaagcaggtt	ttaaaatgtc	aggttttgaca	ttgtgaatat	aatatctaag	21060
tatccttttta	ctcatttctt	ttgactttact	atggctgtca	tgttgggctt	catgaaaatt	21120
tattttttaa	cacttgagtg	ttatggaccc	tctgattaaa	tgattaatca	gatgatgtat	21180
gttgccatca	gctgaatcat	ttaatgttga	tttcacaaac	aagcacaggt	cacaggcaac	21240
atttcagatt	tctttgaaga	agcacacaca	ggtcacaggc	ataatcttaa	aataatttta	21300
taacaaggta	gtaataagag	atgtcaggac	tggagaaaata	ttttaattta	tagtaagctt	21360
tccccttaag	tgtctaataa	ttgttaatat	aatacattgc	ctcaaataat	taaaagtttg	21420
gttcttgctc	ttgtgcttga	cttcagaaga	taaccagatg	actatttaggt	atatttagag	21480
ctaaattaaa	agctttgaga	cacaatgaat	tgcttgattt	gtattttgtg	ttcgagtggc	21540
atatactatt	actggcacta	taatcttaga	ttaaagcata	ctgtgattat	taaagaaaaa	21600
tttaagattg	atttgtttct	aaaggatatgt	aacagtgaca	ttttgcaatg	tggtatgtaa	21660
aagttgggat	ttctcactca	tatgagagcc	cactaatggt	acataaaactg	tccccactta	21720
gaaacacaa	tattattggc	tttctttgta	cttgacaaaa	tttcaagtgg	ttcaagatgg	21780
atgaatagtg	aatttctaag	acccttaatc	ctgtgaaggt	ctaggtggga	aagtactctg	21840
taattatgta	taaaattata	aggaaaatag	gcttactgct	atgttttcat	taaaaatcat	21900
taactgagta	cttaatatgt	gccagacact	cagctgggca	ccatgagaaa	tacaaaactg	21960
agtaacatat	gggtggctcc	tgccittcaag	aaatgggcag	ttcaggcccg	gagactgaca	22020
tatttaccct	gggaaaaagg	gagcagctgt	ggtctctgag	aacaatatgg	tttgttacaa	22080
gtatatatcc	atcatgaaa	aaaagagatt	tatcttagaa	atgagagagg	ctgactctct	22140
caataaaatat	catacattaa	attgtgtttt	tgctcagtaga	ctgaaattac	ctcacatata	22200
cgcacagata	gtagccatga	tatttttagct	gcttagatat	agagacaaat	acttccaccc	22260
aaatcttagg	atcagtgggt	aatagtctgt	aagcattaca	atcccacaac	atatgcatga	22320
ctatacatcc	aatttttaata	ttcaaagaac	tgattgcat	gatagttttg	tttgtcaaa	22380
aaatgtatta	taggatgagt	gggtagaacc	tgcatcacgt	tacaccaaca	aatagggtta	22440
aatcatattt	gtgcacttcc	cttgttcctt	cataaatggt	taacatagct	taaaattctg	22500
tggactgcaa	ctgtgagagca	atgaccacac	ttctgtgaac	ccattttttac	tgtgcatgtg	22560
ctaactgcta	ttgttagtat	tccttcactt	gcaaagatgg	catgataatt	ttgtctggtt	22620
cattaatgag	atactgttaa	atgtaggatg	acttcaaact	tagttgtatt	gtaaaattat	22680
ttttaattgt	atacatttaa	gttgtagacg	atgatgtttt	gagatactta	tctttattta	22740
tatatatata	taatatacac	acgtatataa	aagtgatctc	tacattgaag	caaattaaca	22800
tacctatcat	catattggtta	tctttgcttt	tttactatca	gtgcctaaaa	tctactttct	22860
tgaaaaatta	ccagtatgca	ctacaatatt	attaacaata	atcttcatgt	tgtacattag	22920
atcttttagac	ttactcatct	tacatgactt	aggtttgttt	ttacctctac	taccatctga	22980
gccatatitc	cactttgtaa	tttgataata	aacttggaaa	aatagcactt	atatgtttag	23040
gtgacgggca	taaataggat	aagatgtgtt	tatatattat	tccatatatc	ttgtctccaa	23100
ctacaatgat	aaacaacctg	tttgtcccta	aaaagtaaga	aataacttga	cttttctgcc	23160
ccttcaagca	taggtgttta	gcttttaagt	tttagggaga	cattgatgat	gctatttgc	23220
ttatcaagag	gaaattgtca	aaagaggtct	tttggttctc	aaactattca	aagtatttaa	23280

BIOL0139WSEQ.txt

aaatcaggac	aaaatatgtt	tacgtgat	tcaagggtac	agaaatgagg	taaatgagat	23340
gccaatgtga	tttgtcatgc	aaatatataa	ttacgtgtat	gagagttaga	tgatacatct	23400
catcaattta	attgttcttc	tacaaggaga	aaatgaacaa	tttgtcaact	cgtatatgaa	23460
gtaattttta	taagaaat	tattaaaact	tttaacaaca	tttggatttt	taagttgcaa	23520
tttaaatac	cccttctacc	aggtgattct	ggaatcacta	agcagttact	tgtgaaaatt	23580
ccaaagtagc	atttaattct	tattaatgtc	atagtgaata	ctaattgcaa	gaatactgag	23640
ccagaaatta	tgcttggtga	ataaatagat	tatttattga	acaagtaagt	gaaaaaatgg	23700
aaataaagaa	cggatatata	ttttatcttc	ctgcttagat	gtgggactgt	cctacttttc	23760
tctgggtgtc	acaacaacaa	tatgataaat	ctaattggaa	ttcagttcat	aggaatgaat	23820
tcagttacat	tatggattgt	gatgaataat	gtacactttt	aatttaatat	aatcaaatag	23880
attttaacta	tctatgctta	caatgggggtg	acataagtct	gacaatcctt	aatatcaagt	23940
catctccaat	tcacatgtat	acacactttt	tttctatttg	gctattggga	atcctcacaa	24000
aaatcgaaaa	ttgccctttc	agtgtacgtt	acgggtatttc	atgccacaca	gattttctga	24060
ggttgtacat	acagctttgc	cttgagggttc	caattttttgc	tcagtggatt	gagtatatat	24120
tatttgctat	atatcagaag	agggcatgtgc	ttcctactta	tgtcaggtaa	ctttgggatt	24180
aatataattg	tcctacaaag	catagataga	tagaaatact	tcctccttaa	tttctaatat	24240
tatgacatat	ctaaagtagg	cacctttaaa	agttaatctc	cactaaatac	taatgactgc	24300
ttatagtggc	aattcatctt	tcatggtagt	cctcctacaa	aggtatacta	acatttatga	24360
gtttgaaaca	aaggcaattc	acaagtgttc	tgctagagat	gggtctatatc	tgctgtttga	24420
tccagcatga	tgggcagctg	gccctcctgt	gcataatggc	tcgtgggtta	actgcaccat	24480
tttgtttggg	catatacagg	gaaaacatgg	catgggtgtg	agggcatggg	cttgaattca	24540
gggaacagag	agttggctct	ctctctctca	ctctactgga	tgatgtcatc	tcccctctct	24600
aagcatgagt	tttcttatct	gtgaaataaa	aatgttgaat	taaatgagtt	caaaatgctt	24660
tcagtctgtg	tttaatatgct	tgaatcttaa	gacaatgtat	tcaattatgc	gttgccagat	24720
ccctggcaac	tcatgtaacc	tttctaaacc	atagctactc	atctgtaact	ggccagccaa	24780
ctgcccaggg	ttggagtgtg	aatgaaataa	gataatgcag	acaaaagatt	tttaaaaatt	24840
gtagtgcatt	atacagttgt	aatattttgc	caagaactta	cattttctct	aagaagtgtg	24900
tcgatacatg	atcacagaaa	atcttttcca	tattcctttg	tagtttgatg	atattaagta	24960
agtaaatgtt	ataacacaaa	gagggaaaag	catcactgaa	catgccgttt	tatttagcta	25020
aataaaaatgt	aatcactatt	agttttcctc	tgattttccc	aaagtcatgt	gattccattg	25080
agtattatgc	acatggtata	attagaatgg	attctctgct	caaataattt	tgggaaacat	25140
ttaaattaac	aaagttttaa	agtatctctg	ttaaagtgaa	gcaaatctca	aaggccttaa	25200
tattgtatgt	aagaggaata	gttaccatct	ttcctaattg	ctctttgacg	ccaaacccat	25260
ggagaatagt	tctaggtgtt	cagtaaaaca	cagatttggtg	atgccacagg	ttaattggaa	25320
ctgtcccctg	caatcctttt	ctctttttct	taataatggc	tgattgcagg	tcctagatga	25380
aagacattta	gagagattat	caggactcag	catcccatat	cagaatccat	tcttttatag	25440
tcattttctg	ttacatttct	tgggacaaca	ccaaagaaat	gaccatcttc	attcacatag	25500
gctttgtacc	aaagtctgac	aaagatcctt	gttgacctag	atggggggcag	gtctaagtag	25560
attgcagctg	taaaattggc	tgatgaatga	tctcagcccc	ttttactcac	actcaaaggc	25620
aggacagtcc	attaagggga	aggagggcag	agtttttctt	taggccaatt	ccctatgcca	25680
gaacttttta	gaatggaagc	atttccagag	gagaaacaac	cccaagcaca	gttcaaagcc	25740
ccctcctccc	aagttcattt	gaaagtggga	tggtttatct	gcaaaggggg	aaaagatgag	25800
ggatagggac	gggaatatcc	ctacccttca	gagagtctgg	tttcatcctg	cacttttact	25860
gcacagccac	aaatgccttg	gggtgaatct	acaatatgat	acatcatatg	gtctaaacgt	25920
gcctggctga	tcctctctaa	tacttcaggg	gtctaaaagg	gataacatgc	tctcctgtta	25980
ctcaccgact	ctgtccgcca	tatttcaccc	agccagccac	tgcccttact	tccgtccgag	26040
gcctaactctg	agcccatggg	aaacctaaga	acccttacca	caactgcctc	aactcttggg	26100
aatcagggtg	tatgggggtg	acaggaagtg	agcatacatt	ctccaacttg	atagtgcagc	26160
cccacgctct	gtatgaatgt	ttgctcacac	tgtgactgcc	ggccttgctc	ctcaggctgc	26220
atcctaccag	ggagtaagac	ccaagtcctt	cctgctttca	gacaacacca	agcctcatga	26280
gtccccactc	agaggaagga	ccagagacaa	actctaattg	tccactaata	cttcccttct	26340
tattactttc	cttgaaaatc	ccttctccct	ctttcttttt	atacttcgct	aatgaaagggt	26400
aatgaaaggg	tctggcactt	ggaatttaga	attgatacat	ggtttttaac	ccgcggacgt	26460
attccacaat	aacccttgca	tcttctacta	agatgtgggc	taggaaggga	ccagccagtt	26520
cccagggtca	cagtgcctca	gctgatgttt	catattttca	gcaactttat	gttagagatg	26580
tccatcaatc	agaacaatat	ggttagagaa	taactaata	aaagtcat	ttgaggacat	26640
gttggaagtc	tatcaaaagc	attgaaatta	tgcatgctct	gaccagtcgc	atgtctaaga	26700
atttaaatat	gatcataagt	ttaaatatga	agatgtttat	cacagaattg	attataaaac	26760
aaaattgaaa	aaaatagtgc	tagaagtttg	atcataggga	cctcattaaa	tgcattatgg	26820
ttgatccatg	cagtggtttg	ctgaacagcc	attaaaatgt	tgtagaataa	ttattaattg	26880
tgtggaagga	tgctattgtt	gcagtatgtg	aaaagaacaa	attacaagc	agtttgtgca	26940
gcataaatatt	tttatttttt	aaaaacctgt	atgtggctta	tgtacatata	aagacgtgga	27000
ataaatgcac	aagggtactca	gtttttctca	gtgaagccca	ttttgcattt	tgggctgggt	27060
aattcttctgc	tgtggagaac	tctcattcat	tgtaggatgt	ttacaagccc	tgggccttac	27120
ctctttaacg	ccagtaggca	ccccagcat	ggcaacaagc	acaaaatggg	ctctctcata	27180
ttgcccttga	ggaaattttg	caactaagta	actattactg	ggtcctagat	tacagtcctg	27240
attattgcgt	tcctttctta	tttttatttt	ctccaatttc	ctttaataag	catgtactgg	27300
attcataaaa	aaacaacata	aatggtaatt	acaatattcc	gcactgggtta	aaacttatgt	27360

BIOL0139WSEQ.txt

aaataagcat	tctgctgctt	tagccacaat	tgcaatttat	gctccttctc	tttcttaagt	27420
tcccagttcc	caggtacatt	cattcgactg	attcaaaagt	catttttagct	tgatagactc	27480
ttaaaagtta	gagttatcat	ttctgctatt	tattctttca	attatccatt	tgtccacca	27540
tccatctgat	ccattttgtt	gatgcatgct	gtgtataaaa	tactacacca	gcctggtgcg	27600
gtggctcacg	cctgtaattc	caggactttg	ggaggccaag	gcgggtggat	cacctgaagt	27660
caggtgtttg	agaccagcct	ggccaacgtg	gaaaaaccct	gtctctacta	aaaatacaaa	27720
aattagccag	gcatggtggc	agacgactct	aatcccagct	acttaggagg	ctgaaccagg	27780
agaatcgctc	gaaccagga	gatggagttt	gcagtgaagt	gagatcatgc	caatacactc	27840
cagcctgggt	gacagagcaa	gactccgtct	caaaaacaaa	caaaaaaaat	acaatgccaa	27900
gcatcataaa	aaatatagtg	atatataaga	cctattttgtt	gtgctctagg	cattgacatc	27960
tagctgtcaa	ccattaatat	gtgtaggagt	ctatctatca	atattatgga	ctgtgcttga	28020
agacttcttc	cccaatcttt	ttctcttccc	attaagtttg	aagttagggt	ttctgagtga	28080
agtatcatag	tacatacagt	ctcattattt	ttcaaaaatc	tctgggtata	gtacatttct	28140
ttcctttatc	ccctttgttc	ccaactatca	aaccttttgg	gatattccagt	attgggtatcc	28200
agtattatta	aaaagcaaaa	cagagaacta	taaacaacaaa	aattttgtagg	agtaattggt	28260
tgtatgggat	ccagtactat	tagatagtaa	atcagaaaat	tattaacaaa	aatttttagac	28320
gaataatgga	ttgtcttgcc	caagtgaatt	gagtgaattt	gttgttcttt	catttttagc	28380
aagtacagct	gatcatttga	ggccttactc	attgtttgat	tttgcaaat	cttactatta	28440
taaagtgttt	gggctctgag	aaagctgttg	tcttaattctg	tttgtgctgt	tataacaaaa	28500
tacatgagac	tgggtaattt	acaaacaaca	gaattttatt	tctcatagct	ctggaggctg	28560
ggaactccaa	gatcaaggca	tttgtcttca	ggttcagtat	ctggcgaggg	cgggttctct	28620
actcccaaga	tgggtgcttg	tcactgtatc	ctccagaggg	ccaaatgctg	tgttctcaca	28680
tggtagagag	atagaaaggg	ccaactcact	ccctcaaggc	ctttcataat	gttaccaatt	28740
ccacttgtca	gggctctgcc	cccgtgactt	tattacctct	gcaaggcccc	accacttaat	28800
actatcacgt	tggttattac	gatttatcac	atgaatttcg	accatactag	ttgccatctt	28860
ttcattttca	tatatccctta	aaactttgcc	tttctcattt	taatgtactt	tatccacagt	28920
atgccaaactt	ttcgatactt	ttgttaacct	gtctgacgat	atataggaaa	ctgtaaaagt	28980
gcagtttttg	atacactctt	tagctgcccg	tttacttcta	ctgtcgttag	agaaccccat	29040
ccatagtgca	tgtgtttatt	ttgtgtatga	acaaagactt	tatatatagt	ttgggtcatt	29100
tttattcatt	agtgttccc	ttataatctc	tgaataccat	tttattagta	catactgcta	29160
ttcttaatat	taactagcat	gcctgatcat	cccaaagtgc	taggttcaca	ttttaaaaa	29220
agttatatct	ttgggcctaa	cagtttattg	aaaggtaaca	aggattgagt	catagttgta	29280
tgtttttgga	agtagaattc	aactgtaaat	agaaattggt	tgttttagatc	tcactatata	29340
tgaaaaaatg	aaggctttag	gagaaaatct	ccccaaagta	cccatttttc	atgtgataaa	29400
tatcatgaaa	tgatttgaga	aaaaaatgta	tatttgttac	agctaacaaa	tatttgtgtt	29460
ttttattctt	catggagaga	atgaaatttc	ttctcttctt	tacacatttc	tttttcttat	29520
tagaaactaa	ttggtgccct	tataaaaaat	aactgcagag	cactaacgtg	tatatataag	29580
tattatgtag	gggtgagggt	atgttcaggg	tatgtgtgtg	gtgtgtgtgt	gtgtgtgtgt	29640
gtgtgtgtgt	agctgtgtgt	gtatataatg	aaatatatgg	tagtgttgtt	tcagaaatct	29700
gcttggcttt	cccagagttc	attcatctta	taaattcatc	tacattgatc	tctatttttg	29760
gaatccatga	aatgtttttt	ggcagtagct	cctttaatat	agtgtgctgg	aaatctggaa	29820
atttctagcc	agattagtta	caaaaaatta	gccagtgggt	ttgcactctc	tatagaatca	29880
aggcccaagg	cctactcttg	ttactcaggg	cttgttttta	tctggcctct	ttcttttcag	29940
ccatatagct	ctacaatact	caacaaaatt	cctcatttca	ggtagacaag	tatcttcaaa	30000
atacttccca	attatctaatt	aactgtctta	ccactaagaa	ggctttttatg	tctcctgtct	30060
gaattttatc	catgcaaaaa	agtccagccc	aagcctccag	aactccaaaa	agttatccct	30120
aactgctgaa	acacagtaat	ttcactatgt	gaaatttcac	tttgggtctcc	tagcattttgc	30180
agataacca	tacataacct	tgatcccttt	cctttcatac	ccttttatatc	taacccttaa	30240
gctaataatt	ttacctacac	tgaattcaa	aatgtatccc	cagtcttacc	atgtctccct	30300
tctctactgt	taccacccta	ggctaggcct	tcactatttc	tcacctggac	tccttcccta	30360
acctctgaac	tgatctgcct	gcttccactt	agacacccaa	cctagtccat	tcttgagcag	30420
tcggaataat	tcttttaaga	aagaaaccag	atcacatccc	cctctgctcc	caaccatcca	30480
gtgacctctt	atcatacata	gaatgaaatg	caaactctta	ctgtgtttta	aaggccctac	30540
attatctgga	cctcagtaac	ttcttacttc	ctatcccttt	tctccttgta	tgccaccctc	30600
caactacact	ctaactacac	tgtctttttc	cctgttcttc	agacctgcca	accatatttt	30660
cactgctcaa	ttaatatgta	gaaaatgaat	tgtttgttaa	atgtagactg	tttccttctt	30720
aaagcaaaga	taaatgacat	tgtcttcaaa	aacaactaac	tgcccagaat	tcctgatttt	30780
aattttaaaa	agacaaactg	caagaatgtg	ttaaacagta	aggaaacaat	tcactacttc	30840
agaattctat	atgatttcac	tgcacgttag	taattttgta	tattatagaa	tatgagggta	30900
ttctaataaa	cttaactcta	tgtgtatata	ttatcatgat	agctcatatt	cttatattgt	30960
tataacagca	ctacttattg	tacatggata	cgtgggaat	aaatttaatt	tctccttaag	31020
aacaaagcaa	ccatttcact	catgagataa	atcttgaaga	tttaaaaaact	acttataatt	31080
aattatacat	tattcatata	atgttaagta	ttttcttagt	aaaccacata	atttagaatg	31140
gcaattggac	agatgggcag	aaccacatgc	atccactatt	aggcagttgg	tgagcataag	31200
atgccagaaa	gaagattagg	aatatcaagg	caggagactt	ccgatcgctc	ttgaaaacat	31260
tgaccttca	ctcctcactc	tccacgatgt	atttcttttg	aaaagtaatg	ccttccaaaa	31320
caaagtcttc	tgttttatat	ctaaactttac	tcaatagtgt	ctcatggtta	ttgatataata	31380
aaaaataaag	taaaatgttt	aggcagacca	aaagaagaat	ttccccctcc	ctctgccttt	31440

BIOL0139WSEQ.txt

tatgccaaagg	tgacagctat	gaaatgtaca	gtacgtttcc	tctgcaagga	atgtagcagt	31500
gttccattgc	aagaagatga	gagggagaga	aaggttgcac	gctgaggaat	atagtgtcat	31560
ttgtcactgc	ctagactcat	cagctgtgtg	gaactctgag	aggcaccagg	cttctttatt	31620
tatttcttca	gaaacttcag	caaaaaagat	ttcattagga	gcagagaaaa	atgtgaaaaa	31680
cgaattagct	tttgtgatgg	ggagtagtca	tctctgaata	ttgatcaaga	ttaagagggg	31740
tgtcttcgta	acttctttta	tccatagctt	atactgattt	aactagaaaa	ctaatttcag	31800
gtgggtatttc	gggtgtggca	gatctttata	gtaaatgaag	aatctagtca	aatctactga	31860
aaaactctgc	ttactttaat	gtttgatctg	gttgaaacca	tttttagctta	acaatccttc	31920
ctctgaaaca	gggaatcaat	tgatatcccta	cagcaaaaatt	atgtggaagg	gccattagct	31980
tcacatccaa	tgcaaatttt	gcctgtgttt	actcttcccc	aatccaaaaat	atatcagatc	32040
ctagatgcc	gtgaaatcgt	ttgagctaga	tggtttgagg	gtcatagctt	ttttcatttc	32100
ctgttctcag	acctcttata	attgatagaa	taaaatcaga	agagccctag	agctgtccca	32160
cctattctgc	ctcacaaaag	tagaagtaat	ggcaaccact	atcatagggg	tcatgctcac	32220
cttttttctg	ccagacaaat	ttggatatta	gcttgaaaatt	aataccttcc	ttaaaatggt	32280
ggaaatttgg	tatatgcaaa	attttgctct	attttattcat	tatatattgt	atggaattat	32340
ttttgcccta	tatttttact	taagtgttct	ctaccaaga	ttttaattga	acccaaatca	32400
gccagacaca	cagacatgga	ttttgctgcc	accaagggtta	attcttcttt	taaagttaac	32460
ttttaaaatt	tggtaaaata	tagctttgaa	aatttgcatt	cgtctagtgt	ttgttatgta	32520
tttccccctt	ttgtttgatt	atatgtctat	atttttcttg	tagaaattga	tttttaacct	32580
gctttttatg	ttagctttta	tgagcttctg	tctgaattct	gaatatgtct	ttcttaattg	32640
cttctaaatg	tttctttctg	gattattaaa	agatttatta	ggcttttaat	aatttatatt	32700
gttaccttag	ggaatgtgtt	tgaaaatatt	ttaaatggaa	ttgccagtta	acacagcatt	32760
gaactttttc	ttgttagaga	tacattgttt	tctaggcatt	ttattgggag	agaagttagt	32820
atgatataat	gtctttggct	gatattaact	cttctaagat	gcattgtttc	tgagaacacc	32880
attgtctgat	ttcattcagg	gaaatttcac	acaagccagt	agagtcaata	cttttttcaa	32940
gacctgttaa	ttgatataata	taaaaacttg	ccattgttta	catgcccttc	tcagatcctt	33000
tatgtgacct	aagctagaaa	tgcattttaa	cagcatttgt	ttttccaaaa	atattttatt	33060
atttatttat	tatagagata	gcgtctctct	atgttgccca	ggctggcctc	gaactcctgg	33120
gctcaagcaa	ttctcctgcc	tcggcctccc	aacagtgtct	ggatacaggt	gtgagccatt	33180
gtgccaggcc	cttgttttta	ttttttttga	acattgtatt	ttgaaagggg	tttgaagggt	33240
atccctagat	agcaaccagt	aatgattcga	gcagcaaaac	aatctaaaaa	gtaattttat	33300
aagaaaatgc	agaacataaa	tgagcccata	aaaaattata	ttaggttcta	tttacattac	33360
taccttcttt	cacatgtaat	atttacttaa	catttaatga	atttctgtgc	agtgccatat	33420
accattatga	attctaggat	agaagaatga	gtgagaaatg	ttcttaggcc	ttaggaagaa	33480
ggaacaagca	tctctgtgta	atagttattt	caactcttct	tttacacctc	attcccatat	33540
taaactctcag	aaaagctaaa	gtaatagcta	tcccagatct	attttagact	ccagacactt	33600
acttcaatgt	cttgttctcc	ttatcagact	ggaatcattc	caaacctctt	aacttctggg	33660
caacctgat	aatgcgacag	aaaggacact	aaactctgtc	caaatttatc	ttgatattct	33720
atccagtctt	acttgggtact	gaaggtcaca	agtaaaataa	gggtggttgt	ttttgtttgt	33780
tttttttttt	ttgacagaag	agaaaagaac	actgtgagca	cagagtgaat	gtctaacatt	33840
gattctttgag	tagcaggaat	tctctatgct	agaggatctc	tatgcaaaaa	gatctcatat	33900
tctagcacaa	tttaaggatc	tctatgcaaa	gatataccat	attttagcat	tatcaataag	33960
ctatggggta	atataattga	tgtggtgtgg	cttgaattct	agaaaattga	tttctagaaa	34020
tgggtccctgt	agttaaggat	atataatgtg	gccgttccca	gttttctatg	aggaatagga	34080
aaatactatc	attattagct	gtgtgacctt	ggacaacttg	cttcgttctt	cagttgcata	34140
atctgtataa	aataagaata	agaaaattta	catctgcaag	gtgtgatgga	gatcacatgg	34200
gataatttgt	gtcccagagc	ctggcacaaa	agggttaaat	atttataatc	ctccccattt	34260
ctccgtatcc	tctaaaggaa	gtttatttgt	tatcaaattg	tgccgtgggt	agttgtacag	34320
gttccctgcc	aaattgtaaa	ctccaacact	aatgtgacgt	tacattttat	atagtgtcat	34380
catttttcaa	ttgtttgcat	aatttcaaat	acacagtaaa	ttgcttttta	ttagtataat	34440
tatttgctatt	gtcaatatta	ttattacaac	agcttcacag	taagatgggc	agaaaaaaat	34500
tttaattcca	ttttacaaat	gcacttttga	ggctcacaga	agtcaaatag	accaaagtca	34560
cagggctagt	gagggaccca	gaagaaacaa	attgtaattc	actgattcca	agttcagttg	34620
ttgccttact	gcatacataa	ggctattaca	caatccaggt	gtatcatatg	attcttgtct	34680
atatattcat	acatatcaga	aaaagtgttc	tactcaaaat	tgctagcaat	caacagatac	34740
tgatagtcat	tagtacttaa	atctttatca	aatgaaatat	taatacccat	gaaagagagg	34800
acaatgaaag	gtttgtatca	tttgtatgtc	acaagtcaac	ttttttcaat	cactcattat	34860
tagtttaact	gtaaaaaatt	atttacattt	agcgtgaaac	tttcctgtat	tctcaacata	34920
tttccttcgg	tagaaaagca	aacctccagt	tctctgttct	ttgcttggtt	acttgccagt	34980
ttgtaactca	gctatcaaac	agtaaagctc	acaaaacact	tattaaaatg	actaaaatcc	35040
aaaacaccaa	gagcacagca	tgctggtag	atgtggagca	acaagaactt	tcatttcattc	35100
actaatgctg	gcaatacaaa	atggtacagt	aactttggaa	gataggttga	caattttctta	35160
cgaagctaaa	ctatacttaa	catatatatt	tgtccatttt	cacagtgcta	aaaagaagtt	35220
cccagagactg	ggaaatttat	aaaggaaaga	ggtttattta	attgactcac	agctcagcat	35280
ggctgaggag	gcctcagaaa	gcttataatc	atggtggaag	gagaagggga	agcaaggcac	35340
ctacttcaca	aggtgacagg	aaggagaatc	aatgcaggag	gaactaccaa	acacataaaa	35400
ccattagctc	tcgtgagaac	tcaactcgta	tcatgagaac	agcatggggg	aaacagctct	35460
catgatctag	ttacctccac	ctggtctctc	ccttgacatg	tggggattat	ggggattata	35520

BIOL0139WSEQ.txt

attcaagatg	agatttgggt	ggggacacaa	agcctaacca	tatcaccata	tgatccaaaa	35580
tcatgctaca	tgatattcac	ccaaaggaaa	tgtaaaactgt	gtccacacca	aaacctgcac	35640
atgcacgttt	atagcagctt	tattcataat	tgccaaaact	tggaagcaac	caagatgttc	35700
ctcaataggt	gaatgaacaa	aaagactggc	acatgtactc	aatggaatat	tattcagtga	35760
taaaaagaaa	tgagctatca	agccacaaaa	acacatggag	aaaacttagg	tacgtaagcc	35820
agtttgaaaag	gttgcaattct	atatgattcc	aatatatgac	attctgaaaag	agacaaaaatt	35880
ctggagacag	taaaaagatc	agtgattgcc	tggggctctg	agaaaagtga	gagggatgaa	35940
tgggtgaagc	acatggcatg	tttaggacag	tgaaactatt	ctctatgata	ctgtcatggt	36000
ggatacatga	ccttatacct	ttgttaaaac	tcagaatttt	acaatacaga	gtgaattcta	36060
atataaacta	tggtactttag	ttgtaataag	gtatcaatgt	tatttcataa	gttttaataa	36120
tgtaccacac	taatgcaaaa	ttataataat	aggggaattg	ggggaagggt	aatggagtat	36180
atgggaatgc	actgtaatct	cagtacaatt	attccacaaa	cctaaaactt	ctttcaaaaa	36240
tacaagctat	tggtcagggt	tgatggctta	taccagtaat	ctcagcactt	tggggaagtca	36300
agaccctcag	atcacttgag	gccaggagtt	cagaccagc	ctggccaaca	tgggtgaaatc	36360
ctgtctctac	taaaaataca	aaaaaaaaaa	aagaaagaaa	gaaaagaaaag	aaagaacaga	36420
agaaataaaa	gaaagaaagg	aaagaaagaa	agaagaaaag	aaagaaagag	aaagagagaa	36480
agaaagaagg	aaagaaagaa	acagaaagag	agaaagaaag	aaagaaaaag	aaagaaagaa	36540
agaaaagaaag	aaaagaaaga	cagatgcggt	tgctcatgct	tgtaatcaca	actactcggg	36600
agactgaggc	atgagaatcg	cctgaactca	gaagggtggag	gttgacagtag	ggtgagatta	36660
cgccactgca	ctccagcctg	ggtgacagag	caaggctctg	tctcaaaaaa	aaaaaaaaaaa	36720
agctattaaa	aatatgtaaa	gctcagtcta	gatacagtag	cagaatagta	ggaactttat	36780
ttcacctgtc	ctacaaatta	tgggtgtgtg	ccacttgggt	aaaactcaga	atccaaatat	36840
gtgaatgtaa	gatttatggg	gaaattattt	gtatttcaaa	ataatcctta	atgaatgcac	36900
tccttctaaa	gtagccatta	ataaagcagt	taatgtttca	tttaattata	gattaatgta	36960
cataagatat	gccaggaatg	caattagtaa	ctgggaaggg	ggtgttattc	taataacttc	37020
cacatagcat	tgtgagacat	ttctgtcttt	cttcaaattt	catttaatta	catttttaac	37080
aaatatTTTT	gtgagcctat	tatatagtcc	ttcgttagca	ctgaggagac	atgctttgtg	37140
accttgggtga	tttcacattc	aaatttccct	ttcacctaca	ctcttccttg	ttttttcatg	37200
cctgtgtaga	ttgtaaattc	ttcctcagat	taagacattt	tattcacctt	tgtaacatcc	37260
acagtatcta	gcacaatcag	tgccttcaaa	aacaattggc	ctcaagaatt	gattgactca	37320
atgagtgact	gaaagactaa	attaataagt	acacatctat	ttgtacttcc	ctgcttactt	37380
ataaggtagt	actgagacag	actgagacag	ttatacatata	cttacggact	caatctcatt	37440
tctttacaat	ctctattctt	cttttttgag	tataatgtta	ttttacaatt	ccactaactt	37500
gtcactcttt	attataaatt	catatctcca	tttcacctga	gaataataaa	ggcaagggaag	37560
tatttttaaat	gatcttgttt	tttataacta	gcattcattg	agcaaatcaa	agtatgaaaa	37620
taatataggt	gtcagtgtat	attataaagt	tgtatgcaca	aaacattcca	atgattgggg	37680
ccaatacaga	gaaaacatct	caatatttgg	aatttttgctt	ttctgtaaat	actttgatat	37740
gtactttacat	catatcaatt	ataactcctg	ctgaaaacaa	acagtgcaca	caaatttggt	37800
agttggagga	gactttataa	agggactaat	tacgaagggt	tagaccgggt	taggaaaaaac	37860
acacgggaata	gtgcaatact	ttaggatggc	aacagcgagc	accgttataa	ccactaggcc	37920
aaaatgaact	aaatgaacag	ggagattacc	atztatcaga	aaaagaggga	gaaagggaagg	37980
agagatgacc	aagcaagtcc	tatgtgaaga	cggctgcctg	acttgagctg	tgtgatcttt	38040
ggactgatac	cactggcctg	cactggccta	gcagggcgag	aatagtcaat	atctggaaaa	38100
tggatcacct	gaccttactt	tcctccctcc	ctgtttcctc	tttgtggtgt	ttccactggc	38160
caaactcaca	gcgtagacaa	aaggagtgc	ttgatgtagc	agtggttcta	atccaggggcc	38220
aatttgtctc	ccagggaaca	ttagtgggta	tcacagctca	ggggagggaag	ggagaggagt	38280
ggagtgtctac	tatgattcac	tgagggtatt	ttttaaacat	ctacaatgca	caggacatcc	38340
ttccacaaca	aagtatccag	ttaaaaaatg	tcattactgc	caagggtgaa	aaaccgtggt	38400
gtagttagta	caattcatct	tctccaggca	cagtgtagga	gtgggggtgga	gtgtctgaag	38460
gggaagaagg	aagaaaccag	cacacccac	aaaagtaacc	aatgcaaata	ccaaatagga	38520
aaagacagca	cttaaaatac	aaaagtctca	ggaatatatc	tgatagtgtt	ttatggaatt	38580
tattaaaatt	tagcctggag	tgagtaatat	ttagcaagcc	agggttgtct	ttagagaaat	38640
ccttgtgggg	tttatacaag	gatttattaa	caaagggcac	acacaatact	catattacag	38700
tcagtctggt	tatgtaaaac	atgggcaaga	atgtaatagg	acaatgtgat	gtattcacia	38760
aggattttag	gactacacag	ataatcctct	aatgctttca	cttacgtact	atgaaaggct	38820
atagtttgca	tagtgaata	gccacgtaag	atagtaaact	tgacattcat	gcagctatac	38880
atgtttgcac	acaccaggat	gcatgccctt	tctacctggt	tgatttttta	ttcttttatt	38940
aatctctaatt	ttattcccca	gaacactctc	cataaaaact	ttctcacac	ttaaatcttt	39000
aatctattgt	gtggatttct	gactcattct	ccaagctttt	cctcttccct	ccgcaatgcc	39060
ttatagtctt	atgactattt	atccccttgc	ctacatttct	agccagatct	cttgcctgat	39120
acacactctc	atatttctct	ttgcacgcta	cacattttta	tttagatatc	acactactac	39180
tttgatttca	acaggtctca	gtttaactta	atttttcctt	caagcaagga	gtcccttcat	39240
atcagttatc	accattggca	ccagaatttt	tcttatgact	tcccatgacc	tacaataata	39300
accatataaaa	tcactgatgc	ctccatagtt	ccctccctct	caaatttagc	cataagatga	39360
ttttaggatc	cttggttttt	ccaatctctc	tttcattctc	tccccatct	cttccattat	39420
gaaggtttgg	ataggacaca	actcatgcct	agattagtgc	aatagatgct	gagcctgtgc	39480
agcggtagtt	tagctgttct	tcctggttaa	ctttaactgc	cacatatatc	acttcacacg	39540
tcatttttca	ttcaaacgta	tttaactggc	tcttcattca	taagaagctg	gaatttgtcg	39600

BIOL0139WSEQ.txt

tttgactgat	attttaaaga	ttttatattt	tttctccatc	ctcgtttctaa	tgttgtatct	39660
tgtgtcattt	gttcattcat	aaactttaaga	cttagctaac	cactgagcat	ccaggaaatt	39720
cagtatctat	catgtgaatt	ctctaataact	ggttgatcca	ttgtcaccag	agcatagcag	39780
gcttctcctg	cctttatgta	tgtttgcctc	atagttcatg	cctaaaattc	tttctttaa	39840
cttaaattcc	taagatacac	acttttgccc	aagatcacag	taatctctgc	cataatctct	39900
gctggaatct	gttcactgtg	ttgctcctgc	taaacttctt	acagatgact	ttttttcttt	39960
ttggtttccc	tggtatctag	tataatttct	tatataggta	ctcaataaat	gtttcctggt	40020
gatctctaca	cctactctgt	acaataccat	agtgactaga	cacatgttgc	tatcaagcat	40080
ttcaaaaagta	gctagcctga	gttgagatat	aggggtaaaa	tacacaacag	atttcaagac	40140
atattatgaa	aaaaacccat	aaaatttctc	agtaattttt	ttatagatta	catgtagaaa	40200
ctataacatt	ttgaataagt	tgtatcaaat	aaaatataaa	attcaccg	ttctttttta	40260
tttggttaa	gtgggtggcta	gaaaatttta	aattacataa	ttggctcaca	gaataattat	40320
aatggatgg	attgctttag	atcaagtttg	tctaaccg	ggcccatggg	ccacaagcgg	40380
cccaggatgg	ttttgaatga	gatccaacac	aaatgtgtga	acttccttaa	aacattatga	40440
attttttgtt	tgttttgttt	ttgttttttt	ctcatcagct	atcatgagtg	ttagtgtatt	40500
ttatgcatgg	ctcaagacaa	ttaatctctc	ttcaaataatg	gcccaggga	gccaaaagac	40560
tggaacccc	tgcttttagat	agtaaagcat	atgagtagtt	aatgtgtact	ataagcagtg	40620
tgatctgata	gactatttaa	tggtgtttga	tggtacatta	ttcaagtcga	ttattatgtc	40680
tacctaagca	gtttaacgac	ggtaatgaga	gagggcagct	tgattacagg	tcttatcttt	40740
tgactaacct	gctaggccac	ctgagaagga	cccaaattat	ctgaatgctt	aactcaacta	40800
atttgtattc	acttgagaaa	tttcaaggat	gtttatatgc	catcaacttg	ctttaaattt	40860
tttctctcag	tgaaaatttt	tcttaaaatg	agtatgtggt	attcaaattt	atccttggtt	40920
tctatgatta	tcttttcata	gcactgtggt	ttccaggaa	cttttttttt	ttgagatgca	40980
ttctacatgt	aactattgca	cagtttgcct	gtagtaagg	tcattattct	tctacttttt	41040
caaacacctg	gcatgtttac	ttgaggttgg	tacaccttgt	atcccagatt	ttgctgtttt	41100
taacttaaat	attgaatatt	ttgattaaac	attatggaaa	gtttaaatgg	gtcaagaaaa	41160
atagcttttc	ttcccatgaa	gaacaatacg	gcataggagt	taagagcata	gatttaaagt	41220
cagaaaacct	gtgctgccta	cttgtgcaaa	gtcacttaca	tgctgtactt	ctgtttcttc	41280
atctgtaagt	tctaccctta	ggtatttact	taagattaat	ggaagcatat	gttcatacaa	41340
tgacttgtac	agaattattc	acgatagcat	tactcttaat	agctctaact	ggtaacaaca	41400
caataatcaa	tcaacaattg	tgctgtattc	atacagcaga	atactactta	gcaacaaaaa	41460
tggaatggac	tactgataac	ctcaacaaca	tggaatgaat	tcaaaaactat	catgctgtgt	41520
gatgccaggc	acaaatcagt	acatactata	attccagaaa	agacaaatgt	catccatggt	41580
aacaacaaga	tccatgcttg	ctggaggtag	aggcatcagt	tcagtcattc	aggaagctga	41640
ttccaagatg	gtgttagaat	tacaaccatc	cacaagagat	ttattgcagg	caatagctat	41700
gaaaggtaga	aagagaacag	gagaaaaacc	aggcaaggaa	aaaccacaat	gtagttgtga	41760
tatcacttca	aagggaggca	gaaggaagga	gaattgggta	ggaatagcca	cagattacag	41820
tgcaattaca	ggcttccaac	aggggttact	aaagggttact	tggtgaggag	tcatgcatta	41880
ggcagacatg	tctgggctgt	agtttctctg	ctgctcccag	tcattggctg	gaggccagtc	41940
tggtttcctg	tgctgtgggtg	gatcccattg	ctgctgcagc	aggaggccaa	tagcactcct	42000
ggcagcta	tggaagagaa	agatccaaga	ggtgtacctt	catggctacc	cccatggggc	42060
tggtgtggag	gtggaggaga	aggagaagga	attaactaga	aaaaggcaca	aaggaaaatt	42120
ggggaaaata	atgaagatat	atgatttctc	aatgtgtgtg	gtcgtttacat	gggtttatta	42180
atgcatcaaaa	actcaagaaa	tgtacattta	aaatgagtcg	atatgattgt	aagtgaatta	42240
tacctcaata	tagttaattt	tttaaaaatc	atagatttct	ttatatattta	tgcatgaaca	42300
taaacctaag	acactcctcc	actccaaaac	ttaattacct	tgtgatcagc	agagcagaag	42360
gtactttgtg	atatataggt	agagaagatg	aagtcttgtg	acatttaaca	agggacagga	42420
aaatggacct	tgtcctaagt	taccaaaactg	caaaaatatc	acctacaaag	gctattcata	42480
acatacattt	tcaagggggt	tacaatattt	gcctactata	aaattttgga	tctgtaagg	42540
ggttaaatata	tttgtgcagg	ggaataaaca	tcaagaaaac	attaagagg	ccagagaagt	42600
aaaataggaa	gggtcttttg	gctagaggag	atattttaact	ttcagaacat	gtggaattaa	42660
gttgatttga	ttatgatctg	atcttcttcc	ccctaaattt	gatcctcttc	ctgtaattcta	42720
ttgtttccat	catcttcaac	tcttcccttt	ccctctccct	tgtccctcag	ttctagtcaa	42780
tcacaaagtc	ctacagtttc	actttctgta	taccttattt	ctggaattca	tctctagact	42840
tcaaaatata	tatatatata	tttttttttt	tgagatggag	tctcgctctg	ttgccaggc	42900
tggaatggccg	tggtgcaatc	tcagctcaca	gcagcctctg	ccaccagggt	tcaagcgatt	42960
ctcctagttc	agcctcctga	gtagctggga	ttacaggcat	ctgccaccac	gcctggttta	43020
tttttgtatt	ttcagtagag	atgggggtttc	gccatgttgg	ccaggctgat	ctcgaactcc	43080
tgacctcagg	tgatccaccc	gcgtcagcct	cccaaagtgc	tggaattaca	ggtgtgagcc	43140
actgcttcca	gccccaaaata	tcttaagtag	ataattgcac	gactaatctc	tgcttttctc	43200
tccagcagc	cttccaaatt	catgtctcac	agctgacaga	gttggttctg	ccttcagatt	43260
catgacctgg	ctctgtgttc	tagctcaggc	tttctctctc	atatcacctc	ttgcctctct	43320
gttgcccca	tattttcccc	tctgggttgg	tggtgtctct	ttggaaccct	ctgcatatct	43380
tttcaagaat	attatgactt	attatgccta	taaactttgt	tttaattattt	atttctaaaa	43440
tttgacaggg	aactttccga	aggcaggtat	tgtgtctttc	tcatttaaaa	gcaaattctc	43500
gcctggcatg	gtggctcatg	cctgtaatcc	cacacttttg	gaggctaagg	tggaacagat	43560
acttgagcct	aggagttcat	gaccagcctg	ggcaacacag	ttagacaaa	aaaaaaatat	43620
atacgaat	tagcctggca	tggtggcaca	ccccgtagt	ctcagctagt	ctggtagctg	43680

BIOL0139WSEQ.txt

aggtgagagg	atcacttgag	cctggatggg	tgaggttgca	gtgagctgtg	attgtatcac	43740
tgactccag	cctgggcaaa	aaagtaagat	cctgtctcaa	aaaaaaaaaa	aaaaaaaaatt	43800
agtgaatcct	cagtgtttaa	aaagtcata	aacataactaa	acatagaaga	cctccaaatg	43860
aaattaatca	attattat	agtgggttgc	ttctcttttg	ttttaatata	gttttaacaa	43920
agagtaaaag	ttatgatcct	tttatatgta	aaataaataa	tgccgggttt	gacataaatt	43980
ttaggaaaac	tagagacgct	acttcctaaa	aattttcttt	ctataatcct	cctaaatatt	44040
ttccataaaa	gtacaaaata	atagaaaaaa	attaagagat	tgagtatcct	ttcaggaagt	44100
gatatgacaa	atagggttcg	agaactat	gaattctcac	cacttttcat	aagggcagat	44160
ctcaagttaa	atttttctat	tcgaatttaa	atgactttca	ctggaatacc	attacagaaa	44220
agcttctgtg	tttagatggc	aatatggagt	ttcttttctt	ggaatattaa	ttgaaggaga	44280
agtcttaatt	ttttaagtct	atatctccgt	atatatttga	acctatttta	tatgttagtc	44340
cttctcttta	gtaaccttca	tccacagtga	acaagattta	cccttacctt	taagcagtag	44400
cggctacttt	atgtgaagtg	aacagctgct	ttttttatct	gcactctagac	atcaagtagt	44460
ccagagtcc	ttctaacacc	ctagcaatag	aagtaagaat	attttgacca	ttccatgact	44520
tgatgatact	tctagtataa	atactgtatt	attaaaaaca	aacaaacctt	tgtgcagctg	44580
taattgaagc	agttccttgg	gaacatgtat	taagtacttt	ttagcagtta	agtccactct	44640
ctgtaggtta	aggaatat	aaataaaata	atgtggcaaa	tgagttcaag	atgataaatg	44700
cgatgagaa	taaaacagct	ttatttttat	gtgggaataa	aatagaggaa	aagtacatta	44760
cagggctcct	ggacttattt	ctttcttcaa	agtgtttctc	ctagcgaata	ttattactat	44820
tttttctctt	aagtaaaaaa	tacacaaagt	atgaatctac	acaggataat	aatattgaa	44880
ttaaggatga	tgtctcctcc	ttcactctcc	aaaatactat	ttacttggct	tcatggaaat	44940
ctctctcact	ccaattccac	cgtgtcaact	gaggtcttct	gttctttctc	tccctatagc	45000
atattcctgt	tacataaatc	ctaaactgtg	tcgtgttagt	cacacactgt	aacctctaga	45060
taagcgcctg	tccagaggtt	ctcaatcaga	gccttgcaaa	tatgtattaa	atcaatgggt	45120
catcttcagt	gtctcagtgg	gcccttggat	atgttttgca	gactgctgtg	agtatgtagg	45180
gatgtccagt	atcgagggaa	gtgtggatgg	ctttcattgg	ttcttatagg	gctgaagaac	45240
acatagagca	gtaagcactt	ctactgtagg	gagagatcga	gcttctccca	tccccactgc	45300
tggcaccacc	accaccctac	accccat	gagttctgaa	agtgaatcct	tgagaaagaa	45360
cacacaaaac	aaccatcata	atagtgggca	cagctgtggg	tggtagaata	acattcccaa	45420
gcttcttttc	ctacacatga	ttaatattaa	ttcagcaaac	atttattcag	ctcctacttt	45480
taaacaggca	tatttctagg	tactaaagac	atagaggcaa	agcatacaag	actctgcctt	45540
tgtgaacaaa	taagaaaata	agtaaaaaaga	aaagaaaacag	aaaaggcaat	ttggatagtg	45600
tcaggtgcta	taaagaaaac	aaaatgccat	tttaataaat	aataataata	caatgttttc	45660
atactatgtg	ctagacacta	tgctagtagg	tatttataga	cataacctca	attaatcctc	45720
aaaatggcat	gttgatatca	ataccccaag	tttacatatg	agacttaaga	tgtctgagta	45780
tattccccca	ggtaacaatt	aatatgcaca	ataaaaacttt	ttgctcattc	atttatttaac	45840
ctatgttgat	tgagtaccta	ttttgtgtca	ggcatcattt	taaggcacct	ggatatagtt	45900
atgaacaaac	aaataaaaaa	ctctgccctc	aaataattaa	tatctcacag	aggttaggca	45960
aaatataatc	agaaaataag	tataacgtat	aggatgccag	atcatgaaag	aagctatgaa	46020
tggcatcaag	aagctggaaa	aggcaaggag	acagat	tcctagagtc	tccaaaacag	46080
aacacagtc	tgccgacacc	ttacttttag	gctagtgaga	cccctattgg	acttcagact	46140
tacaatccca	caatgtaata	aatttgtggt	aattcagtag	gggaacaata	gaaaactaat	46200
acgatatcaa	aacaaaattat	atcatagaac	aagaaaaatgt	aatttgtgaca	aataataact	46260
acaaaaatgt	tgtaaatgct	aggcaaataa	tgtgttttaa	gcacttaggc	caatgttcaa	46320
cgtaaagtaa	ttcatgctat	aatatcatca	tcattcattac	caatatttag	gggctctaac	46380
aaatgatgta	cgtgtaagca	gatgtaagaa	aatttccttg	ctgaagagga	ggtattaata	46440
gagtatataa	caatagataa	caaattccaa	ataaaggcaa	actaaatgtt	ttattggatt	46500
aaatttaatt	ttaaaaacta	caagaggccg	ggcgcggtgg	ctcacgccta	taatcccagc	46560
actttggaag	gctgaggtgg	gtggatcacg	aggtcaggag	atcgagacca	tcctggccca	46620
catggtgaaa	cgctgtctct	actaaaaata	caaaaaattag	ctgggcctgg	tggcgctg	46680
ctgtaatctc	agctatttgg	gaggctgagg	caagagaatc	acttgaacaa	ccaaggagtc	46740
ggaggttgca	gtgagccaag	attgtgccac	tgactccag	cctggcaaca	gagtgagatc	46800
ccgtctcaac	aacaacaaca	acaacaaca	caacaacaac	aacaacaaca	acaaaactgt	46860
gagatccatg	gtgggctttt	aagaggaata	tgcaagctaa	ggtttgttta	gactctgagt	46920
actgcatgtg	taaaaataaa	ggcatgatga	aaagatcaag	agattagagt	gatactttt	46980
atctactagt	gtcagagtca	tgaccagggg	attggctatg	agaatacata	agctgtgcca	47040
ggagtaatcc	aaggagattg	tttcaatttg	gaagagtgtc	cacagaatga	ttctcatact	47100
agacgttggg	ctattgtaaa	gaaagttggt	aggtactcca	tcgctaggat	catatcaggg	47160
agaaattgaa	caggatggcc	ctaattgacc	tgttgtaccc	ctagcttatg	gattaggcaa	47220
gtcacttcta	ctcgtatacc	ctgtttcccc	atttgtaaat	aagaggatgt	gttactctaa	47280
ggatctctaa	agttgtttgc	tttgttttaa	tttgtatgct	ctccactgat	tccatggtgg	47340
aaatttgcta	ttctattaca	aatattctaa	atgtatgaga	tatcagacat	actcatttaa	47400
aaaacaaaat	acaaaaaata	agtattctac	aaataaacac	agataatgtt	taaattctat	47460
atgtctttgt	ttctcttcag	aagcatccaa	aatacaaacc	atctaagagg	caagaaaatg	47520
tcgtgatgtt	cctagtgcaa	gttaaaaaga	tttgctttcc	tcaagtcgga	aagcccttct	47580
cattttttag	gtttttttct	tctttttttt	ttcaagtga	agcatttttg	aggagtcaat	47640
atccatcttt	aaaggtagcc	aggtcacatg	tatacatatg	taactaacct	gcacaatgtg	47700
cacatgtacc	ctaaaactta	aagtataatt	taaaaaaaa	gaatttaaat	aaaaaaagaa	47760

BIOL0139WSEQ.txt

aatcagagag	aaaaaaaaaa	agatgcatgt	gcaccctgat	actaccatcc	atagtgtatc	47820
ggtttggtt	tgtgtcccca	cccaaattct	atcttgaatt	gtaaccccca	tgtgttgagg	47880
gagggacctt	atgggagggt	attggatcat	gggggtagtt	tctccatgct	gttctcatga	47940
tagtgaatga	gttctcataa	gatctaattg	tttaaaatca	tggcacttcc	ttttgctctc	48000
tctttctcct	gccatgtgag	gtgtgccttg	cttccccttc	cccttctgct	atgattgtaa	48060
gtttcctgag	gcctcctcag	ctatgcagaa	cggtgagtca	attnaaacttc	tttctttata	48120
aaaaaaaaaa	aaaaaaaaaa	ggtagccagg	taaaaattac	ttgtttccag	gacattttca	48180
cctgaaagaa	gcattgtcat	ataacataga	agcaagaaat	ccagtagtgg	gggttattta	48240
aaaatagctg	gaaaatttca	atcagcatga	gtttgaagca	acaattttatc	atcacctttt	48300
atgggtgggtg	gggttaagaa	catttcagcg	ggcaaagtgg	tgggtgatggg	gaagagacac	48360
caggggaggt	gattcccatt	gcattgcttt	gtaaacagag	gcacagggttc	ttcatttttg	48420
tcacacaaaa	tcacagctat	gcagaattta	ttaattttatt	cttctgagac	aagaaaaaag	48480
ccaccaaaagg	aaaccaacag	cttgctcctc	tcacactggg	ggaaccatat	gagagactta	48540
tctatccctg	actttaattt	tgacctgagg	agagctcctc	ttaaggaaaa	caaatttaatt	48600
caatgactat	actacttaatt	cattgacctt	tatttaataa	gagattttttc	cataggatat	48660
gctgagctgt	ctcacttaca	tcagtgtgtg	ctcctgaggt	gggtgacagg	agaccacaaa	48720
tattgcatag	cacacaaatc	gttaatagca	gctgtatacc	aaaccattac	ctaaatatgt	48780
agagtacaat	tcattctcac	taatgtcaga	gagcatgcta	taaaatggtg	aatccggaca	48840
gctgaagata	ctgaataata	acctctattt	tgaacaagtt	tacagtgttc	caatcagtaa	48900
ttaaattgat	acctgatgaa	tatatgtgtg	tgtatgtatt	catagcagag	atggttttcc	48960
tgagataaagg	attttgttat	tcggataggc	tgctgtctga	attgtccttc	tacccttggt	49020
tctttgtcct	tagtcatcac	tcatacctct	ttccactctt	ctgccatcac	ttttgtcacc	49080
aaagtcatgg	tcctttcccc	gccgattgct	gctgcaggtc	tagggcacca	agacttaggc	49140
agcactcacc	atgtgccaaag	aactggacca	caggtaccat	ccagcattgc	tcattggagac	49200
tctgtcccct	tctgtaggac	accctccctt	tagctagcaa	cccctccacc	acctagagcc	49260
tctggacctc	tcatttttaatt	attaagaact	aggaaaaactt	accgctgaga	ataactagta	49320
caactagaac	tggttagagaa	atctgggtct	cttgggaatg	gatttttagg	ctttattgat	49380
tagaggtgta	tttaataatgc	agtgttatag	tttcatgaca	taacgaataa	aaaagttcat	49440
tttggtactg	cccttcagct	ccctaggagc	taaaagacgt	atttaattgta	acttgtgtgg	49500
tggaataaag	ttcttttttc	aggcaaaaga	tgtgcaaacc	catctgggga	agaaacatta	49560
aaaactaagg	agacagtgtc	ctagataact	atgttctttt	cctgttttag	tctaaaataa	49620
tgattagttt	tcttatatat	cttcatttgt	cttggttcct	tttagcccaa	tttaataata	49680
ttattgcaga	tattgatgaa	aacctttacc	ttcctcttaa	ttcatcaaag	tacttgataa	49740
aattttataca	tagtacatta	attgggaggt	ttttatgaga	tttaattaata	taatgaactg	49800
atgttgaaat	tattttaaac	ctgaattatt	attgtattaa	gtaggacact	taatacagtt	49860
aatcagttct	gtctttattc	atttgtgaga	atttttggca	agctattgtg	aatatttcagg	49920
gaagggaatg	tatttttagc	aggaatctta	tacctctctac	atagaaatga	agcatttact	49980
gaaacatcca	tgaacaaaaa	tgtttctgaa	tgtgtactat	acacttggtta	taagcccctt	50040
ttcttctgta	gctatatattt	ggagaaaaat	ctttgctttg	acaaaaaaaa	ttatgttgac	50100
ttacacatat	attttataac	taagcagtgt	ttggtttgtg	ataaaggata	caaaaatata	50160
aaaatgttca	gcacacgtaa	gtaaggcctt	gttgacagtg	tgagttatgc	tactggatac	50220
tcaaaaggaa	cattcagttg	tctcaggtgg	tctctagact	gtctcaagcc	taggaagata	50280
ttttataaag	aaaggaataa	gagaaggaag	attcagattt	aatccaagtg	aagaatttag	50340
ttttgtgtgc	tattttctgt	tattttgaga	ggcagccaaa	agatgctggt	cagcaaggag	50400
aattgtaaat	tggttcagcca	actctgattt	ctcaacctct	tagctgtttt	cttaaaactca	50460
gaatttttaa	tgaatttaaa	tgtccatatt	aggtagactt	tggttgatgt	tttaccagtg	50520
attttcagaa	tgttactttc	tggcattttc	tttcacgtag	catttatatta	aaaatgaatt	50580
cattcatcca	ccttcccctg	tccttactaa	ttttcccctc	tactcccctc	ccccttgttc	50640
ttgccatggg	gactgcaaaa	cactggtggt	tgtgtctga	gcaaggctgc	tgacaggggg	50700
aggaaggaga	tgtaagcag	aggtcaatgg	cagtgtgcc	agcagcctag	gaagttaggag	50760
ggaaaagaga	gagagacaga	gatggtggat	gaaagagaaa	gccaggatga	ttatggtggt	50820
tatgatactt	gtcatgctga	acaccaatt	gagcacccaa	taagcacata	ataatttaatt	50880
catcctctgg	cttggtatgg	agtgttctat	cagtgttgac	ttcctggttg	tgacagtttt	50940
acagtgttag	tgtagaagag	aatccttgct	ttagagaggt	acttactgaa	gtacttaggg	51000
ttaatgcacc	attgtgctgg	aaaaagatac	gcacacacac	gcacacacac	acacacacac	51060
actctcacac	acacgcacaa	atacatccat	gtgttaggca	gagggagcaa	atgaggtaaa	51120
atgttaacaa	ttaggaattc	tggttgaagt	ggatagaggg	actctttgac	tgttcttgaa	51180
acttctctat	acatttgatc	tgtttcaaat	tcttcagaaa	atcaaaactac	aaaaacttaa	51240
ttcatttagt	gaacatctac	tgaacatctg	tatatataat	agtgttaaat	gaatgtcaat	51300
taaaatgctc	aaacacagta	gaggttgatt	ctcattcaca	taagtccatg	gtaggtgttt	51360
ttggcagggt	ggtgagtttc	tcccttaggg	agatttagga	accagactc	ctcccaagtt	51420
gcagccccac	cgtcttctga	ggggatgcat	ccatacccac	ttcgaagtag	catacattat	51480
ttcctttctc	attccttttg	ataccagcca	caattttatt	aaggtagaca	gaaaattgta	51540
gtatatagcc	atatgccctg	acaaagaagg	gagaacagat	tttggtggac	aactagcaaa	51600
ctctgataca	atctgttatt	aagcactgtg	tgtgtagata	tgctaactag	aaggagatta	51660
tcttcccctc	agcaaatata	aactgaatgc	cgttttattg	gttgaaacta	agctagatca	51720
tgggagtata	gaaattttat	aagaagacat	agtcacttct	gtcagtgagc	tcaagaagaa	51780
ttagtatgctg	gaatgtaatc	atacctacag	ggggcttgtg	ccacttaagt	aaaatgaaac	51840

BIOL0139WSEQ.txt

attatTTTTga	gtacaatttta	gcaataaatg	tactacgaga	tcattaaaaa	tcatgttttga	51900
atgttattgt	gtcaaggatg	ggaaaaagac	ttttgggttg	tagacttgat	aattatagtt	51960
aaaaacagtt	tttattcttg	tttagtctta	ttttttatgt	ttaaacatat	ttatacttgc	52020
taacattttat	acttgctaag	taaagactgt	ttttacaacc	atgacaagaa	caaaacatat	52080
tagtaatgca	aatgccacat	ttcctacaat	caactaatca	cactaacata	tttgcattga	52140
agaatcactg	ggattgatct	ggccacgtgt	gtagtcatgc	ccaaaatgtg	aagtccatct	52200
gttttgcaat	tttttttaac	cactgttatc	caaagtctcc	ttggattttt	tttatttagtg	52260
gatatatttt	ggaggtcaga	caccctcttg	gctagatcat	cacctttata	acaaatatat	52320
atactattct	catggaaata	tatttagaca	ttgccctact	gggaattttt	ttcaagtaat	52380
taatgtacag	cttgtgcaac	agcttgatct	tggcttcatg	gaaataattc	actcttagca	52440
gcatctaattg	ccacaaagca	tttatggatg	tcagctcaga	acttactttt	atztatctct	52500
gagttacttt	tttttttttt	tttttgagac	agagtcctac	tctgtctttg	gcttgtccct	52560
aacctcttaa	cagacttaat	attaagctcc	atttcactca	gtcgttctgt	tgtcatataa	52620
ctgagacatt	ctacaagcat	agtttttagt	ttctgccaga	gcatcatata	acattgtgag	52680
ctatgatgaa	gataaagacc	tagagaagat	atttaaatatg	aagttcatta	tctaataattt	52740
ggtatgtgtg	gcaaaatagc	aatctactgc	ttggttctgc	tgtaatctat	ttaccacccc	52800
atcccatctt	tctttcaatt	taaaaggata	atgatttttag	tcacgattat	acataaaccc	52860
attaccatag	gcaataaaca	atggggcaaa	ccattgggtcc	catagttgga	gtgtgggtctg	52920
aagtgtgttt	tgggtggagag	agatctatgt	ctggagatag	ctaacatgga	tttggatccc	52980
agattctgtc	ctaccgtttg	ctgtgcctgt	gaccaaatac	tgtgatctct	ctggtttcag	53040
ttactttgtg	aataaagtaa	ataccttcat	caacacctgt	ttttgaatac	aatgtttttc	53100
tgtaatTTTT	gcttcttata	atgttataat	gatcatcctt	acatctaaat	cttggttttac	53160
attttcatca	attctttttg	aaagattgga	gaagtaaatt	ttggagatgt	atgtcggcta	53220
ttaaaaaatgt	ttaatttttt	aattaaaaat	taaaacgttg	aaaaatcctg	atgcaaaaata	53280
aatgcattat	gcttagtgaa	ctcttctcat	ttcgaagttt	attcaccttc	ttgtttttgc	53340
aagtttccctg	aaaaatgcat	ataaagtcac	taagttagca	gaactttata	aaatttatata	53400
actatatata	atcttttgat	atcagtgaag	ccagctgata	ctatagaaat	aatgtaggaa	53460
ttataatcac	tagcacataa	tttaagagtc	ctgtggctct	attcatgtta	tttaccctct	53520
ctgaatctta	catatagtaa	gaggggtatt	atacataata	tgtgtacatg	tatacaggta	53580
agtaagtata	tatgcttatg	tgtaaaagca	gagttattgt	gagagtcaaa	tggaaatgtg	53640
aaagtacttt	gtagtttttt	attactatta	ttaatTTTT	ataaaatggg	aacattcatt	53700
taataatcat	tagtttttaac	ttcagattgt	attctgattt	ctctagtatt	tcttaagatt	53760
agtgaataaaa	gtatttctcc	taataaatat	attgactact	gtctttcgtat	caaacatatt	53820
aggatatatt	ttacagtagc	atcaggcagt	gaaaatttga	agctctttat	agaggactga	53880
tttatgatga	aaaggaataa	catgaacaaa	tgggaattata	tgaagcttcc	ccagaaatat	53940
ctaagagggg	ccaattttta	gaaatatctg	acttcttttt	catggacatt	tcaaaaataa	54000
cctaactcat	atggtacagt	ttttaagagg	gaaaagaaaa	aaccatctga	gaatctcttg	54060
aatttctccg	aaagtatcac	ttggcatttt	attctacctt	ctggatgcag	ttgatttgca	54120
gtagtgttat	gatgccaggg	gtatagtga	tagaaaaaga	aaaccaggga	attcagtgtt	54180
cttgcctcatg	aagaacagct	tggttcttta	aaaacaatga	gatttttgcca	ccccatctca	54240
caaacctatg	atttgtgaga	acaatccctt	ttgtgttgca	agactttttac	atttctcttc	54300
ccacactata	ttagaagaat	aaacattgct	tcataagtac	cgattgatag	tctcattttca	54360
tatttttaaa	atagagttaa	tttaaggtta	aatttttcat	gtagattaaa	atgactaagt	54420
aaccattcac	atatttcaaa	taaaatatat	ttttactaca	aaaggaaaaat	aactagattc	54480
ttaagtgtta	tagtcaagtg	taattgagta	atatgaattc	taaatgaatt	tctaagatct	54540
gctcagcttt	cactacttta	ggaaggaaca	acttaagaaa	aatttttaata	aagatatctc	54600
ttcacacaca	tggcagtgtt	gtacttagag	aacatgaccc	aaaatttttt	atgactgcat	54660
attgaattcc	tgatactctt	gggaagctcc	aaaagcacca	gtggagtttc	cagatgtaac	54720
tgtggctgca	gacccgccag	tcccgtgtgt	ggaagggatc	attataggct	cttgtgtgca	54780
gactcatctt	cagaccacga	ggaattaaat	aacttgccca	aagtcgcaca	actttgtcat	54840
ggtaggttgg	gcactagaat	aaatattgct	ttttcttaag	agtttttagcc	tccgtattat	54900
gaaatcttct	atgttctgct	gatgatattc	cctttcttca	tctgttttct	atttttaagc	54960
aatggaaata	caaacttgca	actccccatt	tccaacacaa	cttagaaaaa	acaatattta	55020
aagaaaaaat	tacaggcatc	tcactctcct	tacctgacag	atgcttgata	gtaatggcct	55080
ctagataggg	atgacatcta	atataaatgt	gtcctttcaa	gtcaagcttt	ctctgttcat	55140
tagtagaaaat	attgtatatc	aagtgtgcaa	aaattttctt	caacaggggag	ctttgtttcc	55200
ctccttttat	tataacaatc	tgagctttgt	ggtcccaggg	tctcctagtg	cctgtcttta	55260
ggtctgttta	ttcacatgaa	gaaagcatgt	catatagtat	tatctaagac	tcaggctgct	55320
tatgcatgat	gacagaaggg	ttcccaggca	caaacattca	tccatgcatt	catccatcca	55380
cctattcatc	cattgatttg	gctgataatt	attgactact	gttgagtgtc	cctcagattt	55440
agtttctgtc	cttctgccat	ggggaaatat	ggggtttaagc	cacaacatac	tcttctcttc	55500
tttttctgca	ccttcttagt	atatttagtt	ccattttgtc	tagccctgcc	tctgacttct	55560
ttgttgact	tcagggtttt	tatcattgaa	agttatttct	ggatcataga	tcattctctt	55620
ggtcactttg	cttgttcact	tataaaaatta	attcagaaaa	aatgaccac	agtaattacc	55680
gtaaatcaca	gaccataaac	tataatactg	tatatgtgat	tatagtacag	aaatatatta	55740
actttaaaaa	gttttaataa	tagatattat	aaaaagatat	gtctcatata	agtaataata	55800
atactttttt	attacctctt	ctctccctat	tctccaggcc	agtgttttaa	aaatccatct	55860
ttatatgtcc	atcctggaaa	aaactcatga	tcataaatga	gtttctcaat	agagttttata	55920

BIOL0139WSEQ.txt

agcccacagt	tgaaacacaa	ttgtccttagc	atccatttag	ttgtcatact	tttaagattt	55980
aatggcaaat	attatgtttt	gtttcttcaa	aagaaatatt	ttaaaatttt	agtaaaggca	56040
gttagagaag	gtagagataa	tggaactgttt	aatcctactt	ttcatccac	aagtgaacaa	56100
aaaaatgata	aaacattttt	cccaaatgt	agctttaact	atacttaa	ttggactaaa	56160
atgggagata	tcttttctac	tattgaaaag	ccgtgtctgt	agattaatgc	taaaatcggg	56220
tgtaaaagca	aaatgtgttt	ggcttgattg	ccaatggccc	attcatttgg	ctacagaaac	56280
aatagcacat	agcaacagat	aatgatgtga	gatcacctag	ctcaagtaag	agtgtctgat	56340
ccgtcaaaaa	tatatacatc	aagattcaaa	agaaatgtgt	gttttctcaa	gtcatctctg	56400
taaaaataca	ttaaatagag	gaatagaagt	ttgactttga	aaatacattg	cagacccaat	56460
ccgtctttcc	tattttctgg	tgaaaagtat	caaataatgtg	gaacctggaa	ctgctattct	56520
ccttcttaaa	aatctttctt	aatattctat	tgataactgg	tgcaagccta	actttttgtc	56580
ttaccggatt	cttctcacac	caaagtgata	ggaccttcag	gtagcctttg	gatagaagat	56640
aaataataat	ttaaactattg	atggaagtta	gtattagaat	tagacttgga	agtctatgga	56700
ataaaatgat	ttacaacaa	tttgtacttc	agacattagt	ataacaaaac	atgtttgccc	56760
tgcatgcyg	aaacaaccaa	tttcatgtgg	atgcttatat	tcacaaagga	gtaaccacct	56820
gggggtttccc	actgttgctc	cagagaaaac	tagcagcagg	agaacttctc	tgaaggatc	56880
aagacatctt	taaaaaacac	ttgttaagtg	ttggttcagc	taaagcaggg	agttttcagt	56940
tagtaatggc	ttttaaaaat	taaaacaagt	ttagcatgta	ggtcattaac	cttgaatcac	57000
tgtcatgatt	attattaacc	atctgttctc	aaatcgaaag	atatttttct	tttctagatc	57060
acattttattc	tcacattgct	caatttcact	atatatcaag	acatgaaaac	tgtaaaaatc	57120
acaccttcta	cattattatt	tttattgaaa	aattccta	gaaacagtgc	gctctgggat	57180
agagaaagga	actaactgac	attttgcttc	ttacttgtt	tttatgcaag	ttctaagtgg	57240
tttctggcca	tgtacataaa	agacaaatat	ctggaaaaaa	aactagcaga	agtcagttat	57300
ttggctctat	ctactttgag	aattatgtta	tataaatgtt	aggaaatttt	ttgtaatat	57360
cttatttaga	aatgaaatat	aaaaagtttt	aaaaatatct	aaggacagta	tacagtccta	57420
aagtaaagct	gttaggtaaa	tgctacacaa	tcctcttatt	acagagtcac	ttacctgaga	57480
atataagaag	agggcctctt	gtttaagagt	aaatgtgagc	tgcaatcagg	attctgcact	57540
catttgagaca	cttagttttg	tttttccatg	actgggtgtg	cctgttactg	agacacctac	57600
ctgtcatgtg	accacagctt	atgtttacaat	gtgtctagtc	agacttagag	atgtgtgaaa	57660
gagcagtacc	tagacgggaa	actatgggtc	tataaagggt	ttgccttctt	gggaggagtt	57720
caaactagga	agccacaaaa	cttccagttg	cattttcaca	gattaatgaa	atatatttta	57780
cacttttctt	gaagatatatt	tattttgtgc	aaaccttgtt	acaaagtaca	gccagttgat	57840
taatcgatga	agtgtattgt	agtggattct	tatatattgt	gtaagggtat	atgtgaggcc	57900
ctatatatga	ggctttctat	ataatgaagt	ataattcagt	tcagcatttc	aattcagcaa	57960
tcacttattg	ggcctctact	cagttgcctt	cagggcttta	taatttaatt	gataaaggga	58020
ggtaatttaa	ttaattataa	caacagatcg	cttaatatgt	taactactaa	tttaattaat	58080
gacaaataac	aatacattaa	aagaaatgca	ttaataaaaa	taatatattg	gtgttataga	58140
caataattttt	ctgattaaact	ttattattat	ttattcaata	gcttttgggg	agcaggtggg	58200
ttttggttat	atggagaagt	tgtttaggta	tgattttctga	gattttggta	cactcataac	58260
ctgagcagca	tacactgcac	ccaatgtgta	gtctttcatt	cctcaccttc	ctcccacctt	58320
tcccctcaag	tctccagagt	ccatttatatc	attcttatgc	ccttgcatcc	tttagtttag	58380
gtggcagtta	taaatgagaa	catgtaatgt	ttggttttcc	actcctgagt	tacttcactt	58440
agaataatgg	ttccaactc	tatctacgta	gctacaaaatg	ccattatttt	gttccctttt	58500
atggctgagt	agtattccat	agcatccaca	cacaccccc	tatgctttat	atatatatgt	58560
aaatatatca	cattttcttt	atccactcat	tggttgatgg	gtatttaggc	tggttccata	58620
tttttgcaat	tgtgaattgt	gcagctataa	acatgcatgt	gcaagtgtct	ttttcatata	58680
atgacttctt	ttcctctggg	tagataccta	ggagtgaggat	cgctggaaca	aatgattgtt	58740
ctacttttag	ttctttaagg	aatctccata	acttttccat	gggtggttga	ctagttttaca	58800
ttcctaccag	cagtgtaaaa	aaatgttccc	tttttaccac	ttccatgcca	acgttttatt	58860
ttttattttt	taatttatggc	aatctttgca	ggagtaagggt	ggtatcacat	tgtgggtttg	58920
atttgcattt	ccctgggtcat	taaagatgtt	gagcattttt	tcatatgttt	gttgggtgtt	58980
tgtctatctt	cttttgagaa	ttgtctattc	atgtccttag	cccacttttt	gataggatta	59040
tttggttttt	cttactgatt	tgtttgagtt	ccttgtagat	tctggatatt	agtcctttgt	59100
cagatggata	gtttgcagat	atttctccca	ttctgtgggt	tgtctgttta	ctctgatgat	59160
tatttctttt	gctgtgcaga	agcttttatag	tttttaggtcc	catctattta	tcttttttgt	59220
tggtgttgca	tttgcttttg	gtttctttgt	catgaactct	ttgcttaagc	cagtgtctag	59280
aagagtttta	ccaatgttat	cttctataat	ttttaagggt	ttgggtctta	gatttaagtc	59340
tttgatccat	cttgagtgga	tttttgata	agttgagaga	tgaggatcca	gcttcattct	59400
tctacatgtg	gcttgccaat	tatcccaaca	ccatttggtg	aataggatgt	cctttcccca	59460
ccttatgttt	ttgtttgctt	tggtgaagat	cagttggctg	taagtattta	gctttatttc	59520
tggattttct	attctgtctc	attgatctac	atgtctatatt	ttatagtagt	accatgctgt	59580
tttccctaact	atagtcttgt	agtatagttt	gaagttgggt	aatctagtgc	ctccagattt	59640
gttatttttt	gcttagtctt	gctttggctg	tatgggctgt	tgttttgttc	catgtgaatt	59700
ttaagatttt	ttttcttggt	ctttgaagaa	tgatgggtggc	attttgatgg	gagtcgcatt	59760
gaatttatag	attgtttttg	gcagtgtgct	cattttcaca	atattgattc	tgccaatcca	59820
tgaataaggg	atgtgttttc	attagtttct	gttgtctgtg	atttctttta	gcaatatttt	59880
gtagttttcc	tgtagagatc	ttccacctct	ttgggttaggt	atattccta	gcattttttt	59940
tttttgagc	tgttgtaaaa	aggctcaagt	tcttaatttg	attctcagtt	ttgttgctgt	60000

BIOL0139WSEQ.txt

tggtgtatag	cactggtact	gatttgtgta	cattgatttt	gtatctggaa	actttactga	60060
attaacttat	cagatctagg	agcttttttg	atgagctttt	agggttttcta	ggtatacaaa	60120
catatcatcg	gcaaagagca	acagttttgac	ttcctcttta	gcagtttgga	tgctctttat	60180
ttctttctct	tgtctgattg	ctctggctag	gatttccagt	actatgttga	atagaagtgg	60240
tgaagcagg	cattctgtgc	ttattccagt	tctcggggga	aatgctttca	aattttcccc	60300
cgttcaatat	aatgtttggc	gtgggtttgt	cataagtggc	ttttattacc	ttaaggtgtg	60360
tatcttatat	gccagttttg	ctgagggttt	taatcataaa	gcaatactga	attttgtcaa	60420
atgctttttc	tgcatctatt	gagtttatca	tatgattttt	gtttttactc	ctgcttatat	60480
ggtgtatcac	atttattgac	ttgcatatgt	taaagcaacc	ctgcatcccc	ggtatgaaac	60540
ccacctgac	atggtggatt	atctttttga	tatgctgctg	gattcattta	gctagtattt	60600
tattgaggat	ttttacatct	ctgttcatca	gggataattg	tctgtagttt	tctttttttg	60660
ttatgtcctt	ttctggtttt	gatattaggg	taatactggc	ttcatagaat	gatttaggga	60720
ggattccctc	tgtctctatc	ttttggaaca	gtttcaatag	aatttgtacc	aatttttctt	60780
tgaattttctg	atagcattca	cctgtgaatc	catctggctc	tagacttttt	ttgtttctctg	60840
acattttttc	tattattgtt	tcactctcac	tatgcattat	tggctctgta	ataattttcta	60900
tttcttctctg	ttttaatcta	ggaggtttgt	atataatgcag	gaatttgtcc	atctcttctt	60960
ggttttctag	tttgtgtacg	taaatgtgtt	cacagtagtc	ttgaataatc	ttttttatatt	61020
ctgtgggtatc	agttgtagta	tctcccattt	catttctaata	tgagcttggt	tagatctttt	61080
ttcttgtttt	cttgggttaat	cttgccaatg	gtctattgat	tttgtttatc	ttttcaaaga	61140
agcaggtttt	tgtttcattt	atctttttgta	ttgtattttg	tgtttcaatt	ttattttatt	61200
atttattttat	ttttattttt	atttttttgag	atggagtctc	actcttggtta	cccaggctgg	61260
aatgcaacag	tatgatcttg	gctcactgca	acatctgcct	tccaggttca	agtgattctc	61320
ttgcctcagc	tgcccagagta	gctgggacta	caggtgcctg	ccaccacacc	tggtctaattt	61380
ttgtattttt	agtagagacg	gggtttccacc	atgttggcca	ggcagggtctc	aaactcctga	61440
cttatggtga	tccgcctgcc	ttggcctccc	aaagtgtctg	gattacagggt	gtgagccacc	61500
acactaagac	tcaattttat	ttattttctat	tctgatcttt	gttatttctt	ttcttctgct	61560
gggtttgggt	ttgctttgtc	ttgtttttcc	agttcctaga	ggtgtaagct	cagattgtct	61620
atttgtgctc	tttcagactt	tttgatgtag	atattttaatg	ctatgaactt	tgctcttaac	61680
atggcttttg	ctgtatccca	gaggttgtga	taggttttgt	cattattatt	gttgaattca	61740
aatattttta	aaattttcat	ctttcttgat	ttcattgttg	acccaaagat	cattcaggag	61800
cagattatct	gatttccatg	tatttgtata	gttttgaggg	tttcttttgg	agtttaatttt	61860
taattttatt	ccactgtggg	ctgagagaat	acttgatata	attttgattt	tcttaaatatt	61920
attgagactt	gttcatatgg	tctgtcttgg	agaatattcc	atgtgttgat	gaaaaggatg	61980
tagttgttgg	gtaggatttt	ttgtaaata	ctgttaagtc	catttgttct	agggatatagt	62040
ttaagtccat	gtttctttgt	tgactttctg	tcttgatgac	ctgtctagt	ctgtcagttg	62100
agtactgaag	tccccacta	ttattgtgtt	gctgtctatc	tcatgtctta	ggtctagtag	62160
tgattgtctt	ataaaattgg	gagcccaagt	gttagatgca	tatacactta	agattgtaaa	62220
tttttctgt	tgaactaatt	attttatcat	tataaatgt	ctctctttgt	cttttaaat	62280
tgttgttgct	ttaaaatctt	ttttgtctga	tataagaatt	gctattcttt	ctcactttga	62340
gtttccattt	gcatggaata	tctttttcca	cccctttacc	ttaagtttat	gtgagtcctt	62400
acgtgttagg	tgagtctctt	gaagacagca	gatacttggg	tgatggattt	ttatccattc	62460
tgccattctg	tatcttttaa	gtggagcatt	taggccattt	acattcaaca	ttagtattga	62520
ggtatgagg	actgttctat	tcatcatgat	agttgttgcc	tcaataacct	cttgtttgtg	62580
ctgttgttaa	ttgtttatt	attttatggg	tccgtttaaa	tttatgcttt	aaggagggtc	62640
tattttgatg	tattcaagtt	actgtttcaa	gatttagagc	tccttttagc	atctctcttt	62700
gctggcttgg	tagtggaata	ttcagcattt	gtttgtctga	aaaagacttt	atctctcttt	62760
catttatgaa	gcttagtttc	actggataca	aaattcttgg	ctgataatta	ttttgtttta	62820
gaggctaaat	atagggccca	atctcttctg	gctagcaggg	tttatgctga	gaaatctgct	62880
attaactcgc	tatgttttct	tttataggat	acctgatgct	tttgcctcac	agctcttaag	62940
attctttcct	tcatcttgac	tttagacaac	ctgatggctg	tgtgcccagg	tggtaatctt	63000
tttgcatgga	atttcccagg	tgttctttgt	gcttcttata	tttgatatc	tagatctcta	63060
gcaagactag	gaagtttttc	ttgattattc	cctcaaataa	gtccttaatg	acccactat	63120
ataacatgaa	atatctgtta	ttggtactga	ggtgctggcc	acaaacaatt	ctgtgtgtcc	63180
tgaaaactct	tcagaatatt	cgtcatcttt	agcacttgtt	atcttagtgt	ttgggcttgg	63240
cttagagtga	tacatctcat	aacagggcaa	cagaaagaac	caggaaccac	gatttatata	63300
acataagtca	gtaaaactag	aggcaccaga	ggtttacatt	tacattaggt	tacattttct	63360
aacaggtagc	aaagcacatg	aatgaagttc	agtggaaggc	cttctctcagg	aatccagtaa	63420
aaaccaaaca	tacacacaca	cacacggaca	tccgtgaggc	aggaagggat	gtccactata	63480
gtacagacaa	gcaccttgga	aggccatcaa	ggagttagtg	ggtttcagtt	gcctcaggaa	63540
tgtggcatgg	acccaaacta	agttagtaca	gatacttgct	attgaggaga	agattcaaaa	63600
tagcatccta	ggtgtaaaaa	ctgaggcacc	tggggcaggc	gaactagggt	tctggaatgt	63660
tggcttaaaa	gcacccctct	caggaaaggc	ctcatatgcc	atgcaggggg	ttatatatgt	63720
gttgtgggac	acagatggca	aggagataat	tctatgcacc	aggctccact	actaacagggt	63780
aaacagacca	acattaacag	agacttaggt	aaaaaggtag	gtgcccagtg	gtcagttctc	63840
aggcacttcc	aagatgcacc	taacagaaat	gtaacttggg	gtctatttgt	tcctaggtct	63900
aacaactgaa	gagaagtgaa	ttagtacctc	ttgtggacag	agaaacaggg	gcagagacc	63960
attacaaagc	tgtctcagat	aggcatttga	agctgtttta	gtatgtagag	gcttaagtca	64020
ggctgggttct	gaaatgtgag	agagggttta	gcttcatggg	aaatcagcag	ggtagtttgc	64080

BIOL0139WSEQ.txt

tatTTTTtAT	tataaccaat	ctcacaatag	tttgggacat	caaatatcaa	attgtttggga	64140
atatttatcc	atattagtct	ttttgccact	aatatTTtAA	aatagtTTtAC	aatataacaac	64200
aaaaagtTgt	aaaattttcca	tctccactta	atcgatcTTA	tgtAACccat	acaataacatc	64260
aaatgtccTT	tccccactTT	atgtTTTTat	ttgctTTgtc	aaagatcact	tggctgttag	64320
catttgggtt	tatttctagg	ttctctattc	tgTTTTattg	gtctgtgtgc	ctatttttAT	64380
accagtGCCA	tgctgttttTg	gtgactatgg	ccttatagta	tagtttGaaa	gcaggtaatg	64440
tgatgcctcc	agatttttct	ttttgcttaa	tcttgcttTg	gctatgtggg	ctcttttttTg	64500
gttccatatg	aatttttagga	ttgttttttc	tagttctgtg	aagaatgatg	gtggtatttt	64560
gatgggaatt	gcatttAatt	gtagatttct	cTTggcagta	ttaccCaggc	ttttcttatt	64620
ttggcaccct	gtgctgtctg	ctccttttcc	ttctttctgc	ttctcttAAC	caactgttac	64680
ctacacttca	atactttctg	aggGcaattc	atcctccagt	aagtctccct	gaatcttctc	64740
ttccttccct	ggcttattat	atatccttcc	tcttggttcc	catagcacct	atgcacactt	64800
ctgtcattgc	acttgccaat	ttgttttata	atgatctgct	catctgtctc	ctcacttaga	64860
ctatgagctc	actgagagca	atggctgtTg	gtatccctt	atatcctcaa	caccattctg	64920
aaggcaagag	aaagaatacc	cagaggtgga	gctgggaagc	tggttgtcca	agtagtgaat	64980
gactctagtt	tgaattgaac	tctatagcca	gtgggcaatg	tggatgtgtt	gacagtTTTT	65040
taacagggga	ctagtGaaaa	cacattttTg	gtttagaaaa	aattgcaagt	ctgatgacat	65100
acataggaga	agagattaga	gataggaatt	tcacttcaga	aatttAACca	caagagcaag	65160
tgacagatca	cggaaGctg	aaccagacta	taaagtgtag	aatagagaaa	aaagttaaca	65220
atttgggtgt	gaaaggGcg	gggagagagg	gactaaGtgt	gactaaGtgt	ggatctgttt	65280
ttaaggattg	aatggaaatt	tgagcatttt	agctaatacag	gcctaataatt	gagcaaagca	65340
aaactctTgc	aaattgttat	ttcaagtgtg	ggctgagaaa	atgaaaaaat	ataaatctctc	65400
acgttataac	ctcttccgtg	tgtctgattt	gatagaatcc	agccccattg	cctccaaatt	65460
ccattgcatc	ttagaccagc	aaacacaagt	gaattctact	taaccccgaga	attctgtatg	65520
aaaatcttAc	tgccTTTTt	tttctaatac	tgtgtcaaag	tgtgggaaga	actttttatt	65580
atgttttAat	aaattgtcag	tataaccatt	ttactctgaa	aatattataa	tttttcaagt	65640
aaacaaattg	tttctctaag	ttgaaaattt	tatgatggaa	taaaagtatt	tttctcaaaa	65700
acacatagaa	attttacaac	aatatttttag	agttaaactaa	atgtttcttt	agtagtttag	65760
tcacttAAAA	agtgatatga	ttatgaaaat	acttaaacctt	tgtcttttaa	ctattttctaa	65820
taatgctatt	ggtataattt	catatttttA	tactgatctt	ttctccaaac	tttagtaaaa	65880
catacttctg	taaacccttg	cccacaaaac	tgaagtccac	atttacttct	gaatgactga	65940
taagtttgta	aaagtattgca	tgaatttctg	tattaaattA	aagtttttat	tatattttat	66000
gcacaatggT	ataaattatt	aaattaattt	tcaagcttat	agaacattga	taaagattgt	66060
cattagaaaa	ccctgagttg	attgtttatac	attacataac	ctttcattgg	tggatttagt	66120
aatatgtttat	agggtgacca	tgaatccaaa	gaatcaaagc	tggctacagc	aaacagaggg	66180
tcaaaaggat	atggaactat	gcatgatcca	gcaaaacact	caatatctgt	tttcttgga	66240
tgttaaaaaga	caaagaagaa	aacttggggg	acatatagtg	catatagttc	tggttctttA	66300
agaataaaaa	tatgggGcg	gcccggTgc	tcatgcctgt	aatcccagca	ctttgtggga	66360
ggccaaggcg	ggtggatcac	aaggtttagga	gttcaagacc	agccaggcca	acatagtga	66420
accctgtctc	tactaaaaat	acaaaaaaaa	attacaaaaa	aaatacaaaa	aaaaaaatag	66480
ccaggTgtgg	tgacaggcac	ctgtattccc	agctacttgg	gaggctgagg	caggagaatc	66540
acttgaaccc	gggaggcaga	ggttgcaTg	agccaagata	gtgccactgt	gctccagcct	66600
gggtgacata	gtgagactct	gtctcaaaaa	aaaaaaaaag	aataaaaaca	agaatggtca	66660
gagtcctagt	accttgtcca	gtgtagtgtc	gccttgagat	tgcattgcaa	tctgtctgag	66720
agatagtaaa	agaaagtgat	accttccttA	gccctgtttc	tcttttagact	atgctttccc	66780
ctctccaagt	taatactctc	cagtctaaag	cctgggaaaa	ggtgccaatt	ttgtttttct	66840
ttcttctca	cacctcctag	aagttacact	gggacactat	tacttttttc	caggcttttg	66900
ccatgtgtat	tgttttggag	agtcaacttc	cttttttctt	tcattctgca	aatagttttg	66960
agctgtcact	ctgtataagg	tgctataaaa	cttacaggTg	catttttacct	gcctattttc	67020
tataggccac	gatttaacaa	aatgttcata	aatgagaatt	aggagtgcac	gtattgaatc	67080
accacacatt	aactgaacag	ctttcattgg	ccagagacta	tattgacagt	ggagattcaa	67140
agataaaacta	gagaaatctc	atgcttaaat	aactttctat	aataaaattat	ataagagaag	67200
taggttcagg	gatcttggga	gctcagaagc	aggatgagtt	aaacaaaagt	tggatttttg	67260
ctttagcttg	gtttcattat	cctgaaggaa	gagcctgaaa	tatagtgtag	ggtgcaagta	67320
gtatatgtgg	gtggcaatct	cgggaaacag	gagcatgtga	tgaataagga	gaaaaagcca	67380
atataaaggT	actgcattga	gggcaatgag	ggctctaatt	ctctgcacct	tctcaagcat	67440
tgtgcagatt	ggttttctgg	attatcagcc	tgaaggacaa	aacgaagaaa	cagccatttag	67500
ctcctgtctc	ccattgtctg	agagctgcca	ctaggatatt	aacttcctga	aattctgcag	67560
aaatctcctc	ttactttggc	actggagatg	cccatacgca	gaaagcaaaa	aggcacagca	67620
tatttaagga	agctcataag	aaacagtTga	tccagaagtg	gcgagaattg	gaggaattga	67680
catgagactc	taagaaccag	cgccttttgat	ttctcttttg	atctgtttatg	tagctcttct	67740
tgtacacagg	tgagcaaagg	catgtctggac	aaatggattc	acatgtgcta	aagcatgggg	67800
caaaaaccac	atattaattc	aggaaaagac	aagatgcgtg	gccctctctg	tctctgtcta	67860
agggTgaatt	aaagagggga	tatatgtaca	gagtggcagg	gcaggacttg	agataagaag	67920
gctaggtggg	tgctctcatg	ctagtagcat	tatagtacag	gtgatgagaa	gctcctgaag	67980
aatcatctta	acatttgtat	tttagagcaa	cagtattTga	ttctgactta	gagacagcaa	68040
aactaaagac	agaaaagacta	ttttgattat	taatgatgta	gatataagaa	tatcgtcaat	68100
gtgaactaaa	gcatgaagct	acttatgata	tatcattaaa	aggatttAAC	tgattggaga	68160

BIOL0139WSEQ.txt

caaacgagag	ggatggggaa	aagaattcat	ttgttttttag	ttgctctttt	tttctacttt	68220
attcctttgt	tccgagtggt	aataaaccttt	gtaaacctttt	atactaaaac	attctgtctca	68280
ttcatactta	tttctttgat	gaaacaagga	aacccttgta	tagttataaa	cgtgtgaatc	68340
aatttaaata	ttaggaaatt	tttttaaata	aagctagttt	tctgaagggg	aaaaacttgg	68400
ttcaattttt	tgctggcaat	ctgctttgtg	atttttgaac	atgatatcta	catctagact	68460
catgttttgc	tagctggaat	tttttttcaa	attaacgcta	ccattattat	atgctttact	68520
atttagcttt	tgcagccttg	gaaatctatg	attaatacaa	ataattctct	atggcaattt	68580
taaaaataca	tgtaaaagcc	ttcaatctac	attgctactg	tgctgtagca	caaaaaaaga	68640
aaatgtgata	aaattttta	aaaatctaca	atttattccc	ttctaaatac	agtcctagct	68700
caggagaaag	gaagctattt	gtatttttca	gaatcaaatt	tccctaaatg	aatatagaga	68760
aagaattata	actgaaatat	tggtgaaaca	gtggctcatc	caaactctga	ggtcattcca	68820
aaaaagtttc	tgagttttca	ttgcctcaat	ctaaaagttg	gccttttttg	taatagatga	68880
aagtaaaata	attgaaaggg	tctgttgca	ttttggaata	tcttgaaaat	atagtagagt	68940
gaagccttct	tcccttaaat	aaaagacaag	ttgtctattg	ttttctttct	agccagataa	69000
gaataatgcc	ttctttctct	tgttagtctt	aacacctcac	ttgttactat	gtgtcagaaa	69060
ggcgagacac	cataaatgga	gatactactg	atggagggtca	tctgacatgg	ggctggtagg	69120
cagtggaag	actggtatgg	acacaggtgg	cttaggggtt	ggggaatgat	atggaactaa	69180
ggaaatgata	attagcagaa	cccagtggtc	atgtgtgtgc	attcgtgtgt	ccgtgtatgt	69240
gtgtactgta	gcacaatgca	agaaagaaaa	aacaaggcag	acttttccata	atttcaggga	69300
taaataaatc	ctttatcact	tcattgtagaa	tattggctac	ttggagggtat	atctaaacgt	69360
aaatatataa	ctatatatact	acatgcta	tataaaacata	caaagaagaa	gtgcctaaag	69420
aattacaaca	gaaagtggca	tagtgattat	tagagtta	ataatataaa	taaggccagg	69480
catggtggct	catgcctata	atcccagcac	ttttggagggt	caagtgtcag	ggatcacttg	69540
aggacagggg	atagagacaa	gcctagccaa	catggtgaaa	cccattctcta	ctaaaaatac	69600
agaaattagc	tgggtgtggt	gatgggcgt	ggtaatccca	gctactcaag	aaactgaagc	69660
aggagaattg	cttgaacccg	gaagctgggg	ctgcagtgag	ccaagatcgc	gcactgcact	69720
ccagactggg	tgacagagaa	agaccgggtc	tcaaaaaatt	aaaaaatagt	ataaataata	69780
tttcaaaaca	caagtctgtt	aagataaaaag	gtacagagga	atggtgagat	gactttttta	69840
tttgtgtgat	aagggactgt	tttctgtgat	tgtgagaaag	accaggagtt	aagaaaaagt	69900
ggccatcaat	aatcagcca	cttatgggga	agaaccataa	accactctca	gatgaaatac	69960
aaatgcagtc	attattta	attattggaa	tatttgtatt	agttttttgt	atgtgtctgt	70020
agtgtcggta	catttttagta	gtcaattaat	attttgttaa	tcttaatttc	taactaaatt	70080
ccagagtga	atggaaataa	taatgaaaaa	atttttttta	caaaacagat	tttgtttttt	70140
tctgttaaga	atgatacaca	gttgccttc	agtagccata	ggggatttgt	ttcaggacct	70200
cccttgggta	ctaaaatctg	cagatgccta	agcccctgtt	ataaaatggc	ttagtatttg	70260
tatataacct	atgcacatcc	tctcatatac	tttcaatcag	gggtcccca	cccaggggcc	70320
atgaccagta	ctggtccata	gcctgttagg	ctgttcgata	ccaggctgca	cagcaagagc	70380
tgagctcctc	ctcagtgtcag	ctcagtgtgt	gcattagatt	gccataggag	cacgaaccct	70440
attgtgaact	gcacatgtga	gggatctagg	ttgtgcgctc	cttatgagaa	tctaatagata	70500
aatgtaatgt	gcttgaatca	tcccaaaacc	attccccttc	ccctcaccat	ccctgtccgt	70560
ggaaacattt	cttcagaaaa	accagtcctt	ggtgccagaa	aggttgggga	ctgctgcttt	70620
aaataatctc	tagattactg	ataatgccc	atacaatgta	aattctatgt	aaatagtttt	70680
tatactatat	tgtttagaga	ataatgaaaa	gaaaaagtct	acatgttcag	tttaagttgt	70740
gataagtgtg	tagagaaaa	ggaacccttg	tacattgttg	gtggaaatat	agatttgtgc	70800
agtcattatg	gacaatagta	cggaggttcc	taaagaaatt	aaaattagaa	ttacctaa	70860
cccagcaatc	cctcctctgg	atgtacccaa	aggaaataaa	atcatcacct	cataaagata	70920
tctgcactgc	tatattcatt	gcagcattat	ttacagtagc	caagatatgg	aaaccaccta	70980
ggtatgtgtt	ggtgcatgaa	tggataaaa	aaactgttgt	atatgtatat	acaatggaat	71040
attattcagc	cttaaaaaag	gagaagacc	tgtcatttgc	cacaacatgc	atggacctgg	71100
aggatattta	gctgtgggaa	ataagtccaa	cacacatcca	cacacaaaa	tgcataatct	71160
cacttatatg	tggaaatctaa	aaagaaaaag	ttcaaatata	aagttagaat	aaaacagtgg	71220
ttaccggccg	gatgtggtag	ctcacgcctg	taatcctagc	cctttgggaa	gccgaggtgg	71280
gtgaatcacc	tgaggtcagg	agttcaagac	cagcctgacc	aacatggtga	aatcctgttt	71340
ctactaaaag	tacaaaaatt	agccgggcat	agtggcaggt	gcctgtaatc	ccagctactc	71400
aggcagttga	gaaaggagaa	tcacttgaac	tcaggaggca	taggttgtag	tgagccgaga	71460
tggcgccact	tcactccagc	ctgggcaaaa	gagcaaaact	ctgtctcaaa	ataaaaaaac	71520
aaaaaacaca	gtccacacac	tggttaccat	gagttaggtg	gcaggaggga	gattgggaga	71580
tgtagatcta	aggatacaaa	gtagcagata	tgtaggagga	actaaaaagc	tgacatgcag	71640
gatgacaact	atagtttagta	atagtgtatt	gtattcagga	tttttgctaa	ttgagtagat	71700
tatagctgtc	cttgccacag	gggaaaaagt	gggtaactac	gtgagataga	caatggatgt	71760
gttaattttt	gtactataaa	taaccttttc	accatatata	ttcatcttat	aacagcatgt	71820
tgtttactgt	aaatatatac	aataaaaatt	attttttaaat	atctgagtat	gatttgatga	71880
tttgtgaaaa	tagagtgaat	tataataatt	ttaaatgtaa	gttaatgtta	ttagaaaaga	71940
aacagaaaga	acataccaca	cagaaagtct	gtctgaagga	tctttgtttt	ctccaccaat	72000
acaagtgttc	attgattcag	aggtggatta	tgagatatga	ccataaaaca	aaaatttcaa	72060
gggaaatata	ttttattcaa	tgaaaaattc	tcaacacaac	tgttatatgc	cagtaaacac	72120
tatatctttt	aaataaccag	tcatatctat	tatatttaaa	attcaaggag	agactacatt	72180
agagatgcta	ttagatcaac	ttctaatttc	aaagattttc	aagatatgga	acagttactc	72240

BIOL0139WSEQ.txt

cttatacaaa	ttaaaaaagc	aatgctgaa	gaaattcagc	tacatggata	caccatgagg	72300
tggaaagatg	ctccataaact	cttagttaa	ctgcactaat	tacacataaa	aggaaaaatgt	72360
ttcattttcag	tgtaatttgg	aaaccaaaga	aagaaaagac	tgaattttta	catactgtta	72420
aagagattgc	gtatctgttc	taagtttaag	acagaggcaa	aatgtatttt	attcattttgt	72480
cctgcaccgt	ttagaaataa	aattcaactt	ccttttaatt	ttttttaaga	ataaaaaact	72540
cagtctaagg	aaagtcttaa	agttttcatt	ttaagtgatc	cactgttcta	gaagtttaaat	72600
attttgttta	aaatgtttat	gttctgtatt	ccaccaagtc	tagtttttaa	acaaaaacaaa	72660
caacaacaaa	atacttctct	aacttggagt	ttaaggtgaa	agaaaccaat	tacgtgggtt	72720
ggaaatgtca	cacttttcat	ctctttttta	aaaaaatttt	taattcagga	cagaaattgt	72780
atggatttag	tgtaagtctt	gggatctcac	aagtgtcagt	atttcactct	cctccatatt	72840
ttgatagcaa	taacttgaaa	taggatctca	gtagctcaag	caatactggg	ctctgagagt	72900
tggttaaaaa	ttatttggct	gagcgcctgt	tgctgagggg	agaactaatc	tcgagcatat	72960
ttttggagcc	aaataccaaa	ttgtttgtgc	ttagcaacac	agcaccaggc	ttgcccttca	73020
gaatgattct	agaccaaagt	ccagaaatgc	tctggttctg	actacagagt	tctattcaca	73080
aatgacagga	ggcaagaggt	cctcctcact	ttcagaagaa	aggtcctttg	ctttcttagt	73140
caatggtagg	aaaaccattg	tggttttcat	tgcattacat	aatttttaag	gtgattactt	73200
caataagaag	tgctctgtgt	atatgtgtgt	ttatagacgc	atttttttaa	cactggagaa	73260
tttctgaaa	tagtacaac	cctgtaatgt	caagtagatg	tgggaaaaag	ggagtttaca	73320
acattctctc	ctgacattgc	tctccttttg	catctgcatt	tttaaaatgt	taaaaatgtt	73380
taaaaacgtg	tgcttaacac	ttaatttggg	gatagttgct	gttaccaagg	caactctgta	73440
actccaccga	gataaaaata	aatcttgaag	atgagtttct	gtgtctctga	gcaaatattt	73500
ttgtgaatag	tagaagcaga	gaaagttaa	gatacctgag	cttttgatct	ttactagtgt	73560
tatagatatg	tttatagtta	tacattttta	ttcatacatt	ttagataaat	aactttgtaa	73620
agcaattgat	tcttcttgta	aaaatcaagt	atattcttaa	tagactgata	aactttcttt	73680
ttttgagaca	gagtcttgct	ctattgccc	ggctggaata	cagtgccatg	atcttggctc	73740
actgcaacct	acctctgcct	cctgggttca	agcaattctc	ctgcctcagc	ctcttgagta	73800
gctgagatta	caggtgcatg	gtaccacacc	ccactaat	ttgtattctt	agtagagatg	73860
gggttttgcc	attttggcca	ggctctgaga	aactttttta	ggctctcttt	gcagccagct	73920
atttgtctac	cttatitcat	tcttaatctc	actagccaat	attttttctg	tttaagtgtc	73980
ttcagcaaat	attaaatgct	tgtgccttca	gtcttatcct	gtggaaacac	tggtaatgac	74040
aaaaacacat	atttcaacct	aatatacaat	agaaacagaa	tgccagttat	tcattggagga	74100
gaagaataga	cttctgtatt	taaaataaca	ttttgctctg	tgtttttaaa	tcattcttcc	74160
ttcatcaatt	gtaagcatct	tgactataat	ttatacacct	aaagataaat	aattcagtag	74220
caatgataac	tgaaaacagg	acacatacaa	tgaactagct	aaattaccat	acattctcat	74280
ccatttcaaa	aatagctctg	tacttttttc	agattttgtt	agaagaatat	tcaatacaaa	74340
tttttattca	atgaacactt	cagatgtcaa	gattgttacc	cacatggaca	acagtaacct	74400
aggtaaagat	tctgcagcca	ggcgtgggtg	ctcacacctg	taatcccagc	actttgggag	74460
gctgaaggcg	aggtcaggag	aggtcaggag	atcgaagacta	tcctgggcta	catggtgaaa	74520
ccccatctct	actaaaaata	caaaaaatta	gccagggtgtg	gtgtcatgtg	cttgtagtcc	74580
cagctgctcg	ggaggctaag	gcaggagaat	cgcttgaacc	cgggagggtg	aggttgcggt	74640
gagccgagat	tgaccactg	cactccagcc	tgggtgacag	agcgagactc	tgtctcaaaa	74700
aaaaaaaaaa	aaaattttat	acctgggctc	tgtgtctacc	agcagaaggg	gtaacatggc	74760
ttcttaggac	aacctttact	gacctttact	ttctttgaca	ctaggggtat	tcttagatca	74820
gcaggtcctt	ccctccactt	atgcacatga	ggctcacaga	gagtctggga	ggcagggaat	74880
ttatgattgg	aaacagtata	ctttttatct	aagaaattat	taatgtcact	gcattcaagt	74940
gattaacacc	atcaatatct	tcaagactaa	ggggattaca	tgatgtgtaa	aattagaaaa	75000
ctgtcatcta	ctagtggcta	ggcactttta	ttatattaag	catgcaacaa	gagaactctt	75060
caaatgaatc	catctctcct	ctgtattatt	tccaaccctt	ggaatccccat	ctgtttctgc	75120
agacaacagc	tatgtctgtg	aatgtcttaa	tggtttctg	cccaactag	cttcaactga	75180
ctgcagggtca	agcatagcat	cttactcttc	cctgcatctc	cagcacctct	cagaatgttg	75240
gtcacataga	agatgtttgc	tgaggagttg	aataagaata	tgtacaaggg	acacaattag	75300
cattgtttta	aaaagatgta	acaagatagg	gtaaaggaaa	gctttggagg	ataaatcttt	75360
agaacaatca	ataatatctt	ctcctctgtt	ggttagttgc	ccttcaatct	cagccactga	75420
atcaaataca	acataattac	tattctgata	tgttcttgaa	tcgaatatcc	aataataaga	75480
tattcgatg	catagccatg	tctaatatca	aagcccatgc	ttttcgctat	tattgtactc	75540
catacattag	cttccaaatt	tatttgcaat	ccaaatatata	aaagcaagtc	ataagcttag	75600
tatcgccaat	gtgatactaa	gtatccactt	actaaacttt	attttcaaaa	tgtggtttta	75660
tctcagttta	atgaacacgg	catgttttaa	tttacacttt	catattatat	agtaagggag	75720
tggttacaga	tatgttaatt	tcctgtgtctg	cttcacaatg	atggaacata	atagcaaatg	75780
aaactgttaa	tttgacagata	cccataggcc	tttgggtgtc	gaatagaaat	aaacacacct	75840
acaactgaga	gaggaagcat	gtgaagcatt	ccagtgaaca	gaggccattt	attcagtcac	75900
agacacagga	gaaaaacaac	aattaaaaaa	aaatctctga	tgaaaagttc	ataaaaaagt	75960
cactcagttt	aagcatatgt	cctataacta	cttaaaatag	agttcttctt	aaatatcatt	76020
ctttgctgtt	tttagatttc	ttctgcctgt	atcaaattaa	tagaacacag	catactttta	76080
atttgctctg	gtttcttagt	ggggcattta	ttaaacacat	taaaacaata	gtctcagggt	76140
tttactgtct	atgttaaaag	tctgctttcc	tacttaccaa	ctgtgtcatc	tttaaggcaca	76200
tactttgcct	ctctctcaaa	tctcccaaat	ggagaatgat	aagaatacgt	acctcaatta	76260
aagaagctat	aacaagtaga	atgtttggaa	aagtgccggg	tacaccataa	gccactatg	76320

BIOL0139WSEQ.txt

agtattggat	tgtattacct	ctgaaagctg	cagaatggaa	ttctcaaagt	tatatgtccc	76380
taaaatcctc	ttaagtgaca	gaaatggaga	aattagcagt	ctgtctaaga	gagcttttct	76440
agagtctggg	catatgtttt	taggacaaga	cagttcagct	tcagcttaaa	atgagagagc	76500
acgtctgtgt	ccttactcct	gggtgccagg	tttcttgtcc	ccatcttaag	acaaataatt	76560
ttggtggaga	agaggcagtc	tctttgattt	cgctctaaaa	accttttctg	gaggaggtag	76620
acactctcca	cccccgtttt	gagactcatg	cagctgagga	tgactggctg	agtacaagca	76680
attgttcctt	ctaagcagtt	tcaattctta	taacttgtgg	agatattctt	aagtccaggg	76740
gattttgtgt	atggtggatt	tttattacaa	agtcctgtac	ttcataggaa	caaaataatt	76800
caaagtcagg	aaccagatca	aagccacaac	tcagatatgg	caccttgaga	agttcatttg	76860
tatttcactt	gcataaaaac	cctcaccact	gctatctgat	tttcacaaat	cattcaacag	76920
ctatccatga	agcaccact	gtgtgtctgg	tctctgtgtc	agtccctggc	ttcatgtgtc	76980
tttcttctg	taccctgact	ccccaaactc	tgaacacatg	aagtaaaaaa	atgaaaatct	77040
ttttctgacc	tctcttcaaa	atcacctttt	tcaaaaacaa	cacctctcac	ctgctcatcc	77100
tccagccagt	aaatcacagg	ggcctagaaa	tgtcacttac	aaatattttc	tgattctgtc	77160
cctcccttca	agcttgccaa	cattatcaca	gtttagggcc	tgctcatctt	tcccccaatc	77220
tccaattaga	tctctccaca	atgcaattct	gcacattccc	tgttacaacc	cttcaattat	77280
ttcccagccc	atccaaaata	aaatctaagc	ctcttactaa	cacattcagg	aactctgtgg	77340
cctacggttt	tctacagact	aattttccag	cagttgactt	ccagtgcaag	tgaaaaccta	77400
gtgtcatgcc	tgcatgatag	ataaatttga	agctgaagag	cccaaagtga	tagaccatgc	77460
catgaagaat	ttatagtcac	gacacagtgg	ccctatagta	cagtgcctga	agctggctct	77520
ctactgtcag	acagaccact	tgccagccat	gagacctggg	gcaaaatgcc	ttaattttta	77580
tgtgcctcaa	gttctcatgt	gagatgagaa	taaaaattac	ccctatttca	taagatttga	77640
taaagtgttt	agcataatac	ctcataacaa	ttgcaattca	gtggtggtta	ttattataaa	77700
gaaaagatga	ttaactttat	cttaatgttt	aacttgttct	gatagttatt	gatctatagc	77760
tttgatattg	aggtttgaga	atgacctgga	aagaattggc	cacaatgatt	gaagatagtg	77820
atacaagaat	aaaagatgac	tgcaaaatgt	aaacctgcaa	taacagaaag	aatgaagtca	77880
ctgggtctcat	gggaactgat	atgggagaaa	aaaacagatc	aaaaggctat	tcatgttttg	77940
ggcctctttg	tcaaaatgga	aatgagaaac	tggggaataa	aaattaaagc	aattctagca	78000
tctggtttta	acataattct	tatccctaaa	aagaatctat	aagaaactcc	caaaatgaca	78060
ggcagccgtg	ggtagcattg	catttcaagt	aatcttttaa	ttgttaaaat	ttaagtttcc	78120
aacatgaaca	taaaattttc	aacctaaaag	aaatgagttc	caaactctgag	acaagtgaag	78180
aaggataaag	cctactaggg	ggtaaatctc	atctctttag	agatctagta	cccaattttag	78240
caatgtccaa	tcaagccttt	aactactaca	tttgaacacc	tcatcatttc	aaaatgttac	78300
ttaatgatgc	caattaactg	tacaatgtct	ctgcatagca	catagcccta	aaatgatttg	78360
tgcaatgfta	ctgtcagtaa	aactgaacta	caggggaatgc	tcatattcta	tgtcattata	78420
tacagaaatg	caatatcaat	aaagtgatat	ctgttggtat	tagaaaaaag	tgaaaatttt	78480
catacttttc	tattttcttt	tttctcfaat	gggatgctct	tgttaaagat	agctctgcac	78540
agtaaggttt	gtataaacat	taatttagcta	aagttaaaag	gggtaacata	ctggtttctag	78600
cacagatatt	aaaacaaatt	agttttagtg	tagggcagca	atcaattata	ttactaacca	78660
tagctttggg	ccttttatcc	tttcccattt	gattttacac	agtgggatgt	taaaggttga	78720
atgtcttttg	tatctataaa	cttaattgaa	agctgttatt	tgtttggtta	agtctgttga	78780
tttttataat	cataatttta	ctcctataga	tttctttagt	gagtactata	tgaatttatg	78840
ttgcactgaa	ttttgttatg	ttatacaaat	taattaggct	ttattttatg	aaagctacta	78900
ttgatctgtc	attttcttaa	aaattactaa	aaagtgttaa	aacttttaaa	gttgagagat	78960
ttatatttta	aaagttacat	gctagaaaaa	catgatgtct	gagtatatta	gaagttatag	79020
ataattcatc	tgtcaactat	aaaactctcc	aacactgcct	ttcttttaag	aataatatga	79080
aatttagcag	tgaaaatgtg	acaatgtaca	atcctaataa	aatcaacaaa	tttagagatg	79140
tacctctaaa	accattgtaa	attcaacagt	gtaattttcc	attggacttt	cacttattca	79200
ttcattaaac	aaatgtttgt	gagtgcctgc	aatgtatgag	acattgtact	gaagctaggc	79260
agtgtgagtt	atcatatggg	attatccttt	aaatacttct	gagggcaaaa	aaaaaaaaaa	79320
aaagaagaga	aaaggtgtga	ggaaagataa	agggtttaatt	cattaaaaaa	taacacttga	79380
ggactgtttt	ctttgcaagg	cataaagtta	tcaccctttc	aaacagtaga	tatttcacat	79440
ttaggatgcy	agactccagt	tccaacaaag	ctcattgcac	agctgctacc	ctgattaaac	79500
tgctacatga	actctgagca	atgtagcatg	gtagccgcac	gcttctgctt	gcatgatggt	79560
taattccttc	cattctcatt	agtgattttc	tgagctttga	aattctgatg	gtacctagga	79620
tataaagcat	atttatctaa	ctgaaaaaca	gataattaga	tgtaacataa	aatatgaatg	79680
gctttgtcac	tttattgtag	cagagaatga	atgtgggata	aattaaagct	gatgctagaa	79740
catatgccta	tttttttagct	ggaaaatttc	aagattttatg	tactttgggc	ttgagaaaga	79800
aatggagttt	attttttatg	cactgacatc	tctttttttt	tttttttgga	agagctctct	79860
taggaatgaa	tggtatgtaa	atacagtagg	aatgtaatta	tagatttttc	tgaccaggtt	79920
cctaaataat	agatatcatt	tcagaagtgc	cccaataacct	gaccttttgc	tccaagccat	79980
atcaaagcac	acacttagtc	tacttttcac	tctcattcct	agccactatg	acaatactat	80040
tcagataaaa	cttctagtcc	tctacttatg	tgactcatat	caacttgacc	ttacgatagt	80100
gactgggggt	gcatacttag	gttcatgctg	tttgtccatt	attatgggtt	tgtgagaaaa	80160
ggcaaaaattt	ctaggtaaag	tgttatgagg	acgaataatc	caccaggcaa	ccaactgacc	80220
ctttcatttg	ccaatctgtc	acttcaaaca	gctctccaga	acctgcagcc	agcacagacc	80280
aaagtcagggt	ttgtctcctc	ttctgttgat	gaacaaaggt	tgattccata	tcgtggctat	80340
tgtgaatagt	ggcagtaaac	atggcagtat	tgtatgaaaa	tatcacagat	agcccttaaa	80400

BIOL0139WSEQ.txt

tatgtgcaac	tatgatgac	tatcaaaatt	aaaaattaaa	atttattttt	aaaagttcag	80460
cttagaaagct	tgtagttcct	ggcaaaactac	taccttttctc	ggcaaaaagaa	tttgatatct	80520
cttaaaattt	ttctgcctaa	tgctgataga	ttgtattttac	atattccatt	aatgcaataa	80580
ataaaattac	accaaaccat	cagcattatt	tatttccagg	ggcatctctc	aaaataaatt	80640
cctccaaaat	tcacaaaacc	aaaaccaatg	tgaatttgta	ctcagggatg	caaattgtagc	80700
ccagtgaagc	atttgcccac	ttgtttggta	ttattgaagc	acaattagaa	aaatgtgcaa	80760
tgtatgccca	aaaattctat	aataagggcc	aggcgcggtg	gctcacacct	gtaattctcag	80820
cattttggga	ggccaagggtg	ggcaaatcat	gaggtcagga	gatcgagacc	atcctagcta	80880
acaccatgaa	acccagtctt	tactaaaaat	acaaaaaatt	ggcccagacg	tggtggcggg	80940
atcctgtagt	cccagctact	cgggaggctg	aggcaggaga	atggcatgaa	cccaggaggc	81000
agagtttgca	ctgagcctac	tctccagcct	gaacgacaga	gcgagacccc	atctcaaaaa	81060
aaaaaacat	aataagaact	ttttaatat	ctatattata	atgtaaaaag	actagatgtc	81120
aaacaaatta	ggtgatggga	aggaattgag	ggagaatttt	agactaagca	attgagcagc	81180
acctgttttt	caccacaaat	ctgttacctg	tttgtctcaa	ttgtgctgaa	tccatatttg	81240
gtcctgggtg	ctatgtaata	gtctctttct	tgataaaatg	tttgtctctc	cttatgtgtt	81300
actaatggtg	tacagaacag	cattgaatag	tggttatttc	ctatgacttc	ctagatatct	81360
ctctcataat	cctgaatgtt	ttaaagatca	ttcttagata	gagtacagct	agacacgaac	81420
catagtggaa	atcaggtaga	caaaatttaa	aaggagtctt	aattgaaggt	cattttattg	81480
tcctcagtat	taatcttact	taaaacaac	ctgtcactga	gcagaactca	aaacaccaga	81540
gccctttgcc	aaatgtgatt	ttttacaaca	ggagcgctgg	cagttgagag	gagttattctg	81600
tcacacttga	gagaaattcga	gtccctgaag	atttatatga	atgcttagct	attatcgaac	81660
catctcttca	cagatgactt	agtaaatgtc	tgcttttgca	tcagataatg	gcttacaagt	81720
taatctcctc	ttgtctcctg	ttacacacat	atacaccttc	ttcctaaaca	gctcataagg	81780
tgaagaaaag	actcagattt	ctgactatgt	aattgataat	atcacacgga	ctgcctgctc	81840
atcatctgct	agtcacattg	gcagagttga	cagtttttga	gacactgaag	acagtgcata	81900
tattagggaaa	taagcagttt	cctgatataa	attttcttgt	agtttataaa	ttacatagca	81960
tttattattc	cctcatattt	tataacattt	aataatagaa	ctgacacata	tattcatittt	82020
aaactcaatt	gtgtataata	actatcatag	caacccttca	gtgcctaaat	atcaaattctt	82080
ccattcctcc	catgaacatc	ttgaatatat	aggtagctgtg	gttagctcca	acaagctttt	82140
ggttagaatt	cattgcactg	atacatagac	attgttttaa	aggcaatttc	aaatcaaagc	82200
tgtagctgt	gaatcaagca	caccttaaaa	agtgcacat	ttgtcactag	attccagcct	82260
ctcaaattac	tgacacgcat	cctttttatg	taagatgac	attgttcttt	cctgatatat	82320
tgcatctctc	atgaatttct	tatagtcata	gaatttttat	aaaccatttc	agaatcgctg	82380
aaataaacat	caatattttt	aactttttca	ttctgtcaaa	aatattgtat	gcagagatat	82440
tgctgtaagt	gtgtatacct	gtgcttaaga	gactagggct	gaagagaagt	aatcaaccga	82500
accactgggtg	taaattgtcg	tcacattttt	agtgcactaga	aattgaaata	attccaacaa	82560
atttatgtgc	ttttggcctg	agaattcaga	ctgccttagg	ctaagataaa	aatcttttcc	82620
tggtactata	taccttcttt	tattgaatga	ctacctggct	ctttctatta	tatatgcaga	82680
ttttgtacct	ctggctcatct	ttgtaaatgg	tgccataaag	atatttgaag	aataagtgac	82740
cagcaataag	aacaaatgtc	tatacaaaag	cacccttttag	ttggatgtaa	ttcactactt	82800
tgagttgtta	ataacctcta	aggatgacag	tagctatttag	ttgaataaac	catttatgtct	82860
attattagaa	cactagatag	tttataagtc	caaacaatgc	ataaaaatacc	tatctcatgt	82920
taccattggt	taggttacca	gataattggt	ctgtccaatt	attccactta	atttttttgt	82980
tgcccattag	ctaaatggca	agataaaaat	tgtcaaacgg	gggggaatgt	attgaaaatg	83040
ctagacaact	acacttaaaa	tgaaaacagg	ccaggcgcg	tggtcaggc	ctgtaatccc	83100
agcacttttg	gaggccaagg	cgggtggatc	acctgaggtc	gggagttcaa	gaccagcttg	83160
accaacatgg	agaaactcca	tctctactaa	aaatacaaaa	ttagccgggc	atggtggcac	83220
atacctgtaa	tcccaactac	tggggaggct	gaggcagaag	aatcgtttga	acccaggagg	83280
cgggtggttg	agttagccga	gattgtgcc	ctgtattcta	gcctaggcaa	catgagcgaa	83340
actccatctc	aaaaaaaaaa	aaaaaaagaa	agaaaagaaa	acaaatgcat	aatttgcaaa	83400
tattattttt	atattgtatg	ttatctaggg	cttctaatag	cattcttctt	ataagcctag	83460
gtttgcaata	acattcattt	agaattgagt	aatttttaaat	ataaatattt	ataaaaataa	83520
atataataat	ttctcttaat	tctttgaaaa	tattaaatta	aaagggggtt	gcaaaactctg	83580
cattccacat	ttccatccca	acatttaatt	ttagcaattt	tgtagtctgc	ctaaaaatgca	83640
atccatcatt	tactgttttag	aaaataggga	atgtacacaa	aggcctttca	gctttccctg	83700
aactccataa	aaatcttttt	gcttctttac	tgccccctt	tgtcaggagt	tctgagggaac	83760
tgttttttat	cttaagctctc	acaaagcatt	taggagaata	tttaaactta	aattcttttta	83820
aaacttatgt	tcaggacaaa	gtaacattgt	atgcattggt	gtcatatgta	tttaaatttt	83880
gaaattttta	atactggcaa	aatgaggttt	caattttta	ataaattatt	taacaattctt	83940
aaatcattaa	atatattact	taatatattt	aatatatcta	aacagtcaca	attttcccat	84000
actaataatc	ataaaaaatc	ttaccaaatg	gtcatataga	tatacttaat	ggagtttttg	84060
gggggtattt	ttgtatatta	aaaaattcat	atatttgcct	tacttagaag	aactgattaa	84120
atgaaagtat	aatattaaca	aacatattgt	tattttatat	ttgcatttgt	gataattata	84180
tttgaacagt	tcaagatttt	ccaatgaatt	tcttttgcat	ttgcgtattt	gtgccttttt	84240
attataaaaa	taggtggcct	tttagttcca	ctgcataagt	ttcaacatag	gtctacaaat	84300
agtgcacttt	tttgaagtta	atcattataa	tcacaaattg	aagttgcctg	agctccaatt	84360
ggagtcctaa	ttgtatgactg	aatcttatta	ttcgaaccc	actgttgcta	cacaatattg	84420
ccacacaaga	gagtacacaa	gaccctgtctg	attcagcctc	agtgccataa	atattttta	84480

BIOL0139WSEQ.txt

ggtttcgttg	gaatctggaa	atggagctca	ccacaggaga	tgcttcttcc	tttgactctc	84540
attattattt	cctttacaaa	ttaatttaata	aaaacttaga	tgctaaatta	gcacttgatg	84600
aaaacttata	tagccttgac	attttgattc	tgtgagtga	taaaaatact	tggagaaata	84660
aaaatcctaa	tcatgttcag	gaatacccac	aaggtaacaa	gtacattttt	aaacttttaa	84720
aacattttatt	attcatgata	aaacatgttg	tgtgatttaa	atataaattt	ttattatttg	84780
ctttaactta	tttccggatt	aaaaagtaaa	tgtttaccta	gctgttctaa	atggtaatcc	84840
tcatgattaa	aacagcaatt	tgtcatattt	cagttacaaa	tgatctttta	ttattagtta	84900
tagaacataa	gtttcttcat	tgactgaggc	gatgtttcaa	gtagataaat	ctgttaaaaa	84960
aattgtggtc	atattctggt	aaattctcat	accaggcaat	ttgtttgata	ttcaggaaaa	85020
acctagccac	tgaccaaaaa	ctctacctgc	cttctcagtt	gtatcctctt	ggacttaaa	85080
gggactggga	aagttataag	atggttcatg	atagtccatc	aacatcccaa	gaacaaaaac	85140
agatgttgta	ctgacagcat	catatgatca	tatgcatgta	agagcacatt	catattgcca	85200
aatcagttgg	aatttttcac	ggttgaaagt	taaatgaaat	gcttagatgt	atgagtcac	85260
ggagttaaa	acaattacag	ccagatttat	ggctgtgcta	aaataaaagc	agttgagaaa	85320
cagaccaaat	tccatgacga	taccaagtct	gactaatgat	tcaccttaaa	tttcggagca	85380
acatttatcc	tcacttggtt	gtttatttga	caatgtgccc	ttatccatta	agtaactagg	85440
aggaagggaa	aagcactacg	tgggtgagtg	acaagacact	gacactgatt	tgtgactttg	85500
gataattcct	ggatgctggt	atctgttttg	gcatagagat	ggatctgtaa	ctgctaataa	85560
ttgccgactg	tgaccatccc	agaggccatt	tacttaaccc	aggatatttc	gacctgacag	85620
cccgaggata	aacacgattt	ccctccatca	ctaacttcat	ctgcagggcc	taagcctcct	85680
tcacagtctc	tccagtgatt	tattggcatc	tccaagggtta	tctcacatgt	gctgaagaac	85740
aaatctgctc	actttcatct	gcttggtttt	cccttttgaa	atctgctgct	ttaaaattac	85800
taagggagga	atcatgcctg	ctgctaccct	tgccagtgc	cttgagttt	gtgccctgat	85860
tgttccaatt	accacaatca	aaacagaagc	gtttgcagtt	actgcagtg	tctctctgtg	85920
gatgtcaggt	ctgactcaga	gagccaggct	ggggaacagc	catttccact	cttgtacctc	85980
tgcaaaaagga	cttccatggt	ccgtaaacag	actcccacct	ctcattttcc	ccccaagcaa	86040
agcatcataa	attagagagc	atgtaacggg	aaagaaaatc	cattagccat	ttgggttcag	86100
tcagacaagc	cagctcatgg	aaagtattata	caggaaggct	acatttcaat	tgagatcagg	86160
aggggtgaaag	ggtccagctg	tgtgatgaga	gagagaatgt	tcgggaatgt	ggaacagagg	86220
tatccaaggc	agaacaaact	cgtatatgaa	ggctttaagg	gtgtgcaaat	ctagcatatt	86280
ttatgacata	aaagagtcct	gattagctag	aatatgatga	atgtgagaag	agggtgaagg	86340
tggagatagg	aaaaatttat	ccagatctta	taagctatag	taagaaattt	gcatattata	86400
tatagacttg	tggaagcca	ttggattttg	taagaaggag	attaacatta	tcttattttat	86460
gttattttgt	atttataacc	ccaaatgtgc	cagatacaaa	caaaccaaaa	ataataataa	86520
taataataag	aagaagaaca	acaacagcaa	tggaactgtg	gtgatggttt	tggtcacaaa	86580
atgcatatat	atctattttt	cacaatgcaa	aaatatttca	ttatttcaaa	ttttaacata	86640
aatgtgggta	tgcatgagct	tacaaatctt	gaagtttatt	ggggaatatt	ggtgagcatg	86700
gtttttattg	catggtcaca	acttactaat	gggaacatc	tgaataccta	ttgagttaat	86760
gcatgcacat	ttttattttc	ctggaatact	gagaaaaagg	ttgctacata	atgtcttgat	86820
agcttctaag	tcatggctca	aaagtgaatg	tggaatctgc	taatcggaat	ggactcagat	86880
tcagccaagt	tctcaaaaac	atttgctttc	atagatgtct	tcaagaaaca	aggagtcttg	86940
aatttaaatt	gtgaagtgtc	tatcttagaa	tagagagatt	taaaatctga	ctgtattttg	87000
tttaaaaaag	cctataatac	tgtattatat	aaaattattt	atactacagt	taaaaaaaaga	87060
atcccattcct	atttgtgcct	aaataagtcg	ctgcttgtag	catgaaaact	atttgttgag	87120
ggtccttaga	tcctcagagc	atgctgtgaa	agtaggtaca	attgttcttt	ctatataagc	87180
ctcttaagat	aacagataat	tgccagaaat	acagcacaca	gtacaaaatt	accttgtttt	87240
acttttgcca	caaaaaacaa	tttcttttgg	ctttgagcaa	taaagtccaa	tgattttttt	87300
cctttcaaaa	tatcttcttc	cctctccata	agttttatat	ttattcacga	aggaatattc	87360
caatatcgga	tgtttttgct	tgtgtctctt	cctggaacaa	atgttaatta	atctcttttg	87420
gtttgtatgt	caagtggagg	ggtggggatt	ggggacaggt	gatagttgtc	tagggagtta	87480
acttcatctc	tataggagag	tggatagacg	ctgtatacga	aaagctcttg	aaaagggaaa	87540
tacagcagcc	acttcctcag	ggcttccatg	gtggctcagac	tccttgattg	ctttagatta	87600
actctggctt	ttgtccttcg	gaggccacca	gattgggtgg	atagacattg	tccttgctgt	87660
tcttttgacc	tacctacttg	tactttaggg	gaaaaaaatg	cctgtaatag	gttaaagtgt	87720
ttctcaaaaga	tcaccaaagt	atataacaca	tggc aaatag	acagagaaat	gagacagtat	87780
aatcagtata	atttataaaa	gtaccttaca	gcaggatccc	atgggatatg	ggtttttttt	87840
aaaaaaaatc	tacctaactc	tttcattgaa	ctcctattca	ggattcatta	tattgaatat	87900
ggctcagaga	cctggaaaat	tgtttccacc	tttttaattt	attcaccatc	atttatggaa	87960
gttttcaagg	acgtttactt	acctacctca	gttaacagat	tgtactactt	gggaagtcta	88020
taaatatgag	cttaaaagcat	tttctgagtt	ttcaaaataat	ttagattgtg	tagaatgtta	88080
aaactaaaag	aggaaaaaat	tattcagttc	ctcagttgaa	cctagcaatt	tatcttttca	88140
cagtggtgctc	aagtatagtt	tttgaaaagt	aaagaagatg	gttttttatac	aaacataaac	88200
acatttcaaa	gattttatct	aactaattaa	ttagtagtgg	agccaataag	ctggtaagac	88260
tggtttaaag	gaatatctga	ggaataaaga	tttatagaaa	cagtcaaaga	aattctaaag	88320
agaattgact	aatagatata	aatctagtaa	atatttgatt	aataatagca	gtaacctatg	88380
gaattatggt	ttctactggg	cataaatctc	catgaactct	tttggttttg	tatgtcaagt	88440
ggaaggggtg	caagtgggga	caagtgtag	ttgtcaaggg	agtttaactc	atctctatag	88500
gagagtggat	agatgctgta	taagaaaagc	tcttgaaaag	ggaaataaag	cagccactgc	88560

BIOL0139WSEQ.txt

acatctgcac	atataacctg	tagatctggg	ggctctaata	aaaaagttaa	tggcaatgtc	88620
aaaatctggg	gttttatctt	agataacttc	atagtcattg	attgagcccc	ttaaaaataa	88680
catttaaagg	acatgtagtc	attctgtttc	tttatggcca	agttttcagc	aattttttctc	88740
atgagaatga	gtgctaagaa	acttttggtg	gagcgtgggtg	gctcaagcct	gcagtcttgc	88800
actttgggac	gccaaaggctg	gccaattact	tgagatcagt	agtttgagac	caccctggcc	88860
aacatgggtga	aaccttgtct	ctactaaaaa	tacaaaaaaa	aaaaaaagtg	ggatgtgggtg	88920
gcatgcgccct	gtaatcctgg	ctactctgga	ggctgaggca	cgagagtcac	ttgaacccgg	88980
gaggcagagg	ttgcagtga	ccgagatcct	gccactgcac	tccagcctgg	gctacagagg	89040
gagactccat	ctcaaacaaa	caaacaaaac	aaaaagaaac	ttttaaaata	taacaataga	89100
gacattacat	aggccacaa	aaccacctcc	aaaaaagcat	tctatcacct	gcaagaaagc	89160
atatatatat	atctgctttt	gtgtatatat	atatatatat	atatatctgc	ttttgtgtat	89220
atatatatat	acacacacac	acacatatgt	gtgatatcag	catgtgtatt	tacacatata	89280
ttttgtgcat	gtatatTTTT	aactaaaaat	gtgctaggag	ttagatatga	actgattttg	89340
gaggagggtga	tatgtctgag	agagagagaa	tgggagaata	gcagtattat	aatctctctc	89400
cattgtatttc	agtttttttc	tttgtctgaa	tttttaatat	aagtcagcca	gaagatgtta	89460
gtttctggga	aatgtgttga	gatttacagt	caaatccaga	gagaactaga	ggcttatgag	89520
taaataagta	aagggttatgc	agagaaagta	ttctttttcc	tgtgtaaact	tgaatatttg	89580
ccaggcgcg	tggacacctg	taatccagca	ctttgggagg	ccaaggcg	tggatcgact	89640
gaggtcagga	gttcatgacc	agcctgtcca	acatgggtgaa	acccattctc	tacaaaaaat	89700
acaaaaatta	gtgggtgtgg	tggcaggatc	ctgtaattccc	agctactacg	gaggctgagg	89760
cagggaatt	gttttaacct	aggaggcgga	ggttgcagt	agctgagaca	gcgccattgc	89820
actatagcta	cggcgataag	agtgcagact	catctaaaaa	aaaaaaagaa	aagaaaacct	89880
tgaatatttc	ttgtacttgt	gttcaaatca	tacagttatg	aaagtttacc	cctagctgtt	89940
acacttaaaa	tgtacttctg	aaatatacag	agagatgata	cagactatta	atgagttcca	90000
ctaaactttt	aatggtttag	aaaatacaaa	tattttctta	tttttctgga	attccagcca	90060
ttaatgtaaa	acattggttt	caacataaat	catgcacata	catgcacata	tgccataagca	90120
tgggccccca	cacatacaga	cattctgaaa	gaccactttt	taaaaatatt	cagtaccgta	90180
tattgtgcat	tccttcttta	tccacatact	taagctgctg	caagcatccc	attgataaca	90240
ccagtaataa	aagatgggac	catcagtaat	gagatttgaa	agcccctttt	gcaagaaagt	90300
aaggactaga	aggtggaaat	cactctgtct	tagagtcata	tggattgggg	ctttgctaga	90360
agtgtgtgct	ctcagggaaa	gctgcctttt	tattttctcc	agagaaaagc	ctttttgtca	90420
gtaaaagaag	atgtatcatc	caatgcata	gtaaaattct	aaacagcaga	taaaacaaca	90480
ttcactatta	atctctgcaa	aagaagatat	attgaaaaaa	tcctcaagt	tcctcttttg	90540
ggtttctttg	ttatatatta	aagcagttat	cttttagatgc	atgagaatca	cctgaagacc	90600
ttatttttaa	aattcagatt	cctgtcagtt	cactcccaaa	gattccgatt	cagtagttaa	90660
gagacaaagc	ctaggaatgt	gaatttacaa	tcaacacctc	aggtgatagc	catgcatgtt	90720
cttaatgctc	tactactatc	tatgcataaa	aggaagataa	agtttttaaaa	acttgaaatg	90780
tgtataaaca	gttttagatt	gaataatata	catttttact	tattgtaaca	aattatgata	90840
tctacttggg	gcaacagtat	cttttatttt	ggatctgaat	cctaattttg	gctaggtatc	90900
actgagggat	tcttagtcta	aaacaattaa	atggagttag	tggttttttt	tagtaactct	90960
tgattttctg	tttttttcca	ttggcatctt	acaaaattta	ttcattcatt	tttccctttt	91020
tcacttggca	ttatttgtta	gacagtggac	aaaagaacta	tagaaaagtag	agaagcatgt	91080
gatgttgtcc	tgctcttaga	ttctcgcaac	tcaggagagg	acattcgctt	acaccaatca	91140
tctcaaaaca	tggcagttta	tgctgaactc	agtcctaattg	gagagcattt	gactgagcac	91200
atagggagag	aagttagctc	tgttgaagga	taatcaacga	agaattctta	ggaaaggtag	91260
agtcattcat	tgaataattg	ctcggcactt	actaggtgca	tatgtgcaat	aagatctaag	91320
gatgggctga	tgaagaacct	aggtcccctt	tcttctagtg	gacatgcaga	ctggcctaaa	91380
aaaaaaaaag	taactggaaa	atggataaag	aaactgagtc	actcggttta	tttattatca	91440
ctcggtttat	ttgtattttg	ttgtattttc	attttgacac	agcacagtgt	catcttaacg	91500
catcctccaa	agtggaaggat	ggggtggata	acacttttagt	tggcattttct	gtagccagga	91560
gccaggatct	ttctcccata	attgcattaa	cctgggaagg	caccctctag	gtagattttgt	91620
atagcaccct	ggttaatcaa	ttatcagttt	acttcttgtc	tcactaagct	ttaacacctt	91680
acatttatga	agcagtgtaa	atataacctt	agcatcttga	tcacagcaag	cacctgattt	91740
gtattttttt	attagctcaa	gtgaaatcag	atcagagaag	tacattacag	gtcataaaaat	91800
atgtgcgaat	ttcataatga	cctcctttta	aaatgtgcaa	aaataagatt	gttaaggcac	91860
attccagagc	cttgggggggt	gtgtgtgtgt	gtgtgtgtgt	gtgtgtgtgc	gtgtgtgtgt	91920
gtgcttgtct	tttgagaata	tctgtatatc	agaaaatttg	gctgagaagc	aatcttcttc	91980
ttagtggttc	tttttctctt	ttgaaaataa	agtactaaaa	atacttaaag	atgcagaaca	92040
gcaacctgtt	cccagtgaga	ctctcgttta	attaatgtgg	tgatctatat	agagaaaagg	92100
gacaattgca	aaagtccttc	aataattatc	taaccacagt	ctttaggtaa	ttacagcaga	92160
aagattttca	agacacaaaa	caccctggaa	aatttgacct	cttattttga	ttcaggcctt	92220
tcatttctta	aatattttct	ttaatgttga	tgtttatgct	tgacaaggtc	agcctaagtc	92280
cagatgaatc	cctggaactc	aaaacattgc	tgaattcaca	gttgaaggat	tttaatatata	92340
tataccagct	tttaaaaaatc	ctacagtga	aataacagga	ctgaataaaa	aaattaagaa	92400
atgctcaggt	agaaataaat	agagaaattt	agaaaaaaaa	taaaacgtat	tcaaaaataag	92460
tattaagcat	tggcaaagaa	aaaaatagta	cagacaatta	catgttccat	ttgtaaagat	92520
gattattaat	tgtgggtctt	gcaaaaacatt	ggagaaaaatt	tgctgaacca	tcacattcat	92580
aaatattaaa	accaccattt	agtgaaaatc	tttttactaa	acttcacaac	tgatagtcaa	92640

BIOL0139WSEQ.txt

ataatgttca	gtttttctcc	attgcaataa	aaaataaagg	cttttgcctt	cagatcagtc	92700
tctgggcctt	attaattcag	tcagccagaa	gccacatgga	aatattttgt	tttgttaaaa	92760
gccagcttgc	cctcatgac	ttttaaaatc	ttttaaaaat	cttccatcag	ccctctccct	92820
gacttgaatt	atggcagtg	tttctaaact	ggtaaactca	atctccttgg	tgtgcctcaa	92880
gatagagtac	ataaacctc	cttagaaatt	gagctctcaa	ttctaaattg	cactctccat	92940
gagagcaagc	agaatgctt	tgctttgtat	taagtgggtca	caatattaaa	tataaccata	93000
gacagcactg	tattttctaa	acaccttatt	ttcttttaat	gactgacata	aattagatca	93060
taagtataca	aatgcatac	tgttgatatt	ttcagcacca	tgtgtttttt	tttctttttt	93120
ctgagttatt	ttcctgcttt	cggcagcctt	ttctctcagg	tgcttgtgta	tccacagtgg	93180
tgtgtgttca	cactaaccaa	agcaatagtc	ttacctgcca	gaaatagctg	tgacatttaa	93240
agagaggtcc	aggggaaggc	acagtgccta	acatccaagt	ctgaagagct	aatagtgaag	93300
ttggggcatc	agctacagag	agatttaggg	gaagtaacag	gcagggttaa	tattttatgg	93360
aaatgatttc	tgttctgtat	atgattgcaa	ttaacacatg	tcaatctggt	tcattaatat	93420
gttaactcat	ctattatgct	atgccatgaa	gaaaataaaa	ttggagtctt	ttattttttt	93480
gagatggagt	ctcactctct	tgccaggctt	ggagtgcagt	ggcaggatct	cagctcactg	93540
caatctccac	cacccaggtt	caagcgattc	ttctgcctca	gccacctgag	taactgggac	93600
tacaggtgcg	tgcaaccatg	cctggctaatt	ttttgtatatt	ttagtagaga	tggggtttca	93660
ccatgtgggc	caggctgggtc	ccaaactcct	gacctcaagt	gatccgcctg	tcttggcctc	93720
ccaagtgctt	gggattacag	gcgtgagcca	ccgcgccccg	ccacaaaact	gaagtctcaa	93780
gcttcagttt	agatgctcac	taaatgcttg	ttttgcaata	cctgactgta	actggcagga	93840
atatgttttg	aaagtccctca	ttttccaggt	atgcagatga	aatatagggg	cattatctac	93900
tatgtcaaat	tataatgatt	tatcagtggc	acatgaaagt	cgctcacat	ttcttaatca	93960
gtgatatacc	attatgtcat	gccacctttt	aatgtaatat	gtttacatct	ttcttttagat	94020
gtaagcattc	atthagttca	tcacggtggc	tttcacactt	actccaagaa	cgctatgagt	94080
tcctttgatg	tgctcaagtc	tcctgcccc	gggagaaagg	gagtgggtgag	caggaatcgc	94140
tttaatctat	ttacacagat	attttctttt	ccatttatatt	taaaggaatt	ttttttaact	94200
taatgagtat	gcagtgcagg	tgggtgatgat	gatgatacta	aggtttaaat	gattagatag	94260
tcaaatctgg	gctggaattg	taatactggt	ttgactttta	atcttagaga	agctccagtc	94320
tgcttatttt	ctgggcataa	acacatgaga	acaataacac	agttctgtta	tctgaatggt	94380
gttatatttt	gtttgaaaca	ttcagtgcac	ttcaaatatt	gtatttgcct	aagaaaaattc	94440
aacagagtca	gacattctct	tccaggttaa	atttgggtgag	tctgctagga	aaataaaattt	94500
tgctgcactg	tcattctgat	ctagtggacg	ttctaataaa	agcacctttg	tgctgcctac	94560
gtcttcactt	taaagataag	atacctgggt	actcgacacc	aaattatagt	ttgagatctc	94620
aaaaatggga	tagggaaacc	acagctcaaa	aacaaaaata	ctagcactgg	aaaagataga	94680
actagtgaag	atgaatcatt	ctctagactt	taaattcaga	gatatacaaa	ttaagaaaaa	94740
gtaggaggaa	taaaaaaaga	gggtaagcaa	aacaatataa	gtttgtatag	caagagggta	94800
taaagcaaat	acaatatatt	tcagaaaaat	taataaaaaa	tagattttaca	taacattggt	94860
tttaattctca	aagatcaaat	ttcaattttt	atctcatttt	aaaaccata	tgacagctct	94920
cctttatata	catcagttgg	gtgtcaaagt	gacttttttc	ttgtttccaa	atacagttat	94980
ttttaaaatt	taattgtatg	atthaggaat	ttgaaagcaa	gccagtttgc	acacacatat	95040
gttattatat	gtgtgcttta	gacttgggtt	ttagttaatg	taacatgaca	gggccacctg	95100
agttatttgt	ttacaaacta	gctggaaagc	caccctggag	gagaaacctg	gcaacaaaat	95160
ggctgcagc	tttgttattg	ttatctatag	tattggatgc	cattatttgt	gtaaaaatgt	95220
tcacaagaac	tcagctcatg	ggaaagactc	aaaaattctt	tgctgtttaa	agaaaaatca	95280
ggatattgga	ctggttagtt	taactaaaaa	gtgatgatac	tcagattctg	cttggattca	95340
ctgcttctca	gcagttgttt	tgtttctttc	taattgatat	tttatttttc	agagaaccca	95400
ttataaaact	cttcttcttc	ccttaaaatc	acaaccacac	aacagcaatt	aaaacatgct	95460
ttgacgtaag	actgatattg	ttttaaaccc	agcttgacta	tcgaattttt	tacttttaggc	95520
aaaacacctc	tgacatttat	gtcttatcgt	cagtaaaaaag	gggtgattaa	cagttttaca	95580
agattattca	ataaataaat	ataaattcct	ccttttcctt	ccttttcctt	cttcatcttc	95640
agcatctgca	tgccataagc	tcatttttag	tctctggact	catgttaaca	tgtccacact	95700
ttcccaaatt	aaacatcatc	tctgttatgt	gctccattct	tttctctca	tttgagacaa	95760
ttctttatat	accaacaccc	tctctgctct	gtattgtgaa	actctgctcc	tactacatta	95820
acagtctctt	ggtttcttta	aaaagaagac	aaaacaatta	aagaacagaa	gcaaaaaatc	95880
tactcaaatc	cccaattggt	accctcaaaa	tttaattgtc	cacccttagc	tttctcattg	95940
cacaactctt	tgtcaaaatg	ttttctacca	tcacagcctt	caatgatctt	tctggttcct	96000
ttatctcctg	aagtctgact	tctacctcca	tctttttctg	gactattcaa	cacactttga	96060
gaaaaaacat	acttttggtta	aacaggtagt	catccctgaa	gcataaaata	catagtactg	96120
aaagtgcaca	tgtgtgggtc	ttcccatttt	ttttacagca	cttgaaactg	acaagtagta	96180
gtaccaatta	cttagtaaaa	gacctttttc	atttcatttc	tgaaatattg	ttattttcct	96240
ttttcatctt	ccatctctga	ctacacctcc	aatttttacct	ctttgtgcc	ttccttcccta	96300
agaaagtctt	tcatgcaatg	ccatcttggt	tttcttcact	tgctcttttt	tctcacttta	96360
attttatgaa	ctctgatgac	ttacctctgt	agtgtacta	ctcaaaatat	gtattttctga	96420
agtctcaact	ccaatctcat	attttcaact	tatatattatg	gaggcatctc	agactcaacc	96480
tacctaaaaa	atggcttatc	tgccctaaaa	tctactttgt	tctttttttc	tctactgcta	96540
ataattatct	tcctagtgtg	tcaagctcaa	aacctaatca	tttttactcc	ttgtccctgt	96600
gtcagctgtc	cacgtatcag	cagcgtatca	tttctgcaca	tttttcaagc	aagtcagtaa	96660
ctgccttttg	tttgggactg	tcttttcata	tagtgaacag	ccttgggaaga	tagaaatcat	96720

BIOL0139WSEQ.txt

ttctccttct	aaaacaaaag	gcaggtgtgc	ttgacgcctt	ggatagaggt	agtgcctctt	96780
tctaaagcaa	aggacatct	ttactggcca	ttataaaaata	tccatgtttc	ctgagctctg	96840
cgttcctctt	ttctaattgca	acccactgag	catgtaggtg	tcacctgagc	ttttctgtgg	96900
gaattgcggc	ttgaggaatc	agtgcagaa	aatcatgata	ctcttgctaa	tgctattaat	96960
gtgagtagta	aagttaattg	tctctgaccc	agcactattg	tgtctttgcc	cagcactcaa	97020
aagactggca	ggcttgcaag	taggacaaaa	tgttagatgt	ttcacagttc	ttctgcttat	97080
aagtacttgt	taaaaccaat	taaaacacaa	cttgtagttt	gcacctataa	ttttgtagca	97140
tttgcttctt	atctatgtca	ctaggatgtg	cttagtgaca	gacccatcta	tcacttatta	97200
ctcaagtttt	tggtgtgatt	cctaggcaac	agagagaagg	ggaacaaaaca	agaggacctg	97260
tgcacagttt	gagaaaggca	aaacaccgag	cttaattgca	gacttgaatg	tagctagcaa	97320
acgaagtaag	gcaaaaaggtt	cctttttttt	tttttttagat	ggagtctcac	tctgtcgcca	97380
gtctggagtg	cagtgggtgct	gtctcggctc	actgcaacct	ccgcctcctg	ggttccagcg	97440
attcttctgc	ctcagcctcc	cgagtagctg	ggactacagg	catgtgccac	catgcccagc	97500
taactttttg	atttttagta	gagacggagt	tgcacacagt	tggtccaggat	ggtctcaatg	97560
tcttgacctt	gtgtccgccc	cattcggcct	cccaaagtgc	tgagattata	ggtgtgagcc	97620
tccgttcccc	gccaaaagtt	tccatttttt	aaatagttgg	gttttttagtt	tcgattcttt	97680
ccaaaaaaaag	gttttcttaa	aaaaataaaa	ttagcaataa	gatgaaatat	aacaacaata	97740
taatcttatt	aagacaatat	atgatataca	tttatcaaaa	tacttatatt	ttcaaaaagt	97800
cttaaaaataa	tctagcacat	agtagatgct	cagtaaatat	ttgatattat	gactgtgcat	97860
gggtctattt	aggctacttt	atgtatatca	tttcattttag	tacaacatca	ctctgaaaaa	97920
tgttttattg	ttaccgtttt	tcagttgaaa	cattttacgtt	gctcaagatc	tcactgggtac	97980
catctactat	taggtcagtc	tgccaccaaa	tctcatgctc	ttaaatgccc	tttttctcct	98040
gagcttccaa	caaatagtgt	actgtatata	attgttgaa	ggaggggact	gtgagacaaa	98100
atatttagag	tgaatgtgta	gccacaattt	cagttcctca	acaaagtgat	aaaattagga	98160
atcatcctca	atataatctt	ttccaacaca	cacacacaca	tacacacaca	cacacacaca	98220
aataccacaa	gcccacttga	atgcacccca	cctacacatt	gcaaccatag	agacaattgc	98280
agcattaaat	acagaatatt	ctgtgtgttg	tttgtttgtt	ctccctttgc	tacaaaaatc	98340
agaatttcta	ctcaataaac	agcaaaggga	gatacaaatg	aaccaaatta	aagaaggaaa	98400
aaatgttgaa	aaaattatat	acagaactat	gtattgattt	attgagagtt	cagtaatgta	98460
atccagaaat	aatggatgcc	ttaaaagtaa	ttaaaagaat	gcaaataaac	athtagtgcc	98520
aattaaagaa	aaagaaatc	aacattagac	aaaaataaag	atattcattt	gatgcaatga	98580
ggaaataatc	ttttattcct	ctttaaattc	cttgtggaat	aaggcatggt	tataaataaa	98640
taaacatctg	ccccatggac	ttaatggatc	gttatatttt	attgcgataa	tcataatgaa	98700
attgttggga	gggattagta	tctctagtgt	aatgctaaga	aagataaagc	ctgtgcccag	98760
gcaaaagctt	tcttggttgg	tcaaaagggt	tgaagacatt	tcaaactatt	ctaaaacaaa	98820
caaacaagca	aacaacaaaa	aaacatacaa	tgtctttgcc	acatatattag	gaaacaaaat	98880
gaacaattta	tttctgacaa	cctcatagtc	tttgttctgt	cagaacaata	atggaaaggt	98940
ctaaaccaga	aaatgctatg	cattgaattt	ataataaact	attttttctt	gtaacaaaaa	99000
attgataaac	ttgatatttg	cagatttaat	gattatgtgt	ttaaaaaaaa	tctgggtttt	99060
gcccttgcaa	aaaatcatat	atatacacat	agatatgtat	gtgtgtgtgt	gcatagtata	99120
tataatgtga	tatacatata	tatacacaca	tttatatata	taaacatttc	ctttaacctc	99180
ctattttatt	ccaataaaaa	tattggtatt	agagatagtt	ctgatatttc	atcatgaata	99240
gttaacattg	gatttgaaa	ggattaaatt	ttttgaaacg	taatttttacc	ttaataagta	99300
ggccagcgta	atattttagt	aattacacag	attttttttt	caagacattt	gacaactaat	99360
attgcataat	agttaagagt	gtgggctttg	gagccagact	tcctatctct	gttcattcac	99420
tgataaaatg	gagacagtag	taacttcctc	aaagagttgt	tttttaagat	caaataatgc	99480
atataaaact	cttgaaatgg	taccaaatac	agagtaagca	ccaaataaac	attaactggt	99540
attgtttatt	catgtccgaa	taacacagaa	aagtaagaat	tttaatatatt	catttgaatg	99600
accttttaag	gatacaccta	gccattatc	tttcttgata	atcttgtaag	atgattcctt	99660
ttttatctcc	gatctgttga	ggcatggata	gaggttttca	gagaaaaacat	tttctaggta	99720
actgaaagaa	agtagcaaca	acaaactgtg	acaaaactta	acaatgagag	aattttacaag	99780
atagaataat	tgcaactcct	tttgaaatca	accactatgg	tcctctggct	gggatagcta	99840
agcaaagata	ttccagcctg	aagggttgaga	tctacttgaa	gagttttcta	tccagattgt	99900
gagggccctt	caaacttcac	ttagtatctg	tttctattag	tatggaaact	tctggaacct	99960
tgtggtatca	cattcacctg	actactttat	tcctgtctta	gctatcttaa	agcctttctt	100020
aatcttttat	cttttagaga	agatacttct	aggtttttaa	tccaccgatc	ttgaagctat	100080
tgcttctact	ctctgcttca	gagcccatcc	ttttgtatat	gagtgttttg	ttttgcctaa	100140
agtactttct	cccagtcaga	ttttaagtcc	agtttctcat	ctgtttttga	gagcaaaact	100200
ctgggccttg	gtcactaac	atcttgacag	catatttctt	ctttcctatg	ggctttttcag	100260
cattcccttg	gtttttctaa	aatatgaaag	cagactcttt	atctcttact	ttgtcaaagc	100320
ctaccctccc	cactgatttc	tcaccagttt	gctagtttta	agacctgcct	ctggccgggc	100380
gcagtggctc	acgcctgtaa	tcccagcact	ttgggaggcc	aaggtaggtg	gatcacgagg	100440
tcaggagatc	gagaccatcc	tggctaacac	agtgaacccc	tgtctctact	aaaattacaa	100500
aaaaatttagc	caggcgtggt	ggtgagcgcc	tgtagtccca	gctactcggg	aggctgaagc	100560
aggagaatgg	cgtgatcccg	tgaggcagag	cttgacgtga	gctgagatcg	cgccactgca	100620
ctccagcctg	ggcgacagag	cgagactctg	tctgcaaaaa	aaaaaaaaaa	aaaaaaaaaa	100680
aaaaagacct	gcctccaaat	atcattgtat	ttgcaaacat	gaaatgactt	attgtattctg	100740
agctcagcac	aagagcaaac	ctttctcagc	ttgacccatc	ttcacatcgt	taatgtctta	100800

BIOL0139WSEQ.txt

ttcagtcact	acccaagggg	ctgaccttca	agatttcta	ccatgaaagc	ttaaaaatag	100860
aaacaaat	gaatatagtt	taacatacat	aataaaat	atttctagaa	gaggaggatc	100920
agcccttaga	catgaaaagt	aaaaatagtt	tattcccaga	tttccctttg	tgcattagta	100980
tattcaaccg	agtctatcca	agtaacagga	caaaaaaagc	tggcagttgt	tgctgcgctg	101040
tgaagtctta	ttaggtgagt	cagctaatta	tatggcacta	ccataaatac	agcaggcact	101100
gccctgcttg	ttaggccttg	caaggaaaat	aaggatttaa	agcagcatac	tacctctttg	101160
ctatataatg	acattttctt	cttaaaaatg	attttgcacc	aattcctgat	ttatccacca	101220
attatTTTT	aatttatggg	tgaatgtatt	taaacctgaa	ttcagagata	aaactagtaa	101280
atagctcccc	aaaataaccc	caaatatatt	taatatatta	gctttactct	ctcctccact	101340
gccaaacctt	taaaaactga	aataaattgt	ttttatttca	tcttttctct	ttttctctct	101400
ctctaagggtg	attgccaaga	ctaaagaaac	agctagaagg	gcaaaagaca	agaaaatcag	101460
taagatagta	acagattatc	caaagtagag	cacggctcag	gtgcagtggt	tcatgcctgt	101520
aatcccagca	ctttcggagg	ctgacgcagg	aggatcactt	gagtccagga	gtttgagacc	101580
agcctgggca	acataatgaa	acttcacttc	tataaaaaaa	aaaaatttaa	atagccgagc	101640
atggtgggtg	aagcctatag	tcccagctat	ttgggaggct	gaggctggag	gatcacttgg	101700
gccagagggt	tggagactac	agttagctat	gattgtatca	ctgcattaca	gcctgggcaa	101760
tagggcaaga	ccctgcctct	aaacaaaaga	taaacaaagt	agagcataaa	tggtctctaa	101820
atataatgta	tttatgtgta	agactgggtt	ctctaaagg	atcattttaat	taaaatagat	101880
ttgcatcttc	aatctgtagg	tatggattat	gtataatgta	tttaagatat	gacttacagc	101940
gttcaccaat	gtgactattc	ccaagtgtatc	cagatggctg	atgacatagt	aatttgtaca	102000
tttctgtaga	cctgatctga	gtaggtatgt	aacataactg	agggagagca	agtccatttg	102060
ccgaaagaaa	gcctagcata	tgaccagga	gccacatctt	cactcagcct	tggtgctagg	102120
tttggcttag	catatataat	agcatagcat	gtataattta	tgacaaaaaa	ttatactttg	102180
cactttttaa	ttagaacatt	caaatgatc	tcaggaagtg	gcaccagaga	tcatcagtg	102240
tctactgtac	ttcgtgtgta	tgtgtctgtg	agtatgtatg	tggttgtgtg	tgttcccaca	102300
ttctaaggca	tgtcttttac	aggttagtag	aaaatgttga	tagaaaatta	tagatttcaa	102360
catctaaaac	acagttaggtc	actacattgt	taaaacttgg	aattttttat	cttggtgtaa	102420
agtcaggcca	accaaacctc	aaatactgct	acattgaaat	agtgcataat	attcaaaata	102480
ctatagttat	agatttggtg	gtaggactgt	accagacctg	tcactctata	caagacttat	102540
gccttgccct	ttcacttacc	tgttcccttt	tacatctatc	ttactagatg	taatgctata	102600
aatttatatt	ctaatttatt	ataatttatt	atgtattata	atgtatcaaa	tattacaaat	102660
tatgttgcaa	cttcccttac	ctttcgtctg	catattgcct	cagaaagaac	agatggatcc	102720
aacagacttc	aaccacaggc	ccttagtgac	aaatagctct	taatgctggg	cttgccactt	102780
tgatgcattt	ctaaagttaa	agaatgttaa	atgcaccaag	tcctttgggtc	attttatttc	102840
taccttagat	ctaagccata	actatacttt	cccaaaaatt	aaagtttgaa	ttttaactta	102900
accatatata	attggaaaag	gaggttgggt	tcgttaagtg	taattttatc	atgctttatt	102960
atcctttggg	cattggatac	agcagaacat	gccaatcttc	atggcttctc	atgtgacaga	103020
ataactttac	ttagtatgaa	ttaaatactc	ctcagagtat	gtaaacaata	aatgtaatca	103080
ttacattatt	tttatattgt	tctttcttat	gcataatagt	aagactgaaa	atatagtgtt	103140
atttctgaaa	tatgcataat	gttttgcttt	tgatgattaa	ataacattgt	ccaaagtttt	103200
aggttttttg	aaatcttata	ttttttaaca	aaatatctag	cctttccaaa	acaagacctc	103260
aataattcgt	ttaagaccca	gagttgttcc	tctccacata	gatctcttaa	aaaggcagag	103320
gatttatgac	ctcaagagaa	atcagagtat	cgaagttttg	ctttaattca	atgttttaaa	103380
aataaaatc	cttagatttt	atcaaaaatt	cgatattagt	tgattttgaa	tcagatgcc	103440
tttgctcccc	accccaaaat	ggcattatga	gcagactagg	aattgataat	agaaaattga	103500
acatatgaaa	tatatcttta	ccttgctttt	taacaaggta	ttcatgtcta	tcgccttcat	103560
ttttaagtgc	atcaataaaa	tacatggtaa	ttctcttagt	gaaatatact	atctacacta	103620
tgtacacact	ccctgtctg	aggtagagaa	gtagagaata	ttcacatttt	tgaaacgtct	103680
atgtcttttt	tatttaataa	cgagttctgg	gcttgatttc	atttttgaac	acgggtgtgt	103740
gcttaagttg	aacctttttt	tcctcttaag	tcaaagttct	tttttagttt	cttcttttat	103800
ctttttgggt	actatctctc	tccttcatcc	tcctgggtgtg	agttgttgag	tgaagggtatt	103860
aattccatta	tttgaggcta	agtacatttg	ttcaataatg	cagcaaaaca	atggttctac	103920
ccaaaatatc	ttcaagtgtg	aaagcagtg	gcaaaagaga	aagtgcgctt	ctgctgcttt	103980
gaatgtttaa	ggctgtgaaa	gttgatcaca	caaattgggt	cattcttgtt	atacccaact	104040
aaaacaatca	agaagcctgg	gaggaaaagc	attcaagaaa	catcacattg	ctccaaaagt	104100
gtaattttct	acaagtccgc	atgctgaggc	tgctgtttgt	aacctgggac	caattttttc	104160
tgtactgct	gaaaaaactt	gctgcagctc	taggactaat	tttgcccacc	actgtcactc	104220
accaattgaa	gcttactagc	tccccagaac	ctttctagtg	ccaatgaact	ttctcaaaga	104280
gcagcgtgta	tcatttctct	ttttcagaac	acctccaacc	tcctctttgt	cttttgggta	104340
taccaaaagc	caaccagcct	tgaatttcaa	tttttcttcc	cacataaaaag	ttttaattta	104400
gaaatgtatc	tctacatttc	taactttgac	taactttgac	taccagataa	ttgatgaaac	104460
cttgctattt	taacgatcac	catggattac	ttcccagtg	cttcagataa	ccctcaacat	104520
ttgccaacat	ttgatggact	tcaaaatgag	catatctttt	ttaaaaaaaa	ttattcacac	104580
tgacagcaag	tacattggta	tactctatat	taaattatac	cacagggttt	acaacaattt	104640
ggtgatgtcg	ggcagtggtt	tccaaggaac	atacttaaca	agacactcac	aaggccctac	104700
aaacctgcac	ttttaacaag	ggccctagat	gattctagaa	gagtgtgggt	tggaagcaaa	104760
tttttgctct	tatttatgtg	cattttaaat	atattttaaa	ttaaagttaa	aagtcataga	104820
attgaataaa	gataatttcc	ttacagaaag	tattactagg	tattctaaata	caatatgggt	104880

BIOL0139WSEQ.txt

caaaacagga	aatttaaaaa	gattatgtaa	attctgtagt	tgtattccta	aagacagtag	104940
ctgaaatttt	ttcctacttc	tccttgtatc	gttccctttt	tccttcactt	tcacttccct	105000
ggaattgtac	ttcccaataa	gctatttagca	gtgaaggaa	cttcgtctca	tgatctgttt	105060
tatagagcac	ttcagctggg	acgagtacga	aatgataatc	agttatatca	gctattcaac	105120
cctacaggtt	tatttaaaaa	gaacttgaat	aagcttttta	gggagaaaga	ggtcagtcct	105180
agccatttct	gtttcctaata	atagctttta	agtccttccct	tatttagcaat	gaggggtcatt	105240
ccattgtaat	tttttgataa	ccatttttct	ttctgtgtgt	caaatgcaga	tataagatac	105300
tgaactgagt	ctatttcact	gttcgtaaaa	caatcccatt	tgaaaaaaaa	aagtctacag	105360
ctattccagg	gatagggcct	agtagagaga	gaataaaaagg	tatttttctta	ctatgtctct	105420
atatcctacc	ctgtaggttc	tcttattaag	catacaggca	tataccaaaa	tccagacgtt	105480
tttctcattt	attttattgc	cctaacatat	tctgggttaa	tataatatca	taatgaaaat	105540
ttgagaaaaa	attgattttt	tcaaaagtgt	ttaacatttg	ttatatttgt	agtttttttt	105600
cttgtttgtg	gtaaaaataa	atagaagggt	cacttcacac	cttcaagtat	gatttatatt	105660
tgaaaacaag	tcatgaatac	tcataaaatt	caaattttta	tggtcttttt	ttgttacagc	105720
caaacctatat	taggcacagt	tgtaaaattg	agttgaaatt	taatatattct	ttatagataa	105780
caatgttttt	agaaataggt	ttatgaaaca	gtaaatatac	aggtataggg	ataaaattgt	105840
gtctgatggg	catatgaagt	gtttgttgtt	atattctcct	tggaatagct	gccaaatatt	105900
ttagtatgct	taaaatctac	gaatgtgata	gagtcaacaa	atttagatca	catattcaga	105960
aaaacatagt	tagagaacta	actattgaaa	tgagcataca	gcagtcttcc	tttatctaca	106020
gggatacatt	ctgaaacccc	cactaggaca	cgtgaaattg	cggatagtag	caaaccctac	106080
atatactggt	ttttccaatg	cttatgtacc	tatgaaaaag	tttaatttat	aaactaggca	106140
cagtaagaga	ttacaacaa	taactaataa	caaaagagaa	caattataat	aatatactgt	106200
aataaaaagt	atgtgggtat	ggctctcgct	tctctttccc	tctctctctg	tctctaaata	106260
tcttagtatt	ttgggggttg	aattgggtgt	gggcaactga	aacctgggaa	aacaaaacca	106320
cggataaaaag	gagactactg	tataactttt	ttaaaactga	tgaaatatta	aactcatggt	106380
tcttctatat	cccaccattt	tccccacccc	aaacctagat	agatatctta	tttgatctgt	106440
aaacatttaa	ttaatttgta	aaagttaaga	actttttgaa	gtaaaactgc	aatatatcat	106500
cacacctaaa	gaaataaaca	ataattctta	aatatcaagt	cagtgttcaa	atttcccca	106560
ctacctcata	tgtgttttcc	atttgcttat	gtagggttcc	caatgagaat	gaaataaagt	106620
tcttaggttg	caattggcta	atgctctctc	acttctactt	taagcggcag	gttcccacta	106680
acttcttttt	agttgcaatt	tacttattga	aattagacgt	attctttgtc	ttgtgtagtt	106740
tctcacatgt	caaaatttgc	tgattgtagc	cactgtttga	agcaatgaac	atgtttttca	106800
ccaccttata	tttgctgtaa	gttgctcagt	atagttaaat	gttaatcaaa	ttcaaattcg	106860
gatcacgtag	ggcttttctt	ttttgttttt	ctttttctat	ttatatattt	atttatattt	106920
tttgagacgg	agtctcactc	cgtcaccagg	ctggagtgca	atgggtgat	ctgggctcac	106980
tgcaatctcc	acctcccggg	ttcaagtgat	tcccctgggt	cagtctcccg	agtagctggg	107040
actataggag	aaccaccacg	cccggctaac	tttttgtatt	ttagtagaga	tggggtttta	107100
ccatgttggc	caggatgcta	tagatctcct	gacctcaccg	atcatgtagg	acttcaattg	107160
tcgaacaaac	gaacctttta	tagcagttac	accattagga	tgacctgatc	caacatcgag	107220
gtcgtaaacc	ctattgtcga	tttgactctt	agaataggat	tgtgctgtca	tccctagtgt	107280
agcttggtcc	cacttgatga	agttattgga	tcagtgaaca	atagcccact	taaactagta	107340
cagtcttagt	ttaagatggg	gatgtgtatg	tacttccatc	agagggcaca	taatacagta	107400
aatcctcact	taacttcatc	aatagtttct	ggaaactgtg	acttgaagca	aaacaacata	107460
taacaaaacc	agttttacca	ttggctaatt	gatataagca	agaattaaat	cctatggcaa	107520
atttctggac	acaaaaacac	catcaaactc	ctaaataaag	ataaatcact	tctgacatta	107580
aacattgaaa	ttaatgtgag	ctatatatac	gtttaagaaa	gattaataca	aacaagtcaa	107640
ataacttacc	taattatttc	ggtggaggcc	gcaggtgggt	ggagcctatc	ctggcagctc	107700
aggagcaat	atgggaaccc	accccgga	ggacgtgtgt	ccattactgc	aggggtgtct	107760
tgtacacacc	cactcaccga	ggctggaacc	atgcagacac	acacactcac	ctaacttaca	107820
catctgtgta	catccttcaa	agttcagcca	aataacatat	aaacaaatcc	agtaatatcc	107880
atcagtctta	gttccgtcat	aacaactcct	ttttgatcat	caaacaacaa	acagggtagg	107940
tctgccatat	ttacttgtct	ggtccatatc	aaaattttct	aacaaattat	attagaaaat	108000
caaattctctg	tcagtttcaa	aatcatggaa	aaaaatttgc	cttattttccc	ttatacttgg	108060
atatcctaac	agtaatctaa	atattaatga	gaaagttaat	gatgtcgttt	ccttctccct	108120
gttgtaaaaga	aggttttgct	gtcccgtttg	atcactaaga	ctaattgaca	ctcagaaaaa	108180
gcataggaaa	cttctcagca	tcacaaaagg	tctgtcatct	agagaagcta	ggacttgagc	108240
tcaagtcctg	tgacatggaa	ggccttgtgc	ctagccatcc	tgcagcagag	gcgtatctac	108300
caagaagtga	aacactacga	aaacagtatg	tttactccac	attttaaagt	gaggtagtgt	108360
ggggtggttc	atattttatt	taattttatat	attattttgga	tttttttttag	tttataaaaa	108420
gggcattggc	aagggcagaa	tgatctgtaa	gcttctctgc	ccacctacca	taagcatgat	108480
ctttagtgtg	accttttctt	actgttagcc	acttctctgc	acttctcgt	ccctgtcagt	108540
cacttccatg	tgaagacatg	gggaagcttt	tttacctcag	acatgttgtt	gaaaaatcagc	108600
cgcgttggct	gagggattat	ttgatctctt	tctccaagtc	ccttttaggct	cacattgcct	108660
ctctgttctt	tgaattttca	cttaccttta	tcttcttata	attactttgc	tgaataaat	108720
gcaaagcaac	aaaagggtatt	tagtgaagaa	taccaacaaa	gccatgacca	tttcaggctg	108780
agttttgtag	tattctttgt	ctaggaagag	atacctagaa	aaattttctg	accatgtatt	108840
tgattatttt	cttccaatat	gtatagcttc	agctttcaaa	tttcagaaaa	gaattttgtt	108900
cttcattgtc	attttaaatt	aatgtgttaa	atatgtatgc	ttttacatta	taagtgttta	108960

BIOL0139WSEQ.txt

taaaagttaa	acacttagaa	aaaaagtcaa	aataacatac	atactatcca	acaaaataac	109020
tttcatat	tattgtgt	tcttccaaac	tttttacctt	tgctgtgaa	ttctgtgtag	109080
gttgatat	taatatagac	aacactttat	agcctgctaa	atattatacc	ataaataggt	109140
agttgttaca	taattctcag	gtaatagtaa	tacaggtctt	tatcataatc	tactgagtag	109200
ttgaatgata	atTTTTTTT	agacaaggctc	tccctctgtc	accagggcta	gaatgcagtg	109260
gcatgcacat	ggctcactgt	agcctctacc	tcccaggctc	aagtgatcct	cctgcctcag	109320
cctcccaagt	ggctgggact	gtaggcatgt	gccaccatgc	ccagctattt	atttgtattt	109380
ttagtagaga	tggggtttca	ttgtaacagc	ccaggctggg	cttgaactcc	tggactcaaa	109440
tgatccacct	gcctcagcct	cccaaagtgc	tgaaatcaca	ggagtgaacc	actgcaccca	109500
gcaataat	tttaactctt	cattattcat	tgaacattta	gttaacaatt	ctaaaaat	109560
tgtttcctgc	tgctattgat	cttgtgaaaa	atatctttgg	actatagctg	tggattattt	109620
cctaaatagt	aaattacttg	agcaaaaagt	ttacatactt	tgagggttga	taacccatgt	109680
tgccgcaatg	tttccccgga	ggcattgttg	agtttagaat	gccagtagta	atattaaggt	109740
gtgccatttt	aaagatccgt	ggccaacatc	cttatatgta	agatttttcc	aaaacatggt	109800
tctgattttt	aaaagtga	aatgctactt	catcatgttc	tttttgtgct	tcttacttta	109860
aatattagaa	tgaagaagga	gccccacagg	aaggaattct	ggaagatatg	cctgtggatc	109920
ctgacaatga	ggcttatgaa	atgccttctg	aggtaggagt	ccaagctgaa	tctttcta	109980
aagacagtac	caaaaacctg	tcattgtcac	atcttctt	cattagtgt	tagtgagaat	110040
catttgctct	ctacatgtct	attacgtgga	caacttgcaa	gttaagaata	gtttttacat	110100
ttttaagg	tccttaaaaa	aaaagaggag	gaggaagatg	agaagagga	agaaaggatg	110160
taaaagaaat	catatgtagt	ccacatagct	taataactt	actacttgac	cctttacagg	110220
aaaagtttac	taaccctgc	attagagaat	atatttttag	aaactttaca	ttctaaaata	110280
aatttctaaa	tggaaagtta	gggaaatcaa	tggaaatgcca	aaggaaggtt	attattttt	110340
gccatacatg	tccaatggga	tgacgcatag	taaaataaaa	gttaccacaca	caagttatag	110400
aataaaaaaga	taaatgcatg	atttgcgaca	attgatata	tccagtataa	tgtttttaac	110460
aacacaaat	gattgtta	tttattttga	ttgaaaatga	aagtatctt	aatagaaaa	110520
gtatcaaaag	ggaaattaga	aaatactgtt	agatgaataa	aactggccca	agaagaaaca	110580
gtaaatctga	atagatttgt	aacacagcga	atagattaaa	ttagtaataa	aaaaaaaaac	110640
ctacctgcaa	agaaaatccc	aggccgagat	ggcatcactg	gtaaattcta	ccaacattt	110700
aaagagggaat	taataactaat	tagttaacac	caattaatat	ctcttacaaa	acagaagagg	110760
agacatttcc	caactaat	tgtgagacca	atattaccct	gataatcaaa	accaaataga	110820
gatatcacaa	gaaaagaac	tatataatgg	ctccattaaa	aattgagttc	aagtatgtt	110880
tagtttgggt	atgtattatt	cctcacggga	ttattaaaag	gcatgtcgag	gatgggcaca	110940
gcagttcaca	cctgtaatcc	cgcaatttgt	gagccaaagt	ggccagggtta	cttgaggcca	111000
ggagtgggag	accagtctgg	ccaacatggt	gaaaccccat	ctctactaaa	aatacaaaaa	111060
ttagccgggc	atggtggtac	acgcctatgg	ttccagctac	ttgggaggct	gaggcatgag	111120
agtcacttga	accaggagg	cagaggttgc	agtgaactga	gatggcacc	ctgcactcca	111180
atcttggtta	cagagcaaga	ctgtctcaca	cagacacacg	aaaggcatat	tgataataat	111240
tcaacttata	gaaattgaga	ttaaattgtt	tgtttgccca	ataagaattt	ccaatattt	111300
ggggtctttt	atgcaagaca	cagtactaaa	cacaatggaa	aactatagag	taattgacat	111360
taccaggaca	taaggagttt	acagtctggt	aggtttgatg	aaaaaaaata	gaaattcatt	111420
cattcatttc	ttcattatga	ttcctttaac	aaacataatt	gattgtcttc	gatgtaccag	111480
gcatcacagg	agcaaaaaata	tataagacat	actaaaaagt	aaaacatttt	aaagatctgt	111540
ttcaatcaat	caggagaagt	tttattgagg	agttaatggt	gatctgggtg	ggaaaaggta	111600
agagatatag	taggtcaaaa	caaacagagg	acattctggc	acaagggaat	atcagaagca	111660
aaggcatgta	tgctgtagca	tgcaaatgga	tatgtctgag	aacagtgaat	aattatgact	111720
caagcttagg	aacaaggaaa	atggtgatag	attgaatttg	cagctatggg	tcaaagacaa	111780
gttatagagt	attaggataa	tcttgtcatt	tcagcttgta	ttctattcag	aaaacaactt	111840
gagttattga	agttatgctt	atttggttgt	ttttaagcag	aatcctgata	ttattagagt	111900
tgctctttag	gaggaataat	ctgatccctt	taattaaatc	cattaatatt	tgtgttgtgg	111960
atgctatcca	gatactgtat	ggagagcttg	aggtttgaaa	tacaagtaat	aattgaagcc	112020
atagatgaag	acgaaat	caactgggag	agtgaagta	gggaaaatgt	atcttgcctt	112080
caaacatctt	aatttccttc	tgagaattag	agcatcttag	tctggaaaag	gctttataga	112140
cagcttgatt	ttgttctcac	attttacagg	tgaagaaact	gagaaccaga	cagtccaact	112200
tatttgcctt	accaaactag	gtatatgatc	attaaatggt	gcatccggat	cagaacctag	112260
atattttaac	tctgactact	actgtaattc	acttttatat	cagacaagaa	agacacaact	112320
attaaaaata	agataatatt	tgctgcagaa	tatttgcaaa	aacattgatt	gtaaatttta	112380
gtgtaagtgg	ggagccattt	cctatctcat	tggtgtcag	tgctgatgcg	taattgaaac	112440
ttatactaac	agtgtgtgct	gtctttttga	tttttcta	attaggaagg	gtatcaagac	112500
tacgaacctg	aagcctaaga	aatatctttg	ctccagcttt	cttgagatct	gctgacagat	112560
gttccactct	gtacaagtgc	tcagttccaa	tggtgccagt	catgacattt	ctcaaagttt	112620
ttacagtgt	tctcgaagtc	ttccatcagc	agtgttgaa	gtatctgtac	ctgccccac	112680
tcagcatttc	ggtgcttccc	tttactgaa	gtgaatacat	ggtagcagg	tctttgtgtg	112740
ctgtggattt	tgtggcttca	atctacgatg	ttaaaacaaa	ttaaaacac	ctaagtgact	112800
accacttatt	tctaaatcct	cactattttt	ttgttgcctg	tgttcagaag	ttgttagtga	112860
tttgcataca	tataattata	gatttttagg	tgctttttaa	tgatactgtc	taagaataat	112920
gacgtattgt	gaaatttgtt	aatatatata	atactttaaa	atatgtgagc	atgaaactat	112980
gcacctataa	ataactaaata	tgaattttta	ccattttgcg	atgtgtttta	ttcacttgtg	113040

BIOL0139WSEQ.txt

tttgtatata	aatgggtgaga	attaaaaataa	aacgttatct	cattgcaaaa	atatttttatt	113100
tttatcccat	ctcactttta	taataaaaaat	catgcttata	agcaacatga	attaagaact	113160
gacacaaagg	acaaaaatat	aaagttatta	atagccattt	gaagaaggag	gaatttttaga	113220
agaggtagag	aaaatggaac	attaacccta	cactcggaat	tccctgaagc	aacactgcca	113280
gaagtgtgtt	ttggatgca	ctggttcctt	aagtggctgt	gattaattat	tgaaagtggg	113340
gtgttgaaga	ccccaaactac	tattgttagag	tggtctatatt	ctcccttcaa	tcctgtcaat	113400
gtttgcttta	cgtattttgg	ggaactgttg	tttgatgtgt	atgtgtttat	aattgtttata	113460
catttttaat	tgagcctttt	attaacatat	attgttatatt	ttgtctcgaa	ataattttttt	113520
agttaaaatc	tattttgtct	gatattgggtg	tgaatgctgt	acctttctga	caataaataa	113580
tattcgacca	tgaataaaaa	aaaaaaaaaaa	gtgggttccc	gggaactaag	cagtgtagaa	113640
gatgattttg	actacaccct	ccttagagag	ccataagaca	cattagcaca	tatttagcaca	113700
ttcaaggctc	tgagagaatg	tggttaactt	tgtttaactc	agcattcctc	actttttttt	113760
tttaatcatc	agaaattctc	tctctctctc	tctctttttc	tctcgctctc	tttttttttt	113820
tttttttaca	ggaaatgcct	ttaaacaatcg	ttggaactac	cagagtcacc	ttaaaggaga	113880
tcaattctct	agactgataa	aaatttcatg	gcctccttta	aatgttgcca	aatatatgaa	113940
ttctaggatt	tttcccttagg	aaaggttttt	ctcttttcagg	gaagatctat	taactcccca	114000
tgggtgctga	aaataaacct	gatggtgaaa	aactctgtat	aaattaattt	aaaaattatt	114060
tggtttctct	ttttaattat	tctggggcat	agtcatttct	aaaagtcact	agtagaaagt	114120
ataatttcaa	gacagaatat	tctagacatg	ctagcagttt	atatgtattc	atgagtaatg	114180
tgatataat	tgggcgctgg	tgaggaagga	aggaggaatg	agtgactata	aggatggtta	114240
ccatagaaaac	ttcctttttt	acctaattga	agagagacta	ctacagagtg	ctaagctgca	114300
tgtgtcatct	tacactagag	agaaatggta	agtttcttgt	tttattttaag	ttatgtttta	114360
gcaaggaaaag	gatttggtat	tgaacagtat	atttcaggaa	ggtagaaaag	tggcggttag	114420
gataatattt	aaatctacct	aaagcagcat	attttaaaaa	tttaaaaagta	ttggtattaa	114480
attaagaaat	agaggacaga	actagactga	tagcagtgac	ctagaacaat	ttgagattag	114540
gaaagtgtgt	accatgaatt	taaggattta	tgtggataca	aattctcctt	ttaaagtgtt	114600
cttcccttaa	tatttatctg	acggtaattt	ttgagcagtg	aattacttta	tatatcttaa	114660
tagtttattt	gggaccaaac	acttaaacaa	aaagttcttt	aagtcatata	agccttttca	114720
ggaagcttgt	ctcatattca	ctcccagagac	attcacctgc	caagtggcct	gaggatcaat	114780
ccagtcctag	gtttattttg	cagacttaca	ttctcccaag	ttattcagcc	tcatatgact	114840
ccacggctcg	ctttaccaaa	acagttcaga	gtgcactttg	gcacacaatt	gggaacagaa	114900
caatctaagt	tgtggtttgg	tattccaagt	ggggtctttt	tcagaatctc	tgactagtgt	114960
tgagatgcaa	acatgttttc	tcacttttct	ggcttatcca	g		115001

<210> 3
 <211> 1096
 <212> DNA
 <213> Homo sapiens

<400> 3						
gaattcatta	gccatggatg	tattcatgaa	aggactttca	aaggccaagg	agggagttgt	60
ggctgctgct	gagaaaacca	aacaggggtg	ggcagaagca	gcaggaaaga	caaaagaggg	120
tgttctctat	gtaggctcca	aaaccaagga	gggagtggtg	catggtgtgg	caacagtggc	180
tgagaagacc	aaagagcaag	tgacaaatgt	tggaggagca	gtggtgacgg	gtgtgacagc	240
agtagcccag	aagacagtgg	agggagcagg	gagcattgca	gcagccactg	gctttgtcaa	300
aaaggaccag	ttgggcaagg	aagggtatca	agactacgaa	cctgaagcct	aagaaatatc	360
tttgctccca	gtttcttgag	atctgctgac	agatgttcca	tcctgtacaa	gtgctcagtt	420
ccaatgtgcc	cagtcatgac	atttctcaaa	gtttttacag	tgtatctcga	agtcttccat	480
cagcagtgat	tgaagtatct	gtacctgccc	ccactcagca	tttcggtgct	ttcctttcac	540
tgaagtgaat	acatggtagc	agggctcttg	tgtgctgtgg	attttgtggc	ttcaatctac	600
gatgttaaaa	caaattaaaa	acacctaagt	gactaccact	tatttctaaa	tcctcactat	660
ttttttgttg	ctgttgttca	gaagtgttta	gtgatttgct	atcatatatt	ataagatttt	720
taggtgtctt	ttaatgatac	tgtctaagaa	taatgacgta	ttgtgaaatt	tgtaatatata	780
tataataactt	aaaaatatgt	gagcatgaaa	ctatgcacct	ataaataacta	aatatgaaat	840
tttaccattt	tgcgatgtgt	tttattcact	tgtgtttgta	tataaatggt	gagaattaaa	900
ataaaacggt	atctcattgc	aaaaatatct	tatttttatc	ccatctcact	ttaataataa	960
aatcatgct	tataagcaac	atgaattaag	aactgacaca	aaggacaaaa	atataaagtt	1020
attaatagcc	atttgaagaa	ggaggaattt	tagaagaggt	agagaaaatg	gaacattaac	1080
cctacactcg	gaattc					1096

<210> 4
 <211> 411
 <212> DNA
 <213> Homo sapiens

<400> 4

BIOL0139WSEQ.txt

taaaggaatt	cattagccat	ggatgtattc	atgaaaggac	tttcaaaggc	caaggaggga	60
gttgtggctg	ctgctgagaa	aaccaaacag	ggtgtggcag	aagcagcagg	aaagacaaaa	120
gagggtgttc	tctatgtagt	ggctgagaag	accaaagagc	aagtgacaaa	tgttggagga	180
gcagtgggtga	cggtgtgtac	agcagtagcc	cagaagacag	tgaggaggagc	aggagcatt	240
gcagcagcca	ctggctttgt	caaaaaggac	cagttgggca	agaatgaaga	aggagcccca	300
caggaaggaa	ttctggaaga	tatgcctgtg	gatcctgaca	atgaggctta	tgaaatgcct	360
tctgaggaag	ggtatcaaga	ctacgaacct	gaagcctaag	aaatatcttt	g	411

<210> 5
 <211> 1208
 <212> DNA
 <213> Homo sapiens

<400> 5						
agagaggggg	cgagcgaccg	agcgccgcga	cgcggaagtg	agggtgcgtgc	gggctgcagc	60
gcagaccccc	gcccggcccc	tccgagagcg	tcctgggccc	tccctcacgc	cttgccttca	120
agccttctgc	ctttccacc	tcgtgagcgg	agaactggga	gtggccattc	gacgacaggt	180
tagcgggttt	gcctcccact	ccccagcct	cgcgtcgccg	gctcacagcg	gcctcctctg	240
gggacagtcc	ccccgggtg	ccgcctccgc	ccttccctgtg	cgctcctttt	ccttcttctt	300
tcctattaaa	tattatttgg	gaattgttta	aatttttttt	ttaaaaaaaa	gagagaggcg	360
gggaggagtc	ggagtgttgg	agaagcagag	ggactcagtg	tggtgtaaag	gaattcatta	420
gccatggatg	tattcatgaa	aggactttca	aaggccaagg	agggagtgtg	ggctgctgct	480
gagaaaacca	aacagggtgt	ggcagaagca	gcaggaaaga	caaaagaggg	tggttctctat	540
gtaggctcca	aaaccaagga	gggagtgttg	catggtgtgg	caacagtggc	tgagaagacc	600
aaagagcaag	tgacaaatgt	tggaggagca	gtggtgacgg	gtgtgacagc	agtagccag	660
aagacagtgg	agggagcagg	gagcattgca	gcagccactg	gctttgtcaa	aaaggaccag	720
ttgggcaaga	atgaagaagg	agccccacag	gaaggaattc	tggaagatat	gcctgtggat	780
cctgacaatg	aggcttatga	aatgccttct	gaggaagggg	atcaagacta	cgaacctgaa	840
gcctaagaaa	tatctttgct	cccagtttct	tgagatctgc	tgacagatgt	tccatcctgt	900
acaagtgtct	agttccaatg	tgcccagtc	tgacatttct	caaagttttt	acagtgtatc	960
tcgaagtctt	ccatcagcag	tgattgaagt	atctgtacct	gccccactc	agcatttctg	1020
tgcctccctt	tcactgaagt	gaatacatgg	tagcaggggc	tttgtgtgct	gtggattttg	1080
tggttcaat	ctacgatgtt	aaaacaaatt	aaaaacacct	aagtgactac	cacttatctt	1140
taaatcctca	ctattttttg	ttgctgttga	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	1200
aaaaaaaa						1208

<210> 6
 <211> 708
 <212> DNA
 <213> Homo sapiens

<400> 6						
agcgggagaa	ggagaaggag	gaggactagg	aggaggagga	cggcgacgac	cagaagggggc	60
ccaagagagg	gggcgagcga	ccgagcgcg	gacgcggaag	tgaggtgcgt	gcgggctgca	120
gcgcagaccc	cgccccggcc	cctccgagag	cgtccctggc	gctccctcac	gccttgctt	180
caagccttct	gcctttccac	cctcgtgagc	ggagaactgg	gagtggccat	tcgacgacag	240
tgtggtgtaa	aggaattcat	tagccatgga	tgtattcatg	aaaggacttt	caaaggccaa	300
ggaggaggtt	gtggctgctg	ctgagaaaac	caaacagggg	gtggcagaag	cagcaggaaa	360
gacaaaagag	ggtgttctct	atgtaggctc	caaaaccaag	gagggagtgg	tgcatggtgt	420
ggcaacagtg	gctgagaaga	ccaaagagca	agtgcacaa	gttgaggag	cagtgtgtgac	480
gggtgtgaca	gcagtagccc	agaagacagt	ggaggagca	gggagcattg	cagcagccac	540
tggctttgtc	aaaaaggacc	agttgggcaa	gaatgacaga	aggagccaca	caggaaggac	600
attctggcag	atatgcctgt	ggatcctgac	aatgaggctt	atgacatgcc	ttctgaggaa	660
gggtatcaag	actacgaacc	tgaagcctaa	gacatatctt	tgctccca		708

<210> 7
 <211> 516
 <212> DNA
 <213> Homo sapiens

<400> 7						
ggaggacggc	gacgaccaga	aggggccc	gagatggggc	gagcgaccga	gcgccgcgac	60
gcggaagtga	gtgtggtgta	aaggaattca	ttagccatgg	atgtattcat	gaaaggactt	120
tcaaaggcca	aggagggagt	tgtggctgct	gctgagaaaa	ccaaacaggg	tgtggcagaa	180
gcagcaggaa	agacattttt	tggtgttctc	tatgtaggct	ccaaaaccaa	ggagggagt	240
gtgcatggtg	tggcaacagt	ggctgagaag	accaaagagc	aagtgacaaa	tggtggagga	300
gcagtggtag	cgggtgtgac	agcagttagc	cagaagacag	tgaggggagc	aggagcatt	360
gcagcagcca	ctggctttgt	caaaaaggac	cagttgggca	agaatgaaga	aggagcccca	420

BIOL0139WSEQ.txt

caggaaggaa ttctggaaga tatgcctgtg gatcctgaca atgaggctta tgaaatgcct 480
tctgaggaag ggtatcaaga ctacgaacct gaagcc 516

<210> 8
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 8
acgaacctga agcctaagaa atatct 26

<210> 9
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 9
gagcacttgt acaggatgga acat 24

<210> 10
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Probe

<400> 10
tgctcccagt ttcttgagat ctgctgaca 29

<210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 11
aattccttta caccacactg 20

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 12
atggctaata aattccttta 20

<210> 13
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 13
gaatacatcc atggctaata 20

```

<210> 14
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 14
gtcctttcat gaatacatcc                20

<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 15
tttgaaagtc ctttcatgaa                20

<210> 16
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 16
tccttggcct ttgaaagtcc                20

<210> 17
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 17
ctcagcagca gccacaactc                20

<210> 18
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 18
ttggttttct cagcagcagc                20

<210> 19
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 19
atagagaaca ccctcttttg                20

<210> 20

```

```

<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 20
gttttggagc ctacatagag                20

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 21
tccttggttt tggagcctac                20

<210> 22
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 22
ttgccacacc atgcaccact                20

<210> 23
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 23
ccaacatttg tcacttgctc                20

<210> 24
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 24
tgtcacaccc gtcaccactg                20

<210> 25
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 25
actggtcctt tttgacaaag                20

<210> 26
<211> 20
<212> DNA

```


<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 26

cattcttgcc caactggtcc

20

<210> 27

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 27

gtcaggatcc acaggcatat

20

<210> 28

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 28

ttcataagcc tcattgtcag

20

<210> 29

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 29

aaggcatttc ataagcctca

20

<210> 30

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 30

ttcctcagaa ggcatttcac

20

<210> 31

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 31

gatacccttc ctcagaaggc

20

<210> 32

<211> 20

<212> DNA

<213> Artificial Sequence

```

<220>
<223> Synthetic Oligonucleotide

<400> 32
cgtagtcttg atacccttcc                20

<210> 33
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 33
tttcttaggc ttcaggttcg                20

<210> 34
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 34
agatatttct taggcttcag                20

<210> 35
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 35
ggagcaaaga tatttcttag                20

<210> 36
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 36
agcagatctc aagaaactgg                20

<210> 37
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 37
actgagcact tgtacaggat                20

<210> 38
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

```

```

<400> 38
ttggaactga gcacttgtag                20

<210> 39
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 39
ggcacattgg aactgagcac                20

<210> 40
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 40
ttgagaaatg tcatgactgg                20

<210> 41
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 41
tgtaaaaact ttgagaaatg                20

<210> 42
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 42
gaagacttcg agatacactg                20

<210> 43
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 43
tcaatcactg ctgatggaag                20

<210> 44
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 44

```

tacagatact tcaatcactg	20
<210> 45	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 45	
gaccctgcta ccatgtattc	20
<210> 46	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 46	
agcacacaaa gaccctgcta	20
<210> 47	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 47	
atccacagca cacaagacc	20
<210> 48	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 48	
gaagccacaa aatccacagc	20
<210> 49	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 49	
ggtagtcact taggtgtttt	20
<210> 50	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 50	
ataagtggta gtcacttagg	20

```

<210> 51
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 51
ttagaaataa gtggtagtca                                20

<210> 52
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 52
aacttctgaa caacagcaac                                20

<210> 53
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 53
cttataatat atgatagcaa                                20

<210> 54
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 54
gtatcattaa aagacaccta                                20

<210> 55
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 55
gtcattattc ttagacagta                                20

<210> 56
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 56
tatttttgca atgagataac                                20

<210> 57
<211> 20

```

```

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 57
aataaaatat ttttgcaatg
20

<210> 58
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 58
gcttataagc atgattttta
20

<210> 59
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 59
aattcatggt gcttataagc
20

<210> 60
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 60
gtgtcagttc ttaattcatg
20

<210> 61
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 61
ggctattaat aactttatat
20

<210> 62
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 62
ttcttcaa at ggctattaat
20

<210> 63
<211> 20
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Synthetic Oligonucleotide

<400> 63
ttctggcagt gttgcttcag
20

<210> 64
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 64
cagtgcatac caaaacacac
20

<210> 65
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 65
cttaaggaac cagtgcatac
20

<210> 66
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 66
atcacagcca cttaaggaac
20

<210> 67
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 67
tcaataatta atcacagcca
20

<210> 68
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 68
ccactctaca atagtagttg
20

<210> 69
<211> 20
<212> DNA
<213> Artificial Sequence

<220>

```

<223> Synthetic Oligonucleotide
 <400> 69
 tatcagacaa aatagatttt 20
 <210> 70
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Oligonucleotide
 <400> 70
 ttcacaccaa tatcagacaa 20
 <210> 71
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Oligonucleotide
 <400> 71
 attgtcagaa aggtacagca 20
 <210> 72
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Oligonucleotide
 <400> 72
 aatattattt attgtcagaa 20
 <210> 73
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Oligonucleotide
 <400> 73
 catggtcgaa tattatttat 20
 <210> 74
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Oligonucleotide
 <400> 74
 tcgcaaatg gtaaaatttc 20
 <210> 75
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic Oligonucleotide


```

<400> 75
gtctgcgctg cagcccgcac                                20

<210> 76
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 76
ggaggcaaac ccgctaacct                                20

<210> 77
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 77
gtttacctac ctacatagag                                20

<210> 78
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 78
gttttggagc ctacaaaaac                                20

<210> 79
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 79
ttctcagcca ctggtacaaa                                20

<210> 80
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 80
ccattcccaa gagaccaga                                20

<210> 81
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 81
agaagaatca attgctttac                                20

```

```

<210> 82
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 82
taatcattta aaccttagta                                20

<210> 83
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 83
gatacccttc ctaatattag                                20

<210> 84
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 84
gatacccttc cttgcccaac                                20

<210> 85
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 85
gccactacat agagaacacc                                20

<210> 86
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 86
cctttacacc aactgagtc                                20

<210> 87
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 87
atatctgcca gaatgtcctt                                20

<210> 88

```

<211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetic Oligonucleotide

 <400> 88
 ttacaccaca ctcacttccg 20

 <210> 89
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 89
 ggtgcttccc tttcactgaa gt 22

 <210> 90
 <211> 24
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 90
 acatcgtaga ttgaagccac aaaa 24

 <210> 91
 <211> 32
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Probe

 <400> 91
 aatacatggt agcagggtct ttgtgtgctg tg 32

 <210> 92
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 92
 ggagcaggga gcattgca 18

 <210> 93
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Primer

 <400> 93
 ccttcttcat tcttgcccaa ct 22

 <210> 94
 <211> 17
 <212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 94

cactggcttt gtcaaaa

17

<210> 95

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 95

tggcagaagc agcaggaaa

19

<210> 96

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 96

tccttggttt tggagcctac a

21

<210> 97

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 97

caaaagaggg tgttctc

17

<210> 98

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 98

gttgccacac catgcaccac

20

<210> 99

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide

<400> 99

tgttgccaca ccatgcacca

20

<210> 100

<211> 20

<212> DNA

<213> Artificial Sequence

```

<220>
<223> Synthetic Oligonucleotide

<400> 100
ctgttgccac accatgcacc                20

<210> 101
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 101
actgttgcca caccatgcac                20

<210> 102
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 102
cactgttgcc acaccatgca                20

<210> 103
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 103
ccactgttgc cacaccatgc                20

<210> 104
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 104
gccactgttg ccacaccatg                20

<210> 105
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 105
agccactgtt gccacaccat                20

<210> 106
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

```

```

<400> 106
cagccactgt tgccacacca                                20

<210> 107
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 107
tcagccactg ttgccacacc                                20

<210> 108
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 108
ctcagccact gttgccacac                                20

<210> 109
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 109
tctcagccac tgttgccaca                                20

<210> 110
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 110
ttctcagcca ctgttgccac                                20

<210> 111
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 111
cttctcagcc actgttgcca                                20

<210> 112
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 112

```

tcttctcagc cactgttgcc	20
<210> 113	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 113	
gtcttctcag ccactgttgcc	20
<210> 114	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 114	
ggtcttctca gccactgttg	20
<210> 115	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 115	
tggcttctc agccactgtt	20
<210> 116	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 116	
ttggtcttct cagccactgt	20
<210> 117	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 117	
tttgggtcttc tcagccactg	20
<210> 118	
<211> 20	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Synthetic Oligonucleotide	
<400> 118	
ctttgggtctt ctcagccact	20

```

<210> 119
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 119
tcttttgtct tctcagccac                                20

<210> 120
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 120
ctctttgtgc ttctcagcca                                20

<210> 121
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 121
gctcttttgt cttctcagcc                                20

<210> 122
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 122
tgctctttgg tcttctcagc                                20

<210> 123
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 123
ttgctctttg gtcttctcag                                20

<210> 124
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 124
cttgctcttt ggtcttctca                                20

<210> 125
<211> 20

```



```

<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 125
acttgctctt tggctcttc
20

<210> 126
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 126
cacttgctct ttggctcttc
20

<210> 127
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 127
tcacttgctc tttggctctc
20

<210> 128
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 128
gtcacttgct ctttggctct
20

<210> 129
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 129
tgtcacttgct tctttggctc
20

<210> 130
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 130
ttgtcacttg ctctttggtc
20

<210> 131
<211> 20
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Synthetic Oligonucleotide

<400> 131
tttgtcactt gctctttggt                20

<210> 132
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 132
atttgtcact tgctctttgg                20

<210> 133
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 133
catttgtcac ttgctctttg                20

<210> 134
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 134
acatttgtca cttgctcttt                20

<210> 135
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 135
aacatttgtc acttgctctt                20

<210> 136
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide

<400> 136
caacatttgt cacttgctct                20

<210> 137
<211> 1296
<212> DNA
<213> Mus musculus

<400> 137

```

BIOL0139WSEQ.txt

acagccctca	cgcaccgcac	ctccaaccaa	cccgtcccct	ccctaggaag	aggagcgaag	60
gcacgaggca	ggcgaggggc	ggggagaggg	gctgacaaat	cagctgcggg	ggcgacgtga	120
aggagccagg	gagccagagc	gcccggcagc	aggcagcaga	cggcaggaga	ccagcaggtg	180
ttccccctgc	ccctgcctgc	ccttgccctc	ttcattgaaa	ttagattggg	gaaaacagga	240
agaatcggag	ttcttcagaa	gcctagggag	ccgtgtggag	caaaaataca	tcttttagcca	300
tggatgtgtt	catgaaagga	ctttcaaagg	ccaaggaggg	agttgtggct	gctgctgaga	360
aaaccaagca	gggtgtggca	gaggcagctg	gaaagacaaa	agagggagtc	ctctatgtag	420
gttccaaaac	taaggaagga	gtggttcatt	gagtgacaac	agtggctgag	aagaccaaag	480
agcaagtgc	aaatggttga	ggagcagtg	tgactgggtg	gacagcagtc	gctcagaaga	540
cagtggaggg	agctgggaat	atagctgctg	ccactggctt	tgtcaagaag	gaccagatgg	600
gcaaggggtga	ggaggggtac	ccacaggaag	gaatcctgga	agacatgcct	gtggatcctg	660
gcagtgaggc	ttatgaaatg	ccttcagagg	aaggctacca	agactatgag	cctgaagcct	720
aagaatgtca	ttgcacccaa	tctcctaaga	tctgccggct	gctcttccat	ggcgtacaag	780
tgctcagttc	caatgtgcc	agtcattgac	ttttctcaaa	gctgtacagt	gtgtttcaaa	840
gtcttccatc	agcagtgatc	ggcgtcctgt	acctgccctt	cagcatcccg	gtgctcccct	900
ctcactacag	tgaacacctg	gtagcagggt	cttggtgtgt	gtggatattg	ttgtggcttc	960
acacttaaat	tgttagaaga	aacttaaaac	acctaagtga	ctaccactta	tttctaaatc	1020
ttcatcgttt	tctttttgtt	gctgttctta	agaagtgtgt	atttgctcca	agagtttttag	1080
gtgtcctgaa	tgactctttc	tgtctaagaa	tgatgtgttg	tgaaatttgt	taatataat	1140
tttaaaatta	tgtgagcatg	agactatgca	cctataaata	ttaatttatg	aattttacag	1200
ttttgtgatg	tgttttatta	acttgtgttt	gtatataaat	gggtgaaaaat	aaaataaaat	1260
attatccatt	gcaaaatcaa	aaaaaaaaaa	aaaaaa			1296

<210> 138

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 138

agaccaaaga gcaagtgaca aatg

24

<210> 139

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 139

cctccactgt cttctgggct act

23

<210> 140

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Probe

<400> 140

tggaggagca gtggtgacgg gtg

23

<210> 141

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 141

gtcattgcac ccaatctcct aag

23

<210> 142

<211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Primer

<400> 142
 gactgggcac attggaactg a 21

<210> 143
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Probe

<400> 143
 cggctgctct tccatggcgt acaa 24