



US00D740817S

(12) **United States Design Patent**
Ignomirello

(10) **Patent No.:** **US D740,817 S**

(45) **Date of Patent:** **** Oct. 13, 2015**

- (54) **FRONT EAR ASSEMBLY—LEFT**
- (71) Applicant: **Symbolic IO Corporation**, Holmdel, NJ (US)
- (72) Inventor: **Brian M. Ignomirello**, Holmdel, NJ (US)
- (73) Assignee: **Symbolic IO Corporation**, Holmdel, NJ (US)

D609,236 S *	2/2010	Matsumoto	D14/372
7,731,180 B2	6/2010	Ohnishi		
D619,108 S	7/2010	Lin		
D659,136 S *	5/2012	Matsumoto	D14/372
D659,137 S *	5/2012	Matsumoto	D14/372
8,322,040 B2	12/2012	Jimenez		
D682,267 S *	5/2013	Mase	D14/372
8,570,738 B2	10/2013	Fan et al.		
8,717,764 B2	5/2014	Sun		
D706,780 S *	6/2014	Abdollahi	D14/372

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/533,889**

WO 2010138824 A2 12/2010

(22) Filed: **Jul. 22, 2015**

OTHER PUBLICATIONS

(51) **LOC (10) Cl.** **14-02**

Cisco, "Cisco Catalyst 4948 10 Gigabit Ethernet Switch Data Sheet", retrieved on Jul. 21, 2015 from http://www.cisco.com/c/en/us/products/collateral/switches/catalyst-4900-series-switches/product_data_sheet0900aecd80246552.html, 14 pages.

(52) **U.S. Cl.**

USPC **D14/372**; D14/432

(Continued)

(58) **Field of Classification Search**

USPC D14/356–358, 361, 370, 372, 385, 388, D14/432–439, 447, 458, 474, 480.1, 483, D14/484.1, 217, 239, 299; D8/349, 354, D8/395; D16/100, 330; 345/7–9; 351/158; 359/409, 819, 399, 400; 250/214 VT

CPC G02B 27/017; G02B 27/0158; G02B 27/0161; G02B 27/0181; G02B 27/0185; G02B 27/0189; G02B 2027/0178; G02C 11/10; G02C 11/00

See application file for complete search history.

Primary Examiner — Austin Murphy
(74) *Attorney, Agent, or Firm* — Maldjian Law Group LLC

(57) **CLAIM**

The ornamental design for a left front ear assembly, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D357,461 S	4/1995	Zaplatynsky et al.
D382,880 S	8/1997	Cienkus et al.
6,494,780 B1	12/2002	Norbury, Jr.
6,956,745 B2	10/2005	Kerrigan et al.
D513,751 S	1/2006	Alo et al.
D535,298 S	1/2007	Cochrane
7,515,413 B1	4/2009	Curtis

FIG. 1 is a top left and front side perspective view of a left front ear assembly showing my new design;

FIG. 2 is a front plan view thereof;

FIG. 3 is a rear plan view thereof;


FIG. 4 is a left side plan view thereof;

FIG. 5 is right side plan view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

U.S. PATENT DOCUMENTS

D719,571 S * 12/2014 Sugihara D14/372
D723,554 S * 3/2015 Choo D14/372
D723,555 S * 3/2015 Choo D14/372
D726,180 S * 4/2015 Roat D14/372
D729,242 S * 5/2015 Kim D14/372
D731,484 S * 6/2015 Olsson D14/372
D733,137 S * 6/2015 Kawai D14/372
2015/0084270 A1 3/2015 Lo et al.

Highly Reliable Systems, "Raid Frame DAS 5000", retrieved on Jul. 21, 2015 from <https://www.high-rely.com/products/raidframe5bay/>, 1 Page.

Dell, "Installing Enclosure Components", retrieved on Jul. 21, 2015 from http://ftp.respmech.com/pub/MD3000/en/MD3000_Owners_Manual/install.htm, 11 Pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7