



US00D808827S

(12) **United States Design Patent**
Witt et al.

(10) **Patent No.:** **US D808,827 S**
(45) **Date of Patent:** **** Jan. 30, 2018**

- (54) **MEASURING CONTAINER**
- (71) Applicant: **Helen of Troy Limited**, Belleville, St. Michael (BB)
- (72) Inventors: **Larry Witt**, Califon, NJ (US); **John Traub**, Brooklyn, NY (US); **Matthew Dolph**, New York, NY (US); **Conor McNamara**, Montclair, NJ (US); **Chris Xydis**, San Francisco, CA (US)

6,769,302 B1	8/2004	King et al.	
D550,510 S *	9/2007	Morton	D7/509
D580,709 S *	11/2008	Williams	D7/509
D603,653 S *	11/2009	Wong	D7/509
D609,231 S	2/2010	de Jong et al.	
D616,703 S *	6/2010	Joy	D7/507
D620,817 S *	8/2010	Eide	D10/46.2
D634,159 S *	3/2011	Bodum	D7/509

(Continued)

FOREIGN PATENT DOCUMENTS

- (73) Assignee: **Helen of Troy Limited**, Belleville, St. Michael (BB)
- (**) Term: **15 Years**

DE	102007031687	1/2009
JP	1156566	3/1999
WO	2009/149523	12/2009

- (21) Appl. No.: **29/571,082**
- (22) Filed: **Jul. 14, 2016**

OTHER PUBLICATIONS

OXO Good Grips 2-Cup Squeeze and Pour Silicon Measuring Cup with Stay-Cool pattern, Dec. 11, 2015 (as verified by review), Amazon.com, https://www.amazon.com/dp/B015CQZCHM/ref=cm_sw_r_cp_dp_T2_JVAqzbZYNC4S.*

Related U.S. Application Data

- (63) Continuation of application No. 14/635,011, filed on Mar. 2, 2015.
- (51) **LOC (11) Cl.** **10-04**
- (52) **U.S. Cl.**
USPC **D10/46.2; D7/532**
- (58) **Field of Classification Search**
USPC D10/46.2, 46.3, 96, 101; D9/435, 436, D9/440, 447; D24/116, 224; D7/392, D7/396.2, 397-398, 316-319, 509-511, D7/526, 530-532, 700, 523, 507; 141/381; 222/566; 220/717; 73/426, 73/427; D11/152
CPC B65D 41/26; B65D 47/06; G01F 19/00; G01F 19/002
See application file for complete search history.

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Brett Miller

(74) *Attorney, Agent, or Firm* — Rankin, Hill & Clark LLP

(57) **CLAIM**

The ornamental design for a measuring container, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a measuring container; FIG. 2 is a front view thereof; FIG. 3 is a right side view thereof, the left side being a mirror image; FIG. 4 is a rear view thereof; FIG. 5 is a top view thereof; and, FIG. 6 is a bottom view thereof. The broken lines depict portions of the measuring container that form no part of the claimed design.

- (56) **References Cited**
U.S. PATENT DOCUMENTS

D77,873 S *	3/1929	Beatty	D7/531
D233,297 S *	10/1974	Raymer	D11/152
5,415,339 A	5/1995	Howard	

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D662,355	S	6/2012	Tyson et al.	
8,444,022	B2	5/2013	Holcomb et al.	
D735,601	S *	8/2015	Thuma	D11/152
D739,038	S *	9/2015	Perry	D24/224
D755,571	S *	5/2016	Cheng	D7/523
D769,047	S *	10/2016	Hsu	D7/317
9,541,440	B2 *	1/2017	Larson	G01F 19/00
2008/0223861	A1	9/2008	Agresta et al.	
2012/0037618	A1	2/2012	Perez	
2013/0270279	A1	10/2013	Fredland	
2014/0332440	A1	11/2014	Marcus et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6