



US00D565389S

(12) **United States Design Patent**  
**Harmon**

(10) **Patent No.:** **US D565,389 S**

(45) **Date of Patent:** **\*\* Apr. 1, 2008**

(54) **CABLE SUPPORT**

(75) Inventor: **Daniel J. Harmon**, 301 E. Le Marche,  
Phoenix, AZ (US) 85022

(73) Assignee: **Daniel J. Harmon**, Phoenix, AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/214,726**

(22) Filed: **Oct. 7, 2004**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/105,  
D8/107, 333, 349, 354, 356, 358, 367, 373,  
D8/382, 383, 394-396; D23/261; D26/38;  
24/197, 561; 174/153 G; 242/400.1, 405.1,  
242/405.2, 600, 916; 248/65, 74.1-74.4,  
248/214, 215, 229.26, 201, 302, 204, 316.7,  
248/316.8; 439/501; D34/38; 108/57.25

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,058,908	A *	4/1913	Schoenthaler	.....	52/687
D247,216	S	2/1978	Mathews		
D254,534	S *	3/1980	Glynn et al.	.....	D8/356
4,253,260	A *	3/1981	Maza et al.	.....	40/610
4,953,340	A *	9/1990	Anderson	.....	52/684
5,046,885	A *	9/1991	Thurston	.....	404/10
D326,404	S	5/1992	Spell		
D331,006	S	11/1992	Dziedzic		
D332,738	S *	1/1993	Bloom	.....	D8/380
D349,041	S *	7/1994	Wical	.....	D8/373
D395,816	S	7/1998	Colodny		
5,819,493	A *	10/1998	LeMoignan	.....	52/678
D407,963	S	4/1999	Gretz		
D408,726	S *	4/1999	Vallee	.....	D8/380
D409,895	S *	5/1999	Schron et al.	.....	D8/349
D409,896	S	5/1999	Kaplan		
D437,282	S *	2/2001	Joll	.....	D12/223
D448,650	S *	10/2001	Vrame	.....	D8/356
6,338,213	B1 *	1/2002	Young et al.	.....	40/610

D464,309	S *	10/2002	McCoy et al.	.....	D12/223
D465,188	S *	11/2002	McCoy et al.	.....	D12/223
6,644,604	B1 *	11/2003	Young	.....	248/96
6,648,281	B1 *	11/2003	Lake	.....	248/75

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Karen Acker

(57) **CLAIM**

The ornamental design for a cable support, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cable support showing one embodiment of my new design;

FIG. 2 is a top view of the cable support shown in FIG. 1;

FIG. 3 is a front view of the cable support shown in FIG. 1, a back view of the cable support being identical to the front view;

FIG. 4 is a bottom view of the cable support shown in FIG. 1;

FIG. 5 is a side view taken from the right in FIG. 3, a side view taken from the left in FIG. 3 being identical thereto;

FIG. 6 is a perspective view of a cable support showing another embodiment of my new design;

FIG. 7 is a top view of the cable support shown in FIG. 6;


FIG. 8 is a front view of the cable support shown in FIG. 6, a back view of the cable support being identical to the front view;

FIG. 9 is a bottom view of the cable support shown in FIG. 6; and,

FIG. 10 is a side view taken from the right in FIG. 8, a side view taken from the left in FIG. 8 being identical thereto.

The broken line showing of cables in FIGS. 1 and 6 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10