



US00D948579S

(12) **United States Design Patent**
Asahara

(10) **Patent No.:** **US D948,579 S**

(45) **Date of Patent:** **** Apr. 12, 2022**

(54) **FLUID PRESSURE CYLINDER**

(71) Applicant: **SMC CORPORATION**, Tokyo (JP)

(72) Inventor: **Hiroyuki Asahara**, Tsukuba (JP)

(73) Assignee: **SMC CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/768,071**

(22) Filed: **Jan. 27, 2021**

(30) **Foreign Application Priority Data**

Jul. 31, 2020 (JP) 2020-015968

(51) **LOC (13) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7; D15/148**

(58) **Field of Classification Search**

USPC D10/85; D15/5, 7, 8, 9, 143, 148, 149,
D15/199; D23/233, 235
CPC .. F15B 15/149; F15B 15/222; F15B 15/1428;
F15B 15/1438; F15B 15/1447; F15B
15/1457; F15B 15/1461; F15B 15/2861;
F16J 10/02; F16J 10/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D281,168 S *	10/1985	Scholl		D15/144
D329,434 S *	9/1992	Toyoda		D15/5
D417,457 S *	12/1999	Asahara		D15/7
D420,683 S *	2/2000	Suzuki		D15/7
D445,704 S *	7/2001	Suzuki		D10/85
D499,348 S	12/2004	Matsumoto et al.		
D500,258 S *	12/2004	Kita		D10/85
D500,259 S *	12/2004	Kita		D10/85
D522,090 S *	5/2006	Matsumoto		D23/233

D542,682 S *	5/2007	Waki		D10/85
D575,175 S	8/2008	Suzuki		
D638,730 S *	5/2011	Ishibashi		D10/85
D644,665 S *	9/2011	Ishibashi		D15/5
D669,097 S *	10/2012	Hariwara		D15/7
D669,098 S *	10/2012	Hariwara		D15/7
D757,120 S *	5/2016	Kudo		D15/7
D760,805 S *	7/2016	Monden		D15/7
D770,595 S	11/2016	Suzuki et al.		
D772,302 S *	11/2016	Kudo		D15/7
D780,228 S *	2/2017	Kudo		D15/7
D780,229 S *	2/2017	Kudo		D15/7
D805,559 S *	12/2017	Kudo		D15/7
D805,560 S *	12/2017	Kudo		D15/7
D819,700 S *	6/2018	Kudo		D15/7
D820,321 S *	6/2018	Kudo		D15/7
D871,457 S *	12/2019	Ikari		D15/7
D888,772 S *	6/2020	Sato		D15/7
D888,773 S *	6/2020	Sato		D15/7

(Continued)

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch
& Birch, LLP


(57) **CLAIM**

The ornamental design for a fluid pressure cylinder, as
shown and described.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a fluid
pressure cylinder showing my new design;
FIG. 2 is a front, top and right side perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a left side view thereof; and,
FIG. 8 is a right side view thereof.
The broken lines depict portions of the fluid pressure cyl-
inder that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D888,774	S		6/2020	Asahara	
D888,775	S	*	6/2020	Sato	D15/7
D890,213	S	*	7/2020	Sato	D15/7
D890,214	S	*	7/2020	Sato	D15/7
D890,215	S	*	7/2020	Sato	D15/7
D899,466	S	*	10/2020	Nemoto	D15/7
D900,165	S	*	10/2020	Nemoto	D15/7
D900,166	S	*	10/2020	Nemoto	D15/7
D900,879	S	*	11/2020	Nemoto	D15/7
D900,880	S	*	11/2020	Nemoto	D15/7

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

