

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2012209292 B2**

(54) Title
Food analogs and methods for making food analogs

(51) International Patent Classification(s)
A23B 4/00 (2006.01)

(21) Application No: **2012209292** (22) Date of Filing: **2012.01.24**

(87) WIPO No: **WO12/103056**

(30) Priority Data

(31) Number	(32) Date	(33) Country
61/461,922	2011.01.25	US

(43) Publication Date: **2012.08.02**

(44) Accepted Journal Date: **2016.02.04**

(71) Applicant(s)
Nestec S.A.

(72) Inventor(s)
Pibarot, Patrick

(74) Agent / Attorney
Shelston IP Pty Ltd., Level 21, 60 Margaret Street, Sydney, NSW, 2000

(56) Related Art
D2 : US 2010/0233347 A1 (UHRHAN ET AL) 16 September 2010
D1 : US 2006/0260537 A1 (BRENT, JR) 23 November 2006

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(10) International Publication Number
WO 2012/103056 A1

(43) International Publication Date
2 August 2012 (02.08.2012)

- (51) International Patent Classification:
A23B 4/00 (2006.01)
- (21) International Application Number:
PCT/US2012/022306
- (22) International Filing Date:
24 January 2012 (24.01.2012)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
61/461,922 25 January 2011 (25.01.2011) US
- (71) Applicant (for all designated States except US): NESTEC S.A. [CH/CH]; Avenue Nestle 55, CH-1800 Vevey (CH).
- (72) Inventor; and
- (71) Applicant (for VC only): GUFFEY, Wendell Ray [US/US]; 1510 William, Swansea, Illinois 52226 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): PIBAROT, Patrick [FR/FR]; 2 rue de la Gare, F-80170 Guillaucourt (FR).
- (74) Agent: GUFFEY, Wendell Ray; Nestle Purina Petcare Global, Resources, Inc., Checkerboard Square 11T, St. Louis, Missouri 63164 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report (Art. 21(3))

(54) Title: FOOD ANALOGS AND METHODS FOR MAKING FOOD ANALOGS



Figure 1

(57) Abstract: The invention provides food analogs and methods of making the food analogs. In general, the methods comprise comminuting one or more meats to produce a meat slurry, admixing one or more flours to produce a powder blend, admixing the meat slurry and the powder blend to produce a dough, and extruding the dough at a shear mechanical energy ranging from about 50 kJ/kg to about 500 kJ/kg and at a temperature ranging from about 60°C to about 120°C to produce a food analog. Colorant can be added before, during, or after the admixing or extrusion processes to provide a more natural appearance to the food analog. The food analog can be a meat analog having the appearance of a meat or a non-meat food analog such as a fruit or vegetable.

WO 2012/103056 A1

FOOD ANALOGS AND METHODS FOR MAKING FOOD ANALOGS

Field of the Invention

5 The invention relates generally to food analogs and particularly to food analogs having the appearance of real foods such as meats, vegetables, and fruits and to methods for making such food analogs.

Background of the Invention

10 Any discussion of the prior art throughout the specification should in no way be considered as an admission that such prior art is widely known or forms part of common general knowledge in the field.

Many known food analogs such as dry pet foods are formed in geometrical, regular shaped pieces that do not always have an appearance that represents natural foods such as meats, vegetables, and fruits, e.g., pet food kibbles. Although their textures have a somewhat meaty texture, even soft meaty chunk food analogs may not have the appearance of real meat chunks. Few, if any, dry pet food analogs currently exist that have meat analogs that have a credible meat appearance.

It is an object of the present invention to overcome or ameliorate at least one of the disadvantages of the prior art, or to provide a useful alternative.

20 It is an object of an especially preferred form of the invention to provide for new food analogs that resemble actual food products such as meats, vegetables, and fruits.

Unless the context clearly requires otherwise, throughout the description and the claims, the words “comprise”, “comprising”, and the like are to be construed in an inclusive sense as opposed to an exclusive or exhaustive sense; that is to say, in the sense of “including, but not limited to”.

Although the invention will be described with reference to specific examples it will be appreciated by those skilled in the art that the invention may be embodied in many other forms.

30

Summary of the Invention

According to a first aspect of the present invention there is provided a method

for making a food analog comprising:

comminuting one or more meats to produce a meat slurry;

admixing one or more flours to produce a powder blend;

admixing the meat slurry and the powder blend to produce a dough;

5 extruding the dough at a shear mechanical energy ranging from about 50 kJ/kg to about 500 kJ/kg and at a temperature ranging from about 60°C to about 120°C to produce a food analog; and

injecting a leavening agent into the dough while extruding the dough;

wherein the food analog obtains an elastic and aerated cellular texture.

10 According to a second aspect of the present invention there is provided a food analog made using a method as defined according to the first aspect of the invention.

According to a third aspect of the present invention there is provided a meat analog when made by a method as defined according to the first aspect of the present invention, comprising a meat analog including a meat, a flour, and a colorant
15 comprising: (1) azorubine to produce a colored meat analog having a dark red appearance; (2) a combination of paprika and oleoresin to produce a colored meat analog having a light red appearance; (3) a combination of titanium dioxide, allura red, and xanthane to produce a colored meat analog having a pink appearance; (4) a
20 combination of titanium dioxide and xanthane to produce a colored meat analog having a white appearance; (5) a combination of poultry fat, plasma powder, xylose, and sodium monoglut to produce a colored meat analog having a dark brown appearance; (6) a combination of titanium dioxide and riboflavine to produce a non-meat food analog having a light yellow appearance; or (7) a combination of dried egg yolk,
25 caramel color, and starch to produce a colored meat analog having a light brown appearance.

According to a fourth aspect of the present invention there is provided a non-meat food analog when made by a method as defined according to the first aspect of the present invention, comprising a meat analog including a meat, a flour, and a
30 colorant comprising: (1) a combination of cataxanthine and xanthane to produce a non-meat food analog having an orange appearance; (2) a combination of dried egg yolk and tartrazine to produce a non-meat food analog having a yellow appearance; (3)

a combination of sodium copper chlorophyllin and titanium dioxide to produce a non-meat food analog having a pale green appearance; or (4) a combination of tartrazine, indigo carmine, and nitrited salt to produce a non-meat food analog having a green appearance.

5 According to a fifth aspect of the present invention there is provided a kit comprising in separate containers in a single package or in separate containers in a virtual package, as appropriate for the kit component, (A) one or more of the food analogs of claim 1, the meat analog of claim 20 or the non-meat food analog of claim 20, and (B) one or more of (1) a food sauce to be used in conjunction with the food analog; (2) dry pet food pellets to be used in conjunction with the food analog; (3) 10 dried vegetables to be used in conjunction with the food analog; (4) a picture of an actual food that the food analog is representative of; (5) instructions for how to serve the food analog; (6) a serving apparatus for serving the food analog; or (7) a serving utensil for serving the food analog.

15 According to a sixth aspect of the present invention there is provided an animal food package comprising: a container; and a plurality of the food analog of the second aspect, the meat analog of the third aspect, or the non-meat food analog of the fourth aspect stored within the container.

 According to a seventh aspect of the present invention there is provided a 20 package comprising at least one material when used for containing a food analog of the first aspect of the invention and a label affixed to the material containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof that indicates that the package contains the food analog.

 According to an eighth aspect of the present invention there is provided a 25 blended food composition comprising one or more food analogs of the second aspect of the invention and one or more other comestible ingredients.

 The present invention relates generally to food analogs that have the appearance of natural foods such as meats, vegetables, and fruits.

 The present invention relates generally to meat analogs that have the 30 appearance of real meat, e.g., roasted or marinated meat.

 The present invention relates generally to non-meat analogs that have the appearance of vegetables or fruits, e.g., potatoes or apples.

The present invention relates generally to blended food compositions that contain food analogs of the invention and one or more other comestible ingredients or compositions.

The present invention relates generally to methods for making food analogs.

- 5 The methods comprise comminuting one or more meats to produce a meat slurry, admixing one or more flours to produce a powder blend, admixing the meat slurry and the powder blend to produce a dough, and extruding the dough at a shear mechanical energy ranging from about 50 kJ/kg to about 500 kJ/kg and at a temperature ranging from about 60°C to about 120°C. The methods produce food analogs having various
10 distinct and unique appearances and textures, e.g., meats and vegetables prepared using various food preparation methods. In some embodiments, one or more colorants are added before, during, or after the admixing or extrusion processes to provide a more natural appearance to the food analog. The food analog can be further processed to form the food analog pieces or other food analog forms. The food analog can be a
15 meat analog or a non-meat food analog such as a fruit or vegetable.

Brief Description of the Drawings

A preferred embodiment of the invention will now be described, by way of example only, with reference to the accompanying drawings in which:

- 20 FIG. 1 is a photograph of a meat analog in a first embodiment.
FIG. 2 is a photograph of a meat analog in a second embodiment.
FIG. 3 is a photograph of a meat analog in a third embodiment.
FIG. 4 is a photograph of a meat analog in a fourth embodiment.
FIG. 5 is a photograph of a meat analog in a fifth embodiment.
25 FIG. 6 is a photograph of a meat analog in a sixth embodiment.
FIG. 7 is a photograph of a meat analog in a seventh embodiment.

Detailed Description of the Invention

Definitions

- 30 The term “animal” means an animal capable of consuming and benefiting from the food analogs of the invention. For example, animals can refer to pets such as dogs or cats or other animals such as humans, equines, bovines, and porcines.


The term “meat” means meat and meat by-products including carcass, bones, skin, offal, and muscle. Fresh meat may be obtained directly from a slaughterhouse and is often selected from poultry including chicken, turkey, duck and goose; fish including tuna, salmon, trout, and cod; ovines including lamb and sheep; bovines including cow, calf and veal; and porcines including pig and wild pig. In some embodiments, the meat slurry can include ground or emulsified frozen meats.

The term “single package” means that the components of a kit are physically associated in or with one or more containers and considered a unit for manufacture, distribution, sale, or use. Containers include, but are not limited to, bags, boxes, cartons, bottles, packages of any type or design or material, over-wrap, shrink-wrap, affixed components (e.g., stapled, adhered, or the like), or combinations thereof. A single package may be containers of individual components physically associated such that they are considered a unit for manufacture, distribution, sale, or use.

The term “virtual package” means that the components of a kit are associated by directions on one or more physical or virtual kit components instructing the user how to obtain the other components, e.g., a bag or other container containing one component and directions instructing the user to go to a website, contact a recorded message or a fax-back service, view a visual message, or contact a caregiver or instructor to obtain instructions on how to use the kit or safety or technical information about one or more components of a kit.

As used herein, ranges are used herein in shorthand, so as to avoid having to list and describe each and every value within the range. Any appropriate value within the range can be selected, where appropriate, as the upper value, lower value, or the terminus of the range.

As used herein, the singular form of a word includes the plural, and vice versa, unless the context clearly dictates otherwise. Thus, the references “a”, “an”, and “the” are generally inclusive of the



plurals of the respective terms. For example, reference to “a food analog” or “a method” includes a plurality of such “food analogs” or “methods.” Similarly, the words “comprise”, “comprises”, and “comprising” are to be interpreted inclusively rather than exclusively. Likewise the terms “include”, “including” and “or” should all be construed to be inclusive, unless such a construction is clearly prohibited from the context.

[0023] The terms “comprising” or “including” are intended to include embodiments encompassed by the terms “consisting essentially of” and “consisting of”. Similarly, the term “consisting essentially of” is intended to include embodiments encompassed by the term “consisting of”.

[0024] All percentages expressed herein are by total weight of the composition unless specifically stated otherwise. The skilled artisan will appreciate that the term “dry matter basis” means that an ingredient’s concentration in a composition is measured after any free moisture in the composition is removed.

[0025] The methods and compositions and other advances disclosed here are not limited to particular methodology, protocols, ingredients, components, and reagents described herein because, as the skilled artisan will appreciate, they may vary. Further, the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to, and does not, limit the scope of that which is disclosed or claimed.

[0026] Unless defined otherwise, all technical and scientific terms, terms of art, and acronyms used herein have the meanings commonly understood by one of ordinary skill in the art in the field(s) of the invention, or in the field(s) where the term is used. Although any compositions, methods, articles of manufacture, or other means or materials similar or equivalent to those described herein can be used in the practice of the present invention, the preferred compositions, methods, articles of manufacture, or other means or materials are described herein.

[0027] All patents, patent applications, publications, technical and/or scholarly articles, and other references cited or referred to herein are in their entirety incorporated herein by reference to the extent allowed by law. The discussion of those references is intended merely to summarize the assertions made therein. No admission is made that any such patents, patent applications, publications or references, or any portion thereof, are relevant, material, or prior art. The right to challenge the accuracy and pertinence of any assertion of such patents, patent applications, publications, and other references as relevant, material, or prior art is specifically reserved.

The Invention

[0028] In one aspect, the invention provides methods for making food analogs. The methods comprise comminuting one or more meats to produce a meat slurry, admixing one or more flours to produce a powder blend, admixing the meat slurry and the powder blend to produce a dough, and extruding the dough at a shear mechanical energy (ISME) ranging from about 50 kJ/kg to about 500 kJ/kg and at a temperature ranging from about 60°C to about 120°C. The methods, depending on the ingredients and the particular process conditions used, produce food analogs having various shapes, colors, properties, and

appearances. The food analogs can be used as made or can be further processed to produce additional food analogs having various shapes, colors, properties, and appearances. The resulting food analogs can be used as foods for a meal or for any other suitable purpose, *e.g.*, treats, snacks, food blends, and the like.

[0029] The meats are any meats suitable for consumption by an animal and for producing for the desired food analogs, *e.g.*, beef, poultry, and pork. Such meats are known to skilled artisans.

[0030] The flours are any flours suitable for consumption by an animal and for producing the desired food analogs. Suitable flours include cereal flours such as wheat, wheat gluten, barley, rice, oat, and corn flour; legume flours such as soy and pea flour; and vegetable flours such as potato, arrowroot, and cassava flour. Other such flours are known to skilled artisans.

[0031] In certain embodiments, the dough includes from about 0% to 70% by weight of the meat slurry and from about 70% to about 0% by weight of the powder blend.

[0032] In various embodiments, the dough includes from about 30% to 70% by weight of the meat slurry and from about 70% to about 30% by weight of the powder blend. In certain embodiments, the dough includes from about 30% to 70% by weight of the meat slurry, including about 35%, 40%, 45%, 50%, 55%, 60%, and 65% by weight. In certain embodiments, the dough includes from about 30% to 70% by weight of the powder blend, including about 35%, 40%, 45%, 50%, 55%, 60%, and 65% by weight.

[0033] In various embodiments, the shear mechanical energy used in the methods is from about 50 kJ/kg to about 500 kJ/kg, including about 75, 100, 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, 400, 425, 450, and 475 kJ/kg and any ranges in between. In various embodiments, the extrusion temperature is from about 60°C to about 120°C, including about 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, and 115°C.

[0034] The various ingredients and food analogs are comminuted, admixed, mixed, extruded, cut, sprayed, coated, and otherwise processed using methods and equipment known to skilled artisans. While admixing contemplates combining several ingredients, admixing is defined to include preparing a single ingredient for use in the process, *e.g.*, using one type or meat or one type of flour. Various sprayers, dryers, and the like used in the methods are common and well known to skilled artisans.

[0035] In some embodiments, as known to skilled artisans, the moisture content of the dough is adjusted to make dough with a consistency suitable for extrusion, particularly on particular extrusion equipment. Typically, the moisture content is adjusted by adding water using known methods and equipment.

[0036] The original shape of the food analog is typically defined by the extruder die shape. In various embodiments, the food analog is further cut into pieces to produce food analog pieces or further processed to produce food analogs having varying properties, *e.g.*, the appearance of a meat, vegetable, or fruit. When cut at the extruder, the length of each piece can be adjusted by adjusting the knives configuration and the knives rotation speed on the extruder.

[0037] In various embodiments, one or more colorants are added at any step during or after production of the food analogs to provide a more natural/realistic appearance to the food analog. For example, one or more colorants can be added to the meat slurry to produce colored food analogs. In addition, one or more colorants can be added to the powder blend to produce colored food analogs. Similarly, one or more colorants can be added as part of a base including a vitamin or mineral premix to the meat slurry. In addition, one or more colorants can be added to the admixed meat slurry and powder blend before extruding. For instance, the colorants can be introduced into the extruder. Various combinations of these embodiments can be used to produce a food analog having the desired appearance.

[0038] Suitable colorants include FD & C colors, natural colors, titanium dioxide, etc. The amount of colorant(s) to be added can range from about 0.01% to 10% by weight. Preferably, the amount of colorant(s) can range from about 0.5% to about 5% by weight depending on the colorants and the desired food analog to be obtained.

[0039] In another aspect, the invention provides food analogs made using the methods of the invention.

[0040] In another aspect, the invention provides food analogs. In various embodiments, the food analogs are a range of dry or semi-moist products that have the appearance of a cooked, roasted, or marinated food chunks that are steamed, baked, or grilled. The food analogs in the form of dry or semi-moist chunks have a real meat appearance, texture, and flavor. The food analogs have a high culinary aspect that corresponds to real meat and to various pet food products. In various embodiments, the food analogs correspond to roasted meat recipes such as beef loin cuts, beef round cuts, roast chicken, roast pork cuts, marinated chicken, marinated pork, and the like. In other embodiments, the food analogs have the appearance of various vegetables and fruits.

[0041] The food analogs offer a new alternative to known pet food kibbles by providing pets and pet owners dry and semi-moist pet food products that resemble meaty chunks. The food analogs can be mixed together with dry pellets or kibbles as is done for soft meaty chunks or the food analogs may be sold alone as a meat analog for consumption. In other embodiments, the food analogs are combined with other dried foods such as dried vegetables (*e.g.*, carrot, leeks, or beans).

[0042] The meat used to make the meat slurry can be any suitable meat such as poultry, beef, pork, and lamb, especially those types of meats suitable for pets. The meat can include any additional parts of an animal, including offal.

[0043] The flours can be derived from any suitable fruits or vegetables (*e.g.*, potatoes, squash, zucchini, spinach, radishes, asparagus, tomatoes, cabbage, peas, carrots, spinach, corn, green beans, lima beans, broccoli, brussel sprouts, cauliflower, celery, cucumbers, turnips, yams, etc.) or grains (*e.g.*, barley, rice, wild rice, brown rice, oats, millet, etc.). The flour can include any suitable spices (*e.g.*, parsley, scallions, sage, rosemary, basil, thyme, chives, etc.) as desired to achieve the final food analog.

[0044] In some embodiments, the invention provides food analogs that are meat analogs and the colorants are: (1) azorubine to produce a colored meat analog having a dark red appearance, (2) a

combination of paprika and oleoresin to produce a colored meat analog having a light red appearance, (3) a combination of titanium dioxide, allura red, and xanthane to produce a colored meat analog having a pink appearance, (4) a combination of titanium dioxide and xanthane to produce a colored meat analog having a white appearance, (5) a combination of poultry fat, plasma powder, xylose, and sodium monoglut to produce a colored meat analog having a dark brown appearance, or (6) a combination of dried egg yolk, caramel color, and starch to produce a colored meat analog having a light brown appearance. Depending on the type and amount of colorant, the meat analog can have an appearance similar to different types of cooked meat such as poultry, beef, or pork. In another embodiment, the colorant is titanium dioxide to produce a food analog having the appearance of fish.

[0045] In other embodiments, the invention provides food analogs that are non-meat food analogs and the colorants are: (1) a combination of cataxanthine and xanthane to produce a non-meat food analog having an orange appearance, (2) a combination of dried egg yolk and tartrazine to produce a non-meat food analog having a yellow appearance, (3) a combination of titanium dioxide and riboflavine to produce a non-meat food analog having a light yellow appearance, (4) a combination of sodium copper chlorophyllin and titanium dioxide to produce a non-meat food analog having a pale green appearance, or (5) a combination of tartrazine, indigo carmine, and nitrited salt to produce a non-meat food analog having a green appearance. Depending on the type and amount of colorant, the non-meat food analog can have an appearance similar to a fruit or vegetable, *e.g.*, potatoes, zucchini, apples, carrots, eggplant, and peppers.

[0046] In various embodiments, the food analogs (with or without colorant added during the methods) further include one or more colorants added to the food analogs after extrusion to produce colorant coated food analogs. For example, after extrusion, a solution containing colorants and/or Maillard reaction precursors and/or meat/culinary flavour and/or ground meat dry powder can be sprayed on the food analog to obtain a heterogeneous roasted or marinated coloration as well as an appropriate flavor.

[0047] The colorants are added to the food analog using any suitable application technique such as, for example, spraying, dipping, enrobing, panning, and the like. Spraying may be done in a continuous tumbler (*e.g.*, post extrusion coating). Alternatively, or in addition to, a powder dusting system can heterogeneously stick some colored or reactive powders on the top the food analog after the post extrusion coating to improve the roasted appearance of the food analog.

[0048] In various embodiments, the colorant coated food analog can be cut to produce cut colorant coated food analog pieces. The cut colorant coated food analog pieces can be dried to further improve the appearance of the colored food analog pieces.

[0049] In an alternative embodiment, the colorant coated food analog can first be dried. After drying, the dried colorant coated food analog can then be cut to produce colored food analog pieces.

[0050] The colorants added to the food analogs after extrusion are generally the same colorants added to the meat slurry, powder blend, meat slurry and powder blend admixture, and other ingredients before

or during extrusion. The resulting food analogs are the same as very similar to the food analogs produced when the colorants are added before or during extrusion.

[0051] In other embodiments, one or more leavening agents are added or injected into the dough, preferably in the extruder. If no leavening agents are added, the shape given by the die can be kept up to the end of the process, and the food analog may be elastic and rigid. If a leavening agent is injected in the extruder, the food analog can become puffed during the drying step. The initial shape of the food analog can change and more randomly distributed shapes are created giving more natural, less industrial chunky shapes. Furthermore, the puffed food analog's texture can become more aerated and flexible while retaining elasticity.

[0052] The leavening agent can be injected into the dough, preferably in the extruder, to obtain puffed chunks of the food analog after extruding, drying and cooling. In an embodiment, the leavening agent is yeast. Alternatively, the leavening agent can be one or more of beer (*e.g.*, unpasteurized—live yeast), buttermilk, ginger beer, kefir, sourdough starter, yogurt, baking powder, baking soda (*e.g.*, sodium bicarbonate), monocalcium phosphate, sodium aluminum phosphate (“SALP”), sodium acid pyrophosphate (“SAPP”), phosphates, ammonium bicarbonate (*e.g.*, hartshorn, horn salt, bakers ammonia), potassium bicarbonate (*e.g.*, potash), potassium bitartrate (*e.g.*, cream of tartar), potassium carbonate (*e.g.*, pearlash), hydrogen peroxide, nitrous oxide or a combination thereof.

[0053] The food analogs may include other suitable ingredients such as, for example, preservatives, oral care ingredients, humectants, antioxidants, vitamins, minerals, or a combination thereof in any suitable amounts. The additional ingredients can further be used to promote a healthy lifestyle of an animal. The ingredients can be added at any suitable point during the food analog manufacturing process.

[0054] The food analogs may also include one or more polyols (*e.g.*, mono-propylene glycol or glycerol) or salt to lower the water activity of the finished product as well as preservatives to prevent mold growth. Suitable examples of preservatives include potassium sorbate, sorbic acid, methyl parahydroxybenzoate, calcium propionate and propionic acid.

[0055] The oral care ingredients can provide breath freshening and/or tartar control. Suitable oral care ingredients include alfalfa nutrient concentrate (contains chlorophyll), sodium bicarbonate, phosphates (*e.g.*, tricalcium phosphate, acid pyrophosphates, tetrasodium pyrophosphate, metaphosphates, orthophosphates), peppermint, cloves, parsley, ginger, etc.

[0056] Suitable humectants include salt, sugars, propylene glycol and polyhydric glycols such as glycerin and sorbitol, and the like. Suitable antioxidants include butylated hydroxyanisole (“BHA”) and butylated hydroxytoluene (“BHT”), vitamin E (tocopherols), etc.

[0057] Suitable vitamins may include Vitamins A, B-complex (such as B-1, B-2, B-6 and B-12), C, D, E and K, niacin and acid vitamins such as pantothenic acid and folic acid and biotin. Suitable minerals may include calcium, iron, zinc, magnesium, iodine, copper, phosphorus, manganese, potassium, chromium, molybdenum, selenium, nickel, tin, silicon, vanadium, and boron.

[0058] In another aspect, the invention provides meat analogs in the form of meat analogs including one or more meats, one or more flours, and one or more colorants. The colorant(s) can be: (1) azorubine to produce a colored meat analog having a dark red appearance, *e.g.*, the appearance of roasted beef or barbeque beef, (2) a combination of paprika and oleoresin to produce a colored meat analog having a light red appearance, *e.g.*, the appearance of cooked meat, roasted veal, roasted pork, marinated veal, or marinated pork, (3) a combination of titanium dioxide, allura red, and xanthane to produce a colored meat analog having a pink appearance, *e.g.*, the appearance of cooked fish, roasted fish, salmon, or marinated fish, (4) a combination of titanium dioxide and xanthane to produce a colored meat analog having a white appearance, *e.g.*, the appearance of lobster, shrimp, or fresh fish, (5) a combination of poultry fat, plasma powder, xylose, and sodium monoglut to produce a colored meat analog having a dark brown appearance, *e.g.*, the appearance of roasted or marinated poultry, beef, veal, or pork liver, (6) a combination of titanium dioxide and riboflavine to produce a non-meat food analog having a light yellow appearance, *e.g.*, the appearance of roasted chicken, roasted turkey, or barbeque chicken, or (7) a combination of dried egg yolk, caramel color, and starch to produce a colored meat analog having a light brown appearance, *e.g.*, the appearance of marinated oven cooked beef.

[0059] Any of the color combinations described herein for the meat analogs can also be used to provide non-meat food analogs based on the type, amount, or concentration of the added colors. For example, besides a meat analog, a combination of titanium dioxide and xanthane can be used to produce a colored non-meat food analog having a white appearance such as bread, cooked bread, or roasted bread. A combination of dried egg yolk, caramel color, and starch can be used to produce a colored non-meat food analog having a light brown appearance such as a biscuit.

[0060] In another aspect, the invention provides non-meat food analogs in the form of food analogs including one or more meats, one or more flours, and one or more colorants. The colorant(s) can be: (1) a combination of cataxanthine and xanthane to produce a non-meat food analog having an orange appearance, *e.g.*, the appearance of cooked carrot or roasted carrot, (2) a combination of dried egg yolk and tartrazine to produce a non-meat food analog having a yellow appearance, (3) a combination of sodium copper chlorophyllin and titanium dioxide to produce a non-meat food analog having a pale green appearance, *e.g.*, the appearance of roasted apple slices, green vegetable, zucchini, roasted zucchini, or roasted egg plant, or (4) a combination of tartrazine, indigo carmine, and nitrited salt to produce a non-meat food analog having a green appearance, *e.g.*, the appearance of roasted green bell pepper.

[0061] In another aspect, the invention provides kits containing the food analogs described herein. The kits include in separate containers in a single package or in separate containers in a virtual package, as appropriate for the kit component, (A) one or more of the food analogs of the invention and (B) one or more of (1) a food sauce to be used in conjunction with the food analog, (2) dry pet food pellets to be used in conjunction with the food analog; (3) dried vegetables to be used in conjunction with the food analog; (4) a picture of an actual food that the food analog is representative of, (5) instructions for how to

serve the food analog, (6) a serving apparatus (*e.g.*, bowl, platter, etc.) for serving the food analog, or (7) a serving utensil (*e.g.*, scoop, spoon, etc.) for serving the food analog.

[0062] When the kit comprises a virtual package, the kit can be limited to instructions in a virtual environment in combination with one or more physical kit components. The kits may contain the kit components in any of various combinations and/or mixtures. For example, in one embodiment, the kit contains a package containing the food analog and a food sauce to be administered in conjunction with the food analog. In another embodiment, the kit contains a package containing the meat analog and a serving apparatus.

[0063] In another aspect, the invention provides a means for communicating information about or instructions for using the food analogs described herein for one or more of (1) administering the food analogs to an animal, (2) describing the food analogs to a pet owner, (3) promoting the health or wellness of an animal, (4) combining the food analogs with other pet foods, or (5) combining the food analogs with other food sauces.

[0064] The communication means can be a document, digital storage media, optical storage media, audio presentation, or visual display containing the information or instructions. More specifically, the means can be a displayed website, a visual display kiosk, a brochure, a product label, a package insert, an advertisement, a handout, a public announcement, an audiotape, a videotape, a DVD, a CD-ROM, a computer readable chip, a computer readable card, a computer readable disk, a USB device, a FireWire device, a computer memory, or any combination thereof. The communication means is useful for instructing on the types and benefits the food and meat analogs described herein.

[0065] In another aspect, the invention provides an animal food package including a container and a plurality of food analogs stored within the container. Any one or more of the food analogs described herein can be included in the container. The package can further include a label affixed to the package containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof, that indicates that the contents of the package contains the food analogs (*e.g.*, information about the food analogs and/or its nutritional or related properties).

[0066] Typically, such label or device can include the words “food analog” or “meat analog” or an equivalent expression printed on the packaged describing the type of food that the analog represents. Any package or packaging material suitable for containing food analogs is useful in the invention, *e.g.*, a bag, box, bottle, can, pouch, and the like manufactured from paper, plastic, foil, metal, and the like.

[0067] In another aspect, the invention provides a package useful for containing food analogs of the invention. The package comprises at least one material suitable for containing the food analog and a label affixed to the material containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof, that indicates that the package contains the food analog. Typically, such device comprises the words “real meat appearance” or “food analog having the appearance real meat” or “roasted meat food analog” or “real turkey appearance” or an equivalent expression printed on the material. Any package configuration and packaging material suitable for containing the food analog are

useful in the invention, *e.g.*, a bag, box, bottle, can, pouch, and the like manufactured from paper, plastic, foil, metal, and the like. In preferred embodiments, the package further comprises a food analog of the invention. In various embodiments, the package further comprises at least one window that permit the package contents to be viewed without opening the package. In some embodiments, the window is a transparent portion of the packaging material. In others, the window is a missing portion of the packaging material.

[0068] In another aspect, the invention provides blended food compositions comprising (1) one or more food analogs of the invention and (2) one or more other comestible ingredients or compositions. The comestible ingredients or compositions can be any comestible ingredient or composition compatible with the food analogs of the invention. Preferably, the comestible composition is one or more dry kibbles suitable for consumption by companion animals, preferably dogs and cats. The comestible composition may be selected from the group consisting of extruded kibbles, baked kibbles, extruded treats, and baked treats. In some embodiments, the comestible ingredient or composition is real meat pieces, preferably in the form of real meat chunks.

[0069] The blended food compositions of the invention comprise any suitable amount of one or more food analogs of the invention. Generally, the blended food compositions comprise from about 1 to about 99% for the food analogs, preferably from about 5 to about 99%, most preferably from about 5 to about 95%. In various embodiments, the blended food compositions contain about 20%, 30%, 40%, 50%, 60%, 70%, or 80% food analogs.

[0070] In one embodiment, the blended food compositions are formulated to provide "complete and balanced" nutrition for an animal, preferably a companion animal, according to standards established by the Association of American Feed Control Officials (AAFCO). In another embodiment, the food composition is a pet food composition.

EXAMPLES

[0071] The invention can be further illustrated by the following examples, although it will be understood that these examples are included merely for purposes of illustration and are not intended to limit the scope of the invention unless otherwise specifically indicated.

Methods

[0072] All extrusion was conducted at a temperature below 100°C and with a minimum shear mechanical energy ("SME") of 50 kJ/kg and maximum SME of 500 kJ/kg. A spray in a roller tumbler was used for post extrusion coating. M-Diccer equipment (rotating knives) was used for post coloring cutting.

Product Specifications

[0073] Generally, the products produced in the Examples had a composition of:

Moisture	12 and 19%
Water activity	0.6 to 0.8
Protein	50 to 60%. (The protein was composed of about 50/50 percent of

	vegetable and animal proteins)
Fat	6 to 10% (Exclusive of any fat used as a coating)
Carbohydrate	Less than 30%

Example 1

[0074] A product was made that had a wheat gluten concentration of 45% w/w. The product expanded after drying and collapsed upon cooling to form a product with a wrinkled surface. The following procedures were used to make the product.

Making a Slurry

[0075] Meat emulsion products were produced using the ingredients shown in Table 1. The real meat and/or meat by-products were ground using a grinder equipped with a 1 cm grinding plate and emulsified using an emulsification mill. The other ingredients were mixed into the emulsified meat to produce a homogeneous slurry.

Table 1

Ingredient	Kg	%
Chicken carcasses	155	24.8
Pork lungs with trachea	82.5	13.2
Turkey skin frozen	6	1.0
Liver frozen	144	23.0
Fish frames	94	15.0
Chicken/pork greaves meal	14	2.2
Calcium carbonate	21.5	3.4
Salt	15	2.4
Glucose syrup	2.5	0.4
Titanium oxide	5	0.8
Red color	0.06	0.0
Choline chloride	1.6	0.3
Glycine	6	1.0
Vitamin + mineral premix	7.5	1.2
Mono propylene glycol	65	10.4
Sugar crystal	5.8	0.9
Total	625.46	100.0

Making a Powder Blend

[0076] The ingredients listed in Table 2 were mixed together in a powder blender and then transferred in a tank.

Table 2

	Kg	% w/w
Wheat gluten	481	96.2
Calcium propionate	4.5	0.9
Potassium sorbate	14.5	2.9
Total	500	100

Making a Yeast Solution

[0077] Alive yeasts as the ones used for bread leavening were dispersed in water at the proportion of about 10 to 20% and left at ambient temperature at least 30 minutes before injection in the process.

Making Coloring Solutions for Injection in the Extruder

[0078] Natural or synthetic color blend were diluted in water with or without the addition of gums hydrocolloids to produce coloring solutions. Composition and dosing were adjusted depending on the color hue targeted. The solution can be injected in the extruder to produce colored extrudates. One example of a with yellowish colored solution was given in Table 3 (chicken meat color)

Table 3

	Kg	% w/w
Water	18.97	94.85
Titanium dioxide	0.6	3
Xanthane	0.03	0.15
Iron oxide yellow	0.2	1
Corn colorant	0.2	1
Total	20	2

Extruding the Composition

[0079] The powder mixture was fed to extruder and the meat slurry was pumped for injection in the first barrels of the extruder. The mixture was heated using extrusion to a temperature of about 70 to 90°C and extruded to produce food composition pieces. Yeast solution as well as color solution were injected in the extruder. The extrusion was run in the condition described in Table 4.

Table 4

	Kg/h	% w/w
Meat slurry	47.5	47.5
Powder blend	47.5	47.5
Yeast solution	2	2
Coloring solution	3	3
Total	100	100

[0080] The screw profile was chosen to produce enough shear mechanical energy (100 to 500 kJ/kg) to obtain an elastic consistent extrudate. The extrudate was cut into pieces at the exit of the extrusion die. The food piece dimensions were about 0.8 x 0.8 inch (2 x 2 cm).

Making a Coloring Solution for Post Extrusion Coating

[0081] The ingredients listed Table 5 were mixed in a water solution to produce a brown colored solution.

Table 5

	Kg	% w/w
Water	19.60	98
Brown color mix	0.17	0.85

Allura red	0.13	0.65
Xanthane	0.03	0.15
Chicken flavor	0.07	0.35
Total	20	100

Coating the Extruded Pieces

[0082] The extrudate pieces were transported in a rotating tumbler in which the coloring solution was injected and sprayed on the surface of the pellets. The coloring solution injection flow was adjusted to obtain a coloring coating of approx 1%. The spray flow was irregular (pulsating compressed air injection) to produce an irregular and more natural like coloring of the extrudate pieces.

Drying the Colored Extrudate Pieces

[0083] At the exit of the tumbler coater, the extrudate pieces were transported to the dryer. The pieces were dried at 130°C during 15 to 30 minutes to obtain colored kibble with the aspect of grilled chicken meat pieces. The texture of the kibbles was soft and elastic. Kibble moisture was of about 16% and water activity of about 0.70.

Making Slices of Colored Kibbles

[0084] The colored kibble were then cut in a rotary knives cutter in a way to make slice of approx 0.1 to 0.1 inch (0.3 to 0.5 cm) of thickness and a diameter of approx 0.8 inch (2 cm). As shown in Figure 1, the final product has the appearance of grilled and minced chicken meat,

Example 2

[0085] Example 1 was repeated except that the drier cutting step was omitted. As shown in Figure 2, the resulting product was in the form of kibble with wrinkled surface and had the appearance of roasted meat.

Example 3

[0086] Example 1 was repeated except that the yeast and powder blend used was replaced with the blend shown in Table 6.

Table 6

	Kg	% w/w
Wheat gluten	45	45
Wheat flour	30	30
Soya flour	19.5	19.5
Distilled monoglyceride	0.5	0.5
Calcium propionate	2.5	2.5
Potassium sorbate	2.5	2.5
Total	100	100

Example 4

[0087] Example 3 was repeated except that the meat slurry was replaced by the composition given in Table 7.

Table 7

Ingredient name	Kg	%
Poultry mechanically deboned meat	122	27.1
Frozen Turkey skin	20	4.4
Frozen beef liver	160	35.6
Anchovy surimi	38	8.4
Salt	13	2.9
Glucose	10.8	2.4
Titanium dioxide	5.5	1.2
choline chloride	1.7	0.4
Glycine	5.5	1.2
Vitamin & mineral premix	6.7	1.5
Monopropylene glycol	57	12.7
Crystal sugar	9.8	2.2
Total	450	100.0

[0088] As shown in Figure 3, the product produced in Example 3 and Example 4 was in the form of a round kibble presenting a colored surface with strips as if the meaty preparation was cooked on a grill. The obtained texture of the inside of the sliced kibble is elastic and cellular like bread texture. The products had a unique appearance and texture. The appearance of the cut kibbles gives the perception of a sliced piece of toasted or roasted bread (crouton).

Example 5

[0089] Example 4 was repeated except that the kibbles were not cut after drying. The brown color solution for post extrusion coating is replaced by the following composition

Table 8

	Kg	% w/w
Water	19.60	98
Brown color mix	0.17	0.85
Allura red	0.13	0.65
Xanthane	0.03	0.15
Smoked flavor	0.07	0.35
Total	20	100

[0090] As shown in Figure 4, the product had the appearance of roasted and grilled sausage. The surface of the kibbles and the color may give the perception of roasted small frankfurter.

Example 6

[0091] Example 4 was repeated except that the colored solution for post extrusion cooking was replaced by the formula given in Table 9 As shown in Figure 5, the resulting product was in the form of kibble and had a dark color and the appearance of barbequed meat.

Table 9

	Kg	% w/w
Poultry fat	16.9	84.5

Plasma powder	2	10
Xylose	0.5	2.5
Sodium monoglutamate	0.5	2.5
Chicken flavor	0.1	0.5
Total	20	100

Example 7

[0092] Example 5 was repeated except that the extrudate pieces were cut in small pieces of approx 0.3 x 0.3 inch (0.8 x 0.8 cm) and coated after extrusion with a solution of liquid caramel diluted in water (1 part of liquid concentrate caramel color in 9 part of pure water). As shown in Figure 6, the resulting product was in the form of kibble and had the appearance of cooked chicken nuggets.

Example 8

[0093] Example 1 was repeated except that the extrusion was run with a die with the shape of 1 cm length and 0.2 cm gap with a specific shape to give a “wavy” surface and except that a yeast solution was not used. Furthermore, the solution for injection in the extruder was replaced by the composition given in Table 10. The resulting kibbles were coated with the composition of Table 11 after the composition was diluted by a factor of 20. As shown in Figure 7, the product was relatively white on the inside and had the appearance of sliced roasted fish.

Table 10

	Kg	% w/w
Water	9.35	93.5
TiO ₂	0.5	5
Xanthane	0.15	1.5
Total	10	100

Table 11

	Kg	% w/w
Water	7.5	98
Dark color mix	1	0.85
Sodium glutamate	0.5	0.65
Xanthane	0.03	0.15
Xylose	0.5	
Smoke grill flavor	0.07	0.35
Total	10	100

[0094] In the specification, there have been disclosed typical preferred embodiments of the invention. Although specific terms are employed, they are used in a generic and descriptive sense only and not for purposes of limitation. The scope of the invention is set forth in the claims. Obviously many modifications and variations of the invention are possible in light of the above teachings. It is therefore to be understood that within the scope of the appended claims the invention may be practiced otherwise than as specifically described.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:-

1. A method for making a food analog comprising:
 - comminuting one or more meats to produce a meat slurry;
 - 5 admixing one or more flours to produce a powder blend;
 - admixing the meat slurry and the powder blend to produce a dough;
 - extruding the dough at a shear mechanical energy ranging from about 50 kJ/kg to about 500 kJ/kg and at a temperature ranging from about 60°C to about 120°C to produce a food analog; and
 - 10 injecting a leavening agent into the dough while extruding the dough;
 - wherein the food analog obtains an elastic and aerated cellular texture.
2. A method according to claim 1, further comprising cutting the food analog into pieces to produce food analog pieces.
- 15 3. A method according to claim 1, further comprising adding one or more colorants to the meat slurry, powder blend, admixed meat slurry, or combination thereof to produce a colored food analog.
- 20 4. A method according to claim 1, further comprising applying one or more colorants to the food analog after extrusion to produce a colorant coated food analog.
- 25 5. A method according to claim 4, further comprising cutting the colorant coated food analog to produce cut colorant coated food analog pieces.
6. A method according to claim 4, further comprising drying the colorant coated food analog to produce a dried colorant coated food analog.
- 30 7. A method according to claim 1, wherein the dough comprises from about 30% to 70% by weight of the meat slurry and from about 70% to about 30% by weight of the powder blend.

8. A method according to claim 1, wherein the leavening agent is yeast.
- 5 9. A method according to claim 1, wherein the leavening agent is selected from the group consisting of beer, buttermilk, ginger beer, kefir, sourdough starter, yogurt, baking powder, baking soda, monocalcium phosphate, sodium aluminum phosphate, sodium acid pyrophosphate, phosphates, ammonium bicarbonate, potassium bicarbonate, potassium bitartrate, potassium carbonate, hydrogen peroxide, nitrous oxide and combinations thereof.
- 10 10. A method according to claim 1, wherein the leavening agent is injected into the dough while extruding the dough.
- 15 11. A food analog made using a method as defined according to claim 1.
- 20 12. A meat analog when made by a method as defined according to claim 1, comprising a meat analog including a meat, a flour, and a colorant comprising:
(1) azorubine to produce a colored meat analog having a dark red appearance;
(2) a combination of paprika and oleoresin to produce a colored meat analog having a light red appearance; (3) a combination of titanium dioxide, allura red, and xanthane to produce a colored meat analog having a pink appearance;
(4) a combination of titanium dioxide and xanthane to produce a colored meat analog having a white appearance; (5) a combination of poultry fat, plasma powder, xylose, and sodium monoglut to produce a colored meat analog having
25 a dark brown appearance; (6) a combination of titanium dioxide and riboflavine to produce a non-meat food analog having a light yellow appearance; or (7) a combination of dried egg yolk, caramel color, and starch to produce a colored meat analog having a light brown appearance.
- 30 13. A non-meat food analog when made by a method as defined according to claim 1, comprising a meat analog including a meat, a flour, and a colorant comprising: (1) a combination of cataxanthine and xanthane to produce a non-

- 5 meat food analog having an orange appearance; (2) a combination of dried egg yolk and tartrazine to produce a non-meat food analog having a yellow appearance; (3) a combination of sodium copper chlorophyllin and titanium dioxide to produce a non-meat food analog having a pale green appearance; or (4) a combination of tartrazine, indigo carmine, and nitrited salt to produce a non-meat food analog having a green appearance.
- 10 14. A kit comprising in separate containers in a single package or in separate containers in a virtual package, as appropriate for the kit component, (A) one or more of the food analogs of claim 1, the meat analog of claim 11 or the non-meat food analog of claim 13, and (B) one or more of (1) a food sauce to be used in conjunction with the food analog; (2) dry pet food pellets to be used in conjunction with the food analog; (3) dried vegetables to be used in conjunction with the food analog; (4) a picture of an actual food that the food analog is representative of; (5) instructions for how to serve the food analog; (6) a serving apparatus for serving the food analog; or (7) a serving utensil for serving the food analog.
- 15 15. An animal food package comprising:
- 20 a container; and
- a plurality of the food analog of claim 11, the meat analog of claim 12, or the non-meat food analog of claim 13 stored within the container.
- 25 16. A package comprising at least one material when used for containing a food analog of claim 1 and a label affixed to the material containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof that indicates that the package contains the food analog.
- 30 17. A package according to claim 16, further comprising the food analog of claim 1.

18. A blended food composition comprising one or more food analogs of claim 20
and one or more other comestible ingredients.
- 5 19. A blended food composition according to claim 18, comprising from about 10
to about 90% food analogs and from about 90 to about 10% other comestible
ingredients.
- 10 20. A blended food composition comprising one or more food analogs of claim 12
and one or more other comestible ingredients.

Dated this 11th day of January 2016
Shelston IP
15 Attorneys for: Nestec S.A.

Figure 1



Figure 2



Figure 3




Figure 4



Figure 5




Figure 6



Figure 7

