



US0D1010503S

(12) **United States Design Patent**
Tomasetta

(10) **Patent No.:** **US D1,010,503 S**

(45) **Date of Patent:** **** Jan. 9, 2024**

(54) **CLASP LOCK**

1,550,904 A * 8/1925 Jones A44B 11/00
24/323
6,301,757 B1 * 10/2001 Kunii A44B 11/2592
24/616
D575,670 S * 8/2008 Niwa D11/216
D621,743 S * 8/2010 Hortnagl D11/216

(71) Applicant: **MONTBLANC-SIMPLO GMBH**,
Paris (FR)

(72) Inventor: **Marco Tomasetta**, Paris (FR)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **35/514,776**

IT 402021000001355 5/2021

(22) Filed: **Jun. 1, 2022**

OTHER PUBLICATIONS

(80) **Hague Agreement Data**

Int. Filing Date: **Jun. 1, 2022**
Int. Reg. No.: **DM/222099**
Int. Reg. Date: **Jun. 1, 2022**
Int. Reg. Pub. Date: **Jul. 22, 2022**

“Doojai Tactical Mens Belt camo Nylon Military Metal Buckle”,
May 23, 2020, Amazon.ca, site visited Jun. 12, 2023: <https://www.amazon.ca/dp/B08933RSLF> (Year: 2020)*

(Continued)

Primary Examiner — Jack Reickel
Assistant Examiner — Michael A Kervin

(30) **Foreign Application Priority Data**

Dec. 3, 2021 (WO) WIPO111088

(51) **LOC (14) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/216**

(58) **Field of Classification Search**

USPC D3/318, 323, 324; D8/330–331,
D8/333–334, 343–344; D11/200,
D11/214–216, 230–231, 234–235
CPC A44B 11/266; A44B 11/2519; A44B
11/2592; A44B 11/253; Y10T 24/45529;
Y10T 24/45581; A45C 13/08; A45C
13/10; A45C 2013/1015; A45C 13/1069;
A45C 13/1076

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a clasp lock, as shown and described.

DESCRIPTION

1.1 is a front perspective view of the clasp lock in a locked position, showing our new design;
1.2 is a front view thereof;
1.3 is a back view thereof;
1.4 is a right-side view thereof;
1.5 is a left-side view thereof;
1.6 is a top view thereof;
1.7 is a bottom view thereof;
1.8 is a further perspective view of the clasp lock in an open position.



In the representations of the design dashed lines indicate disclaimed features for which protection is not being sought; The product incorporating the present design is a clasp lock for use for separately connecting parts such as a flap with the body of a bag or a backpack, or the ends of a belt, or the like.

1 Claim, 8 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,246,725 A * 11/1917 Dalton A43C 11/1406
24/69 SK
1,422,214 A * 7/1922 Leibovitz E05B 65/50
70/76



(56)

References Cited

U.S. PATENT DOCUMENTS

D638,332 S * 5/2011 Fair D11/216
 D702,594 S * 4/2014 Lin D11/216
 D703,580 S * 4/2014 Lin D11/216
 D710,249 S * 8/2014 Nilsen D11/218
 D711,773 S * 8/2014 Kolasa D11/215
 D802,929 S * 11/2017 Morszeck D3/318
 D826,085 S * 8/2018 Morszeck D11/216
 D838,488 S * 1/2019 Dolce D3/323
 D888,609 S * 6/2020 Templeton D11/216
 10,743,624 B1 * 8/2020 Hsu A44B 11/2573
 D902,780 S * 11/2020 Gao D11/216
 D945,922 S * 3/2022 Gao D11/216
 D955,920 S * 6/2022 Lin D11/216
 D963,518 S * 9/2022 Fung D11/218
 2007/0186394 A1 * 8/2007 Hsiao A44B 11/2519
 2009/0241306 A1 * 10/2009 Pontaoe A44B 11/2592
 2010/0071173 A1 * 3/2010 Hortnagl A44B 11/2592
 2014/0082902 A1 * 3/2014 Hortnagl A44B 11/266
 24/615
 24/635
 24/651
 24/664


2014/0109360 A1 * 4/2014 Kelleghan A44B 11/2565
 2015/0351500 A1 * 12/2015 Kolasa A44B 11/2592
 2016/0157564 A1 * 6/2016 Howell A44B 11/25
 2016/0174667 A1 * 6/2016 Hsu A44B 11/2519
 2016/0183637 A1 * 6/2016 Kung A44B 11/266
 2023/0000214 A1 * 1/2023 Laszkiewicz A44B 11/2573
 24/605
 24/611
 24/625

OTHER PUBLICATIONS


“2 Pack Strength Metal Paracord Buckle Side Quick Release”, Dec. 28, 2020, Amazon.ca, site visited Jun. 12, 2023: mazon.ca/Strength-Paracord-Bracelets-Necklace-Accessories/dp/B08RDJRQZ6 (Year: 2020).*

“Montblanc Extreme 3.0 backpack with M Lock 4810 buckle action”, Oct. 13, 2022, YouTube.com, site visited Jun. 12, 2023: <https://www.youtube.com/watch?v=fNeFCksOoSU> (Year: 2022).*


* cited by examiner




1.1



1.2




1.3




1.4




1.5



1.6





1.8