




(22) Date de dépôt/Filing Date: 1997/04/01
(41) Mise à la disp. pub./Open to Public Insp.: 1997/10/09
(45) Date de délivrance/Issue Date: 2007/02/27
(62) Demande originale/Original Application: 2 248 347
(30) Priorité/Priority: 1996/04/02 (US60/014,531)

(51) Cl.Int./Int.Cl. *G07C 1/30* (2006.01),
G07B 15/02 (2006.01), *H04Q 9/00* (2006.01)
(72) Inventeurs/Inventors:
OUMET, LUC, CA;
LEOUTSARAKOS, NIKOLAOS, CA
(73) Propriétaire/Owner:
AXXIAN TECHNOLOGIES INC., CA
(74) Agent: BERESKIN & PARR

(54) Titre : SYSTEME DE STATIONNEMENT URBAIN
(54) Title: URBAN PARKING SYSTEM



(57) **Abrégé/Abstract:**

A wireless network covering a large local geographic area is used to link a large number of payment terminals provided in the same area. Each payment terminal is located near a plurality of parking spaces, either at the curbside or in municipal lots. Parking data is gathered from motorists at the payment terminals, the parking data including vehicle identification data or parking space identification data. The parking data is sent from the payment terminals to the wireless network in response to payment made at the payment terminals. A plurality of portable terminals are provided for use by parking wardens inspecting the parking spaces of the local geographic area. The wireless network is used to transmit the parking data substantially upon receipt from the payment terminals to the portable terminals in the local geographic area.




PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G07B 15/02		A1	(11) International Publication Number: WO 97/37328
			(43) International Publication Date: 9 October 1997 (09.10.97)
(21) International Application Number: PCT/CA97/00206 (22) International Filing Date: 1 April 1997 (01.04.97) (30) Priority Data: 60/014,531 2 April 1996 (02.04.96) US (71) Applicant (for all designated States except US): PARCOFLEX INC. [CA/CA]; Suite 102, 700, rue Saint-Jacques, Montreal, Quebec H3C 1E9 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): OUMET, Luc [CA/CA]; 603, place Marsan, Laval, Quebec H7X 2J6 (CA). LE-OUTSARAKOS, Nikolaos [CA/CA]; 4055 Oscar Crescent, Brossard, Quebec J4Y 2L3 (CA). (74) Agents: ANGLEHART, James et al.; Swabey Ogilvy Renault, Suite 1600, 1981 McGill College Avenue, Montreal, Quebec H3A 2Y3 (CA).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	

(54) Title: URBAN PARKING SYSTEM



(57) Abstract

A wireless network covering a large local geographic area is used to link a large number of payment terminals provided in the same area. Each payment terminal is located near a plurality of parking spaces, either at the curbside or in municipal lots. Parking data is gathered from motorists at the payment terminals, the parking data including vehicle identification data or parking space identification data. The parking data is sent from the payment terminals to the wireless network in response to payment made at the payment terminals. A plurality of portable terminals are provided for use by parking wardens inspecting the parking spaces of the local geographic area. The wireless network is used to transmit the parking data substantially upon receipt from the payment terminals to the portable terminals in the local geographic area.

- 1 -

URBAN PARKING SYSTEM

Field of the Invention

5 The present invention relates to an urban parking system. More specifically, the present invention relates to an urban parking system in which a wireless network is utilized to communicate vehicle parking status information from a payment terminal to portable checking terminals.

10 Background of the Invention

In the present urban parking systems in use in North America, parking is paid for on most urban streets and many city lots by inserting coins into a parking meter assigned to each parking space. A parking warden or checker periodically checks
15 each parking meter and each corresponding parking space to determine if a citation should be written up.

For the motorist, the convenience of being able to pay at the curb and then be on one's way is of great importance.

It is known in the art from US 4,812,805 to LaChat et al.
20 and US 4,876,540 to Berthon et al. to provide portable terminals which receive vehicle parking status data pairs (i.e. vehicle ID number and expiration time) from curbside payment terminals, and to provide a low energy consumption data communication system among the payment terminals. Such an electronic urban parking
25 system is able to comply with the basic requirements for an efficient system, namely, the motorists may pay at a curbside payment terminal and may then be free to go without returning to their vehicle to place a proof of payment instrument, and the portable terminals may be provided with sufficiently accurate
30 data to determine with reasonable accuracy whether a vehicle's parking is paid for.

Also disclosed in the prior art are references WO-A-93/20539 to Jonsson, which discloses an urban parking which utilizes a wireless network, and FR 2,600,448 to Zeller et al
35 which discloses a parking system incorporating a plurality of payment terminals. Also known in the art is GB 2,284,290A which, although not directly related to a parking system, does disclose a hand held vehicle identifier.

WO 97/37328

- 2 -

However, in larger urban areas, Applicants have determined that a large number of payment terminals are required for motorists' convenience, especially when harsh climate conditions of cold, heat and precipitation are common. Motorists may, for convenience, wish to pay for parking indoors or at a payment terminal not immediately associated with the parking space occupied. Since payment may take place far away from the parking space, it is no longer sufficient for a parking warden to acquire local information from neighboring curbside payment terminals. For these reasons, it is desirable to make large areas, such as entire business districts, into individual parking zones and permit payment of parking from any terminal in the zone, or even from outside the zone. To accommodate such marketing, a large number of payment terminals needs to provide data to a large number of portable terminals and at longer distances.

Under such circumstances, the amount of vehicle data received from the payment terminals and transferred to portable checking terminals requires special consideration for efficient handling. It has been determined that the known handling of parking data, i.e. either transmission from the payment terminal periodically to an individual portable terminal or transmission from the payment terminal upon request to the requesting portable terminal, cannot efficiently handle the required large amount of data transfer when a large number of payment terminals are used and when parking zones encompass a number of payment terminals. In addition, data transferred locally from a payment terminal to portable terminals periodically and upon request is neither complete nor up to date when motorists are allowed to park anywhere within a zone including many payment terminals.

35 Summary of the Invention

It is an object of the present invention to provide an urban parking system of the type having curbside

RECEIVED
FBI - NEW YORK
APR 11 1997

WO 97/37328

PCT/CA97/00200

- 3 -

payment terminals and portable electronic wireless terminals in which data relating to parking payment is efficiently handled.

It is a further object of the present invention to
5 make use of a public wireless network in such an urban parking system.

It is yet another object of the present invention to provide an urban parking system of the type having curbside payment terminals and portable electronic
10 wireless terminals in which, in response payment made at one of the payment terminals, data is automatically transmitted concerning the payment made to all portable terminals by wireless means.

It is a further object of the invention to provide an
15 urban parking system of the type having curbside payment terminals, a central control system connected to a wireless transmitter and portable electronic wireless terminals, which cooperate in unison to handle data relating to parking payment efficiently.

20 According to the invention, there is provided an urban parking system comprising: a wireless network covering a large local geographic area; a large number of payment terminals provided in the geographic area each located near a plurality of parking spaces, each payment
25 terminal comprising data collection means for gathering parking data from a motorist, the parking data including at least one of vehicle identification data and parking space identification data; communication means for transferring the parking data from the data collection
30 means to the wireless network in response to payment made at the payment terminals; a plurality of portable terminals for use by parking wardens inspecting the parking spaces of the geographic area, the portable terminals including wireless communication means, a memory
35 for storing the parking data, and a user interface means; and broadcast means associated with the wireless network for transmitting the parking data substantially upon

WO 97/37328

- 4 -

receipt from the communication means to the portable terminals in the geographic area.

The invention also provides a method of communicating vehicle parking data in an urban parking system, the method comprising the steps of: providing a wireless network covering a large local geographic area; providing a large number of payment terminals provided in the local geographic area each located near a plurality of parking spaces; gathering parking data from motorists at the payment terminals, the parking data including at least one of vehicle identification data and parking space identification data; transferring the parking data from the payment terminals to the wireless network in response to payment made at the payment terminals; providing a plurality of portable terminals for use by parking wardens inspecting the parking spaces of the local geographic area; and using the wireless network to transmit the parking data substantially upon receipt from the payment terminals to the portable terminals in the local geographic area.

Brief Description of the Drawings

The invention will be better understood by way of the following description of a preferred embodiment of the invention with reference to the appended drawings, in which:

Fig. 1 is a schematic block diagram of the urban parking system according to the preferred embodiment; Fig. 2 is a basic flow chart illustrating the steps carried out during a parking payment in the system according to the preferred embodiment; Fig. 3 is a front view of the parking payment terminal according to the preferred embodiment; Fig. 4 is a block diagram of the parking payment terminal according to the preferred embodiment; and Fig. 5 is a perspective view of the portable terminal according to the preferred embodiment.

WO 97/37328

PC1/CA9/100400

- 5 -

Detailed Description of the Preferred Embodiment

As shown in Fig. 1, the urban parking system 10 according to the preferred embodiment has a large number of payment terminals 12 schematically illustrated as being numbered from 1 through N. The payment terminals 12 include wireless communication means for communicating bidirectionally with a public wireless transmitter 14 of a public wireless network. The wireless network in the preferred embodiment is a packet data wireless network, and in particular in North America this may be an ARDIS network.

The parking system 10 has a central control computer 16, which in the preferred embodiment is a network of computers, for recording parking data in a database 17. The parking data is broadcast from transmitter 14 to a number of mobile terminals 18 used by parking wardens. The terminals 18 are illustrated as being numbered from 1 through N. In the preferred embodiment, a payment terminal 12 sends parking data for each vehicle parked to all mobile terminals by sending a packet to a group address shared by the mobile terminals 18 as well as the central computer 16. In this way, the payment terminal 12 controls the flow of data to the mobile terminals 18 and the central computer has no control over directing data transmission. For security purposes, the parking data is encrypted before transmission.

The central computer 16 also processes other transactions, such as credit card and bank card purchases handled via a bank link or gateway 20. The public can inquire about parking status and citation status by a public access computer equipped with Internet capability and/or with DTMF responsive automated voice communications. The mobile terminals 18 have docking stations 28 for recharging batteries and for providing a continued wired link between the parking data being received by computer 16 and the mobile terminals 18.

WO 97/37328

- 6 -

As illustrated in Fig. 2, the method according to the preferred embodiment can be described as follows. For each payment for parking, a motorist goes to a payment terminal and enters vehicle identification data and either

5 (a) a desired parking duration, (b) a desired parking end time, or (c) a desired amount of money to be paid. The vehicle identification data may be stored on a motorist's smart card or on a magnetic stripe card accepted by the terminal, in which case entering of the data each time a

10 motorist parks is not required. The payment terminal accepts the data and the funds either by use of a coin or bill acceptor or by electronic payment. Electronic payment may be in the form of a credit or debit transaction, or electronic funds recorded on the smart

15 card or the mag stripe card. In the case of a credit or debit transaction, the payment terminal may communicate with a financial institution transaction processing host to confirm the availability and transfer of funds. Such additional communication is shown in the steps of Fig. 2.

20 The payment terminal then sends a data packet including the parking data with a group address so that the central computer and all portable terminals receive the parking data. This is shown in Fig. 2 as two separate transmissions because, in the preferred embodiment, the

25 payment terminal first transmits the parking data to the public wireless transmitter, which in turn relays the packet data to the central computer by land network for recording the vehicle status data in the central database and to all mobile terminals over the air waves. At this

30 point, all mobiles and the central database have received the parking data created by the parking time purchase carried out at the parking payment terminal. If a mobile terminal does not acknowledge receipt of a packet, the packet is resent automatically by the public wireless

35 transmitter. In the preferred embodiment, resent packets are sent by individual addressing instead of a group address.

WO 97/37328

PCT/CA97/00400

- 7 -

With reference to Fig. 3, details of the payment terminal 12 according to the preferred embodiment will now be described. Terminal 12 has a vandalism resistant composite shell housing 40 including an upper access panel 30, a touch screen 31, a coin acceptor slot 32, a smart card acceptor/dispenser slot 33, a coin return/printer output slot 34, and a lower service door 35. Internally, there is provided a coin container 37, an electrical entry 38, and wireless communications electronics 41. The base is equipped with an anchor 39 for securing the terminal 12 to the sidewalk. The access door 35 is key locked, and the escrow box 43 requires a separate key. For additional security, an identity smart card for identifying the service personnel must be inserted into the reader 33' before opening the door 35 otherwise a wireless alarm message is sent. The service personnel will also be required to enter a personal security password. The system may also require authorization from the central computer 16 before access to the escrow coin box is permitted.

As illustrated in Fig. 4, the payment terminal 12 has the following basic operating components. A computer controller 42 communicates by data connection to the touch video screen 31, a smart card dispenser 33, a smart card reader 33', a printer 34, a wireless modem 41, and a coin acceptor 37. The coins collected by the acceptor 37 are delivered into a coin escrow unit 43.

As can be appreciated, in the case that a payment terminal works only with smart cards already programmed with license plate data and loaded with funds, a much smaller payment terminal may be provided which could be mounted to a building wall, a lamp post or to a former parking meter post. Such a compact terminal would contain the wireless modem 41, the smart card reader 33' and a much simpler display screen and key pad entry device. Such a terminal could be battery powered and powered up only during use. The only input required from the

WO 97/37328

PCT/CA97/00206 .

- 8 -

motorist would be parking time. Of course, if a motorist needed to load more funds onto a card, the full featured payment terminal 12 as illustrated would be used.

As illustrated in Fig. 5, each portable terminal 18 according to the preferred embodiment has an LCD touch sensitive keypad/display 51, a wireless data modem 52, a smart card reader 53, a citation or ticket printer 54, and a magnetic stripe card reader 55. As can be appreciated, the terminal 18 is small, portable and hand held. External input/output devices are also provided, namely an audio headset 59 for receiving voice commands/data and relaying audio signals to the parking warden. A CCD video camera (not shown) may be connected at 56 for taking images of license plates, which can be analyzed to obtain license plate number data by OCR methods in the computer inside the terminal 18. A bar code reader (not shown) may be connected at 57 for reading bar code stickers placed on the inside of windshields. A replaceable, rechargeable battery 58 provides the terminal 18 with sufficient power for operation during a normal inspection run.

For security purposes, the user interface of terminal 18 will only operate in the preferred embodiment when the parking warden inserts a personal identification smart card into the reader 53 and then enters a personal identification code using the key pad 51. If the smart card is removed from the reader during normal use of the terminal 18, the terminal is locked out.

The operation of receiving parking data packets via modem 52 from the public wireless network broadcasts takes place continuously in the background without interruption. In the preferred embodiment, the portable terminals 18 have a computer memory able to store data on all parked vehicles in a jurisdiction or geographical area. The parking warden enter a license plate number, using one of the keypad 51, the microphone on the headset 59 or the camera connected to 56, and the portable terminal return

WO 97/37328

FOI/CA 7/00200

- 9 -

the information available on the vehicle. If no match is found for the vehicle, the closest matches in the database are returned. For each vehicle, the data retrieved and displayed on the LCD screen 51 is that contained in the database, namely the vehicle plate number, the time when parking was purchased, the duration, and the payment terminal used. The warden examines the data and decides whether a citation should be issued. In the case that a citation is issued, the portable terminal is used to prepare the citation by filling in extra data, as would normally be done with a manually prepared citation, such as vehicle location, vehicle color, make, model, and the exact nature of the parking violation. The latter is important since even vehicles having parking paid for may be found in special parking zones where there is a shorter parking limit, or a restriction to commercial vehicles only.

The portable terminal 18 also provides the parking warden with the ability to cancel or correct citations. If a motorist wishes to settle a citation on the spot, the portable terminal is equipped with both a smart card reader 53 and a swipe card reader 55 which may be used to accept funds from the motorist, the financial transaction being preferably immediately processed by wireless communication with the banking institutions via the central computer 16. Whether a parking warden issues a citation, cancels a citation and/or settles a citation, the citation data can be stored for communication from the terminal 18 to the central computer 16 for audit and accounting purposes. If a parking warden issues a citation, and within a short grace period of five minutes or less, the motorist goes to a payment terminal 12 to pay for parking, the citation is automatically canceled, according to the preferred embodiment. This is the case since it is considered plausible that a motorist may be en route to a payment terminal when the parking warden checks the vehicle. In the preferred embodiment, the citation is

WO 97/37328

PCT/CA97/00206

- 10 -

canceled, although a small surcharge of an extra amount, for example 25 cents, may be applied, especially if the time elapsed is close to the maximum grace period limit. The central computer may also keep a record of such
5 automatically canceled citations and report any vehicle that regularly receives such citations, since this would be a sign of likely abuse by a motorist keeping watch on the vehicle while not having paid for parking.

As can be appreciated, the motorist could be
10 requested to enter parking space identification data instead of vehicle identification data, and spaces could be checked instead of vehicles. In the preferred embodiment, vehicles are checked instead of curbside parking spaces, and vehicles may park anywhere within a
15 curbside parking zone without needing to fit into a predetermined parking space.

The payment terminals in the preferred embodiment dispense and sell the parking smart cards. Storage of vehicle identification data in the cards is optional. The
20 telecommunications system connecting the central computer to the payment terminals may be used to transmit video advertising data for display on the screens of the payment terminals when the terminals are not in use. A schedule for presenting advertising video may be provided for
25 displaying ads at specific times of day or at a specific frequency. The schedules and video data can be updated as desired from the central computer. The payment terminals may print advertising on the receipts given to motorists, or the reverse side of the receipts may contain printed
30 advertising. The central computer may send to the payment terminals parking tariff tables to change parking rates as desired, or to accommodate special events.

Although the invention has been described above with reference to a preferred embodiment, it is to be
35 understood that the above description is intended merely to illustrate the invention and not to limit the scope of the invention as defined in the appended claims.

1. An urban parking system comprising:

a wireless network covering a large local geographic area;

a large number of payment terminals provided in said area each located near a plurality of parking spaces, each said payment terminal comprising data collection means for gathering parking data from a motorist, said parking data including at least one of vehicle identification data and parking space identification data, and payment data, and first wireless communication means for transferring said parking data from said data collection means to said wireless network substantially upon receipt in response to payment being made at said payment terminals;

a plurality of portable terminals for use by parking wardens inspecting said parking spaces of said area, said portable terminals including second wireless communication means, a memory for storing said parking data, and a user interface means; and

means associated with said wireless network for transmitting said parking data to said plurality of portable terminals in said area;

wherein said parking data is available to be received by said plurality of portable terminals for use by parking wardens inspecting said parking spaces of said area substantially upon receipt from said payment terminals.

2. The urban parking system as defined in claim 1, wherein said parking payment terminal comprises:

means comprising at least one of:

a coin acceptor; and

a card reader

for resolving payment of parking;

means for obtaining payment data representing one of:

desired parking duration;

desired parking end time; and
payment amount; and
means for entering parking data comprising at least one of:
vehicle identification data; and
parking space identification data;

wherein said first wireless communications means comprises a public wireless network modem for transmitting said parking data and said payment data to central control system.

3. The urban parking system as defined in claim 1 or 2, wherein said payment terminal comprises a printer and a corresponding output slot.
4. The urban parking system as defined in claim 1, 2 or 3, wherein said payment terminal comprises a service access door and means for sending a wireless alarm message upon unauthorized opening of said door.
5. The urban parking system as defined in any one of claims 1 to 4, wherein said parking data comprises vehicle identification data.
6. The urban parking system as defined in any one of claims 1 to 4, wherein said parking data comprises parking space identification data.
7. The urban parking system as defined in any one of claims 1 to 6, wherein said parking spaces are urban curbside parking spaces.
8. The urban parking system as defined in claim 7, wherein said parking terminals are located curbside.

- 13 -

9. An urban parking system comprising:
a central computer;
means distributed within an urban area for allowing a motorist to enter parking data comprising at least one of vehicle identification data and parking space identification data, and payment data representing one of desired parking duration, desired parking end time and payment amount; and
a public wireless network interconnecting said means for entering parking data with said central computer for transmitting said parking data to said central computer;
a plurality of portable electronic wireless terminals used by parking wardens;
wherein said parking data is available for receipt using said public wireless network by said portable wireless terminals substantially as soon as said parking data is entered, and said motorist may enter said parking data within said urban area.
10. The urban parking system as defined in claim 9, wherein said parking spaces are curbside parking spaces and said means for entering parking data further comprises parking space identification for said curbside parking spaces, said motorist entering said parking space identification.
11. The urban parking system as defined in claim 9 or 10, wherein said means for entering parking data comprises components mounted to former parking meter posts.
12. The urban parking system as defined in claim 9, 10 or 11, wherein said means for entering parking data comprises a plurality of payment terminals each having at least one of a coin acceptor and a card reader for resolving payment of parking.

AUG-02-2006 17:14 FROM:BERESKIN

- 13a -

13. The urban parking system as defined in claim 12, wherein said payment terminals comprise a printer and a corresponding output slot.

14. The urban parking system as defined in claim 13, wherein said payment terminal comprises a service access door and means for sending a wireless alarm message upon unauthorized opening of said door.


15. The urban parking system as defined in any one of claims 9 to 14, wherein said parking data comprises vehicle identification data.

16. The urban parking system as defined in any one of claims 9 to 14, wherein said parking data comprises parking space identification data.

WO 97/37328

PCT/CA97/00206


1/4



WO 97/37328


PCT/CA97/00206

2/4

FIG. 2

WO 97/37328

PCT/CA97/00206



WO 97/37328

PCT/CA97/00206

4/4

