

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 April 2007 (19.04.2007)

PCT

(10) International Publication Number
WO 2007/044873 A2

(51) International Patent Classification:
C12Q 1/68 (2006.01) *C07H 21/04* (2006.01)

4J3 (CA). **GIROUX, Richard** [CA/CA]; 1298 Av. Du
Chanoin-morel #5, Sillery, Québec G1S 4B4 (CA).

(21) International Application Number:
PCT/US2006/039996

(74) Agent: **MALLON, Joseph, J.**; Knobbe Martens Olson
& Bear LLP, 2040 Main Street, Fourteenth Floor, Irvine,
California 92614 (US).

(22) International Filing Date: 10 October 2006 (10.10.2006)

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP,
KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT,
LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ,
NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU,
SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
11/248,438 11 October 2005 (11.10.2005) US

(71) Applicant (for all designated States except US): **BD
DIAGNOSTICS -- GENE OHM SCIENCES, INC.**
[US/US]; 6146 Nancy Ridge Drive, San Diego, California
92121 (US).


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HULETSKY,
Ann** [CA/CA]; 1231 Des Pins, Sillery, Québec G1S

[Continued on next page]

(54) Title: SEQUENCES FOR DETECTION AND IDENTIFICATION OF METHICILLIN-RESISTANT STAPHYLOCOCCUS
AUREUS (MRSA) OF MREJ TYPES XI TO XX



(57) Abstract: Described herein are novel SCCmec right extremity junction (MREJ) sequences for the detection and/or identification of methicillin-resistant *Staphylococcus aureus* (MRSA). Disclosed are methods and compositions based on DNA sequences for the specific detection of MREJ sequences designated types xi, xii, xiii, xiv, xv, xvi, xvii, xviii, xix, and xx for diagnostic purposes and/or epidemiological typing.



FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT,
RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *without international search report and to be republished
upon receipt of that report*

Declaration under Rule 4.17:

— *of inventorship (Rule 4.17(iv))*

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

SEQUENCES FOR DETECTION AND IDENTIFICATION OF METHICILLIN-RESISTANT *STAPHYLOCOCCUS AUREUS* (MRSA) OF MREJ TYPES xi to xx

BACKGROUND OF THE INVENTION

Field of the Invention

[0001] The present invention relates to novel SCCmec right extremity junction sequences for the detection of methicillin-resistant *Staphylococcus aureus*, and uses thereof for diagnostic and/or epidemiological purposes.

Description of the Related Art

[0002] The coagulase-positive species *Staphylococcus aureus* is well documented as a human opportunistic pathogen (Murray et al. Eds, 1999, Manual of Clinical Microbiology, 7th Ed., ASM Press, Washington, D.C.). Nosocomial infections caused by *S. aureus* are a major cause of morbidity and mortality. Some of the most common infections caused by *S. aureus* involve the skin, and they include furuncles or boils, cellulitis, impetigo, and postoperative wound infections at various sites. Some of the more serious infections produced by *S. aureus* are bacteremia, pneumonia, osteomyelitis, acute endocarditis, myocarditis, pericarditis, cerebritis, meningitis, scalded skin syndrome, and various abscesses. Food poisoning mediated by staphylococcal enterotoxins is another important syndrome associated with *S. aureus*. Toxic shock syndrome, a community-acquired disease, has also been attributed to infection or colonization with toxigenic *S. aureus*.

[0003] Methicillin-resistant *S. aureus* (MRSA) emerged in the 1980s as a major clinical and epidemiologic problem in hospitals (Oliveira et al., 2002, Lancet Infect Dis. 2:180-9). MRSA are resistant to all β -lactams including penicillins, cephalosporins, carbapenems, and monobactams, which are the most commonly used antibiotics to cure *S. aureus* infections. MRSA infections can only be treated with more toxic and more costly antibiotics, which are normally used as the last line of defense. Since MRSA can spread easily from patient to patient via personnel, hospitals over the world are confronted with the problem to control MRSA. Consequently, there is a need to develop rapid and simple screening or diagnostic tests for detection and/or identification of MRSA to reduce its dissemination and improve the diagnosis and treatment of infected patients.

[0004] Methicillin resistance in *S. aureus* is unique in that it is due to acquisition of DNA from other coagulase-negative staphylococci (CNS), coding for a supernumerary β -lactam-resistant penicillin-binding protein (PBP), which takes over the biosynthetic functions of the normal PBPs when the cell is exposed to β -lactam antibiotics. *S. aureus* normally contains four PBPs, of which PBPs 1, 2 and 3 are essential. The low-affinity PBP in MRSA, termed PBP 2a (or PBP2'), is encoded by the chromosomal *mecA* gene and functions as a β -lactam-resistant transpeptidase. The *mecA* gene is absent from methicillin-sensitive *S. aureus* but is widely distributed among other species of staphylococci and is highly conserved (Ubukata et al., 1990, Antimicrob. Agents Chemother. 34:170-172).

[0005] Nucleotide sequence determination of the DNA region surrounding the *mecA* gene from *S. aureus* strain N315 (isolated in Japan in 1982), led to the discovery that the *mecA* gene is carried by a novel genetic element, designated staphylococcal cassette chromosome *mec* (SCC*mec*), which is inserted into the chromosome. SCC*mec* is a mobile genetic element characterized by the presence of terminal inverted and direct repeats, a set of site-specific recombinase genes (*ccrA* and *ccrB*), and the *mecA* gene complex (Ito et al., 1999, Antimicrob. Agents Chemother. 43:1449-1458; Katayama et al., 2000, Antimicrob. Agents Chemother. 44:1549-1555). SCC*mec* is precisely excised from the chromosome of *S. aureus* strain N315 and integrates into a specific *S. aureus* chromosomal site in the same orientation through the function of a unique set of recombinase genes comprising *ccrA* and *ccrB*. Cloning and sequence analysis of the DNA surrounding the *mecA* gene from MRSA strains NCTC 10442 (the first MRSA strain isolated in England in 1961) and 85/2082 (a strain from New Zealand isolated in 1985) led to the discovery of two novel genetic elements that shared similar structural features of SCC*mec*. The three SCC*mec* have been designated type I (NCTC 10442), type II (N315) and type III (85/2082) based on the year of isolation of the strains (Ito et al., 2001, Antimicrob. Agents Chemother. 45:1323-1336). Hiramatsu et al. have found that the SCC*mec* DNAs are integrated at a specific site in the chromosome of methicillin-sensitive *S. aureus* (MSSA). The nucleotide sequence of the regions surrounding the left and right boundaries of SCC*mec* DNA (i.e. *attL* and *attR*, respectively), as well as those of the regions around the SCC*mec* DNA integration site (i.e. *attB_{scc}* which is the bacterial chromosome attachment site for SCC*mec* DNA), were analyzed. Sequence analysis of the *attL*, *attR* *attB_{scc}* sites revealed that *attB_{scc}* is located at the 3' end of a novel open reading frame (ORF), *orfX*. *orfX* encodes a putative 159-amino acid

polypeptide that exhibits sequence homology with some previously identified polypeptides of unknown function (Ito et al., 1999, Antimicrob. Agents Chemother. 43:1449-1458). Two new types of SCC*mec*, designated type IV and type V were recently described (Ma et al., 2002, Antimicrob. Agents Chemother. 46:1147-1152, Ito et al., 2004, Antimicrob Agents Chemother. 48:2637-2651, Oliveira et al., 2001, Microb. Drug Resist. 7:349-360). Sequence analysis of the right extremity of the new SCC*mec* type IV from *S. aureus* strains CA05 and 8/6-3P revealed that the sequences were nearly identical over 2000 nucleotides to that of type II SCC*mec* of *S. aureus* strain N315 (Ma et al., 2002, Antimicrob. Agents Chemother. 46:1147-1152; Ito et al., 2001, Antimicrob. Agents Chemother. 45:1323-1336). To date, sequence data for the right extremity of the SCC*mec* type IV from *S. aureus* strains HDE288 and PL72 is not publicly available (Oliveira et al., 2001, Microb. Drug Resist. 7:349-360).

[0006] Methods to detect and identify MRSA based on the detection of the *mecA* gene and *S. aureus*-specific chromosomal sequences have been described. (Saito et al., 1995, J. Clin. Microbiol. 33:2498-2500; Ubukata et al., 1992, J. Clin. Microbiol. 30:1728-1733; Murakami et al., 1991, J. Clin. Microbiol. 29:2240-2244; Hiramatsu et al., 1992, Microbiol. Immunol. 36:445-453). However, because the *mecA* gene is widely distributed in both *S. aureus* and coagulase-negative staphylococci, these methods are not always capable of discriminating MRSA from methicillin-resistant CNS (Suzuki et al., 1992, Antimicrob. Agents. Chemother. 36:429-434). To address this problem, Hiramatsu et al. developed a PCR-based assay specific for MRSA that utilizes primers that hybridize to the right extremities of the 3 types of SCC*mec* DNAs in combination with primers specific to the *S. aureus* chromosome, which corresponds to the nucleotide sequence on the right side of the SCC*mec* integration site (US patent 6,156,507, hereinafter the "507 patent"). Nucleotide sequences surrounding the SCC*mec* integration site in other staphylococcal species (e.g., *S. epidermidis* and *S. haemolyticus*) are different from those found in *S. aureus*. Therefore, this PCR assay is specific for the detection of MRSA.

[0007] The PCR assay described in the "507 patent" also led to the development of "MREP typing" (*mec* right extremity polymorphism) of SCC*mec* DNA (Ito et al., 2001, Antimicrob. Agents Chemother. 45:1323-1336; Hiramatsu et al., 1996, J. Infect. Chemother. 2:117-129). The MREP typing method takes advantage of the fact that the nucleotide sequences of the three MREJ types differ at the right extremity of SCC*mec* DNAs adjacent to the integration site among the three types of SCC*mec*. Compared to type I, type III has a unique nucleotide sequence while type II has an

insertion of 102 nucleotides to the right terminus of *SCCmec*. The MREP typing method described by Hiramatsu et al. uses the following nomenclature: *SCCmec* type I is MREP type i, *SCCmec* type II is MREP type ii, and *SCCmec* type III is MREP type iii.

[0008] Because *SCCmec* types II and IV have the same nucleotide sequence to the right extremity, the MREP typing method described above cannot differentiate the new *SCCmec* type IV described by Hiramatsu et al. (Ma et al., 2002, *Antimicrob. Agents Chemother.* 46:1147-1152) from *SCCmec* type II.

[0009] The phrase MREJ refers to the *mec* right extremity junction « *mec* right extremity junction ». MREJs are approximately 1 kilobase (kb) in length and include sequences from the *SCCmec* right extremity as well as bacterial chromosomal DNA to the right of the *SCCmec* integration site. Strains that were classified as MREP types i-iii correspond to MREJ types i-iii. MREJ types iv, v, vi, vii, viii, ix, and x have been previously characterized (Huletsky et al., 2004, *J Clin. Microbiol.* 42:1875-1884; International Patent Application PCT/CA02/00824).

[0010] The embodiments described herein relate to the generation of *SCCmec* right extremity junction sequence data that enables the detection of more MRSA strains in order to improve NAT assays for detection of MRSA. There is a need for developing more ubiquitous primers and probes for the detection of most MRSA strains around the world.

SUMMARY OF THE INVENTION

[0011] Provided herein are specific, ubiquitous and sensitive methods and compositions for determining the presence and/or amount of nucleic acids from all methicillin-resistant *Staphylococcus aureus* (MRSA) strains. Methods, compositions and kits are disclosed that enable the detection and quantification of novel MREJ types xi-xx.

[0012] Some aspects relate to a method to detect the presence of an MRSA bacterium in a sample comprising bacterial nucleic acids. MRSA strains have *SCCmec* nucleic acid insert comprising a *mecA* gene. The *SCCmec* insert renders the MRSA bacterium resistant to methicillin. The *SCCmec* is inserted into the bacterial DNA at the 3' end of the open reading frame *orfX*, creating a polymorphic right extremity junction (MREJ). At least one primer and/or probe specific for MRSA strains is provided, wherein the primer or probe hybridizes to a polymorphic MREJ nucleic acid of MREJ types xi to xx. The primer(s) and/or probe(s) are annealed with the nucleic acids of the sample. Annealed primer and/or probe indicates the presence of MREJ.

[0013] In preferred embodiments, more than one primer and/or probe is provided. The primers and/or probes can anneal to the MREJ nucleic acids under substantially the same annealing conditions. The primers and/or probes can be at least 10 nucleotides, 12 nucleotides, 14 nucleotides, 16 nucleotides, 18 nucleotides, 20 nucleotides, 25 nucleotides, or 30 nucleotides in length. The probes and primers can be used together in the same physical enclosure or in different physical enclosures.

[0014] IN SOME EMBODIMENTS, THE PRIMERS AND/OR PROBES ANNEAL WITH ANY ONE OF THE NUCLEIC ACIDS OF SEQ ID NOS: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, AND 56. IN SOME EMBODIMENTS, THE PRIMERS AND/OR PROBES ALTOGETHER CAN ANNEAL WITH MREJ TYPES XI TO XX, SUCH AS SEQ ID NOS: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, AND 56.

FOR EXAMPLE, IN SOME EMBODIMENTS, THE PRIMERS AND/OR PROBES LISTED IN **TABLE 4** ARE USED TO DETECT MRSA BACTERIA COMPRISING

THE FOLLOWING MREJ NUCLEIC ACID: **TABLE 4**

Primer/Probe SEQ ID NOs:	To Identify MREJ type
30, 31, 32, 33, 34, 44, 45, 76	xi
30, 31, 32, 33, 35, 44, 45, 62	xii
29, 30, 31, 32, 33, 44, 45, 76	xiii
29, 30, 31, 32, 33, 44, 45, 59	xiv
24, 30, 31, 32, 33, 4, 45, 62	xv
36, 44	xvi
4, 30, 31, 32, 33, 44, 45, 62	xvii
7, 30, 31, 32, 33, 44, 45, 59	xviii
9, 30, 31, 32, 33, 44, 45, 59	xix
8, 30, 31, 32, 33, 44, 45, 59	xx

[0015] In some embodiments, primers and/or probes are provided that anneal under stringent conditions to more than one MREJ type strain. For example, in preferred embodiments, SEQ ID NOs: 31, 32, 33 are provided for the detection of MREJ types xi to xv and xvii to xx.

[0016] In further embodiments primers and/or probes are provided in pairs for the detection of at least one MRSA having MREJ of types xi to xx. Accordingly, in some embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 34/45, 34/30, 34/76, and 34/44 are provided for detection of MREJ type xi.

In other embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 35/45, 35/30, 35/62, and 35/44 are provided for detection of MREJ type xii. In yet other embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 29/45, 29/30, 29/76, and 29/44 is provided for detection of MREJ type xiii. In still other embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 29/45, 29/30, 29/59, and 29/44 is provided for detection of MREJ type xiv. In other embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 24/45, 24/30, 24/62, and 24/44 is provided for detection of MREJ type xv. In yet other embodiments, the oligonucleotides of SEQ ID NOs: 36 and 44 are provided for detection of MREJ type xvi. In still other embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 4/45, 4/30, 4/62, and 4/44 is provided for the detection of MREJ type xvii. In yet other embodiments, at least one pair of oligonucleotides selected from the group consisting of 7/45, 7/30, 7/59 and 7/44 is provided for the detection of MREJ type xviii. In other embodiments, at least one pair of oligonucleotides selected from the group consisting of 9/45, 9/30, 9/59 and 9/44 is provided for the detection of MREJ type xix. In yet other embodiments, at least one pair of oligonucleotides selected from the group consisting of SEQ ID NOs: 8/45, 8/30, 8/59, and 8/44 is provided for the detection of MREJ type xx.

[0017] In some embodiments, at least two pairs of primers are provided for the detection of more than one MREJ type.

[0018] In other preferred embodiments, the primers and/or probes listed in **Table 5** are provided together to detect MRSA bacteria comprising the following MREJ nucleic acid:

TABLE 5

Primer/Probe SEQ ID NOs:	To Identify MREJ type
51, 30, 31, 32, 33	xi
52, 30, 31, 32, 33	xii
29, 30, 31, 32, 33	xiii
29, 30, 31, 32, 33	xiv
24, 30, 31, 32, 33	xv
36, 44	xvi
4, 30, 31, 32, 33	xvii

7, 30, 31, 32, 33	xviii
9, 30, 31, 32, 33	xix
8, 30, 31, 32, 33	xx

[0019] In further embodiments, the methods described above further comprise providing primers and/or probes specific for a determined MREJ type, and detecting an annealed probe or primer as an indication of the presence of a determined MREJ type.

[0020] In yet other embodiments, primers and/or probes specific for the SEQ ID NOs listed in **Table 6** are provided to detect MRSA bacteria comprising the following MREJ nucleic acid:

TABLE 6

Primer/Probe SEQ ID NOs:	To Identify MREJ type
17, 18, 19	xi
20	xii
15, 25, 26	xiii
16	xiv
56	xv
21	xvi
55	xvii
39, 40	xviii
41	xix
42	xx

[0021] In some embodiments, the primers are used in an amplification reaction, such as polymerase chain reaction (PCR) and variants thereof such as nested PCR and multiplex PCR, ligase chain reaction (LCR), nucleic acid sequence-based amplification (NABSA), self-sustained sequence replication (3SR), strand displacement amplification (SDA), branched DNA signal amplification (bDNA), transcription-mediated amplification (TMA), cycling probe technology (CPT), solid-phase amplification (SPA), nuclease dependent signal amplification (NDSA), rolling circle amplification, anchored strand displacement amplification, solid phase (immobilized) rolling circle amplification, Q beta replicase amplification and other RNA polymerase mediated techniques.

[0022] In preferred embodiments, PCR is used to amplify nucleic acids in the sample.

[0023] In other embodiments, oligonucleotides of at least 10, 12, 14, 16, 18, 20, 25, or 30 nucleotides in length which hybridize under stringent conditions with any of nucleic acids of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56, and which hybridize with one or more MREJ of types selected from xi to xx are also provided.

[0024] In other embodiments, primer and/or probe pairs are provided for the detection of MRSA of all of types xi to xx. For example, in certain embodiments, the primer pairs (or probes) listed in **Table 7** are provided:

TABLE 7

Primer/Probe SEQ ID NOs:	To Identify MREJ type:
34/45, 34/30, 34/76, 34/44	xi
35/45, 35/30, 35/62, 35/44	xii
29/45, 29/30, 29/76, 29/44	xiii
29/45, 29/30, 29/59, 29/44	xiv
24/45, 24/30, 24/62, 24/44	xv
36/44	xvi
4/45, 4/30, 4/62, 4/44	xvii
7/45, 7/30, 7/59, 7/44	xviii
9/45, 9/30, 9/59, 9/44	xix
8/45, 8/30, 8/59, 8/44	xx

[0025] In further embodiments of the method described above, internal probes having nucleotide sequences defined in any one of SEQ ID NOs: 31, 32, and 33 are provided.

[0026] In still other embodiments, primers and/or probes used detection of MREJ types xi to xx are used in combination with primers and/or probes capable of detecting MRSA of MREJ types i to x, such as for example those primers and or probes disclosed in co-pending International Patent Application PCT/CA02/00824.

[0027] Other aspects of the invention relate to nucleotide sequences comprising at least one of the nucleic acids of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56, or the complement thereof. Further embodiments relate to fragments of the nucleic acids of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56, wherein the fragments comprise at least 30, 50, 100, 150, 200, 300, or 500 consecutive nucleotides of the nucleic acids of SEQ ID NOs: 15, 16, 17, 18, 19,

20, 21, 25, 26, 39, 40, 41, 42, 55, and 56, or the complements thereof. Further aspects relate to vectors comprising the nucleic acid sequences of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56, as well as host cells, such as *E. coli* host cells, comprising vectors comprising the nucleic acid sequences of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56.

[0028] Still other aspects relate to oligonucleotides that are at least 10, 12, 14, 16, 18, 20, 25 or 30 nucleotides in length that anneal to any one of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56. For example, some embodiments are oligonucleotides that comprise the sequence of any one of SEQ ID NOs: 31, 32, or 33. Yet other embodiments relate to oligonucleotides that are at least 10, 12, 14, 16, 18, 20, 25 or 30 nucleotides in length that anneal to only one of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56.

[0029] Yet other aspects relate to kits comprising primers and/or probes. The primers and/or probes can be at least 10, 12, 14, 16, 18, 20, 25, or 30 nucleotides in length and hybridize with any one of the nucleic acids of MREJ type xi to xx. Further embodiments relate to kits comprising primers and/or probes that are at least 10, 12, 14, 16, 18, 20, 25, or 30 nucleotides in length and hybridize with any one of the nucleic acids of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56. Some embodiments relate to kits that comprise primer pairs. For example, in some embodiments, the kits comprise the following primer pairs:

Primer/Probe SEQ ID NOs:	To Identify MREJ type:
34/45, 34/30, 34/76, 34/44	xi
35/45, 35/30, 35/62, 35/44	xii
29/45, 29/30, 29/76, 29/44	xiii
29/45, 29/30, 29/59, 29/44	xiv
24/45, 24/30, 24/62, 24/44	xv
36/44	xvi
4/45, 4/30, 4/62, 4/44	xvii
7/45, 7/30, 7/59, 7/44	xviii
9/45, 9/30, 9/59, 9/44	xix
8/45, 8/30, 8/59, 8/44	xx

BRIEF DESCRIPTION OF THE DRAWINGS

[0030] **Figure 1** depicts the SCC*mec* right extremity junctions. Shown are the positions and orientations of the primers used to sequence the novel MREJ types xi to xx. SEQ ID NOs.: 4, 24, 27-30, 36, 43-45, 50-57, 78-86 were used to sequence MREJ types xi, xii, xiii, xiv, xv, xvi, xvii, xviii, xix, and xx. Arrows and numbers below indicate the positions of primers and their respective SEQ ID NOs. Walk indicates the positions where the DNA Walking ACP (DW-ACP) primers from the DNA Walking SpeedUp Kit (Seegene, Del Mar, CA) have annealed on the SCC*mec* sequence.

[0031] **Figure 2** depicts the SCC*mec* right extremity junction and the position of the primers (SEQ ID NOs.: 4, 7-9, 24, 29-36, 44, 45, 59, 62, 73) developed in the present invention for detection and identification of novel MREJ types xi, xii, xiii, xiv, xv, xvi, xvii, xviii, xix, and xx. Amplicon sizes are listed in **Table 11**. Numbers in parenthesis under MREJ types indicate MREJ SEQ ID NOs. Arrows indicate the positions of primers and the numbers below indicate their respective SEQ ID NOs. Dark bars and numbers below indicate the positions of probes and their respective SEQ ID NOs. Deletion in MREJ type xvi indicates the position of the 269-bp deletion in *orfX*.

[0032] **Figure 3** illustrates a multiple sequence alignment of 19 representative MREJ types i to ix and xi to xx comprising the *orfX*, the integration site, and the first 535 nucleotides of the SCC*mec* right extremity. MREJ types i to ix sequences are from co-pending International Patent Application PCT/CA02/00824 SEQ ID NOs.: 1, 2, 232, 46, 50, 171, 166, 167 and 168, respectively. SEQ ID NO: 18 corresponds to MREJ type xi, SEQ ID NO: 20 corresponds to MREJ type xii, SEQ ID NO: 15 corresponds to MREJ type xiii, SEQ ID NO: 16 corresponds to MREJ type xiv, SEQ ID NO: 56 corresponds to MREJ type xv, SEQ ID NO: 21 corresponds to MREJ type xvi, SEQ ID NO: 55 corresponds to MREJ type xvii, SEQ ID NO: 39 corresponds to MREJ type xviii, SEQ ID NO: 41 corresponds to MREJ type, and SEQ ID NO: 42 corresponds to MREJ type xx.

DETAILED DESCRIPTION OF THE INVENTION

[0033] Methicillin-resistant *Staphylococcus aureus* (MRSA) pose a serious health threat to individuals and the need for rapid and simple methods for the detection, identification, and quantification of MRSA is readily apparent.

[0034] Disclosed herein are novel DNA sequences and DNA arrangements present in MRSA strains that allow for the detection of MRSA that were undetectable using previously available methods. The novel DNA sequences and DNA arrangements

are present at the SCC*mec* region of MRSA DNA. MRSA strains comprise an SCC*mec* insert that comprises a *mecA* gene. The SCC*mec* is inserted into the bacterial DNA at the 3' end of the *orfX* open reading frame. The insertion of the SCC*mec* into the bacterial DNA creates a polymorphic right extremity junction, hereinafter referred to as MREJ standing for «*mec* right extremity junction». MREJ regions include sequences from the SCC*mec* right extremity, as well as chromosomal DNA adjacent to the right SCC*mec* integration site. Embodiments of the invention relate to the novel MREJ sequences and arrangements disclosed herein, which can be used as parental sequences from which primers and/or probes useful in the detection and identification of MRSA described below are derived. Other aspects of the invention relate to novel primers and/or probes derived from the novel MREJ sequences, as well as kits comprising primers and or probes that hybridize to MREJ types xi to xx, for the detection of MRSA.

[0035] Also disclosed herein are methods providing for the detection of the presence or absence of an MRSA strain in a sample that includes nucleic acids. At least one primer and/or probe that is specific for MRSA strains and that anneals to an MREJ nucleic acid of types xi to xx, disclosed herein, is provided. The primer(s) and/or probe(s) can be annealed to the nucleic acids of the sample. The detection of annealed primer(s) and/or probe(s) indicates the presence of an MRSA of the MREJ type that hybridizes to the primer(s) and/or probe(s).

Primers and Probes

[0036] As used herein, the terms "primer" and "probe" are not limited to oligonucleotides or nucleic acids, but rather encompass molecules that are analogs of nucleotides, as well as nucleotides. Nucleotides and polynucleotides, as used herein shall be generic to polydeoxyribonucleotides (containing 2-deoxy-D-ribose), to polyribonucleotides (containing D-ribose), to any other type of polynucleotide which is an N- or C-glycoside of a purine or pyrimidine base, and to other polymers containing nonnucleotidic backbones, for example, polyamide (e.g., peptide nucleic acids (PNAs) and polymorpholino (commercially available from the Anti-Virals, Inc., Corvallis, Oreg., as Neugene™ polymers), and other synthetic sequence-specific nucleic acid polymers providing that the polymers contain nucleobases in a configuration which allows for base pairing and base stacking, such as is found in DNA and RNA.

[0037] The terms nucleotide and polynucleotide include, for example, 3'-deoxy-2',5'-DNA, oligodeoxyribonucleotide N3'→P5' phosphoramidates, 2'-O-alkyl-substituted RNA, double- and single-stranded DNA, as well as double- and single-

stranded RNA, DNA:RNA hybrids, and hybrids between PNAs and DNA or RNA. The terms also include known types of modifications, for example, labels which are known in the art, methylation, "caps," substitution of one or more of the naturally occurring nucleotides with an analog, internucleotide modifications such as, for example, those with uncharged linkages (e.g., methyl phosphonates, phosphotriesters, phosphoramidates, carbamates, etc.), with negatively charged linkages (e.g., phosphorothioates, phosphorodithioates, etc.), and with positively charged linkages (e.g., aminoalkylphosphoramidates, aminoalkylphosphotriesters), those containing pendant moieties, such as, for example, proteins (including nucleases, toxins, antibodies, signal peptides, poly-L-lysine, etc.), those with intercalators (e.g., acridine, psoralen, etc.), those containing chelators (e.g., metals, radioactive metals, boron, oxidative metals, etc.), those containing alkylators, those with modified linkages (e.g., alpha anomeric nucleic acids, etc.), as well as unmodified forms of the polynucleotide or oligonucleotide.

[0038] It will be appreciated that, as used herein, the terms "nucleoside" and "nucleotide" will include those moieties which contain not only the known purine and pyrimidine bases, but also other heterocyclic bases which have been modified. Such modifications include methylated purines or pyrimidines, acylated purines or pyrimidines, or other heterocycles. Modified nucleosides or nucleotides will also include modifications on the sugar moiety, e.g., wherein one or more of the hydroxyl groups are replaced with a halogen, an aliphatic group, or are functionalized as ethers, amines, or the like. Other modifications to nucleotides or polynucleotides involve rearranging, appending, substituting for, or otherwise altering functional groups on the purine or pyrimidine base which form hydrogen bonds to a respective complementary pyrimidine or purine. The resultant modified nucleotide or polynucleotide may form a base pair with other such modified nucleotidic units but not with A, T, C, G or U. For example, guanosine (2-amino-6-oxy-9-beta-D-ribofuranosyl-purine) may be modified to form isoguanosine (2-oxy-6-amino-9-beta-D-ribofuranosyl-purine). Such modification results in a nucleoside base which will no longer effectively form a standard base pair with cytosine. However, modification of cytosine (1-beta-D-ribofuranosyl-2-oxy-4-amino-pyrimidine) to form isocytosine (1-beta-D-ribofuranosyl-2-amino-4-oxy-pyrimidine) results in a modified nucleotide which will not effectively base pair with guanosine but will form a base pair with isoguanosine. Isocytosine is available from Sigma Chemical Co. (St. Louis, Mo.); isocytidine may be prepared by the method described by Switzer et al. (1993) *Biochemistry* 32:10489-10496 and references cited therein; 2'-deoxy-5-methyl-

isocytidine may be prepared by the method of Tor et al. (1993) J. Am. Chem. Soc. 115:4461-4467 and references cited therein; and isoguanine nucleotides may be prepared using the method described by Mantsch et al. (1975) Biochem. 14:5593-5601, or by the method described U.S. Pat. No. 5,780,610 to Collins et al. The non-natural base pairs referred to as κ and π , may be synthesized by the method described in Piccirilli et al. (1990) Nature 343:33-37 for the synthesis of 2,6-diaminopyrimidine and its complement (1-methylpyrazolo[4,3]-pyrimidine-5,7-(4H,6H)-dione. Other such modified nucleotidic units which form unique base pairs have been described in Leach et al. (1992) J. Am. Chem. Soc. 114:3675-3683, or will be apparent to those of ordinary skill in the art.

[0039] Primers and/or probes can be provided in any suitable form, included bound to a solid support, liquid, and lyophilized, for example.

[0040] Specific binding or annealing of the primers and/or probes to nucleic acid sequences is accomplished through specific hybridization. It will be appreciated by one skilled in the art that specific hybridization is achieved by selecting sequences which are at least substantially complementary to the target or reference nucleic acid sequence. This includes base-pairing of the oligonucleotide target nucleic acid sequence over the entire length of the oligonucleotide sequence. Such sequences can be referred to as "fully complementary" with respect to each other. Where an oligonucleotide is referred to as "substantially complementary" with respect to a nucleic acid sequence herein, the two sequences can be fully complementary, or they may form mismatches upon hybridization, but retain the ability to hybridize under the conditions used to detect the presence of the MRSA nucleic acids.

[0041] A positive correlation exists between probe length and both the efficiency and accuracy with which a probe will anneal to a target sequence. In particular, longer sequences have a higher melting temperature (T_m) than do shorter ones, and are less likely to be repeated within a given target sequence, thereby minimizing promiscuous hybridization.

[0042] As used herein, " T_m " and "melting temperature" are interchangeable terms which refer to the temperature at which 50% of a population of double-stranded polynucleotide molecules becomes dissociated into single strands. Formulae for calculating the T_m of polynucleotides are well known in the art. For example, the T_m may be calculated by the following equation: $T_m = 69.3 + 0.41 \times (G+C)\% - 50/L$, wherein L is the length of the probe in nucleotides. The T_m of a hybrid polynucleotide may also be estimated using a formula adopted from hybridization assays in 1 M salt, and commonly

used for calculating T_m for PCR primers: $[(\text{number of A+T}) \times 2^\circ\text{C} + (\text{number of G+C}) \times 4^\circ\text{C}]$. See, e.g., C. R. Newton et al. PCR, 2nd Ed., Springer-Verlag (New York: 1997), p. 24. Other more sophisticated computations exist in the art, which take structural as well as sequence characteristics into account for the calculation of T_m . A calculated T_m is merely an estimate; the optimum temperature is commonly determined empirically.

[0043] Primer or probe sequences with a high G+C content or that comprise palindromic sequences tend to self-hybridize, as do their intended target sites, since unimolecular, rather than bimolecular, hybridization kinetics are generally favored in solution. However, it is also important to design a probe that contains sufficient numbers of G:C nucleotide pairings since each G:C pair is bound by three hydrogen bonds, rather than the two that are found when A and T (or A and U) bases pair to bind the target sequence, and therefore forms a tighter, stronger bond. Preferred G+C content is about 50%.

[0044] Hybridization temperature varies inversely with probe annealing efficiency, as does the concentration of organic solvents, e.g., formamide, which might be included in a hybridization mixture, while increases in salt concentration facilitate binding. Under stringent annealing conditions, longer hybridization probes, or synthesis primers, hybridize more efficiently than do shorter ones, which are sufficient under more permissive conditions. Preferably, stringent hybridization is performed in a suitable buffer under conditions that allow the reference or target nucleic acid sequence to hybridize to the probes. Stringent hybridization conditions can vary for example from salt concentrations of less than about 1 M, more usually less than about 500 mM and preferably less than about 200 mM) and hybridization temperatures can range (for example, from as low as 0°C to greater than 22°C , greater than about 30°C and (most often) in excess of about 37°C depending upon the lengths and/or the nucleic acid composition of the probes. Longer fragments may require higher hybridization temperatures for specific hybridization. As several factors affect the stringency of hybridization, the combination of parameters is more important than the absolute measure of a single factor. "Stringent hybridization conditions" refers to either or both of the following: a) 6 x SSC at about 45°C , followed by one or more washes in 0.2 x SSC, 0.1% SDS at 65°C , and b) 400 mM NaCl, 40 mM PIPES pH 6.4, 1 mM EDTA, 50°C or 70°C for 12-16 hours, followed by washing.

[0045] In the methods described herein, detection of annealed primers and/or probes can be direct or indirect. For example, probes can be annealed to the sample being

tested, and detected directly. On the other hand, primers can be annealed to the sample being tested, followed by an amplification step. The amplified products can be detected directly, or through detection of probes that anneal to the amplification products.

[0046] In some embodiments, more than one primer and/or probe is provided. For example, some embodiments relate to methods for detecting a plurality of MRSA strains comprising MREJ types xi to xx. A plurality of primers and/or probes may be used in reactions conducted in separate physical enclosures or in the same physical enclosure. Reactions testing for a variety of MRSA types can be conducted one at a time, or simultaneously. In embodiments where the plurality of primers is provided in the same physical enclosure, a multiplex PCR reaction can be conducted, with a plurality of oligonucleotides, most preferably that are all capable of annealing with a target region under common conditions.

[0047] In some embodiments, a plurality of primers and/or probes that are specific for different MREJ types are provided in a multiplex PCR reaction, such that the type of the MREJ can be determined. The primers and/or probes used for detection can have different labels, to enable to distinguish one MREJ type from another MREJ type. As used herein, the term "label" refers to entities capable of providing a detectable signal, either directly or indirectly. Exemplary labels include radioisotopes, fluorescent molecules, biotin and the like.

[0048] Although the sequences from *orfX* genes and some *SCCmec* DNA fragments are available from public databases and have been used to develop DNA-based tests for detection of MRSA, the novel sequence data disclosed herein enable the detection of MRSA of MREJ types xi to xx, which heretofore were not detected using the assays known in the art. These novel sequences, which are listed in **Table 8**, could not have been predicted nor detected by PCR assays developed based on known MREJ sequences of MRSA (US patent 6,156,507; International Patent Application PCT/CA02/00824; Ito *et al.*, 2001, *Antimicrob. Agents Chemother.* 45:1323-1336; Huletsky *et al.*, 2004, *J Clin. Microbiol.* 42:1875-1884; Ma *et al.*, 2002, *Antimicrob. Agents Chemother.* 46:1147-1152; Ito *et al.*, *Antimicrob Agents Chemother.* 2004. 48:2637-2651; Oliveira *et al.*, 2001, *Microb. Drug Resist.* 7:349-360). Accordingly, the novel MREJ sequences improve current NAT assays for the diagnosis of MRSA as they enable the skilled artisan to design of primers and probes for the detection and/or identification of MRSA strains with MREJ types xi to xx.

Design and Synthesis of Oligonucleotide Primers and/or Probes

[0049] All oligonucleotides, including probes for hybridization and primers for DNA amplification, were evaluated for their suitability for hybridization or PCR amplification by computer analysis using publicly and commercially available computer software, such as the Genetics Computer Group GCG Wisconsin package programs, and the Oligo™ 6 and MFOLD 3.0 primer analysis software. The potential suitability of the PCR primer pairs was also evaluated prior to their synthesis by verifying the absence of unwanted features such as long stretches of one nucleotide and a high proportion of G or C residues at the 3' end (Persing *et al.*, 1993, Diagnostic Molecular Microbiology: Principles and Applications, American Society for Microbiology, Washington, D.C.). Oligonucleotide amplification primers were synthesized using an automated DNA synthesizer (Applied Biosystems).

[0050] The oligonucleotide sequence of primers or probes may be derived from either strand of the duplex DNA. The primers or probes may consist of the bases A, G, C, or T or analogs and they may be degenerated at one or more chosen nucleotide position(s), using a nucleotide analog that pairs with any of the four naturally occurring nucleotides. (Nichols *et al.*, 1994, Nature 369:492-493). Primers and probes may also contain nucleotide analogs such as Locked Nucleic Acids (LNA) (Koskin *et al.*, 1998, Tetrahedron 54:3607-3630), and Peptide Nucleic Acids (PNA) (Egholm *et al.*, 1993, Nature 365:566-568). Primers or probes may be of any suitable length, and may be selected anywhere within the DNA sequences from proprietary fragments, or from selected database sequences which are suitable for the detection of MRSA with MREJ types xi to xx. In preferred embodiments, the primers and/or probes are at least 10, 12, 14, 16, 18, 20, 25, or 30 nucleotides in length.

[0051] Variants for a given target microbial gene are naturally occurring and are attributable to sequence variation within that gene during evolution (Watson *et al.*, 1987, Molecular Biology of the Gene, 4th ed., The Benjamin/Cummings Publishing Company, Menlo Park, CA; Lewin, 1989, Genes IV, John Wiley & Sons, New York, NY). For example, different strains of the same microbial species may have a single or more nucleotide variation(s) at the oligonucleotide hybridization site. The skilled artisan readily appreciates the existence of variant nucleic acids and/or sequences for a specific gene and that the frequency of sequence variations depends on the selective pressure during evolution on a given gene product. Detection of a variant sequence for a region between two PCR primers may be achieved by sequencing the amplification product. On

the other hand, to detect sequence variations that overlap with primer hybridization site, amplification and subsequent sequencing of a larger DNA target with PCR primers outside that hybridization site is required. Similar strategy may be used to detect variations at the hybridization site of a probe. Insofar as the divergence of the target nucleic acids and/or sequences or a part thereof does not affect significantly the sensitivity and/or specificity and/or ubiquity of the amplification primers or probes, variant MREJ sequences are contemplated, as are variant primer and/or probe sequences useful for amplification or hybridization to the variant MREJ.

[0052] Oligonucleotide sequences other than those explicitly described herein and which are appropriate for detection and/or identification of MRSA may also be derived from the novel MREJ sequences disclosed herein or selected public database sequences. For example, the oligonucleotide primers or probes may be shorter but of a length of at least 10 nucleotides or longer than the ones chosen; they may also be selected anywhere else in the MREJ sequences disclosed herein or in the sequences selected from public databases. Further, variants of the oligonucleotides disclosed herein can be designed. If the target DNA or a variant thereof hybridizes to a given oligonucleotide, or if the target DNA or a variant thereof can be amplified by a given oligonucleotide PCR primer pair, the converse is also true; a given target DNA may hybridize to a variant oligonucleotide probe or be amplified by a variant oligonucleotide PCR primer. Alternatively, the oligonucleotides may be designed from MREJ sequences for use in amplification methods other than PCR. The primers and/or probes disclosed herein were designed by targeting genomic DNA sequences which are used as a source of specific and ubiquitous oligonucleotide probes and/or amplification primers for MREJ types xi to xx. When a proprietary fragment or a public database sequence is selected for its specificity and ubiquity, it increases the probability that subsets thereof will also be specific and ubiquitous. Accordingly, although the selection and evaluation of oligonucleotides suitable for diagnostic purposes requires much effort, it is quite possible for the individual skilled in the art to derive, from the selected DNA fragments, oligonucleotides other than the ones listed in **Tables 9, 10 and 11** which are suitable for diagnostic purposes.

[0053] The diagnostic kits, primers and probes disclosed herein can be used to detect and/or identify MRSA of MREJ types xi to xx, in both *in vitro* and/or *in situ* applications. For example, it is contemplated that the kits may be used in combination with previously described primers/probes detecting MRSA of MREJ types i to x. It is also contemplated that the diagnostic kits, primers and probes disclosed herein can be

used alone or in combination with any other assay suitable to detect and/or identify microorganisms, including but not limited to: any assay based on nucleic acids detection, any immunoassay, any enzymatic assay, any biochemical assay, any lysotypic assay, any serological assay, any differential culture medium, any enrichment culture medium, any selective culture medium, any specific assay medium, any identification culture medium, any enumeration culture medium, any cellular stain, any culture on specific cell lines, and any infectivity assay on animals.

[0054] Samples may include but are not limited to: any clinical sample, any environmental sample, any microbial culture, any microbial colony, any tissue, and any cell line.

DNA Amplification

[0055] In some embodiments, an amplification and/or detection step follows the annealing step. Any type of nucleic acid amplification technology can be used in the methods described herein. Non-limiting examples of amplification reactions that can be used in the methods described herein include but are not restricted to: polymerase chain reaction (PCR) (*See*, PCR PROTOCOLS, A GUIDE TO METHODS AND APPLICATIONS, ed. Innis, Academic Press, N.Y. (1990) and PCR STRATEGIES (1995), ed. Innis, Academic Press, Inc., N.Y. (Innis)), ligase chain reaction (LCR) (*See*, Wu (1989) *Genomics* 4:560; Landegren (1988) *Science* 241:1077; Barringer (1990) *Gene* 89:117), nucleic acid sequence-based amplification (NASBA), self-sustained sequence replication (3SR) (*See*, Guatelli (1990) *Proc. Natl. Acad. Sci. USA*, 87:1874), strand displacement amplification (SDA), branched DNA signal amplification bDNA, transcription-mediated amplification (TMA) (*See*, Kwoh (1989) *Proc. Natl. Acad. Sci. USA* 86:1173), cycling probe technology (CPT), nested PCR, multiplex PCR, solid phase amplification (SPA), nuclease dependent signal amplification (NDSA), rolling circle amplification technology (RCA), Anchored strand displacement amplification, solid-phase (immobilized) rolling circle amplification, Q Beta replicase amplification and other RNA polymerase mediated techniques (e.g., NASBA, Cangene, Mississauga, Ontario). These and other techniques are also described in Berger (1987) *Methods Enzymol.* 152:307-316; Sambrook, Ausubel, Mullis (1987) U.S. Pat. Nos. 4,683,195 and 4,683,202; Amheim (1990) *C&EN* 36-47; Lomell *J. Clin. Chem.*, 35:1826 (1989); Van Brunt, *Biotechnology*, 8:291-294 (1990); Wu (1989) *Gene* 4:560; Sooknanan (1995) *Biotechnology* 13:563-564.

[0056] In preferred embodiments, PCR is used to amplify nucleic acids in the sample. During DNA amplification by PCR, two oligonucleotide primers binding respectively to each strand of the heat-denatured target DNA from the microbial genome are used to amplify exponentially *in vitro* the target DNA by successive thermal cycles allowing denaturation of the DNA, annealing of the primers and synthesis of new targets at each cycle (Persing *et al*, 1993, Diagnostic Molecular Microbiology: Principles and Applications, American Society for Microbiology, Washington, D.C.).

[0057] Standard amplification protocols may be modified to improve nucleic acid amplification efficiency, including modifications to the reaction mixture. (Chakrabarti and Schutt, 2002, Biotechniques, 32:866-874; Al-Soud and Radstrom, 2002, J. Clin. Microbiol., 38:4463-4470; Al-Soud and Radstrom, 1998, Appl. Environ. Microbiol., 64:3748-3753; Wilson, 1997, Appl. Environ. Microbiol., 63:3741-3751). Such modifications of the amplification reaction mixture include but are not limited to the use of various polymerases or the addition of nucleic acid amplification facilitators such as betaine, BSA, sulfoxides, protein gp32, detergents, cations, and tetramethylammonium chloride.

Detection of Nucleic Acids

[0058] Detection of amplified nucleic acids may include any real-time or post-amplification technologies known to those skilled in the art. Classically, the detection of PCR amplification products is performed by standard ethidium bromide-stained agarose gel electrophoresis, however, the skilled artisan will readily appreciate that other methods for the detection of specific amplification products, which may be faster and more practical for routine diagnosis, may be used, such as those described in co-pending patent application WO01/23604 A2. Amplicon detection may also be performed by solid support or liquid hybridization using species-specific internal DNA probes hybridizing to an amplification product. Such probes may be generated from any sequence from the repertory of MREJ nucleic acids disclosed herein, and designed to specifically hybridize to DNA amplification. Alternatively, amplicons can be characterized by sequencing. See co-pending patent application WO01/23604 A2 for examples of detection and sequencing methods.

[0059] Other non-limiting examples of nucleic acid detection technologies that can be used in the embodiments disclosed herein include, but are not limited to the use of fluorescence resonance energy transfer (FRET)-based methods such as adjacent hybridization of probes (including probe-probe and probe-primer methods) (See, J. R.

Lakowicz, "Principles of Fluorescence Spectroscopy," Kluwer Academic / Plenum Publishers, New York, 1999), TaqMan probe technology (*See*, European Patent EP 0 543 942), molecular beacon probe technology (*See*, Tyagi et al., (1996) *Nat. Biotech.* 14:303–308.), Scorpion probe technology (*See*, Thewell (2000), *Nucl. Acids Res.* 28:3752), nanoparticle probe technology (*See*, Elghanian, et al. (1997) *Science* 277:1078-1081.) and Amplifluor probe technology (*See*, U.S. Pat. Nos: 5,866,366; 6,090,592; 6,117,635; and 6,117,986).

[0060] In preferred embodiments, molecular beacons are used in post-amplification detection of the target nucleic acids. Molecular beacons are single stranded oligonucleotides that, unless bound to target, exist in a hairpin conformation. The 5' end of the oligonucleotide contains a fluorescent dye. A quencher dye is attached to the 3' end of the oligonucleotide. When the beacon is not bound to target, the hairpin structure positions the fluorophore and quencher in close proximity, such that no fluorescence can be observed. Once the beacon hybridizes with target, however, the hairpin structure is disrupted, thereby separating the fluorophore and quencher and enabling detection of fluorescence. (*See*, Kramer FR., 1996, *Nat Biotechnol* 3:303-8.). Other detection methods include target gene nucleic acids detection via immunological methods, solid phase hybridization methods on filters, chips or any other solid support. In these systems, the hybridization can be monitored by any suitable method known to those skilled in the art, including fluorescence, chemiluminescence, potentiometry, mass spectrometry, plasmon resonance, polarimetry, colorimetry, flow cytometry or scanometry. Nucleotide sequencing, including sequencing by dideoxy termination or sequencing by hybridization (e.g. sequencing using a DNA chip) represents another method to detect and characterize the nucleic acids of target genes.

MREJ nucleic acids

[0061] The MREJ fragments disclosed herein were obtained as a repertory of sequences created by amplifying MRSA nucleic acids with novel primers. The amplification and sequencing primers, the repertory of MREJ sequences, and the oligonucleotide sequences derived therefrom for diagnostic purposes, disclosed in **Tables 8-11** are further objects of this invention.

[0062] Aspects of the invention relate to nucleic acids, in particular nucleic acid sequences from DNA fragments of SCCmec right extremity junction (MREJ), including sequences from SCCmec right extremity and chromosomal DNA to the right of the SCCmec integration site in MRSA types xi to xx. Some embodiments relate to the

parental sequences of MREJ types xi to xx from which primers and/or probes specific for the MREJ type xi to xx strain are derived. Thus, some embodiments relate to the nucleotide sequence of SEQ ID NO:15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, or 56 or the complement thereof. Other embodiments relate to DNA fragments and oligonucleotides, such as primers and probes. For example, some embodiments relate to nucleic acids comprising at least 10, 20, 30, 40, 50, 75, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, or 800 consecutive nucleotides of the nucleic acids of SEQ ID NO:15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, or 56.

[0063] The scope of this invention is not limited to the use of amplification by PCR, but rather includes the use of any nucleic acid amplification method or any other procedure which may be used to increase the sensitivity and/or the rapidity of nucleic acid-based diagnostic tests. The scope of the present invention also covers the use of any nucleic acids amplification and detection technology including real-time or post-amplification detection technologies, any amplification technology combined with detection, any hybridization nucleic acid chips or array technologies, any amplification chips or combination of amplification and hybridization chip technologies. Detection and identification by any nucleotide sequencing method is also under the scope of the present invention.

EXAMPLE 1: Evaluation of Previously Described MRSA Diagnostic Amplification Assays

[0064] Initially, the literature taught that five types of SCCmec right extremity sequences (SCCmec types I-V) are found among MRSA strains, based on DNA sequence homology (See, Ito *et al.*, 1999, Antimicrob. Agents Chemother. 43:1449-1458; Katayama *et al.*, 2000, Antimicrob. Agents Chemother. 44:1549-1555; Ito *et al.*, 2001, Antimicrob. Agents Chemother. 45:1323-1336; Ma *et al.*, 2002, Antimicrob. Agents Chemother. 46:1147-1152; Ito *et al.*, 2004, Antimicrob. Agents Chemother. 48:2637-2651). SCCmec DNAs are integrated at a specific site of the chromosome of a methicillin-sensitive *Staphylococcus aureus* (MSSA), named *orfX*. Generally, each SCCmec type has a unique nucleotide sequence at the right extremity of the SCCmec cassette. The exception to this rule is seen with SCCmec types II and IV, which exhibit nearly identical sequence over 2000 nucleotides. However, SCCmec type II has an insertion of 102 nucleotides to the right terminus of SCCmec type I. Strains classified as SCCmec types I – III fall under the category of MREJ types i-iii.

[0065] Recently, we analyzed the MREJ regions of several MRSA strains. We described seven new sequences at the right extremity junction of SCCmec from MRSA that we named MREJ types iv, v, vi, vii, viii, ix, and x (Huletsky *et al.*, 2004, J Clin. Microbiol. 42:1875-1884; International Patent Application PCT/CA02/00824).

[0066] We designed a real-time MRSA-specific multiplex PCR assay having primers that target the SCCmec portion of MREJ types i, ii, iii, iv, v, and vii with a primer targeting the *S. aureus orfX*. Three molecular beacon probes (MBPs) specific to the *orfX* sequence were used for detection of all sequence polymorphisms identified in this region of the *orfX* sequence (Huletsky *et al.*, 2004, J. Clin. Microbiol. 42:1875-1884). The oligonucleotide of SEQ ID NO: 30, which hybridizes to the *S. aureus orfX*, and the oligonucleotides of SEQ ID NOs: 36, 70, 71, 72, and 74, which hybridize to the SCCmec portion of MREJ types i, ii, iii, iv, v, and vii were used in the PCR reaction. Oligonucleotides of SEQ ID NOs: 31, 32, and 33, which hybridize to *S. aureus orfX* were used as probes. The specificity and ubiquity (*i.e.*, the ability to detect all or most MRSA strains) of the PCR assay was verified using a panel of 569 reference and clinical strains of methicillin-sensitive *S. aureus* (MSSA) and 1657 different MRSA strains from 32 different countries and which include well-known epidemic clones.

[0067] A list of the strains tested and used to build the repertoires of MREJ nucleic acids and oligonucleotides derived therefrom disclosed herein is presented in **Table 1**. The *S. aureus* clinical isolates used in this invention are part of the SENTRY program collection and several supplier's collections. These *S. aureus* reference strains or clinical isolates originate from 32 countries: African countries (n=15), Albania (n=2), Argentina (n=50), Australia (n=71), Austria (n=2), Belgium (n=10), Brazil (n=78), Canada (n=607), Chile (n=42), China (n=70), Denmark (n=33), Egypt (n=1), Finland (n=12), France (n=50), Germany (n=47), Greece (n=7), Ireland (n=5), Israel (n=19), Italy (n=61), Japan (n=62), Mexico (n=1), The Netherlands (n=179), Poland (n=33), Portugal (n=24), Singapore (n=20), Slovenia (n=12), Spain (n=31), Sweden (n=10), Switzerland (n=13), Turkey (n=28), United Kingdom (n=22), and United States (n=528). Confirmation of the identification of the staphylococcal strains was performed by using the MicroScan WalkAway Panel type Positive Breakpoint Combo 13 when required (Dade Behring Canada Inc., Mississauga, Ontario, Canada). When needed, the identity was reconfirmed by PCR analysis using *S. aureus*-specific primers and *mecA*-specific primers (SEQ ID NOs.: 50, 60, 61, 63) (Martineau *et al.*, 2000, Antimicrob. Agents Chemother. 44:231-238). The data from the assay is presented in **Table 2**.

[0068] Among the 569 MSSA strains tested, 26 strains were misidentified as MRSA based on the PCR assay. Of the 1657 MRSA strains tested, 1640 were specifically detected with the PCR assay whereas 23 of these MRSA strains, representing a broad variety of origins were not detected by the assay. Thus, the specificity and ubiquity (i.e. the ability to detect all or most MRSA strains) of this PCR assay was verified. Four of these 23 MRSA strains, CCRI-9208, CCRI-9770, CCRI-9681, and CCRI-9860, which were not detected in the above assay have previously been shown to harbor the MREJ types vi, viii, ix, and x, respectively (International Patent Application PCT/CA02/00824).

[0069] The 19 remaining MRSA strains that were not detected in the assay were analyzed further. PCR was performed on the genomic DNA from each strain, using a primer targeting the sequence at the SCCmec right extremity of MREJ types vi, viii, or ix in combination with a primer targeting the *S. aureus orfX*. Specifically, each PCR reaction contained the oligonucleotide of SEQ ID NO:65, which anneals to MREJ type vi, the oligonucleotide of SEQ ID NO:75, which anneals to MREJ type viii, or the oligonucleotide of SEQ ID NO:29, which anneals to MREJ type ix, in combination with the oligonucleotide of SEQ ID NO:30, which is a *S. aureus*-specific primer. MREJ type x was previously shown to have a deletion of the complete *orfX* and a portion at the right extremity of SCCmec type II (International Patent Application PCT/CA02/00824). Therefore, the oligonucleotide of SEQ ID NO:77, which anneals to *orf22* in the *S. aureus* chromosome, and the oligonucleotide of SEQ ID NO:73, which anneals to *orf27* located in SCCmec type II were used in a PCR reaction to detect MREJ type x. Two out of 19 strains, CCRI-11879 and CCRI-12036, were shown to harbor MREJ type ix with these PCR primers. However, 17 MRSA strains were not detected with primers targeting MREJ types vi, viii, ix, and x suggesting that these strains harbor new MREJ types (Tables 2 and 3).

EXAMPLE 2: Sequencing of Novel MREJ Types from MRSA

[0070] To further characterize the MREJ region of the 17 MRSA strains from which DNA was not amplified with primers that allow the detection of MREJ types i to x, the nucleotide sequence of MREJ for 15 of these 17 MRSA strains was determined. First, a primer that anneals to *mecA* (SEQ ID NO.: 50) and a primer that anneals to the 5' end of *orfX* (SEQ ID NO.:44) were used together in a PCR reaction to amplify MREJ fragments of MRSA. The strategy used to select these primers is illustrated in Figure 1. Four identical PCR reactions, each containing 100 ng of purified genomic DNA were

performed. Each PCR reaction contained 1X HERCULASE™ DNA polymerase buffer (Stratagene, La Jolla, CA), 0.8 μ M of each of the oligos of SEQ ID NOs.: 44 and 50, 0.56 mM of each of the four dNTPs and 5 units of HERCULASE™ DNA polymerase (Stratagene, La Jolla, CA) with 1 mM MgCl₂ in a final volume of 50 μ l. PCR reactions were subjected to cycling using a standard thermal cycler (PTC-200 from MJ Research Inc.) as follows: 2 min at 92 °C followed by 35 or 40 cycles of 10 sec at 92 °C for the denaturation step, 30 sec at 55 °C for the annealing step and 15 min at 68 °C for the extension step.

[0071] The four PCR reactions were pooled. 10 μ L of the PCR reaction was resolved by electrophoresis in a 0.7% agarose gel containing 0.25 μ g/mL of ethidium bromide. The amplicons were then visualized with an Alpha-Imager (Alpha Innotech Corporation, San Leandro, CA) by exposing to UV light at 254 nm. The remaining PCR-amplified mixture (150-200 μ l, total) was also resolved by electrophoresis in a 0.7% agarose gel and visualized by staining with methylene blue (Flores *et al.*, 1992, Biotechniques, 13:203-205).

[0072] Of the 15 strains tested, the following eight yielded amplification products ranging from 12-20 kb in length with SEQ ID NOs.: 44 and 50 as primers: CCRI-11976, CCRI-11999, CCRI-12157, CCRI-12198, CCRI-12199, CCRI-12719, CCRI-9887, CCRI-9772. The amplification products were excised from the agarose gel and purified using the QIAquick™ gel extraction kit (QIAGEN Inc., Valencia, CA). The gel-purified DNA fragments were used directly in sequencing reactions. Both strands of the MREJ amplification products were sequenced by the dideoxynucleotide chain termination sequencing method using an Applied Biosystems automated DNA sequencer (model 377 or 3730xl) with their Big Dye™ Terminator Cycle Sequencing Ready Reaction Kit (Applied Biosystems, Foster City, CA). 425-495 ng of the gel-purified amplicons were used in sequencing reactions with SEQ ID NO.: 44, which was used for the amplification reaction. Based on the sequence information generated from the reactions with SEQ ID NO:44, internal sequencing primers were designed and used to obtain sequence data from both strands for a larger portion of each amplicon preparation. Specifically, the oligonucleotides of SEQ ID NOs.: 43 and 45 were used to sequence MRSA strains CCRI-11976 and CCRI-11999; SEQ ID NOs.: 43, 45, and 51 were used to sequence MRSA strains CCRI-12157, CCRI-12198, and CCRI-12199; SEQ ID NOs.: 43, 45, and 52 were used to sequence MRSA strain CCRI-12719; SEQ ID NO.: 24 was used to sequence MRSA strain CCRI-9887, and SEQ ID NOs.: 4, 45, and 57 were used to

sequence MRSA strain CCRI-9772 (**Figure 1, Tables 9 and 11**). The sequences of the 8 strains described in Table 3 are presented as SEQ ID NOs.: 15, 16, 17, 18, 19, 20, 55, and 56 (**Table 8**).

[0073] To ensure that the determined sequence did not contain errors attributable to the sequencing of PCR artifacts, two independent preparations of the gel-purified MREJ amplification products originating from two independent PCR amplifications were sequenced as described above. For most target fragments, the sequences determined for both amplicon preparations were identical. Furthermore, the sequences of both strands were 100% complementary thereby confirming the high accuracy of the determined sequence. The MREJ sequences determined using the above strategy are described in the Sequence Listing and in **Table 8**.

[0074] A different set of oligonucleotide primers (described in Oliveira *et. al.*) was used to further analyze the 17 MRSA strains that did not yield amplification products with primers for detection of MREJ types i-vii (Oliveira and de Lencastre. 2002, Antimicrob. Agents Chemother. 46:2155-2161). Two strains, (CCRI-12382 and CCRI-12383), harbored SCCmec type III and contained sequences specific to the ψ ccr complex. Another strain, (CCRI-12845), harbors SCCmec type II.

[0075] To determine the MREJ sequences of strains CCRI-12382 and CCRI-12383, a primer targeting the ψ ccr complex sequence located in SCCmec type III (SEQ ID NO.: 27) was used in combination with a primer targeting the 5' end of *orfX* (SEQ ID NO.: 44) to amplify MREJ fragments of these two MRSA strains (**Table 10 and Figure 1**). Four identical PCR reactions, each containing 100 ng of purified genomic DNA were performed. Each PCR reaction contained 1X HERCULASE™ DNA polymerase buffer (Stratagene, La Jolla, CA), 0.8 μ M of each of the 2 primers (SEQ ID NOs.: 27 and 44), 0.56 mM of each of the four dNTPs and 5 units of HERCULASE™ DNA polymerase (Stratagene, La Jolla, CA) with 1 mM MgCl₂ in a final volume of 50 μ l. The PCR reactions were cycled using a standard thermal cycler (PTC-200 from MJ Research Inc., Watertown, MA) as follows: 2 min at 92°C followed by 35 cycles of 10 sec at 92°C for the denaturation step, 30 sec at 55°C for the annealing step and 15 min at 68°C for the extension step.

[0076] The PCR reactions were pooled and 10 μ l of the PCR-amplified mixture was resolved by electrophoresis in a 0.7% agarose gel containing 0.25 μ g/ml of ethidium bromide. The amplicons were then visualized with an Alpha-Imager (Alpha Innotech Corporation, San Leandro, CA) by exposing to UV light at 254 nm. The

remaining PCR-amplified mixture (150-200 μ l, total) was also resolved by electrophoresis in a 0.7% agarose gel and visualized by staining with methylene blue as described above. For these two MRSA strains, an amplification product of $\sim$ 8 kb was obtained. The PCR amplification products were excised from the agarose gel and purified as described above. The gel-purified DNA fragment was then used directly in the sequencing protocol as described above. The sequencing reactions were performed by using SEQ ID NO.: 44 (also used in the amplification reaction) and 425-495 ng of the gel-purified amplicons for each reaction. Subsequently, different sets of internal sequencing primers were used to obtain sequence data from both strands and for a larger portion of the amplicon (SEQ ID NOs.: 28, 30, and 43) (**Figure 1, Tables 9 and 11**). The sequence of the MRSA strains CCRI-12382 and CCRI-12383 described in **Table 3** which were sequenced using this strategy are designated SEQ ID NOs.: 25 and 26, respectively (**Table 8**).

[0077] To sequence the MREJ fragment of strain CCRI-12845 (SCC*mec* type II) PCR amplification was performed using the oligonucleotide of SEQ ID NO:44, which anneals to the 5' end of *orfX* in combination with the oligonucleotide of SEQ ID NO:53, which anneals to the the SCC*mec* right extremity of MREJ type ii. 1 μ L of a purified genomic DNA preparation was transferred directly into 4 tubes containing 39 μ L of a PCR reaction mixture. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 2.5 mM MgCl₂, 0.4 μ M of each of the oligonucleotides of SEQ ID NO.: 44 and 53, 200 μ M of each of the four dNTPs, 3.3 μ g/ μ l of BSA (Sigma-Aldrich Canada Ltd) and 0.5 unit of *Taq* DNA polymerase (Promega, Madison, WI) coupled with the *TaqStart*TM Antibody (BD Biosciences, San Jose, CA). PCR reactions were performed using a standard thermocycler (PTC-200 from MJ Research Inc., Watertown, MA) as follows: 3 min at 94°C followed by 40 cycles of 5 sec at 95°C for the denaturation step, 1 min at 58°C for the annealing step and 1 min at 72°C for the extension step. An amplification product of 4.5 kb was obtained with this primer set.

[0078] The amplification products were pooled and 10 μ l of the mixture were resolved by electrophoresis in a 1.2% agarose gel containing 0.25 μ g/ml of ethidium bromide. The amplicons were then visualized with the Alpha-Imager. Amplicon size was estimated by comparison with a 1 kb molecular weight ladder (Life Technologies, Bethesda, MD). The remaining PCR-amplified mixture (150 μ l, total) was also resolved by electrophoresis in a 1.2% agarose gel and visualized by staining with methylene blue

as described above. The PCR reaction yielded a 1.2 kb amplification product. The band corresponding to this specific amplification product was excised from the agarose gel and purified as described above. The gel-purified DNA fragment was then used directly in the sequencing protocol as described above. The sequencing reactions were performed using the oligonucleotides of SEQ ID NOs.: 44 and 53 as well as one internal primer (SEQ ID NO.: 54) and 10 ng/100 bp per reaction of the gel-purified amplicons (**Figure 1, Table 10**). The MREJ sequence of strain CCRI-12845 is designated as SEQ ID NO.: 21 (**Table 8**).

[0079] To determine the MREJ sequences of the 4 last MRSA strains (CCRI-12524, CCRI-12535, CCRI-12810, and CCRI-12905), the oligonucleotide of SEQ ID NO: 44 was used in combination with each of the four DNA Walking ACP (DW-ACP) primers from the DNA WALKING SPEED UP™ Sequencing Kit (Seegene, Del Mar, CA) according to the manufacturer's instructions on a PTC-200 thermocycler. The DW-ACP primer system (DW ACP-PCR™ Technology) enables one to obtain genuine unknown target amplification products up to 2 kb. A first amplification product obtained with one of the DW-ACP primers was purified using the QIAQUIK™ PCR purification Kit (QIAGEN Inc., Valencia, CA). The purified PCR product was re-amplified using the DW-ACP-N primer in combination with the oligonucleotide of SEQ ID NO:30, which anneals to *orfX* under manufacturer recommended PCR conditions. The PCR-amplified mixture of 4 different 50-μL PCR reactions were pooled and resolved by electrophoresis in a 1.2% agarose gel. The amplicons were then visualized by staining with methylene blue as described above. Amplicon size was once again estimated by comparison with a 1 kb molecular weight ladder. An amplification product of 1.5 to 3 kb was obtained. The amplification product was excised from the agarose gel and purified as described above and the DNA was then used directly in the sequencing protocol as described above. 10 ng of purified DNA for every 100 bp of the amplicon was used in sequencing reactions using the oligonucleotides of SEQ ID NO.: 30 and DW-ACP-N. The MREJ sequences from MRSA strains strains CCRI-12524, CCRI-12535, CCRI-12810, and CCRI-12905 (described in **Table 3**) are designated SEQ ID NOs.: 39, 40, 41, and 42 (**Table 8**).

[0080] CCRI-12376 and CCRI-12593 described in **Table 3** were not sequenced but rather characterized using PCR primers and shown to contain MREJ type xiii using specific amplification primers.

EXAMPLE 3: Sequence Analysis of Novel MREJ types xi-xx

[0081] The sequences obtained for 15 of the 17 strains non-amplifiable by the MRSA-specific primers detecting MREJ types i to x previously described were compared to the sequences available from public databases. In all cases except MRSA strain CCRI-12845, the *orfX* portion of the MREJ sequence had an identity close to 100% to publicly available sequences for *orfX*. CCRI-12845 has a deletion in *orfX* (SEQ ID NO.: 21) (described below). While the *orfX* portion of most MREJ fragments (SEQ ID NOs.: 15-20, 25-26, 39-42, 55-56) shared nearly 100% identity with publicly available *S. aureus* *orfX* sequences, with the exception of strain CCRI-12845, the DNA sequence within the right extremity of SCCmec itself was shown to be different from those of MREJ types i, ii, iii, iv, v, vi, vii, viii, ix, and x (International Patent Application PCT/CA02/00824; US patent 6,156,507). The DNA sequence within the right extremity of SCCmec of CCRI-12845 was similar to that of MREJ type ii (see below). Thus, ten different novel MREJ sequence types are reported herein: MREJ types xi to xx.

[0082] The sequences within the right extremity of SCCmec obtained from strains CCRI-12157, CCRI-12198, and CCRI-12199 (SEQ ID NOs.: 17, 18, and 19) were nearly identical to each other, and different from those of MREJ types i, ii, iii, iv, v, vi, vii, viii, ix, and x (Ito *et al.*, 2001, Antimicrob. Agents Chemother. 45:1323-1336; Ma *et al.*, 2002, Antimicrob. Agents Chemother. 46:1147-1152, Huletsky *et al.*, 2004, J. Clin. Microbiol. 42:1875-1884, International Patent Application PCT/CA02/00824, US patent 6,156,507). These new sequences were designated as MREJ type xi (SEQ ID NOs.: 17-19). A BLAST™ search revealed that the first 86 bp of the SCCmec portion of MREJ type xi exhibited 87% identity with an unknown sequence of *Staphylococcus epidermidis* strain SR1 (GenBank accession number AF270046). The remainder of the MREJ sequence was shown to be unique, exhibiting no significant homology to any published sequence.

[0083] The sequence obtained at the right extremity of SCCmec from strain CCRI-12719 (SEQ ID NO.: 20) was different from MREJ types i to x as well as from MREJ type xi. The new MREJ type was designated as MREJ type xii. When compared with GenBank sequences using BLAST™, the sequence at the right extremity of SCCmec of MREJ type xii exhibited 100 % identity with the sequence found at the right extremity of the SCCmec type V recently described (Ito *et al.*, 2004, Antimicrob. Agents. Chemother. 48:2637-2651; GenBank accession number AB121219). The sequence also

exhibited 85% identity with a 212-nucleotide region of the *Staphylococcus epidermidis* RP62a putative GTP-binding protein sequence.

[0084] The sequences within the right extremity of SCC*mec* obtained from strains CCRI-11976, CCRI-12382, and CCRI-12383 (SEQ ID NOs.: 15, 25, and 26) were 100% identical to each other, different from MREJ types i to x as well as from MREJ types xi and xii. The new MREJ sequences were designated as MREJ type xiii (SEQ ID NOs.: 15, 25, and 26).

[0085] The sequence within the right extremity of SCC*mec* obtained from strain CCRI-11999 (SEQ ID NO.: 16) was also different from MREJ types i to x as well as from MREJ types xi, xii, and xiii, and consequently, was designated as MREJ type xiv. A BLAST™ search of the MREJ types xiii and xiv sequences showed that a portion of the SCC*mec* of these two MREJ types was identical to that of MREJ type ix. Indeed, the SCC*mec* portions of MREJ types ix and xiv were preceded by one and two consecutive 102 bp insertions, respectively, when compared to MREJ type xiii. The rest of the MREJ types ix, xiii, and xiv sequences were 99.9% identical to each other. These sequences exhibited identities ranging from 97% to 100% (for the highest BLAST scores) with non-contiguous regions (in varying sizes of 1535 to 1880 nucleotides) of the SCC cassette without *mecA* harboring the chromosome recombinase genes of the methicillin-susceptible strain *S. epidermidis* ATCC 12228 (GenBank accession number BK001539). The sequence of the 102-pb insertion was 99-100% identical to that found in MREJ type ii.

[0086] The sequence obtained within the right extremity of SCC*mec* from strain CCRI-9887 was different from MREJ types i to x as well as from MREJ types xi to xiv and was therefore designated as MREJ type xv (SEQ ID NO.: 56). A BLAST search of the sequence obtained within the SCC*mec* portion of MREJ type xv revealed that this DNA fragment exhibited identities ranging from 92% to 96% (for the highest BLAST scores) with non-contiguous sequences (in varying sizes of 342 to 618 nucleotides) of the SCC cassette (which do not contain *mecA*) of the methicillin-susceptible *S. aureus* strain M (GenBank accession number U10927). Although the sequence of MREJ type xv has been described, the localization of this sequence downstream of *orfX* in a MRSA strain has heretofore not been described. The CCRI-9887 MREJ sequence also exhibited 94% identity with a 306-nucleotide region of strain *Staphylococcus haemolyticus* JCSC1435 located near the *orfX* sequence.

[0087] The sequence obtained for MREJ from strain CCRI-12845 (SEQ ID NO.: 21) revealed that the MREJ fragment of this strain has a deletion of nucleotides 165 to 434 of *orfX* (269-bp fragment), whereas the sequence at the right extremity of *SCCmec* (328 nucleotides) had identities ranging from 99.8 to 100% with that of MREJ type ii available in public databases. Although the MREJ sequence obtained from this strain exhibited a high level of identity with known MREJ sequences, the presence of a 269-bp deletion within *orfX* had heretofore never been described. As one of the oligonucleotides used in the initial PCR amplification assay described above falls within this 269 bp deletion, the deletion in *orfX* explains why this MRSA strain was not or could not have been detected with primers and probes previously described to detect MRSA (US patent 6,156,507 and International Patent Application PCT/CA02/00824). The novel MREJ sequence of this strain was designated as MREJ type xvi.

[0088] The sequence obtained at the right extremity of *SCCmec* from strain CCRI-9772 was different from MREJ types i to x as well as from MREJ types xi to xvi. The new MREJ type was designated as MREJ type xvii (SEQ ID NO.:55). A BLAST™ search against the GenBank database revealed that the *SCCmec* portion of MREJ type xvii sequence exhibited 100% identity with the sequence at left of the *SCCmec* junction of *S. aureus* strain CA05 (JCSC 1968) (GenBank Accession number AB063172) harbouring *SCCmec* type IV (Ma *et al.*, 2002. Antimicrob. Agents Chemother. 46:1147-1152). The genetic organization of MREJ type xvii is similar to the region downstream of *orfX* in MSSA. Although the sequence itself has been described previously, the localization of this sequence downstream of *orfX* in a MRSA strain has heretofore never been described.

[0089] The sequences obtained from the right extremity of *SCCmec* from strains CCRI-12524 and CCRI-12535 were nearly identical to each other but were different from MREJ types i to x as well as from MREJ types xi to xvii and were therefore designated as MREJ type xviii (SEQ ID NOs.:39 and 40). A BLAST search against GenBank sequences revealed a 100% identity with a 487-nucleotide region of the *SCCmec* cassette of *Staphylococcus haemolyticus* JCSC 1435. The remainder of the sequence was shown to be unique, exhibiting no significant homology to any published sequence.

[0090] The sequence obtained from strain CCRI-12810 was different from MREJ types i to x as well as from MREJ types xi to xviii and was designated as MREJ type xix (SEQ ID NO.:41). When compared with GenBank sequences using BLAST, the

SCC*mec* portion of MREJ type xix sequence exhibited 100% identity with a 597-nucleotide region of unknown function of strain ATCC 25923 which is located at the left of SCC*mec* (GenBank accession number AB047239). This result has been observed with four other MRSA strains for which the SCC*mec* sequences have been published: MRSA252, 85/3907, 85/2082, and MR108 (GenBank accession numbers: BX571856, AB047088, AB037671 and AB096217, respectively). The genetic organization of MREJ type xix is similar to the region downstream of *orfX* in MSSA. Although the sequence itself had been described, the presence of this DNA fragment downstream of *orfX* had heretofore never been described.

[0091] The sequence obtained at the right extremity of SCC*mec* from strain CCRI-12905 was different from MREJ types i to x as well as from MREJ types xi to xix and was designated as MREJ type xx (SEQ ID NO.:42). When compared with Genbank sequences using BLAST, the SCC*mec* of MREJ type xx sequence exhibited 100% and 99% identities with two non-contiguous sequences (respectively 727 and 307 nucleotides long) downstream of *orfX* of the methicillin-susceptible *S. aureus* strain NCTC 8325 (GenBank accession number AB014440). The genetic organization of MREJ type xx is similar to the region downstream of *orfX* in MSSA. The localization of this sequence downstream of *orfX* in a MRSA strain has heretofore never been described. Identity levels ranging from 98% to 100% with non-contiguous fragments (in varying sizes of 91 to 727 nucleotides) was found with 11 MRSA strains for which the SCC*mec* sequences have been published: N315, NCTC 10442, COL, USA300, Mu50, 2314, 85/4231, 85/2235, JCSC 1978, PL72, HDE 288 (GenBank accession numbers: BA000018, AB033763, CP000046, CP000255, BA000017, AY271717, AB014428, AB014427, AB063173, AF411936, AF411935, respectively). These identical fragments are located downstream of the *mecA* gene towards (or even downstream) the left insertion point of SCC*mec*.

EXAMPLE 4: Sequence comparison of new MREJ types xi to xx

[0092] The sequences of the first 500-nucleotide portion of the SCC*mec* right extremity of all new MREJ types (xi to xx) were compared with each other and with those of the previously described MREJ types i to ix using GCG software programs Pileup and Gap (GCG, Wisconsin). **Table 12** depicts the identities at the nucleotide level between the SCC*mec* right extremities of the 10 novel MREJ types (xi to xx) with those of the MREJ types previously described (i to ix) using the GCG program Gap. MREJ type x was

excluded from this comparison since this MREJ sequence is deleted of the complete *orfX* and of the *SCCmec* integration site as well as ~ 4 kb at the right extremity of *SCCmec* when compared to the right extremity of *SCCmec* type II. The *SCCmec* right extremity of MREJ types ix, xiii, and xiv differed by only one and two 102-bp insertions present in MREJ types ix and xiv, respectively. However, the rest of these three sequences showed nearly 100% identity (**Figure 3**). Although the *SCCmec* portion of MREJ type xvi is nearly 100% identical with that of MREJ type ii, the deletion of nucleotides 165 to 434 of *orfX* in MREJ type xvi has never been described previously. The *SCCmec* right extremities of all other new MREJ types showed identities ranging from 38.2 to 59.5% with each other or with MREJ types i to ix. The substantial variation between the novel MREJ sequences and the previously described sequences, from which the prior detection assays were based, explains why the right extremities of the novel MREJ types xi to xx disclosed in the present invention could not have been predicted nor detected with MREJ primers previously described (US patent 6,156,507; International Patent Application PCT/CA02/00824; Ito *et al.*, 2001, Antimicrob. Agents Chemother. 45:1323-1336; Huletsky *et al.*, 2004, J Clin. Microbiol. 42:1875-1884; Ma *et al.*, 2002, Antimicrob. Agents Chemother. 46:1147-1152; Ito *et al.*, Antimicrob Agents Chemother. 2004. 48:2637-2651; Oliveira *et al.*, 2001, Microb. Drug Resist. 7:349-360).

EXAMPLE 5: Selection of Amplification Primers from *SCCmec/orfX* Sequences of MRSA with MREJ types xi to xx

[0093] Upon analysis of the 10 new MREJ types xi to xx sequence data described above, primers specific to each new MREJ type sequence were designed (**Figure 2, Tables 9 and 11**). Primers specific to MREJ type xi (SEQ ID NO.: 34), MREJ type xii (SEQ ID NO.: 35), MREJ types xiii and xiv (SEQ ID NO.: 29) (also detect MREJ type ix but each of MREJ types ix, xiii, and xiv has a different amplicon length), MREJ type xv (SEQ ID NO.: 24), MREJ type xvii (SEQ ID NO.: 4), MREJ type xviii (SEQ ID NO.: 7), MREJ type xix (SEQ ID NO.: 9), MREJ type xx (SEQ ID NO.: 8), were each used in combination with a primer specific to the *S. aureus orfX* (SEQ ID NO.: 30) and tested against their specific MREJ target. For the detection of MREJ type xvi, a primer targeting MREJ types i, ii, and xvi (**Table 10**) was used in combination with a primer targeting the *S. aureus orfX* (SEQ ID NO.: 44). MREJ types i, ii, and xvi can be distinguished from each other by their different amplicon length.

[0094] Oligonucleotides primers found to amplify specifically DNA from the target MRSA MREJ types were subsequently tested for their ubiquity by PCR amplification (i.e. ubiquitous primers amplified efficiently most or all isolates of MRSA of the target MREJ type). The specificity and ubiquity of the PCR assays were tested either directly with bacterial cultures or with purified bacterial genomic DNA. The specificity of the primers targeting MREJ types xi to xx was also verified by testing DNA from MRSA strains harboring all other MREJ types.

[0095] 1 µl of a treated standardized bacterial suspension or of a genomic DNA preparation purified from bacteria were amplified in a 20 µl PCR reaction mixture. Each PCR reaction contained 50 mM KCl, 10 mM Tris-HCl (pH 9.0), 0.1% Triton X-100, 2.5 mM MgCl₂, 0.4 µM of each of MREJ type xi primer (SEQ ID NO.: 34), MREJ type xii primer (SEQ ID NO.: 35), MREJ types xiii and xiv primer (SEQ ID NO.: 29), MREJ type xv primer (SEQ ID NO.: 24), MREJ type xvi (SEQ ID NO.: 36), MREJ type xvii primer (SEQ ID NO.: 4), MREJ type xviii primer (SEQ ID NO.: 7), MREJ type xix primer (SEQ ID NO.: 9), or MREJ type xx primer (SEQ ID NO.: 8) which were each used in combination with 0.4 µM of a *S. aureus*-specific primer (SEQ ID NO.: 30 or SEQ ID NO.: 44 for MREJ type xvi), 200 µM of each of the four dNTPs (Pharmacia Biotech, Piscataway, NJ), 3.3 µg/µl of BSA (SIGMA, St. Louis, MO), and 0.5 U *Taq* polymerase (Promega, Madison, WI) coupled with *TaqStart*TM Antibody (BD Biosciences, San Jose, CA).

[0096] PCR reactions were then subjected to thermal cycling: 3 min at 94°C followed by 40 cycles of 60 seconds at 95°C for the denaturation step, 60 seconds at 55°C for the annealing step, and 60 seconds at 72°C for the extension step, then followed by a terminal extension of 7 minutes at 72°C using a standard thermocycler (PTC-200 from MJ Research Inc., Watertown, MA). Detection of the PCR products was made by electrophoresis in agarose gels (1.2 %) containing 0.25 µg/ml of ethidium bromide.

[0097] Each of the MRSA strains harbouring a specific MREJ target was specifically detected with their specific MREJ primers and there was no cross-detection with non targeted MREJ types.

[0098] This invention has been described herein above, and it is readily apparent that modifications can be made thereto without departing from the spirit of this invention. These modifications are under the scope of this invention, as defined in the appended claims.

Table 1. Reference *Staphylococcus aureus* strains used in the present invention ^a

Strain number	Strain number	Strain number
collections (Type designation)		
6538 ^b	BM10827 (C)	54511 (Turku I E6)
13301 ^b	3717 (EMRSA-GR1b)	54518 (Turku II E7)
23235 ^b	97S97 (Belgian epidemic clone 1a)	61974 (Helsinki I E1)
25923 ^b	359/96 (Berlin epidemic EMRSA IVc)	62176 (Kotka E10)
27660 ^b	792/96 (Berlin epidemic EMRSA IVd)	62305 (meca- Tampere I E12)
29737 ^b	844/96 (Berlin epidemic EMRSA IVb)	62396 (Helsinki II E2)
29213 ^b	1966/97 (Hannover area EMRSA IIIc)	75541 (Tampere II E13)
29247 ^b	2594-2/97 (S. German EMRSA IIb)	75916 (Helsinki V E5)
33591	131/98 (S. German EMRSA II d2)	76167 (Kemi E17)
33592	406/98 (N. German EMRSA I c1)	98442 (Helsinki VI E19)
33593	408/98 (N. German EMRSA I c2)	98514 (Helsinki VII E20)
43300	872/98 (Hannover area EMRSA IIIb)	98541 (Lohja E24)
BAA-38 (Archaic) ^o	1155-1/98 (S. German EMRSA II c)	M307 (EMRSA-3)
BAA-39 (Hungarian) ^o	1163/98 (S. German EMRSA II d1)	90/10685 (EMRSA-15)
BAA-40 (Portuguese) ^o	1869/98 (N. German EMRSA I d)	98/14719 (EMRSA-15/b4)
BAA-41 (New York) ^o	HS 2 (I)	96/32010 (EMRSA-16)
BAA-42 (Pediatric) ^o	AO 17934/97 (II)	99/579 (EMRSA-16/a3)
BAA-43 (Brazilian) ^o	98/10618 (EMRSA-15/b2)	5 (E1)
BAA-44 (Iberian) ^o	98/26821 (EMRSA-15/b3)	3680 (EMRSA-GR1)
41787 (Sa 501 V) ^o	98/24344 (EMRSA-15/b7)	3713 (EMRSA-GR1a)
38266 (II) ^o	99/1139 (EMRSA-16/a2)	98S46 (Belgian epidemic clone 3b)
8325 ^b	99/159 (EMRSA-16/a14)	97S96 (Belgian epidemic clone 1a)
11939 (EMRSA-1) ^o	6 (D)	97S98 (Belgian epidemic clone 1b)
	13 (A')	97S99 (Belgian epidemic clone 2a)
ian epidemic MRSA (Type designation)^d		
A-1	14 (A')	97S100 (Belgian epidemic clone 2b)
A-2	18 (A)	97S101 (Belgian epidemic clone 3a)
A-3	25 (F')	134/93 (N. German EMRSA I)
A-4	30 (G)	1000/93 (Hannover area EMRSA III)
A-5	33 (F)	1450/94 (N. German EMRSA Ia)
A-6	54 (B)	825/96 (Berlin epidemic EMRSA IV)
	60 (A'')	842/96 (Berlin epidemic EMRSA IVa)
	80 (E)	2594-1/97 (S. German EMRSA II a)
IONY collection of European epidemic MRSA designation)^o		
(B)	98 (C)	1155-2/98 (S. German EMRSA II)
(A)	162 (A)	1442/98 (Hannover area EMRSA IIIa)
(A)	920 (B)	N8-890/99 (Sa 543 VI)
(A)	95035 (A)	N8-3756/90 (Sa544 I)
(B)	97121 (B)	9805-01937 (V)
(B)	BM10828 (C)	AK 541 (IV)
(B)	BM10882 (C)	ON 408/99 (VII)
(A)	37481 (Seinajoki E 14)	AO 9973/97 (III)

- ^a All *S. aureus* strains are resistant to methicillin except where otherwise indicated.
- ^b These *S. aureus* strains are sensitive to oxacillin (MSSA).
- ^c Informations on these strains and type designation based on pulse-field gel electrophoresis are from (6).
- ^d Information on these strains and type designation based on pulse-field gel electrophoresis are from (47).
- ^e Information on these strains and type designation based on pulse-field gel electrophoresis are available at <http://www.phls.co.uk/inter/harmony/menu.htm>.

Table 2. Evaluation of the MRSA-specific primers targeting MREJ types i to x using DNA from a variety of methicillin-sensitive and methicillin-resistant *Staphylococcus aureus* strains.

<i>Staphylococcus aureus</i> strains ^a (number)	PCR results	
	Positive (%)	Negative (%)
MRSA (1657)	1640 (99)	17 (1)
MSSA (569)	26 (4.6)	543 (95.4)

^a MRSA, methicillin-resistant *Staphylococcus aureus*; MSSA, methicillin-sensitive *Staphylococcus aureus*. Reference *S. aureus* strains used are listed in Table 1. The origin of the *S. aureus* clinical isolates is described in the text.

Table 3. Origin of 17 MRSA strains not amplifiable using primers targeting MREJ types i to x.

<i>Staphylococcus aureus</i>		
strain designation:		
Original	CCRI ^a	Origin
6-9637	CCRI-12157	Tempe, USA
15-3967	CCRI-12198	New York, USA
15-3972	CCRI-12199	New York, USA
91 2290	CCRI-12719	Australia
SS1757	CCRI-11976	Houston, USA
255 D	CCRI-12382	Brazil
106 I	CCRI-12383	Brazil
232 D	CCRI-12376	Brazil
6881	CCRI-12593	Spain
5109	CCRI-11999	Wilmington, USA
BK793	CCRI-9887	Cairo, Egypt
21 1 8424	CCRI-12845	Japan
SE46-1	CCRI-9772	Toronto, Canada
1059	CCRI-12524	Italy
1016	CCRI-12535	Italy
816867	CCRI-12905	Rennes, France
20 1 6060	CCRI-12810	Taiwan, China

^a CCRI stands for "Collection of the Centre de Recherche en Infectiologie".

Table 8: Novel *Staphylococcus aureus* MREJ^a nucleotide sequences

SEQ ID	<i>S. aureus</i> strain designation		Sequence ^{a,b}
	Original	CCRI ^c	
15	SS1757	CCRI-11976	MREJ type xiii
16	5109	CCRI-11999	MREJ type xiv
17	6-9637	CCRI-12157	MREJ type xi
18	15-3967	CCRI-12198	MREJ type xi
19	15-3962	CCRI-12199	MREJ type xi
20	91 2290	CCRI-12719	MREJ type xii
21	21 1 8424	CCRI-12845	MREJ type xvi
25	255 D	CCRI-12382	MREJ type xiii
26	106 I	CCRI-12383	MREJ type xiii
39	1059	CCRI-12524	MREJ type xviii
40	1016	CCRI-12535	MREJ type xviii
41	20 1 6060	CCRI-12810	MREJ type xix
42	816867	CCRI-12095	MREJ type xx
55	SE46-1	CCRI-9772	MREJ type xvii
56	BK793	CCRI-9887	MREJ type xv

^a MREJ refers to *mec* right extremity junction and includes sequences from the SCC*mec* right extremity and chromosomal DNA to the right of the SCC*mec* integration site.

^b Sequence refers to the target gene

^c CCRI stands for "Collection for the Centre de Recherche en Infectiologie"

Table 9. Novel PCR amplification primers developed to detect MREJ types xi - xx

Originating target DNA MREJ type	Originating target DNA SEQ ID NO	Oligo Position ^a	Oligo SEQ ID NO
MREJ type xvii	55	954 ^b	4
MREJ type xviii	40	1080	7
MREJ type xx	42	987 ^b	8
MREJ type xix	41	581 ^b	9
MREJ type xv	38	624	23
MREJ type xv	56	566 ^b	24
MREJ type ix, xiii, xiv	15	756 ^b	28
MREJ type xi	17	615 ^b	34
MREJ type xii	20	612 ^b	35
MREJ type xv	56	457	48
MREJ type xv	56	564 ^b	49
MREJ type xi	17	956 ^b	51
MREJ type xii	20	1053 ^b	52
MREJ type xvii	55	415	57
MREJ type xvii	55	558	58

^a Position refers to nucleotide position of 5' end of primer

^b Primer is reverse-complement of target sequence

Table 10. Other amplification and/or sequencing primers and probes found in the sequence listing

SEQ ID NO	Source	Target	Originating DNA	
			Position ^a	SEQ ID NO
27	Oliveira and de Lencastre, 2002, Antimicrob. Agents Chemother. 46:2155-2161	SCC <i>mec</i>	-	-
29	SEQ ID NO.: 109 ^b	MREJ types ix, xiii, and xiv	652 ^c	29
30	SEQ ID NO.: 64 ^b	<i>orfX</i>	325	18
31	SEQ ID NO.: 84 ^b	<i>orfX</i>	346 ^c	18
32	SEQ ID NO.: 163 ^b	<i>orfX</i>	346 ^c	20
33	SEQ ID NO.: 164 ^b	<i>orfX</i>	-	-
36	SEQ ID NO.: 66 ^b	MREJ types i, ii, and xvi	574 ^c	21
43	SEQ ID NO.: 159 ^b	<i>orfX</i>	367 ^c	18
44	SEQ ID NO.: 132 ^b	<i>orfX</i>	98	38
45	SEQ ID NO.: 70 ^b	<i>orfX</i>	401	18
50	SEQ ID NO.: 69 ^b	<i>mecA</i>	6945 ^c	22
53	Oliveira and de Lencastre, 2002, Antimicrob. Agents Chemother. 46:2155-2161	SCC <i>mec</i>	-	-
54	SEQ ID NO.: 56 ^b	MREJ types i and ii	-	-
60	SEQ ID NO.: 152 ^d	putative membrane protein		
61	SEQ ID NO.: 153 ^d	putative membrane protein		
62	This patent	<i>orfX</i>	193	20
63	SEQ ID NO.: 81 ^b	<i>mecA</i>	6798	22
65	SEQ ID NO.: 204 ^b	MREJ type vi	642 ^c	191 ^b
66	SEQ ID NO.: 115 ^b	MREJ types ii, viii, ix, 514		167 ^b

		xiii, xiv		
73	This patent	MREJ type x	1913 ^c	69
74	SEQ ID NO.: 112 ^b	MREJ type vii	503	189 ^b
75	SEQ ID NO.: 116 ^b	MREJ type viii	601	167 ^b
76	This patent	<i>orfX</i>	193	17
77	This patent	<i>orf22</i> (MREJ type x)	3257	69
78	This patent	<i>SCCmec</i>	22015	88
79	This patent	<i>SCCmec</i>	22100	88
80	This patent	<i>SCCmec</i>	21296	88
81	This patent	<i>SCCmec</i>	21401	88
82	This patent	<i>SCCmec</i>	22713	88
83	This patent	<i>SCCmec</i>	2062	87
84	This patent	<i>SCCmec</i>	1280	87
85	This patent	<i>SCCmec</i>	1364	87
86	This patent	<i>SCCmec</i>	718	87

^a Position refers to nucleotide position of the 5' end of primer (on the target sequence).

^b SEQ ID NOs from International Patent Application PCT/CA02/00824.

^c Primer is reverse-complement of target sequence.

^d SEQ ID NOs from WO96/08582.

Table 11. Length of amplicons obtained with primer pairs for MREJ types xi - xx

Oligo Pair (SEQ ID NO)	Target DNA	Amplicon length ^a
24/30	MREJ type xv	265
24/44	MREJ type xv	603
24/45	MREJ type xv	189
24/62	MREJ type xv	397
28/30	MREJ type xiii, xiv	464 (type xiii); 668 (type xiv)
28/44	MREJ type xiii, xiv	802 ^b (type xiii); 1006 ^b (type xiv)
28/45	MREJ type xiii, xiv	388 (type xiii); 592 (type xiv)
28/76	MREJ type xiii	596 (type xiii)
29/30	MREJ type xiii, xiv	267 (type xiii); 471 (type xiv)
29/44	MREJ type xiii, xiv	605 ^b (type xiii); 809 ^b (type xiv)
29/45	MREJ type xiii, xiv	191 (type xiii); 395 (type xiv)
29/59	MREJ type xiv	605
29/76	MREJ type xiii	399
34/30	MREJ type xi	328
34/44	MREJ type xi	661 ^b
34/45	MREJ type xi	247
34/76	MREJ type xi	455
35/30	MREJ type xii	311
35/44	MREJ type xii	649 ^b
35/45	MREJ type xii	235
35/62	MREJ type xii	443
36/44	MREJ type xvi	348 ^b
4/30	MREJ type xvii	690
4/44	MREJ type xvii	968 ^b
4/45	MREJ type xvii	614
4/62	MREJ type xvii	822
7/30	MREJ type xviii	780 ^b
7/44	MREJ type xviii	1119 ^b
7/45	MREJ type xviii	704
7/59	MREJ type xviii	912 ^b
8/30	MREJ type xx	1076 ^b
8/44	MREJ type xx	1415 ^b
8/45	MREJ type xx	1000
8/59	MREJ type xx	1208 ^b
9/30	MREJ type xix	657 ^b
9/44	MREJ type xix	996 ^b
9/45	MREJ type xix	581
9/59	MREJ type xix	789 ^b

^a Amplicon length is given in base pairs for MREJ types amplified by the set of primers

^b Amplicon length is based on analysis by agarose gel electrophoresis

Table 12. Percentage of sequence identity for the first 500 nucleotides of SCCmec right extremities between 19 types of MREJ^{a,b}

	i	ii ^d	iii	iv	v	vi ^c	vii	viii	ix ^f	xi	xii	xiii	xiv ^e	xv	xvi	xvii	xviii	xix	xx
i	-	100	44,4	39,1	40,4	42,9	43,2	41,5	42,4	41,1	40,2	42,4	42,4	42,1	100	42,1	44,1	42,5	40,4
ii ^d	-	-	44,4	39,1	40,4	42,9	43,2	41,5	42,4	41,1	40,2	42,4	42,4	42,1	100	42,1	44,1	42,5	40,4
iii	-	-	-	40,1	45,8	45,0	44,4	42,3	49,9	45,7	44,9	49,9	49,9	48,8	44,2	43,1	46,7	43,5	45,3
iv	-	-	-	-	45,2	40,3	41,6	42,1	42,7	42,7	38,2	42,7	42,7	39,0	42,1	39,6	40,3	37,2	41,4
v	-	-	-	-	-	45,0	41,3	46,5	43,8	41,2	43,6	43,8	43,8	41,7	43,3	42,3	49,8	43,8	39,8
vi ^c	-	-	-	-	-	-	45,1	40,8	43,2	43,8	42,0	43,2	43,2	44,2	42,9	39,4	43,4	42,2	45,8
vii	-	-	-	-	-	-	-	42,8	44,8	42,7	42,0	44,8	44,8	46,7	42,5	43,2	44,7	41,1	41,9
viii	-	-	-	-	-	-	-	-	41,1	41,1	41,9	41,1	41,1	37,6	52,2	40,9	41,2	42,4	39,1
ix ^f	-	-	-	-	-	-	-	-	-	46,0	42,5	100	100	43,4	44,1	40,9	45,0	40,6	42,9
xi	-	-	-	-	-	-	-	-	-	-	48,0	46,0	46,0	45,9	43,2	40,5	47,1	41,8	43,6
xii	-	-	-	-	-	-	-	-	-	-	-	42,5	42,5	47,6	39,2	43,3	43,7	44,7	45,6
xiii	-	-	-	-	-	-	-	-	-	-	-	-	100	43,4	44,1	40,9	45,0	40,6	42,9
xiv ^e	-	-	-	-	-	-	-	-	-	-	-	-	-	43,4	44,1	40,9	45,0	40,6	42,9
xv	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43,6	41,5	47,5	42,5	43,8
xvi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41,9	45,4	45,1	45,7
xvii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40,0	43,3	42,5
xviii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43,4	45,7
xix	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45,5
xx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

^a "First 500 nucleotides" refers to the 500 nucleotides within the SCCmec right extremity, starting from the integration site of SCCmec in the *Staphylococcus aureus* chromosome as shown on Figure 3.

^b Sequences were extracted from International patent application PCT/CA02/00824 (SEQ ID NOs.: 1, 2, 232, 46, 50, 171, 166, 167 and 168 for types i to ix, respectively). MREJ type x was excluded from the sequence comparison because it is deleted from the completed *orfX*, the integration site, and part of the SCCmec right extremity. Sequences for types xi to xx were extracted from SEQ ID NOs.: 18, 20, 25, 16, 56, 21, 55, 39, 41 and 42, respectively.

^c Sequence from the SCCmec right extremity of MREJ type vi is limited to 371 nucleotides.

^d The first 102 nucleotides from the SCCmec right extremity of MREJ type ii were excluded from the sequence comparison.

^e The first 206 nucleotides from the SCCmec right extremity of MREJ type xiv were excluded from the sequence comparison.

^f The first 102 nucleotides from the SCCmec right extremity of MREJ type ix were excluded from the sequence comparison.

WHAT IS CLAIMED IS:

1. A method of detecting the presence of a methicillin-resistant *Staphylococcus aureus* (MRSA) strain in a sample comprising nucleic acids, wherein the MRSA strain comprises an SCCmec insert comprising a *mecA* gene inserted in bacterial nucleic acids, and wherein the insertion of said SCCmec insert in the bacterial nucleic acids generates a polymorphic right extremity junction (MREJ), said method comprising:

providing at least one primer and/or probe that is specific for MRSA strains, wherein the primer and/or probe anneals to at least one polymorphic MREJ nucleic acid of types xi to xx;

annealing the nucleic acids of the sample with the primer(s) and/or probe(s), wherein annealed primer(s) and/or probe(s) indicate the presence of an MRSA strain in the sample; and

detecting the presence and/or amount of annealed probe(s), or detecting the amount of an amplification product produced through annealing of the primers to the nucleic acids, as an indication of the presence and/or amount of MRSA.

2. The method of Claim 1, wherein the providing step further comprises providing a plurality of primers and/or probes that can anneal with at least one MREJ type selected from MREJ type xi, xii, xiii, xiv, xv, xvi, xvii, xviii, xix, and xx.

3. The method of Claim 2, further comprising a DNA amplification step, wherein the DNA amplification is PCR, LCR, NABSA, 3SR, SDA, bDNA, TMA, CPT, SPA, NDSA, rolling circle amplification, anchored strand displacement amplification, solid phase (immobilized) rolling circle amplification, or Q beta replicase amplification.

4. The method of Claim 2, wherein the plurality of primers and/or probes can anneal with at least four MREJ types selected from MREJ type xi, xii, xiii, xiv, xv, xvi, xvii, xviii, xix, and xx.

5. The method of Claim 2, wherein the primers and/or probes anneal under common annealing conditions.

6. The method of Claim 5, wherein the primer and/or probes are provided in the same physical enclosure.

7. The method of Claim 1, wherein the primers and/or probes are at least 10, 12, 14, 16, 18, 20, 25, or 30 nucleotides in length.

8. The method of Claim 1, wherein the primers and/or probes are capable of annealing to at least one of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56.

9. The method of Claim 2, wherein at least one primer and/or probe of the plurality of primers and/or probes is capable of annealing to each of SEQ ID NOs: 15, 16, 17, 18, 19, 20, 21, 25, 26, 39, 40, 41, 42, 55, and 56.

10. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 51, 30, 31, 32, and 33 for the detection of MREJ type xi.

11. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 52, 30, 31, 32, and 33, for the detection of MREJ type xii.

12. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 29, 30, 31, 32, and 33 for the detection of MREJ type xiii.

13. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 29, 30, 31, 32, and 33 for the detection of MREJ type xiv.

14. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 24, 30, 31, 32, and 33 for the detection of MREJ type xv.

15. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 36 and 44 for the detection of MREJ type xvi.

16. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 4, 30, 31, 32, and 33 for the detection of MREJ type xvii.

17. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 7, 30, 31, 32, and 33 for the detection of MREJ type xviii.

18. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 9, 30, 31, 32, and 33 for the detection of MREJ type xix.

19. The method of Claim 2, wherein the plurality of primers and/or probes comprises SEQ ID NOs: 8, 30, 31, 32, and 33 for the detection of MREJ type xx.

20. The method of Claim 2, wherein the plurality of primers and/or probes comprises
SEQ ID NOs: 51, 30, 31, 32, and 33 for the detection of MREJ type xi,
SEQ ID NOs: 52, 30, 31, 32, and 33 for the detection of MREJ type xii,
SEQ ID NOs: 29, 30, 31, 32, and 33 for the detection of MREJ type xiii
SEQ ID NOs: 29, 30, 31, 32, and 33 for the detection of MREJ type xiv,

SEQ ID NOs: 24, 30, 31, 32, and 33 for the detection of MREJ type xv
SEQ ID NOs: 36 and 44 for the detection of MREJ type xvi,
SEQ ID NOs: 4, 30, 31, 32, and 33 for the detection of MREJ type xvii,
SEQ ID NOs: 7, 30, 31, 32, and 33 for the detection of MREJ type xviii,
SEQ ID NOs: 9, 30, 31, 32, and 33 for the detection of MREJ type xix, and
SEQ ID NOs: 8, 30, 31, 32, and 33 for the detection of MREJ type xx.

21. The method of Claim 10, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 34, 44, 45, and 76 for the detection of MREJ type xi.

22. The method of Claim 11, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 34, 44, 45, 52, and 62 for the detection of MREJ type xii.

23. The method of Claim 12, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 33, 44, 45, and 76, for the detection of MREJ type xiii.

24. The method of Claim 13, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 44, 45, and 59 for the detection of MREJ type xiv.

25. The method of Claim 14, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 4, 45, and 62 for the detection of MREJ type xv.

26. The method of Claim 16, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 44, 45, and 62 for the detection of MREJ type xvii.

27. The method of Claim 17, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 44, 45, and 59 for the detection of MREJ type xviii.

28. The method of Claim 18, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 44, 45, and 59 for the detection of MREJ type xix.

29. The method of Claim 19, wherein the plurality of primers and/or probes further comprises the primers and/or probes of SEQ ID NOs: 44, 45, and 59 for the detection of MREJ type xx.

30. The method of Claim 20, further comprising the primers and/or probes of SEQ ID NOs: 34, 35, 44, 45, 52, 59, 62, 76.

31. The method of claim 21, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs : 34/45, 34/30, 34/76, and 34/44, for the detection of MREJ type xi.

32. The method of claim 22, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs : 35/45, 35/30, 35/62, and 35/44, for the detection of MREJ type xii.

33. The method of claim 23, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 29/45, 29/30, 29/76, and 29/44, for the detection of MREJ type xiii.

34. The method of claim 24, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 29/45, 29/30, 29/59, and 29/44, for the detection of MREJ type xiv.

35. The method of claim 25, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 24/45, 24/30, 24/62, and 24/44, for the detection of MREJ type xv.

36. The method of claim 26, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 4/45, 4/30, 4/62, and 4/44 for the detection of MREJ type xvii.

37. The method of claim 27, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 7/45, 7/30, 7/59, and 7/44 for the detection of MREJ type xviii.

38. The method of Claim 28, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 9/45, 9/30, 9/59, and 9/44 for the detection of MREJ type xix.

39. The method of claim 29, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 8/45, 8/30, 8/59, and 8/44 for the detection of MREJ type xx.

40. The method of claim 30, wherein the primers are provided in pairs, wherein the primer pair is selected from the group consisting of:

SEQ ID NOs: 34/45, 34/30, 34/76, and 34/44 for the detection of MREJ type xi;

SEQ ID NOs: 35/45, 35/30, 35/62, and 35/44 for the detection of MREJ type xii;

SEQ ID NOs: 29/45, 29/30, 29/76, and 29/44 for the detection of MREJ type xiii;

SEQ ID NOs: 29/45, 29/30, 29/59, and 29/44 for the detection of MREJ type xiv;

SEQ ID NOs: 24/45, 24/30, 24/62, and 24/44 for the detection of MREJ type xv'

SEQ ID NOs: 36/44 for the detection of MREJ type xvi;

SEQ ID NOs: 4/45, 4/30, 4/62, and 4/44 for the detection of MREJ type xvii;

SEQ ID NOs: 7/45, 7/30, 7/59, and 7/44 for the detection of MREJ type xviii;

SEQ ID NOs: 9/45, 9/30, 9/59, and 9/44 for the detection of MREJ type xix; and

SEQ ID NOs: 8/45, 8/30, 8/59, and 8/44 for the detection of MREJ type xx.

41. The method of claim 40, further comprising probes having the following sequences:

SEQ ID NOs: 30, 31, and 32 for the detection of MREJ types to xi to xx.

42. The method of Claim 40, wherein said probes and primers are used together.

43. The method of Claim 42, wherein said probes and/or primers are used together in the same physical enclosure.

44. The method of Claim 1, further comprising detecting an annealed probe and/or primer as an indication of the presence of a determined MREJ type from type xi to xx.

45. The method of Claim 44, wherein the method of detection is selected from the group comprising: agarose gel electrophoresis, fluorescence resonance energy transfer, TaqMan probe, molecular beacon probe, Scorpion probe, nanoparticle probe, Ampliflour probe, chemiluminescence, potentiometry, mass spectrometry, plasmon resonance, polarimetry, colorimetry, flow cytometry, scanometry, and DNA sequencing.

46. A nucleic acid selected from the group consisting of:

SEQ ID NOs: 17, 18, 19 (MREJ type xi);

SEQ ID NO: 20 (MREJ type xii);
SEQ ID NOs: 15, 25, 26 (MREJ type xiii);
SEQ ID NO: 16 (MREJ type xiv);
SEQ ID NO: 56 (MREJ type xv);
SEQ ID NO: 21 (MREJ type xvi);
SEQ ID NO: 55 (MREJ type xvii);
SEQ ID NOs: 39, 40 (MREJ type xviii);
SEQ ID NO: 41 (MREJ type xix); and
SEQ ID NO: 42 (MREJ type xx), or the complement thereof.

47. An oligonucleotide of at least 10 nucleotides in length which hybridizes under stringent conditions with a nucleic acid of Claim 46.

48. An oligonucleotide pair selected from the group consisting of:

oligonucleotides comprising the sequences of SEQ ID NOs: 34/45, 34/30, 34/76, and 34/44, for the detection of MREJ type xi,

oligonucleotides comprising the sequences of SEQ ID NOs: 35/45, 35/30, 35/62, and 35/44 for the detection of MREJ type xii,

oligonucleotides comprising the sequences of SEQ ID NOs: 29/45, 29/30, 29/76, and 29/44 for the detection of MREJ type xiii,

oligonucleotides comprising the sequences of SEQ ID NOs: 29/45, 29/30, 29/59, and 29/44 for the detection of MREJ type xiv,

oligonucleotides comprising the sequences of SEQ ID NOs: 24/45, 24/30, 24/62, and 24/44 for the detection of MREJ type xv,

oligonucleotides comprising the sequences of SEQ ID NOs: 36/44 for the detection of MREJ type xvi,

oligonucleotides comprising the sequences of SEQ ID NOs: 4/45, 4/30, 4/62, and 4/44 for the detection of MREJ type xvii,

oligonucleotides comprising the sequences of SEQ ID NOs: 7/45, 7/30, 7/59, and 7/44 for the detection of MREJ type xviii,

oligonucleotides comprising the sequences of SEQ ID NOs: 9/45, 9/30, 9/59, and 9/44 for the detection of MREJ type xix, and

oligonucleotides comprising the sequences of SEQ ID NOs: 8/45, 8/30, 8/59, and 8/44 for the detection of MREJ type xx.

49. An oligonucleotide comprising the sequence of SEQ ID NO: 31, 32, or 33.

50. A kit comprising a plurality of primers and/or probes, wherein the primers and/or probes are at least 10, 12, 14, 16, 18, 20, 25, or 30 nucleotides in length, and wherein the primers and/or probes hybridize under stringent conditions to at least one of the nucleic acids of Claim 46, and wherein the plurality of primers and/or probes hybridizes with at least one MREJ of types selected from xi to xx.

51. The kit of Claim 50, further comprising primers and/or probes, which hybridize with one or more MREJ of types selected from i to x.

52. The kit of Claim 51, further comprising primer pairs, wherein the primer pairs comprise the nucleotide sequences of SEQ ID NOs:

- 30/36 for the detection of MREJ type i;
- 30/36 for the detection of MREJ type ii;
- 30/70 for the detection of MREJ type iii;
- 30/71 for the detection of MREJ type iv;
- 30/72 for the detection of MREJ type v;
- 30/65 for the detection of MREJ type vi;
- 30/74 for the detection of MREJ type vii;
- 30/75 for the detection of MREJ type viii;
- 30/29 for the detection of MREJ type ix;
- 73/77 for the detection of MREJ type x;
- 34/45, 34/30, 34/76, 34/44 for the detection of MREJ type xi;
- 35/45, 35/30, 35/62, 35/44 for the detection of MREJ type xii;
- 29/45, 29/30, 29/76, 29/44 for the detection of MREJ type xiii;
- 29/45, 29/30, 29/59, 29/44 for the detection of MREJ type xiv;
- 24/45, 24/30, 24/62, 24/44 for the detection of MREJ type xv ;
- 36/44 for the detection of MREJ type xvi;
- 4/45, 4/30, 4/62, 4/44 for the detection of MREJ type xvii;
- 7/45, 7/30, 7/59, 7/44 for the detection of MREJ type xviii;
- 9/45, 9/30, 9/59, 9/44 for the detection of MREJ type xix; and

8/45, 8/30, 8/59, 8/44 for the detection of MREJ type xx.

53. The kit of Claim 51, further comprising probes, wherein the probes comprise the nucleic acid sequence of SEQ ID NOs: 31, 32, 33.

Figure 1.





Figure 1 (continued).
2993644
100506






Figure 2.




Figure 2 (continued).

[illegible]

[illegible]

```

mrej_i      : GTAGTGAATAATCTGATGTTGGCTATAGAGTGGTCTCTGTTAT
mrej_ii     : GTAGTGTAAATAATCTGATGTTGGCTATAGAGTGGTCTCTGTTAT
mrej_xvi    : GTAGTGAATAATCTGATGTTGGCTATAGAGTGGTCTCTGTTAT
mrej_xvii   : AGTTGTGCGATGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xviii  : AGTTGTGCGATGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xix    : AGTTGTGCGATGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xx     : AGTTGTGCGATGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxi    : GCGCTGCTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxii   : GCGCTGCTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxiii  : TTTGCGAATAATGTTATGGCTATAGAGTGGTCTCTGTTAT
mrej_xxiv   : GAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xv     : GAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xvi    : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xvii   : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xviii  : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xix    : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xx     : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxi    : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxii   : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxiii  : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xxiv   : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xv     : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xvi    : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xvii   : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xviii  : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xix    : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT
mrej_xx     : GTAGTGTGCGATGCGAATAAGCAATATAGAGTGGTCTCTGTTAT

```

GENOM.057CP1.TXT

SEQUENCE LISTING

<110> Huletsky, Ann
Giroux, Richard

<120> SEQUENCES FOR DETECTION AND
IDENTIFICATION OF METHICILLIN-RESISTANT STAPHYLOCOCCUS
AUREUS (MRSA) OF MREJ TYPES xi to xx

<130> GENOM.057QPC

<150> 11/248,438

<151> 2005-11-11

<160> 88

<170> FastSEQ for windows Version 4.0

<210> 1

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 1

gcaggaacaa acagatgaag a

21

<210> 2

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 2

tcggctctac cctcaacaa

19

<210> 3

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 3

tcgcagggat ggtattgaa

19

<210> 4

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 4

caccctgcaa gatatgttt

19

<210> 5

<211> 25

<212> DNA

<213> Artificial Sequence

GENOM.057CP1.TXT

<220>
 <223> synthetically prepared nucleic acid sequence
 <400> 5 25
 ttcgttgaaa gaagagaaaa ttaaa
 <210> 6
 <211> 27
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 6 27
 gctttttttt ctttattatc aagtatc
 <210> 7
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 7 25
 aatggaattt gttaatttca taaat
 <210> 8
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 8 25
 ttccgaagtc ataataatc aaatt
 <210> 9
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 9 23
 ttccgaagct aattctgtta ata
 <210> 10
 <211> 23
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 10 23
 aggcgttaaa aatcctgata ctg
 <210> 11
 <211> 22
 <212> DNA
 <213> Artificial Sequence

GENOM.057CP1.TXT

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 11

aagccaattc aatttgtaat gc

22

<210> 12

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 12

aaccctcct ctgtaattag tg

22

<210> 13

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 13

agcggtaggag tgcaaataga t

21

<210> 14

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 14

ttgctggaca tcaacagtat cat

23

<210> 15

<211> 4149

<212> DNA

<213> Staphylococcus aureus

<400> 15

```

accatttttag ctgtagggaa actaaaagag aaatattgga agcaagccat agcagaatat 60
gaaaaacggt taggccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
ccagaaaaata tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata 180
ctagccaaaa ttaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta 240
tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac 360
gcactatcat tcagcaaaaat gacattccca catcaaatga tgcgggttgt gtttaattgag 420
caagtgtata gagcatttaa gattatgcgt ggagaagcat atcataagtg atgcggtttt 480
tattaattag ttgctaaaaa atgaagtatg caatattaat tattattaaa ttttgatata 540
tttaaagaaa gattaagttt aggggtgaatg aatggcctat caaagtgaat atgcattaga 600
aaatgaagta cttcaacaac ttgaggaatt gaactatgaa agagtaaata tacataatat 660
taaattagaa attaatgaat atctcaaaga actaggagtg ttgaaaaatg aataagcaga 720
caaatactcc agaactaaga tttccagagt ttgatgagga atggaaaaaa aggaaattag 780
gtgaagttagt aaattataaa aatggtgggt catttgaaag tttagtgaag aaccttggtg 840
tatataaact cataactctt aaatctgtta atacagaagg aaagtgtgtt aattctggaa 900
aatatatcga tgataaatgt gttgaaacat tgtgtaatga tacttttagta atgatactga 960
gcgagcaagc accaggacta gttggaatga ctgcaattat acctaatat aatgagtatg 1020
tactaaatca acgagtagca gcactagtgc ctaaacaatt tatagatagt caatttctat 1080
ctaagttaat taatagaaac cagaaatatt tcagtgtgag atctgctgga acaaaaagtga 1140
aaaatatttc taaaggacat gtagaaaact ttaatttttt atctcctaata taaactgaac 1200
aacaataaat aggttaatttc ttcagcaaac tcgaccgcca gattgagtta gaagaagaga 1260
aacttgaact cttagagcaa caaaagcgtg gatataattca gaagattttt tctcaagatt 1320

```

GENOM.057CP1.TXT

taagattttaa	agatgaaaaat	ggaaacagtt	atcctgattg	gtctattaaa	aagattgaag	1380
atattttctaa	agttaataaaa	gggtttactc	caaatacaaaa	aaatgataaa	tactgggatg	1440
aattaaatga	aaattgggta	tctatagcag	gtatgacaca	gaaatatttg	tataaaggaa	1500
ataaaggaat	tactgaaaaa	ggtgcatcaa	agcatgtaaa	agtagataaa	gatactctaa	1560
taatgagttt	taaattgact	ttaggtaagt	tagctatagt	aaaagagcct	atctatacaa	1620
atgaagctat	atgccatttc	gtatggaaag	aaagtaatgt	taatactgag	tatatgtact	1680
actattttaaa	ttctataaat	ataagtactt	ttgggtgcaca	ggcagttaaa	ggagtaacat	1740
taaataacga	tgcaattaat	agtatttatg	taaagttacc	agtgatacaa	gaacaaaata	1800
aaatagcata	ctttttcaat	aaattagata	aattaattga	aaaacaatct	tctaaagtag	1860
aattattttaa	acaacgcaaa	caaggatttt	tacagaaaaat	gtttgtttta	ttctttataaa	1920
gttctatttat	gtaaaatatt	aaatagagat	aacattatga	aagcgagccc	aagacataaa	1980
gtttttgaat	aaataaaaaa	gataatttct	atcaaattaa	tatagaaatt	gtcttttttta	2040
taaaatttttt	gattatttttt	agctgattga	gctgttactt	ttctttataat	aagtgtctatt	2100
agcacaaatc	ctagtttctct	tttggctttg	tttattcctc	ttacggacat	tcgagtgaag	2160
cccatttttaa	ttttattaga	agtaatttag	gtttgaaccc	acctaataaa	atataatgagt	2220
tatttttttta	tgctacaaaa	tatattcaga	tttcaataat	gacataaaaat	aggcatcttt	2280
atattttacct	ttagtgtaga	attgctcttt	gagtaatcct	tctgttttaa	atccttgtga	2340
ctcgtatata	tgcacagctt	ttttgttatc	tgtatcaaca	tatagataaa	ttttgtgcat	2400
gttttaataa	tcgaatgcac	aatttatcgc	tttttcgaat	gcgaattttg	cataaccttt	2460
accactgaac	tcagggtttta	taattatttg	tttttcacaa	ttacgatgga	tgtaattaat	2520
ttctactaat	tcaacaatac	ctacgacttg	attttcatct	tcaacaataa	aacgtctctc	2580
tgattcatct	aataaatgct	tatcaaataa	atattgaagt	tccgttaagg	attcatatgg	2640
ttcttcaaac	caataagaca	taatagaata	ttcattattt	aattcatgaa	caaaaagtaa	2700
atcactatac	tctaagtctc	ttagtttcat	aattccactc	ccaaaatttt	ctcatatatt	2760
tgcatattaa	atataaataa	cgaataagtc	atcttctact	gtgaatactc	tatttttaaca	2820
attcaccaca	tactaattct	cattttcttg	ttattctcga	tttattactc	ttactatgaa	2880
acctataaaa	ttctcacatt	tgtttgattt	aagaataaat	acgtcgatag	taacaataaa	2940
aaaataaata	ataaagcatc	cctcaccgta	aaagtgaagg	atgctctagt	tttattgaaa	3000
tatacatttc	attttgttaa	ataattatta	ataatatttt	gaaaatcatt	attacgtgaa	3060
atcttcatag	attttatcaa	gtatttcttt	gccttcaatt	gctgtgaagt	gatgtacca	3120
tctatttttta	caatcatatg	taattttgtg	acgctaggta	attagtaatt	gttcgtcagt	3180
ctgattgtat	agtatcaagt	ttcatagata	atactctttg	attttaatgt	ccactttgac	3240
gtgcttttaag	attgagtata	tacataatgt	cattgtggaa	tgttaaaaat	cctacaaatg	3300
tttattcatc	tgaggatttt	ttaaatctcc	aagaataaaa	atcatcatag	gacaactgga	3360
ttattgtttg	gataaataac	gtaaacaata	attaggtagt	attatttatt	tttgtttatt	3420
ctttttccta	acaaaataaa	gaaaagaata	aacgcaattg	ttaaaaatat	gtgtcctaaa	3480
ccagcaatac	cagcaatagc	aggacttaca	cttagatctt	taatggtaga	aataccgttc	3540
acgaattgca	ttgccacagt	aacaagcaca	cctaaatggg	atatataaaa	gaaactgtta	3600
aacagctttg	tatgagttgt	taatttgaat	tggccctcga	taatcatgaa	aattaagaac	3660
ataattgtac	ctagtactaa	taaattgtgt	tgtgtaacat	ttaattgaga	aaaaccgcta	3720
aaatcttccg	cttttgtcat	ttctctataa	aatagaccac	ttaataaacc	taatagtgtg	3780
tagagcgctg	aactatatac	taatcttttc	attttaattc	cccctatttt	taattacgag	3840
ataagtatat	cggtagttta	tgaactgagt	atgaacttac	acaaaaaaaa	ttaatgaagt	3900
actttacaat	aaactcaatt	tattagatgg	tggagggacg	aaaaaggatt	ttagaaaaat	3960
aaattaatat	atttttattt	tgataagtaa	taattaatat	tatcttggaa	atcattgtta	4020
agtattgttg	taataacaatc	gtcattcata	aaatcttcat	agtttttatc	aagaatttct	4080
tcattcttca	tagatgtgaa	atgatttagct	aaccctttta	taatttaagt	gtaatttgtg	4140
aatcctaaac						4149

<210> 16

<211> 4353

<212> DNA

<213> Staphylococcus aureus

<400> 16

accatttttag	ctgtagggaa	actaaaagag	aaatatttga	agcaagccat	agcagaatat	60
gaaaaacggt	tagggccata	caccaagata	gacatcatag	aagttccaga	cgaaaaagca	120
ccagaaaata	tgagcgacaa	agaaatttga	caagtaaaa	aaaaagaagg	ccaacgaata	180
ttagccaaaa	ttaaaccaca	atccacagtc	attacattag	aaatacaagg	aaagatgcta	240
tctttccgaag	gatttgccca	agaattgaac	caacgcatga	ccaaggggca	aagcgacttt	300
gtatttcgtca	ttggcggatc	aaacggcctg	cacaaggacg	tcttacaacg	cagtaactac	360
gcactatcat	tcagcaaaaat	gacattccca	catcaaataa	tgcggtttgt	gttaatttag	420
caagtgtata	gagcatttaa	gattatgcgt	ggagaagcat	atcataaatg	atgcggtttt	480
ttcagccgct	tcataaaagg	attttgaatg	tatcagaaca	tatgaggttt	atgtgaattg	540
tggttatgtt	tttaagaagc	atatcataaa	tgatgcggtt	ttttcagccg	cttcataaag	600
ggattttgaa	tgtatcagaa	catatgaggt	ttatgtgaat	tgctgttatg	tttttaagaa	660
gcataatcata	agtgatgcgg	tttttattaa	ttagttgcta	aaaaatgaag	tatgcaatat	720

GENOM.057CP1.TXT

taattattat	taaattttga	tatatTTTaa	gaaagattaa	gtttagggtg	aatgaatggc	780
ttatcaaagt	gaatatgcat	tagaaaaTga	agtacttcaa	caacttgagg	aattgaaacta	840
tgaagagta	aatatacata	atattTaaatt	agaaattaat	gaatatctca	aagaactagg	900
agtgttgaaa	aatgaataag	cagacaaata	ctccagaact	aagatttcca	gagtttgatg	960
aggaatggaa	aaaaaggaaa	ttaggtgaag	tagTaaatta	TaaaaatggT	ggttcatttg	1020
aaagtttagt	gaaaaaccat	ggtgtatata	aactcataac	tctTaaatct	gttaatacacg	1080
aaggaaagtt	gtgtaattct	ggaaaaata	tcgatgataa	atgtgttgaa	acattgtgta	1140
atgatacttt	agtaatgata	ctgagcgagc	aagcaccagg	actagtTgga	atgactgcaa	1200
ttatacctaa	taataatgag	tatgtactaa	atcaacgagt	agcagcacta	gtgcctaaac	1260
aattttataga	tagtcaattt	ctatctaagt	taattaatag	aaaccagaaa	tatttcagtg	1320
tgagatctgc	tggaaacaaa	gtgaaaaata	tttctaaagg	acatgtagaa	aactttaatt	1380
ttttatctcc	taattacact	gaacaacaaa	aaataggtaa	tttcttcagc	aaactcgacc	1440
gccagattga	gttagaagaa	gagaaacttg	aactcttaga	gcaacaaaag	cgtggatata	1500
ttcagaagat	tttttctcaa	gatttaagat	ttaaagatga	aaatggaaac	agttatcctg	1560
attggtctat	Taaaaagatt	gaagatattt	ctaaagttaa	Taaagggttt	actccaaata	1620
caaaaaatga	Taaatactgg	gatgaattaa	atgaaaattg	gttatctata	gcaggTatga	1680
cacagaaata	tttgtataaa	ggaaataaag	gaattactga	aaaaggTgca	tcaaagcatg	1740
Taaaagtaga	Taaagatact	ctaataatga	gtttTaaatt	gacttttaggt	aagTtagcta	1800
tagTaaagaa	gcctatctat	acaaatgaag	ctatatgcca	tttcgtatgg	aaagaaagta	1860
atgttaatac	tgagtatatg	tactactatt	Taaattctat	aaatataagt	acttttggtg	1920
cacaggcagt	Taaaggagta	acattaaata	acgatgcaat	Taatagtatt	atagTaaagt	1980
Taccagtgat	acaagaacaa	aataaaatag	catacttttt	caataaatta	gataaaattaa	2040
ttgaaaaaca	atcttctaaa	gtagaattat	Taaaacaacg	caaacaagga	tttttacaga	2100
aaatgtttgt	Ttaattctta	TaaagtTcta	ttatgTaaaa	Tattaaatag	agataacatt	2160
atgaaagcga	gccccagaca	Taaagttttt	gaataaataa	aaaagataat	ttctatcaaa	2220
Ttaatataga	aattgtcttt	tttataaatt	ttttgattat	ttttagctga	ttgagctgtt	2280
acttttctta	Taataagtgc	Tattagcaca	aatcctagtt	ctcttttggc	tttgtttatt	2340
cctcttacgg	acattcgagt	gaaaccatt	Ttaattttat	tagaagtaat	Ttaggtttga	2400
accacctaa	ataaatatat	gagttatttt	tttatgctac	aaaatatatt	cagatttcaa	2460
Taatgacata	aaataggcat	ctttatatTT	accttttagt	tagaattgct	ctttgagtaa	2520
tccttctggt	Ttaaattcctt	gtgactcgta	Tatatgcaca	gcitttttTgt	Tatctgtatc	2580
aacatataga	Taaattttgt	gcatgtttaa	Tatatcgaat	gcataattta	tcgctttttc	2640
gaatgcgaat	tttgcataac	ctttaccact	gaactcaggt	Ttaataatta	tttgattttc	2700
acaattacga	Tggatgtaat	Taatttctac	Taattcaaca	atacctacga	cttgattttc	2760
atcttcaaca	ataaaacgtc	Tctctgattc	atctaataaa	Tgcttatcaa	ataaaatttg	2820
aagttccggt	aaggattcat	atggttcttc	aaaccaataa	gacataatag	aatattcatt	2880
attTaatcca	Tgaacaaaaa	Tgaatcact	atactctaatt	gctcttagtt	Tcataattcc	2940
actcccaaaa	ttttctcata	Tatttgcatt	ataaatataa	ataacgaata	agTcatcatt	3000
cactgtgaat	actctatttt	aacaattcac	cacatactaa	ttctcatttt	cttgttattc	3060
tcgattttatt	actcttacta	Tgaaacctat	aaaattctca	catttgtttg	Tattaagaat	3120
aaatacgtcg	atagTaaaca	Taaaaaaata	aataataaag	catccctcac	cgTaaaagtg	3180
aaggatgctc	Tagtttttatt	gaaatataca	tttcattttg	Ttaaataaatt	attaaataata	3240
ttttgaaaat	cattatttacg	Tgaaatcttc	atagattttta	Tcaagtattt	ctttgccttc	3300
aattgctgtg	aagtgatgta	ccaatctatt	tttacaatca	Tatgtaattt	Tgtgacgcta	3360
ggTaattagt	aattgttcgt	cagtctgatt	gtatagtatc	aagtttcata	gataatactc	3420
tttgattttta	atgtccactt	Tgacgtgctt	Taagattgag	Tatatacata	atgtcattgt	3480
ggaatgtTaa	aaatcctaca	aatgttttatt	catctgcagg	attttTaaat	ctccaagaat	3540
aaaaatcatc	ataggacaac	Tggattattg	tttggtataaa	Taacgtaaac	aataatttag	3600
Tactattatt	Tattttttgtt	Tattcttttt	cctaacaaaa	Taaagaaaag	aataaacgca	3660
attgtTaaaa	atatgtgtcc	Taaaccagca	ataccagcaa	tagcaggact	Tacacttaga	3720
Tctttaatgg	tagaaatacc	gttcacgaat	Tgcattgcca	cagTaaacaag	cacacctaata	3780
Tggtataatat	aaaagaaact	gtTaaacagc	tttgatatgag	TtgTtaattt	gaattggccc	3840
Tcgataatatc	Tgaaaataat	gaacataatt	Ttccttagta	ctaataaatg	Tgtatgtgta	3900
acattTaaatt	gagaaaaacc	gctaaaatct	Tccgcttttg	Tcatttctct	ataaaaataga	3960
ccactTaaata	accctaatag	Tgtatagagc	gctgaactat	acattaatct	tttcattttta	4020
attcccccta	ttttTaaatta	cgagataagt	atagcggtag	tttatgaact	gagtatgaac	4080
Ttacaacaaa	aaaattaatg	aagtacttta	caataaaactc	aattttattag	atggTggagg	4140
gacgaaaaag	gatttttagaa	aaataaatta	atataattttt	attttgataa	gtaataatta	4200
ataatatctt	ggaaatcatt	gtTgaatatt	ttgtgataatc	aatcgTcatt	cataaaatct	4260
Tatagatttt	Tatcaagaat	Ttcttcatct	Tcgatagatg	Tgaaatgatt	agctaaccct	4320
tttataattt	aagtgtaat	Tgtgaatcta	aac			4353

<210> 17

<211> 1100

<212> DNA

<213> Staphylococcus aureus

GENOM.057CP1.TXT

<400> 17

accatttttag	ctgtagggaa	actaaaagag	aaatatttga	agcaagccat	agcagaatat	60
gaaaaacgtt	taggcccata	caccaagata	gacatcatag	aagttccaga	cgaaaaagca	120
ccagaaaata	tgagcgacaa	agaaattgag	caagtaaaag	aaaaagaagg	ccaacgaata	180
ctagccaaaa	ttaaaccaca	atccacagtc	attacattag	aaatacaagg	aaagatgcta	240
tcttccgaag	gattggccca	agaattgaac	caacgcatga	ccaaggggca	aagcgacttt	300
gtatttcgtca	ttggcggatc	aaacggcctg	cacaaggacg	tcttacaacg	cagtaactac	360
gcactatcat	tcagcaaaat	gacattccca	catcaaatga	tgcggttgt	gttaattgag	420
caagtgtata	gagcatttaa	gattatgcgt	ggagaagcgt	atcacaata	aaactaaaaa	480
ataagttgta	tataacttat	tttgaaattg	gttaagtata	taatatctcc	aataaaatgt	540
agttaactta	cgataatgct	gaactatagc	tttgtaaact	aaaatgtaaa	taattacaat	600
caaattgcaa	caatatagtt	caagaatgct	acaatttgag	gacagattga	tagcattaat	660
ccctttaaaa	tgaagctagg	agataactta	cattatgatt	agtaaacaaa	taaaggattt	720
acgaaagcaa	cataattata	ctcaagaaga	gctagctgaa	aaattaaata	cttcaagaca	780
aacaatttct	aaatgggaac	aaggtatttc	agaaccagac	ttaattatgc	ttatgcaatt	840
gtcacatta	ttttctgtta	gtacagacta	tctcattaca	ggaagtgaca	atattattaa	900
aaaagataat	aaaagctatt	atgaaatgaa	tttttgggca	tttatgtctg	aaaaatgggtg	960
ggtaattatt	attatagtaa	tcataatttg	tggacaata	ggacaaattt	tttcaaacta	1020
atgtaagtat	ctctcaata	ttttgggagg	ttttattatg	aaaatcaaaa	aattattaaa	1080
gacattatta	attattttat					1100

<210> 18

<211> 1109

<212> DNA

<213> Staphylococcus aureus

<400> 18

accatttttag	ctgtagggaa	actaaaagag	aaatatttga	agcaagccat	agcagaatat	60
gaaaaacgtt	taggcccata	caccaagata	gacatcatag	aagttccaga	cgaaaaagca	120
ccagaaaata	tgagcgacaa	agaaattgag	caagtaaaag	aaaaagaagg	ccaacgaata	180
ctagccaaaa	tcaaaccaca	atcaacagtc	attacattag	aaatacaagg	aaagatgcta	240
tcttccgaag	gattggccca	agaattgaac	caacgcatga	ccaaggggca	aagcgacttt	300
gtatttcgtca	ttggcggatc	aaacggcctg	cacaaggacg	tcttacaacg	cagtaactac	360
gcactatcat	tcagcaaaat	gacattccca	catcaaatga	tgcggttgt	gttaattgaa	420
caagtgtaca	gagcatttaa	gattatgcgt	ggagaagcgt	atcacaata	aaactaaaaa	480
ataagttgta	tataacttat	tttgaaattg	gttaagtata	tagtatctcc	aataaaatgt	540
agttaactta	cgataatgct	gaactatagc	tttgtaaact	aaaatgtaaa	taattacaat	600
caaattgcaa	caatatagtt	caagaatgct	acaatttgag	gacagattga	tagcattaat	660
ccctttaaaa	tgaagctagg	agataactta	cattatgatt	agtaaacaaa	taaaggattt	720
acgaaagcaa	cataattata	ctcaagaaga	gctagctgaa	aaattaaata	cttcaagaca	780
aacaatttct	aaatgggaac	aaggtatttc	agaaccagac	ttaattatgc	ttatgcaatt	840
gtcacatta	ttttctgtta	gtacagacta	tctcattaca	ggaagtgaca	atattattaa	900
aaaagataat	aaaagctatt	atgaaatgaa	tttttgggca	tttatgtctg	aaaaatgggtg	960
ggtaattatt	attatagtaa	tcataatttg	tggacaata	ggacaaattt	tttcaaacta	1020
atgtaagtat	ctctcaata	ttttgggagg	ttttattatg	aaaatcaaaa	aattattaaa	1080
gacattatta	attattttat	tatgtttttg				1109

<210> 19

<211> 1159

<212> DNA

<213> Staphylococcus aureus

<400> 19

accatttttag	ctgtagggaa	actaaaagag	aaatatttga	agcaagccat	agcagaatat	60
gaaaaacgtt	taggcccata	caccaagata	gacatcatag	aagttccaga	cgaaaaagca	120
ccagaaaata	tgagcgacaa	agaaattgag	caagtaaaag	aaaaagaagg	ccaacgaata	180
ctagccaaaa	tcaaaccaca	atcaacagtc	attacattag	aaatacaagg	aaagatgcta	240
tcttccgaag	gattggccca	agaattgaac	caacgcatga	ccaaggggca	aagcgacttt	300
gtatttcgtca	ttggcggatc	aaacggcctg	cacaaggacg	tcttacaacg	cagtaactac	360
gcactatcat	tcagcaaaat	gacattccca	catcaaatga	tgcggttgt	gttaattgaa	420
caagtgtaca	gagcatttaa	gattatgcgt	ggagaagcgt	atcacaata	aaactaaaaa	480
ataagttgta	tataacttat	tttgaaattg	gttaagtata	tagtatctcc	aataaaatgt	540
agttaactta	cgataatgct	gaactatagc	tttgtaaact	aaaatgtaaa	taattacaat	600
caaattgcaa	caatatagtt	caagaatgct	acaatttgag	gacagattga	tagcattaat	660
ccctttaaaa	tgaagctagg	agataactta	cattatgatt	agtaaacaaa	taaaggattt	720
acgaaagcaa	cataattata	ctcaagaaga	gctagctgaa	aaattaaata	cttcaagaca	780
aacaatttct	aaatgggaac	aaggtatttc	agaaccagac	ttaattatgc	ttatgcaatt	840

GENOM.057CP1.TXT

```

gtcacaaatta ttttctgtta gtacagacta tctcattaca ggaagtgaca atattattaa 900
aaaagataat aaaagctatt atgaaatgaa tttttgggca tttatgtctg aaaaatggtg 960
ggtaattatt attatagtaa tcataatttg tggaacaata ggacaaatit tttcaacta 1020
atgtaagtat ctctcaaaata ttttggggagg ttttattatg aaaatcaaaa aattattaaa 1080
gacattatta attatttttat tatgttttgt attgtctgtt attgtgcaaa atatttcaat 1140
gctatggcat attgtgagc                                     1159

```

<210> 20

<211> 1125

<212> DNA

<213> *Staphylococcus aureus*

<400> 20

```

accatttttag ctgtagggaa actaaaagag aaatatttga agcaagccat agcagaatat 60
gaaaaacgtt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
ccagaaaata tgagcgacaa agaaattgag caagtataaa aaaaagaagg ccaacgaata 180
ctagccaaaa tcaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta 240
tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
gtattctgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactat 360
gcactatcat ttagcaaaat gacattccca catcaaatga tgcgggttgt gtttaattgaa 420
caagtgtata gagcatttaa gattatgcgt ggagaggcgt atcataaata aaactaaaaa 480
acggattgtg tataatatat tttaaatata aaaaggattg attttatgtt aaataaatta 540
gaaaatgtta gttataaatc attcgataat tacaactagt aagatgattt gactaaagta 600
aatataatatt ttggaagaaa tgggagtggg aaaagctcat taagtgaatg gttagaaga 660
ctagataatg aaaaaagtgt tatctttaat actggttact taaaaaataa tattgaagaa 720
gttgaagaaa tagatggtgt gaatttgggt atttgagaag aatctataaa tcatagtgc 780
caaattaagc atttaaatag cgctataaat agtttagaaa attttattac tcggaataat 840
agtgaactta agcattcaaa agaaagaatt tacaataaaa tgaatatcag actaaatgaa 900
gctagagaaa gatttgaat aggtagtaat gtggttaagc agaagaggaa tgctgacaaa 960
gatccagtta atgcttttta tagttggaag aaaaatgcta acgatataat tcaagagatg 1020
actattgaat ctttagatga attagaagaa agaataacaa gaaaagaagt cttattaaat 1080
aatataaaaa caccaatttt agcttttgat tataatgatt ttagt                                     1125

```

<210> 21

<211> 818

<212> DNA

<213> *Staphylococcus aureus*

<400> 21

```

aatatttgaa gcaagccata gcagaatat aaaaacgttt aggcccatat accaagatag 60
acatcataga agttccagac gaaaaagcac cagaaaatat gagcgacaaa gaaattgagc 120
aagtgtatag agcatttaag attatgctgt gagaagcata tcataaatga tgcggttttt 180
tcagccgctt cataaaggga ttttgaatgt atcagaacat atgaggttta tgtgaattgc 240
tgttatgttt ttaagaagct tatcataagt aatgaggttc atgatttttg acatagttag 300
cctccgcagt ctttcatttc aagtaataaa tagcgaaata ttctttatag tgaataactta 360
tagtgaagca aagttctagc tttgagaaaa ttctttctgc aactaaatat agtaaattac 420
ggtaaaatat aaataagtac atattgaaga aaatgagaca taatatattt tataatagga 480
gggaattttca aatgatagac aactttatgc aggtccttaa attaatataa gagaaacgta 540
ccaataatgt agttaaaaaa tctgattggg ataaaaggta tctatataaa acttttagtcc 600
atgataagtt acccaagcag ttaaaaagtc atataaaaga agataaatat tcagtgttag 660
ggaaggttgc tactgggaac tatagtaaa ttccttggat ttcaatatat gatgagaata 720
taacaaaaga aacaaaggat ggatattatt tggtatatct ttttcatccg gaaggagaag 780
gcatatactt atcttgaatc aaggatggtc aaagataa                                     818

```

<210> 22

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 22

aacaggtgaa ttattagcac ttgtaag

27

<210> 23

<211> 24

GENOM.057CP1.TXT

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 23

gagcggattt atattaaaac ttgt

24

<210> 24

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 24

gttgccatag attcaatttc taag

24

<210> 25

<211> 1081

<212> DNA

<213> Staphylococcus aureus

<400> 25

```

accatttttag ctgtagggaa actaaaagag aaatattgga agcaagccat agcagaatat 60
gaaaaacggt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
ccagaaaata tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata 180
ctagccaaaa tcaaaccaca atcaacagtc attacattag aaatacaagg aaagatgcta 240
tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac 360
gcactatcat tcagcaaaat gacattccca catcaaata tgcgggttgt gtttaattgaa 420
caagtgtaca gagcatttaa gattatgcgt ggagaagcat atcataagt atgcggtttt 480
tattaattag ttgctaaaaa atgaagtatg caatattaat tattattaaa ttttgatata 540
tttaaagaaa gattaagttt aggggtgaatg aatggcttat caaagtgaat atgcattaga 600
aatgaagta cttcaacaac ttgaggaatt gaactatgaa agagtaaata tacataatat 660
taaattagaa attaatgaat atctcaaaga actaggagtg ttgaaaaatg aataagcaga 720
caaatactcc agaactaaga tttccagagt ttgatgagga atggaaaaaa aggaaattag 780
gtgaagtagt aaattataaa aatgggtggt catttgaaag tttagtga aaacctgggtg 840
tatataaact cataactctt aaatctgtta atacagaagg aaagtttgtt aattctggaa 900
gagagcaagc accaggacta gttggaatga ctgcaattat acctaataat aatgagtatg 1020
tactaaatca acgagtagca gcactagtgc ctaaacaatt tatagatagt caatttctat 1080
c

```

<210> 26

<211> 1054

<212> DNA

<213> Staphylococcus aureus

<400> 26

```

accatttttag ctgtagggaa actaaaagag aaatattgga agcaagccat agcagaatat 60
gaaaaacggt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
ccagaaaata tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata 180
ctagccaaaa tcaaaccaca atcaacagtc attacattag aaatacaagg aaagatgcta 240
tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac 360
gcactatcat tcagcaaaat gacattccca catcaaata tgcgggttgt gtttaattgaa 420
caagtgtaca gagcatttaa gattatgcgt ggagaagcat atcataagt atgcggtttt 480
tattaattag ttgctaaaaa atgaagtatg caatattaat tattattaaa ttttgatata 540
tttaaagaaa gattaagttt aggggtgaatg aatggcttat caaagtgaat atgcattaga 600
aatgaagta cttcaacaac ttgaggaatt gaactatgaa agagtaaata tacataatat 660
taaattagaa attaatgaat atctcaaaga actaggagtg ttgaaaaatg aataagcaga 720
caaatactcc agaactaaga tttccagagt ttgatgagga atggaaaaaa aggaaattag 780
gtgaagtagt aaattataaa aatgggtggt catttgaaag tttagtga aaacctgggtg 840
tatataaact cataactctt aaatctgtta atacagaagg aaagtttgtt aattctggaa 900

```

GENOM.057CP1.TXT

aatatatcga tgataaatgt gttgaaacat tgtgtaatga tacttttagta atgataactga 960
 gcgagcaagc accaggacta gttggaatga ctgcaattat acctaataat aatgagtatg 1020
 tactaaatca acgagtagca gcactagtgc ctaa 1054

<210> 27
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 27
 ttcttaagta cacgctgaat cg 22

<210> 28
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 28
 taatttcctt tttttccatt cctc 24

<210> 29
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 29
 tgataagcca ttcattcacc ctaa 24

<210> 30
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 30
 ggatcaaacg gcctgcaca 19

<210> 31
 <211> 37
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 31
 cccgcgcgta gttactgcgt tgtaagacgt cgcgcggg 37

<210> 32
 <211> 37
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

GENOM.057CP1.TXT

<400> 32
 cccgcgcata gttactgcgt tgtaagacgt ccgcggg 37
 <210> 33
 <211> 37
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetically prepared nucleic acid sequence
 <400> 33
 cccgcgcgta gttactacgt tgtaagacgt ccgcggg 37
 <210> 34
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetically prepared nucleic acid sequence
 <400> 34
 caaattgtag cattcttgaa ctat 24
 <210> 35
 <211> 24
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetically prepared nucleic acid sequence
 <400> 35
 ctcccatttc ttccaaaaa tata 24
 <210> 36
 <211> 29
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetically prepared nucleic acid sequence
 <400> 36
 gtcaaaaatc atgaacctca ttacttatg 29
 <210> 37
 <211> 1256
 <212> DNA
 <213> Staphylococcus aureus
 <400> 37
 gctgtagggg aactaaaaga gaaatattgg aagcaagcca tagcagaata tgaaaaacgt 60
 ttaggcccat acaccaagat agacatcata gaagttccag acgaaaaagc accagaaaat 120
 atgagcgaca aagaaattga gcaagtaaaa gaaaaagaag gccaacgaat actagccaaa 180
 attaaaccac aatccacagt cattacatta gaaatacaag gaaagatgct atcttccgaa 240
 ggattggccc aagaattgaa ccaacgcagt acccaagggc aaagcgactt tgtattcgtc 300
 attggcggat caaacggcct gcacaaggac gtcttacaac gcagtaacta cgcactatca 360
 tttagcaaaa tgacattccc acatcaaattg atgcgggttg tgtaattga gcaagtgtat 420
 agagcattta agattatgct tggagaagca tatcataaat gatgcggttt tttcagccgc 480
 ttcataaagg gattttgaat gtatcagaac atatgaggtt tatgtgaatt gctgttatgt 540
 ttttaagaag catatcataa gtgatgcggt ttttattaat tagttgctaa aaaatgaagt 600
 atgcaatatt aattattatt aaattttgat atattttaaag aaagattaag tttagggtga 660
 atgaatggct tatcaaagtg aatatgcatt agaaaatgaa gtacttcaac aacttgagga 720
 attgaactat gaaagagtaa atatacataa tattaataat gaaattaatg aatatctcaa 780
 agaactagga gtgttgaaaa atgaataagc agacaaatac tccagaacta agatttccag 840

GENOM.057CP1.TXT

```

agtttgatga ggaatggaaa aaaaggaaat taggtgaagt agtaaattat aaaaatggtg 900
gttcatttga aagtttagtg aaaaaccatg gtgtatataa actcataact cttaaactctg 960
ttaatacaga aggaaagtgg tgtaattctg gaaaatatat cgatgataaa tgtgttgaaa 1020
cattgtgtaa tgatacttta gtaatgatac tgagcgagca agcaccagga ctagtgtgaa 1080
tgactgcaat tatacctaata aataatgagt atgtactaaa tcaacgagta gcagcactag 1140
tgcctaaaca atttatagat agtcaatttc tatctaagtt aattaataga aaccagaaat 1200
atttcagtgt gagatctgct ggaacaaaag tgaaaaatat ttctaaagga catgta 1256

```

<210> 38

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 38

gaggaccaaa cgacatgaaa atc

23

<210> 39

<211> 756

<212> DNA

<213> Staphylococcus aureus

<400> 39

```

tgacattccc acatcaaattg atgcggggttg tgттаattga gcaagtgtat agagcattta 60
agattatgcg tggagaagcg tatcacaaat aaaactaaaa aatagggttg gcataatata 120
attagaaagg aattagacat aaattaggag tccttcacag aatagcgaag gactccatt 180
aaatatatta tgggtgtaaag aaatcacaaa tcaatatata tacttaatac catatattaa 240
cttgacttat tataaagtac gacatcagta ttagggtatca ctttgaacac atgaatttca 300
ttatcacttt tattattcac aaaaaatttt ccaattctca attactgaat tatgtgtata 360
catgttggtta aaaattaata aaggatattt atgtttgttt aaagcatatc acaagtgatg 420
cggtttttta taaagatttta cttgttagtg attttgataa aaatgcttaa tactatttca 480
ataatatgta tttaaaaatt agattaatag tatttaactt caaatggcct cgtataaact 540
catagcaaat taacgtaaat caatgaaata aaatgaaaac aatttcaaga atacattata 600
aacataaagt atacaaaaaa taaatgagcg tatttgttta aacgtataca ctcatTTTTT 660
ttaaattaat ttatttatatt ttacgattgt tatttatgaa attaacaatt tccatttttg 720
atagtgaat taaaagcttt atcacttatt attgat 756

```

<210> 40

<211> 771

<212> DNA

<213> Staphylococcus aureus

<400> 40

```

tgacattccc acatcaaattg atgcggggttg tgттаattga gcaagtgtat agagcattta 60
agattatgcg tggagaagcg tatcacaaat aaaactaaaa aatagggttg gcataatata 120
attagaaagg aattagacat aaattaggag tccttcacag aatagcgaag gactccatt 180
aaatatatta tgggtgtaaag aaatcacaaa tcaatatata tacttaatac catatattaa 240
cttgacttat tataaagtac gacatcagta ttagggtatca ctttgaacac atgaatttca 300
ttatcacttt tattattcac aaaaaatttt ccaattctca attactgaat tatgtgtata 360
catgttggtta aaaattaata aaggatattt atgtttgttt aaagcatatc acaagtgatg 420
cggtttttta taaagatttta cttgttagtg attttgataa aaatgcttaa tactatttca 480
ataatatgta tttaaaaatt agattaatag tatttaactt caaatggcct cgtataaact 540
catagcaaat taacgtaaat caatgaaata aaatgaaaac aatttcaaga atacattata 600
aacataaagt atacaaaaaa taaatgagcg tatttgttta aacgtataca ctcatTTTTT 660
ttaaattaat ttatttatatt ttacgattgt tatttatgaa attaacaatt tccatttttg 720
atagtgaat taaaagcttt atcacttatt attgataatt ttgactgcat c 771

```

<210> 41

<211> 680

<212> DNA

<213> Staphylococcus aureus

<400> 41

```

ttcagcaaaa tgacattccc acatcaaattg atgcggggttg tgттаattga acaagtgtac 60
agagcattta agattatgcg tggagaagcg tatcataagt agcggaggag ttttttacct 120

```

GENOM.057CP1.TXT

```

tgtgacttat cataaagtac gatgtttatg taagtgatta tcattattta agcagggtttt 180
tcaaattaaa taataacaag aataaaatgc acttagcgac attgaaattt attaatctag 240
taaactaata gatttataga aaattttatt tgcaaggggg taattttgaa aagtagtatt 300
ttctatcttt ccataatata ttgtaattac aacggagggg atattgtgat gaagtgtata 360
gataaaacgt gggttagcta ttataaagaa ttagctgata agttaacaga ttatcaaaa 420
aaacgttatg aattaattga aatagtgaag gaagtatata aaaaaacggg aataaaaattc 480
cctacttttag caagtgataa tgtattgatg gacatagatc cttttacaat atttgcatta 540
tttaataaaa attccatgag agaaactaat aaggtaaaaa tattaacaga attagcttcg 600
gaattgaata ttaagtccaa aattccgtca gtttttgaca gtattccaac agtcaataat 660
ctgaatgcta catattataa
680

```

<210> 42
 <211> 1119
 <212> DNA
 <213> *Staphylococcus aureus*

```

<400> 42
gacattccca catcaaatga tgcgggttgt gttaattgag caagtgtata gagcatttaa 60
gattatgcgt ggagaggcgt atcataagta aaactaaaaa attctgtatg aggagataat 120
aatttggagg gtgttaaatg gtggacatta aatccacgtt cattcaatat ataagatata 180
tcacgataat tgcgcatata acttaagtag tagctaacag ttgaaattag gccctatcaa 240
attggtttat atctaaaatg attaatatag aatgcttctt ttgttcctta ttaaattata 300
aaagtaactt tgcaatagaa acagttattt cataatcaac agtcattgac gtagctaagt 360
aatgataaat aatcataaat aaaattacag atattgacaa aaaatagtaa atataccaat 420
gaagtttcaa aagaacaatt ccaagaaatt gagaatgtaa ataataaggc caaagaattt 480
tattaagatt tgaaagagta tcaatcaaga aagatgtagt tttttaataa actatttggg 540
aaataattat cataatttaa aaactgacaa tttgcgagac tcataaaatg taataatgga 600
aatagatgta aaatataatt aaggggtgta atatgaagat taatatttat aaatctattt 660
ataattttca ggaaacaaat acaaattttt tagagaatct agaattctta aatgatgaca 720
attatgaact gcttaatgat aaagaacttg ttagtgattc aaatgaatta aaattaatta 780
gtaaagttta tatacgtaaa aaagacaaaa aactattaga ttggcaatta ttaataaaga 840
atgtatacct agatactgaa gaagatgaca atttattttc agaatccggg catcattttg 900
atgcaatatt atttctcaaa gaagatacta cattacaaaa taatgtatat attataacct 960
ttggacaagc atatcatgat ataaataatt tgattgatta tgacttcgga attgattttg 1020
cagaaagagc aatcaaaaat gaagacatag ttaataaaaa tggttaatttt tttcaacaaa 1080
acaggcttaa agagattggt aattatagaa ggaatagtg
1119

```

<210> 43
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetically prepared nucleic acid sequence

```

<400> 43
cattttgctg aatgatagtg cgta
24

```

<210> 44
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetically prepared nucleic acid sequence

```

<400> 44
gaggacaaa cgacatgaaa atc
23

```

<210> 45
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetically prepared nucleic acid sequence

GENOM.057CP1.TXT

<400> 45
 atcaaagtat gcgggttg t 21
 <210> 46
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 46
 aaacgaaaat actggtgaag atatta 26
 <210> 47
 <211> 25
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 47
 ttgcctttct caagtcttta caact 25
 <210> 48
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 48
 cgaggagaag cgtatcaca 20
 <210> 49
 <211> 27
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 49
 agttgccata gattcaattt ctaagg 27
 <210> 50
 <211> 27
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 50
 aacaggtgaa ttattagcac ttgtaag 27
 <210> 51
 <211> 26
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> synthetically prepared nucleic acid sequence
 <400> 51

GENOM.057CP1.TXT

ctattgttcc acaaattatg attact

26

<210> 52

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 52

cttcttttct tggtattctt tcttct

26

<210> 53

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 53

ctaaatcata gccatgaccg

20

<210> 54

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 54

atgctctttg ttttgcagca

20

<210> 55

<211> 1073

<212> DNA

<213> Staphylococcus aureus

<400> 55

tattggaagc	aagccatagc	agaatatgaa	aaacgttttag	gcccatacac	caagatagac	60
atcatagaag	ttccagacga	aaaagcacca	gaaaatatga	gcgacaaaga	aattgagcaa	120
gtaaaagaaa	aagaaggcca	acgaatacta	gccaaaatca	aaccacaatc	cacagtcatt	180
acattagaaa	tacaaggaaa	gatgctatct	tccgaaggat	tggcccaaga	attgaaccaa	240
cgcattgacc	aaggggcaaag	cgactttgta	ttcgtcattg	gcggatcaaa	cggcctgcac	300
aaggacgtct	tacaacgcag	taactatgca	ctatcattta	gcaaaatgac	attcccacat	360
caaattgatgc	gggtttgtgt	aattgaacaa	gtgtatagag	catttaagat	tatgctgtgga	420
gaggcgtatc	ataagtgtatg	cttgtttagaa	tgatttttaa	caatatgaaa	tagctgtgga	480
agcttaaaca	atttgtttat	ctaagtactt	atttaataat	tgattgaact	gtgattggca	540
ccaggctgtc	tggtaaattg	agaagttggg	ttttggagcg	tataaatgat	agaattaata	600
taaaattcaa	tttgaggagt	aggagattat	gtcgaatata	aaaacaacac	tagagacgtc	660
cgtaggacta	gaaaaagaca	acgataagct	atttgattat	ataactgaat	tagagattca	720
aaacacgcct	gaaaaccggg	aagcaaaagt	tgttattgaa	gaaaggttac	ataaagaata	780
taaatatgaa	ttagatcaaa	tgacaccaga	gtatggaata	caaaaaggca	gtgttagaat	840
aggatcatgca	gatgttgtaa	tatttcatga	ttctaaagat	aaatctcaag	agaatattaa	900
aataatagta	gagtgtaaaa	gaaagaatcg	cagggatggg	attgaacaat	taaaaacata	960
tcttgcaggg	tgtgagtcctg	cagaatacgg	cgtttggttt	aatggagaag	atatagtata	1020
tataaaacga	ttgaaaaaag	caccacattg	gaaaacagta	tttaatatat	cga	1073

<210> 56

<211> 2031

<212> DNA

<213> Staphylococcus aureus

<400> 56

accatttttag ctgtagggaa actaaaagag aaatatggga agcaagccat agcagaatat 60

GENOM.057CP1.TXT

```

gaaaaacggt taggcccata caccaagata gacatcatag aagttccaga cgaaaaagca 120
ccagaaaaata tgagtgcaca agaaattgag caagtaaaag aaaaagaagg ccaacgaata 180
ctagccaaaaa tcaaaccaca atccacagtc attacattag aaatacaagg aaagatgcta 240
tcttccgaag gattggccca agaattgaac caacgcatga cccaagggca aagcgacttt 300
gttttcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac 360
gcactatcat tcagcaaaat gacattccca catcaaata tgcggtgtgt gtttaattgaa 420
caagtgtaca gagcatttaa gattatgcga ggagaagcgt atcacaaata aaactaaaaa 480
atagattgtg tataatataa aaggagcggg tttatatata aactttgaat tcaaaaatta 540
ttgaaaggga agctacctta gaaattgaat ctatggcaac taatacattg aaaataaacc 600
cggatattaa ttcaaacgat acaaaaatgt ctttcgatgg agaattggaa gtgtatgatt 660
ctgaaaattt gagtaaaaaa aatttcgttg gaaaaataca agttcaagtt aaaggaaaagg 720
aagtagctaa aagaggagggt aagggtattc atcgaagtaa tgtcaaaatg aatgatttaa 780
aggcatacca acgagaagggt ggtgtgtatt actttgtcgt gtattttaatc gttgagaata 840
aaaaagttgt tgagaagcag gtttatggta aacaattaca tcaattagat ttacaatttt 900
tactgcaaaa aaagcagaaa agcgtcacta taaaaatgta tgaaattgaa aatgaaaaaa 960
ttttatataa taattgcgta aaatatataa atgaaaagag attacaaaat caagtaggtc 1020
aagttaaagt aaagaacata gaaaaagctt tatcatatat agctacacct gaaaatattg 1080
tgatggatca tagaggttta ccattaaatg atttttatgg ctatataaaa attaattcat 1140
ctgaattaga tgtaactata ccagatggag gataataaaa gaaggcaagt tattaatgta ggaaaagta aaaagagtga 1200
acaaaaagca gataataaaa gaaggcaagt tattatttga aggtatggta ggtattgaaa 1260
cttcaaagga gtccatctct ataactatag atgatatttt caaaattcaa acatttgaaa 1320
gtgataacaa aagtatatat acaatgttac catttaaaaa attaaatata gccgaacaat 1380
cttttaatgt tataaacgaa ttgtcgaaag gcggcggaatt ctttttggat caaatccaat 1440
tagtaatcca accttttgaa attaatatta ttgaaataaa agaaacaata aataagttga 1500
atattaaatt atcagagtat agtaacttgc tttcgtttga tgtgagtcta aaatctacag 1560
aatttgataa gcagatgaat gagataaaaag gtttattaga attattggaa tataaaaaatt 1620
ttaagatttt taaaatgcat aataatggat actataaaat gaagttttgt ggaaaattta 1680
tattattatt taaagacaat acatcattgt ataatgtcta ctctaatagac tttgtagata 1740
gatttgaggc tgttacaaaa gaaagagttg tacagatgcc aattgtttac acattaacaa 1800
gagatatgat tgtagatgta ctgaattttg atataaatgt tattaaagaa tgtattgaaat 1860
cagataaaat tgctattcaa tctgacatta aatggggagaa attaaataac tttgcattag 1920
aattaatcgc agcctatgat gaaactcaaa gaaccgattt attagaatta gctgaatatg 1980
tattaaataa tttgctgaat tttgataatg ataaaatatt tatgaactta a 2031

```

<210> 57

<211> 22

<212> DNA

<213> Artificial sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 57

cgtggagagg cgtatcataa gt

22

<210> 58

<211> 22

<212> DNA

<213> Artificial sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 58

gctccaaaac ccaacttctc aa

22

<210> 59

<211> 23

<212> DNA

<213> Artificial sequence

<220>

<223> synthetically prepared nucleic acid sequence

<400> 59

gccaaaatta aaccacaatc cac

23

GENOM.057CP1.TXT

<210> 60
 <211> 30
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 60
 aatctttgtc ggtacacgat attcttcacg 30

<210> 61
 <211> 30
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 61
 cgtaatgaga tttcagtaga taatacaaca 30

<210> 62
 <211> 23
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 62
 gccaaaatca aaccacaatc cac 23

<210> 63
 <211> 27
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 63
 attgctgtta atatTTTTTg agttgaa 27

<210> 64
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 64
 tattgcaggt ttcgatgttg a 21

<210> 65
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> synthetically prepared nucleic acid sequence

<400> 65
 tcaccgtctt tcttttgacc tt 22

<210> 66

GENOM.057CP1.TXT

<211> 23
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetically prepared nucleic acid sequence

<400> 66
 cagcaattcw cataaacctc ata 23

<210> 67
 <211> 26
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetically prepared nucleic acid sequence

<400> 67
 caggcatagc tatatatgat aaagca 26

<210> 68
 <211> 26
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetically prepared nucleic acid sequence

<400> 68
 atgcctttaa atcattcaca ttgaca 26

<210> 69
 <211> 4340
 <212> DNA
 <213> Staphylococcus aureus

<400> 69
 cttcatatga cgtctatcca tttatgtatg gcatgagtaa cgaagaatat aataaattaa 60
 ccgaagataa aaaagaacct ctgctcaaca agttccagat tacaacttca ccagggtcaa 120
 ctcaaaaaat attaacagca atgattgggt taaataacaa aacattagac gataaaacaa 180
 gttataaaat cgatggtaaa ggttggcaaa aagataaaatc ttggggtggt tacaacgta 240
 caagatatga agtggtaaat ggtaatatcg acttaaaaca agcaatagaa tcatcagata 300
 acattttctt tgctagagta gcactcgaat taggcagtaa gaaatttgaa aaaggcatga 360
 aaaaactagg tgttggtgaa gatataccaa gtgattatcc attttataat gctcaaat 420
 caaacaataa tttagataat gaaatattat tagctgattc aggttacgga caaggtgaaa 480
 tactgattaa cccagtacag atcctttcaa tctatagcgc attagaaaaa aatggcaata 540
 ttaacgcacc tcacttatta aaagacacga aaaacaaaagt ttggaagaaa aatattattt 600
 ccaagaaaaa tatcaatcta ttaactgatg gtatgcaaca agtcgtaaat aaaacacata 660
 aagaagatat ttatagatct tatgcaaact taattggcaa atccggtact gcagaactca 720
 aaatgaaaca aggagaaact ggcagacaaa ttgggtgggt tatatcatat gataaagata 780
 atccaaacat gatgatggct attaatgtta aagatgtaca agataaagga atggctagct 840
 acaatgcaa aatctcaggt aaagtgtatg aatgagctata tgagaacggt aataaaaaat 900
 acgatataga tgaataacaa aacagtgaag caatccgtaa cgatggttgc ttcactgttt 960
 tattatgaat tattaataag tgctgttact tctcccttaa atacaatttc ttcattttca 1020
 ttgtatgttg aaagtgcacac tgtaacgagt ccattttctt tttttatgga tttcttattt 1080
 gtaatttcag cgataacgta caatgtatta cctgggtata cagggttaaat aaatttaacg 1140
 ttattcattt gtgttcctgc tacaacttct tctccgtatt taccttcttc taccataat 1200
 ttaaagtata ttgaaagtgt atgcatgcca gatgcaatga tacctttaaa tctactttgt 1260
 tctgcttttt ctttatctat atgcatatat tgaggatcaa aagttgttgc aaattggata 1320
 atttcttctt ctgtaatatg aaggcttttt gttttgaatg tttctcctac tataaaatca 1380
 tcgtatttca tatatgtctc tctttcttat tcaaattaat tttttagtat gtaacatgtt 1440
 aaaggtaagt ctaccgtcac tgaaacgtaa gactcacctc taactttcta ttgagacaaa 1500
 tgcaccattt tatctgcatt gtctgtaaaag ataccatcaa ctcccaatt agcaagttgg 1560
 tttgcacgtg ctggtttgtt tacagtccat acgtttcaatt cataaccgcg ttcttttacc 1620
 atttttactt ttgctttagt aagtttgga tcttcagtgt ttactatttt agcattacag 1680
 taatctaaaa gtgttctcca gtcttcacga aacgaagtgt tatggaatat aactgctctg 1740

GENOM.057CP1.TXT

```

ttatatattgtg gcatgatttc ttctgcaagt ttaacaagca caacattaaa gcttgaaatg 1800
agcacttctt gattctgatt taagtttggt aattgttctt ccacttgctt aaccatactt 1860
ttagaaagtg ctagtccatt cgggccagta atacctttta attctacatt taaattcata 1920
ttatatcat ttgctatttt tactacatca tcgaaagttg gcaaagtgtc atctttgaat 1980
ttttcaccaa accaagatcc tgcagaagca tctttaattt catcataatt caattcagtt 2040
atttccccgg acataattgt agtccgttct aaataatcat catgaatgat aatcagttgt 2100
tcatcttttg taattgcaac atctaactcc aaccagttta taccttctac ttctgaagca 2160
gctttaaatg atgcaattgt attttccgga gctttactag gtaatcctct atgtccatat 2220
acagtttagca tattacctct ccttgcatth ttattttttt aattaacgta actgtattat 2280
cacattaatc gcacttttat ttccattaaa aagagatgaa tatcataaat aaagaagtcg 2340
atagattcgt attgattatg gagttaatct acgtctcatc tcatttttaa aaaatcattt 2400
atgtcccaag ctccattttg taatcaagtc tagtttttcg gttctgttg aaagttgaat 2460
ttatagtata attttaacaa aaaggagtct tctgtatgaa ctatttcaga tataaacaat 2520
ttaacaagga tgtttactct tagccgttg gctactatct aagatataca ttgagttatc 2580
gtgatataat tgaaatatta agggaaacgt gtgtaaactg tcatcattca acggtctacc 2640
gttgggttca agaatatgcc ccaattttgt atcaaatttg gaagaaaaag cataaaaaag 2700
cttattacaa atggcgtatt gatgagacgt acatcaaaaat aaaaggaaaa tggagctatt 2760
tataatcgtgc cattgatgca gagggacata ctaggatata ttggttgcgt aagcaacgag 2820
ataatcattc agcatatgcg ttatcaaac gttcatttaa acaatttggg aaacctcaaa 2880
aggtaattac agatcaggca ccttcaacga aggtagcaat ggctaaagta attaaagctt 2940
ttaaacttaa acctgactgt cattgtacat cgaaatatct gaataacctc attgagcaag 3000
atcacctgca tattaagata agaaagacaa ggtatcaaaag tatcaataca gcaaagaata 3060
ctttaaaggg tattgaatgt atttacgctc tatataaaaa gaaccgcagg tctcttcaga 3120
tctacggatt ttccgcatgc cagaaatta gcatcatgct agcaagttaa gcgaacactg 3180
acatgataaa ttagtgggta gctatatttt ttacttttg aacagaacca tattttatgt 3240
gttgttgttt gtggtgcatt agcagcaaac attcgtggtg aaagtgatgc tgttttagca 3300
tttgataatt tgaatgttgc tgattgagtt ggttttttg ttgaggcttg ttgtgcatct 3360
acgtcgcgcg tttcgtttac tgttgttgaa actgctgtag atggtttgtt agatgggtgcg 3420
ttggatgta ctttgttgtt tgtatcatca gctgttccct gtactgatgc tgatacgttg 3480
gttgccgctt cttcaccaga ttgatgagcc gcttcctttg ttggcggtac ttgttgctta 3540
tctgttgttg ctgcttgtgc ttctattggg gtatgctgct cagccgcgtt cgagacatgc 3600
cataatccca tcacactaaa aagcaaaacg agccatacac ttgttttaag taataaagct 3660
ttcatttcgt tccctccatt aactgtcata caccaatata ttatcataat ctttatatta 3720
aaatgtttga ttttatgtaa attatttata aattacattt aatatcgaat tattttacac 3780
atttcaatca atccgattca actcaacaac agccatttcc caccaacaac ataaaaaagc 3840
acccgataaa gtcgtttcac agcagtgcgg aactttatcg gatgactctc atttatattg 3900
tatatatggg tgtttggaata gctttatccg tatcacatag caatacttct ttttccgtat 3960
caatatcgtg ttcgttcaat acttgccaa cactcatagc cgccaaatct ttcataattat 4020
tatcttgtga taaatgcat aagtaaatat gtttcgtgtt acctgtaatc acgtctgtca 4080
tcgcatgacc cgcacatc ttagatacat gacccatata gcctaaaatg cgttgtttcg 4140
tcttccatgg ataacgacac attctcaaca tatcgacgtc atgattactc tcaaaaaata 4200
atgcatcgtc gccacgtatc atacctttca tacgatcaga cacgtaaccc gtatctgtta 4260
aaatcgtaaa tctcttatag ttattatgga aaatataaaa ttgcggatct atcgcacatc 4320
gtgacacgtt aaacgattca

```

<210> 70

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 70

atttcatata tgtaattcct ccacatctc

29

<210> 71

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 71

caaataattat ctcgtaattt acctgttc

29

GENOM.057CP1.TXT

<210> 72
 <211> 29
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetically prepared nucleic acid sequence

 <400> 72
 ctctgcttta tattataaaa ttacggctg 29

 <210> 73
 <211> 22
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetically prepared nucleic acid sequence

 <400> 73
 caagctccat tttgtaatca ag 22

 <210> 74
 <211> 27
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetically prepared nucleic acid sequence

 <400> 74
 cactttttat tcttcaaaga tttgagc 27

 <210> 75
 <211> 27
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetically prepared nucleic acid sequence

 <400> 75
 acaaactttg aggggatttt tagtaaa 27

 <210> 76
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetically prepared nucleic acid sequence

 <400> 76
 gccaaaatca aaccacaatc aac 23

 <210> 77
 <211> 23
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Synthetically prepared nucleic acid sequence

 <400> 77
 accacgaatg tttgctgcta atg 23

 <210> 78

GENOM.057CP1.TXT

<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically prepared nucleic acid sequence

<400> 78
acgcaattgt taaaaatatg tgtcc 25

<210> 79
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically prepared nucleic acid sequence

<400> 79
tggcaatgca attcgtgaac 20

<210> 80
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically prepared nucleic acid sequence

<400> 80
ttccactccc aaaattttct ca 22

<210> 81
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically prepared nucleic acid sequence

<400> 81
aatcgagaat aacaagaaaa tgaga 25

<210> 82
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically prepared nucleic acid sequence

<400> 82
ttggcgaaca gttgctagtt 20

<210> 83
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetically prepared nucleic acid sequence

<400> 83
tctctttata atttgagctt ggttga 26

<210> 84
<211> 24

GENOM.057CP1.TXT

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 84

tggaagaaagt aaaaagagtg aaca

24

<210> 85

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 85

tggttataga aatggactcc ttg

24

<210> 86

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetically prepared nucleic acid sequence

<400> 86

acccggacat taattcaaac ga

22

<210> 87

<211> 46392

<212> DNA

<213> Staphylococcus aureus

<400> 87

```

aaaatatcaa aaactgcaaa aaatatgtgt ataataagag ggaacagtgt gaacaagtta 60
ataacttgtg gataactgga aagttgataa caatttggag gaccaaacga catgaaaatc 120
accatttttag ctgtagggaa actaaaagag aaatatggga agcaagccat agcagaatat 180
gaaaaacggt taggcccata caccaagata gacagcatag aagttccaga cgaaaaagca 240
ccagaaaata tgagcgacaa agaaattgag caagtaaaag aaaaagaagg ccaacgaata 300
ctagccaaaa tcaaaccaca atcaacagtc attacattag aaatacaagg aaagatgcca 360
tcttccgaag gattggccca agagttgaac caacgcatga cccaagggca aagcgacttt 420
gtattcgtca ttggcggatc aaacggcctg cacaaggacg tcttacaacg cagtaactac 480
gcactatcat tcagcaaaat gacatttcca caccaaatga tgagggttgt gtttaattgag 540
caagtgtaca gagcgtttta gattatgcgt ggagaagcgt atcataaata aaactaaaaa 600
ataggtttgt tataatataa aaggagcgga tttatattaa aactttgaat tcaaaaatta 660
ttgaaagggg agctacctta gaaattgaat ctatggctac aaatacattg aaaataaacc 720
cggacattaa ttcaaacgat acaaaaatgt cttttgatgg agaattggaa gtgtataatt 780
ctgaaaattt gagtaaaaaa atttcgttgg aaaaatacaa gttcaagtta aaggaaaaga 840
agtacctaaa agaggaggta aggttattca tcgaagtaat gtcaatgtga atgattttaaa 900
ggcataccaa cgagaaggtg gtgtgtatta ctttgcgtg tatttaattg ttgagaacca 960
agtttatggt aaacaattac atcaattaga tctacaactt ttactgcaaa aaaaatagaa 1020
aactgtcact ataaaaatgt gtgaaattta aaatgaaaaa aattatataa taactgttta 1080
aaatatataa atgaaaagcg attacaaaac caagtagatc aagttaaagt aaagaaaaaa 1140
gaaaatgctt tatcatatat agctatgcct gaaaatattg tgatggatca cagaggttta 1200
ccattaaatg atttttatgg ctatataaaa attgattcat ctgaattaga tgtaactata 1260
ccaaacgaag tattaagtat ggaaaaagta aaaagagtga acaaaaagca gataacaaaa 1320
gaaggtaaat tattatttga aagtatggta ggtattgaaa cttcaaagga gtccatttct 1380
ataaccatag atgatatttt caaaattcaa acatttgaaa gtgataataa aagtacatat 1440
acaatgttac catttaataa attaaatata gccgaacaat cttttaatgt tataaacgga 1500
ttgtcgaaag ttggctaatt cttttttgat gaaattcaat tagtaataga acttttgaaa 1560
ttaatatata tgaaataaaa gaaacaataa ataaattaaa aattaagtta tcagagtata 1620
gtaacttgct ttcgtttaat gtgagcctaa aacctacaga atttgataag caaatgaatg 1680
aaataaaaagg tttattagaa ttattggaat ataaaaaatt taaagataat acatcattat 1740
ataatgtata ttctaataa tttatggata gatttgaagc tattacaaaa gaagaatctg 1800

```

GENOM.057CP1.TXT

tacaaatgcc	aattgtgtac	acattaacaa	gagatatgat	tgtaaatgta	ctaaattttg	1860
atataaatgt	tattaaagaa	tgtgttgaat	cagataaaat	cgctattcaa	tctggcatta	1920
aatgggagaa	actaaataat	tttgcattag	aattaatcgc	agcctatgat	gaaactcaaa	1980
gaatcgattt	attagaatta	gctgaatata	tattaaataa	tttgctgaat	tatgataatg	2040
ataaaatggt	tatgaacttg	atcaaccaag	ctcaaattat	aaagagaaga	aaaagtatgg	2100
tagattaaaa	attgtttaagc	gacttatttg	aattgaaaga	taaattagtt	gataattata	2160
aggttgatat	gaagaaat	caaaaaaatt	ctggggaaag	tgaaagggca	gcttatagtt	2220
tcaatggtat	tgcttttgat	atattatgtg	tcttattaaa	taatatgaca	gatgataata	2280
taccaaagc	aattacggat	gaagatgtaa	ggctgagaaa	agatgcgata	aaaaatattg	2340
atattaccca	atatgcgaat	tttattaaaa	atgtaaagaa	tgatatagat	aaaattgaat	2400
ttaaaccatt	aaagttacat	atacatgcac	aaaaagcata	ccaagatgta	aaaagggtgt	2460
tgattcaggc	agtataagta	acgataagtt	acaatttagct	tctgaagtaa	tgagtcaatt	2520
acctatagat	aaacaagtgg	aattaagtga	caaaattgca	cttgctataa	atgaagttgt	2580
ttactcaaca	ttttcagaaa	gtaaatataa	tgaacgaatt	gatgaacaca	atcaaacgag	2640
tgaaaagtca	agtcaatatg	attttcgata	taattatttt	gtaaatcaat	taatagataa	2700
tgtaataaca	gaagatatag	atgaagagaa	agcattttata	tatgatagaa	atgaacaatt	2760
agattgggta	ttagttaaga	tactaaataa	agttcaaaga	gctgcggatg	gatggggaaat	2820
gagaaatgct	aaacttcac	acagaacaca	aacattttaga	gatattggaac	attatttcct	2880
cagagatata	tcgaaaatga	tagataaaga	gcttaacaaa	aaggaaaact	taaataagca	2940
atctaaaaaa	tatgacttcg	ataataagat	aaaggctcata	aatgacaata	ttgagttttt	3000
taatgaagat	gaacaaatta	gaaaacattt	actagagttta	cgcaagcgat	tagactttca	3060
ttctgcagca	gtattagata	agaaaaatca	ttcacacata	gggaatgaaa	tgttccaata	3120
ttttatggat	gatattgcagc	aagttgtaac	attgatagac	cgatacatta	ataagactga	3180
acattataat	gatattgaaaa	atggctatat	taattgaatat	aaatcatttt	ataattgctta	3240
taataatgaa	attgaagtga	ctaagacgca	cgaaaataac	atcccaatgg	caatgttaat	3300
gaagcaat	aagaatcaac	tgtaaaaaag	aaggaataac	cgaaaaagct	ctaattgaag	3360
ttaagtagaa	atttaataaa	taattggtaa	gctcaatccc	tcatataaag	ggattgagct	3420
tatttgcitg	gtgggaat	ttttgaattt	ttttgccact	tcatcaacga	cctctattta	3480
gtattaaagt	tgtcttgcca	aaacgttttg	aacaaatttt	aagttgaaag	tgagcgcgcc	3540
actttcaacc	ataaaggaga	agatttacat	ggagacaaga	gacaaactga	tgctggtgac	3600
tcagagtaac	aaaatacagc	aatggttaat	ggacaaatca	tctaaccaag	atgaggttca	3660
acaattgcag	caaccaattc	agtcagccag	ctagatcaac	aatataatgc	acttttagct	3720
gatgaaaaag	ctaagttaga	ccaatacgtg	gaagtacatc	aaggattgga	atcattaaag	3780
gaagagattg	aatcagaacg	tattacgatt	aatatcgata	aattaccgga	tatcaaagca	3840
acaatgcttg	aaagagccaa	gaatgatgaa	cattctgata	agatcgaaaa	gctatttgaa	3900
aggttagaac	aggcattaag	tggtacgaat	cgattatata	cgcaattatc	gttgattggg	3960
acacgaacac	atagaattac	aactaaaaat	tttaatcttc	aaggcttacc	taaagcagtt	4020
caacatacga	ttttaccttc	aaaatttaag	aagggtgata	caatcgattt	caactcattt	4080
gaaccttcgg	ttgttgcgta	catgactcaa	gattcaaaac	tgattgactt	tttaaatcag	4140
aaagacggac	tgtctagcgc	attgctaagt	gaattaggct	tatcagatga	gctacgagta	4200
tttggttaaac	gtgcatttat	tggttcggtt	ctatttggcg	gcaacttcca	tagccctaaa	4260
ttcaagttga	aacattatgt	aagtgaagtg	caatgggttg	atgctggtcag	ccaatttaca	4320
aaagtcattg	aacttaagaa	acaaatcgaa	gagcataaaa	ccatgcctat	gccttacggc	4380
attgaacatg	atatgagcgc	attttaagggt	agcagtatta	tggtcatttta	tgtacaaact	4440
tagcgaggtt	atattttcaa	acacatttcta	ttggaagttt	ataaagcgca	gtgtacacaa	4500
aagagctttt	aaatcatttt	gccaattcat	gatgccatta	tgattgagtg	cgacgatgaa	4560
gaaacagccc	aaagtgtagc	ccaactaatg	aaaagtaaag	ctaataaatt	gtttaatggg	4620
gagtttgctg	acgtgacagt	ggaagcatta	ggaggtgtaa	gcaatgaata	atgatagagg	4680
tcaaagttta	caaattccaa	aatgcacctc	actaacagaa	ggctatatat	acgttgcttc	4740
attatattct	gtaatccaaa	cagatttcaa	tggtgatgtt	aaacaccagt	ttacgtatga	4800
aataaagata	gacagaaaag	ttattttatgt	gaatcgtagt	atttcaaaag	atgctaccga	4860
taagcagtta	tcaattactg	attggcttaa	acgtcatagt	aattatagtt	ccactcatga	4920
gaattataac	ccttacattg	atagaaagca	tttaatctat	gtgggtgtca	atataacgga	4980
aactattatg	ttcaagatgt	agcaccatta	gatggatttg	gaggggtatt	gtaatgaatc	5040
atattttaga	aatgttaata	aaattattaa	aagtgggtat	ggaggcaatc	gaccgtaaag	5100
gtctgattgc	catcctaaca	agtagtattg	gaaatgatga	aatggatgat	tctgaacaag	5160
ctgtaattgt	gtataacgag	cttatcgata	aactacagct	taacattcct	aaagatgtcg	5220
actatagacc	taacatatac	agttattttg	gtattcaaaa	aaagccaaat	gacacaatat	5280
tagtggaagt	gatgataagt	atttttaata	tcaagcggtt	tgattcagag	ttgtttgttt	5340
tcaaagataa	aggttggcaa	aaggtaaagt	aagatgaatt	gcaaggactg	atatctaaaa	5400
tgatacaagt	gttgctagtt	gattataagc	cctcgtttaag	tattctaaag	aatgtagtgg	5460
ttggcttaca	aaattcaata	gatgtagaag	aactagttga	gaataaacag	tccattgcat	5520
cggtcataaa	catgcttaat	ctagacgcac	ttgaagtggg	tgaaaattct	ataaagattt	5580
tctccgcaac	acggttgaat	ttagagttgg	ttaaaagtga	tgctataact	gaaaaaacac	5640
ctccacattt	taatcgatac	atgttagagt	ttgctaattt	tgattctgat	ttacagtact	5700
ttctttttca	acatatagcg	gtgcttctta	cagctaaccac	aaagtatcgc	agagccttac	5760
tatttatatg	tggatctaag	aatgggaaat	ccgtagttat	taatttagtt	aggctatttt	5820

GENOM.057CP1.TXT

tctacagcga	agacattgtg	tctaaagcac	ttaacgagct	ttaaggccgt	tttgacaaag	5880
agagcttggg	gggtaaaaaa	cttatggcaa	gtgacgaaat	tggggaatca	aggattcaag	5940
aaaagattgt	aaatgactta	aaaaagttag	tatctgttga	accagtacac	gttgatcgta	6000
aaggtaaaac	acaagttgaa	actactttgg	atttaaaact	tgcttttggg	acaaatgcaa	6060
gacttaattt	tccatctgct	catgcgaagg	cactagagcg	tcgaattgct	gttattccat	6120
gtgaatatta	tggtgaaaaa	gctgaccctg	acttaattga	aaagttacag	gatgaaaaga	6180
aagaaatctt	tctttacttg	atgtatgtgt	ataagcaaat	tgtaaaaaat	gatatcgagt	6240
acctccaaaa	tgatcgtgtt	actgaaattt	ctcatgattg	gttaaatfff	ggatatgaat	6300
ttgtttctag	taaatcagca	agtattgaaa	atcagaaagc	gtgtattaat	ttactcagaa	6360
aacttataaa	aatcaaacca	ggatcacgaa	tcaaagttat	cgagttaaat	acaagttatt	6420
aatgaagaaa	taaagggtgag	ttctcagggt	atttaaacagt	taattcaagc	aaactttgat	6480
actcaaacca	aactatacaa	tggtctacgat	tattggattg	atttaggttg	gaaagaagcc	6540
gataaaaaag	agattcatga	tatttcggaa	aaagataata	ttatttcatt	agataaaaa	6600
gaaaatataa	cagacgatga	ggcattagat	gaagagaatt	tagactttga	ttgggaggac	6660
tttgacgatg	aataatgaac	aaattgaagc	attttagtag	gtgtttgtgc	ctatcataga	6720
agaacgtata	aataaaggta	agtactcata	tgattaagtg	gtaaaagtga	taaaaagaaa	6780
tgaaattata	aatatatatt	atccatatga	gtttacaaga	cggatgggtc	gtagcaataa	6840
tctaataaaa	ggagcgggtac	attatgagta	agaaaattgc	actgtactca	cgtgtaagta	6900
catctgagca	atctgaacgt	ggttattcaa	tccatgaaca	agagcaagtg	ctcatcaaag	6960
aagttgtgaa	aaattttcccg	ggttatgact	atgagacata	tactgactca	ggcatttcag	7020
gtaaaaatat	tgaagggtcgt	ccggcaatga	aacgtctatt	acaagatggt	aaggataata	7080
aaattgaaat	ggttattagt	tggaaattga	atcgtatttc	tcgctcaatg	agagacgtgt	7140
ttaatattat	tcatgaattc	aaagagcttg	acgtaaagtt	tcaatcgatt	tctgagaata	7200
ttgatacatc	caatgcttct	ggagaagtac	tcgttacaat	gtttgggttg	ataggatcaa	7260
tagaacgttc	aacactgatc	agtaatgtca	aaatgtcgat	gaatgctaaa	gcacgtagtg	7320
gagaggctat	tacagataga	gtgctcgggt	acaagttgaa	actcaatcca	cttacacaga	7380
aaaaatgattt	ggttatcgat	gaaaatgaag	ctaatatcgt	acgtgaaatt	ttcgatttat	7440
acttggatca	taataaagga	ctcaaagcca	ttacatcagt	actgaatcaa	aaggggtatc	7500
gtactattaa	ttaaaagcca	ttttcagttt	atgggtgtta	ataatatttg	aataatccag	7560
tctataaagg	ttatgtcaga	ttcaataacc	atcaaaattg	ggctgtacag	cgaagaagtg	7620
gcaaaagtga	taaaaatgat	gtgatattgg	tcaaaggtaa	acatgaagcc	attataagtg	7680
aagagggtatt	tgaccaagtt	catgaaaaat	tagcttctaa	aagttttaaa	ccgggcagac	7740
ctattgggtg	agatttctac	cttcgtgggc	tcaataaatg	tccagagtgt	ggcaataata	7800
tggtatgtcg	tcggacttat	tataaaacga	aaaagtcgaa	agaacggaca	atcaaacgct	7860
attacatttg	ttctttattc	aatcgttcag	ggagtctctg	ctgtcatagt	aatacgatca	7920
atgctgaagt	cgctgaacgt	gtaatcaatg	ttcatctaaa	tcgtattttg	tctcaaccgg	7980
atgtgattaa	aaagattgcg	tcaaatgtga	tagaaaaact	gaaacaaaag	catagtaaac	8040
aaacagaaat	aaaatatgat	attgatagtc	tagaaaaaca	aaaagcaaaa	gttaaaacac	8100
aacaagaacg	attttggaa	ttgttcttag	atgatgaaat	ggacagtga	attttaaaag	8160
ctaaacaaag	tcaaatgaa	caacagttag	aaattattga	ccagcaaat	aaagaagcaa	8220
aacaagcata	tcaatcaca	gctgaaatac	ccaattttga	taagttaaaa	ggacgactca	8280
ttttaatgat	aacacgattc	agtgtgtatt	ttagaaaagc	cacacccgaa	gctaaaaatc	8340
aacttatgaa	aatgttaatt	gattcgattg	aaattacgac	agataaacag	gtgaaactag	8400
tacgatataa	aatttgtaa	agtcttatcc	ctcaatcttt	gaaaaaagat	tgggggtctt	8460
ttttatgcc	gaatttccat	tcgaaatata	tggtcaaaa	gattatttca	tcaaccaa	8520
taccactttt	accacttagt	tattagtga	aaaagtgaga	gaaatgaaat	aaaaatgaaa	8580
tatatatcat	ctaaatgata	tatcacatgt	atacatcaac	caaatacatt	aggaggttat	8640
aacaatgaca	ttagaactac	aaactcaaca	ctatataacc	aatattattca	acctaccaa	8700
ggatgaaaag	tggaatgtg	aatctatcga	ggaaatcgct	gatgatattc	tacctgacca	8760
atatgtaagg	cttggggcac	tcagtaataa	aatacttcaa	acctatacct	actactctga	8820
tacacttcac	gaaagtaata	tctacccttt	cattctctac	tatcagaaac	agctcatagc	8880
catcggctat	atcgatgaaa	atcacgatat	ggattttctta	tacctacaca	acaccatcat	8940
gccacttttg	gatcaacgat	acttactaac	aggaggacaa	taatatgcat	aaatatatca	9000
aaattacaca	attagtaatc	acaatactaa	gtgaaatcat	catttggatg	aaagagtcag	9060
aacgaaagga	agtctcttat	gaatagatat	atcacccgtg	gtatcgccaa	caacttacct	9120
actgcattac	aacatcaatt	atggcaattt	gtagcacaac	gtgaaaacga	acagtcacag	9180
gaactagaag	caatagatta	ttttcatgta	ttccagttca	acatgcacaa	taatcaatta	9240
tatgtaaaac	acaaacaaga	acgtcctgag	tatgtcaaaa	ttcataaagc	gaattattcg	9300
aaagatctca	atattaataa	ggctctacatt	atccgagaat	atgatgtaga	ctttttctta	9360
ctatgtcatg	ttactacccg	aagaatatta	ataggaggca	tcaatcatgc	agaatataca	9420
atgtacatta	gaaactgaag	caatattttg	tgacgataat	caacatcggt	acttactcaa	9480
aaaacatggg	acaatgataa	aaagataatt	tcagttataa	cttggtatcc	aaattttgaa	9540
ggaacgaaaa	aattagattt	aacgactcaa	ctaattatga	acaaagttgt	agaaatggat	9600
gaatttgggt	ccatcaattt	tgtgaatcta	tactctaata	ttacaacacc	gattaatttc	9660
aaacatttag	aaaccctcta	tgatgcctat	gataagcata	cagatattca	aattatgaag	9720
gcagccaagg	agtcagatga	agtaatagaa	atgttgaaac	cacataagaa	gaaagtga	9780
caactcatta	accccgaaag	ctcgtcgcaa	gtggatatat	aaacaaaaca	ctatttaaaa	9840

GENOM.057CP1.TXT

taattataca	aaagcgaagg	tattttaatgt	attttaataa	gaaaaagcaa	gaaaaaattg	9900
actaatataa	aaattacatt	cgagaaatta	tattaaacgg	aaaacaagtg	atttggtgca	9960
taaatttata	aaagtagtga	aattatgaga	acgtatagct	gtattgattg	ctacatttat	10020
tttgatgaca	atattataga	tatcggtgtt	gtatggagct	atggcgataa	gtatattttg	10080
tggaaatgat	gaaatgttaa	ataaagaact	taattcactg	caagaagcga	tatgaaagta	10140
tgtaaaggga	gtaaaatatg	acattaccaa	attttattaa	ttattattaa	tgcaattttt	10200
atgtgtattt	cttgtagtac	aagtaggact	tgtatctgga	ggtagtggtc	tacttgagct	10260
agtatatctt	gaaattttag	ggctcttatt	taaaaggatt	tttacaatta	aatggccact	10320
cggtaaagat	gtagcaaaaa	ttatagaaaa	ttactttggt	gaacctgtat	aaatcagaga	10380
ataattatta	aaaatagaac	atttcctacc	tttcatagta	ggaaatgttc	tatttaattt	10440
atattttttc	taacgaaact	agaatacacc	tactttgata	acttaattaa	cataagtaga	10500
ggtatagtcg	tattttgtca	ctttccaata	tttacaact	atcttcaaag	tcaatgcttt	10560
atctgaaaaa	aattttcaaa	gattttctta	aaatttacga	aggaatgact	tattgtgaaa	10620
aacttgTTTT	ttaacatata	acttaaaagg	gataatatat	tggattgtgt	ataccgattg	10680
tacgaaagca	gatcatggat	aagtacaccc	aaagtaatta	agtatgatta	taaatcgaaa	10740
gttataatat	tgaacaagat	aaaagttaa	atatgtattt	tatgtatgat	attttggctg	10800
atattttatta	tattgctcca	aaattaaacc	gttactttta	gcaatatctt	aaattttaat	10860
cataaaacat	catgcaata	aacgaagtaa	gttggttaatg	aattttgatc	gctttgaaat	10920
taatgaaaat	cgatcaacaa	taacaatcgt	atcaatcgtc	acacgagcat	taaatgaaaa	10980
atctaaatac	aatcaaaaa	ttttaaatct	atattgattt	aattttcaatg	tttgattttc	11040
aattaatttta	acaattaatt	tgggagatct	atatcaaaga	cattaataaa	atgaaattaa	11100
agatacccaa	taaatagaac	cacagtata	attatatcag	tatgcttata	taatttttga	11160
aatcttttaa	caaatgaagt	aataattgag	aaaagtgtag	ttaaattatt	tttcttgaaa	11220
ttatttggtta	catagcattt	cgatgtaaaa	ttcacttttt	ataagtaaat	ttaaaaagag	11280
tttgcaaaat	atacagggga	ttatatataa	tggaaaacaa	gaaaggaaaa	taggaggttt	11340
atatggaaaag	tacaattgat	ttatctgaat	tattaggaag	agtaagaaaa	aatatgaaat	11400
tattaataat	attaccactt	ttaggtctgc	taatttagtgc	aataatttct	tttttctttt	11460
tagatgtaaa	gtaccaagct	tctactcaaa	tattagtga	tcaaaaagga	aatgactcac	11520
aaatttatggc	acaagaagtt	caaagtaata	ttcaactagt	aaacacatat	tcagagtag	11580
ttaaaagccc	acgtatttcta	gataagggtt	ctaaagaatt	agatgataaa	tattcacgta	11640
gtgagatatc	aagtatgtta	accgttacca	accaagcaga	gtctcaagta	ttaaatattg	11700
atggtgaaaag	taaaagtggg	agtaattcag	aaaaaattgc	taataaaaata	gcagaagtat	11760
ttagtgtaga	agtgcctgat	attatgaatg	ttgataatgt	ttctgtttta	tctacagcgg	11820
ataatacagg	aaaacaagtt	gcaccaaacc	ctatggttaa	tttagttggt	ggtttagtaa	11880
taggattggg	tatcgcatta	ttataaattt	ttataaaaaga	agtgtttgat	aaacgtatta	11940
aaacagaaga	agaagttgaa	aatgaattgg	tgatacctgt	actgggttca	atccaaaaat	12000
ttgattaagg	aggggttttat	ctatggcaaa	aaagaaaagc	actatatcac	cactatatgt	12060
tcatgataaa	cctaaatcga	cgataagtga	aaaattttaga	ggtattcgat	caaatatcat	12120
gttttctaatt	gctgaaaaat	aaataaaaaag	cttggttgata	acttctgaaa	aatccgcatac	12180
tggttaagagc	ataatttcgg	caaacattgc	gacacatat	gcacaggcag	gttacaataac	12240
attaattata	gatggagata	tgagaaagcc	tacacaacat	tatatctttg	atttgccata	12300
taatagtggg	ctatctaatt	taattattaa	taaaactaca	tatagcgatt	caattaaaga	12360
aactagagta	gagaatttaa	acgttttaac	agcaggacca	acaccgccta	atccttcaga	12420
attaattgct	tctagcaaat	ttgcaactat	atttaatgaa	cttttgaaatc	attatgactt	12480
cattgtgata	gcacacctc	cgattaatac	agtaacggat	gctcaagtat	atgcgcgaat	12540
agtaaaaaat	tgtgtgcttg	tcatagatgc	tgaaaaaaat	aataagagtg	aagtttaagaa	12600
agcgaaagggt	ttactttacta	aagccggtgg	gaaagtatta	ggcgagttt	taaataaaat	12660
gccaatggat	aaaaattcta	gctactatta	ctactatgga	gaagattaag	aatggttgat	12720
atacataatc	atattttggt	tgatgtagat	gatggacca	aaagcattaa	tgaagcaatt	12780
gagttgctta	aacaagccca	aagtgaata	gtaacagata	tagttgcaac	acctcaccat	12840
cttcataaga	gatatagtaa	tgatattgaa	aaagtgaata	taaaattaaa	tgaattaaaa	12900
aataactcag	aaataaaaaa	attaggactt	aatttatatg	ttggacaaga	gattcgtata	12960
acggatcaaa	ttatagaagg	tataaaaaat	aaagagattg	aaggaattaa	tgaatctagg	13020
tatttggttaa	tagaatttcc	tagcaatgag	attccttatt	atacgaatca	attattctat	13080
gagttacaaa	caatgggata	tattccaatc	attgcgcatc	cagaacggaa	taaagcgata	13140
gttcaaaaat	tagattttact	atttgaatta	ataaatgggt	gtgcattaa	tcagattaca	13200
gcttcttcatt	tattgggaga	ttttgggaat	aacataagaa	aattatcatt	aaaaatgata	13260
gatagtaatt	tagcacattt	tattgcatca	gatgcacata	gtataacaaa	tcgacctttt	13320
atgctaaaac	agttgttttaa	tgatagaaag	ttaaaagctt	attatgagga	attagaaagt	13380
tattttaaaaa	acgggaagtt	agtttttaaca	aatgaaagaa	tttccaaaca	gataccaact	13440
caagattata	agcagaaaaa	atggtttggt	cttttataga	aaaagtgagt	gaggggatta	13500
aaagtgcata	gtatttctgc	gaaattgcga	tttttaatat	taattattat	agattcggtt	13560
attgtttacat	tttcagtatt	tttaggatatt	gcaatatttag	aaccgtattt	ttaaaggatat	13620
tcaatagatt	tattagtatt	atcatctgtt	atattgttgg	tatcacatca	tatattcgca	13680
tatgtatttta	atttatatca	tcgagcgtgg	gagtatgcga	gtgtaagtga	attgatgtca	13740
gttttaaaaag	cggttacaa	ttcaatagtg	gtaacacttt	tattagtttc	attacttata	13800
agtgaagtc	catttctaag	gttatatttt	ataacgtgga	tgatgcattt	gctattgatt	13860

GENOM.057CP1.TXT

```

ggtggcctcta gattgttttg gcggggtttat agaaggtatt ttattgataa cgctgtcgaa 13920
aaaaaagcca cattagtagt aggggctgga caaggcggat ctgttttaat tcgtgaaatg 13980
ttaagaagcc aagatatgcg tatgcaacca gtttttagctg ttgatgacga taaaaacaaa 14040
caaaaaatga ctattactga acgtgttaaa gttcaagggtt atgttgaaga tataccggaa 14100
ctagtataaaa aatttagaatt aaaaaagatt attattgcta taccgacatt aagccaaaaa 14160
aggttaaatg aaattaataa aatatgtaat attgaggggcg ttgaattatt taaaatgcct 14220
aatatagaag atgtgttatc tggagaatta gaagtcaata atttgaaaaa agtagaagta 14280
gaagattttac ttggaagaga tccagttgaa ctagacatgg cattaatttc aagagaatta 14340
acgaataaaa caatattggt aactggagct ggaggatcaa taggttcaga aatttgcaga 14400
caagtaagta aatttgatcc tcaaaaaaatt attttgttag gacatggaga gaacagtatt 14460
tattcaattc atcaagaatt tggaaaatgtg ttatggaata gaattgaatt tgttcctgtt 14520
atagctgatg tacaaaaata aacacgtatt ttagaagtca tgaatgaatt taagccatat 14580
gctgtttatc atgctgcagc acataagcat gtaccattaa tggaaatacaa cctcatgaa 14640
gctattagaa ataataattt aggtactaaa aatgtagctg agtctgcaa agaaggagaa 14700
gtaagtaaat ttgtaatgat ttcaacagat aaagctgtaa atccatctaa tghtaatggg 14760
gcaacaaaac gcattgctga aatggtaata caaagtttaa atgaagataa ttctaagaca 14820
agttttgtag agttttgatt tggaaatgtg cttggatcaa gaggatcggg catacctcta 14880
tttaaaaatc aaattgaatc aggtgggtccg gttcacagtaa ctcaccctga aatgacacga 14940
tatttcatga ctataccaga agcatcaaga cttgtattac aggccggggc attggcacia 15000
ggtggcggaag tatttgtgct agacatgggt aaaaaagaa gaagatattg gtattgaatt ttcagggatt 15060
aatttaatac ggttgagcgg taaaaaagaa ttataaaaa atgaaattca tccgcagcag 15120
agaccaggag aaaaattata tgaagaatta ttaaaaaaaa agttgatttg tccgcagcag 15180
gtatatgaaa aaatttatag aggcataagt gaccactata ttaaacgga agttgatttg 15240
attgtggaag atttaataaa taatttctca aaagagaagc tcttaaagat agcaaataga 15300
taaataataa atgtatatgt gagtttttaa atgaaactaa agtacaaagt aatttttaatt 15360
ataaattttg ttacagtatt atttagtata ttacattca tcggttattt aaataacttg 15420
ataggtttta gagttgttac aatatcatta tgtataacta tagctatgac cgtgtactta 15480
ctttacaaaa aaagaaaagg ttttttatta gttttattaa tatatttatt tttactaat 15540
tttgggtgat ttgtaacaaa tatattttta gccaatcctt tagtggagta tcacggtagt 15600
ttatcttggg attatataaa tacatctaatt ttgttttagc ttgctacttt tgcgatatta 15660
acttttacaa ttttaagtaa ttttattagt gtgttttagc aaataaatcc aagtagaaag 15720
tttgatatta aaagtaaagg aaataattta ttctactaca caggaatatt atttatcatt 15780
ggatttacta tacaatttct tttttatatt ataactggtc gattagcaat taatacttat 15840
ggagattatg taagtagcat acaagaatta ccaatgtata cgtacgggat attctttttt 15900
tcaattggga ttgcatttgc attttctaatt gtaaaaaaaa cacatattaa atatctagta 15960
attatattaa ctcccaagt gttatttttt ttaataaccg gaaatagggg agaagtattt 16020
tatccaattc tatctgcact tggagtgtta atagtaagga attataaaat taaatgggtg 16080
atgataatta caattgtttt tacattattt ttgttaatac catttattaa agtcttttaga 16140
aatatggata gtagctcaat tgaaaagggt gatataaatt ggttttcttc acttgttgaa 16200
ataggctaca cactgcgccc ttttaggttat gtaactagggt ggattgacgg tggggaaagc 16260
atagtttatg gcaaaagtta cttagcacct attcaaaaata tattttcata tattatacca 16320
gggttacaac ctgtaaaacta tgaaatgggt gggtacgggt ttaggtatag actacctggg 16380
atgggtttta atgtaatagc agaagcgtat tacaatgggt caattgttgg agtattgatt 16440
gtaatgggtg tattagtgtc ttacttttgg aaatttacaa attttaaatc ttttgaaatg 16500
ctgtcaattg gtactgcaat tgaagtgtta ttaactcaata atataagaaa cgcattttca 16560
ttcgtacctg catacatatt aattatcatt gtaatagtga ttatatgtct gtttatagat 16620
agttatttaa aaaaagaac gaaggccgat taaagtgggt aaaaatttta atttatgtt 16680
tgttgctaatt atactgtctg cattgtgcaa attttttaatt ttactagtaa tagttagatt 16740
aggaacacct gaggatgtag gacgttataa ttatgcttta gttataactg ctccaatttt 16800
tttatttata tccctgaaaa taaggtctgt aattgtcacg aatgataaat atagtccaaa 16860
tgaatatata tcagcaattt tatcattaaa tattattact ttaatatttg ttgcaatttt 16920
tgtttatgta ttaggaaatg gtgatttaac tactatatta atagtatcgt taataaaatt 16980
atttgaaaat ataaaagaag taccttatgg aatatatcaa aaaaatgaga gtctcaaatt 17040
actcggaatc tcaatgggta tttataatat actaagttta attttgttt atattatata 17100
ttctttttca cacaacttga atatggcact tttattttta gtaatatcct gtatattctc 17160
atttgctatt atcgatgat ggtatctaag taagtattat aatataaaac tacactataa 17220
taacaacatt gcaaagttta tttctttaca atacctcttg ctttttcaag 17280
tgcgttagga tcattaaata caggaattcc tagaatagta ttagaaaatc tatttgaaa 17340
atatacattha ggtatatttt ctacaattgc gtatgtactg gtaatcgggt gggtattcgc 17400
aaattcaatc agtcaagttt ttttacccaa attaagaaaa ttatataaag atgaaaaaaa 17460
aattgaattt gaaaagttaa ctagaaaaat ggtgtttatt ggaattttta ttggtatgtg 17520
ctcggtaata ttgagtttgg ttttagtgta ggccttggta tcattgttat ttggtaaaga 17580
atatggtgaa aataatataa tattaatcat tctttctttt ttatactcag 17640
tggtattttt ttggggacaa ctataatagc cactggaaag tataatgtga attacaaaat 17700
ttctctaata ctattgtttt gtattttgat atttagtttc ttattaatat caaaatattc 17760
tttatttaggt gctgctttta ctattactat ttcacaattc gttgctttta taagctatta 17820
ctattttttac aaaaggatat tttgaggtgg aaaatatgaa aaaattattt ttaaagttaa 17880

```

GENOM.057CP1.TXT

tgaaaaggaa	tctatctgaa	gataagataa	ggaaattggg	tgtacaagtt	ggaaatgatt	17940
gtaggttttt	aagtgttgat	agatcaacat	ttggatctga	gccttacctg	attcaaatag	18000
gaaatcatgt	aacaataact	agtgggtgtaa	aatttgctac	ccatgatggg	gggggtatgga	18060
tttttagaaa	aaaatatcct	gagatagata	attttcatag	aatattttatc	ggtaataatg	18120
ttttcatagg	gatttaattca	ataattttgc	caggagtaac	aataggaaat	aatgttgtag	18180
taggtgctgg	gagtgtggta	acgaaagatg	tacctgataa	tgttaattatt	gggtggtaatc	18240
ctgccaaaaa	aattaaaagt	atagaggcct	atgaaactaa	aatatttagaa	aatgcggtatt	18300
acacaaaaaa	acttaattat	aatgaaaaga	agatatatctt	attaaataaa	ttcaaagaga	18360
ataggatata	ttaatgatta	aagtattgca	tatatcttagc	agaatgaatc	gtggcggtgc	18420
agaattaaga	actatggata	caatgaaact	attaaatagg	gagtttgagt	ttcatgtatg	18480
tgtacatca	ggaaaaagg	gcgaattaga	tgatgaatta	gaatctatgg	gtattacgat	18540
acattatttta	gatattaaaa	aatttagttt	tcctttcaag	ttcataaagt	tattgaaaaa	18600
gaaaaatata	gatgttgatc	atagtcacat	actttttatg	agtggattga	ttcaattact	18660
ttctttttca	gcaaatgtaa	gaaatagaat	aacacacttt	agaacttcca	aagatagtaa	18720
agaacaatat	aataaaaata	gaaaagctag	aaataaagta	ctgaaagcca	ttatagaaat	18780
cttttagtacg	aaaatcttat	atgtaagtaa	tatagcaaat	aggaatttaa	tctcaatgaa	18840
actttttccg	aaaaaacata	aaactattta	caatggattt	gaaataagta	atataaacaa	18900
aaattttaaa	aaagaggaaa	atagttttat	ttatgtcggg	aggttcattc	atactaagaa	18960
ccaattatttt	ttgttagatg	taatagaaat	tttaaaaaaa	gaatttaata	ctaacattga	19020
aattacttttt	gttggcaata	ttcaaactga	ttatggaaaa	aaattcctga	gtatagcaaa	19080
tgaagagggt	ttaaataaaa	atattaagg	tattggagaa	gtgaataacc	cattagatta	19140
tttaaaacg	agtgaatat	ttttgtttcc	tagtgaatta	gagggattac	cgggagcatt	19200
gatagaagcg	catcatcaca	attgtattgt	tatatcttcg	aatataaaag	aaaattctga	19260
agtaaataca	tattttaaag	actcttcatt	tgaattagaa	tttaattcaa	aaacttgggc	19320
ctcaactatc	aaaaagctaa	tttcaaggaa	aaagcatata	agttttaatg	attctaattgt	19380
ttttgatatc	aatatgacta	cacaagaatt	aaaagaaatt	tatatgagta	aaactttata	19440
gatgaaggga	ttgatttttc	tgaaaatatt	aatcacagg	acagcagggt	ttattgggtc	19500
acatctttcg	aaaaactaa	ttaaaacagg	tcattacggt	ataggtgtag	atagcataaa	19560
tgattattatt	tcagtttctt	tgaaagagga	tagattaaaa	tcaataggga	aagagaatttt	19620
cacttttaaat	aaagtgaat	tagaaaatta	tgacgattta	tctaaagtat	ttgtagatga	19680
acaaccagaa	gtagtagtta	atttagctgc	tcaagcagg	gttagatata	gtattgagaa	19740
tccaaggacg	tatattgatt	ctaattattgt	cggttttatg	aacatttttag	aatgcagtag	19800
gcattttta	attcaaaatt	taattttatgc	ttcatctagt	tctgtttatg	gtgcaaatatc	19860
ttctaatacca	tttagcactt	cggataatat	tgatcatccg	tttaagtttat	atgcagcaac	19920
taaaaaatca	aatgagctaa	tggcacatac	gtatagtcac	ttatacaatt	tacctacaac	19980
aggattgaga	tttttcacag	tatatgggtcc	atgggggaga	ccagatatgg	cgctatttta	20040
atttacaaaa	gcaatcgtaa	atgatcaagc	tatagacgtc	tataatcacg	gaaatatgat	20100
gagagacttt	acttacgtgg	atgatattgt	tgaagcaatt	agtaggcttg	ttaagaaacc	20160
agcgtccctt	aataaagaat	ggtcaggggc	cgaccttgac	cctggttcct	catatgcacc	20220
atataaagtc	tacaatattg	ggaacaacag	tccagttaga	ttgatggaat	ttgtagaggc	20280
tatagagaat	aaattaggca	aagaagctag	gaaaaactac	atggatttac	aaccaggaga	20340
tgtacctgaa	acttatgcaa	atgtagatga	cttgtttaga	gatattgatt	tcaaaccaga	20400
aactacaatt	caagatgggtg	taaataaatt	tgttgattgg	tacttagaat	attataaaaa	20460
atgaagaaaa	aggggtgttt	aatatgcaat	tactctttgt	acatgatttc	ccagttgaaa	20520
aatataaaga	caataatttt	tcaataggct	tctctcacaa	aatttggaat	cgatatttaa	20580
ccattttttga	taaaatgctc	ataaattcaa	gagtgaaaaa	tgtagataat	ggggaaatta	20640
ttataaaatc	gaatggagaa	aaagtgaatt	tcaaaacaat	agatagctat	aaatcaccta	20700
aatctcta	ttttaaacat	aaaaaaatat	ttgaagccct	tacaatttct	atcaagaaaa	20760
gtgatgggtg	tttaatttag	gtaccaagtg	ttttaggatt	tattgcagct	ctaatatgta	20820
aaaaaatcaa	taaaccttat	atgggtggaag	tagttgggtg	agcatttgac	gcatattggg	20880
ttcatggatc	aatattttga	aaaattttat	cgttacctat	ggaatattta	caaaaaaatg	20940
cagtgaaaaa	tgctagcata	gcgattttatg	ttaactaagaa	atatttgagt	aacaaatc	21000
cttghtaacg	gaaagagttt	aaaggcattt	caaacgtaca	atctgtagaa	aaatttaata	21060
agaattttaga	tattgggaat	aaaattaaaa	ttggacttat	tggatctacg	tttgttgatt	21120
ataaaggaca	taacgtagct	ataaaatcaa	taagtaattt	ggtgaatgaa	ggttataaca	21180
ttgaattaga	atttgtgggt	gatgggcccc	gtaagaaatt	tatggaaatg	gctaaaaaat	21240
acaatgtttga	aaataatgtt	atattttaag	gtaaaattta	tgacaagaca	gcgttaata	21300
attggtttag	aaatttagat	ttgtatatct	aaccaagttt	aacagaggga	cattgtcgag	21360
caattgtgga	agcaatagga	aatggagtgc	ctacattagc	gtctaattgct	ggtggtaatt	21420
cggatagtgt	taacaaagaa	tatttgttta	aaccaaagaa	tgtagttaaa	tttaacaaaac	21480
taattaatag	atctattttg	tctaagcaat	atcgagaaga	aaatgtttta	gaaaacaaaa	21540
aaaatatttct	aggttacaac	ctggaaaata	ttcaaataga	aagagaaaaa	gcactactta	21600
attataaaaa	aataataaat	gattttttatt	tagcgaaagg	aataaaataa	aatgcttaat	21660
tatatataata	atcattccacc	aataattttc	caaaatttaa	tggtttcaat	aaagggtaaa	21720
atattcatga	aacaaagata	tactaaacat	tattatgaag	aaataaagag	acttagagag	21780
tgtaatgatt	tatttgaact	tcaaaatcaa	agatttgaag	aattttataa	ttatatcaaa	21840
aaaaatagtg	aatttttattc	tgaataaatt	aaaaaaaata	atctaagcgg	taaaaaaatc	21900

GENOM.057CP1.TXT

actgttgcaa	atataaacca	attgcctgaa	attacgaaag	atgatattag	aaaaaatggt	21960
gataaaatta	ttactaaaaa	gaaaaataaa	cttataaaaa	tgggcactgg	cggttcgact	22020
ggtaaaagta	tggtttttta	tactaatgca	tatgatattgt	ctagaaaaat	agcttacctt	22080
gattatttta	aagaacaaca	tggggatatat	aaaggatatga	aaagagttag	tgtaggtggt	22140
agaaaaattg	taccaattaa	acaaaaaaag	aaagtattttt	ggcgatataa	taaaccacta	22200
aatcaattaa	tgatatctgc	ttatcatgct	gatggtgaaa	atcittaaata	ctacattaaa	22260
aaattaaata	aatttcagcc	tgaaactttg	gatggctata	ctacagttat	tcataggatt	22320
gcgagatata	ttttagataa	caatatagaa	ttaagtttta	caccaattgc	tatttttcct	22380
aatgcagaaa	ctttaactga	tttaatgagg	gatgatattg	aaaaagcttt	taattgtcca	22440
gtgcgtaatc	aatatgcttc	ttctgaagga	gcacctttta	ttacagaaaa	caaagaaggc	22500
gaactagaaa	ttaatgtagc	tactggagtg	tttgagtgta	aacaaattca	tggtataatc	22560
tatgaattaa	tagtgacagg	tttttatact	actactacac	cattattgag	gtataaaatc	22620
ggagattcag	tagaattaga	aaatgagctt	cccgtaaatt	atcaacaaaa	agatataaaa	22680
attaaaagaa	ttatcggctc	taacaatgat	tttttacagt	ctagagaaaa	aggaattgta	22740
actaatgtga	atttgtcaac	agcaataaga	tttggttgaga	atgatgttat	tgaatcgcaa	22800
tttgtagaca	atgatattga	taacattatt	gtgtattttag	taattagtaa	tgatgcggat	22860
aaaaataata	ttataaagaa	attaaaaat	gagttgaaat	tcaggtttgg	tacaaatact	22920
aattttccatt	ttgaatttgt	taataagata	ccatcaacac	ctgggtggaaa	aaaaagattt	22980
gcaattaata	acattaaata	aggggataag	aaaatgaata	gaaatattgc	agtagtaggt	23040
ttaggttatg	taggtttacc	agtagctgta	acttttgagg	ataaacataa	agtaatcgga	23100
tttgatatta	atgaatcaag	aattaaagaa	ttaaaaataa	attatgatag	aacaaatgaa	23160
gtaacagaaa	ataaatttaa	aaacacgaat	atagaatata	cttcaaatgc	agaagatttg	23220
aaaaaggctg	attttattat	tatagctgtg	ccaagcacc	tcgataagca	taataaacct	23280
gattttattac	cattattaaa	agccagtga	actgttgagg	aggtaattac	tccagacaca	23340
atcgttgtat	atgaatctac	agtttatcct	ggcgcaacag	aagaagaatg	tgtacctgta	23400
ttggaaaaat	attctggact	cgtttgtggt	aaagattttt	ttggttggtta	ctcacctgaa	23460
agaattaatc	ctggggataa	ggtacatact	tttgaaacca	ttactaagg	tgtatctggc	23520
caaacgcttg	aggtattaga	aatagttgca	gacgtatata	gttcagtagt	cacagcagga	23580
gttcataaag	catcttctat	taaagtagca	gaagcagcaa	aagtcattga	aaacacacaa	23640
cgtgatgtaa	atattgccct	aatgaatgaa	ttggcaatta	tttttgataa	attagatata	23700
gatactaacg	aggtattaaa	agcttcagga	acaaaatgga	acttcttgaa	ttttaaacca	23760
ggattagtag	ggggacattg	cattgggtgtg	gacccatatt	atttaacaca	taaagctcag	23820
gaagttgggc	accatcctga	agtgatttta	gcaggtagaa	gaataaatga	taatattggc	23880
aaatatattg	cttctaactg	tattaaagag	ttattgaagc	aaggattaga	agtacaagga	23940
gcaacagtta	atgtgtcagg	tcttacattt	aaagagaatt	gtccggattt	aagaaatata	24000
aaggttattc	atattattga	agaactgaaa	gagtatggat	taaacgtaac	agtgaatgat	24060
gttgaagcgg	ataaaaaatga	agctaaaaag	ttcttttggt	tagattttgat	agatacaaaa	24120
gaattaaaaa	tgggtggatgt	agtggtattt	gcagtgccac	ataaagacta	tatggaaaat	24180
aaaaaggatt	atatcaattt	agttaaagat	tgtggcatag	tgtttgacat	taaaggcata	24240
ataaatattg	atgaacttaa	tgtaaagtca	ggatataatg	gattataagt	gtaaaattac	24300
attgtgaggt	tttgatgaa	aaatcaaaaa	atatttcatt	tagttactgt	ttctaagagt	24360
attccactta	tgagaggaca	aatagaattt	ttaagaaaaa	aaaatatgga	tgttcacatt	24420
gtttcgagtg	atggtaagga	attaaagcag	tatgataatg	aaatagctca	tgttatacct	24480
atgaaaagag	atatagcatt	attcagtgat	ttaaagtcac	tattaaaaat	gatattacta	24540
tttcacaaag	aaaaaccatt	tattgttaac	tctgttactc	caaaagcagg	attaatagga	24600
acaatagctg	cgtttattac	ccaaagacct	ataggataat	atactgtgag	aggtttaagg	24660
cttgaaacag	ttaaaggatt	caaataattt	gtattgtatt	tgatggaaaa	gatagcaatg	24720
ttttgtgcaa	ctgatataat	agcaatttct	gaaagtttaa	agcataaaat	tattacatct	24780
aattttggcta	aggaaaataa	aattactggt	ttgggatttg	gtagttctaa	tggtatacaa	24840
tttgaaaaat	tccaattaga	taacaataaa	ttagaagaaa	aataccataa	attattaaat	24900
gataattttg	ttattggcta	tgttaggaaga	attgtaaaag	ataaagggtat	acatgaatta	24960
attcagtcac	ttaaaaattat	tgtaaagtaa	ggatataatg	tcaaattgct	tgttattggg	25020
agtttagaga	cagaaaattc	tattgatgaa	tctgactatt	tatttttaac	tcaaaatcct	25080
aatgtagtac	taatcaagca	tgtttcagat	ccaatttcac	tttataataa	tatgaatgta	25140
tttgtttttc	caactcatag	agaagggttt	ggaaatgtta	gtatagaggc	tcaagcactt	25200
gaagtggccg	taattactac	taatgttaca	ggcgctattg	atactgtagt	aatggagaa	25260
actggattta	ttgttgaaaa	aggtgacttt	aaagcaatcg	ctgaaaaaat	tgaaaaatta	25320
attaatgacg	agagttaaag	agaaactatt	ggtcataatg	gaagaaagag	agtggaaaa	25380
aaattttcaa	gccaaattat	atgggaagaa	ttggaaagta	tgtacaatac	ttttctaaaa	25440
gaaagtgagg	gaaagtaatg	aaaagaatat	ttgatataat	tagttcatta	tatgcaatta	25500
ttatatTTTT	gccgctgctc	tttctagtgt	ctattgcaat	taaaatagag	tctaaagggtc	25560
cgattgtatt	taaacaggag	cgaccaggcg	taaagaacaa	attattttaa	atttataaat	25620
ttagatctat	gagacaagat	accccaaatg	tagcaactga	taggttagac	cctgcagatt	25680
atattacaaa	aactgggaag	ttcattagaa	aaacatcatt	agatgaatta	ccacagttat	25740
ttaatatttt	aaaagggtgat	atggcagtag	ttgggcctag	acctgcttta	tataatcagt	25800
atgaacttat	tgaaaaaaga	actaatgtaa	atgttcattt	ggttaagcca	ggattaactg	25860
gcttagcaca	agttatgggc	agagataaca	atacggacga	ccaaaaagtt	caatatgata	25920

GENOM.057CP1.TXT

agttttatgt	tgaaaaccaa	tctttcaaat	tagatatgta	tattatttat	aaaaccataa	25980
aaaacactat	atcttctgaa	ggggttagtc	actaatgaaa	aatatattaa	tcacagggaa	26040
aaatggattt	gtaggtaatc	aatttcaatt	attattaaat	aatgataatt	ataaagtcga	26100
tagagtcagt	ttgaaaaata	atgattggaa	gttttgttca	tttgaaaatt	atgacgtaat	26160
cattcattta	gcagcattgg	ttcataataa	tcaacccaat	gctaaaataa	ttgattatat	26220
gaatacgaat	taccatttta	ctagagaact	agctaaaaaa	gctaaagatg	acggtgtaag	26280
tcaatttata	tttttttagta	ctatgggtat	ttttggcatg	aatgggttta	ttataaaaaa	26340
atgtgaaatc	actcaattta	ctccatataa	acctaaaagt	gcatacgact	attctaaatt	26400
gtagcgagaa	agagatattc	aaaaattaat	tgatgacaaa	tttgtggtaa	atatcgttag	26460
accgccaatg	atatatggta	aaaagggacc	gggtaatttc	gctaaactta	taaaagttgc	26520
aaatttatca	agaataattc	ccaaatatca	taatgaaaga	agtgtttata	atatagataa	26580
cttatataaa	catattttac	acttattgaa	gaatgaaaaa	tctgatatac	cacatccaca	26640
gaatatggaa	tatatgaaca	ctaatactgc	tttatcattg	attagaaatc	atttaggaaa	26700
atcgagtga	cttatagaaa	ttccagtgcc	aaatttcatt	aataaaatta	ttgaaaaatc	26760
aaatatgctg	aacaaaatat	atggaaaatt	aacatactca	aaaaatatag	acgatagaga	26820
aataaataat	atgcattttg	acaattttta	tcaaactatt	agtaaaactt	taaaataaaa	26880
aattatatga	taaaagattt	gttatgataa	ataaatcggt	aacgaaaaaa	taggcttaac	26940
tgttataaatt	ataccaatat	tattattatt	tatagtaggt	tttgttttta	taaatttaata	27000
gttttaaaata	gcttaattaa	tgatctacta	gaaaaggcag	gttcccattt	ctattgacta	27060
ttttcgattta	atgtgaaagg	tcaaaaaata	gatgtgatca	gtgctttacc	tgagtacaca	27120
cactaaaatt	gtcggtagag	gtacataaga	aaagattaat	catgtgtatg	tgtgttgtga	27180
atcgatactg	gcagtgaaaat	ctattgaaaa	attataattat	gtgccaattg	gcattcatta	27240
tgcaacgatt	aatttagatg	gtgatgaaca	ttactttatg	gagtgaatgg	tgctcgattt	27300
gtgagtaaca	gtgattttta	tccccaatta	tcccttctct	aaagggtcaaa	aaataaccaca	27360
tggatggtaa	agaatcttca	gcgttttata	gtaatagaaa	agaagcgggt	gctggtagtg	27420
gaggaaaatag	acaagcgaga	caacagcacg	ttattgaagc	agttactaaa	aaactatgaa	27480
tccaacctct	atcatgagaa	ccaattcaat	taataaaggg	gcaaaacacg	ttagggtgtt	27540
gtcgacttca	tacttcttat	cttggtgata	atgaagatat	tattcaagca	tatcgagaca	27600
atttgaattt	aaataaaatt	ttagttaaca	tcaattgctc	atttagcggg	tggtgttttt	27660
tatagattaa	aatatatgga	aacacagatg	taaataacct	ttttattaaa	gttatactta	27720
cagcattttga	gttttgagg	agttgggtatt	aatgaaact	acaggcagtt	ttgattttat	27780
atatctaatt	gaattggcac	atataattta	ttattataat	tcgagtataa	aagttaggaa	27840
tgaagaaaag	ctatttttagc	cattttatata	tagctatggt	gtaaatattt	agcaaaaata	27900
ctaatatggg	gaggcgatat	ataagtaggg	gggatgttga	taagcttccc	cttgttagtt	27960
atttggctaa	aaaagactag	ctgttcatta	tattttacatg	gtatgtcaac	attttttaga	28020
cagttttcat	gtgtgtattt	ttaaatgcca	ctgacgtcaa	atactttaat	gaagaatgtg	28080
gtctagaatt	gttgtacca	tttacataat	caaataattc	tgtttctaac	tgtttctaagt	28140
tttcaaattg	cattttgttt	acaaattctg	ttttcattgc	tttcatcggt	gcttccgcaa	28200
ctgcgtttat	ataaggacaa	tctttgggtac	ttcatgaacg	tttcatttta	aatgttttcta	28260
gaactttcatc	tatcaaatga	ttattaaatt	ctttgcctct	atcggtgtga	aatagttttga	28320
tttattctgc	tgatttgctt	tgatactata	tttgcgtcct	tatttttaac	tgactgttaa	28380
ccaacaattt	ttctattaaa	tagatctata	aataaacata	tgtagtgcca	tgttcctgcg	28440
acttttacgt	atgttaaata	acttactaat	gcttccattg	gttgctctct	attaaaagct	28500
tcattcaaat	gatttttaat	ttgtcttgta	ccaagacctt	tctattagaa	ttaaaaatat	28560
ttatgattgc	acgtttctacg	tttgaatcat	cttttagtga	tttattatct	tttcttttta	28620
tagaatcata	ataggtactt	cttgggtatt	ttaggacctt	acataattgct	gggtactgaat	28680
attgatgtgc	attcttttga	atgacttcta	ttttcgtctc	ataatcagct	ctgcttgctt	28740
taaaatatcg	ttctccattt	ttatatgttg	aacttctttg	cgtaatttaa	tcagctcttt	28800
ttcttcatct	gataaattat	cttgatgatt	gaacaaacct	gtgtattgat	gttgctttat	28860
ccattttctt	aacacctagg	aatgaaacct	aaccttttgt	aacttaaaact	ctgaactaaa	28920
cgattttctt	tctcttgc	taataaaatc	acctactttc	ttaaattaac	aatatctact	28980
ctcatagaat	ttgtccaatt	aagtgtagac	gattcaaaat	atcaaattta	tatgtatagc	29040
acttcttgct	ttttatgatt	aacttagcaa	aaaatacaaa	tcaacaataa	ataaaattta	29100
attacttaat	atatatttat	taccattaga	gtctgtttac	agcatccttt	ttgatttggt	29160
catcagattt	ttctttccat	gcattgaggtg	aaaagttaaa	tgtaatacta	tggtcatcaa	29220
aaaactcata	aagggcaggt	cttaaccttt	ttgccttttt	atttcttctt	tctgatcttt	29280
ttcgaccctc	gataaaacgt	gtaacacctg	tacaataaat	tttatccatt	tctttgatat	29340
catctttata	tagtttcttt	gataaagaaa	tattttttct	ttacttgaat	taacattttac	29400
ttcgtttagga	attgcttcat	taagactctc	ataaaaagga	aatagccctt	taccaaact	29460
agatgattcg	atgcaaaaaa	aatttatatag	catactgtaa	tcatctacta	ttaatccatt	29520
attatttgct	tcaactacca	aggaattttt	catagttgac	tctttataaa	atgttaattg	29580
aactttcgcg	aattttattta	ttcttttaatt	aaattttctc	ttaaatctgc	ggataaagac	29640
taaataattt	tcatttttat	attttaaattt	aaatgaatca	ataatataat	ccttatcacg	29700
catatcgta	aatatttaatt	gaatttttaga	caagtgtaaa	ttgttcatag	ttatctactc	29760
cctatatata	agtggatttc	tacataatta	ttctcctagg	aaccctaaaa	tcggcattat	29820
atctttcaaa	aatgtacctc	ataaaaagaa	taggttgata	tcgactttta	tttactctct	29880
ttctttatta	ctaaatacac	tttaacacat	ttgtaaaatc	ataatcattc	actctaact	29940

GENOM.057CP1.TXT

agtaaaattc	ataatttttt	cttaagtata	ttaattgtat	atcttcatat	ttaaagtccaa	30000
tgaatatact	ttattcattt	attagtcgaa	tttttcatat	ttcattaacc	aactacctac	30060
ttaaattatt	taatcttatt	cttactcatc	atttcaaagt	gttgatattg	tctaagtttt	30120
tcaaagacta	acttaaagac	tcttttataa	tttctcatac	ttgctccatc	aaaggttaata	30180
acaaaatcat	cacttataaa	atgtgatccg	tcattttattc	ctgaaataag	tgattttacat	30240
aatattttgt	ctataccgtc	aaattttatta	atacatctttt	cataatccat	gccctataa	30300
tattaaaata	atattatagt	attctacgca	ttgtattaaa	tgatgttatt	ggtgacattt	30360
cttcagaatt	aagttctttc	cacattaatt	gatatgaaga	ttttatagca	ttattctcat	30420
aagtattaaa	ataacttata	ttatcctttt	ttctaataat	tccatacatt	acttcattaa	30480
gcgaaaacct	ttctctactt	cctaaaaaag	tgattttcttt	atgaaagtaa	atattgtgag	30540
tgaatttgaa	tactgtttgt	attctattct	tattatttct	acagtcattt	atcaaatttt	30600
taactaaagt	actaacaata	aataatacat	tactattctaa	actagaaatt	ggatcatcta	30660
taatagcgat	tttatttgaa	gttacacttg	tactctcatg	actaccataa	ataaaattta	30720
tttttttagg	ttttatttct	acataatttc	tataggctgc	aatgttttga	agcgaaattt	30780
ttttaatcat	tcataatacc	ccaatccctt	attttaatta	gtaaagacac	tatattttatc	30840
aactgctaac	tgtgggcttt	agattttattt	ctgataatca	aaattatgtc	tgagatgtta	30900
ctaattgtatt	taattattatt	tttagtattt	aatctccccc	atacttatga	tacgcctctg	30960
cttatcagtt	aataatggct	ctatgtcaaa	ttggactgat	aagttcaata	ttggaagtta	31020
ggcaactaaa	cattgcttaa	cttccttttt	acttttttga	gcgtaaagtt	ttgaacataa	31080
taatatccga	ttgcgtaaat	gattgttaact	tccataacca	aaagatatat	gttttaattaa	31140
ttttattttg	ttattttatac	cttctaaagg	accattttgat	aaattgtaat	aatcaaattgt	31200
atttttttta	aagtgatgat	gtttgttttg	tgtcttaatt	gctcgttga	caaataaatg	31260
cgcttgagat	aatggcatat	gttttaattc	gtgaataaag	ccttcataat	cattatgttt	31320
aagtttgaat	cgtaattgat	tgatatattg	gtaggcgctca	ttcagtgaat	catcttgatc	31380
taatatatac	ttgacgatac	ctttttgtgt	cttccattcc	ttaaataaag	cgacttttacg	31440
atattcaaat	gcctctaaat	cttcttcagg	ttttaataat	aatctcgcac	atctttttaa	31500
cttattatat	aaagggttgat	tcgtcgttct	taattcattc	ataacagcga	tgtcaatagc	31560
ggtttaaaat	actgttttat	ggcgggttga	aaatatcggt	ttttagcggg	ttagaatat	31620
cgtgctttta	atgcgctttt	actttttattt	attctcatgt	ttacgttctt	catagcaatt	31680
tttagtttag	ataaatctga	aagagtagca	gcttcaaaat	ttgcatttat	atctaaaaat	31740
aatttttaaaa	tagacatggt	taaacaatca	aaagtgtgca	ttgctaaatc	atcatttttca	31800
aaagtttatg	gatagaacaa	ttatatgtaa	acatattttat	ttagttttta	aaaaagtagg	31860
acttaattat	cgcaatatat	ggtctatata	aatgaaatat	gatttaagt	aagaaataat	31920
actttgatat	ctacagaatt	aataggagtg	atcagtcgta	taacagtaat	tgcaatttgt	31980
gaaagttaat	tttgtaattg	tatcaacaat	ttttaaataa	gattattagg	taagtcataa	32040
atagccctgt	taagggataa	atgatataat	agtgcataat	aggaggcgat	atcgtgatta	32100
ctattgactc	aaagattaac	aaacaaatcg	ctaaaacctt	tcacttgaag	gtatgtatgt	32160
tacaaaagaa	caacaaatac	aaattcttca	tgcaattaat	aataagaaat	tacaaatgag	32220
ctttattcga	aaatcgcttt	taaataatga	aatatgatgg	aatacagcaa	gacgaatat	32280
tattaaattc	taatatgctt	ggtgtcaaaa	cttctgatga	attaaagcga	cttggaaag	32340
ttgctttttt	aattgctgaa	gcttccgttg	aagaggaagg	atataaattc	tatttccctt	32400
atcgtttaaa	gtgaatttca	agataattat	caaaaaagca	tataactat	attaaaagt	32460
gacgtagggg	cagtcattaa	aatataaaag	gattattaaa	gtgcaatttg	ttgtaataa	32520
ataattaaat	tttaaaaaat	atagttacat	taagtgaata	tatgttataa	aataacaacg	32580
gttgataaag	gtcaactaaa	tttaatttat	attcaagagg	agtaatatga	gaaaagtatt	32640
tatactaata	actttgttat	ttggttatag	tagctattct	ttgttggaag	ctaaagcaga	32700
gacacaaaat	gatccaaata	taagtgaatt	aaacaaatct	agtcaatata	cgggttcgtg	32760
gcataatata	tggtatttat	ataatagtga	tccagttaat	gctaaaaaaa	taaagctaag	32820
tgacaaattt	ttgagtcatg	aattcattgt	tccaataaat	aaccctagtc	attacgacta	32880
tgttaaaaat	gagttaaaaa	acagtacaat	ggctagttca	tttgatggga	aagaagtcga	32940
tattttttgg	gtcaatttat	ttgatcaatg	ctatttttta	aatgaaaata	tacagtgtga	33000
tagtaatcaa	ggagctggaa	gcaaaaaaac	ttgtatgtat	ggtggtataa	cattaaatga	33060
gaacaatacc	aataatagaa	ttcagcctat	tggtgtaaaa	gtttacgaga	atgacagtgt	33120
tactctttct	tttgatatca	atattgataa	agagactgta	actattcaag	agtttagatta	33180
taaagtgaga	aataaattaa	tttctaaaat	caattttatac	catttaggtg	gcacttcata	33240
tgaacaggga	tacattaaat	ttatagaaaa	tggtaatcga	tattatttgt	atgatattgat	33300
gccagaccct	ggctttactc	agtctaaata	tttgatgata	tatcggggta	atgaaacagt	33360
tgaatcagcc	aaaacggaaa	tagaagtgc	cttaactaaa	aagtagacat	agagcaactt	33420
atcaataata	atttatggct	agattaaagt	aaataaaaaat	attttgatga	attaaagcga	33480
cttggaagaa	ttgctttttt	taattacttc	tttaaaaaagt	agggtcatta	gtctttaata	33540
caaacaaaaa	aggaggaaca	ttacattcct	cctcaacctt	tattactcat	actataattc	33600
aatttttaacg	tcttctgcca	tttgggcttc	aaattcatct	agaagtgtc	ttgcttctgc	33660
aattgattgt	gtgttcatca	attgatggcg	aagttcgcga	gcacctctta	tgccacgcac	33720
atagatttta	aagaatctac	gcaaaactct	gaattgtcgt	atcttcatct	tttcatattt	33780
gttaaacaaat	gataatgcaa	tctcaacaga	tctaatagtt	ccttgcttgt	gtgttcacgt	33840
ggttcttttt	caaaagcgaa	tggattgtgg	aaaatgcctc	taccaatcat	gacgccatca	33900
atgccatatt	tttctgcaag	ttcaagtcct	gtttttctat	cggaatatc	accgttaatt	33960

GENOM.057CP1.TXT

gtaacaatg	tatttggtgc	aatttcgtca	cgtaaat	taatagcttc	gattaattcc	34020
caatgtgcat	ctactttact	catttcttta	cgtgtacgaa	gatgaataga	taaatttgca	34080
atgtcttgtt	caaagacatg	ctttaacc	tctttccatt	catcgatttc	atagtagccg	34140
aggcgtgtt	taacacttac	cggaagccca	cctgcttttag	ttgcttgaat	aattttggca	34200
gcgacatcag	gtcttaagat	taagccggaa	cccttaccc	ttttagcaac	atttgcata	34260
ggacatccca	tatttaagtc	aataccttta	aagcccat	tagctaattg	aatactcg	34320
tcacggaact	gttctggctt	atctcccat	atgtgagcga	ccatcggctg	ttcatcttca	34380
ctaaaagtta	agcgtccg	cacactatgt	atgccttcag	ggaggcaaca	gctttcagta	34440
tttgtaaa	cagtga	cacatccggt	ctagctgctt	cacttacaac	gtgtcgaaag	34500
acgatatctg	taacgtcttc	cattggcgcc	aaaataaaaa	atggacgtgg	taattcactc	34560
caaaaatttt	ccttcataat	atattttata	cctctttata	attagttatct	cgatttttta	34620
tgcatgatga	tattaccaca	aaagacgaac	ttatacaaaa	ggaatttttag	ctgatacaac	34680
catttgaaag	ggaagtctac	gagtagtcta	aaatgaatat	tgtgggttagt	tgatcagtat	34740
acaaatcaag	gattatcgta	ttagattgtt	cattattaat	gatacactac	ttattaatat	34800
gattcagaat	tttcttttagc	tacatatata	ataccgtgat	ttttacgtta	tcttataaca	34860
aagacaaatt	tataaagggtg	atattatgga	agatttaaaa	cactctttaa	aagggttagg	34920
ttggtatgac	ttatttttta	cagtaccta	gtttctacta	ttcgtgtatc	tgccgaatta	34980
taattttcata	actataattta	ttacatttgt	ttttattatt	ttcttttcca	taggtttgat	35040
tttaactact	catataatta	taggtaacat	taagaacaac	tctaaatgat	ttattaatac	35100
aaatatgggt	aaacataaaa	ctgaaggagc	gattacaatg	gcgactgaga	aagatgtaaa	35160
tgattttatt	ttaaatcatg	tgaattcaaa	tgccgttaaa	actagaaaga	tgatgggaga	35220
atatattatt	tattatgatg	gtgtgggtat	agggtggttg	tatgataata	gattattggt	35280
caaggcgact	aaaagtgac	gtcatcaaat	tcaagataat	acattagtat	cgacgtatcc	35340
tggtgccaa	gaaatgggtt	taattccaca	ctttgtcaaa	gtaacaactc	taaatgattt	35400
atttgagctc	ataaaaaatg	atttgcaaaa	gtgaagtgcg	aatagagaga	gaaataaaag	35460
cggataatat	gtccgtcttc	gccaccctta	aaatatatta	ttgtacctt	tatgaggtaa	35520
gtagctaaag	gttggttcgaa	ctaagcacta	gtacttcatt	ttctattttca	attctttctt	35580
aatittgatta	ggagattttcc	tctcctttta	aggctggtgc	ttttagtaaa	tttctttttg	35640
ctttgtatgt	tcgaggtata	tcattatttaa	aaaatgccta	caattaatga	ggactatagc	35700
aaatgtagta	ccgataatga	ttagaatgtt	tttttgatat	gatatacaact	ccgatattgg	35760
taaggacata	ggagcaatta	caatttccaa	acaagggtaca	cgagtgccat	tgaatatattt	35820
attcagatca	aaagtacacg	cactaaaata	agcattttatt	tctatgtaac	ttacatcttt	35880
gatactacag	aagttcatgc	atatgttcaa	tcgtctcata	atttttaaat	acccctgatt	35940
cccatagtta	aatacattat	tcaaatacgta	attaaaaacat	agaagtattt	gaatcaccat	36000
attcaacttt	taagtttgta	ctactatgaa	gtaatctaac	taccacttta	gtcaatacaa	36060
atataacgga	aagataatca	agtgagtgtc	cattcagggg	tgctcttttt	tcattgtattt	36120
attgaacaaa	aataaagatg	cttaaggccc	atttaaaaag	ctacggaagt	catttgagaa	36180
ataatatagt	tacagtaaaa	agttatacat	aatatcttca	tcagtgaag	ccctttaaaa	36240
tatagaactt	tgattttaagt	aagaaaaatt	taattcatgt	gatattttatg	aatgttttaga	36300
ttaaagatga	tatatctata	taataacagt	attacttgaa	aattaaactac	cttgattata	36360
tgaatataat	aatatgatgt	gactgttttt	atacaatcta	atttaaaact	aaactgccaa	36420
tattgaatat	tatggggtat	agacaagtta	tatgtagcca	ctttttgaga	gtacttttatt	36480
ataatagtct	tgtagtcaat	ttgcagtgc	aagagctaaa	aaagaatttt	atgtaatttg	36540
ggacatgcaa	agaatacaga	caaaaccatt	ttatgaaacc	atttttgaag	aaagaaatgt	36600
agaataacat	acaaaaaaag	tatatagagg	gagttatttt	catgcaaaat	agaaatgatt	36660
ttatagaaaa	actatttagac	agagctcaaa	ttgaagaagg	tatgcgtgta	ctggattatag	36720
gttggtgcgac	tggtgaggtc	actcaattaa	ttgcaaaacg	tgtggggggc	aatgggtgaag	36780
tcgtcgggtg	tgatgtgaat	gaatcattac	ttaaaattgc	aaatgaaaac	aatcaatata	36840
acaatgtatc	atatcaatat	tctgatatat	atcacttgcc	agacactatg	gggcattttg	36900
atgcgattgt	tggtagaaga	gtattgatgt	acttaccaga	tgctgaaaag	tgtttacaaa	36960
ttttgaatca	atttttaa	ctgagggtat	attatgtttt	caagaaagtg	atgctattaa	37020
tacaggcggt	gggtgcagatg	cactaccctt	acatcaatcg	gcaattcaat	ggatttggga	37080
aacagtgaag	caagaagggtg	gcaatattca	tattggtcaa	aatttatata	atttgtttta	37140
taataatgga	atgtatgttg	tagattactt	tgagaggcca	gtgattcaaa	cgtcaatgga	37200
taatgattta	gcatggcttg	tagatgtaat	gctaccaaga	atgaaagcgc	atgggtgtcat	37260
taatgatgat	ttttcactag	atgagtttaa	atcaaaccct	gaacatgaag	caataaaca	37320
tcaatgtgca	tttatacgtg	aaatggcggt	tgttattatc	ggaaaagcgt	agtttataaa	37380
acgctgaaag	tagcatatta	ttatcaacaa	tggttttaatt	tgtgaagtta	ttaatggaat	37440
ttgaaatgac	agcatttcta	taggctaata	aagtgtact	taattaccga	gcaatttata	37500
catttttaaaa	ggagtaaaat	tgaataatga	agaaatttaa	caactggata	ttaaatgcaa	37560
taagtggatc	tcaaacagac	agaatggaa	caactgaaga	attaaaagg	gcaaaattta	37620
tcattttata	ggagatttca	atgctcggtt	tgcttgcgtt	agtaatttct	aacatattca	37680
ttcacatttt	tgcagctaaa	ttatcaatca	ccactcaaat	catcatcggt	ttgattttta	37740
ttgaatcact	aattggacta	cgtttcttgc	aaagggtacg	atgttaggcg	tggaagat	37800
aaagaaaata	agaaaaatag	taaggatttc	gttaactaa	aatcaatttt	agtagcaatt	37860
ttattttacat	cattgggtgct	gacagcaggc	actgtagctg	atatatacgg	tttactgac	37920
ttaggaaata	ctagaagtga	ttaatcggtt	ggagcatagg	tggtattata	tttggcctcg	37980

GENOM.057CP1.TXT

taagttacac	aatggaagat	aaaaaataac	gataaggagt	tggcgattat	aaagctagct	38040
ccttttttaa	cttattttatg	taaagaacta	tcccgcgggt	gtttaatcat	atgtcaataa	38100
ttcctataat	acattgttaa	aacatcaatt	aaataagttt	taaaatttta	cccatatttt	38160
tatttgaaaa	agatgtataa	ttaatgtatt	gaatatagaa	agaatttgat	attatgaaaa	38220
agtgtattaa	gactttgttt	ttaagtatca	tttttagtagt	gatgagtggg	ttataatcatt	38280
cagcacatgc	gtcagattcg	ttgagtaaaa	gtccggaaaa	ttggatgagt	aaacttgatg	38340
aaagcaaca	tttaactgag	attaatatgc	caggctcaca	tgatagtggc	tcattcactt	38400
taaaggatcc	agtaaaatcg	gtttgggcaa	agactcaaga	taaagattac	cttacgcaaa	38460
tgaagtcagg	agtcagggtt	tttgatatta	gaggtagagc	aagtgtctgat	aatataattt	38520
cggttcatca	cggcatgggt	tatttgcac	atgaattagg	aaaattttctc	gatgatgcta	38580
aatattattt	gagtgccctat	ccaaatgaaa	caattgtgat	gtctatgaaa	aaggactatg	38640
atagtgaccc	taaagttatg	aagacatttg	aagaggtttt	tagagaatat	tattataata	38700
acccgcaata	tcagaatctt	ttttacacag	gaagtaatgc	gaaccctact	ttaaaagaga	38760
cgaaaggtaa	aattgttcta	ttcaatagaa	tggggggcac	atacataaag	agtggttatg	38820
gtgctgacac	gtcagggtatt	caatgggcag	acaatgcgac	atttgaaacg	aaaattaata	38880
atggtaacat	acattttacag	gtacaagatg	agtataaaga	ttattacgat	aagaaagtag	38940
aagctgttaa	aaattttattg	gctaaagcaa	aaacggatag	taacaaagac	aatgtatatg	39000
tgaatttctt	gagtggtggc	tctggaggca	gcgcatttaa	tagtacttat	aactatgcat	39060
cacatataaa	tcctgaaatt	gcaaaaacga	ttaaagcaaa	tgggaaagct	agaacgggtt	39120
ggctgattgt	tgactatgca	ggatatccgt	ggcctggata	tgatgggtatc	gtaagcaaaa	39180
ttatagatag	taataaataa	ggattaaata	atgacattaa	gacgagtatg	aaaatagtta	39240
gattctaatt	atttttacta	ctcgttttta	ttttgaaaa	aagtaataat	tcaacaatat	39300
tataaattga	acagattttt	tgtgaaattt	ttgataatat	taaagtgaaa	aagtgttata	39360
aattgataaa	tatatgtaat	tcgaaaaagt	gaatcatttt	aaaaagaaga	gagtgtatgaa	39420
atgataaaac	gtgtaaataa	attagtgcct	ggtattagtc	ttctgttttt	agtcattagt	39480
atcactgctg	gttgtgatata	gggtaaagaa	gaggaaataa	agaaaagttt	tgaaaaaaca	39540
ttaagtatgt	atccgattaa	aaacctagag	gatttataag	ataaagaagg	ttatcgtgat	39600
gatcaatttg	ataaaaatga	taaaggtaca	tggattattg	gttctgaaat	ggcaactcaa	39660
aataagggtg	aagctctgaa	agttaaaggt	atggtcttat	atatgaatag	aaatacaaga	39720
agtgcaaaag	gattttacta	tgttaatgca	gtaaagaaag	atgaagatgg	tagacctcag	39780
gataataaaa	tagaatatcc	ggttaaaatg	gtcgataata	aaatcatccc	tactaaagat	39840
attaaagatg	gaaacataaa	aaaagaaatc	gaaaacttta	agttcttcgc	gcaatatggg	39900
accttttaaag	atttgtcgaa	gtacaaagat	ggagatattt	catataatcc	agaggtagcc	39960
agtttattcag	ctaaatatca	attaactaat	gattgattata	atgtaaaaca	attacgaaaa	40020
agatatgata	taccaacaaa	taaagcgcca	aagctgttgt	tgaaaggttc	gggagactta	40080
aaagggttcat	cagttggata	taaagacatt	gaattttactt	ttgtggagaa	aaaaggggaa	40140
aatacttttt	ttactgatag	tctacatctt	gaaccaagtg	aggataaata	atcatgacca	40200
ataaagagta	tgaaatcgat	cccggaaaaa	gagagtgtatg	aaatgataaa	acgtgtaaat	40260
aaattagtgc	tttgttattg	tcttctgttt	ttagtcatca	gtatcgctgc	tggttctggc	40320
attggtaaaag	aagcggaaat	taagaaaagt	tttgagaaga	cattgagtat	gtatccgatt	40380
aaaaatctag	aagattttata	cgataaagaa	ggttatcgtg	atgacgaatt	tgataaaaat	40440
gataaaggaa	cgtggactat	tagttctgaa	atggcaattc	agaaaaagg	agaagcatta	40500
aatataaaaag	gtatgggtttt	gaagttaaat	agaaatacaa	ggagtgcaaa	aggattttat	40560
tatgtttaatg	cgataaagaa	ggatgaagat	ggaagacctc	aggataatca	aatagaatat	40620
cctgtttaaaa	tggtcgataa	taaaatcatt	ccaacaaaag	aaattaaaga	tgacaacata	40680
aaaaaagaaa	tcgaaaactt	taagttttta	gttcaataacg	gtaactttta	agattttgcg	40740
aagtacaaag	atggcgatat	atcatacaat	ccagagggtgc	cgagttattc	agctaaatat	40800
caattaacca	atgatgatta	taatgtgaaa	caattacgaa	aaagatataa	tataccaacg	40860
aataaagcac	caaagttatt	gttgaaagg	acaggtaatt	taaaaggctc	atcagttgga	40920
tataaagata	ttgaattttac	tttcgtggag	aaaaaagggtg	aaaatatata	ctttagtgat	40980
agttttacatc	ttaaaccgag	tgaggataaa	taacctcatt	gtctcccaca	cgattcaaca	41040
cgaattttcaa	atatgtttgct	gtaaaataat	gtaaaataaa	cgtattcata	ttactgaatt	41100
gagggatagt	atgcaacgtg	attattttaat	tcgagtagaa	actgagagta	tgtcagattt	41160
caaaaggctc	aatgggtttta	tgattgggtt	tgttattaaa	ggtgaggcac	atattttatga	41220
tgaaaaataat	atgacgcaat	gcaacagtg	cgacattttc	atcattaacc	accgcgactt	41280
gtatcgattt	caacttcaac	aagatggcat	catatgttat	atccaattcc	aaatgaaata	41340
tttagcgagc	aagtttgatg	atgctgcatt	tctatatttt	cacttaacag	atgcgacctc	41400
aacaaagaat	aaacatcaac	tgagaaatat	aatggcaaga	ctggtttcaa	cacatatccg	41460
acataatgag	ttgtctaaat	tgactgagca	acaacttggt	attcagttgc	ttatgcata	41520
gattcattat	gtcccgcgta	catatcattc	gaaccaaagt	atcttaaatg	atgataaagt	41580
gaatcaagta	tgcgactata	ttgagttaca	ttttcatgaa	gatttaagcc	tttcggaaat	41640
aagcgaatat	gttgggtggg	cagagagcca	tctgtctaaa	aagtttgag	aatcactagg	41700
tgtaggattc	cagcatttct	taaatacgac	gcgaattgag	catgcaaaac	tcgatttgac	41760
atatacagat	gaaatgatta	ctgatattgc	attgcaaaat	ggcttttcaa	gtgcagcgag	41820
ctttgcgaga	acattttaaac	acattacgca	tcaaacacct	aaacagtatc	gaggtgatcg	41880
tccagcagtc	actgaaaacc	agcaatcggc	acaacatgat	tatcacgacc	gtgaattgat	41940
attactttta	aatgactaca	ttgaagaaat	gaatcatttc	attgaagata	ttgaaatgat	42000

GENOM.057CP1.TXT

gaactataaa	gagattacct	ttcaaccaac	caatcaacaa	ctaaatcaat	ttaatcatat	42060
cattcaagtg	ggctatttga	ggaatttgct	caatacacag	tatcaatcac	agttgcttac	42120
atgtcatcat	gatttttcaag	tcaatgaagt	attagcatat	gatgtgatgc	catatatcat	42180
gaaaaagctc	aatgcgccat	tcacgtatga	tgcagaaatt	tcgaatatat	tttatgatat	42240
tgattttgtg	tttagactttt	tttagatca	taatttttagt	ctgaccatgc	atttggatta	42300
gtatgactca	cgagattata	tcgatgcatt	caaagtattt	atccatcacg	ttgccctgca	42360
tgctagtcac	agaaaagatt	tgaagttcaa	cttgtatgtg	acgacattgc	acacgtcttt	42420
gattgaaatg	attgattatt	ttaaagcatt	attccctaatt	gggtggcttgt	acattcactt	42480
agatcaagct	acggaaaggc	agctaccatt	gttgaaacga	cttgagccac	acatcgacca	42540
ttttgtattt	gatgccaaat	caaataatgc	tgttgatttt	aataaaatga	atgatgatga	42600
atttaaaact	gcaagtcaaa	tgattattaa	taaaacgaat	taccttatcg	atttaatgca	42660
tcgtcatcat	ctaaagcgtc	cactcatttt	actcaatttg	aatacattga	cgggtgatac	42720
atttattaca	aacggcgaat	gttttagagg	tggtatcatc	attgagcaat	tattaaaatt	42780
aagttctaaa	gtagagggtg	tcgggtattg	gttgaattat	gacttgcacg	tcagtcattg	42840
tagaaatgaa	cgggattata	tgaattctat	tgaactgttt	catcaatata	atggaaaacg	42900
tccggtctat	ttcacggcat	tgctatttaa	taaatttaaca	agcaatatatt	tatatcttga	42960
tgatacatgt	attgtcacgg	gaactgattc	aaattttcaa	atattgttat	atgatgcaa	43020
gcattttta	ccgtacttag	cgttggacaa	tcaaattgaat	atgctgtgcaa	cggaaatgat	43080
ccatttgaac	attaatgccc	tggaagaagg	tatgtataag	attaaacatt	ttaccttaga	43140
taaagaaaat	ggtgcattat	ttaatctttg	gcgcaaacat	catacgatac	atggtatgga	43200
caaggactct	atagattacg	ttaatcgaat	gagttttcca	aaattagaag	tgtacgatat	43260
agatatgacg	gatacgtctg	cattaaatat	taaaatgatt	acaaatggaa	ttcacttaat	43320
tgaagtaaaa	cgttacccaa	gttcataaaa	tgatcacaaa	tcacaaattt	tgatatacag	43380
aattttgtgat	tttttatatt	caaagttaaa	attgcaaaaa	attaatgggt	aacatctctg	43440
ttgttggcaa	tataaataat	gattaatcat	ttatgatgta	actaaggaga	tgaatgatat	43500
gaatcaacaa	ttatttgaag	ctttaaaatc	aaaagaagac	aaaatgattg	agatcagacg	43560
ttattttacat	cagcatccag	aattatcttt	tcatgaagg	gaaacggcga	aatacatcgt	43620
tgatttttac	aaagataaag	atgtagaagt	agaaacgaat	gccggaccac	gtggaattaa	43680
agtaacgatt	gattcagggg	gacctggtaa	aacatttagca	atccgtgcag	actttgatgc	43740
attaccattt	actgaagata	caggattgtc	ttttgcatca	caaaataaag	gtgttatgca	43800
cgcatgtggt	cacgatgcac	atacagcata	tatgcttgta	ttagcagaga	cgcttgctga	43860
aatgaaagat	agtttttacag	gaaaggctcg	tgtgatacat	caaccagctg	aagaagtacc	43920
accagggtgt	gctaaagcaa	tgattgaaaa	tggtgtatta	gacggtgttg	atcatgtatt	43980
aggcgtacac	gtcatgagca	caatgaaaac	aggtaatgtg	tattacagac	ctgggttatgt	44040
tcaaacagga	cgcgcatctt	tcaaatgaa	agttcaagg	aaagggtggtc	atgggtcatc	44100
accacatatg	gccaatgatg	ccattgttgc	aggtagctac	ttcgtcacag	cgttacaaac	44160
agttgtatct	agacgactaa	gtccatttga	aaccggcggt	gtcacatcg	gttcatttga	44220
cggtaaagg	caattcaatg	tcattaaaga	tggtgttgaa	attgaagggtg	atgtacgtgg	44280
attaacagat	gctacaaaag	caacaattga	aaaagaaatt	aaacgtttat	caaaaggatt	44340
agaagcattg	tatggtgtaa	cttgcacatt	agaattatac	gatgattatc	ctgcattata	44400
taatgatcca	gagtttactg	agtacgtggc	taagacgcta	aaagaagcag	acctggaatt	44460
tggtgtcgaa	atatgtgaac	cacaaccacc	ttcagaagac	tttgcatatt	atgctaagga	44520
acaaccaagt	gcctttat	atacagggtg	agctgtggaa	gatggtgaaa	tttaccaca	44580
tcacatctct	aaattttacca	tttcagaaaa	atcattactt	atttcggaag	aagctgtagg	44640
gacagttgtt	ttagattacc	ttaaaggaga	taactaacat	gaatgaaacg	tatcgcgggg	44700
gcaacaagtt	aatcttaggt	attgtattag	gtgtttttac	attttgggtg	tttgcaaat	44760
cacttgtaaa	tggtgtacca	aattttacaac	gaagttttgg	tgcatgatatt	ggaacaatta	44820
gtattgcggt	aagtctaacc	gcactatttt	caggcatgtt	tggtgttggg	acaggcggcc	44880
tagcagataa	aattggacgc	gtgaaaatga	cgaatatcgg	cttattatta	agtattattg	44940
gttcagcatt	aattattatt	acaaatttac	cagcattgct	aatttttaggt	cgtattatac	45000
aaggcgatat	agcagcgtgt	attatgcctt	ccacattggc	cattatgaaa	acttattatg	45060
aggggtgctga	acgtcagcgt	gccttaagct	actggtctat	cgtttcttgg	ggtggaagtg	45120
gtatctgttc	actcttcggt	ggggcagttg	cgacaactat	gggttggaga	tggtttttca	45180
tcttctcaat	tatcggttgc	gtactttcaa	tgttactcat	caaagggacg	cctgaaacga	45240
aatcagaagt	taccaataca	cataaatttg	acgttgcagg	tctaattgtt	ctagtagtta	45300
tggtgctaag	tttaaagcgt	gtcattacta	aagggtgcagc	acttggttat	acatcattat	45360
ggttctttgg	tttgattgca	atcgtaattg	tagcattctt	tattttctta	aatgttgaga	45420
aaaaataggt	acatcatcgt	taagaccaac	aagtgccttca	gaaacatttc	gtgaatgata	45480
accgatacgt	tcaagaacac	caatcatatc	gatatatagt	aatccgcctt	ttgttgata	45540
ttcaccacga	ttaaggcggt	taatatgacc	tttgcgtagt	ttatgttcaa	tattaaatga	45600
ttctctacta	cgctctacaa	tttcatcttt	tttcgttttg	tcataaacat	ctaactatgc	45660
gatggcttta	tcaaatgact	cagcaacatg	gttgaataat	ttatccatac	cgcgttgtgc	45720
atcttctgta	atgcgaatat	cttcatcatg	ttggcgcttt	aattgagcga	catactcttc	45780
tgtagctct	gctactttta	aaatagagcg	attgacatca	aacataactg	ctaaacgctc	45840
aacgtctgcc	ttcgtaatgg	ctttgtaga	aattctaact	aaataatttc	gaatactatc	45900
attgattgtt	tcaacagctt	ggtgcttttg	ttcaagcttt	ttgatcaatt	ttttatcgctc	45960
ttttgtaatt	tcgcgaatgt	cttcaaacat	tgataagaca	atctgacca	cattttgttaa	46020

GENOM.057CP1.TXT

ttctttttga	gtttcttgta	atgcaacacc	aggtgcgtga	taaacaagat	ctttgtttta	46080
gtgctgaggt	ttatagtcac	cagcaatata	tttacctggg	acaagctttg	taactatcca	46140
tgctaaacct	gctacaaatg	gtaattgaat	caaagtattt	gttatgttga	agataccatg	46200
tgatactgca	atcgctcatc	ctggttttta	gtgccataca	tcttgtaaca	aactaatcaa	46260
atgaatcaca	actggcaaga	aaattgtgaa	gataattacc	ccgattaagt	taaagatgac	46320
gtgtacaagc	gccgcacggt	ttgcagcgat	tgagccggct	aaactagcta	agatagctgt	46380
aatcgtggta	cc					46392

<210> 88

<211> 57474

<212> DNA

<213> Staphylococcus epidermidis

<400> 88

cgaagcatat	cataaatgat	gcgggtttttt	tagccgcttc	atgaagaaaa	ttagagttag	60
cacaatactt	ttgttaaaat	ataaagacaa	atattttggaa	atataaaaaat	aattaataat	120
taataaattc	tcittattttt	ccatttgaat	ctctatataa	atTTTTttgc	aaaaggacat	180
cttcttcaga	ttcaatatct	acactatcta	ccaatttttt	atTTtctaaca	tcagtaagtc	240
gtgtataaaa	aaaatatata	aaaggaatta	ataaaaaagaa	tcttaatttt	ttcatagaaa	300
ttacctttct	tattcaatag	ctataaactt	aaaataacat	ttattttta	attagtaaat	360
atatttttga	atatttaata	acaatcggtt	agaatgtata	acacttataa	atatattatt	420
aaaagtagat	gtatataatg	aaaaattatc	aaaaagtagt	aaaattaaaa	tttacctttc	480
acagcacatt	tgtaaaaatt	attcatgata	tgtaaatTTg	atgtaaagat	taaattataa	540
tatatgcata	tgagaaaact	atgctcttta	gtattaggtg	aacatttttag	ggaggaaaaat	600
agtttgcgat	attcaatagt	tatgccttat	aaagaaacag	atacaaagat	gtttaatgat	660
tgtttagata	gtcttaataa	tcaaactttt	aaagattttg	aggtattatt	tatacatgat	720
ggagattcaa	atttgcatga	cgaataaaaa	aatattaatt	ttaatcataa	agtttttagaa	780
tctaattggt	catcaaattc	tcaatattat	agaaatatag	gtattaagga	agctacgggt	840
gaatatatct	tgtttatgga	tagtgatgat	tacttacacc	ctaattcgtt	aatttatgcc	900
aatgaaatca	taaatgaaga	acacgatttt	gtgggttaagc	taggagtaaa	aaaaactcac	960
tataccaaaa	gtttaacttt	caaggaaaac	actcgaagtt	tttataaacc	tgaaattttc	1020
gaaaaaataa	gaaagctact	taccgatata	aatataagaaa	atgtatctaa	tccagagttt	1080
attaataaac	tatatgagct	tgaattagta	aagcatagtt	ataataatat	taaacaaaaat	1140
aaatttttag	acaatatata	ttatcgttta	aaatctaatt	ggttaataat	taatagacaa	1200
ttcataatag	atcatgaact	aggatttgat	acaactaaca	gtttatatgg	agatattccg	1260
tttgttatca	aattatataa	tttagtagat	agaataaaaac	agacaagagt	aaaattatat	1320
tttaaattaa	tacataacga	tagtattagt	tatccgtcac	atacacaaaa	atttaaagaa	1380
actaaaagct	attataaatt	attagcgtat	gataaagcat	tgaattattg	tcctaattta	1440
aacttagcga	gaaaattaaa	aggttttgct	acaagagaa	atTTtatatta	tgtatgtaaa	1500
ggtgaagatt	ttcgaaactc	atTTtaacaat	gtaaaaccaa	tatatTTcaat	tttacgagat	1560
ttactaaata	aaccttcaaa	aagactcaaa	atcaattttgc	gtcataaatt	ggaaattaat	1620
cctattaaga	acggggaata	cagaaaagcc	tataataggt	caagaagaag	agTTaagttg	1680
tataatgctt	atgaattttt	gaaacctaaa	aatgaaagat	atagaaaaaa	agttatacaa	1740
aaaaattttt	ttgcaaaatt	gccaatacgt	aaagattttga	tcgtttatga	aagtttttta	1800
gggaaaaatt	actctgatag	ccctaaatca	atTTTTgaat	atcttaaatc	atctgagagc	1860
gataaattta	aacatgtttg	gattttgaat	aataaagata	ttttagaaga	ttatccaata	1920
ttaaatgata	aaaatgtgaa	aattatcgat	agattttagct	gggaatatit	ttattatgta	1980
actgtcgcaa	agtattttat	actaaatatg	agacagccca	aatgggttagt	taaaaagaaa	2040
gatcaaaacta	ttttatctac	atggcatggc	actcctttta	agagattagt	atttgatagt	2100
gataatgtaa	cttcagcaag	taaaagttat	aaacaagatt	tttatcagca	atcaagaaat	2160
tgggattacc	taattgctgc	taataaatat	agttagcaaa	ttttcgagag	agcattcaaa	2220
tatcctactt	caaataattt	aacttatggt	tatcctcgaa	atgatatctt	aagtaattat	2280
aatcaagaat	ataaaattaa	ggttaaacaa	aaattaaata	tacctacaga	taaaaaagtc	2340
gttcttttatg	ctcctacttg	gagagatgat	gaatatcatg	gagtaggtca	atacaaattt	2400
tcattaaatt	tagacttaga	acaaatgaga	caagaattgg	gggaagaata	tatcgtacta	2460
cttagaatgc	attactttat	atcagataga	ttagatattt	cagaatatga	aggattttcg	2520
tttgattttt	ctaaatataa	tgatgtaaat	gacctttata	ttgtaagcga	catattgatc	2580
acagattatt	cttcagtttt	ctttgattat	gctaattctga	agagacctat	tttattctat	2640
acttatgact	tagataaata	taaagatgaa	ctgcgtgggt	tctatataga	tatggaaaaa	2700
gattttaccag	gaccgctttt	atttgattca	tcggaagtta	ttaataatat	aaaaaatatt	2760
gaggttataa	ataataatta	taaagagaga	tacgaattat	tttataataa	attctgttta	2820
ttagatgatg	gaaaagcaac	aaaaagagtc	gttgaaaagg	ttatttaacta	atatttttaa	2880
atgaaaaaat	aaattaatag	agcatccctt	accgcaaagt	gaaggatgct	ctatttttgt	2940
tgaaattaat	ataagcttca	ttctgataga	tagtcattaa	taattgtttg	caaactcgta	3000
ttaagtaccg	ttgttacagc	gtcatcatcc	ataaaatcct	cgtagatttt	atcaagaatt	3060

GENOM.057CP1.TXT

tattcctctt	acagacattc	gcgagaagtc	cgttttaatt	ttattagaag	taattcaggt	3120
ttgaacctac	ctaaatgaat	atatgagtta	tctttttatac	tacaaaatat	attcagattt	3180
caataatgac	ataaaatagg	catcttttata	tttaccttta	gtgtagaatt	gctcttttgag	3240
taatccttct	gtttttaaatc	cttgtgactc	gtatatatga	atagcttttt	tgttatctgc	3300
atcaacatat	agatagatct	tgtgcatatt	taaaatattg	aatgcataaa	ttatcgcttt	3360
ttcgaatgcg	aatttttgc	aaccttttacc	actgaactca	ggtttaataa	ttattttgat	3420
ttcacaatta	cgatggatgt	aattaatttc	tactaattca	acaataccta	cgacttgatt	3480
ttcatcttca	acaataaaaac	gtctttccga	ttcatctaat	aaatgccttat	caaataaatg	3540
ttgaagttcc	gttaaggatt	cataaggctc	ttcaaacc	taagacataa	tagaatattc	3600
attattta	tcatgaacaa	aaagtaa	actatattct	aatgctctta	gtttcataat	3660
tccactccca	aaactttcat	ataatattgc	attataaata	taaataacga	ataagtcac	3720
atcactgtga	acactttttt	taacaattca	tcacatatta	attctcattt	tctttattt	3780
ctcgatttat	tactcttact	atgaaatcta	taaaattctc	atattttgtt	atattaagaa	3840
taaatacgtc	aatagtaaca	ataaaaaata	aataatagag	catccctcac	cgctaagtga	3900
aggatgctct	agttttattg	aaatatacat	ttcattttgt	taaataatta	ttataaatat	3960
tttgaaaaatc	attattacgt	gaaatcttca	tagattttat	caagtatttc	tttgtcttca	4020
attgctgtga	agtgaatgtac	caatcctttt	ttacaatcat	atgtaatttt	gtgacgctag	4080
gtaattagta	attgttcgtc	agtcgtattg	tatagtatca	agtttcata	ataatactct	4140
ttgatttttaa	tgtccacttt	gacgtgcttt	aagattgagt	atatacataa	tgctattgtt	4200
gaatgttaaa	aatcctataa	atgtttattc	atctgcagga	ttttttaatc	tccaagaata	4260
aaaatcatca	taggacaact	ggattattgt	ttggataaat	aacgtaaa	ataattaggt	4320
actattattt	attttttgtt	attctttttc	ctaacaaaat	aaagaaaaga	ataaacgcaa	4380
ttgttaaaaa	tatgtgtcct	aaaccagcaa	taccagcaat	agcaggactt	acacttagat	4440
ctttaatggg	agaaataccg	ttcacgaatt	gcattggccac	agtaacaagc	acacctacat	4500
ggtatatata	aaagaaactg	ttaaacagct	ttgtatgagt	tgtaattttg	aattggccct	4560
cgataatcat	gaaaattaag	aacataattg	tacctagtac	taataaatgt	gtatgtgtaa	4620
catttaattg	agaaaaaccg	ctaaaatctt	ccgcttttgt	catttctcta	taaaatagac	4680
cacttaataa	ccctaatagt	gtatagagcg	ctgaactata	cattaatctt	ttcattttaa	4740
ttccccctat	ttttaattac	gagataagta	tagcggtagt	ttatgaactg	agtagaact	4800
tacaacaaaa	aaattaatga	agtactttac	aataaactca	atttattaga	tggtggagg	4860
acgaaaaagg	atttttagaaa	aataaattaa	tatattttta	ttttgataaa	taataattaa	4920
taatatcttg	gaaatcattg	ttaaagtattg	ttgtaataca	atcgctcattc	ataaaatctt	4980
catagatttt	atcaagtatt	tcttcatttt	caatcgctgc	gaaatgatgt	actaatcctt	5040
ttacaattga	tacataaactt	tgcgatgcta	aacaactagc	aactgtatgc	caatctgatt	5100
gttttagtttc	atgggttcata	gataatcatc	ctttatttca	atgtccattt	ttgacgtgct	5160
ttaggattaa	gcggtatgcat	aatatcattt	gttgctggat	ttatcaactt	tttcaccttc	5220
tttttatgag	gttttaacat	ttccattacc	tgtgatacac	gttcaacgac	agttggccgc	5280
ttcgcataag	ctccataggc	tagaatcact	gtgtcacttt	cacttatcgc	tttcatcaag	5340
tgaatatcag	tgtgctcatc	atatggattt	ttgatgtgtt	tgagattttc	tggactttta	5400
atattagaga	atagattatc	aagatatata	gcgccatatt	gttcagaatt	agctaattgg	5460
ttgaggataa	gaacagttgt	gagatcgagt	gataatacac	cgtctaaatg	aggatacatc	5520
gttatcactg	tgcatgcagc	tttcttttca	tcccatgttt	tcttgagtaa	atagcgggtgc	5580
tgttcatcat	cgctaaatat	ggcttctgtg	tgtatcgtac	ttttgattgt	attcatcatc	5640
gtcacttctt	ttagtattct	tctggtaaaa	gcatcacata	ataaaaagcg	tccacgtcat	5700
cttcacgaat	gacgtagact	ttcttaggta	atgcattttg	atttttttca	tagtttgat	5760
agtgatattc	caatttgtat	gtgggtgtgt	cttggtcatg	cgtaactgac	aacatttat	5820
catcttcttg	tagtttgaaa	atgtgtaggt	aatcggtagt	agagtgggta	tctctttctt	5880
ttaccatatt	ccaaagtatg	atttgaaggt	ctagagatag	ttgttcaacta	atgcctcttg	5940
tgatgtatcg	attgattttc	atactatttg	cctccatttt	gcttttcttt	catgatgtca	6000
atcacttctg	taatgactgt	aacagatatt	tgtgccactt	tgatccaatt	attcatggtc	6060
ctgacctctt	tgtttttagta	aatgacgttc	atcaataatg	atattttgag	tatctgtaag	6120
gtacagaaag	tccatatcaa	aatgatccag	ataaccaata	ctgatgagtt	ggttattggc	6180
atacattaga	aatggataga	tacttagctc	atgtagctca	tcattatagt	aggataagt	6240
ctcgagtgtg	agttgtacca	gtggagaatc	attaataaaa	cgttccggta	gaatattttc	6300
tgctgcttcc	tccagcgctt	cacattccca	agcttcgtta	ttagatagtt	ggaataagt	6360
ggtcatatat	tgtttgagtt	cttgagtgat	ggttttcata	ttattgcctc	ctagatagtg	6420
taatagtgat	gtagtttcata	tacatcattg	agataatata	tatttgattt	gtcattttat	6480
acgaatccc	gtgggaataa	gagaaaattc	catatgaaaa	accgcttcaa	accttgggtat	6540
gacaaggaaa	tcccgaatt	ccgcctgttt	tgacgaacaa	tcaactcatt	atttataagt	6600
attgatgata	gtggcgggtc	tttacttctt	tatatatatt	atttatttat	aaagaataac	6660
gggatttttg	gattgtgctt	gcacaatcct	tctgcttctt	cgaatctgca	aatcccatc	6720
ctttcccgat	aaaaaatcat	cgtgggagt	tcttttagcaa	tttcaatata	agcttcgtgt	6780
agtagtagat	agatactgtc	aattcgctct	ctatttagat	aagtgttatt	gaaattgata	6840
aagagaattc	tcaaaaattt	ttagaaaaag	aaagagggaag	tatgtagata	taaaatagat	6900
ttattaaata	gtaagatata	atgtttgcgg	taaaaaataa	gacgaagtgc	tggaatacac	6960
ttcgtcgata	ataaggtaat	tgaagtctcg	attattttta	attgatcatt	ttaagcctac	7020
aaattcctct	aatgtttcac	cagatttgta	cacttttgtc	gcccttcttt	ttcctaaata	7080

GENOM.057CP1.TXT

acgtaaatgc	caaggttcat	attgatatcc	tgtgatgctt	tctttgtttt	taggatattct	7140
tataataaat	ccataattat	gggcatttctt	agctatccag	cgtcccttctt	cagttttacc	7200
aaaactagca	tatagattttt	tatctgaatc	gacgccacca	acatcaaagt	taagacctgt	7260
ttgatgttca	gaatagcctg	gacgcgcact	atatattatct	gctgcttttt	taccatcacg	7320
cttcacataa	ttattatata	gcttaacttg	tgtaggatag	cttctatatc	cactttatttt	7380
atataagtga	atatcatctt	tttgtgcacc	atcaaaataat	tgttttaagg	ctttttgtgc	7440
ttttggattt	tcacccggat	tataagagga	gggtaaatca	atatttttgt	ttacaattaa	7500
aattccatct	gcatacgtcc	gaccatttctt	aacaactttt	tgatgcttct	tttggttgtt	7560
atcgttattt	tgggcttgat	ttgtatgtgc	agttttactt	tcatttttgt	cattgtggct	7620
ttcagattga	tgtgaacaag	ctgaaagtaa	taaagcgcta	gtcatcaata	ttacagataa	7680
tttttccata	tttaatactcc	ttttgcta	acaaaaatat	taaatgctaa	atataacata	7740
acataacttt	tgagctctat	atataatatt	taatatttta	taatgattca	attaatgcgt	7800
atataattta	tattatgtta	ccattaaata	tacatgatac	gagttgattt	aaagtaagtc	7860
gttcattttt	aatatcaaag	tcacaaatat	aaaatagaaa	ttgaggaata	tgaattgaaa	7920
aaaatatttt	tgattatgtt	gatatcttta	ttttgttgta	gttttttcac	aaatactaca	7980
tatgctttga	ctcctgttga	aatcactaat	aattcaaaaag	cacaacttga	tgaaggattg	8040
aaccctagag	gagcagtcgt	gacaacaacg	aatggacaaa	tattatataa	gtatcataag	8100
gataagaaaag	ttgatcctgc	atcaacaaca	aagtgtgatga	caatgctagt	tatatatgac	8160
gacattaatc	atagtaaagt	gagcttaaaa	gacaagggtta	aaatatctga	gagatatcaa	8220
aaaatgtcac	aattacctaa	tttaactacc	tttccattaa	aaaaagggca	aacatatacg	8280
attgaacagt	tactaaaaca	agctgcctta	aattctagta	atgcagcaac	gctagtatta	8340
gcagaacata	tagatggaga	tatttcaaaa	ttcactgata	gaatgaaccg	tgaagcgcaa	8400
ttattaggta	tgaatcaaac	gcactttact	aatcccagtg	gtgccaaaca	taaaattata	8460
aaaccctatg	aacccaaaaa	atataaggat	gaaactagct	catatacgac	agcaaagtat	8520
atggctattt	taacaaatca	cttattacgc	aagtatccta	atatttttaa	aatgactcaa	8580
ttggaaaacag	atactcaata	caatcaacaa	ttacataaca	cgaatttatc	actgcctcat	8640
caatcactcg	gcataaaaaa	tgtggatgga	ttgaaaacgg	ggacaagcaa	agaaggatat	8700
aatttagcat	taaccgctaa	aaaagatcaa	ttaaagagtga	atacaaattt	atttaatatc	8760
cagccatatt	ctagtgaaaa	agctaaattt	gtacgccaca	aggttgctaa	cgcactcacc	8820
caaaacgcat	ttaaaaatta	tacgtatcgc	aaagtgatat	cgaaggtgc	acatcaaatt	8880
gatggtaaaa	cttacaacgt	gaaagaagac	ttatatgatg	tagtacctaa	ggataacagt	8940
aaatatgaat	taaaaatatc	ggaaaaaaac	caactatcag	ttaaatacaa	tcgacaattt	9000
actaaagggg	agcatatttc	tagcgttaaa	gtagaaccaa	agtttaactt	cttgtctgta	9060
ttatttcaaa	tcacttttagc	aattgtcggg	ataatattgg	tttctgtcat	tgttattata	9120
gcatcaaaag	tgtacataaa	aaaaatatagt	aaaaattaaa	ttaatttctt	tttaagaaat	9180
agaacatgtg	taacaaatgt	ataaattaaa	gtagatgcaa	ctttttgtgt	taatatcttc	9240
tatttttata	taatttatat	attttaaata	atttatattat	tcatatagta	ctaaagatta	9300
aagtattata	ttttgaataa	aggcgaagtg	ctacaaagca	cttcgccata	atatccagca	9360
ttttatttaa	tttaatacttg	tgtatcaatg	tagatgtgcg	ctagtttctt	caacttctcc	9420
tctagctgtt	ttttcgtaca	tttctagttg	cttctcataa	tatgatttat	atcatattta	9480
ggtgtgagac	ctcagccagt	ctgtgacatg	acattttttt	catattgggc	ttctttttga	9540
ggggagtgaa	attttccaac	gtaatcgatt	tcgttttttg	ttttgtgtat	aacttctcca	9600
ctttcattcg	ttcttatgtc	atttattatt	acgttattat	ttgcattagg	ttgagcaatt	9660
gtattatttt	ttgaatttag	attatcacgc	ctgtcatttc	attcaacagg	ctcttctttt	9720
ttatctttat	cttttctgtt	gttctttatt	tttggtagtt	ttatgagctt	gagagtcttg	9780
tttttttatt	gttcataatc	ataacagtct	tgtaaactaaa	tactaacgat	acaataatta	9840
cacttattaa	agcgactgta	gataatatag	gggaaaaata	tttcttataa	acctctctca	9900
atataattta	atcctatatt	gcattaattt	aaaaaacata	ccactgaaat	tatatgttta	9960
aataaaaaag	ttggggtaaa	aataaagacg	aagtgtctaa	gagcacttcg	tcgagaggaa	10020
tatcattgaa	aacctgttta	attacttcat	tatcaagttt	gagtgttaca	taaaactgtt	10080
ttttgtgatt	gctgtctttt	ctaatatcta	tgcgatcaat	cactgtctaa	tacagtgtct	10140
taagttgaga	ttttttcatt	ttctcaatat	tatgaaagac	gtatcgcaat	attttaccaa	10200
tttttttggc	attatatgag	ggtttatctt	cattttgttg	ttttttgagt	tgattgattt	10260
gactcataat	gtcattaagt	tgcttatcat	atttttgaat	cgacggcctg	attactgatg	10320
ttaaagtcgg	attatcctcg	atggttttta	tcaagttatt	tagtttgatt	cttacttcat	10380
catattgttg	ttgcttataa	gcgatatcgt	gatgaagtga	cgacacatca	acttgatttt	10440
cttgattaac	acgtgtctaca	acgctttatc	gatctttatc	acttttgact	atttcgagta	10500
tttgcttcat	cacataatct	tcaatcacat	cagctcttac	actgtttgac	gaacatactt	10560
tggacccctt	gttgcgaaaa	ttactacatg	aatagtaacg	tatacgtttc	ttggttccat	10620
ctttaagtgt	attcgtttga	ttgcttgctg	ccataggtgc	gccacattgg	ggacagtga	10680
taatgcctgt	aagcagattt	gttccttttg	catggacttg	gggtttttga	ctgacttggt	10740
ttttacgtat	ttgtactttt	ttccataaat	cttgactta	aatgggggaa	tgcttccctt	10800
cagctatcac	tggtttatca	ttagccctt	tacgacgttt	ttcactccaa	tctttgtatt	10860
tcgcaaatg	aattttgccc	atatagaatg	ggtagcttaa	tatatatgtg	atagaactaa	10920
tactaaaagg	tttacccttt	ttagtacat	agcctttgtg	attcaatgca	ttggctattt	10980
tacgatagcc	atgtcctttg	gcataaggact	cgaatatata	ttttacaata	ttagcttcat	11040
gttggttaat	cattagctcg	tgtttactat	ctggtatttt	gtcataacct	agtggttaaat	11100

GENOM.057CP1.TXT

tgcttgata	atagccttct	tgggcacgtc	tcgtttgccc	cataaataca	ttctcgacaa	11160
tggtattacg	ttcgaattct	gagaaactcg	caagtatttg	taacatgagt	ttaccagaag	11220
aagtattgac	ttccatacgc	tctgataaac	tgaaaaattc	gacattttgt	ttatgcaaat	11280
cttcgacgat	tttcagaaga	tccgatgtat	tacgagctaa	tcggtttgtt	ttgtagatca	11340
taacacaatc	tatatigcct	tcttttgcat	ctttcaacat	acgttggagc	tcaggctctgt	11400
tcataaattt	acctgaaata	ccacgatcag	cgtatatatc	tttgacctca	aaatgatgga	11460
agtcacagta	ttctttgatt	tgattgattt	gtccatcgat	actataacct	tctgtgcttt	11520
gcattttctgt	tgaaacacgt	acatagatac	cgacacgttt	tgttttaagt	tgttgcatta	11580
tgttacatcc	tttcttcatt	tatgcaatcg	atgattgcat	ggcttgattg	acgatattga	11640
gtggttcatt	tttgaaatag	attcctataa	gattttttatc	tttcgtaatg	tgaatgggtt	11700
caatataggg	gtacaatatg	tttaacgtga	aacgtttttg	aataaatattt	tgaatgggtg	11760
gttgattttg	atgcccattt	atagatgtag	tgcgttgctg	ttggtgacgt	aatgattgctg	11820
tttgttctct	gaacgtttct	gcatcaatga	tgctttgtgc	caacttttct	atcagttgtt	11880
cttgagtcac	tatgtgatgt	ttttctatgt	ttctttgtct	tttgatgcgt	ttgtcaatcg	11940
cacctttaat	ttttgtgtag	atgctgtgat	tttgataaaa	gtctcggcac	acttctaata	12000
ctttatcttc	aagtgtttgt	gcattgatgc	ctttaaaatc	acagacaaag	cgtgaagcat	12060
tcattgtttt	aggacagacg	tagtaacgta	atgtatgatt	cttttttcta	atggctcatat	12120
ttgtaagtgt	tgcatcacaa	catgggcatt	tgattttttg	tttgagttga	ttatccgaag	12180
atgtctgttt	ggtttggttt	tgcatcgaa	gtctctgctg	ttgtctatat	atacttgttg	12240
aaacaataga	aggaaacata	ttgtcgaatt	gaccatattg	attgttgaca	cgaccacaat	12300
aattaggatt	gatgataatg	ttacgaactt	gatagggttg	tcgattgata	tacgtgttat	12360
ctttctctaa	cattctgtga	attttcttat	aacctatgac	tttaattgta	taattgaata	12420
cagcctttac	cgttgggtgac	tcattttgat	tcatgatgaa	tgttccgttg	tgataaactg	12480
aaccaaagg	tgcatgtgtt	gtaatcaatc	gacctgtctt	tgctttttct	tgaagcccat	12540
ttctgacttg	ttctccaatg	ttatccgatt	caagttcggc	taaactgatg	aagatattaa	12600
gcttgagtcg	gtcgaagcgt	tgatccatat	caaagtaacc	atcatgtacg	cttaagatat	12660
gaacatggta	cgtttgacat	aatttgatga	gttttaatgc	atttttcaga	ttacgatgca	12720
acattcttaag	acgataacag	cataatatgt	cacattgtcc	ttgttgtaatt	aattgtgtta	12780
cttgctgata	cccactacga	ttatctttgc	gtcctgattg	tttgctgcta	taaaagtgtga	12840
tatgttgaat	atgatgtttt	tcggctattg	cttcgatagc	ttgtttctgt	gctgcaagag	12900
attgtttgtt	catcgtactt	tgacgtaaat	agcctataac	ttgtttcata	tcggctcctc	12960
ctttcacagt	gataatatat	atttatagat	gaattgatat	ataagcccaa	catcaatgag	13020
atgtttggcg	tccatattag	tcattcgttt	gatttgattc	ttcaattacc	aaatcggcta	13080
atatctcgat	aagtttcatcc	atgtttttca	ctccgttatt	tgttctatct	tcaatcgcct	13140
gattatttcag	tttgatgctt	cacggttgta	tgataaagac	aatcagaaat	cttcgtgaac	13200
tcctgaagg	cctatcccct	cattagcgga	tttaaaaagt	tctttcgcag	ctttgttatc	13260
atgtgcccgt	gtccaatttt	gaattaacga	cttatcttta	gttaatccca	ggatagatgc	13320
aaactctaca	tctaatttta	gatggtaaaa	tacaagtgat	tgttttttac	cgctattatc	13380
tttgacactt	cttttagttg	tttggcgtcc	acggctcagc	aatatgaaac	ctttatctct	13440
taaggcggtg	acaacattat	taacatcttg	aaattgatga	ttgttttagca	tctgtttaaa	13500
aacgtttgca	atcattttta	cttcgatatg	gtcatctttt	aatgagatta	atccatagtt	13560
ctcaaacata	tttttcaaag	caccttcac	tgaaaactta	cctctgtttt	gtgctacaaa	13620
ttgaatgatg	acatcgatag	ctttatcagc	taatgagcgt	tcagagattg	tatgaccatg	13680
ataatcaata	aagtagtctc	ttattttagc	gatatcaata	tctgtagcta	aaacacgacc	13740
taatattttt	gcagatgttg	taatgacttg	aaaacgctta	aacatacgat	tgccgtgtgt	13800
gcttttatca	tctttcaatt	tagcttcaaa	ccaattctact	tccttgtaaa	accattgaat	13860
aaacttcatt	tcacgattta	taagatatatt	agctactaac	ggtaaaacat	gaccatagtt	13920
tagtgctaca	gcttttttaa	tattgtcagc	attggtcgca	tttgtagtga	attgttcatt	13980
aatctcgatg	gttcttacac	gtaatccatc	gttttgagct	gaatcattaa	aaatactgtg	14040
ttctgacgtt	gaaatgacag	aagtacccca	attcttaggc	gttttaactt	ctccatgaac	14100
gtttgaacgt	tgacgacctt	gaccttcagt	gatggagtag	aataaccccg	ttgtatctct	14160
aaaagttgct	gatgagagtt	catcaaatac	aatagggtata	ccaaaattgt	tactcaagta	14220
accttcaagt	gcattacgtg	tggcattcca	atttctaaag	agagtttcat	tacctttggt	14280
agggttacca	gcgactgata	cagctaaaga	agctgcagtt	gacttaccgg	ttgaggattg	14340
acctgtaaaa	ctaaaaatga	ttccggcaaa	ttcggtttca	tgtttggtct	tcaggaaact	14400
cgtcctaag	gcagaaatac	caaatacgac	tgctaattct	aaaagaagag	aacctttaac	14460
ctcttttaga	tacatgttaa	accaattatc	aaatgtacct	ttaggagtta	agtcataaag	14520
attatcacaa	atggcgctcag	atggagattt	attatcaaat	tctttagtag	tatagatttc	14580
acttaacgat	acaataggac	caaacggtgt	ttccagtata	cctacccctt	catataagta	14640
ggaaatgggt	aattgattgc	gcatttggtg	caacgcataa	cctaaatctt	ttgtataatt	14700
ttcattaata	ctaaatccat	acttcattaa	agatggcagt	ttttgtgtcg	ttaaaatatc	14760
actaatattca	acaatttctt	tttgatcttc	gtctgtgata	attagttttt	cagtatttag	14820
tttaggggtca	ataaaacttat	tttcgataac	gataggacct	gcgatttcaa	cttcagtagg	14880
catttctcct	ttttcttttg	ggggcggtgc	tttataccaa	cttttttttg	atttgtatcg	14940
tggtgaagga	ttaaatgaaa	ggttagtttg	agccatttagc	aatcacctcc	tttcgaagg	15000
ttgctgttat	ggtgtggatt	aggacctgtt	taaagataaaa	ctaagtgacc	gtgagtatcc	15060
ttaccgataa	taataaatgg	aacacgtggc	gcatgtttta	caaaaatatgc	gaaccaacgt	15120

GENOM.057CP1.TXT

```

ccaacatttt gttgtacagc ttttgaacat tgtacatttg cacgactggt caagtcatga 15180
aatgtaaatt cttctccttc aggtaaattg aatgaaatac ctaatatattt cttttttaac 15240
tgctcgaatt tatctgattg attgaaatac atttaacttc ctctactaa tgaactaaga 15300
taggaaaatt aaatatgcgc acaattaact ttcttaagtt catttttagcc aagaagttat 15360
catttgaaag cttgtaaaaa atttaacagc gcttttaata aaaattaatc tgaagttata 15420
tgacaaaata aaaaacgctg atttaacagc tcatctaaat aatattcaag aatctgaagt 15480
taaaagtagt cagaaggagt ggtgttatta tcattataat aatctagtgc tttattgatt 15540
tcttttatta atttatcatg atgttctttt gttattttct ttggatatatt gagttctttt 15600
tcttctaagt cttttggaga cactagggtca ctatttataa ttaatgataa cagcatattt 15660
ttaggtgccg aagctctggt gtctcgatga gtaatatatt ttgctaaatt actgtttata 15720
cttacttttt ctttttctaa aaagtttgta ctatttttca catgagcatc agcaattttg 15780
gtacttattt cagtgtttta atcgtctatt tcatctaaat aatattcaag aatctgaagt 15840
ttatctttag aagtataacc ttttccagt gaaatcttaa taatgataga tttgattcca 15900
atttctatat tactgtctac tagaaaatag agataataat tagtcagagc atgttcataa 15960
tctctttgat cagtaatttc atgattgatg aaataatata agttctcttt gatacgatta 16020
gaagaactta tatctttgtc attgataccg tttttaaaaa agtgtagata aactgagttg 16080
tttgagagta tatcataata tacaataaaa ctttttggtt taaatacata tgatttttct 16140
gatttaaaag ttgctatggt tatttcctaga gcgttgtaga attttattaa attagtttga 16200
aaattatttt tttcttgaat aaacatgtcg ttgtcattta atttctgaact atgattttta 16260
atcatattga tttttcttc aatcttgtca ctattttaa tttccatgca aagtatacta 16320
tatcttacta tatcacttat atttatggaa aaatcttttag gagaacgatt taaagtatcc 16380
tttttattat ctgactctac agccctacat gaatcatcaa aaacttcttt gacattttat 16440
ttatcaatgt tcaaaattat gtctactaat gctatttgaa atttttcatt atatatgtct 16500
ctcttattca taatatcact acctttatca attataataa tatattatat cttaatattt 16560
gtagaagtac ttgatgagag gttagataaa acaccacatt tctctgggtta gtaaaaaacat 16620
aacttctaag actttttttc atatacta ataaatattt ataaatattt ttgaaaataa 16680
aagtagtgta taaaaatgta tgcaaagaag gtgttttagt atagatttta aggcattcat 16740
ttttaatata aatatattat attaaaaatg attatccttt caaaaattt 16800
gcaacgagta attttacttt agttatatta taaagttaga ttaatagtaa ttaaaggaa 16860
gtttgttctt gtttttatat gtaaatacga gaacgattga atagataaag aaggataaaa 16920
ttgacttcga aatagaatat ttaatttcaa gaaggagagt attggatgtt aaagcataaa 16980
ataataaatt taatacaaga aaagagagaa gggagttact gggattttta agcagaatat 17040
cataaagata aagcagaatt attacatgat ataatttgtt tatcaaataa cttgttgaat 17100
caagaagctt atttaatttt aggaagtcga gataacgggt atattctggg ggttgcagg 17160
gattcaaatc gaaaaaacca agaagaatta atatcattta ttactggaaa aaaatttgc 17220
gcgggtaggc accccaagat ttcattaatg acatttgaat atgaagaaa ggaaatcgat 17280
gtcattataa taaatcctaa aggatattgt ccatactatc tggagagagc agaaaccgat 17340
caaaaaagta aaaaaaacaa aacagtcaat gcaggtagca tttatacaag agttgaagat 17400
aaaaaatccc caatagattt tactgcaagt ccattagata cagaaatatt atggaaaatg 17460
ctttttgggt tatatcctac tcctataaag aggttatattt attatttact aactcctgag 17520
aaatggatgc agaactcaac aggttatattt catagtgaat cgccagagta tatagtatac 17580
aaaaatgagg acattgaaga aaaagaaaat tattttaatt tagtaagtcc attttatgag 17640
tataatcaaa tcaatagtaa cactttatag tcatattacg aatttaaata tcatagtaca 17700
gttttatatg gttgcccgtg tatctcttta gattcaggta tctacacaac accagtacct 17760
gaactagggt agataaatt taatatgcatt agagatgata ctatttatta tcgttatttc 17820
attgaagaga cgatgcttta ctttttatgt ataagggtga ttcatgtgaa ttcgatggaa 17880
gagaaatttg caatggataa attttttaga tgtgttttgg tttataaaaag tgatgtgaaa 17940
aaggaacttt ttgaaaatta tatattagat aattgggata aagttaatca gtcaattaat 18000
gaaaataata aacgtgtatt tggaactgaa catttgtcac aacttgaaaa agaagatatc 18060
actaaaaaag taaaaacagt taaagtttta aaagatgaac ttgagaactt tagaacttga 18120
gaaaaattat tggttaatag gagaaaatca tgaaaaaatc aacactcatt gataaatttt 18180
tagacttact ttcttcaaga agctcactca gagaaattca gaataatttt attgatgcaa 18240
acattatgag agatagttct ataaatcaaa aatataacgg acaacgtaaa tcgttagcgt 18300
gggaatatat tagtacttta aatttagaag atgaagctga attttctaaa ttacttaatg 18360
ttatagaaac gtatttgttt caatggaatc tgtatatcca tgaagttgat gaagacgaag 18420
aaattaatag ataaataaaa ataattaatg tattagggtta tgaatataat aaagatacac 18480
gaaaaataac taaaaatgaa agagaagtta atttaagtac tattaaatct ttggcaataa 18540
aatttgatat tgaatatgta ttaaaaagaat gtaataaat tgaaaaagag gcactaacgg 18600
atccagagga cgcaattaca tctgcaaaaat cgatgggtga gagtactttg aagcatattt 18660
tagattctga aggagaaaaa tttaataata atgaaacctt gagagggtta tataaaaaag 18720
taagtaatat tatgaatctt tctcctggtg gacataatga aaatactttt aaaacaattt 18780
tgagtggaaat gataaatgta attaacggtc tggacgaagt aaggaatgaa tatggtgacg 18840
cacatggtaa atcaaaagaa aattataggg ctgaaactag acatgctttt ctgactaacg 18900
acgcagcacg tacgataact gaatttcttt tagcttcata taaaaagtaa aagctatttg 18960
atgaatagca atcaaatata ttggttataa aaaaccgcat catcaactga taagcagaag 19020
catatcataa gtgatgcggt ttttattaat tagttgctaa aaaatgaagt atgcaatatt 19080
aattattatt aaattttgat atatttaaag aaagattaa tttagggtga atgaatggct 19140

```

GENOM.057CP1.TXT

tatcaaagtg	aatatgcatt	agaaaaatgaa	gtacttcaac	aacttgagga	attgaactat	19200
gaaagagtaa	atatacataa	tattaaatta	gaaattaatg	aatatctcaa	agaactagga	19260
gtgttgaaaa	atgaataagc	agacaaatac	tccagaacta	agatttccag	agtttgatga	19320
ggaatggaaa	aaaaggaaat	taggtgaagt	agtaaattat	aaaaatgggtg	gttcattttga	19380
aagtttagtg	aaaaccatg	gtgtatataa	actcataact	cttaaactctg	ttaatacaga	19440
aggaaagtgtg	tgtaatctctg	gaaaatatat	cgatgataaa	tgtgttgaaa	cattgtgtaa	19500
tgatacttta	gtaatgatac	tgagcgagca	agcaccagga	ctagttggaa	tgactgcaat	19560
tatacctaata	aataatgagt	atgtactaaa	tcaacgagta	gcagcactag	tgccataaca	19620
atttatagat	agtcaatttc	tatctaagtt	aattaataga	aaccagaaat	atttcagtgt	19680
gagatctgct	ggaacaaaag	tgaaaaatat	ttctaaagga	catgtagaaa	actttaattt	19740
tttatctcct	aattacactg	acaacaaaaa	aataggtaat	ttcttcagca	aactcgaccg	19800
ccagattgag	ttagaagaag	agaaacttga	actcttagag	caacaaaagc	gtggatatat	19860
tcagaagatt	ttttctcaag	atttaagatt	taaagatgaa	aatggaaaca	gttatcctga	19920
ttggtctatt	aaaaagattg	aagatatctt	taaagttaat	aaagggttta	ctccaaatac	19980
aaaaaatgat	aaatactggg	atgaattaaa	tgaaaattgg	ttatctatag	cagggtatgac	20040
acagaaatat	ttgtataaag	gaaataaagg	aattactgaa	aaagggtgat	caaagcatgt	20100
aaaagtagat	aaagatactc	taataatgag	tttttaattg	acttttaggt	agtttagctat	20160
agtaaaagag	cctatctata	caaatgaagc	tatatgccat	ttcgtatgga	aagaaagtaa	20220
tgtaataact	gagtatatgt	actactatit	aaattctata	aatataagta	cttttggtgc	20280
acaggcagtt	aaaggagtaa	cattaaataa	cgatgcaatt	aatagtatta	tagtaaagtt	20340
accagtata	caagaacaaa	ataaaatagc	atactttttc	aataaattag	ataaattaat	20400
tgaaaaacaa	tcttctaag	tagaattatt	aaaacaacgc	aaacaaggat	ttttacagaa	20460
aatgtttgtt	taattcttat	aaagttctat	tatgtaaaat	attaaataga	gataacatta	20520
tgaaagcgag	cccaagacat	aaagtttttg	aataaataaa	aaagataatt	tctatcaaat	20580
taatatagaa	attgtctttt	ttataaattt	tttgattatt	tttagctgat	tgagctgtta	20640
cttttcttat	aataagtgct	attagcacia	atcctagttc	tcttttggtc	ttgtttattc	20700
ctcttacgga	cattcgagtg	aaaccatttt	taatttttatt	agaagtaatt	taggtttgaa	20760
cccacctaaa	taaatattatg	agttattttt	ttatgtcata	aaatatattc	agatttcaat	20820
aatgacataa	taattggcatc	tttataattt	ccttttagtg	agaattgctc	tttgagtta	20880
ccttctgttt	taaatccttg	tgactcgtat	atatgcacag	cttttttggt	atctgtatca	20940
acatatagat	aaattttgtg	catgtttaat	atatcgaatg	cataatttat	cgctttttcg	21000
aatgcgaaat	ttgcataacc	tttaccactg	aactcaggtt	taataattat	ttgtatttca	21060
caattacgat	ggatgtaatt	aatttctact	aattcaacaa	tacctacgac	ttgattttca	21120
tcttcaacaa	taaaacgtct	ctctgattca	tctaataaat	gcttatcaaa	taaatattga	21180
agttccggtta	aggattcata	tggttcttca	aaccaataag	acataataga	atatcattta	21240
tttaattcat	gaacaaaaag	taaatcacta	tactctaattg	ctcttagttt	cataattcca	21300
ctcccaaaat	tttctcatat	atttgcatta	taaatataaa	taacgaataa	gtcatcattc	21360
actgtgaata	ctctattttt	acaattccac	acatacta	tctcattttc	ttgttattct	21420
cgatttatta	ctcttactat	gaaacctata	aaattctcac	atttgtttgt	attaagaata	21480
aatagctcga	tagtaacaat	aaaaaaataa	ataataaagc	atccctcacc	gtaaaagtga	21540
aggatgctct	agtttttattg	aaatatacat	ttcattttgt	taaataatta	ttataatgat	21600
tttgaaaatc	attattacgt	gaaatcttca	tagattttat	caagtatttc	tttgccttca	21660
attgctgtga	agtgtgttac	caatctatit	ttacaatcat	atgtaatttt	gtgacgctag	21720
gtaattagta	attgttcgtc	agtctgattg	tatagtatca	agtttcatag	ataatactct	21780
ttgattttta	tgtccacttt	gacgtgcttt	aagattgagt	atatacataa	tgatcattgt	21840
gaatgttttaa	aatcttaca	atgtttattc	atctgcagga	tttttaaatc	tccaagaata	21900
aaaatcatca	taggacaact	ggattattgt	ttggataaat	aacgtaaaca	ataattaggt	21960
actattattt	atttttggtt	attctttttc	ctaacaaaat	aaagaaaaga	ataaacgcaa	22020
ttgttaaaaa	tatgtgtcct	aaaccagcaa	taccagcaat	agcaggactt	acacttagat	22080
ctttaatggt	agaaataccg	ttcacgaatt	gcattggcac	agtaacaagc	acacctaaat	22140
ggtatatata	aaagaaactg	ttaaacagct	ttgtatgagt	tgtaattttg	aattggccct	22200
cgataatcat	gaaaatttaag	aacataattg	tacctagtag	taataaatgt	gtatgtgtaa	22260
catttaattg	agaaaaaccg	ctaaaatctt	ccgcttttgt	catttctcta	taaaatagac	22320
cacttaataa	ccctaatagt	gtatagagcg	ctgaactata	cattaatctt	ttcattttta	22380
ttccccctat	ttttaattac	gagataagta	tagcggtagt	ttatgaactg	agtatgaact	22440
tacaacaaaa	aaattaatga	agtactttac	ataaaactca	atttattaga	tggtggaggg	22500
acgaaaaagg	atttttagaaa	aataaattta	tatattttta	ttttgataag	taataattaa	22560
taatatcttg	gaaatcattg	ttaagtattg	ttgtaataca	atcgtcattc	ataaaatctt	22620
catagatttt	atcaagaatt	tcttcatctt	cgatagatgt	gaaatgatta	gctaaccctt	22680
ttataattta	agtgtaatit	gtgaatctaa	acaactagca	actgttcgcc	aatctgattg	22740
tgtagtgtca	tggttcatag	ataatcctcc	ctttattttt	atgtccattt	ttgacgtgct	22800
ttagggttaa	gtggatgcat	aacttcggtt	gttactggat	taatgagttt	tttgactttc	22860
tttttatgag	gttttaacat	ttccatcact	tgtctaacac	gttcgacgac	aacaggccgc	22920
ttcgcataag	ctccataggc	tagaatcact	gtgtcacttt	cactaatcgc	tttcattaag	22980
tgaatgtctg	tgtgtttgtc	ataaggctct	ttcctacgat	tagtcaagta	cttataatta	23040
aaataagcat	tacttaacta	aaccgttcat	tttaattttt	ttgaataagg	tgttaaacta	23100
tatttaattg	tacgtttggc	taatgtggtg	acatttgata	atcgtaaat	ttatgattca	23160

GENOM.057CP1.TXT

ttacaagata	atgaattggt	tttaataatc	gatttataca	agcaatgatg	gcagtcttat	23220
gaggtttctc	attaggctgc	tttcttagtt	tgtagtaata	atcgacgaca	tgattgtcat	23280
aatgatgctg	ccctcttatt	atattcataa	tcacccaaaa	taaaagtttt	ctcgcttttt	23340
tattaccacg	cttggtgatg	gtatctctac	agtgtgtatg	acctgattga	tatcgtttga	23400
tatcaatgcc	aacaaaagca	ttgagttggt	tatttgattt	aaatcgctta	atatcaccaa	23460
tctccccaat	aatcatagct	gtgcttagct	taccaatacc	aggatcga	tgaatatttt	23520
caaaataatc	gagttgttgt	gctaattgaa	tcatggcatc	atctaattgt	ttgagatgat	23580
gaatagattg	ttttaattgt	tgaataagta	agcgtaattt	ttcgactaga	aaggaatgtc	23640
tatcgacatt	aggatagctt	tcttgagcaa	tcactcttaa	ttgaagtgca	tattttgtag	23700
cittatccat	tgacattccc	ttatctgtag	aattgaatat	atgtgtaatc	agtacatcct	23760
tgctgatatc	aagaacctatg	tctggatgag	taaagatttc	tgcgatgttg	agtgaatga	23820
ttgaatatcg	actactaaat	aatctttcta	aaccagggaa	tgtttgatgg	agtaattcaa	23880
ggatctgaaa	tttaagtcga	ttttgttcat	tctcgatttc	tagatgaaaa	cggacgcgtt	23940
ctcttaattc	aaagaatatt	aactcatgta	taggtaagct	gtctgtttgt	ttaagcgtcg	24000
gtcctaaaca	agcaagctta	tgagcatctg	cctgatcagt	tttccatgat	cttagagcgc	24060
tcgttttaaa	tttggttctt	aacggattca	tttgaatata	gttaatttga	tttacacaac	24120
aaaatcgctt	catacctctt	gaatagatac	ctgtagattc	aaaaatgagt	tgtgggtggt	24180
ctaagtcatt	caaatacttg	agtaaataat	tgttaaccatt	tttattattc	tggatgaaaa	24240
actctttttg	gaattttcca	tttttataat	gtgcaactac	actacttctt	ttactaatat	24300
caacacctaa	gtaatcgata	aaaaaacctc	ctttgaataa	ttgagaagct	aaaaacttta	24360
cttaaccttt	ctcatttcat	tttcttatac	acggtttcaa	gaacccaaca	tactacaaac	24420
gaatttcaaa	aggcgagagt	aaagctgact	tgttttttat	acggatttaa	aatccaagag	24480
tctggacagt	ctacttctct	ctataactat	ataaaaaatg	taagaaaaaa	tctatcgta	24540
tagatttctt	catagcta	cttagtatgt	ttaatatggt	taaggttttc	aggtgtttta	24600
atattagaga	atagattttac	tagatataca	gcaccgtatt	gttcagaatt	agctaattgg	24660
ttgagaatga	gaacagtggg	aagatcgagt	gataatacgc	catctaaatg	tggatacatc	24720
gttatcactg	tacaagaggg	tttcttttca	tcccatattt	tcttgagtaa	gtagcgggtg	24780
tgttcatcgt	cgctaaatat	agcttctgtg	tgtatcgtac	ttttgattgt	attcatatat	24840
cgttaccctt	tttaatatct	ttctggtaaa	agcatcacat	aataaaaaag	gtctacgcca	24900
tcttcacgaa	tgacgtagac	tttcttaggt	aatgcatttt	gattttttac	atagtttgta	24960
tagtgatatt	ccaatttgta	tgcaggttgt	tcttgttcat	gtgtgattga	gagtataatc	25020
tcattcttct	gcagtttaaa	aatgtgtagg	taatctgtat	gaggttgatt	gtcccgttct	25080
ttttaccatgt	tccaaagtaa	gatttgaagg	tctagagata	gggtgttact	aatgcctctt	25140
gtgatataatc	gattgatgtt	catactattt	tcttccattt	tgcttttctt	tcataatgtc	25200
aatcacttctg	ttaatgactg	taacagatat	ttgtgccact	ttgatccaat	tattcatggt	25260
gattccctcc	ttgttttagt	aaatgacgtt	catcgataag	cgtgttttta	gtgtctgtga	25320
ggtagagaaa	gtccatatca	aatgatcca	aataaccaat	gctgatgagt	tggtcattgg	25380
cgtacataag	aaatggatag	atacttagct	catgtagctc	atcattgtag	taggtataag	25440
tgttgagtgt	gagatgcgca	agtagagaat	tattaataaa	acgttccggg	agaatatttt	25500
ctgtctgtct	ctcaagtgtc	tcacattccc	atgtttcggt	gttagatagt	tggaaagagc	25560
gagttatata	ttgtttgagt	tcttgagtgg	ttgttttcat	atcattgcct	cctagatagt	25620
gtgatagtga	tgtagttgat	atacatcatt	gggataatat	atatttgatt	tattatttat	25680
tacgaatccc	gggtgggaata	agagaaaatt	ccatataaaa	acccgtgata	aatgttggtg	25740
taacaaggaa	atcccggaa	cccactcatt	ttgacgaaca	atcaactcat	tatttataag	25800
tattgatgat	agggttgtgt	ctctgtcttc	ttatatatat	tatttattta	taaaaaataa	25860
cgggattttg	ggatttgtgt	tgacacaatc	ttctgtctct	tcgaatctgc	aaatcccatt	25920
cctttcccg	taaaaaatca	ttgtgggatg	ttcttttagc	atttcaatat	aagcattgtg	25980
tagtcatgaa	aaaaatgacg	gcaatgactg	tttcattaga	taagtgttat	tgaaattgat	26040
aaagagaatt	ctaaaaatgg	ttagataaaa	taagtgaag	aatagcagtg	tagttattgt	26100
ttattcaata	gttatatata	aagtttgtgg	caaaaaataa	gacgaagtgc	tagggagcac	26160
ttcgtcgagt	ggatggttat	taaaatgttg	tttgattata	tcattattta	acttgagcgt	26220
aacataaaat	tgcttcttat	gatgtctatc	ttttcttatg	tcaatgcgat	cgatgattgt	26280
tagatatagt	gatttcaact	gagatttctc	taatttgtct	atatctttga	atattgcttg	26340
tagtacattc	gcaatcatat	cagcatcata	atgtggagct	tctgcttggt	tatcttggtc	26400
tagttgatag	atttgattat	ttatttgatt	caattcatct	tggtagctaa	gtattggttg	26460
ttttaataacg	ctatctaagt	caggtgagtc	ttcaatagtt	ttcgtaaatg	tatgcatttt	26520
tgcttttatt	tcttcacatt	gtgactgttt	ataggcaata	tcatggttca	aagaagagac	26580
gtctatttga	cttttttcat	ttaccttttc	aaccaattgc	ttcaatacct	ttttgctttt	26640
gataatttcc	aatatctgat	ccataacata	tttttctagt	acatctgctc	taacgctatt	26700
ggcagaacaa	acttttgaac	ctttatttct	aaaattgcta	catgagtaat	atctgattct	26760
tttcttagtg	ccatctttta	atgtattagt	tgtattactt	gcctccattg	ctgcaccaca	26820
tttcggacat	tttacaatcc	cagtcagtag	gtttgttctt	ttgccgtgaa	cttggtggtt	26880
cttgcgactc	tcttgacgtt	taaactgtac	tttatcccat	aggttttctat	caataatagg	26940
cgcagtgtta	ccatcagcga	taatcggttc	ctcattgagt	ccttttctgc	ttttatcgct	27000
ccagtgtcta	tacttcgcaa	actgtatctt	tccaatgtaa	aaaggggttg	agatgatgta	27060
ggtaatggac	gaaataactaa	aaggtttccc	tttcttagtc	acataacctt	tatgattcaa	27120
tgcgttcgca	atcttacgat	aacctgacc	tttagcgtat	gaatcaaaaa	tatatttaac	27180

GENOM.057CP1.TXT

aatattcgc	tcatgttgat	tgatcatgag	ctctttttta	ctgtcaggta	ctttatcgta	27240
gcctagaggt	aaattacctt	gataataacc	ttcaatagca	cgttgtcttt	ggccattgta	27300
gacattctct	acaatcgat	tacgttcaaa	ttctgcgaag	ctggctaaaa	tttgagcat	27360
caatttacct	gttgaactgg	caatttctat	tttttcagtt	agactaaaaa	attcgacatt	27420
aatctttatac	aatttcctcga	caatattttaa	caaactctgag	gtatttcttag	ctaaacgatt	27480
tgttttgtag	accataatac	aatctaattt	accttcggtg	gcatctttta	acatacgttg	27540
taattctgga	cgttgcattg	ttttacctga	tataccacga	tcggtgtatt	cattgacgac	27600
ttcatagcct	tgaatttgac	aatactctgt	aagttgattc	aattgacctt	gaatactgta	27660
accatccgtt	tgcatttcag	tcgatacacg	tgcatataat	ccaatacgtt	tctttttgag	27720
ttgtttcata	ttacttcatt	cttttcagga	gttatttaaat	gtgattgttc	aacgataattg	27780
agtggactgt	ttttaaagta	gattccttgt	aattgttttag	tttgagttat	tttgatgcaa	27840
tcgataaaag	gtgctatatac	ctgtaaagtt	attttatttt	ttatgacata	ttttaatttg	27900
tcacgattt	ggtaggttga	ataagtagag	taattctctt	cacttttaca	actagcagat	27960
aaacgtttga	acgtttttac	atcaatacga	ttttgagcta	gcttttcgat	aagttgttct	28020
tggtttagat	gggttttcttt	atgcttcatt	tggttctgtt	ttaggacttt	gagtattgtg	28080
ttattcaatc	gtttatgaaa	cgattgttct	tcaaaatact	ttttacaagt	gtcgcgacct	28140
tcactttcaa	gttctgggtgc	attgatactt	ttaaatgggc	atgtacgata	agcgtcattc	28200
atatttttag	gacaaacata	gtaacgtaga	gaatagtctt	ctttttttat	cgttaagtgt	28260
gttaatgttg	attgacagta	aggacatttg	attcgtcgct	ttagcttatt	tctagaattg	28320
gatcgattga	gttgtttatg	aatacgcgc	tcttgtgctt	cttcaaattg	atcaatatca	28380
ataatagggtg	gaacgatatac	attaaacgtg	ccatatttat	tgatgacacg	accgcaatag	28440
ttagggttca	agagaataat	tctaacttga	tagggctttac	gaggaataag	gttaggatta	28500
ctatccaaat	gttgggaaat	ctttttgtag	cctagacctt	gtaagtacca	gcgataaacc	28560
gatttaactg	tatacgcttc	ttcttcttgt	acaacaaaac	aaccttttct	ataacgatag	28620
ccaaacggag	catgagttgt	gatttagctta	ccttgttttg	ctttttctct	aatcccattt	28680
tttgtttgtt	cgctgatatt	gtttgattcc	atttccgcta	gactcataag	tatgttcaaa	28740
cgaaagcaat	caaactcttt	agacaaatca	aaatatccat	cgttaacact	gatgattgtg	28800
atgtgatgct	ttttacaaat	ttcaaagaat	tgtatggcat	ttttcaaatt	acgatgtagt	28860
cggttcaagc	gtagacaaac	caatacctta	ctttttccag	acgtaattat	ttctaccatt	28920
tttgataaac	ctgaacgttt	tgtatgtcga	cctgttttct	tatcatcata	aaacgccaca	28980
ttagaccatc	catattgctt	agcggtatcc	ataatgagcg	atttttgagt	agctaagctt	29040
tgttgtttga	gtgtactttg	acgtacataa	gcaatcgctt	cttccatgtt	atacacctcc	29100
aaaaagataa	tatatatttg	tgagtaaaat	agaatgaaag	gtccaacgtg	cttttaacac	29160
gttggaccgt	cgtgattagt	tatcgttctg	tagctcttca	acgactaaat	cagctagttaa	29220
ttcaatcaat	tcattccattt	tatctactcc	tgtacgattt	catctttaag	ttattaaaaa	29280
tcaattaaat	catcgttctg	ttttttccat	gattcaagta	tctttttgtt	atccaagtta	29340
atttcagctt	taatagggtt	agcatcttta	gttagacca	aaatagacgc	atattttgaa	29400
tctagcttta	aatggtaaaa	gacaagtgc	tgtttcttgc	catagtcac	tttaactgct	29460
cttttcgtag	ttattcgatc	acggtcagat	tcgataaatc	ctttatccct	tagtgcattc	29520
acaacattgt	tgacatcttg	gaaatgatgc	tctataaca	tattcttaaa	tacagatgca	29580
atgattttta	cttcgatata	atcatctttt	aaggcaatta	gtccatagtt	ctcaatcata	29640
ttctttaatg	ctgtatcatc	agaaaactta	ccacggtttt	gtgctacaaa	ttgcgtaaatg	29700
acttcaatcg	ctttatcagc	cagtgatcgt	tcagagactg	tatgagcatg	ataatcaata	29760
aagtagtctc	ttatttttagc	gatatacaata	tctgtagata	aaacatgact	aagaatcttg	29820
gccgaagtag	tgatagccgc	atagcgctta	aacatacgaa	taccagtatt	atttgtttca	29880
tccttcaatt	tatctttaaa	ccaatgatgt	aattcaaaaa	cggatcaaaa	aacaaaaggc	29940
cctagaaact	aggagcacac	ttacacaaga	acaattgata	gataaattag	ctaaaggagc	30000
catcgatgca	gaaacgttca	gaaaacaatc	tcaatcgtta	cttcaacaat	caaaaaccaac	30060
actatcaata	aatgagcaac	aaattcaaa	gtcttttgaa	aatgtaattc	aacaacactt	30120
cacgttaagc	atgtttatacc	gatataattga	tgaatttcac	atttctaaaa	acaaaagcct	30180
tggtgggaatc	tattttcaaaa	atgaaccgct	aaacattgta	aaccaagcta	cgcaatcatc	30240
gattgcttaa	ttaatgaaag	gatgaaaaat	atgaaagaaa	tgaaaagaaa	atctgtagga	30300
tgttatgtta	gagtttcaac	aattttctcaa	gacattgata	aatttagtat	taatggtcaa	30360
attacacaaa	taaagggaata	ttgccaacag	ggaaattatg	aattgctata	ctgataatta	30420
aaagtacccc	cgatcgaaacg	aaaatatctt	tttgatgact	attagtata	attgtaattt	30480
tatccattaa	tacatgaatg	gattggaata	atactaagcc	tattgctatt	ccaccgagta	30540
aaattaccca	ccgcctaat	tcaatacttt	ccggaatcat	ttcaaaaaat	aataagccaa	30600
ttataaggcc	tgacacataat	gaataaataa	agccatgacc	actttgaaaa	ccttccatta	30660
tccaagcgag	tccaccgcca	acaccaattc	caagtgcgga	agctaacgcc	cgatcatcca	30720
tactgcactc	atcccactat	tcttaaaaa	gctttgttta	ttttactcta	aaaaatcaaa	30780
acaaaatata	tgaattcata	ttaaatatta	tttgactctt	tattcagatg	gttatatcat	30840
atatatgaac	atatattaat	atatgtagat	aaatagtgt	tattatata	aaggttttga	30900
attgaaacct	aaagtggagg	aaggataatg	agagaaaaaa	aggaattaga	ggaagttaa	30960
aataaggact	tagatgatga	aacattattt	gtcgtatcgc	aaacatttaa	agcgttaggt	31020
gatcctacga	gaatccggat	tctccatttg	ctcttttata	aggagtattc	ggtaaacggt	31080
attgctgaaa	cgctacatct	tagacaatca	acagtttccc	atcaattgcg	gttcttgaaa	31140
aatttacggt	tagtaaaatt	ccgaagggaa	ggcacaacat	tgttttattc	ccatgatgat	31200

GENOM.057CP1.TXT

gaacatacta	tgaatatgct	aaaacaggcg	atcgcacacg	cctgtcatca	ctagtattcc	31260
gtaaaccagt	aatgagtgtt	aataataatt	cacgtcatta	atatgtttat	atgatcatat	31320
aaaaatatta	taggcataatg	aaaagggggt	tttgcaatgg	atatggaaaa	caaaaaaaca	31380
gaatggaaag	cggtgtatga	tatctcgaag	gaaagtgaga	tgggtgtagc	agagaggggt	31440
agtgaatacg	gttgataaag	tcataggatg	tattatttga	tacaaaaagt	ttggatgtgg	31500
tcaattaacg	tctgtgttta	gtaaagctta	ctgcgaatat	attggaaccc	gatataatcat	31560
atattatttag	aaaggtgata	gaaatgaaaa	atattcaaga	gcaacaagca	cacgaaagtc	31620
atagccacga	tcatagtcac	gatcatgac	acggaaaaat	gccaattatt	tcatatttta	31680
ttggcttagt	gttggctata	attgggcttt	ttttaagtga	tgcaaattta	ttaatacaaa	31740
acatcttatt	ttcaattgcc	acaatcacag	cgggctacca	tgtaattatt	ctcgaaggaa	31800
ttggagagag	agttgaaaat	actaaattaa	agggaaaatt	cactcctaatt	tctcatattc	31860
taattgggatt	agctgacaatc	ggggcttctc	tgatagggag	tttttgggaa	ggaaaccttt	31920
tgatacttat	tttttccggc	gctcattttc	ttgaagatta	cgctgaagga	aaaagtaaaa	31980
gagaaattac	taagctactc	gaaatgaacc	caacgacagc	taaaattaatc	ttacctgatg	32040
gaaacacaaa	aattgttgat	gtcagtgaa	taaaagttgg	agatcaactc	caagtgtcga	32100
acggtgatca	agttccaatt	gatgggataa	ttttatccgg	tactacctca	attgatgaat	32160
cttctattaa	tgagagaaag	ataccgaaag	agaagtctaa	gggtgacgaa	gtttttggaa	32220
gtacgattaa	tggaacagggt	acttttacta	tggaagtcac	taaggaaaac	aaggatactg	32280
tattctctaa	aattttacaa	ttagttagtc	aaaaccaaga	taatcaaaac	aaagctgcca	32340
gtatcattca	aaaattcgag	cctaaatatg	ttaatatagt	tttaatcgca	ataccattag	32400
taatgttact	tgctcctttt	ctatttgatt	ggacatgggtc	gcaaagtgtt	tacaggggat	32460
tagtgctttt	agtcgcagct	tcaccgtgtg	ctttggcagc	agctactgta	tctgtaacat	32520
tgcttacaac	atctaacccta	gctaataaac	gcgtgttttc	aaaaggaagt	acttacctat	32580
cacaattagc	ggatatagat	gcaattgcct	tcgataaaac	aggaaccttt	acgaacggag	32640
aacctaaagt	aacaaattac	tatttcactc	attctgtgaa	cgaagaaaat	attattgata	32700
ttatagtcgc	ccttgaaaag	gaatccaatc	accactcgc	taatgctatt	ttagaaaaat	32760
ttgaagttaa	aaataaaaaa	gacatcgaag	ttactaatca	aattggaaaa	ggtctgacag	32820
gagattataa	tggaaaaaat	tatcgtattg	gtaagcctac	ttcttttgaa	agtgtctctg	32880
aagagtatac	ccagttcaat	catgattggg	catcagaagg	aaagacgggt	gtatacctag	32940
cagaaaatga	agaagttatt	gggattatag	ctctaattga	tattccgaat	gagcatgcta	33000
aagaaacaat	taattacttt	aagaaacttg	gtatccacac	gactttaatt	actggtgatt	33060
cggaaatgac	gggaaaagct	gtaggcgaac	aattgggaat	agacgaagtt	atcgctaattg	33120
taatgcctga	agataaatcc	agaattatag	aagaacaaaa	agaaaaattt	ggagttactg	33180
ccatgggttg	agatggtgtg	aacgatgcac	cggcccttgt	taatgctgat	gttggatatag	33240
ctatgggggg	cggtagctgat	gtggcagtag	aagtagctga	tttggtttta	atgcagaaca	33300
atttatctaa	attagtagac	tctcataaaa	tttctcaaaa	tatgggtcgt	gttattaggc	33360
aaaatattat	tttttcaatg	gcagttgttg	cctttttagt	tgctgtagt	ttgttaggat	33420
taactgatat	tacaatcagt	gtaattgttc	atgaaggaag	tacttttagt	gttataactaa	33480
attggaactcg	attattaaga	tctaaataat	gaacgaatcg	attgacatga	atgaactttg	33540
aagtgttgat	tctacaatgt	tcccataaca	ttggcacta	aaaaacagag	caatctaata	33600
aagatgttat	gagtaaaaaa	aatgccttgc	ataccgtttt	tatcatacgg	gcgggtcaaat	33660
aagcaattaa	agagcatggg	aagcataaaa	tcataaacag	tgacttaagg	cagccagttt	33720
acattcaaaa	gttaaatgga	ctgtattaaa	agtttcgaaa	cgattaatat	ccgtatgggg	33780
gcaagcgctg	agccaaagat	aatgccagga	cagagcgtct	ttttccgttc	ttttaagtgg	33840
gaaaggtttt	accttctcta	tgccaagaca	gtcccagagc	taaaagggcc	agttgtctct	33900
tttggggcgt	tgtgaacggg	aatgcgagga	aggggatttt	cccaaccgca	cctggttttc	33960
catcacaata	aagttggcgg	catttgttct	gatattcttg	ggaataactta	cactatgaat	34020
ggccgtatta	agtgtacag	gagctgctat	tattgttaata	ctgaatgctc	tccgcctttt	34080
gagggtaaaa	gaataaaagt	aaggataact	aggtaaagct	gttcaatcaa	aaattgaaca	34140
gcttattttt	catcaaaatc	aaaaacgttt	attataatac	ctacacttgt	tctgttaaat	34200
gtaccgattt	tttaacctta	ttgtatcagt	aatatcttga	aacgaagtaa	gcgactaaaa	34260
tttctctttt	atcatacgtt	tataaaaaat	cactttttaa	aacggtttga	aaatttttga	34320
aatagatcaa	aataatcttc	tggttaaaaa	acctgtagat	atgattttct	tcttaaat	34380
ttgtttgatt	agattagacc	ctaataagac	gcattcaata	tgtctacacg	tgaatttagt	34440
ctttgaaaa	gtaaggacca	ttattattat	aaaaacccca	gtataaaacg	atacgctgaa	34500
gcgtaccaca	aataaaaacta	aaaaaatgaa	tattataatg	atatattaac	aattaaaagt	34560
ttgaactttt	ttggcaatga	gtttaaggca	aaaatgtatt	gaagaaagtt	aagagtttgg	34620
gacataaagt	tctaggataa	gtgaaaaaag	acaattttcta	ttgaagtaat	ataaaaaattg	34680
tcttttttat	aatttttttg	attatttttca	gatcgttgag	ctgttacatt	tcttatatta	34740
agtgccatca	gcacaaattc	tagttctctt	ttgtcttttt	tattcctcga	acggacattc	34800
gagtgaatc	caaaatggcc	ttataaaatc	caaaaaacag	gctccacatc	aacttttttt	34860
gactgttagt	ggttttttgt	tttgattttg	agttttatac	ttatacattg	gtgtttcaga	34920
ggacattctg	aacaatcattc	acattcatat	aattttaaagt	ctcgttttaa	aactataatt	34980
atcatgacta	taggcataatc	ttttaaatcc	tagtctttta	ttattcggac	aagtgaattc	35040
atcgtttaatt	tcgtcataat	ccccattttg	agtattaaga	aatgtcactt	ttatattttt	35100
tagttttatc	ttttataaac	atttcataag	ttatgagtgg	cattcgatta	aaatgataga	35160
atgcttttaga	gtcttttattc	atccttgact	caggttttga	atactatttt	tccatacaaa	35220

GENOM.057CP1.TXT

tgtatatcga	ttggcatttg	cctcaacttt	cgtatcatca	ataaaaatgg	cttgatcatc	35280
tctaagattt	tacttcaaac	actgaatatg	aaattgaata	aataacgttt	ctaataaagc	35340
atcactttgg	gattttactct	aaatcgatta	atcgttttat	aagaatgctt	tagattttgt	35400
gacagccaca	ccattcggat	tctatcattg	agcaattttt	ctatcttacg	tcctgaaaac	35460
acagatttg	tgtaggatata	tagaactact	tttaacatca	tttttgata	gtatgatgtt	35520
gcacatgat	aatgtctgaa	ttcatcgaat	tcagtctcgg	gaattgtttc	tacaatatca	35580
tttggggtga	gtattatttg	atgaaaagctg	aagataaaaag	ttagaataaa	attactaaat	35640
atagatttga	catctttata	aattaagaat	ttgtcaaaat	aaagggaggc	attctataga	35700
taatggtgaa	tgatgatttt	acgaatgagt	tatatcaact	tatagttcct	atggatgata	35760
aaataaaaaga	aaacattgat	gaagtattat	ctttctacaa	tattaatttc	aaaaaatatt	35820
tatttagtat	ctcttcggtta	gtaacctttg	aaaagtgtaa	taaattacga	ggaagaattg	35880
ctaaatatcc	tatttttaca	attttatatg	aaaagttaga	atatgatgaa	aaagggatta	35940
agattataat	taatagtaaa	atttcttaatg	acatacaaac	gcatgtgagt	catattccta	36000
atactactga	aattttatttg	gttaacttta	ataacctaaa	catttctgaa	aaaacaaaga	36060
aagaatttgg	taaagaatta	aataaaaatgt	ttaacgacca	gaaaaaaaga	aagtttagccc	36120
atcaagtgtg	aaatattata	gagataataa	aattggatag	tcattggtaag	tctctaattg	36180
atatcggcta	tttctatttta	ggtgctaaaa	atagtgtctt	aaagtttcaa	aaaatacata	36240
ttcaagaaaa	aatggactat	cggggaaagt	aatttcaaat	cgatttgaat	tattaagaga	36300
tatctatgat	atagacatga	atcaatttca	accctatttt	gataagaaaag	atagtaaaac	36360
aaaaagatca	aattatgaat	ttgatatgga	gcaattcgaa	tctataagta	cattagtaga	36420
tttggttagag	aattacccac	ttcctaaaag	tgaaaataat	attaacatt	tagaaagtat	36480
taagaaaaat	atattttagtg	ataacgcaga	tgaaatcgaa	aagtatttta	atgaagggtat	36540
agataaactt	aaagaagggtg	catittgaatt	acaaaagcaa	ttatataacc	agtatccatt	36600
tcaatttactt	atgctgatttc	agtatgaatt	aactgaatta	attaagcata	ttagtattga	36660
ttttaaaaca	gtaaatcagt	caaatatata	tgaagctacg	acttttatac	aaaaattaaa	36720
caatttttatt	ttaagaagtc	tacttgagaa	taactcagaa	aaagttaatt	ttaaaaactt	36780
tttgaattgga	gtaaaatttg	aagaatcaac	aatcaatgca	gatgaggaaa	taattgttaa	36840
aaaatacaat	gattttgtag	ataatattga	gtttaataaa	gatgattttg	ataaactata	36900
tgatcaatat	gaggtgttta	atagtataac	taaattagtt	acattaaatg	aagatgaaat	36960
aaaatgggat	catatatttg	tatataaata	taaattaaaa	acccctttca	ttgataaaat	37020
aatcattgat	aacttgaaaa	acattaaaag	tcaatatatt	gatagtaaaa	ctatgttgga	37080
aagagaatac	aataaaaaatg	gtaattttat	ttttgatttt	ttaaatttag	caaaatgtaa	37140
agatgagaat	gaatttagatg	aggaaaataga	tgagttactc	ttcaatcttg	ataatatagg	37200
taacagatta	ctaaagaaaag	ttgtattagg	tcacttctaa	aatataaaaat	attcaaacgc	37260
actatttaaaa	gaaattcggga	gaatgataaa	ggtttttaaat	ttatattctt	cacaaaaaaa	37320
tcaatccaac	atgggttgta	cttaccatca	attgcaaaaag	agcgataatg	aatttgataa	37380
tagaattaat	ttactttaca	aggaattagt	ttatctaaga	gtaaagaaaag	aactttttta	37440
taacagtaaa	tatactcata	atgatgatag	atagacattt	aatttgataa	atgaataagt	37500
ttaagctaac	tcaattgagt	tagctttttt	ggcttcccc	tctttaatga	attttgggga	37560
agctaacgat	tagtttctaa	aatgttgata	aagtatatct	tgtaacgtta	ctaataaaga	37620
tttcccgggc	aatcaaaactt	gggggtgagt	ttaaaaatgg	aaagcaaatg	agttgtaaaa	37680
gtagaacatg	ataacgataa	attacgagtt	gagctaaacg	tttcgaaaag	agatgacttt	37740
aactatcaaa	tgcactttgc	aataagtga	cgtgcatatg	cattactaac	tgtaatgatt	37800
ggtagagcgt	taatgttacc	aagagggaca	gtattctcat	gctatgaaag	gttctgttgc	37860
aaagtgtgaat	ttatagtata	attttaacaa	aaaggagtct	tctgtatgaa	ctatttcaga	37920
tataaacat	ttacaagga	tgttatcact	gtagccgttg	gctactatct	aagatattga	37980
ttgagttatc	atgatattatc	tgaaatatta	agggaaacgtg	gtgtaaacgt	tcattcttca	38040
acggtctacc	gttgggttca	agaatatgcc	ccaattttat	atcgaatttg	gaagaaaaag	38100
cataaaaaag	cttattacaa	atggcgattt	gatgagacgt	acatcaaaat	aaaaggaaaa	38160
tggagctatt	tatatcgtgc	cattgatgca	gaggacata	cattagatat	ttggttgcgt	38220
aagcaacgag	ataatcattc	agcatatgcg	tttatcaaac	gtctcattaa	acaatttggt	38280
aaacctcaaa	aggaatttacc	agatcaggca	ccttcaacga	aggtagcaat	ggctaaagta	38340
attaaagctt	ttaaacttaa	acctgactgt	cattgtacat	cgaaatatct	gaataacctc	38400
attgagcaag	atcaccgtca	tattaaagta	agaaagacaa	ggtatcaaa	tatcaatata	38460
gcaaagaata	ctttaaaagg	tattgaatgt	atttacgctc	tatataaaaa	gaaccgcagg	38520
tctcttcaga	tctacggatt	ttcgccatgc	cacgaaatta	gcatcatgct	agcaagttaa	38580
gcgaacactg	acatgataaa	ttagtggtta	gctatatatt	ttactttgca	acagaacctc	38640
caatatcatt	aaagcaaacac	cagaaactat	gaaacatca	gagagattaa	agataggata	38700
atcaatgagc	cgaaaatcaa	ggctatctat	tacttctcct	ctaatacagc	ggtcaaaaaa	38760
gttccctaatt	gctccacctt	gcaacagtga	taaggcaaaa	gagattcgtc	ggttattcct	38820
tccttctgtt	tgtaataaat	aaatgatacc	cagtacaaca	attaacgtta	caataataaa	38880
aaaccagcgt	tgaccttgca	aaattccaaa	tgctgtcctt	ttatttcgaa	gagaagtaat	38940
atggaattat	ccttcccata	aaggaattggt	ttgacctatt	tccattcatt	tgacaatcgc	39000
agattttccat	agttgatcaa	tgattaaaaa	gatgactgca	atgatatagt	agatcctgat	39060
tctcctcttc	caatattcat	tatttttaaag	tataccatga	tataacgaaa	aaatgtatat	39120
tttattgttg	caataaaaacg	ttatattatt	tatactaata	tatatacaaa	taataatttg	39180
aatgttattt	tatacactaa	ttacagagga	ggggttgttt	tgagtattac	ttccataaat	39240

GENOM.057CP1.TXT

aaaaaagaac	atgatttaga	tggtataaaa	tcaaggggaa	aagatgcttg	tgagacattt	39300
atatttgacc	cagaaaaggt	tgagcgccgt	cagcaggaag	tcggtcaaac	ggatggctta	39360
tcacaattgt	ttaaagtfff	tgcggtatgat	acacggttga	aaattgttta	tgactttacg	39420
caagaagatg	aaatgtgtgt	ctgtgatgta	gcaacgatta	ttggttctac	gaatgctact	39480
gcttcaccac	acctacgtat	gttacgtaat	atggggtttg	ccgagtacca	taaaaaagg	39540
aagatagttt	tttataggct	agtaaagtaat	catgtgcatc	accttatgca	agaagcacta	39600
cagttgaagg	aaaagaagta	aatgtgatga	gtgttgggaa	aaattagtta	aaatgtttaca	39660
aacaactcag	tcctccgfff	tacatgatgg	aatgcagttg	ctcaaaaata	aaccataaaa	39720
attacctaag	aaaagaccag	tagataaaaa	atcatctcag	gagattttaag	acctgggtatc	39780
cactagggct	taaatcttgt	tttttctctg	aattgtaccc	tgatgggtcca	aattatattgt	39840
gaaattggaat	gaattaaagt	aaggagagtt	tgtaatgttc	tcattggactg	tagtatctct	39900
tgtgttactc	acaagtatat	ctaactctgt	tggaggattt	attgtcgtga	gaaaagaatg	39960
gtcccccaca	gctcttacct	atttaattggc	tttttagtgca	ggttttcttt	tatccatagg	40020
tattcttgat	ctaattgccag	aaggattaga	aaattcacct	gaaaatggaa	tctatataatt	40080
aataggattt	ttagtatttat	tttccttttca	aagaatcctc	acaactcatt	ttcatttcgg	40140
ctatgaaaca	catgaggata	aactcagtaa	aaaaacgggc	ggtttaggtg	cctttatcgg	40200
aatgaccatt	catagtcttc	ttgatggggt	ctccattgtt	gcgggattcg	aagtaagcag	40260
tgaattaggt	ttccttgtgt	ttgttgcgtg	attacttcat	aaaataaccag	atggcttaac	40320
catttctctg	attgttcttg	tagtatttaa	tgacaggaaa	aaggcgttta	ttgcctctgc	40380
agtactggct	ttggctacta	tatttgagg	agctttagta	tggctactca	gtgacacaga	40440
atttgcagct	gaagtacttg	gcgattcttt	tgcaagaatt	gctttgtcct	tttcagcagg	40500
tgtttttctg	tatgttcgag	caacggactt	acttccagtt	gttaatcaat	ctgaaaatcg	40560
aaaaactcgt	cgttctgttt	tgcttgggtg	agccgttttc	tatatagctt	cttggatcat	40620
aggagtgtgt	gggttggaa	gaaaaatatta	aaggaatagc	cttgaataat	cagttgagga	40680
aattaaacag	aaaagttgag	tttagtctta	gcaaaaaaag	aaataaaata	caatcaaata	40740
atcatttgac	tatctatatg	tgtggatata	taataacaac	agaacataac	gtaattattca	40800
aatgaatatc	ataatgagag	atggccaaga	atataaggaat	tccacatgca	ttgattgata	40860
aaagatacat	tggttaatta	agaaggaggt	tattaaatat	gagtgaagca	acgaagccat	40920
tagaggagaa	atatgtctat	cgtgttgatg	gattttcatg	gcgaactgtg	gcaggaaagt	40980
ttgaaagaaa	tgttaaaaaa	atttccgggag	tagaggatgc	aaaagtaaat	tttggagcat	41040
ccaaaatttc	cgtttacgga	gaagcaacgg	ttgaagaatt	agaaaaagca	ggtgcctttg	41100
agaaccttaa	agtggctcca	gaaaaaacct	ggcggcaggc	tccgcaagag	gttaaaaaag	41160
acaaaaatat	atatcgtgtt	gaagggtttt	catgcgcaaa	ctgtgcagga	aagtttgaaa	41220
gaaatgttaa	aaaaattccg	ggagtagagg	atgcaaaaagt	aaatttttga	gcattccaaa	41280
tttccgttta	cggagaagca	acgattgaag	aattagaaaa	agcaggtgtc	tttgagaatc	41340
ttaaagtggc	ctctgaaaaa	cctgtacggc	aagctacaca	agagattaac	caggaaaaag	41400
aggatgaaaa	agaagaaaaa	gtgccattct	ataaaaaagca	cagtacttta	ctctattcga	41460
ccttattgat	tgttttcggg	tatctttcag	tctttgttaa	tggggatgag	aacattgtta	41520
ctacattatt	attttagtag	tcgatgttaa	taggaggatt	atcgcttttt	aaagttgggt	41580
tccaaaactt	gttactgttt	gaatttgaca	tgaaaaacact	tatgactgtt	gcagttatag	41640
gtggtgcat	tataggagaa	tgggcagaag	tttctgttgt	tgctatactc	tttgcaatta	41700
gtgaagctct	agaacgattt	tctatggata	aagcgagaca	atcaattcga	tcattaatgg	41760
atattgcacc	taaagaggca	cttgttagac	gaaaaaggta	agaaatgatg	gttcatgtag	41820
atgatattgc	agttggagat	attatgattg	tcaaaccttg	tcaaaagatt	gccatggacg	41880
ggatgggttg	aagtgggtac	tctgctgtta	atcaagctgc	cattacaggt	gagtcagttc	41940
ctgttgaaaa	agcggttgat	gatgaagtat	tggcaggtac	tctaaatgaa	gaaggattac	42000
ttgaagtaga	aataactaaa	ttagtagaag	atacaaccat	ttcaaaaatt	attcatcttg	42060
tagaggaagc	acagggagaa	cgagcaccat	ctcaagcctt	tgtagaaaaa	tttgcgaaat	42120
attatactcc	gatcatcatg	atcatagctg	cgttagttgc	tgtagttcca	ccattattct	42180
ttggggctag	ttgggaaaca	tgggtttatc	aaggttttagc	tgtttttagtc	gttggttgtc	42240
catgtgcgtt	ggttattttc	accccgattt	cgattgtttc	agcaatttga	aatgcagcga	42300
aaaagggtgt	cctaataaaa	ggtggcgttt	atttagaaga	aatgggtgcc	ttaaaggcca	42360
ttgctttcga	taaaacaggt	actttgacaa	aaggtgtccc	tgttgtaact	gacttcaatg	42420
tgttgaacaa	acaggtagat	gaaaaatgaaa	tgctatccat	cattactgca	ttagagtatc	42480
gttctcagca	ccctcttgca	tcagcaatca	tgaaaagagc	agaagaggcg	aatattttctt	42540
attcagatgt	tgtgatagat	gacttctctt	ccattacagg	aaaaggaatt	aagggtactg	42600
tagacggaac	gacctattat	attggaagtc	caaaaactatt	taagggaactg	tcaaaactcta	42660
gttttgataa	gaatttagag	aaaaaaagt	caactcttca	aaatcaagg	aaaactgcta	42720
tggttggttg	aactgacaaa	gaaatactag	ctattattgc	agtagcagat	gaagtacgtg	42780
aatcaagtaa	agaagtcatt	caaaaactac	atcaacttgg	catcaaaaat	acaattatgc	42840
ttaccgggtga	taataaagg	actgcgaatg	ccatttgaag	tcattgtcgg	gtaaaagaag	42900
ttcaggctga	attaatgcct	caggataaa	tggattatat	taaacaattg	aaatcggaa	42960
acaacaacgt	agctatgatt	ggcgatgggt	tcaatgatgc	acctgcattg	gcagcttcca	43020
ctgttggaat	tgcaatgggt	ggagctggta	ctgatacagc	attagaaacg	gcggacgttg	43080
cactaatggg	agatgattta	agaaaacttc	cgtttacggg	aaaactaagt	cgaaaagcgc	43140
taaacataat	aaaagctaac	attacttttg	caattgtctat	taaatttatt	gccttattat	43200
tggttattcc	aggttggtta	acactctgga	ttgcgattct	ttcagatatg	ggtgcaactc	43260

GENOM.057CP1.TXT

ttcttgtagc	gttgaacagt	ttacgactta	tgcgagtga	agattaagag	taaaaagagt	43320
gtgggacata	aagtcacagg	ataagtaaaa	aaagacaatt	tctattgaaa	taatatagaa	43380
attgtccttt	ttattatatt	tttgattatt	ttcagctcgt	tgagctgtta	cttttcttat	43440
attaagtgcc	atttagcaca	atcctaattc	tcttttggtc	ttatctatcc	ctcgaacgga	43500
cattctagt	aaacccaaaa	tagccttcat	aaatccaaaa	acaggctcca	catcaatttt	43560
tctttgactg	tagatggttt	ttgtttttgg	ttctgaaagc	tttttattaa	tttgggcttt	43620
aaaatattcc	caattataat	ttttcattat	ttttttatit	gtttttgaat	tgaagttcat	43680
acattgttgt	ttcagagggc	attctgaaca	atcatcacat	tcatataatt	taaagtctcg	43740
tttaaaacca	tatttatcat	gacgataggc	atatctttta	aatcctagtc	ttttattatt	43800
cggacaaaatg	aattcatcgt	taatttcgtc	ataatcccaa	ttttgagtat	taaagatgtc	43860
actttttatat	tttttagttt	tatcttttat	aaacattcca	taagttatga	gtggcggttcg	43920
attaaaaatta	tctataattg	ccatataaatt	ggcttcgcta	ccataacctg	cgtcagctac	43980
aatatattca	ggtaaatgac	cgtaggtctc	ttgtattgta	tttaaaaaag	gtatcattgt	44040
tcttgatca	gtcggatttt	gatacacatc	ataaaataaa	acaaattgag	aatttgtcgc	44100
tatttgtaaa	ttataccccg	gtttaagttg	tccatttttc	atatgatctg	ttttagaata	44160
actatttcta	tcctttaaaa	tagatttttg	gacttcgtat	ttatgctttc	gctgagagta	44220
atcattaatt	tgctttttgt	attttttaat	tttagttcct	ttgagccgta	tttgttttct	44280
tatttttagta	catttttcat	tatcgatatg	ttggtttaaa	tcttcgattt	ctttatctaa	44340
atgactacca	atcaaatcta	tttcttcttt	tgtaaagtca	ttatcatgat	cttttttaat	44400
ctcaggtagt	attttattta	tcaccaattc	atgatagagt	gcttttagagt	tttcattcat	44460
tcttgactca	tggttttgaa	tactcttttt	ccatacaaat	gtatatcgat	tggcattttgc	44520
ctcaactttc	gtaccatcaa	taaaaatggc	ctgatcatca	ataagatttt	gtttcaaaca	44580
ctgactatga	aattgaataa	ataatgattc	taataaagca	tctacttttg	gattttactt	44640
aaatcgattta	atcgttttat	aagaaggcct	ttgattttgt	gatagccaca	tcattcggat	44700
actatcattg	agtaattttt	ctatcttacg	tcctgaaaac	acagattggg	tgtaggcata	44760
taaaactact	tttaacatca	tttttgatg	gtatgatgtt	gcacctcgat	gatgtctgaa	44820
ttcatcgaat	tcagtctcgg	gaattgtttc	tacaatatca	tttcatgttc	gtgaaatatc	44880
atttgtgggg	ataagaactg	aagtttccat	tggtagagta	agttgagtc	tgttataatc	44940
ttttatcata	aggcacctcg	ttaatgtatg	ttagtgatgt	ttattaaatt	atacgaagg	45000
gcctttatttt	tttaaatgtat	tttaagttaa	aattacatat	gaatacaaa	tattttggcg	45060
agactcctga	gggaacagga	caagctgaag	actacaggct	gaagctgtcc	cctaagaaag	45120
cgagccaaca	atacgaagta	ttgtaaataa	agaagccagt	aaatgaattt	atgaaaactc	45180
atttactggc	tattttgata	ggaattatgt	cccaggccct	tttaatcaaa	atgtagatta	45240
ttttttataa	attgtctaat	aagagaagaa	aaatagggtg	aaataagaaa	aaggttagat	45300
acatatattca	caactatatt	cttgagtaca	aatagtaatt	atagttactt	atcaaaggag	45360
gaatctagga	tgactggaga	agtgaaaaaa	tatgtagacc	tttttagtgat	aggagcaggg	45420
tctggagggt	atgtggcggc	aatacgtgct	gcccagttag	gaaaaaagg	ggtactgggt	45480
gataaggcgg	agttaggagg	agtttgccct	aatcgagggt	gtatcccttc	aaaagctctt	45540
attagtgcac	ctgaacgagt	caaacacatt	aaacatgcca	atacaatggg	gcttaagggt	45600
tcgggtgag	ttcaagttga	tatgccagaa	gtagtaaggt	ggaaggacgg	aatcgtgaac	45660
aagctaacag	atgggattcg	caccttggtt	aaaggaaatg	gtgtagagg	catcagttgg	45720
gaagcctatc	tcactgaagc	acatatgtga	aaaataaaaa	tagaggacga	ggaacagatt	45780
ttttcctaca	aagatttaatt	tcttgcaata	ggttctttgc	cagtcgagtt	aaaaagtatg	45840
ccatttgatc	aaaaaagaat	catttcttca	acggaggcat	tgcaactaca	ggaagtaccc	45900
aatcattttg	ttgtggtagg	tggtgggtat	atcggtttag	agtttaggtac	tgcttatgca	45960
aagttttggg	caaaaagtgc	catccttgag	ggatcggata	caattttgtc	cgggacagat	46020
cctatcctaa	caaaaacagt	aaaacgtcat	ttaaaggaaa	ttggaatcac	tgttataacg	46080
gatgcccttg	ttcaaggtgg	agaaaataca	ggcgtatga	ttaacgtcca	tgttcaagtt	46140
gatggaaagg	aagaaattat	tcaatgtgat	tattgcttag	tttctattgg	gagaaaacca	46200
aacacaggta	aaattgggtc	ggaaaatatc	ggagtagtat	tagacgacca	aggattttatt	46260
aagataaata	acaaatgtca	aacaaacatt	gaacatgttt	atgcaatagg	ggatttgtgt	46320
gggtggtagc	tccttggtca	taaagctagt	tatgaagcaa	agatagcagc	cgaagtgtac	46380
agtgggtcaa	atagtgtgat	tgattttcaa	gcgatgcctt	ttgttatctt	cagcgatcct	46440
gaagtagcct	atacagggtt	aacagagaag	gaagcaaagg	aaaaaggata	cgaaacagta	46500
tccagtcggt	ttccattcca	agcaaatgct	agggcggtat	ctgtctcgga	tgcagatggc	46560
tttgtagaag	ttgtagccga	aaagaatacg	aaaagagtgt	taggagtaca	gatggttgga	46620
ccagagggtat	cctctctgat	tcagagggtc	gtttttgcga	ttgaggctgg	ggcaaatgca	46680
gaagatctta	gccttacgat	tcatgctcat	cctaccttac	cagagccact	tatggaagca	46740
gcagaagggtg	tgatgggaca	tgctacacat	atgttgaaata	aaaagcaata	atgtgaatgc	46800
aggccaacct	gcactttttc	ataagtgtag	gttgaaatttt	tattaatgga	tgagagactca	46860
tgcacatttt	gtattgatag	atgtattact	gtataaaaatt	cctgatggta	tggaattaatc	46920
actattcatg	aattttcta	gaactgggtt	aatacaaaatt	atgaaatata	tcaaactcgtt	46980
tttctgactg	tttatgaacg	atgaaggagt	tgatataaatt	gaattttaatt	ttactatttc	47040
tctctgcttt	agggtctttt	atagtaacca	atgtcgtatga	tattttttgtc	ttgatgttac	47100
tgttctctca	agcaagggtca	caagctaaaa	cgggtaacag	tggaatagtt	agcatggagt	47160
cgaaaggaaa	ccgtattttat	ccaagagata	tagtcatttg	ccaatatctt	ggtttttgcac	47220
tttttagttt	aatcagtcct	ttagcaacat	ttggagtaac	actcattcct	gatcagtggt	47280

GENOM.057CP1.TXT

taggttttgct	aggattaata	ccgatataatc	taggagtaaa	actctttata	aagggtgaag	47340
atgaggatga	aggtaacatt	ctttccaact	taaacaaatt	taataagttc	tatttaagt	47400
tagcctttat	caatttcgcc	aatggcggag	acaatattgg	aatttatgtt	ccattctttt	47460
ctaccttaaa	taacaaccaa	ctgataatta	cagttgttac	tttctttata	atggttgctg	47520
tctggtgttt	aattggctat	cgtctagcaa	ggttcagata	tgtttctgaa	acacttgaga	47580
aatacggccg	ctggattatc	ccaattgtgt	ttataggatt	aggaatatat	attatggttg	47640
agaacgaaac	tttccgcgcc	attttgagtt	tagtgaatta	aaaatttctc	aaaagtacct	47700
ctgatttaca	gtaggacttt	gatattttaga	gtaaatatatt	atcctctgac	aaataattct	47760
atggatacgc	tcatctatat	tttgcttagc	gtacaaaatt	tccgaaatgt	tggctgtacc	47820
ccaataagca	attagaatat	tatcaaaaatt	gttaattaag	aatagccctc	gaaaaaatcg	47880
ggggcctttgc	ttttggcata	agacggccaa	aacaaaagccg	aacccaaaagg	agtgaatgtg	47940
atgtgcataa	cgcacacaca	tcacattcac	attaaaaacta	aattcaaaaat	ggaggggaaag	48000
tgaagattica	ctttccctttt	cttttccattt	ttagaatttta	ttttttttgtg	ttgaaacgct	48060
cacacgtaca	atcaaagatt	gtacttttta	caagcctact	caatcttaca	aggggcaata	48120
aaacttttta	ggttctgttg	caaagtaaaa	aatatagcta	accactaatt	tatcatgtca	48180
gtgttcgctt	aacttgctag	catgatgcta	atttcgtggc	atggcgaaaa	tccgtagatc	48240
tgaagagacc	tgcggttctt	tttatataga	gcgtaaatac	attcaatacc	ttttaagta	48300
ttctttgtcg	tattgatact	ttgataacct	gtctttctta	ctttaatatg	acggtgatct	48360
tgctcaatga	ggttattcag	atatttcgat	gtacaatgac	agtcagggtt	aagtttaaaa	48420
gctttaatta	cttttagccat	tgctaccttc	gttgaaggcg	cctgatctgt	aattaccttt	48480
tgagggtttac	caaattgttt	aatgagacgt	ttgataaacg	catatgctga	atgattatct	48540
cgttgcttac	gcaaccaa	atctaattga	tgtccctctg	catcaatggc	acgatataaa	48600
tagctccatt	ttccttttat	tttgatgtac	gtctcatcaa	tacgccattt	gtaataagct	48660
ttttatgtct	ttttctttcca	aaatttgatc	aaaattgggg	catattcttg	aacccaacgg	48720
tagaccgttg	aatgatgaac	gtttcaccca	cgttccctta	atatttcaga	tatatcatga	48780
taactcaatg	catatcttag	atagtagcca	acggctacag	tgataacatc	cttgttaaat	48840
tgtttatatc	tgaaatagtt	catacagaag	actccttttt	gttaaaatta	tactataaat	48900
tcaactttgc	aacagaacca	tttgcgatac	aacgaggcga	cattagccgt	taatttgctt	48960
aactgtagaa	gattttaaag	aaccccttgc	catatattta	acaatgttgt	ccgggataac	49020
aacacagtga	atccaccgtt	tagttaagat	gatggatttt	ttcaaacgtg	ggatgaggtg	49080
cagagtttca	ttagataaaa	acagggaaaa	cttattaaag	agtgatttct	gtgaggagga	49140
taatgatgac	aaagaaatac	gatcttattg	tgattggtac	aggttctgcg	gggtcaatca	49200
cagcagcaaa	atgtaataaa	gccggctgga	atgtagctat	ggtagatgac	aggccgtttg	49260
gaggcacgtg	tgactacgt	ggatgtgacc	caaaaaaggt	tctacatggg	gctgcccagc	49320
ttatttgattg	gaacaaacgg	atgggttaaga	atggagatcc	gtctgaagtc	tccatcaact	49380
ggaaagatct	tatgaatttt	aaaagaacct	ttacagatga	tgtcccggaa	aaaaaagagg	49440
aagcattgaa	taaacaggga	atcgatacgt	atcatggcaa	tgcatctttc	gtgagtgagg	49500
acaaacttga	agtgaataaa	gaagtgtctg	aggggagtc	tttcttgatc	gctagtgggtg	49560
cgaaacctac	cccttttacc	ataaaaggag	aagaacatct	tacttatagt	gatgagtttt	49620
tggagtgtga	tgaattacca	caaagaatcg	tctttgttgg	tgggtgggtat	atttcgtttg	49680
aaattgtctca	tatcgcgga	cgtgctggat	cagaagttca	tattatccat	cagggtcaaa	49740
gaccttttga	gaattttgat	atagatcttg	tagatatcct	tttagaaaag	tcgaaagaga	49800
ttggcataca	ggtacatctt	caacattccg	ttgaatccat	tgaaaaagaa	caaggaaagt	49860
ttcatgtgta	cgctcgaaaa	aaagaggata	taacgcgggt	tgaagcagac	attgtttattc	49920
atggtgctgg	acgggtccct	gccttagata	tgaattctga	aaaagggaat	atagaaagga	49980
aaaaacatga	tgctcatggt	aatgagtatt	tgcaaatgtg	aagtaaccgc	aatgtctatg	50040
cagctggaga	tgctcgagca	acggatggct	tgccccctac	acctgtagcc	agtgccagatt	50100
ctcatgtcgt	agcatcta	ttattgaaag	ggaacagcaa	aaaaattgaa	tatcccgtga	50160
ttcatctgc	tgtattttacc	gtacctaaaa	tggtcatcgg	aggtatgagc	gaggaggaag	50220
ccaaaaactc	tggccggaat	attaaagtaa	agcagaaaaa	catctccgac	tggtttacgt	50280
ataaacggac	aaatgaggac	tttgctgcgt	ttaaagtgtc	aattgacgag	gatagtgtac	50340
aagttgtcgg	tgctcatattg	attagtaatg	aagccgatga	actaattaac	cactttgcaa	50400
cagccattcg	ctttgggaatt	tcaaccaaa	aattgaaaca	aatgatattt	gcctatccaa	50460
cggcagcttc	ggacattgca	cacatgttgt	aagtttgctg	tttgtgagat	gtttataaac	50520
cactttatcg	tctaattcttg	ttatatgata	ttagaatcaa	aaagaaaata	acttttttga	50580
cagccacatt	tttcaacgga	agaatgtggc	ttcttggcgt	gaagagcaga	tatcttttatt	50640
cttaaaacttc	taaaaaagct	tatgtgaaca	cttgataaat	aagggtttttt	atctgacct	50700
ttttataaga	ttattctata	aaagaaaaaa	taatgtatga	cttgaccgtg	tactatagta	50760
cagggtttat	actttttatt	gagggtgacaa	tatggagatg	aaaatcagtg	aattggctaa	50820
agcgtgtgat	gtgaataaag	aaaccgttcg	gtattacgag	cggaaaggat	tgatagccgg	50880
gcctcccaga	aacgaatcag	ggtatcgaat	atattcagag	gaaacagcag	atcgggtacg	50940
gtttattaaa	cgaatgaagg	aattggattt	ctcgctaaag	gaaatccacc	tgttgttttg	51000
tgtggttgat	caagatgggg	agagatgtat	agatatgtac	gcctttaccg	ttcaaaaaac	51060
caaagaaaatc	gagcgggaaag	tgcaggattt	gttacgaaatc	caacggttat	tagaggaatt	51120
aaaagaaaag	tgtccagatg	aaaaggcgat	atatacctgt	cctattattg	aaacgtta	51180
gggagggcct	gataaataaa	tgggggaaga	tttgaatgaa	aaaacgcatt	tccttcaccg	51240
ctataatgac	ggtgttgtta	atcgggttaa	cagcttgtgg	agcagaatct	gataccgcga	51300

GENOM.057CP1.TXT

atgaatcaaa	ggttcaagac	attcaaggaa	atccagtcag	cctaccta	gagaaaccca	51360
cactcattta	ttttatggca	acctggtgtc	catcttgtat	atacaatgag	gaaatcttta	51420
aggaaattca	tcaactaaac	ccgaacgatg	ttcaattgat	cacagttagt	ttagacccta	51480
acacagatac	aaaagaaaagc	tttgcgaaat	ttaaacagga	ttatggcggg	gattggcccc	51540
atgttttaaa	gataggagtg	gaattatgag	tttttcgttt	ctcttcattc	tgaccgctgg	51600
aattggttgcg	gcctttaatc	cttgtgggat	cgcttgcctt	ccttcttata	tctcctatatt	51660
aattggaggcg	gaaacaaaag	atcattcggt	ccgctatgca	attttttaaag	gattagggct	51720
tggtggagcg	atgaccacgg	ggtttttaac	gatttttcta	ttggctgggt	tggtgatagg	51780
aggattggga	agcgactaa	cagggaattt	tccgattcct	tcattgggta	tggttatact	51840
cattgcttta	ttgggggttg	gcatgctatt	tggggaagcat	ttgcccatta	aaataggatc	51900
ttttcaagtc	aagccaggga	aatggtctat	ctattttttac	ggaatagcct	atgccgtgac	51960
atcacttggg	tgtaccttgc	cagcctttat	ggttgggtgc	tctgcatcgc	tgaatgacaa	52020
tagcgtaacg	gccgtgatca	tcaagttcat	catcattctc	ccttgggtatg	gaattgtggg	52080
gacagcgatc	acgatggtct	cattgatttc	acgacaattg	gtacagaagt	ttctgcacaa	52140
ctatatgggt	tctatccaaa	aaatagcagc	tggttgatg	ttcctctccg	gtttgtacat	52200
ggcttattac	tggtatttctg	gttctgggtg	catttgtaca	ttttaaaatc	caaccgatca	52260
ggtgtaacaa	aaaatagatg	aaagatgtaa	aaaagctaaa	cgaacaaatt	tcaagttagg	52320
ctataggcca	gttatgtacc	ttaaccaaag	aataaaaattt	ttttagaaaag	agtgggtgaga	52380
atgatggatg	agaatcgctc	gaaaggtaac	cgctgggggtg	tttgggcctt	tttcggaata	52440
ttattgggtc	ctttattggg	tcctttactt	tggtgcgcag	gaccgattct	ccttgttgca	52500
ttaggagca	cagggtattg	tgccctcttt	gctgggtgcga	caggaaattg	gtgggtgacc	52560
ggcatttttg	cagcattggc	cattgttatg	attgctctga	tcctcagcaa	gttgttgaag	52620
aacaaataca	attctcctga	aggcaatgga	aaaaacaaaa	ataaaacgga	ttgctgtacg	52680
cctccagaga	gcgtggatcg	gaaacatgag	acaagataaa	tatgagataa	atgtacagaa	52740
ctgtctatca	aactttaaat	agaaagaggg	attcaaatga	ctcaaaattc	atataaaata	52800
cccattcaag	gcatgacatg	cacaggctgt	gaagaacatg	taaccgaagc	attggaacaa	52860
gccggagcta	aagatgtttc	ggccgatttc	cgacgcgggtg	aggccatttt	tgaactcagc	52920
gatgatcaga	tcgaaaaggc	taagcaaaat	atttcggcag	ccggctatca	accgggagag	52980
gaagaaagcc	agccctctga	aaacagtgtg	gattttcaatc	gggatggcga	ttacgattct	53040
ctgattattg	gttccggcgg	tgccggcgtt	tctgcagcta	tcaaggccaa	tgaaaacggg	53100
gcgaaagtgg	ccatggtaga	acggggaaac	gtcgggggga	cctgcgttaa	catcggttgt	53160
gtaccgtcaa	aaaccatgct	tcgtgccggg	gaaataaacg	gtctcgccca	aaacaatccg	53220
tttaccggac	ttcaaacgag	taccggtgct	gcggaccttg	cccaattgac	cgaacaaaaa	53280
gatggattag	tcagtcaaat	gcgtcaagaa	aaatatatag	acttgatcga	agaatatgga	53340
tttgatctca	ttcgtggcga	ggcctcggtt	atcgacgata	agacgataca	agtgaatgga	53400
caaaacatca	cgtctaaaag	ctttttaatc	gcaacggggg	cttctccggc	tggtccggaa	53460
atccccggaa	tgaatgaggt	tgattattta	acaagtacat	ccgcactcga	attaaaagag	53520
gttcacaaac	gattggcagt	gatcggttct	ggctatatcg	cagcgggaat	agggtcaaatg	53580
tttcacaacc	tcggaacaga	agtgaactct	atgcaaagaa	gcgagcgtct	gtttaaaacc	53640
tacgatctcg	aaatttccga	agccatcgat	gaatccttaa	ctgagcaagg	acttaacttt	53700
atcactgggg	tcacttatca	aaagggttag	caaaacggta	agtcgacaag	catttatatt	53760
gaagtgaacg	gtcaagaaca	agtcatcgaa	gccgatcaag	tcctcggtgg	aacaggaaga	53820
aagccgaaca	cagagacttt	aaaccttgaa	tcagcagggtg	tgaaaacagg	gaaaaaaggc	53880
gaagtgtcga	ccaatgaata	tttgcaaacg	tcgaataacc	gaatatatgc	cgcgggcgat	53940
gtgaccctcg	gtccgcgaat	cgtttatggt	gcagcttatg	aaggcgggat	tgtggcaaat	54000
aatgcgttgg	gtctagcgaa	acgcaaaatc	gatcttctcg	ttgttcccgg	cgtaaccctt	54060
accaatccat	cgatccgcac	agtcggcttg	actgaacaac	aggcaaaaaga	aaaagggttac	54120
gatgtcaaaa	catcggctct	tcctgtggac	gctgtaccgc	gggccttagt	caatcacgaa	54180
acaacagggg	tctataaaat	tgtagtcaac	gcccaaacc	agaaattgat	cggggcgac	54240
attgtgagtg	aaaatgctgg	agatgtgatt	tatgcggcaa	cgtagcggg	tcaatttgga	54300
ttgaccattg	aagaccttac	ggatagcttt	gcgccttatt	taacgatggc	tgaaggatta	54360
aagcttgcag	ccttgacgtt	tgataaagac	gtatcgaaat	tatcttggtg	tgacggctaa	54420
tggttccctt	tgatttcta	gctatgttgc	aggaggcact	taaaacaatg	aagtggagaa	54480
aatataagga	ggaataagct	tatgaaaaat	atttcagaat	tctcagccca	acttaataca	54540
acttttgatc	aaggggaagc	cgtctctatg	gagtgggtat	tccgtccgtt	gctaaaaaatg	54600
ctggcggagg	gcgatccagt	ccccgttag	gacatcgcg	cggagaccgg	gaagcccgtc	54660
gaggaagtta	agcaagtctc	acagactcta	cctagtgtgg	aacttgatga	gcagggccgt	54720
gtcgtcggtt	atggcctcac	actggctcct	acccccatc	gcttcgaggt	tgatgggaag	54780
caactatagt	catgggtgcg	ccttgacaca	cttatgttcc	cagcactcat	cggccggacg	54840
gtccacatcg	cttcgccttg	tcacggcacc	ggtaagtccg	tacggttgac	ggtggaaccg	54900
gaccgcgttg	taagcgtcga	gccttcaaca	gccgttgtct	cgattgttac	accagatgaa	54960
atggcctcgg	ttcgggtcgg	cttctgtaac	aacgttcaat	ttttcagttc	accgagtga	55020
gcccagagct	ggcttaacca	acaccctgag	tcgagcgttt	tgcccggtga	agatgccttt	55080
gaactgggtc	gcccatttgg	agcgcgttat	gaggagtcag	gacctactaa	tggttccctgt	55140
tgtaacattt	aatcttaggc	aattacgcct	gcgtcaatct	tgcccttacg	atgatgtcct	55200
gtaaccgaag	ctctatctag	tgaaccaaat	tttatgggaa	accaaataaa	taaaaagatc	55260
aattgcttgt	gcctatatcg	gggagttaat	aaagcgagaa	agtggattct	tgaatatagg	55320

GENOM.057CP1.TXT

agtaaataag	gtgccaaaat	ggcaccttat	ttaaaatatg	taacgccaaag	gtctgccgta	55380
ttatatgtgca	ttggaaaaag	aaaaccttct	gtataaggag	atgtttatatg	atattttggta	55440
aactgttcgg	cagtttgggc	gtagaaagct	tttgctcctt	gaacatcacg	tttgccagtt	55500
acaatgtcat	ttaacaagtt	taaagataaa	aaattcatcg	cttcctcatg	acacttttgct	55560
gatgcctcac	ctgtagttcg	atctaagtag	acacttccat	caaaagcggc	aatcgcatca	55620
tataagtgtg	cgggcacttt	ataatcgatg	gtctgcttaa	ggaaatcaag	gtgaggggta	55680
gggaagttaa	gagggactgg	atccttatat	actatcgtgc	gtttccatgg	cccgtattg	55740
taccaaatta	atcgtctcat	tgttgcttcc	tggggatatac	catacttact	aattatgggt	55800
tttgccctt	ccaacggtgg	tccctgccaa	taggacaaaa	tgtgatttaa	atgactatcc	55860
attgccatac	ctcctaaaca	tttgccataa	agcattgtat	gccaataaaa	tgaatttttag	55920
gtaaatgtat	atttaatgat	cggcagattg	cagtaaataa	cgaatgcctg	caatgcaatt	55980
aacatgggat	ttaacactgg	acagtaattt	ttttgctggg	attttgctat	cagatagctt	56040
ttcttagtga	tgataggata	tggtgaccaa	attggccgtg	agattggagg	ggtgggtttt	56100
atggttagtt	gttgttcaat	cgatccatac	actgaattcg	aagtcattat	tattggtgcc	56160
ggggtgccgg	aggtttctct	tgcttttcat	ttgacttcat	acggcataag	gacggcactt	56220
gcggatgaac	agaacgtgga	taacagatta	aaggactttt	taagaacttt	tcaagaattg	56280
attgagcgcg	attcgggtat	gccgtgaacg	ttacaggcaa	taaaagaaga	tatgcacctc	56340
atcctttttg	acgggtaccat	tacccttgaa	ggtgaaacatg	ctgtccgtat	tgatgaacac	56400
aaaattcggg	gggatcgat	ggtcgtacca	tttgatacgt	ttaaacaat	aggaaaacct	56460
agaaaccaaa	acgacatcca	ttttaaaaac	gatccttttc	aaagagttac	gaatgattta	56520
tggatcacga	atccctcatt	gtcagaagtg	gatcaagaac	aaatatggca	gactggagac	56580
tatttttcaa	aacaccttca	gaacattgaa	taaatgaagg	gttctgttgc	aaagtaaaaa	56640
aatatagcta	accactaatt	tatcatgtca	gtgttcgctt	aacttgctag	catgatgcta	56700
atttcgtggc	atggcgaaaa	tccgtagatc	tgaagagacc	tgcggttctt	tttatataga	56760
gcgtaaatac	attcaatacc	ttttaaagta	ttctttgctg	tattgatact	ttgatacctt	56820
gtctttctta	ctttaatatg	acggtgatct	tgctcaatga	ggttattcag	atatttcgat	56880
gtacaatgac	agtcagggtt	aagtttaaaa	gctttaatta	ctttagccat	tgctaccttc	56940
gttgaaagg	cctgatctgt	aattaccttt	tgagggtttac	caaattgttt	aatgagacgt	57000
ttgataaacg	catatgctga	atgattatct	cgttgcttac	gcaaccaa	atctaattga	57060
tgctccctctg	catcaatggc	acgatataaa	tagctccatt	ttccttttat	tttgatgtac	57120
gtctcatcaa	tacgccattt	gtaataagct	tttttatgct	ttttcttcca	aattcgatat	57180
aaaattgggg	catattcttg	aaccaacgg	tagaccgttg	aatgatgaac	gtttacacca	57240
cgttccctta	atatttcaga	tatatcacga	taactcaatg	catatcttag	atagtagcca	57300
acggctacag	tgataacatc	cttgttaaat	tgtttatatc	tgaaatagtt	catacagaag	57360
gtccttttt	gttaaaaatta	tactataaat	tcaactttgc	aacagaacct	tattgcatat	57420
ctttttagcc	atatcactga	taggggtgaag	catatcataa	atgatgcggt	tttt	57474