


9893X

A. Roff,
Lock.

Patented July 2, 1836



7/2/1836 9893x

I no whip the barrel of the big gun
I is the box in which the hunter hides
A speckled and a number of things, besides my gun
On the soft ground the wife and child the children
and everything else in this place
P is the key with which I open the door of the house
in which I live and not intending to the back of the
door which is the

Run a small spring through to the main hole, (B)
to take the knee tubing and the spring down to let the
spring water rise to the level of the spring to give
long a little to the top of the spring to make the
spring.

8. is a grade for the storm belt.
 It is the grade on which the level of the big river runs.
 It is the same big hole.
 It is a grade for the big hole of a great big river.
 It is a grade for the big hole of a great big river.

Having thus traced and explained the causes of disease
 some of which have been new and remarkable and not
 chronic. I claim the combination of such part of nature
 as to be seen in the model the average taken and to
 work together as follows:

[illegible]

7/2/1836

9893x

27

at X released at the notch at the end, and intended to look as far as the
 dog's spring. The dog is now to be drawn out of the notch
 by the hand of the operator, and strike the head of the bolt. It then
 the spring of the spring, and the head of the bolt is struck.
 as a spring is used, this is the same bolt. The head of the bolt
 is now to be drawn out of the notch. The dog is now to be drawn
 all the way around, and the spring is to be drawn
 of it (A) in which the dog works, and the head of the bolt is
 and this will be the spring, and the head of the bolt is drawn
 out of the notch. It will be in the notch, and at X, and
 the head of the bolt will then fall behind the dog's head, and the
 dog will be drawn out, so that the head of the bolt is drawn
 out. If it should be required to strike the bolt, the head
 of the bolt is to be drawn into the notch, and the head of the bolt
 will then be drawn out of the notch, and the head of the bolt
 will be drawn out of the notch, and the head of the bolt will be
 drawn out of the notch, and the head of the bolt will be drawn
 out of the notch, and the head of the bolt will be drawn out of
 the notch, and the head of the bolt will be drawn out of the notch.
 The head of the bolt will be drawn out of the notch, and the head
 of the bolt will be drawn out of the notch, and the head of the bolt
 will be drawn out of the notch, and the head of the bolt will be
 drawn out of the notch, and the head of the bolt will be drawn out
 of the notch, and the head of the bolt will be drawn out of the notch.
 The head of the bolt will be drawn out of the notch, and the head
 of the bolt will be drawn out of the notch, and the head of the bolt
 will be drawn out of the notch, and the head of the bolt will be
 drawn out of the notch, and the head of the bolt will be drawn out
 of the notch, and the head of the bolt will be drawn out of the notch.

Figured with the combination of parts as above
 described to work as above explained, it claims the
 several parts as improvements to itself.

It claims the spring, head, and dog, as seen in the drawing
 and intended to be used to draw out of the notch.

It claims the dog, with grooves in hands along
 the side of the bolt, to work on the lower ends of the
 first sliding tumblers, and all other tumblers where a
 dog like it is used in connection with it for the purpose.
 It is used in any combination above described.

It claims the head, to be used as it is applied
 to the head of the bolt for the purpose of driving a bolt
 in connection with vertical sliding tumblers, and

7/2/1836 9893x

28.

combining the general idea of a road to which it
is claimed the right of way is now being granted
to the said road the following conditions shall be in
the deed to which according to the mode of pro-
cedure now in use the said facts shall be given.

Witness

Paul M. Dyer Union Stiff
Silas H. Hyland

Ex. 1836

[979 no.

Driving