



US00D594591S

(12) **United States Design Patent**
Boyer et al.

(10) **Patent No.:** **US D594,591 S**
(45) **Date of Patent:** **** Jun. 16, 2009**

(54) **FOLDABLE SUPPORT FOR DOMED ILLUMINATION ELEMENT**

(75) Inventors: **John Delmore Boyer**, Lebanon, OH (US); **Mark C. Reed**, West Chester, OH (US)

(73) Assignee: **LSI Industries, Inc.**, Cincinnati, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/295,313**

(22) Filed: **Sep. 26, 2007**

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/279,145, filed on Apr. 10, 2006, now Pat. No. 7,380,967.

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/138**

(58) **Field of Classification Search** D26/118, D26/120, 138, 122, 119, 88, 87, 85, 68, 63, D26/155, 25, 60, 61, 72, 113, 128, 140; D13/180; 52/144, 145, 220.6, 473; 362/290, 330, 267, 362/612, 555, 512, 520, 147, 182, 352, 376, 362/407, 800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D22,391 S *	5/1893	Jacobs	D25/106
2,907,873 A	10/1959	Smith et al.		
3,511,984 A	5/1970	Blaisdell et al.		
3,872,296 A	3/1975	Cohen et al.		
D269,639 S	7/1983	Eargle, Jr. et al.		
4,616,293 A	10/1986	Baliozian		
4,807,089 A	2/1989	Nussli		
4,943,901 A	7/1990	Baldwin et al.		
D313,861 S *	1/1991	Michael	D26/26

D324,113 S	2/1992	Morrison		
5,605,396 A *	2/1997	Chin et al.	362/367
6,464,378 B1	10/2002	Reed et al.		
6,478,454 B1	11/2002	Jaffari et al.		
7,014,332 B2 *	3/2006	Sergio et al.	362/147
7,213,948 B2 *	5/2007	Hein	362/346
D545,994 S *	7/2007	Hargreaves	D26/118

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Kevin K Rudzinski

(74) *Attorney, Agent, or Firm*—Hasse & Nesbitt LLC; Daniel F. Nesbitt

(57) **CLAIM**

We claim the ornamental design for a foldable support for a domed illumination element, as shown and described.

DESCRIPTION

FIG. 1 shows a top plan view of a first embodiment of a foldable support for a domed illumination element, the bottom view being a mirror image thereof.

FIG. 2 shows a front elevation view of the first embodiment of the foldable support for the domed illumination element, shown in FIG. 1, where the back, right side and left side elevation views are identical thereto.


FIG. 3 shows a perspective view of a second embodiment of a foldable support for a domed illumination element.

FIG. 4 shows a top plan view of the second embodiment of the foldable support for a domed illumination element shown in FIG. 3, the bottom view being a mirror image thereof; and,

FIG. 5 shows a front elevation view of the second embodiment of the foldable support for the domed illumination element, shown in FIG. 3, where the back, right side and left side elevation views are identical thereto.

The broken lines are for illustration purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5