

[54] **COMBINED TELEVISION RECEIVER,
RADIO RECEIVER, CASSETTE RECORDER
AND CLOCK**

[75] Inventor: **Gerard J. Heijnen**, Geldrop,
Netherlands

[73] Assignee: **U.S. Philips Corporation**, New York,
N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **143,662**

[22] Filed: **Apr. 25, 1980**

[30] **Foreign Application Priority Data**

Oct. 29, 1979 [XB] Benelux 54159-00

[51] Int. Cl. **D14-01; D14-03;**
D10-01

[52] U.S. Cl. **D14/5; D10/2;**
D10/15; D14/73; D14/79; D14/81

[58] Field of Search D14/1, 5, 6, 72-77,
D14/79-81; 358/254

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 179,857	3/1957	Mason		D14/81
D. 228,255	8/1973	Ikeya et al.		D14/80
D. 256,920	9/1980	Takashima et al.		D14/80
D. 259,259	5/1981	Masatsugu et al.		D14/81 X
3,272,920	9/1966	Meurer		358/254 X

Primary Examiner—Jane E. Corrigan

Attorney, Agent, or Firm—Thomas A. Briody; William
J. Streeter; Rolf E. Schneider


[57]

CLAIM

The ornamental design for a combined television receiver, radio receiver, cassette recorder and clock, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a combined television receiver, radio receiver, cassette recorder and clock showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top view thereof; and
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG . 4




FIG . 5




FIG. 6




FIG. 7