

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁴ : A47C 27/15 // A61G 7/04</p>	<p>A1</p>	<p>(11) International Publication Number: WO 89/ 07411 (43) International Publication Date: 24 August 1989 (24.08.89)</p>
<p>(21) International Application Number: PCT/SE89/00071 (22) International Filing Date: 20 February 1989 (20.02.89) (31) Priority Application Number: 8800562-4 (32) Priority Date: 18 February 1988 (18.02.88) (33) Priority Country: SE (71) Applicant (for all designated States except US): SPECIAL-PLAST AB [SE/SE]; Gillinge, S-186 00 Vallentuna (SE). (72) Inventor; and (75) Inventor/Applicant (for US only) : BERGSTRÖM, Göte [SE/SE]; Gillinge, S-186 00 Vallentuna (SE). (74) Agent: HERMANSSON, Birgitta; AB Dahls Patentbyrå, Box 523, S-182 15 Danderyd (SE).</p>		<p>(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BG, BJ (OAPI patent), BR, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CM (OAPI patent), DE, DE (European patent), DK, FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, ML (OAPI patent), MR (OAPI patent), MW, NL, NL (European patent), NO, RO, SD, SE, SE (European patent), SN (OAPI patent), SU, TD (OAPI patent), TG (OAPI patent), US.</p> <p>Published With international search report. With amended claims and statement. In English translation (filed in Swedish).</p>
<p>(54) Title: HYGIENIC MATTRESS AND METHOD FOR MANUFACTURING THE SAME</p> <div data-bbox="592 1476 1182 1615" style="text-align: center;"> </div>		
<p>(57) Abstract</p> <p>A hygienic mattress, particularly for counteracting bedsores and similar, comprising a body or core (2) including one or several layers and a water repellent surface layer (1), the water repellent surface layer consisting of a profiled layer of a cellular plastic (1) with a cell system which is generally closed to 100 % and which generally covers the entire upper surface of the mattress, the cellular plastic having a smooth surface, the one side of the layer facing away from the core in section having a profiled surface in the form of for instance so-called egg-carton-like hump structure (10), and the surface facing the core having a planar surface (11), by which means the mattress forms air cushions between the vertically seen lowest points of the mattress and the body surface resting on the highest points when in contact with the body surface and a process for manufacturing the hygienic mattress.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

HYGIENIC MATTRESS AND METHOD FOR MANUFACTURING THE SAME

The present invention relates to a hygienic mattress intended to be used in hospital care of patients who are bed-ridden during long periods of time, as well as a process for manufacturing said mattress. These patients often are afflicted by bedsores which may be caused by the flat surface of the mattress. These flat mattresses often also are protected by a thin protective cover of a planar plastics material in order to make the mattress waterproof and easy to clean. This thin, waterproof protective cover enhances the disadvantages of the planar mattress regarding the tendency for the patient to develop bedsores. In hospitals and in geriatric nursing mattresses are used today intended for patients who are bed-ridden during long periods of time. These mattresses are often complicated to make and expensive to manufacture, and they are therefore not so commonly used as might be wished. Many patients do today easily develop bedsores due to the fact that they lie on even and tight materials.

One kind of such a mattress is for instance disclosed in US-A-3 258 791, disclosing a hygienic mattress consisting of a body or core including one or several layers and a surface layer covering generally the entire upper surface of the mattress which consists of a shaped layer of a cellular plastic, the side of said layer facing away from the core in section having a profiled surface of the form of a so-called egg-carton-shaped hump structure, i.e. having depressions and elevations mutually interconnected by saddle surfaces in such a way that an elevation is surrounded by four depressions in four mutually orthogonal directions, and connected to four elevations by means of said saddle surfaces, the surface of the layer facing the core having a planar surface.

The main object of the invention is to manufacture a hygienic mattress which prevents the development of bedsores, and which, if such have been developed by the use of a conventional mattress, facilitates the healing of these at the same time that a water proof mattress is obtained which is easy to keep clean and which is easy to manufacture at a reasonable cost.

These and other objects are obtained by means of a hygienic mattress wherein the cellular plastic is of a water repellent type, wherein the surface of the cellular plastic has a cell system which are generally closed to 100 %,

forming a surface which per se is waterproof, smooth and water repellent, the mattress thus forming air cushions between the vertically seen lowest points, the hollows, and the saddle surfaces being located between adjacent elevations on which the resting body surface rests, as well as by means of a process for manufacturing the mattress wherein the relatively thin layer of similar plastic with a closed cell system is applied onto a core of polyurethane foam plastic comprising one or several layers by means of for instance glueing, and which core may comprise urethane foam, a core of metal coils or similar. The cellular plastic can be heat-treated by means of hot air in order to close the cells in the plastic to 100 %, whereafter the mattress is cut to a suitable size. Another process is to heat-treat the relatively thin layer of cellular plastic, cut this to a suitable size and to apply this thin layer onto a conventional mattress, for instance of the spring mattress type.

Advantageous developments and embodiments of the hygienic mattress according to the invention has the characteristics defined in claims 2 - 8.

The present invention has many advantages. The process is simple, and the invention makes it possible to give the patients a comfortable surface at a reasonable cost, and makes it easier for the staff to clean the mattress, also with cleaning and disinfectant agencies, including alcohol, simultaneously that a mattress with a low weight is obtained. It is relatively simple to manufacture hygienic mattresses for different weight classes and sizes.

By means of the structure of the surface, air cushions are formed between the lowest points of the mattress and the saddle surfaces, on which cushions the body rests, and the mattress is therefore very suitable for patients having bedsores. Since the tips also massage the body surface, the blood circulation is enhanced, facilitating the healing of bedsores and preventing the development thereof.

For people suffering from incontinence the mattress functions in such a way that the urine is collected in the hollows and the person lies quite dry and does not need to use diapers. The mattress can easily be flushed clean and the bed can be reused immediately. If persons, for instance hospital staff having tired backs due to the lifting and the turning of patients, rest on a mattress

according to the invention, tests show that these persons feel an appreciable rest of the back. This is due to the massaging effect of the mattress.

It has also been found that the mattress is suitable for patient with wounds such as burns or similar, since air having different temperatures can be circulated in the hollows, and the healing is facilitated since the mattress decreases the contact surface of the body against the bed and distributes the pressure of the mattress in an advantageous way over the whole body, thus minimizing the formation of moisture and heat between the body and the bed.

The hygienic mattress has proved to have a service life being about double the service life of a conventional hygienic mattress. The mattress does not need a plastic cover and/or mattress cover. No complicated accessories in the form of apparatuses or motors, requiring reparations and maintenance and which emit disturbing, droning noises, need to be used.

The invention will now be described more closely with reference to the preferred embodiments shown in the attached drawings by way of examples only:

Fig. 1 shows a sectional view in section of the hygienic mattress with the surrounding layer cut away and with the core projecting.

Fig. 2 shows the hygienic mattress in section seen from the side.

Fig. 3 shows a hygienic mattress in section seen from the side with a surface layer not covering the mattress entirely and which has a core consisting of several layers.

Fig. 4 shows examples of different hump profiles of the surface layer seen in perspective.

Fig. 5 shows the process according to the invention.

Figs. 1 and 2 show the invention wherein the surface layer consists of a profiled cellular polyethylene plastic having a cell system closed to 100 %

which entirely surrounds a core or body comprising one or several layers of for instance polyurethane foam plastic.

This mattress core can consist of a homogenous block of polyurethane foam plastic or of two or several layers having a surface which is profiled on one side and even on the other side, the layers being located on the top of each other with the profiled surfaces facing each other and with a rigid sheet interposed between the layers, but the core may also comprise a conventional spring mattress.

Fig. 3 shows the invention wherein the surface layer of profiled cellular polyethylene plastic only covers part of the core or body 2. It is also shown that the body may comprise several layers, as for instance a profiled sheet 3 of polyurethane foam plastic, or a sheet of polyethene 4 and a sheet 5 of profiled polyurethane foam plastic.

Fig. 4 shows different profiles of humps suitable for use in connection with the invention.

Fig. 5 shows how the profiled cellular polyethylene plastic having a closed cell system is applied around the core or body 2, is cut and glued onto the core and is heat treated in order to seal the pores to 100 %.

These profiles are obtained in that a block of cellular plastic of polyethelene 6 is moved between two profiled rollers 7, 8, compressing the cellular polyethylene plastic with a great pressure in a zig-zag pattern.

The compressed cellular polyethylene plastic is then cut horizontally at about half its height by means of a knife 9, a permanent "egg-carton-like" configuration 10 thus being obtained on one side, and a planar, cut surface on the other side 11.

By wearing the thickness of the cellular polyethylene plastic, and by varying the pressure on the rollers, profiles with different heights and layers with different thicknesses may be obtained.

When this process is finished, the planar side of this layer is moved over a applicator 12 for applying an adhesive, and this surface is then attached to the mattress core, and a slight pressure 13 is applied in order to obtain a good contact so that the surface may be attached to the core.

A heat treatment by means of hot air 14 is performed in order to close the cells to 100 %.

The core with the glued, water repellent layer is then cut to a suitable size.

Within the scope of the invention it is also advantageous to move a block of cellular polyethylene plastic 6 through two profiled rollers 7, 8 which compresses the cellular polyethylene plastic with a great pressure in a zig-zag pattern. The compressed cellular polyethylene plastic is then cut horizontally at about half its height by means of a knife 7 which results in a permanent "egg-carton-like" hump structure 10, i.e. elevations respectively depressions which mutually are interconnected by means of saddle surfaces in such a way that an elevation is surrounded by four depressions in mutually orthogonal directions and is connected to four elevations by means of said saddle surfaces. The profiled, relatively thin layer of cellular polyethylene plastic is then heat-treated and cut into suitable lengths in order to fit a core which is to be covered by the layer. This profiled, thin layer of cellular polyethylene plastic is then applied around the core and joined for instance by its short ends by means of for instance Velcro tapes, in order the layer may be easily dismountable. The core may comprise a conventional mattress of the spring mattress type, or may be other cushions, used for instance in chairs, sofas, wheel chairs or seats in cars and buses. By varying the height of the profiles, hygienic mattresses which are suitable for different weight classes are obtained. The larger the distance between the tips and valleys is, the greater the weight of the persons which is to use the mattress may be. Furthermore, the distance between the tops in the horizontal direction may be varied in dependence of the weight and the size of the user. A suitable mattress for a desired weight class can be made easily identifiable by colouring for instance the profiled plastic layer 1 in different colours, a blue colour on the profiled plastic may for instance be suitable for the weight class 75 - 85 kg, red for 65 - 75 kg, green for 55 - 65 kg, yellow for 45 - 55 kg etc. In this way the storing and handling of the mattress according to the

invention is facilitated both in the stores, at the large consumers, i.e. hospitals and institutions for geriatric nursing.

When the mattress according to the invention was tested in Autumn 1988 at the "Löwenströmska sjukhuset", ward 20 (patients suffering from senile dementia) the following results were obtained:

1. Woman born 1917, weight 46 kg. Suffering from incontinence and confined to a wheel chair. Lies in bed from about 19.00 to 09.00. Was given a mattress August 1988. Had sores earlier, but no sores today.
2. Woman born 1910, weight 36,9 kg, very thin. Sits in a relax chair, suffers from incontinence. Lies in bed from about 14.30 to 09.30. Was given a mattress August 17, 1988. Did earlier develop bedsores which often returned. After having received the new mattress the bedsores disappeared within a few days. No new sores since about two months.
3. Woman born 1908, weight 35 kg. Confined to a wheel chair. Lies in bed from about 19.00 to 09.00. Was given the mattress in the period September 30, 1988 - October 20, 1988 when she was hospitalized for relief. Is normally nursed at home. She did earlier have sores, which disappeared during the stay at the hospital.
4. Man born 1922, weight 62,5 kg. Sits in a relax chair, suffer from incontinence, often diarrhoea. Lies in bed from about 14.30 to 10.00. Was given a mattress October 13, 1988. Had a small sore at the cleavage of the back. The sore had been healed October 14, 1988.
5. Woman born 1903, weight 54 kg. Sits in a relax chair. Lies in bed from about 18.30 to 09.30. Was given a mattress October 20, 1988. She earlier was red on buttocks and back and did sometimes also develop small sores. Has been better since she was given the mattress and is now free of sores.

The invention is not limited to the embodiments shown in the attached drawings and described in connections with these, and modifications may be conceived within the scope of the attached claims.

CLAIMS

1. Hygienic mattress for counteracting bedsores and similar, comprising a body or core (2) including one or several layers and a surface layer (1) consisting of a shaped layer of a cellular plastic (1) covering generally the entire upper surface of the mattress, the side of said layer facing away from the core having a profiled surface in the form of a so-called egg-carton-shaped hump structure (10), i.e. having depressions and elevations mutually interconnected by saddle surfaces in such a way, that an elevation is surrounded by four depressions in four mutually orthogonal directions, and is connected to four elevations by means of said saddle surfaces, the surface of the layer facing the core having a planar surface (11), characterized in that the cellular plastic is of a water repellent type, that the surface of the cellular plastic has a cell system which is generally closed to 100 %, forming a surface which is per se is waterproof, smooth and water repellent, the mattress forming air cushions between the vertically seen lowest points, the hollows, and the saddle surfaces being located between adjacent elevations, when in direct contact with a human body.
2. Hygienic mattress according to claim 1, characterized in that the body or core (2) of the mattress consists of a polyurethane foam plastic made in one block.
3. Hygienic mattress according to claim 1, characterized in that the body or core of the mattress comprises two layers of polyurethane foam plastic and is planar on one side and profiled on the other side, the layers being located on top of each other with the profiled surfaces facing the center of the core, a planar, rigid sheet being interposed between the layers.
4. Hygienic mattress according to claim 1, characterized in that the body or core of the mattress comprises a spring mattress of a conventional type.
5. Hygienic mattress according to claim 1, characterized in that the under side of the mattress is covered by the profiled layer of cellular plastic.
6. Hygienic mattress according claim 1, characterized in that the profiled layer of plastic entirely surrounds the core of the mattress.
7. Hygienic mattress according to claim 1, characterized in that the profiled layer is made of a polyethylene foam plastic.

8. Hygienic mattress according to claim 1, characterized in that the heights of the tips of the profilations of the profiled layer vary.

9. Process for manufacturing a hygienic mattress according to claim 1, characterized by the steps

1) a block of cellular plastic is moved between two profiled rollers which under great pressure compresses the cellular plastic in points located in a zig-zag pattern,

2) the deformed block of cellular plastic is cut horizontally at a level corresponding to about half the height, by which means a layer is formed which is planar on one side and which on the other side displays an egg-carton-like hump structure,

3) an attachment means is applied onto the planar side,

4) the planar surface is then pressed against the surface of the mattress core,

5) the surface shaped with humps is then heat-treated and

6) a suitably sized mattress is cut.

10. Process for manufacturing a hygienic mattress according to claim 4, characterized by the steps

1) a block of cellular plastic is moved between two profiled rollers compressing the mattress under a great pressure in points located in a zig-zag pattern,

2) the deformed block of cellular plastic is then cut horizontally at about half its height, by which means a layer is formed which on one side is planar and whose other side displays a so-called egg-carton-shaped hump structure,

3) the surface with humps is heat-treated, for instance with hot air,

4) a suitably size is cut,

5) attachment means, if any, is attached to the short ends of the layer, and the layer is applied around a conventional spring mattress.

AMENDED CLAIMS

[received by the International Bureau on 4 July 1989 (04.07.89)
original claims 1-10 replaced by amended claims 1-10 (2 pages)]

1. Hygienic mattress or cushion for counteracting bedsores and similar, comprising a body or core (2) including one or several layers and a surface layer (1) consisting of a shaped layer of a cellular plastic (1) covering generally the entire upper surface of the mattress, the side of said layer facing away from the core having a profiled surface in the form of a so-called egg-carton-shaped hump structure (10), i.e. having depressions and elevations mutually interconnected by saddle surfaces in such a way, that an elevation is surrounded by four depressions in four mutually orthogonal directions, and is connected to four elevations by means of said saddle surfaces, the surface of the layer facing the core having a planar surface (11), characterized in that the cellular plastic is of a water repellent type, that the surface of the cellular plastic has a cell system which is generally closed to 100 %, forming a surface which is per se is waterproof, smooth and water repellent, the mattress forming air cushions between the vertically seen lowest points, the hollows, and the saddle surfaces being located between adjacent elevations, when in direct contact with a human body.
2. Hygienic mattress or cushion according to claim 1, characterized in that the body or core (2) of the mattress consists of a polyurethane foam plastic made in one block.
3. Hygienic mattress or cushion according to claim 1, characterized in that the body or core of the mattress comprises two layers of polyurethane foam plastic and is planar on one side and profiled on the other side, the layers being located on top of each other with the profiled surfaces facing the center of the core, a planar, rigid sheet being interposed between the layers.
4. Hygienic mattress or cushion according to claim 1, characterized in that the body or core of the mattress comprises a spring mattress of a conventional type.
5. Hygienic mattress or cushion according to claim 1, characterized in that the under side of the mattress is covered by the profiled layer of cellular plastic.
6. Hygienic mattress or cushion according claim 1, characterized in that the profiled layer of plastic entirely surrounds the core of the mattress.

7. Hygienic mattress or cushion according to claim 1, characterized in that the profiled layer is made of a polyethylene foam plastic.

8. Hygienic mattress or cushion according to claim 1, characterized in that the heights of the tips of the profilations of the profiled layer vary.

9. Process for manufacturing a hygienic mattress or cushion according to claim 1, characterized by the steps

1) a block of cellular plastic is moved between two profiled rollers which under great pressure compresses the cellular plastic in points located in a zig-zag pattern,

2) the deformed block of cellular plastic is cut horizontally at a level corresponding to about half the height, by which means a layer is formed which is planar on one side and which on the other side displays an egg-carton-like hump structure,

3) an attachment means is applied onto the planar side,

4) the planar surface is then pressed against the surface of the mattress core,

5) the surface shaped with humps is then heat-treated and

6) a suitably sized mattress is cut.

10. Process for manufacturing a hygienic mattress or cushion according to claim 4, characterized by the steps

1) a block of cellular plastic is moved between two profiled rollers compressing the mattress under a great pressure in points located in a zig-zag pattern,

2) the deformed block of cellular plastic is then cut horizontally at about half its height, by which means a layer is formed which on one side is planar and whose other side displays a so-called egg-carton-shaped hump structure,

3) the surface with humps is heat-treated, for instance with hot air,

4) a suitably size is cut,

5) attachment means, if any, is attached to the short ends of the layer, and the layer is applied around a conventional spring mattress.

STATEMENT UNDER ARTICLE 19

Claims 1-10 have been amended concerning the first line in all claims, namely that the invention is directed towards a "Hygienic mattress or cushion". One can find the correspondence in the description page 5 and line 23.

Fig. 1




Fig. 2




Fig. 3




Fig. 4









Fig. 5



INTERNATIONAL SEARCH REPORT

International Application No PCT/SE89/00071

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) *		
According to International Patent Classification (IPC) or to both National Classification and IPC 4		
A 47 C 27/15 // A 61 G 7/04		
II. FIELDS SEARCHED		
Minimum Documentation Searched 7		
Classification System	Classification Symbols	
IPC 4	A 47 C 7/18, 27/14-16, 22; A 61 G 7/04; B 68 G 5/02, 11/04	
US C1	5:345, 355, 361, 448, 456-468, 481; 264:45.3, 45.5-45.9, 138; .../...	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched 8		
SE, NO, DK, FI classes as above		
III. DOCUMENTS CONSIDERED TO BE RELEVANT 9		
Category 9	Citation of Document, 11 with indication, where appropriate, of the relevant passages 12	Relevant to Claim No. 13
A	GB, A, 1 078 656 (MELCO PRODUCTS LIMITED) 9 August 1967	1, 5, 6
A	US, A, 2 836 228 (D. E. DAHLE) 27 May 1958	1, 3, 9, 10
Y	US, A, 3 197 357 (K. H. N. SCHULPEN) 27 July 1965	1, 9, 10
Y	US, A, 4 064 578 (YAMADA) 27 December 1977 & JP, 51150459 SE, 7600886 SE, 409543	1
Y	US, A, 4 276 666 (YAMADA) 7 July 1981 & JP, 55078916	1
A	US, A, 4 326 310 (FRANKENBERG) 27 April 1982	1, 2, 9
	.../...	
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>* Special categories of cited documents: 10</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	
1989-04-25	1989 -05- 1 1	
International Searching Authority	Signature of Authorized Officer	
Swedish Patent Office	 Nils Andersson	

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET

II Fields searched (cont.)US Cl 428:158-161V. ☐ OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE ¹

This International search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons:

1. ☐ Claim numbers because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim numbers because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim numbers because they are dependent claims and are not drafted in accordance with the second and third sentences of PCT Rule 6.4(a).

VI. ☐ OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING ²

This International Searching Authority found multiple inventions in this international application as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims of the international application.
2. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:
3. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claim numbers:
4. ☐ As all searchable claims could be searched without effort justifying an additional fee, the International Searching Authority did not invite payment of any additional fee.

Remark on Protest

- ☐ The additional search fees were accompanied by applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
Y	US, A, 4 603 445 (SPANN) 5 August 1986 & US, 4700447	1, 9, 10