




US 20150129443A1

(19) **United States**(12) **Patent Application Publication**
Young(10) **Pub. No.: US 2015/0129443 A1**(43) **Pub. Date: May 14, 2015**(54) **TOOL ORGANIZER AND METHOD OF
MAKING THE SAME**(71) Applicant: **Melinda Young**, long Beach, CA (US)(72) Inventor: **Melinda Young**, long Beach, CA (US)(21) Appl. No.: **14/077,122**(22) Filed: **Nov. 11, 2013****Publication Classification**(51) **Int. Cl.**
B25H 3/06 (2006.01)
B29C 65/56 (2006.01)
B29C 43/02 (2006.01)(52) **U.S. Cl.**CPC **B25H 3/06** (2013.01); **B29C 43/021**
(2013.01); **B29C 65/565** (2013.01); **B29K**
2301/10 (2013.01)

(57)

ABSTRACT

A tool organizer and method of making the same is provided which allows a user to quickly and easily store tools and other items of various sizes, shapes and configurations. The customizable organizer includes a depressible core capable of maintaining an impression of an object that is pressed into it. The organizer also includes a covering material such as a fabric, flock or elastomeric coating, which protects the outer surface of the core, and also provides an aesthetically pleasing appearance. A tacky adhesive is applied on an upper surface of the core so that when a tool or other item is pressed into the covering material that overlay the core, the tacky adhesive maintains the covering material in close conformity to the customized impression of the tool or other item created in the organizer.






FIG. 1






FIG. 2







FIG. 4

**FIG. 5**

TOOL ORGANIZER AND METHOD OF MAKING THE SAME

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] Not Applicable

STATEMENT RE: FEDERALLY SPONSORED RESEARCH/DEVELOPMENT

[0002] Not Applicable

BACKGROUND

[0003] The embodiments and aspects disclosed herein relate to a tool organizer.

[0004] Although tool kits may be sold with various organizing trays to meet the specific needs of the kit, customizing organizers to accommodate tools of various shapes, sizes, and configurations, which a user already owns, can be tedious, time consuming, and unsightly.

[0005] Accordingly, there is a need in the art for an improved tool organizer.

BRIEF SUMMARY

[0006] A customizable organizer is provided that may be used for applications on shelves, in boxes or drawers, or any other area where a user has a need to maintain tools and other items of various sizes, shapes, and configurations in an organized manner.

[0007] The organizer has a depressible core that is capable of maintaining an impression of an object that is pressed into it. The organizer also includes a stretchy covering material such as a fabric, flock or elastomeric coating, which protects the outer surface of the core, and also provides an aesthetically pleasing appearance. A tacky adhesive is applied on an upper surface of the core so that when a tool or other item is pressed into the covering material that overlay the core, the tacky adhesive maintains the covering material in close conformity to the customized impression of the tool or other item created in the depressible core.

[0008] More particularly, the depressible core may be a dry foam, a low density non-drying clay, or any other material capable of maintaining a depressed region shaped to an outer periphery of a tool or other item to be stored.

[0009] The organizer may also include a base, which may be stiffer than the core, so that it may provide support along a lower surface of the core to prevent the core from breaking and other damage. Furthermore, a sealing adhesive may be applied to the base to maintain a portion of the covering material which is wrapped under the core, as well as maintaining attachment of the base to the lower surface of the core. It is further contemplated that magnets may be adhered to the base or between the base and the core so that the organizer may be prevented from sliding within or on a metallic surface.

[0010] A method of making a customizable organizer is also provided. Steps for the method include providing a depressible core, sizing the core to fit within a drawer, box, tray or on any other surface as needed by a user; coating an upper surface of the core with an adhesive that remains sticky after drying, and disposing a stretchy covering material such as a fabric, flock or elastomeric coating on the upper surface of the core. The method may also include securing a portion of the covering material between a lower surface of the core

and an upper portion of a protective base which may be sized to conform to the dimensions of the lower surface of the core.

[0011] In operation, a user will be able to arrange one or more tools or other items which he or she wishes to store in an organized manner on the upper surface of the core. Then he or she may press each tool or other item by hand or, to achieve greater force and precisely defined impressions, tap each tool or other item using a hammer into the upper surface of the core until a suitable impression of the tool or other item is achieved.

[0012] Thus, a customizable organizer which does not require any special devices for heating, cooling or cutting, may be achieved. Creating such organizers is faster and easier than previous methods, and therefore suitable to the unique needs of a user.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] These and other features and advantages of the various embodiments disclosed herein will be better understood with respect to the following description and drawings, in which like numbers refer to like parts throughout, and in which:

[0014] FIG. 1 is an exploded perspective view of the tool organizer.

[0015] FIG. 2 is a perspective view of an assembled tool organizer.

[0016] FIG. 3A is a cross-sectional view of the tool organizer of FIG. 2.

[0017] FIG. 3B is a cross-sectional view of the tool organizer after forming a depression sized and configured to fit a tool;

[0018] FIG. 4 is a method of customizing a tool organizer; and

[0019] FIG. 5 is a method of manufacturing a tool organizer.

DETAILED DESCRIPTION

[0020] Referring now to the drawings, a customizable organizer **8** may include a depressible core **10**, a covering material **12** and a base **14**. The depressible core **10** is deformable by pressing a tool into the exterior surface of the core. Once deformed, an impression defining an outer periphery of the tool remains so that the tool can be put into the depressed region for storage and removed when needed for use. The core **10** is covered with a covering material **12** which is adhered to the core **10**. In this manner, when the depression is made in the core **10**, the adhesive forces the covering material to assume the shape of the depression. The base **14** is a hard backing attached to a bottom side of the core **10**.

[0021] FIG. 2 shows the tool organizer **8** with customized impressions **20** along an upper surface of the core **10** as well as a tool **22** placed within a customized space. The tool organizer has a depressible core **10** sized to fit in a drawer, box, or any other surface or container as desired by a user. The core **10** may have no elastic memory. In other words, it may permanently maintain the impression **20** of the tool **22** or item which it has been customized to receive.

[0022] Referring to FIGS. 3A and 3B, in order to customize the organizer, a tool **22** may be pressed or tapped into an upper surface of the tool organizer **8** by hand or with a hammer **24**. In particular, the tool **22** is laid on top of the covering material **12**. The user's hand or a hammer **24** may be used to press or tap the tool **22** so as to form a depressed region configured to

the outer periphery of the tool **22**. The core **10** forms a depression. The covering material **12** retains the shape of the deformation in the core **10** because of the tacky adhesive. This pressing or tapping action creates an impression **20** of the tool or other item being pressed or tapped into the core, and the covering material **12** maintains conformity with the impression **20**.

[0023] The core **10** may comprise any material that is sturdy enough to receive an impression **20** of the tool **22** to be stored while also displaying minimal crushing, or bedding, that might occur to the core material underlying its upper surface. The core **10** may be fabricated from a type of depressible dry foam. One such depressible foam may be an open cell, low density phenolic foam. Such foams are commonly used in the fields of orthopedic foot print cast making, floral arrangement, and insulation. In one embodiment, the core **10** may comprise Sahara II dry floral foam sold under the trademark OASIS®. In another embodiment, the core **10** may comprise Impression Foam sold under the trademark BIO-FOAM®. In yet another embodiment, the depressible core **10** may be low-density, nondrying clay.

[0024] The covering material **12** protects the outer surface of the core **10**. The core **10** may also provide an aesthetically pleasing, finished appearance for the organizer **8**. The covering material **12** may be stretchy with low elastic memory. In other words, the covering material **12** may retain a shape in conformity with a depression formed in the core **10**. The covering material **12** has a sufficiently low elastic memory so that the elasticity of the covering material **12** does not break the adhesive bond between the covering material **12** and the core **10** so as to delaminate the covering material **12** and the core **10**. The covering material **12** may be a fabric, flock, elastomeric coating, or any other material that will stretch and conform to the shape of the core **10** when impressions **20** of tools **22** or other items are made in its surface. For example, in one embodiment, the covering material **12** may be a blended fabric composed of cotton and spandex. The blended fabric may be about 90 to about 99% cotton and about 1 to about 10% spandex. Preferably, the blended fabric is 95% cotton and 5% spandex. Other materials for the covering material **12** are also contemplated. By way of example and not limitation, the covering material **12** may be nylon, rayon, or polyester monofilament fibers applied to the core **10** in a flocking process.

[0025] In order to ensure that the covering material **12** conforms to the shape of the core **10**, and more importantly to the impressions **20** defining outer peripheries of the tools **22** or items for storage, a tacky adhesive **16** that remains sticky and flexible after drying may be applied on an upper surface of the core. A tacky adhesive **16** that remains sticky and flexible after drying ensures that when impressions **20** are made, the covering material **12** will continue to be maintained in close conformity to each impression **20** even over a long period of time. In other words, when a tool **22** or other item is pressed into the covering material **12** that overlay the core **10**, the tacky adhesive **16** maintains the covering material **12** in close conformity to the customized impression **20** of the tool **22** or other item created in the organizer.

[0026] One such tacky adhesive **26** is the product Repositionable Tacky Spray sold under the trademark Aleene's®. Another such tacky adhesive **26** may be the product Best Glue Ever sold under the nonproprietary trade name ScraPerfect. However, it is contemplated that any adhesive which can be

applied in a layer across the upper surface of the core **10** and which may remain permanently sticky and flexible after drying may be used.

[0027] The covering material **12** may be disposed over the tacky adhesive **16** coating the upper surface of the core **10** and trimmed so that it will neatly fold over the side of the core **10** to a lower surface of the core **10**. Applied in this manner, the covering material **12** may be able to protect the surface of the core **10** from damage, and further provides an aesthetically pleasing look for the organizer **8**.

[0028] Furthermore, the covering material **12** may be sufficiently impermeable to air so that it covers the upper surface of the core **10** but also protects the tacky adhesive **16** from exposure to an amount of air that will cause it to completely dry. It is further contemplated that a covering material **12** which has sufficient air permeability to allow the tacky adhesive **16** to cure completely over a period of time may be used. In such an embodiment, this allows a user to customize the organizer to meet his or her storage needs within a set period of time but after the tacky adhesive has completely dried, the dried tacky adhesive may provide a protective barrier to protect core **10** from unwanted impressions if a tool is accidentally dropped onto the top of the organizer **8**.

[0029] The organizer may further include a durable base **14** which may be a sheet of supportive material sized to conform to the dimensions of the lower surface of the core **10**. The base **14** may be a sheet of supporting material that may provide additional protection to the core **10** along the lower surface. The base **14** may be a sheet or tray of vinyl, plastic, or wood or any other material capable of providing support and protection along a lower surface of the core. Furthermore, it may also serve to secure a portion of the covering material **12** which is wrapped under the core **10**.

[0030] The base **14** may be permanently attached to the lower surface of the core **10** by a sealing adhesive **28**. A sealing adhesive **28** is any adhesive which provides a bond sufficient to permanently attach the lower surface of the core **10** to an upper surface of the base **14**. The sealing adhesive may also serve to permanently adhere a portion of the covering material **12** securely between the base **14** and core **10**. Other embodiments securing the base **14** and covering material **12** to the lower surface of the core are also contemplated. For example, the base **14** and covering material **12** may be secured to the core **10** using staples, pins or a dry-bonding sheet adhesive such as double sided tape.

[0031] The sealing adhesive **28** or other securing element may be spread onto an upper surface of the base **14** as well as on the portion of the covering material **12** which wraps around a lower surface of the core **10**. Applied in this manner, the sealing adhesive may bond the upper side of the base **14** to the lower surface of the core **10**, securing a portion of the covering material **12** permanently between them.

[0032] It is further contemplated that one or more magnets may be adhered to the lower surface of the base **14** so that the organizer may be prevented from sliding within or on a metallic surface comprising the tray, box, drawer or other surface were a user decides to use the organizer. In one embodiment for example, the one or more magnets may be cut from an adhesive magnetic strip and applied to the base **14**. In another embodiment, the one or more magnets may be circular dowling magnets which a user may adhere in any number or configuration as desired on the lower surface of the base **14**. It is also contemplated that the magnets may be embedded to the lower surface of the core **10** and covered by the base **14**.

[0033] It is further contemplated that the organizer may also include a grip tool 30, which when pressed into the core 10, may create a concave impression defining a space or spaces 32 contiguous to a customized impression 20 of a tool 22 or item as needed to facilitate ready removal of the tool 22 or item from its customized space within the organizer 8. In one embodiment, the grip tool 30 may be a dowel. The dowel may have a diameter of about one to about two inches. In another embodiment, the grip tool 30 may be a hemispherical cylinder. It is contemplated, however, that the grip tool 30 may be any shape or size which will create a depression in the depressible core 10 which will accommodate a human thumb, other finger, or other object so as to aid removal of each tool 22 or item from its customized impression 20 on the organizer 8.

[0034] The grip tool may comprise wood, plastic, or any other durable material that capable of withstanding the pressure of tapping or pressing by hand or by hammer to form an impression of it on the depressible core 10.

[0035] Referring now to FIG. 4, a flow chart for setting up the organizer 8 is shown. Initially, the organizer 8 may be provided to a user. The user then places 100 the tools 22 or items to be stored on the organizer 8 on the upper surface of the covering material to set the layout of the depressions to be formed in the organizer 8. Then the user may press 102 each tool 22 or other item into the core 10 by hand to form the depression in the core 10. If desired, the user may tap 106 the tool 22 or other item with the hammer 24 to make the depression more pronounced. The user then removes 108 the tool 22 from the core 10 to inspect the depression.

[0036] To aid removal of each tool 22 or other item from its depressed region, the user may use a grip tool 30 to create an impression 32 contiguous to each customized impression 20 of each tool 22 or item for storage. The user may remove 108 the tool 22 or item from its customized impression 20 in the core 10. Then the user places 110 the grip tool 30 on the core 10, contiguous to the impression 20 of the tool. The user then presses 112 the grip tool 30 into the core 10 by hand or with a hammer 24. The user repeats 116 the sequence above until all tools or items have a customized space or depression.

[0037] Referring now to FIG. 5, a flowchart for manufacturing the organizer 8 is shown. In particular, the depressible core 10 may be provided 150. The depressible core 10 is sized 152 to fit on a chosen surface or within a box, tray or drawer. The upper surface of the core 10 may be coated 154 with the tacky adhesive. The covering material 12 may then be disposed 156 over the upper surface of the coated depressible core 10.

[0038] The above description is given by way of example, and not limitation. Given the above disclosure, one skilled in the art could devise variations that are within the scope and spirit of the invention disclosed herein, including various ways of protecting and supporting the depressible core. Further, the various features of the embodiments disclosed herein can be used alone, or in varying combinations with each other and are not intended to be limited to the specific combination described herein. Thus, the scope of the claims is not to be limited by the illustrated embodiments.

What is claimed is:

1. An organizer for retaining one or more tools comprising: a depressible core having an upper surface and a lower surface, the depressible core customizable to maintain at least one impression on the upper surface, the at least one impression securing the tool in the core for storage,

a stretchy covering material disposed over the upper surface of the core, and

a layer of tacky adhesive disposed over the upper surface to maintain the covering material in close conformity to each impression shaped to an outer periphery of each tool.

2. An organizer in accordance with claim 1, wherein the depressible core is a dry foam.

3. An organizer in accordance with claim 2, wherein the dry foam is a phenolic foam.

4. An organizer in accordance with claim 1, wherein the depressible core is a low density, non-drying clay.

5. An organizer in accordance with claim 1, further comprising a base having a top surface and a bottom surface parallel to the top surface, the planar dimensions of the base conforming to the dimensions of the lower surface of the core.

6. An organizer in accordance with claim 5, wherein a portion of the covering material is securely maintained between the top surface of the base and the lower surface of the core.

7. An organizer in accordance with claim 5, wherein the base comprises wood, plastic, or vinyl.

8. An organizer in accordance with claim 5, further comprising one or more magnets attached along a surface of the base.

9. An organizer in accordance with claim 1 wherein the tacky adhesive remains sticky and flexible after drying so that the covering material can conform to a shape of the tool.

10. A method of customizing an organizer for maintaining one or more items, the method comprising the following steps:

placing one or more items to be stored on an upper surface of a depressible core; and

pressing or tapping the one or more items to form a depression defining an outer periphery of each one or more items in the upper surface of the core.

11. The method of customizing an organizer as defined in claim 10, wherein the pressing or tapping step is performed by hand or with a hammer.

12. The method of making an organizer as defined in claim 10, further comprising the step of forming a depression contiguous to the impression defining an outer periphery of each of the one or more items.

13. The method of making an organizer as defined in claim 12, wherein the step of forming the depression contiguous to the impression of the item is achieved by a grip tool.

14. The method of making an organizer as defined in claim 12, wherein the grip tool comprises a dowel or a hemispherical cylinder comprising wood, plastic, or rigid member.

15. A method of making an organizer for maintaining one or more items, the method comprising the following steps:

providing a material to comprise a depressible core having an upper surface and a lower surface,

coating an upper surface of the core with a tacky adhesive, and

disposing a stretchy covering material over the upper surface of the core.

16. The method of making an organizer as defining in claim 15, further comprising sizing a base having a top surface and a bottom surface to conform to the dimensions of the lower surface of the core, and attaching the base to the lower surface of the core.

17. The method of making an organizer as defined in claim 15, wherein the base material comprises wood, plastic, or vinyl.

18. The method of making an organizer as defined in claim 15, wherein a portion of the stretchy covering material is maintained between the base and lower surface of the core.

19. A method of making an organizer as defined in claim 15, further comprising attaching one or more magnets between the base and the core.

* * * * *