



(86) Date de dépôt PCT/PCT Filing Date: 2000/03/22
(87) Date publication PCT/PCT Publication Date: 2000/09/28
(85) Entrée phase nationale/National Entry: 2001/09/06
(86) N° demande PCT/PCT Application No.: US 2000/007716
(87) N° publication PCT/PCT Publication No.: 2000/057341
(30) Priorité/Priority: 1999/03/22 (60/125,461) US

(51) Cl.Int.⁷/Int.Cl.⁷ G06F 19/00, G06F 17/60
(71) Demandeur/Applicant:
HEALINX, US
(72) Inventeurs/Inventors:
REISS, ROBERT, US;
WEINSTEIN, DAVID, US
(74) Agent: SMITH, PAUL RAYMOND

(54) Titre : PROCEDE ET APPAREIL DE TRAITEMENT, MISE A JOUR, ET GESTION D'UNE REQUETE D'UN GROUPE MEDICAL D'ACCOMPAGNEMENT
(54) Title: METHOD AND APPARATUS FOR MEDICAL COVERING GROUP REQUEST PROCESSING, REVIEW AND MANAGEMENT

  script Check Inbox Check Futures New Rx Undo 1080 Options Help Desk Log Out  	Advertising Space 1000			
	Group Monitor For: East Bay Clinic 1006			
	Inbox For 1002	1004	Immediates	Days Late
	Futures 1008			
	Smith, William 1010	5 1012	2 1014	51 1016
	Doctor, Joe 1020	12	3	9
	Surgeon, Frank 1022	0	0	0
	OBG, Louis 1024	0	0	0
	Welby, John 1026	6	1	5
	Rx InBox for: Smith, William W (IMMEDIATES)			
	PATIENT, SUSIE K. 1040 PCP SMITH 1042 MR# 00 000000-86-XX			
1058 2 days	CIPRO 500MG TABLET 1044 Qty 10 Fill 2/11/99 1050			
Change/Details 1052	TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048 1046			
	FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE 1054			
	PERSON, MARK S 1060 PCP SMITH 1062 MR# 00 000000-75-XX			
1078	*BECLOVENT INHALER* 1064 QTY 16.8 1066 FILL 2/13/97 1070			
Change/Details 1072	INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1068			
	HEALTHY, LAURA J PCP SMITH MR# 00 000000-16-XX			
	HYDROCHLOROTHIAZIDE 25MG TB QTY 100 FILL 11/17/98			

(57) **Abrégé/Abstract:**

Certain embodiments include a method for a first covering group member belonging to a covering group of using a request list containing a request list component for each of the covering group members. The covering group containing at least two covering group members. Each of the request list components further contains a request summary collection containing at least



(57) **Abrégé(suite)/Abstract(continued):**

a past-due request summary and a immediately-due request summary. The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
28 September 2000 (28.09.2000)

PCT

(10) International Publication Number
WO 00/57341 A3(51) International Patent Classification⁷: **G06F 19/00,**
17/60David [US/US]; 2 Scenic Court, Danville, CA 94506
(US). **REISS, Robert** [US/US]; 225 Irving Street, Apartment 7, San Francisco, CA 94122 (US).

(21) International Application Number: PCT/US00/07716

(22) International Filing Date: 22 March 2000 (22.03.2000)

(74) Agents: **GLENN, Michael, A.** et al.; Glenn Patent Group,
Menlo Park, CA 94025 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/125,461 22 March 1999 (22.03.1999) US(81) Designated States (*national*): AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 60/125,461 (CIP)
Filed on 22 March 2000 (22.03.2000)(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).(71) Applicant (*for all designated States except US*): **ES-CRIPT, INC.** [US/US]; 2 Scenic Court, Danville, CA 94506 (US).

(72) Inventors; and

Published:

(75) Inventors/Applicants (*for US only*): **WEINSTEIN,**

— With international search report.

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR MEDICAL COVERING GROUP REQUEST PROCESSING, REVIEW AND MANAGEMENT

		Advertising Space																																																																																								
Check Inbox Check Futures New Rx Undo Options Help Desk Log Out Logo Logo		Group Monitor For: East Bay Clinic <table border="1"> <thead> <tr> <th>Inbox For</th> <th>1002</th> <th>1004</th> <th>Immediates</th> <th>Days Late</th> <th>Futures</th> <th>1008</th> </tr> </thead> <tbody> <tr> <td>Smith, William</td> <td>5</td> <td>1012</td> <td>2</td> <td>1014</td> <td>51</td> <td>1016</td> </tr> <tr> <td>Doctor, Joe</td> <td>1020</td> <td>12</td> <td>3</td> <td>9</td> <td></td> <td></td> </tr> <tr> <td>Surgeon, Frank</td> <td>1022</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>OBG, Louis</td> <td>1024</td> <td>0</td> <td>0</td> <td>0</td> <td></td> <td></td> </tr> <tr> <td>Welby, John</td> <td>1026</td> <td>6</td> <td>1</td> <td>5</td> <td></td> <td></td> </tr> </tbody> </table> Rx InBox for: Smith, William W (IMMEDIATES) <table border="1"> <tr> <td>PATIENT, SUSIE K</td> <td>1040</td> <td>PCP SMITH</td> <td>1042</td> <td>MR# 00 000000-86-XX</td> </tr> <tr> <td>CIPRO 500MG TABLET</td> <td>1044</td> <td>Qty 10</td> <td>Fill 2/11/99</td> <td>1050</td> </tr> <tr> <td>TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS</td> <td>1048</td> <td>1046</td> <td></td> <td></td> </tr> <tr> <td colspan="5">FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE</td> </tr> </table> <table border="1"> <tr> <td>PERSON, MARK S</td> <td>1060</td> <td>PCP SMITH</td> <td>1062</td> <td>MR# 00 000000-75-XX</td> </tr> <tr> <td>"BECLOVENT INHALER"</td> <td>1064</td> <td>QTY 16.8</td> <td>1066</td> <td>FILL 2/13/97</td> </tr> <tr> <td>INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL)</td> <td>1068</td> <td></td> <td></td> <td></td> </tr> </table> <table border="1"> <tr> <td>HEALTHY, LAURA J</td> <td>1068</td> <td>PCP SMITH</td> <td>1068</td> <td>MR# 00 000000-16-XX</td> </tr> <tr> <td>HYDROCHLOROTHIAZIDE 25MG TB</td> <td>1068</td> <td>QTY 100</td> <td>FILL 11/17/98</td> <td></td> </tr> </table>		Inbox For	1002	1004	Immediates	Days Late	Futures	1008	Smith, William	5	1012	2	1014	51	1016	Doctor, Joe	1020	12	3	9			Surgeon, Frank	1022	0	0	0			OBG, Louis	1024	0	0	0			Welby, John	1026	6	1	5			PATIENT, SUSIE K	1040	PCP SMITH	1042	MR# 00 000000-86-XX	CIPRO 500MG TABLET	1044	Qty 10	Fill 2/11/99	1050	TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS	1048	1046			FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE					PERSON, MARK S	1060	PCP SMITH	1062	MR# 00 000000-75-XX	"BECLOVENT INHALER"	1064	QTY 16.8	1066	FILL 2/13/97	INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL)	1068				HEALTHY, LAURA J	1068	PCP SMITH	1068	MR# 00 000000-16-XX	HYDROCHLOROTHIAZIDE 25MG TB	1068	QTY 100	FILL 11/17/98	
Inbox For	1002	1004	Immediates	Days Late	Futures	1008																																																																																				
Smith, William	5	1012	2	1014	51	1016																																																																																				
Doctor, Joe	1020	12	3	9																																																																																						
Surgeon, Frank	1022	0	0	0																																																																																						
OBG, Louis	1024	0	0	0																																																																																						
Welby, John	1026	6	1	5																																																																																						
PATIENT, SUSIE K	1040	PCP SMITH	1042	MR# 00 000000-86-XX																																																																																						
CIPRO 500MG TABLET	1044	Qty 10	Fill 2/11/99	1050																																																																																						
TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS	1048	1046																																																																																								
FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE																																																																																										
PERSON, MARK S	1060	PCP SMITH	1062	MR# 00 000000-75-XX																																																																																						
"BECLOVENT INHALER"	1064	QTY 16.8	1066	FILL 2/13/97																																																																																						
INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL)	1068																																																																																									
HEALTHY, LAURA J	1068	PCP SMITH	1068	MR# 00 000000-16-XX																																																																																						
HYDROCHLOROTHIAZIDE 25MG TB	1068	QTY 100	FILL 11/17/98																																																																																							

(57) Abstract: Certain embodiments include a method for a first covering group member belonging to a covering group of using a request list containing a request list component for each of the covering group members. The covering group containing at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and a immediately-due request summary. The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

WO 00/57341 A3

METHOD AND APPRATUS FOR MEDICAL COVERING GROUP REQUEST PROCESSING, REVIEW AND MANAGEMENT

This application claims priority to U.S. provisional application no. 60/125,461, filed March 22, 1999, entitled "On-line Prescription Service".

5

Technical field

Embodiments relate to the field of medical prescriptions, medical laboratory tests and physician referrals. In particular, certain embodiments relate to interactive tools for the prescribing practitioners, pharmacists and medical care management of prescriptions. In particular, certain embodiments relate to interactive tools for
10 primary care providers, medical consultants and medical care management of medical referrals. In particular, certain embodiments relate to interactive tools for prescribing practitioners, medical laboratories and medical care management of laboratory tests.

Background Art

15 Traditionally, the process of creating and refilling prescriptions entails an enormous of waste of time and effort. New prescriptions, are often hand-written on pieces of paper and then hand carried by the patient to the pharmacist. There are no readily available mechanisms efficiently checking that the prescription is on a list of medications covered by the patient's insurer(known herein as the FORMULARY).
20 Conflicts with FORMULARY compliance are usually first noted at the pharmacy, often leading to several phone calls between the pharmacist and physician and resulting in wasting the patient's, physician's and pharmacist's time. The decision to use non-FORMULARY compliant drugs often brings the patient into this process, usually adding to the time and overhead required to complete the process of starting
25 a new prescription.

What is needed is an optimized procedure minimizing the physician's time and maximizing the reliability of the process. What is needed includes automated FORMULARY compliance review. What is further needed is optimized reliable communication between physician and pharmacy.

WO 00/57341

PCT/US00/07716

Prescription refill requests are also written on pieces of paper, which are then submitted for approval to someone of prescription authority, usually a physician. They are often found in stacks on a physician's desk. These stacks of paper have a large potential for getting lost, with vital time critical prescription refill slips of paper looking no different from prescription refill requests which are not needed for days. While the prescription may have been reviewed for FORMULARY compliance, these other procedural problems are again a large waste of time. They render the quality of service a result of near random acts of administration, dependent upon someone reviewing the refill requests, after which, something may happen. What is needed is a time-efficient process for refill requests prioritizing the refill requests for the authorizing physician.

Additionally, there is the issue of whether a physician can be available for prescription prefill or refill authorization. There are times when physicians are unavailable, attending conferences, important personal or family events, etc. Physicians have evolved a covering group mechanism, where two or more doctors will belong to a covering group, and if one physician is not available, the others have authorization to order prescription refills. However, the system has some major problems. There are now multiple piles of slips of paper. There is no ready way to know where these piles are located or which ones among them are time-critical. There is no ready way to know the location of patient medical files needed for these requests, any of the covering physicians may have them. This situation again leads to a great deal of waste and confusion. What is needed is an efficient refill authorization procedure accessible by every member of the covering group, presenting a prioritized list of pending refill requests, supporting authorization with automated FORMULARY compliance.

Once the refill order has been authorized, a second ordeal of waste and confusion takes place. A pharmacy must be contacted, usually by telephone or FAX, again tying up the prescriber and/or their staff to insure that the pharmacy got the message, etc. It should be noted that physicians in managed care settings are required to see 25-35 patients per day to "earn their pay". The physicians' expertise is taken away from the pressing health problems for which their skills are most vitally needed by these procedural inefficiencies. The inefficiencies just described

WO 00/57341

PCT/US00/07716

cost everyone, the physician's income, the patient's time, and the required bureaucratic overhead (expense) at the pharmacy and physician's office. Optimized, reliable communication between physician and pharmacy is again needed.

Another problem related to this is the medical management issue: which physicians
5 are unresponsive to this vital paperwork activity. No one can readily extract performance information from such a situation as it currently exists. What is needed is a tracking mechanism efficiently extracting information of physician responsiveness.

A related situation involves referrals to specialists in managed care settings. The
10 process begins with the patient's primary care provider filling out a request form for a specialist to examine a patient. This request form is tangible paper, which is physically picked up and taken to an administrator who approves and schedules the specialist consultation, assuming the primary care provider has followed certain guidelines. Once this has happened, the specialist at the appointed time sees the
15 patient, and may prescribe a medication. Today, there is no efficient mechanism for feedback from the specialist to the primary care provider. What is needed is an efficient referral procedure automating the communication, the redundant human entry and the compliance confirmation of the various steps in this process. What is further needed is an efficient feedback mechanism from the specialist to the primary
20 care provider.

Again, there is the issue of whether a physician can be available to authorize referrals or respond to requests from specialists. The covering groups are also used for these situations. Again, there are multiple piles of slips of paper. Again, there is no ready way to know where these piles are located or which ones among them are
25 time-critical. Again, there is no ready way to know the location of patient medical files needed for these requests, any of the covering physicians may have them. Again, the situation leads to a great deal of waste and confusion. What is needed is an efficient referral review and authorization procedure accessible by every member of the covering group, presenting a prioritized list of pending referral requests and
30 supporting authorization.

WO 00/57341

PCT/US00/07716

A related situation involves lab results. As before, a form is filled out. The issue of whether the test is covered by insurance must be addressed before the test is performed, usually by an administrator approving the request. The medical lab receives the approved request form, often this is hand carried by the patient. The lab then takes the required samples, often sending these medical samples to a regional lab where the actual results are generated. Once the results are back, the lab distributes them to the requesting physicians. If something is significantly deviant, a physician may well need to make a timely judgement call to safeguard the patient's health. Even though the people carrying out this process are dedicated, the process itself is cumbersome, often requiring people to physically process and transport lots of pieces of paper to achieve a result in a timely and reliable fashion. What is needed is an efficient referral procedure automating the communication, the redundant human entry and the compliance confirmation of the various steps in this process.

Again, there is the issue of whether a physician can be available to authorize and review lab tests. The covering groups are also used for these situations. Again, there are multiple piles of slips of paper. Again, there is no ready way to know where these piles are located or which ones among them are time-critical. Again, there is no ready way to know the location of patient medical files needed for these requests and reviews, any of the covering physicians may have them. Again, the situation leads to a great deal of waste and confusion. The problem of an untimely lab result review can jeopardize a patient's health, perhaps even be life-threatening. What is needed is an efficient laboratory test review and authorization procedure accessible by every member of the covering group, presenting a prioritized list of pending laboratory test reviews and requests, and supporting authorization with automated insurance compliance.

While certain inventions have been patented which aid in creating prescriptions (see U.S. patent 5,737,539 and U.S. patent 5,845,255), these inventions do not address covering group authorization, management nor refills. They also do not support batch authorization of prescriptions. Prescriptions are treated as essentially isolated events in what is often very much a covering group environment. These vital

WO 00/57341

PCT/US00/07716

activities are left to the clumsy, paper intensive approaches of the past, which waste so much time and money for everyone involved.

To summarize, there is a strong and consistent need for an optimized process of communication, compliance review, decision-making, and progress monitoring for
5 both the individual physician, specialist, the covering group they belong to, medical administration, pharmacies and labs regarding prescription refills, physician referrals and lab tests. The results of satisfying these needs will be lower health care costs and improved health care quality for patients. The results of satisfying these needs will further reduce waste for the managed care systems, physicians, pharmacists,
10 medical labs, and their offices. The results of satisfying these needs will further increase the revenue of many physicians who are currently inundated with paperwork, which gets in the way of their practice and their income.

Summary of the invention

Certain embodiments include a method for a first covering group member belonging
15 to a covering group using a request list containing a request list component for each of the covering group members. The covering group containing at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and an immediately-due request summary.

20 The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the
25 request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item and a request response list containing at least two request responses.

Such embodiments advantageously support one member of the covering group viewing the prioritized request summaries of other covering group members, or
30 themselves. Such embodiments further advantageously support one member

WO 00/57341

PCT/US00/07716

viewing request detail reports of a selected request summary of other group covering members, or themselves.

Certain embodiments include a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list.

- 5 The method includes the user performing the following. Selecting a second of the covering group members belonging to the covering group. Selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item and a request response list containing at least two request responses.

Such embodiments advantageously support one member of the covering group viewing the prioritized request summaries of other covering group members, or themselves. Such embodiments further advantageously support one member viewing request detail reports of a selected request summary of other group covering members, or themselves.

Certain embodiments include selecting a first of the request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component. Such embodiments advantageously support selection of request responses in a user efficient fashion.

Certain embodiments include selecting to send at least one of the preliminary request responses. Such embodiments advantageously support authorization through communication by sending at least one of the preliminary request responses.

Certain further embodiments include selecting to send at least one of the preliminary request responses comprising selecting to send at least all of the preliminary request responses of the first summary component. Such embodiments

WO 00/57341

PCT/US00/07716

advantageously support authorization through communication by sending at least all of the preliminary request responses of one of the summary components.

Certain further embodiments include selecting to send at least one of the preliminary request responses comprising selecting to send at least all of the preliminary request responses. Such embodiments advantageously support authorization through sending all of the preliminary request responses at one time.

Certain embodiments include the requested item being a prescription and the request summary collection further containing a future-due request summary. Such embodiments advantageously support prescription request processing.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component comprised of selecting to create a view of medication history response. Such embodiments support selective viewing of a patient's medication history response.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a view of appointment history response. Such embodiments support selective viewing of a patient's appointment history response.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a change prescription response. Such embodiments advantageously support changing a prescription in response to a prescription refill request.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary

WO 00/57341

PCT/US00/07716

component comprised of selecting to create a hold prescription response. Such embodiments advantageously support communicating that a physician has issued a hold on the prescription request. This informs the pharmacy that it has been noted and to expect response soon.

5 Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a view pharmacy message response. Such embodiments advantageously support pharmacy feedback to the
10 prescribing physician or their covering group member. Further, this directly and efficiently supports the pharmacy passing on the comments and requests of the patient or the patient's insurer.

Certain further embodiments include selecting the first request response of the request detail report for the first summary of the first summary component to create
15 the preliminary request response of the first summary of the first summary component selecting to create a forward to primary care provider response. Such embodiments advantageously support forwarding a request response to the primary care provider.

Certain further embodiments include selecting the first request response of the
20 request detail report for the first summary of the first summary component to create the preliminary request response of the first summary of the first summary component further comprised of selecting to create a fill prescription response. Such embodiments advantageously support authorization of a prescription refill request.

Certain further embodiments include selecting to create the fill prescription response
25 further comprised of selecting to fill the prescription response in terms of units. Such embodiments advantageously support refilling the prescription in terms of units.

Certain further embodiments include selecting to fill the prescription response in terms of units comprised of selecting to fill the prescription response in terms of one unit of the prescription. Such embodiments advantageously support single unit
30 refills.

WO 00/57341

PCT/US00/07716

Certain further embodiments include selecting to fill the prescription response in terms of units comprised of selecting to fill the prescription response in terms of at least two units of the prescription. Such embodiments advantageously support multiple unit refills.

- 5 Certain embodiments include selecting to create the fill prescription response comprised of selecting to fill the fill prescription response in terms of time duration. Such embodiments advantageously support refill authorizations extending over a duration of time.

- 10 Certain further embodiments include selecting to create a new prescription. Such embodiments advantageously support incorporation of new prescriptions into the covering group monitoring system.

- Certain further embodiments include selecting to create the new prescription comprised of the following. Selecting a patient identifier associated with the new prescription to create a patient with the new prescription. Selecting a medication associated with the new prescription to create a medication with the new prescription. Selecting a dosage associated with the new prescription to create a dosage with the new prescription. Selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription. Selecting a prescription direction associated with the new prescription to create a direction with the new prescription. Selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription. And authorizing the new prescription, with the patient identifier, with the medication, with the dosage, with the number of units, with the direction at the filling pharmacy. Such embodiments advantageously support physician-efficient prescription creations within the covering group monitor.
- 15
20
25

- Certain further embodiments include selecting the patient identifier associated with the new prescription to create the patient with the new prescription comprised of the following. Perceiving a patient identifier list containing at least one patient identifier. Selecting a first of the patient identifiers of the patient identifier list to create the patient with the new prescription. Such embodiments advantageously support perception of a patient identifier list and selecting a patient identifier from that
- 30

WO 00/57341

PCT/US00/07716

perceived list. This minimizes the paper shuffling and potential for inaccurate typing the patient identifier.

Certain further embodiments include selecting the medication associated with the new prescription to create the medication with the new prescription comprised of the following. Perceiving a medication list containing at least two medications. Selecting a first of the medications of the medication list to create the medication with the new prescription. Such embodiments advantageously support perceiving a medication list and selecting a medication from that medication list. Such embodiments may further provide information upon FORMULARY compliance and insurer coverage.

Certain further embodiments include selecting the dosage associated with the new prescription to create the dosage with the new prescription comprised of the following. Perceiving a dosage list containing at least one dosage. Selecting a first of the dosages of the dosage list to create the dosage with the new prescription. Such embodiments advantageously support a dosage list and selecting a dosage from the dosage list.

Certain further embodiments include selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription comprised of the following. Perceiving a number of units list containing at least one number of units. Selecting a first of the number of units of the number of units list to create the number of units with the new prescription. Such embodiments advantageously support perceiving a numbers of units list and selecting from that list.

Certain further embodiments include selecting a prescription direction associated with the new prescription to create a direction with the new prescription comprised of the following. Perceiving a direction list containing at least one direction. Selecting a first of the directions of the direction list to create the direction with the new prescription. Such embodiments advantageously support perceiving standard directions for a medication for various conditions and selecting directions in keeping with the medication and patient's condition.

Certain further embodiments include selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription comprised of the following.

WO 00/57341

PCT/US00/07716

Perceiving a pharmacy list containing at least one pharmacy. Selecting a first of the pharmacies of the pharmacy list to create the pharmacy with the new prescription. Such embodiments advantageously support perceiving the pharmacy list and selecting a pharmacy from that list.

- 5 Certain further embodiments include the pharmacy list being annotated with patient pharmacy preferences and history. Such embodiments advantageously support optimizing the patient's time in picking up prescriptions.

Certain further embodiments include authorizing the new prescription with the patient identifier, medication, dosage, number of units, and direction at the filling
10 pharmacy comprised of sending the new prescription with the patient identifier, medication, dosage, number of units and direction to the filling pharmacy. Such embodiments advantageously support authorizing communicating the prescription to the pharmacy.

Certain further embodiments include authorizing the new prescription with the
15 patient identifier, medication, dosage, number of units, direction at the filling pharmacy is comprised of sending the new prescription with the patient identifier, medication, dosage, number of units, direction at the filling pharmacy to a physician. Such embodiments advantageously support authorization including sending the prescription request to another physician for authorization. This is particularly
20 beneficial in situations where a consulting physician wishes a patient's primary care provider to review the prescription before authorizing the pharmacy to fill the prescription.

Certain further embodiments include where the requested item is a referral and the request summary collection further contains a referral result summary. Such
25 embodiments advantageously support covering group monitoring of referrals. Such embodiments also advantageously support the covering group monitoring of referral results, thus improving the quality of health care in such covering group environments.

Certain further embodiments include where the requested item is a laboratory test
30 and the request summary collection further contains a test result summary. Such embodiments advantageously support covering group monitoring of laboratory test

WO 00/57341

PCT/US00/07716

requests. Such embodiments also advantageously support the covering group monitoring of laboratory test results, thus improving the quality of health care in such covering group environments.

5 Certain further embodiments include selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component which is comprised of at least one of the following. Acoustically selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary
10 of the first summary component. Visually selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component.

Such embodiments advantageously support both acoustic and visual selection of
15 request responses. As used herein, a visual response includes but is not limited to tactile stimulus of a visual surface, such as a touch pad or transparent touch screen and the use of a pointing device such as a mouse or pen type device.

Certain further embodiments include perceiving the request detail report for the first summary of the request summary collection contained in the request list component
20 for the second covering group member comprised of the following. Hearing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses. Seeing
25 the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses.

Such embodiments advantageously support both hearing and/or seeing the request
30 detail report. Such embodiments additionally support the physician or medical practitioner when their eyes are committed to some task, such as driving a car.

WO 00/57341

PCT/US00/07716

While they cannot reasonably or ethically take their eyes off the traffic, they do have the time to hear a request detail report.

These and other advantages of the present invention will become apparent upon reading the following detailed descriptions and studying the various figures of the drawings.

Brief Description of the Drawings

Figure 1 depicts a viewing region including a group monitor for prescriptions for a covering group, in accordance with certain embodiments;

Figure 2 depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments;

Figure 3 depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments;

Figure 4 depicts a usage flowchart performing a method for the first covering group member belonging to the covering group using the request list contains the request list component for each covering group member, in accordance with using certain usage embodiments;

Figure 5A depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member, in accordance with certain embodiments;

Figure 5B depicts a detail flowchart of user operation 2000 of Figure 4 further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member in accordance with certain embodiments;

Figure 5C depicts a detail flowchart of user operation 2052 of Figure 5B performing selecting to send at least all of the preliminary request responses of the first summary component in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure **6A** depicts a detail flowchart of user operation **2052** of Figure **5B** performing selecting to send at least all of the preliminary request responses in accordance with certain embodiments;

Figure **6B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a view of medication history response in accordance with certain embodiments;

Figure **6C** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a view of appointment history response in accordance with certain embodiments;

Figure **7A** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a change prescription response in accordance with certain embodiments;

Figure **7B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a hold prescription response in accordance with certain embodiments;

Figure **7C** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a view pharmacy message response in accordance with certain embodiments;

Figure **8A** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a forward to primary care provider response in accordance with certain embodiments;

Figure **8B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a fill prescription response in accordance with certain embodiments;

Figure **8C** depicts a detail flowchart of user operation **2232** of Figure **8B** performing selecting to fill the prescription response in terms of units in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure **9A** depicts a detail flowchart of user operation **2252** of Figure **8C** performing selecting to fill the prescription response in terms of one unit of the prescription in accordance with certain embodiments;

5 Figure **9B** depicts a detail flowchart of user operation **2252** of Figure **8C** performing selecting to fill the prescription response in terms of at least two units of the prescription in accordance with certain embodiments;

Figure **10A** depicts a detail flowchart of user operation **2232** of Figure **8B** performing selecting to fill the fill prescription response in terms of time duration in accordance with certain embodiments;

10 Figure **10B** depicts a detail flowchart of user operation **2000** of Figure **4** further performing a method for the first covering group member belonging to the covering group of using the request list containing the request list component for each covering group member in accordance with certain embodiments, in accordance with certain embodiments;

15 Figure **11** depicts a detail flowchart of user operation **2332** of Figure **10B** further performing selecting to create the new prescription in accordance with certain embodiments;

Figure **12A** depicts a detail flowchart of user operation **2352** of Figure **11** performing selecting a patient identifier associated with the new prescription to create a patient
20 with the new prescription in accordance with certain embodiments;

Figure **12B** depicts a detail flowchart of user operation **2362** of Figure **11** performing selecting the medication associated with the new prescription to create the medication with the new prescription in accordance with certain embodiments;

Figure **13A** depicts a detail flowchart of user operation **2372** of Figure **11** performing
25 selecting the dosage associated with the new prescription to create the dosage with the new prescription in accordance with certain embodiments;

Figure **13B** depicts a detail flowchart of user operation **2362** of Figure **11** performing selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure **14A** depicts a detail flowchart of user operation **2392** of Figure **14A** performing selecting a prescription direction associated with the new prescription to create a direction with the new prescription in accordance with certain embodiments;

- 5 Figure **14B** depicts a detail flowchart of user operation **2402** of Figure **11** performing selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription in accordance with certain embodiments;

- Figure **15A** depicts a detail flowchart of user operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the
10 dosage, the number of units and with the direction to the filling pharmacy in accordance with certain embodiments;

- Figure **15B** depicts a detail flowchart of user operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units and with the direction at the filling pharmacy to a
15 physician in accordance with certain embodiments;

Figure **16** depicts a system block diagram for a computing system supporting the first covering group member interacting with a request list containing a request list component for each of the covering group members of the covering group;

- Figure **17** depicts a viewing region component supporting changing a prescription,
20 in accordance with certain embodiments;

Figure **18** depicts a viewing region component supporting viewing a patient medical history, in accordance with certain embodiments;

Figure **19** depicts a viewing region component supporting viewing a patient appointment history, in accordance with certain embodiments;

- 25 Figure **20** depicts a viewing region component supporting starting a new prescription, in accordance with certain embodiments;

Figure **21** depicts a viewing region component supporting creating a new prescription by selecting a patient, in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure **22** depicts a viewing region component supporting creating a new prescription showing the selected patient, in accordance with certain embodiments;

Figure **23** depicts a viewing region component supporting creating a new prescription by selecting a pharmacy, in accordance with certain embodiments;

- 5 Figure **24** depicts a viewing region component supporting creating a new prescription showing the selected patient and the selected pharmacy, in accordance with certain embodiments;

Figure **25** depicts a viewing region component supporting creating a new prescription by selecting a medication, in accordance with certain embodiments;

- 10 Figure **26** depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected medication, in accordance with certain embodiments;

- Figure **27** depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected
15 medication, with directions and number of units, ready for authorization, in accordance with certain embodiments;

Figure **28** depicts a viewing region component supporting creating a prior authorization request form for FORMULARY override for a new prescription, in accordance with certain embodiments;

- 20 Figure **29** depicts a viewing region component supporting a prescription InBox Monitor of prescribing practitioners for use in health management and pharmacies, in accordance with certain embodiments;

Figure **30** depicts a viewing region component supporting a pharmacy prescription lookup, in accordance with certain embodiments;

- 25 Figure **31** depicts a viewing region component supporting a pharmacy prescription lookup response, in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure **32** depicts a viewing region component including a group monitor for prescriptions and referrals for a covering group with a New Referral link, in accordance with certain embodiments;

Figure **33** depicts a viewing region component supporting selecting the patient for the new referral, in accordance with certain embodiments;

Figure **34** depicts a viewing region component supporting selecting the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure **35** depicts a viewing region component supporting pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure **36** depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments;

Figure **37** depicts a viewing region component supporting a referral request form with pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure **38** depicts a viewing region component supporting an appointment center queue for referral requests, in accordance with certain embodiments;

Figure **39** depicts a viewing region component supporting an appointment request from a consulting medical practitioner with the department-referral type of the new referral for the selected patient, in accordance with certain embodiments;

Figure **40** depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments;

Figure **41** depicts a viewing region component supporting a referral pending appointment with consulting medical practitioner form, showing the department-referral type, prerequisite check-off list of the referral for the selected patient, in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure **42** depicts a viewing region component supporting a referral inbox based upon a referral group monitor, in accordance with certain embodiments;

Figure **43** depicts a viewing region component supporting a consultant encounter report with the department-referral type for the selected patient, and the results of the encounter, in accordance with certain embodiments;

Figure **44** depicts a viewing region component supporting a referral results summary based upon a referral group monitor, in accordance with certain embodiments;

Figure **45** depicts a viewing region component supporting referral lookup, in accordance with certain embodiments;

Figure **46** depicts a viewing region component supporting viewing a patient referral history, in accordance with certain embodiments;

Figure **47** depicts a viewing region component supporting viewing a consultant encounter report referenced by a selecting a link of the patient referral history of Figure **46**, in accordance with certain embodiments;

Figure **48** depicts a viewing region component supporting a referral volume report generator, in accordance with certain embodiments;

Figure **49** depicts a viewing region component supporting a referral volume report resulting from the parameterization of the referral volume report generator associated with Figure **48**, in accordance with certain embodiments;

Figure **50** depicts a viewing region component supporting a referral time lapse report generator, in accordance with certain embodiments;

Figure **51** depicts a viewing region component supporting a referral time lapse report resulting from the parameterization of the referral time lapse report generator associated with Figure **50**, in accordance with certain embodiments;

Figure **52** depicts a viewing region component supporting a referral time lapse report detail resulting from the selecting an underlined entry in the table of Figure **51**, in accordance with certain embodiments;

WO 00/57341

PCT/US00/07716

Figure 53 depicts a viewing region component supporting a referral pending appointment with consultant form, in accordance with certain embodiments;

Figure 54 depicts a viewing region component supporting a referral report selector, in accordance with certain embodiments;

5 Figure 55 depicts a viewing region component supporting a referral report on OBG consultations by medical indication selected from the referral report selector of Figure 54, in accordance with certain embodiments;

Figure 56 depicts a viewing region component supporting a referral report on OBG consultations by length of wait for consultation selected from the referral report
10 selector of Figure 54, in accordance with certain embodiments;

Figure 57 depicts a viewing region component supporting a referral report on the number of referrals by medical practitioner/department selected from the referral report selector of Figure 54, in accordance with certain embodiments;

Figure 58A depicts a detail flowchart of user operation 2032 of Figure 5A further
15 performing selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component in accordance with certain embodiments; and

Figure 58B depicts a detail flowchart of user operation 2012 of Figure 4 performing
20 perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses in accordance with certain embodiments.

25

Detailed Description of the Invention

As used herein a computer system comprises at least one computer accessibly coupled to a computer memory. In certain embodiments, a computer system comprises at least two computers, each with separate accessibly coupled computer

WO 00/57341

PCT/US00/07716

memories. In certain embodiments, a computer system comprises at least two computers, each sharing an accessibly coupled computer memory.

As used herein, accessibly coupled computer memory includes at least a non-volatile memory. The non-volatile memory may be comprised of more than one non-volatile memory component. Access to a non-volatile memory component may be further organized about a file management system. Accessibly coupled memory may further include a volatile memory. Volatile memory may be comprised of more than one volatile memory component. Volatile memory components may include but are not limited to static RAM and various forms of Dynamic RAM. Access to a volatile memory component may be further organized as a cache memory interface to an often larger and slower memory component, which may be either volatile or non-volatile. The cache memory interface may be further multi-leveled, where successive levels of the cache memory incorporate a slower memory transfer rate to (an often) larger amount of memory.

As used herein, computer refers to an instruction-processing computer, an inference engine or an analog computer. An instruction-processing computer as used herein refers to either a Single Instruction Single Datapath (SISD) computer, Single Instruction Multiple Datapath (SIMD) computer, Multiple Instruction Single Datapath (MISD) computer, or a Multiple Instruction Multiple Datapath (MIMD) computer. Examples of SISD computers include microprocessors. Microprocessors as used herein, include but are not limited to super-scalar microprocessors, which concurrently execute components of several successive instructions of a single instruction stream involving a single datapath. Instruction processing mechanisms include but are not limited to native code execution mechanisms such as found in a 80x086 microprocessor, byte code interpreters such as JAVA and MPEG 4 use, threaded execution structures such as FORTH and Postscript use, or combinations of the above.

As used herein, inference engines operate upon a fact based and an inference rule collection. Execution of inference engines may be based upon unification processes, constraint satisfaction mechanisms and neural network threshold-stimuli mechanisms. Instructions as used herein for such inference engines would include the facts and inference rules presented to the inference engine.

WO 00/57341

PCT/US00/07716

As used herein, the term computer will further refer to information access, communication and analysis tools employing at least one computer in their internal operations. Such computers include but are not limited to desk top computers, portable, notebook and handheld computers, personal digital assistants and
5 telephones with built-in messaging and/or browsing capabilities. Note that telephones may be either wireline or wireless.

Web browsers are software tools that have been in widespread use since the early 1990's. Most popular tools of this kind, including Microsoft's Internet Explorer™ and Netscape's Navigator™, support what is known as plug-ins. These plug-ins provide
10 the ability to significantly extend the software linked to the browser, often providing additional file format capabilities (JPEG, MPEG and MP3 readers-players, for example).

Most popular tools of this kind also include the ability to execute a variety of interpreted computer languages include HTML (Hyper Text Markup Language) and
15 JAVA™. Further note that JAVA possesses a complete windowing object class, so that entire applications could be written in JAVA and run on essentially any computer supporting a web browser with a JAVA execution engine.

Based upon these observations, embodiments assume operating platforms including but not limited to browsers, meaning a software tool executing on at least
20 a user operated computer supporting plug-ins and the execution of languages such as JAVA. Certain embodiments will further use a browser capable of communication with other computers.

As used herein a thin client application is an embodiment assuming operating platforms such as a browser, meaning a software tool executing on at least a user
25 operated computer supporting plug-ins and the execution of languages such as JAVA. It may further utilize communication with other computers in performing the tasks involving the relevant embodiments.

As used herein networks include but are not limited communicative couplings of computers employing wireline and/or wireless physical transport layers. In certain
30 further embodiments, communications between computers communicatively coupled to a network may further employ a messaging protocol. In certain further

WO 00/57341

PCT/US00/07716

embodiments, network communications between computers communicatively coupled employ a messaging protocol compatible with TCP-IP. In certain further embodiments, network communications between computers communicatively coupled employ messaging protocols compatible with Internet.

- 5 Certain embodiments include a method for a first covering group member belonging to a covering group using a request list containing a request list component for each of the covering group members. The covering group contains at least two covering group members. Each of the request list components further contains a request summary collection containing at least a past-due request summary and a
10 immediately-due request summary.

Figure 1 depicts a viewing region including a group monitor for prescriptions for a covering group, in accordance with certain embodiments.

Region **1000** includes a designation of the covering group being viewed. The column header **1002** is "InBox For", which indicates that for each successive row,
15 this column entry will identify the medical practitioner responsible for that row's request summary. The column header **1004** is "Immediates", which indicates that for each successive row, this column entry will identify number of prescription requests for that row's request summary which are due currently. The column header **1006** is "Days Late", which indicates that for each successive row, this
20 column entry will identify the number of days past due of the oldest prescription request in the Immediate request queue for that row's request summary. The column header **1008** is "Futures", which indicates that for each successive row, this column entry will identify the number of request responses not yet due for that row's request summary, known as futures.

25 The line starting with "Smith, William" **1010** in the "InBox For" column designates that this request summary line is for William Smith. The bolding of the lettering indicates that the result summary list for William Smith has been selected. The number "5" further labeled **1012** indicates that there are 5 request responses currently due for William Smith. The number "2" further labeled **1014** indicates that
30 there are 2 request responses past due for William Smith. The number "51" further

WO 00/57341

PCT/US00/07716

labeled **1016** indicates that there are 51 request responses due in the future for William Smith.

The line starting with "Doctor, Joe" **1020** in the "InBox For" column designates that this request summary line is for Joe Doctor. The line starting with "Surgeon, Frank" **1022** in the "InBox For" column designates that this request summary line is for Frank Surgeon. The line starting with "OBG, Louis" **1024** in the "InBox For" column designates that this request summary line is for Louis OBG. The line starting with "Welby, John" **1026** in the "InBox For" column designates that this request summary line is for John Welby.

Note that the user has selected the first line of the request summary table, referring to William Smith. By selecting the "Immediates" heading, the region **1030** displays "Rx InBox for: Smith, William W (Immediates)". The request details which follow below region **1030** are from the immediately pending, or currently due, response requests.

The first response request is for "PATIENT, SUSIE K.", labeled **1040**, whose primary care provider is Smith, labeled **1042**. The medication is "CIPRO 500 MCG TABLET" labeled **1044**, with a prescribed quantity of 10 units labeled **1046**. The directions **1048** are "TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS". The prescription was filled "2/11/99", labeled **1050**. Label **1052** indicates a link to change and/or examine the details of the prescription. Label **1054** indicates that this response request was forwarded from "YUN, SMITH MD RESIDENT OF FAMILY PRACTICE". Label **1058** indicates a pull-down menu to select a request response from a response list.

The second response request is for "PERSON, MARK S", labeled **1060**, whose primary care provider is Smith, labeled **1062**. The medication is "BECLOVENT INHALER" labeled **1064**, with a prescribed quantity of 16.8 units labeled **1066**. The directions **1068** are "INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL)". The prescription was filled "2/13/99", labeled **1070**. Label **1072** indicates a link to change and/or examine the details of the prescription.

WO 00/57341

PCT/US00/07716

Link **1080** indicates how to select creating a new prescription, in certain further embodiments.

In certain further embodiments, selecting a patient's name may act as a link to the patient's medical database. In certain further embodiments, selecting a medical practitioner's name may act as a link to the practitioner's email. In certain further
5 embodiments, selecting a medication label may act as a link to the medication database.

Figure **2** depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments.

10 Region **1090** designates a prescription group monitor being viewed. The column header **1002** is "InBox For", which indicates that for each successive row, this column entry will identify the medical practitioner responsible for that row's request summary. The column header **1004** is "Immediates", which indicates that for each successive row, this column entry will identify number of prescription requests for
15 that row's request summary which are due currently. The column header **1006** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days past due of the oldest prescription request in the Immediate request queue for that row's request summary. The column header **1008** is "Futures", which indicates that for each successive row, this column entry will
20 identify the number of request responses not yet due for that row's request summary, known as futures.

Region **1200** designates a referral group monitor being viewed. The column header **1202** is "Action Items", which indicates that for each successive row, this column entry will identify number of referral requests for that row's request summary which
25 are due currently. The column header **1204** is "Days Late", which indicates that for each successive row, this column entry will identify the number of action item responses which are past due for that row's request summary. The column header **1206** is "Encounter Results", which indicates that for each successive row, this column entry will identify the number of encounter result reports available for review
30 for that row's request summary.

WO 00/57341

PCT/US00/07716

The line starting with “Welby, John” **1100** in the “InBox For” column designates that this request summary line is for William Smith. The bolding of the lettering indicates that the result summary list for William Smith has been selected. The number “3” further labeled **1102** indicates that there are 3 request responses currently due for William Smith. The number “0” further labeled **1104** indicates that all immediate response requests are current for William Smith. The number “11” further labeled **1106** indicates that there are 11 request responses due in the future for John Welby. The number “3” further labeled **1108** indicates that there are 3 referral requests currently due for William Smith. The number “0” further labeled **1110** indicates that there are 0 request responses past due for William Smith. The number “2” further labeled **1112** indicates that there are 2 encounter reports ready for review by John Welby.

Item **1210** entitled “Create a New Referral” is a link to creating a new referral.

The first response request is for “PATIENT, KENNETH K.”, labeled **1140**, whose primary care provider is WELBY, labeled **1142**. The medication is “DOXEPHIN HCL CAP 10 MG” labeled **1144**, with a prescribed quantity of 60 units labeled **1146**. The directions **1148** are “TAKE 1 TABLET 2 TIMES A DAY”. The prescription was filled “12/11/98”, labeled **1050**. Label **1054** indicates that this response request was forwarded from “YUN, SMITH MD RESIDENT OF FAMILY PRACTICE”.

Label **1052** indicates collection of responses which can be quickly made. The 1, 2, 3, 4 bubbles can be selected, which would indicate 1, 2, 3 or 4, respectively, refills were authorized. Selecting the bubbles associated with “1 yr” and “2 yr” indicate that refills were authorized for the respective time duration. Selecting the bubble next to “PCP” forwards the prescription refill request to the primary care provider. Selecting the bubble next to “Hold” sends a Hold message to the pharmacy, indicating that there thought or review will be shortly given to this request before authorization. Selecting the “Med” opens the patient’s medication history. Selecting the “Appt.” opens the patient’s appointment history. Selecting the “Chg Rx” opens the window for changing the prescription.

Figure 3 depicts a viewing region including a group monitor for prescriptions and referrals for a covering group, in accordance with certain embodiments.

WO 00/57341

PCT/US00/07716

Region **1090** designates a prescription group monitor being viewed. The column header **1002** is "InBox For", which indicates that for each successive row, this column entry will identify the medical practitioner responsible for that row's request summary. The column header **1004** is "Immediates", which indicates that for each successive row, this column entry will identify number of prescription requests for that row's request summary which are due currently. The column header **1006** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days past due of the oldest prescription request in the Immediate request queue for that row's request summary. The column header **1008** is "Futures", which indicates that for each successive row, this column entry will identify the number of request responses not yet due for that row's request summary, known as futures.

Region **1300** designates a lab test group monitor being viewed. The column header **1302** is "Action Items", which indicates that for each successive row, this column entry will identify number of referral requests for that row's request summary which are due currently. The column header **1304** is "Days Late", which indicates that for each successive row, this column entry will identify the number of days late the oldest action item is in the action item requests for that row's request summary. The column header **1306** is "Lab Results", which indicates that for each successive row, this column entry will identify the number of lab result reports available for review for that row's request summary.

The line starting with "Welby, John" **1100** in the "InBox For" column designates that this request summary line is for William Smith. The bolding of the lettering indicates that the result summary list for William Smith has been selected. The number "3" further labeled **1102** indicates that there are 3 request responses currently due for William Smith. The number "0" further labeled **1104** indicates that all immediate response requests are current for William Smith. The number "11" further labeled **1106** indicates that there are 11 request responses due in the future for John Welby.

The number "3" further labeled **1310** indicates that there are 3 lab test requests currently due for William Smith. The number "0" further labeled **1312** indicates that

WO 00/57341

PCT/US00/07716

all action items are current for William Smith. The number "2" further labeled **1112** indicates that there are 2 lab reports ready for review by John Welby.

Figure **4** depicts a usage flowchart performing a method for the first covering group member belonging to the covering group using the request list contains the request list component for each covering group member, in accordance with using certain usage embodiments.

User operation **2000** starts the usage of this flowchart. Arrow **2002** directs the usage flow from user operation **2000** to user operation **2004**. User operation **2004** performs selecting a second of the covering group members belonging to the covering group. Arrow **2006** directs usage from user operation **2004** to user operation **2008**. User operation **2008** performs selecting a first of the summaries of the request summary collection contained in the request list component for the second covering group member. Arrow **2010** directs usage from user operation **2008** to user operation **2012**. User operation **2012** performs perceiving a request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses. Arrow **2014** directs usage from user operation **2012** to user operation **2016**. User operation **2016** terminates the usage of this flowchart.

Certain embodiments include a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list.

Figure **4** also depicts a flowchart performing a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure **5A** depicts a detail flowchart of user operation **2000** of Figure **4** further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member, in accordance with certain embodiments.

WO 00/57341

PCT/US00/07716

Arrow **2030** directs the usage flow from starting user operation **2000** to user operation **2032**. User operation **2032** performs selecting a first of the request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component. Arrow **2034** directs usage from user operation **2032** to user operation **2036**. User operation **2036** terminates the usage of this flowchart.

Figure **5A** also depicts a detail flowchart of operation **2000** of Figure **4** further performing a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure **5B** depicts a detail flowchart of user operation **2000** of Figure **4** further performing a method for the first covering group member belonging to the covering group using the request list containing the request list component for each covering group member in accordance with certain embodiments.

Arrow **2050** directs the usage flow from starting user operation **2000** to user operation **2052**. User operation **2052** performs selecting to send at least one of the preliminary request responses. Arrow **2054** directs usage from user operation **2052** to user operation **2056**. User operation **2056** terminates the usage of this flowchart.

Figure **5B** also depicts a detail flowchart of operation **2000** of Figure **4** further performing a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure **5C** depicts a detail flowchart of user operation **2052** of Figure **5B** performing selecting to send at least all of the preliminary request responses of the first summary component in accordance with certain embodiments.

Arrow **2070** directs the usage flow from starting user operation **2052** to user operation **2072**. User operation **2072** performs selecting to send at least all of the preliminary request responses of the first summary component. Arrow **2074** directs usage from user operation **2072** to user operation **2076**. User operation **2076** terminates the usage of this flowchart.

WO 00/57341

PCT/US00/07716

Figure **5C** also depicts a detail flowchart of operation **2052** of Figure **5B** performing selecting to send at least all of the preliminary request responses of the first summary component in accordance with certain operational embodiments.

Figure **6A** depicts a detail flowchart of user operation **2052** of Figure **5B** performing
5 selecting to send at least all of the preliminary request responses in accordance with certain embodiments.

Arrow **2090** directs the usage flow from starting user operation **2052** to user operation **2092**. User operation **2092** performs selecting to send at least all of the preliminary request responses. Arrow **2094** directs usage from user operation **2092**
10 to user operation **2096**. User operation **2096** terminates the usage of this flowchart.

Figure **6A** also depicts a detail flowchart of operation **2052** of Figure **5B** performing selecting to send at least all of the preliminary request responses in accordance with certain operational embodiments.

Figure **6B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing
15 selecting to create a view of medication history response in accordance with certain embodiments.

Arrow **2110** directs the usage flow from starting user operation **2032** to user operation **2112**. User operation **2112** performs selecting to create a view of medication history response. Arrow **2114** directs usage from user operation **2112** to
20 user operation **2116**. User operation **2116** terminates the usage of this flowchart.

Figure **6B** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a view of medication history response in accordance with certain operational embodiments.

Figure **6C** depicts a detail flowchart of user operation **2032** of Figure **5A** performing
25 selecting to create a view of appointment history response in accordance with certain embodiments.

Arrow **2130** directs the usage flow from starting user operation **2032** to user operation **2132**. User operation **2132** performs selecting to create a view of

WO 00/57341

PCT/US00/07716

appointment history response. Arrow **2134** directs usage from user operation **2132** to user operation **2136**. User operation **2136** terminates the usage of this flowchart.

Figure **6C** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a view of appointment history response in accordance with certain operational embodiments.

Figure **7A** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a change prescription response in accordance with certain embodiments.

Arrow **2150** directs the usage flow from starting user operation **2032** to user operation **2152**. User operation **2152** performs selecting to create a change prescription response. Arrow **2154** directs usage from user operation **2152** to user operation **2156**. User operation **2156** terminates the usage of this flowchart.

Figure **7A** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a change prescription response in accordance with certain operational embodiments.

Figure **7B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a hold prescription response in accordance with certain embodiments.

Arrow **2170** directs the usage flow from starting user operation **2032** to user operation **2172**. User operation **2172** performs selecting to create a hold prescription response. Arrow **2174** directs usage from user operation **2172** to user operation **2176**. User operation **2176** terminates the usage of this flowchart.

Figure **7B** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a hold prescription response in accordance with certain operational embodiments.

Figure **7C** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a view pharmacy message response in accordance with certain embodiments.

WO 00/57341

PCT/US00/07716

Arrow **2190** directs the usage flow from starting user operation **2032** to user operation **2192**. User operation **2192** performs selecting to create a view pharmacy message response. Arrow **2194** directs usage from user operation **2192** to user operation **2196**. User operation **2196** terminates the usage of this flowchart.

- 5 Figure **7C** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a view pharmacy message response in accordance with certain operational embodiments.

Figure **8A** depicts a detail flowchart of user operation **2032** of Figure **5A** performing selecting to create a forward to primary care provider response in accordance with
10 certain embodiments.

Arrow **2210** directs the usage flow from starting user operation **2032** to user operation **2212**. User operation **2212** performs selecting to create a forward to primary care provider response. Arrow **2214** directs usage from user operation **2212** to user operation **2216**. User operation **2216** terminates the usage of this
15 flowchart.

Figure **8A** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a forward to primary care provider response in accordance with certain operational embodiments.

Figure **8B** depicts a detail flowchart of user operation **2032** of Figure **5A** performing
20 selecting to create a fill prescription response in accordance with certain embodiments.

Arrow **2230** directs the usage flow from starting user operation **2032** to user operation **2232**. User operation **2232** performs selecting to create a fill prescription response. Arrow **2234** directs usage from user operation **2232** to user operation
25 **2236**. User operation **2236** terminates the usage of this flowchart.

Figure **8B** also depicts a detail flowchart of operation **2032** of Figure **5A** performing selecting to create a fill prescription response in accordance with certain operational embodiments.

WO 00/57341

PCT/US00/07716

Figure **8C** depicts a detail flowchart of user operation **2232** of Figure **8B** performing selecting to fill the prescription response in terms of units in accordance with certain embodiments.

Arrow **2250** directs the usage flow from starting user operation **2232** to user operation **2252**. User operation **2252** performs selecting to fill the prescription response in terms of units. Arrow **2254** directs usage from user operation **2252** to user operation **2256**. User operation **2256** terminates the usage of this flowchart.

Figure **8C** also depicts a detail flowchart of operation **2232** of Figure **8B** performing selecting to fill the prescription response in terms of units in accordance with certain operational embodiments.

Figure **9A** depicts a detail flowchart of user operation **2252** of Figure **8C** performing selecting to fill the prescription response in terms of one unit of the prescription in accordance with certain embodiments.

Arrow **2270** directs the usage flow from starting user operation **2252** to user operation **2272**. User operation **2272** performs selecting to fill the prescription response in terms of one unit of the prescription. Arrow **2274** directs usage from user operation **2272** to user operation **2276**. User operation **2276** terminates the usage of this flowchart.

Figure **9A** also depicts a detail flowchart of operation **2252** of Figure **8C** performing selecting to fill the prescription response in terms of one unit of the prescription in accordance with certain operational embodiments.

Figure **9B** depicts a detail flowchart of user operation **2252** of Figure **8C** performing selecting to fill the prescription response in terms of at least two units of the prescription in accordance with certain embodiments.

Arrow **2290** directs the usage flow from starting user operation **2252** to user operation **2292**. User operation **2292** performs selecting to fill the prescription response in terms of at least two units of the prescription. Arrow **2294** directs usage from user operation **2292** to user operation **2296**. User operation **2296** terminates the usage of this flowchart.

WO 00/57341

PCT/US00/07716

Figure **9B** also depicts a detail flowchart of operation **2252** of Figure **8C** performing selecting to fill the prescription response in terms of at least two units of the prescription in accordance with certain operational embodiments.

Figure **10A** depicts a detail flowchart of user operation **2232** of Figure **8B**
5 performing selecting to fill the fill prescription response in terms of time duration in accordance with certain embodiments.

Arrow **2310** directs the usage flow from starting user operation **2232** to user operation **2312**. User operation **2312** performs selecting to fill the fill prescription response in terms of time duration. Arrow **2314** directs usage from user operation
10 **2312** to user operation **2316**. User operation **2316** terminates the usage of this flowchart.

Figure **10A** also depicts a detail flowchart of operation **2232** of Figure **8B** performing selecting to fill the fill prescription response in terms of time duration in accordance with certain operational embodiments.

15 Figure **10B** depicts a detail flowchart of user operation **2000** of Figure **4** further performing a method for the first covering group member belonging to the covering group of using the request list containing the request list component for each covering group member in accordance with certain embodiments, in accordance with certain embodiments.

20 Arrow **2330** directs the usage flow from starting user operation **2000** to user operation **2332**. User operation **2332** performs selecting to create a new prescription. Arrow **2334** directs usage from user operation **2332** to user operation **2336**. User operation **2336** terminates the usage of this flowchart.

Figure **10B** also depicts a detail flowchart of operation **2000** of Figure **4** performing
25 a method of operating a computer system by a first covering group member belonging to a covering group interacting with a request list in accordance with certain operational embodiments.

Figure **11** depicts a detail flowchart of user operation **2332** of Figure **10B** further performing selecting to create the new prescription in accordance with certain
30 embodiments.

WO 00/57341

PCT/US00/07716

Arrow **2350** directs the usage flow from starting user operation **2332** to user operation **2352**. User operation **2352** performs selecting a patient identifier associated with the new prescription to create a patient with the new prescription. Arrow **2354** directs usage from user operation **2352** to user operation **2356**. User operation **2356** terminates the usage of this flowchart.

Arrow **2360** directs the usage flow from user operation **2332** to user operation **2362**. User operation **2362** performs selecting a medication associated with the new prescription to create a medication with the new prescription. Arrow **2364** directs usage from user operation **2362** to user operation **10B**. User operation **10B** terminates the usage of this operational flowchart.

Arrow **2370** directs the usage flow from user operation **2332** to user operation **2372**. User operation **2372** performs selecting a dosage associated with the new prescription to create a dosage with the new prescription. Arrow **2374** directs usage from user operation **2372** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

Arrow **2380** directs the usage flow from user operation **2332** to user operation **2382**. User operation **2382** performs selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription. Arrow **2384** directs usage from user operation **2382** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

Arrow **2390** directs the usage flow from user operation **2332** to user operation **2392**. User operation **2392** performs selecting a prescription direction associated with the new prescription to create a direction with the new prescription. Arrow **2394** directs usage from user operation **2392** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

Arrow **2400** directs the usage flow from user operation **2332** to user operation **2402**. User operation **2402** performs selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription. Arrow **2404** directs usage from user operation **2402** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

WO 00/57341

PCT/US00/07716

Arrow **2410** directs the usage flow from user operation **2332** to user operation **2412**. User operation **2412** performs authorizing the new prescription with the patient identifier, with the medication, with the dosage, with the number of units, with the direction at the filling pharmacy. Arrow **2414** directs usage from user operation
5 **2412** to user operation **10B**. User operation **10B** terminates the usage of this flowchart.

Figure **11** also depicts a detail flowchart of operation **2332** of Figure **10B** further performing selecting to create the new prescription in accordance with certain operational embodiments.

10 Figure **12A** depicts a detail flowchart of user operation **2352** of Figure **11** performing selecting a patient identifier associated with the new prescription to create a patient with the new prescription in accordance with certain embodiments.

Arrow **2430** directs the usage flow from starting user operation **2352** to user operation **2432**. User operation **2432** performs perceiving a patient identifier list
15 containing at least one patient identifier. Arrow **2434** directs usage from user operation **2432** to user operation **2436**. User operation **2436** performs selecting a first of the patient identifiers of the patient identifier list to create the patient with the new prescription. Arrow **2438** directs usage from user operation **2436** to user operation **2440**. User operation **2440** terminates the usage of this flowchart.

20 Figure **12A** also depicts a detail flowchart of operation **2352** of Figure **11** further performing selecting the patient identifier associated with the new prescription to create a patient with the new prescription in accordance with certain operational embodiments.

Figure **12B** depicts a detail flowchart of user operation **2362** of Figure **11** performing
25 selecting the medication associated with the new prescription to create the medication with the new prescription in accordance with certain embodiments.

Arrow **2450** directs the usage flow from starting user operation **2362** to user operation **2452**. User operation **2452** performs perceiving a medication list containing at least two medications. Arrow **2454** directs usage from user operation
30 **2452** to user operation **2456**. User operation **2456** performs selecting a first of the

WO 00/57341

PCT/US00/07716

medications of the medication list to create the medication with the new prescription. Arrow **2458** directs usage from user operation **2456** to user operation **2460**. User operation **2460** terminates the usage of this flowchart.

Figure **12B** also depicts a detail flowchart of operation **2362** of Figure **11** further performing selecting the medication associated with the new prescription to create the medication with the new prescription in accordance with certain operational embodiments.

Figure **13A** depicts a detail flowchart of user operation **2372** of Figure **11** performing selecting the dosage associated with the new prescription to create the dosage with the new prescription in accordance with certain embodiments.

Arrow **2470** directs the usage flow from starting user operation **2372** to user operation **2472**. User operation **2472** performs perceiving a dosage list containing at least one dosage. Arrow **2474** directs usage from user operation **2472** to user operation **2476**. User operation **2476** performs selecting a first of the dosages of the dosage list to create the dosage with the new prescription. Arrow **2478** directs usage from user operation **2476** to user operation **2480**. User operation **2480** terminates the usage of this flowchart.

Figure **13A** also depicts a detail flowchart of operation **2372** of Figure **11** further performing selecting the dosage associated with the new prescription to create the dosage with the new prescription in accordance with certain operational embodiments.

Figure **13B** depicts a detail flowchart of user operation **2362** of Figure **11** performing selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription in accordance with certain embodiments.

Arrow **2510** directs the usage flow from starting user operation **2362** to user operation **2512**. User operation **2512** performs perceiving a number of units list containing at least one number of units. Arrow **2514** directs usage from user operation **2512** to user operation **2516**. User operation **2516** performs selecting a first of the number of units of the number of units list to create the number of units

WO 00/57341

PCT/US00/07716

with the new prescription. Arrow **2518** directs usage from user operation **2516** to user operation **2520**. User operation **2520** terminates the usage of this flowchart.

Figure **13B** also depicts a detail flowchart of operation **2362** of Figure **11** further performing selecting a prescription unit number associated with the new prescription to create a number of units with the new prescription in accordance with certain operational embodiments.

Figure **14A** depicts a detail flowchart of user operation **2392** of Figure **14A** performing selecting a prescription direction associated with the new prescription to create a direction with the new prescription in accordance with certain embodiments.

Arrow **2530** directs the usage flow from starting user operation **2392** to user operation **2532**. User operation **2532** performs perceiving a direction list containing at least one direction. Arrow **2534** directs usage from user operation **2532** to user operation **2536**. User operation **2536** performs selecting a first of the directions of the direction list to create the direction with the new prescription. Arrow **2538** directs usage from user operation **2536** to user operation **2540**. User operation **2540** terminates the usage of this flowchart.

Figure **14A** also depicts a detail flowchart of operation **2392** of Figure **14A** further performing selecting a prescription direction associated with the new prescription to create a direction with the new prescription in accordance with certain operational embodiments.

Figure **14B** depicts a detail flowchart of user operation **2402** of Figure **11** performing selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription in accordance with certain embodiments.

Arrow **2550** directs the usage flow from starting user operation **2402** to user operation **2552**. User operation **2552** performs perceiving a pharmacy list containing at least one pharmacy. Arrow **2554** directs usage from user operation **2552** to user operation **2556**. User operation **2556** performs selecting a first of the pharmacies of the pharmacy list to create the pharmacy with the new prescription.

WO 00/57341

PCT/US00/07716

Arrow **2558** directs usage from user operation **2556** to user operation **2560**. User operation **2560** terminates the usage of this flowchart.

Figure **14B** depicts a detail flowchart of operation **2402** of Figure **11** further performing selecting a pharmacy for filling the prescription to create a filling pharmacy for the new prescription in accordance with certain operational
5 embodiments.

Figure **15A** depicts a detail flowchart of user operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, the number of units and with the direction to the filling pharmacy in
10 accordance with certain embodiments.

Arrow **2570** directs the usage flow from starting user operation **2412** to user operation **2572**. User operation **2572** performs sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units, with the direction to the filling pharmacy. Arrow **2574** directs usage from user
15 operation **2572** to user operation **2576**. User operation **2576** terminates the usage of this flowchart.

Figure **15A** also depicts a detail flowchart of operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, the number of units and with the direction to the filling pharmacy in
20 accordance with certain operational embodiments.

Figure **15B** depicts a detail flowchart of user operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units and with the direction at the filling pharmacy to a physician in accordance with certain embodiments.

Arrow **2590** directs the usage flow from starting user operation **2412** to user
25 operation **2592**. User operation **2592** performs sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units, with the direction at the filling pharmacy to a physician. Arrow **2594** directs usage from user operation **2592** to user operation **2596**. User operation **2596** terminates
30 the usage of this flowchart.

WO 00/57341

PCT/US00/07716

Figure **15B** also depicts a detail flowchart of operation **2412** of Figure **11** performing sending the new prescription with the patient identifier, with the medication, with the dosage, with the number of units and with the direction at the filling pharmacy to a physician in accordance with certain operational embodiments.

- 5 Figure **16** depicts a system block diagram for a computing system supporting the first covering group member interacting with a request list containing a request list component for each of the covering group members of the covering group.

In certain embodiments, the computing system comprises a computer **3120** operated **3110** by group member **3100** with accessibly coupled **3130** computer
10 memory **3140** containing at least part of a program operating system executing within a browser operational platform **3160** supporting the first group member interaction.

In certain further embodiments, the computing system comprises a second computer **3220** operated **3210** by client **3200** with accessibly coupled **3230**
15 computer memory **3240** containing at least part of a program operating system executing within a browser operational platform **3260** supporting the first group member interaction. Computer **3120** is communicatively coupled to computer **3220** via network **3330**.

In certain further embodiments, the client **3220** may be someone working at a
20 pharmacy. In certain other further embodiments, the client **3220** may be another group member. In certain other further embodiments, the client **3220** may be someone working at a on a care providers staff. In certain other further embodiments, the client **3220** may be a health care manager. In certain other further embodiments, the client **3220** may be someone working at a medical
25 laboratory. In certain other further embodiments, the client **3220** may be a health care administrator. In certain other further embodiments, the client **3220** may be someone scheduling appointments for one or more members of the covering group.

In certain further embodiments, network **3330** is communicatively coupled **3310** to server system **3300**. Server system **3300** contains **3360** at least one server
30 computer **3320**, which is accessibly coupled **3330** to computer memory **3340**. In certain further embodiments, computer memory **3340** contains program code

WO 00/57341

PCT/US00/07716

segments as part of the system level program operating system **3360** supporting the first covering group member interaction with the request list. In certain further embodiments, the program operating system program code segments are further organized for interaction in a fashion comparable to a web site **3360** as seen by the browser operational platform **3160** residing in the group member **3100** operated **3110** computer **3120**.

In certain further embodiments, server system **3300** generates the request list. In certain further embodiments, server system **3300** generates at least one of the request list components. In certain further embodiments, server system **3300** generates all request list components. In certain further embodiments, server system **3300** generates at least one of the request detail reports. In certain further embodiments, server system **3300** generates all request detail reports.

In certain further embodiments, server system **3300** generates the medication history for a selected patient by the first covering group member. In certain further embodiments, server system **3300** generates the appointment history for a selected patient by the first covering group member.

In certain further embodiments, server system **3300** generates a medication list for the first covering group member. In certain further embodiments, server system **3300** generates an annotated medication list for the first covering group member. In certain further embodiments, the annotated medication list contains insurer compliance annotations.

In certain further embodiments, server system **3300** communicates **3410** with database server **3400** to retrieve information to generate a medication list for the first covering group member. In certain further embodiments, server system **3300** communicates **3410** with database server **3400** to retrieve information to generate an annotated medication list for the first covering group member. In certain further embodiments, the annotated medication list contains insurer compliance annotations. In certain further embodiments, database server **3400** may in turn access **3430** database **3420**. In certain further embodiments, database server **3400** may in turn access **3430** several different databases **3420**. In certain further

WO 00/57341

PCT/US00/07716

embodiments, database **3420** may contain at least summary information provided by an insurer.

Figure **17** depicts a viewing region component supporting changing a prescription, in accordance with certain embodiments.

- 5 Figure **18** depicts a viewing region component supporting viewing a patient medical history, in accordance with certain embodiments.

Figure **19** depicts a viewing region component supporting viewing a patient appointment history, in accordance with certain embodiments.

- Figure **20** depicts a viewing region component supporting starting a new
10 prescription, in accordance with certain embodiments.

Figure **21** depicts a viewing region component supporting creating a new prescription by selecting a patient, in accordance with certain embodiments.

Figure **22** depicts a viewing region component supporting creating a new prescription showing the selected patient, in accordance with certain embodiments.

- 15 Figure **23** depicts a viewing region component supporting creating a new prescription by selecting a pharmacy, in accordance with certain embodiments.

Figure **24** depicts a viewing region component supporting creating a new prescription showing the selected patient and the selected pharmacy, in accordance with certain embodiments.

- 20 Figure **25** depicts a viewing region component supporting creating a new prescription by selecting a medication, in accordance with certain embodiments.

Figure **26** depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected medication, in accordance with certain embodiments.

- 25 Figure **27** depicts a viewing region component supporting creating a new prescription showing the selected patient, the selected pharmacy and selected

WO 00/57341

PCT/US00/07716

medication, with directions and number of units, ready for authorization, in accordance with certain embodiments.

Figure 28 depicts a viewing region component supporting creating a prior authorization request form for FORMULARY override for a new prescription, in
5 accordance with certain embodiments.

Figure 29 depicts a viewing region component supporting a prescription InBox Monitor of prescribing practitioners for use in health management and pharmacies, in accordance with certain embodiments.

Figure 30 depicts a viewing region component supporting a pharmacy prescription
10 lookup, in accordance with certain embodiments.

Figure 31 depicts a viewing region component supporting a pharmacy prescription lookup response, in accordance with certain embodiments.

Figure 32 depicts a viewing region component including a group monitor for prescriptions and referrals for a covering group with a New Referral link, in
15 accordance with certain embodiments.

Figure 33 depicts a viewing region component supporting selecting the patient for the new referral, in accordance with certain embodiments.

Figure 34 depicts a viewing region component supporting selecting the department-referral type of the new referral for the selected patient, in accordance with certain
20 embodiments.

Figure 35 depicts a viewing region component supporting pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments.

Figure 36 depicts a viewing region component supporting a consultant approval
25 queue for referral requests, in accordance with certain embodiments.

Figure 37 depicts a viewing region component supporting a referral request form with pre-requisite check-off given the department-referral type of the new referral for the selected patient, in accordance with certain embodiments.

WO 00/57341

PCT/US00/07716

Figure 38 depicts a viewing region component supporting an appointment center queue for referral requests, in accordance with certain embodiments.

Figure 39 depicts a viewing region component supporting an appointment request from a consulting medical practitioner with the department-referral type of the new referral for the selected patient, in accordance with certain embodiments.

Figure 40 depicts a viewing region component supporting a consultant approval queue for referral requests, in accordance with certain embodiments.

Figure 41 depicts a viewing region component supporting a referral pending appointment with consulting medical practitioner form, showing the department-referral type, prerequisite check-off list of the referral for the selected patient, in accordance with certain embodiments.

Figure 42 depicts a viewing region component supporting a referral inbox based upon a referral group monitor, in accordance with certain embodiments.

Figure 43 depicts a viewing region component supporting a consultant encounter report with the department-referral type for the selected patient, and the results of the encounter, in accordance with certain embodiments.

Figure 44 depicts a viewing region component supporting a referral results summary based upon a referral group monitor, in accordance with certain embodiments.

Figure 45 depicts a viewing region component supporting referral lookup, in accordance with certain embodiments.

Figure 46 depicts a viewing region component supporting viewing a patient referral history, in accordance with certain embodiments.

Figure 47 depicts a viewing region component supporting viewing a consultant encounter report referenced by a selecting a link of the patient referral history of Figure 46, in accordance with certain embodiments.

Figure 48 depicts a viewing region component supporting a referral volume report generator, in accordance with certain embodiments.

WO 00/57341

PCT/US00/07716

Figure **49** depicts a viewing region component supporting a referral volume report resulting from the parameterization of the referral volume report generator associated with Figure **48**, in accordance with certain embodiments.

5 Figure **50** depicts a viewing region component supporting a referral time lapse report generator, in accordance with certain embodiments.

Figure **51** depicts a viewing region component supporting a referral time lapse report resulting from the parameterization of the referral time lapse report generator associated with Figure **50**, in accordance with certain embodiments.

10 Figure **52** depicts a viewing region component supporting a referral time lapse report detail resulting from the selecting an underlined entry in the table of Figure **51**, in accordance with certain embodiments.

Figure **53** depicts a viewing region component supporting a referral pending appointment with consultant form, in accordance with certain embodiments.

15 Figure **54** depicts a viewing region component supporting a referral report selector, in accordance with certain embodiments.

Figure **55** depicts a viewing region component supporting a referral report on OBG consultations by medical indication selected from the referral report selector of Figure **54**, in accordance with certain embodiments.

20 Figure **56** depicts a viewing region component supporting a referral report on OBG consultations by length of wait for consultation selected from the referral report selector of Figure **54**, in accordance with certain embodiments.

Figure **57** depicts a viewing region component supporting a referral report on the number of referrals by medical practitioner/department selected from the referral report selector of Figure **54**, in accordance with certain embodiments.

25 Figure **58A** depicts a detail flowchart of user operation **2032** of Figure **5A** further performing selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request

WO 00/57341

PCT/US00/07716

response of the first summary of the first summary component in accordance with certain embodiments.

Arrow **2610** directs the usage flow from starting user operation **2032** to user operation **2612**. User operation **2612** performs acoustically selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component is comprised of a member. Arrow **2614** directs usage from user operation **2612** to user operation **2616**. User operation **2616** terminates the usage of this flowchart.

Arrow **2620** directs the usage flow from user operation **2032** to user operation **2622**. User operation **2622** performs visually selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component is comprised of a member. Arrow **2624** directs usage from user operation **2622** to user operation **2616**. User operation **2616** terminates the usage of this flowchart.

Figure **58A** depicts a detail flowchart of operation **2032** of Figure **5A** further performing selecting the first request responses of the request detail report for the first summary of the first summary component to create a preliminary request response of the first summary of the first summary component in accordance with certain operational embodiments.

Figure **58B** depicts a detail flowchart of user operation **2012** of Figure **4** performing perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses in accordance with certain embodiments.

Arrow **2630** directs the usage flow from starting user operation **2012** to user operation **2632**. User operation **2632** performs hearing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list

WO 00/57341

PCT/US00/07716

containing at least two request responses. Arrow **2634** directs usage from user operation **2632** to user operation **2636**. User operation **2636** terminates the usage of this flowchart.

Arrow **2640** directs the usage flow from user operation **2012** to user operation **2642**.

- 5 User operation **2642** performs seeing the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the requested item, the request response list containing at least two request responses. Arrow **2644** directs usage from user operation **2642** to
- 10 user operation **2636**. User operation **2636** terminates the usage of this flowchart.

- Figure **58B** depicts a detail flowchart of operation **2012** of Figure **4** performing perceiving the request detail report for the first summary of the request summary collection contained in the request list component for the second covering group member containing at least one request report comprising the requestor name, the
- 15 requested item, the request response list containing at least two request responses in accordance with certain operational embodiments.

The preceding embodiments have been provided by way of example and are not meant to constrain the scope of the following claims.

Claims

1. A method for a first covering group member belonging to a covering group containing at least two covering group members of using a request list containing a request list component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising the steps of:

selecting a second of said covering group members belonging to said covering group;

selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

perceiving a request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

2. A method as recited in Claim 1, further comprising the step of:

selecting a first of said request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component.

3. A method as recited in Claim 2, further comprising the step of:

selecting to send at least one of said preliminary request responses.

4. A method as recited in Claim 3,

wherein selecting to send at least one of said preliminary request responses further comprises the step of

selecting to send at least all of said preliminary request responses of said first summary component.

5. A method as recited in Claim 3,

wherein selecting to send at least one of said preliminary request responses further comprises the step of

WO 00/57341

PCT/US00/07716

selecting to send at least all of said preliminary request responses.

6. A method as recited in Claim 3,

wherein said requested item is a prescription; and

wherein said request summary collection further containing a future-due
5 request summary.

7. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for
said first summary of said first summary component to create said preliminary
request response of said first summary of said first summary component is
10 comprised of the step of

selecting to create a view of medication history response.

8. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for
said first summary of said first summary component to create said preliminary
15 request response of said first summary of said first summary component is further
comprised of the step of

selecting to create a view of appointment history response.

9. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for
20 said first summary of said first summary component to create said preliminary
request response of said first summary of said first summary component is further
comprised of the step of

selecting to create a change prescription response.

10. A method as recited in Claim 6,

25 wherein selecting said first request response of said request detail report for
said first summary of said first summary component to create said preliminary
request response of said first summary of said first summary component is further
comprised of the step of

selecting to create a hold prescription response.

30 11. A method as recited in Claim 6,

WO 00/57341

PCT/US00/07716

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

5 selecting to create a view pharmacy message response.

12. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further

10 comprised of the step of

selecting to create a forward to primary care provider response.

13. A method as recited in Claim 6,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary

15 request response of said first summary of said first summary component is further comprised of the step of

selecting to create a fill prescription response.

14. A method as recited in Claim 13,

wherein selecting to create said fill prescription response is further comprised

20 of the step of

selecting to fill said prescription response in terms of units.

15. A method as recited in Claim 13,

wherein selecting to fill said prescription response in terms of units is comprised of the step of

25 selecting to fill said prescription response in terms of one unit of said prescription.

16. A method as recited in Claim 14,

wherein selecting to fill said prescription response in terms of units is comprised of the step of

30 selecting to fill said prescription response in terms of at least two units of said prescription.

WO 00/57341

PCT/US00/07716

17. A method as recited in Claim 13,
wherein selecting to create said fill prescription response is further comprised
of the step of
selecting to fill said fill prescription response in terms of time duration.

5 18. A method as recited in Claim 6, further comprising the step of
selecting to create a new prescription.

19. A method as recited in Claim 18,
wherein selecting to create said new prescription is comprised of the steps of
selecting a patient identifier associated with said new prescription to create a
10 patient with said new prescription;
selecting a medication associated with said new prescription to create a
medication with said new prescription;
selecting a dosage associated with said new prescription to create a dosage
with said new prescription;
15 selecting a prescription unit number associated with said new prescription to
create a number of units with said new prescription;
selecting a prescription direction associated with said new prescription to
create a direction with said new prescription;
selecting a pharmacy for filling said prescription to create a filling pharmacy
20 for said new prescription; and
authorizing said new prescription with said patient identifier, with said
medication, with said dosage, with said number of units, with said direction at said
filling pharmacy.

20. A method as recited in Claim 19,
25 wherein selecting said patient identifier associated with said new prescription
to create said patient with said new prescription is comprised of the steps of
perceiving a patient identifier list containing at least one patient identifier; and
selecting a first of said patient identifiers of said patient identifier list to create
said patient with said new prescription.

30 21. A method as recited in Claim 19,

WO 00/57341

PCT/US00/07716

wherein selecting said medication associated with said new prescription to create said medication with said new prescription is comprised of the steps of
perceiving a medication list containing at least two medications; and
selecting a first of said medications of said medication list to create said
5 medication with said new prescription.

22. A method as recited in Claim 19,

wherein selecting said dosage associated with said new prescription to create said dosage with said new prescription is comprised of the steps of
perceiving a dosage list containing at least one dosage; and
10 selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

23. A method as recited in Claim 19,

wherein selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of
15 the steps of
perceiving a number of units list containing at least one number of units; and
selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

24. A method as recited in Claim 19,

20 wherein selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the steps of
perceiving a direction list containing at least one direction; and
selecting a first of said directions of said direction list to create said direction
25 with said new prescription.

25. A method as recited in Claim 19,

wherein selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription is comprised of the steps of
perceiving a pharmacy list containing at least one pharmacy; and
30 selecting a first of said pharmacies of said pharmacy list to create said pharmacy with said new prescription.

WO 00/57341

PCT/US00/07716

26. A method as recited in Claim 19,

wherein authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of the step of

5 sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction to said filling pharmacy.

27. A method as recited in Claim 19,

10 wherein authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of the step of

sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy to a physician.

15 28. A method as recited in Claim 6,

wherein said requested item is a referral; and

wherein said request summary collection further containing a referral result summary.

29. A method as recited in Claim 6,

20 wherein said requested item is a laboratory test; and

wherein said request summary collection further containing a test result summary.

30. A method as recited in Claim 2,

25 wherein selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

30 acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

WO 00/57341

PCT/US00/07716

visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

5 31. A method as recited in Claim 1,

wherein perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at
10 least two request responses is comprised of the steps of

hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least
15 two request responses; and

seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least
20 two request responses.

32. A method of operating a computer system by a first covering group member belonging to a covering group containing at least two covering group members interacting with a request list containing a request list component for each of said covering group members of said covering group, each of said request list
25 components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising the steps of:

selecting a second of said covering group members belonging to said covering group;

30 selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

WO 00/57341

PCT/US00/07716

perceiving a request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two
5 request responses.

33. A method as recited in Claim 32, further comprising the step of:

selecting a first of said request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component.

10 34. A method as recited in Claim 33, further comprising the step of:

selecting to send at least one of said preliminary request responses.

35. A method as recited in Claim 34, further comprising the step of:

wherein selecting to send at least one of said preliminary request responses further comprises

15 selecting to send at least all of said preliminary request responses of said first summary component.

36. A method as recited in Claim 34,

wherein selecting to send at least one of said preliminary request responses further comprises the step of

20 selecting to send at least all of said preliminary request responses.

37. A method as recited in Claim 34,

wherein said requested item is a prescription; and

wherein said request summary collection further containing a future-due request summary.

25 38. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is comprised of the step of

30 selecting to create a view of medication history response.

WO 00/57341

PCT/US00/07716

39. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further
5 comprised of the step of

selecting to create a view of appointment history response.

40. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary
10 request response of said first summary of said first summary component is further comprised of the step of

selecting to create a change prescription response.

41. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for
15 said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a hold prescription response.

42. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for
20 said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

selecting to create a view pharmacy message response.

25 43. A method as recited in Claim 37,

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further
30 comprised of the step of

selecting to create a forward to primary care provider response.

44. A method as recited in Claim 37,

WO 00/57341

PCT/US00/07716

wherein selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of the step of

5 selecting to create a fill prescription response.

45. A method as recited in Claim 44,

wherein selecting to create said fill prescription response is further comprised of the step of

selecting to fill said prescription response in terms of units.

10 46. A method as recited in Claim 44,

wherein selecting to fill said prescription response in terms of units is comprised of the step of

selecting to fill prescription in terms of one unit of said prescription.

47. A method as recited in Claim 45,

15 wherein selecting to fill said prescription response in terms of units is comprised of the step of

selecting to fill prescription in terms of at least two units of said prescription.

48. A method as recited in Claim 44,

20 wherein selecting to create said fill prescription response is further comprised of the step of

selecting to fill prescription in terms of time duration.

49. A method as recited in Claim 37, further comprising the step of

selecting to create a new prescription.

50. A method as recited in Claim 49,

25 wherein selecting to create said new prescription is comprised of the steps of selecting a patient identifier associated with said new prescription to create a patient with said new prescription;

selecting a medication associated with said new prescription to create a medication with said new prescription;

WO 00/57341

PCT/US00/07716

selecting a dosage associated with said new prescription to create a dosage with said new prescription;

selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription;

5 selecting a prescription direction associated with said new prescription to create a direction with said new prescription;

selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription; and

10 authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy.

51. A method as recited in Claim 50,

wherein selecting said patient identifier associated with said new prescription to create said patient with said new prescription is comprised of the steps of

15 perceiving a patient identifier list containing at least one patient identifier; and

selecting a first of said patient identifiers of said patient identifier list to create said patient with said new prescription.

52. A method as recited in Claim 50,

wherein selecting said medication associated with said new prescription to create said medication with said new prescription is comprised of the steps of

20 perceiving a medication list containing at least two medications; and

selecting a first of said medications of said medication list to create said medication with said new prescription.

53. A method as recited in Claim 50,

25 wherein selecting said dosage associated with said new prescription to create said dosage with said new prescription is comprised of the steps of

perceiving a dosage list containing at least one dosage; and

selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

30 54. A method as recited in Claim 50,

WO 00/57341

PCT/US00/07716

wherein selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of the steps of

perceiving a number of units list containing at least one number of units; and

5 selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

55. A method as recited in Claim 50,

wherein selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the
10 steps of

perceiving a direction list containing at least one direction; and

selecting a first of said directions of said direction list to create said direction with said new prescription.

56. A method as recited in Claim 50,

15 wherein selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription is comprised of

perceiving a pharmacy list containing at least one pharmacy; and

selecting a first of said pharmacies of said pharmacy list to create said pharmacy with said new prescription.

20 57. A method as recited in Claim 50,

wherein authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of the step of

25 sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction to said filling pharmacy.

58. A method as recited in Claim 50,

wherein authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at
30 said filling pharmacy is comprised of the step of

WO 00/57341

PCT/US00/07716

sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy to a physician.

59. A method as recited in Claim 37,

5 wherein said requested item is a referral; and

wherein said request summary collection further containing a referral result summary.

60. A method as recited in Claim 37,

wherein said requested item is a laboratory test; and

10 wherein said request summary collection further containing a test result summary.

61. A method as recited in Claim 33,

wherein selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

15 acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

20 visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

25 62. A method as recited in Claim 32,

wherein perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses is comprised of the steps of

30

WO 00/57341

PCT/US00/07716

hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least
5 two request responses; and

seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least
10 two request responses.

63. A program operating system residing in computer memory accessibly coupled to at least a computer operated by a first covering group member belonging to a covering group containing at least two covering group members supporting said first covering group member interacting with a request list containing a request list
15 component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising:

a program code segment supporting selecting a second of said covering
20 group members belonging to said covering group;

a program code segment supporting selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

a program code segment supporting perceiving a request detail report for
25 said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

64. A program operating system as recited in Claim 63, further comprising:

a program code segment supporting selecting a first of said request
30 responses of said request detail report for said first summary of said first summary

WO 00/57341

PCT/US00/07716

component to create a preliminary request response of said first summary of said first summary component.

65. A program operating system as recited in Claim 64, further comprising:
a program code segment supporting selecting to send at least one of said preliminary request responses.

66. A program operating system as recited in Claim 65, further comprising:
wherein said program code segment supporting selecting to send at least one of said preliminary request responses further comprises
a program code segment supporting selecting to send at least all of said preliminary request responses of said first summary component.

67. A program operating system as recited in Claim 65,
wherein said program code segment supporting selecting to send at least one of said preliminary request responses further comprises
a program code segment supporting selecting to send at least all of said preliminary request responses.

68. A program operating system as recited in Claim 65,
wherein said requested item is a prescription; and
wherein said request summary collection further containing a future-due request summary.

69. A program operating system as recited in Claim 68,
wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is comprised of

a program code segment supporting selecting to create a view of medication history response.

70. A program operating system as recited in Claim 68,
wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary

WO 00/57341

PCT/US00/07716

component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a view of appointment history response.

5 71. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

10 a program code segment supporting selecting to create a change prescription response.

72. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a hold prescription response.

73. A program operating system as recited in Claim 68,

20 wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a view pharmacy message response.

74. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

WO 00/57341

PCT/US00/07716

a program code segment supporting selecting to create a forward to primary care provider response.

75. A program operating system as recited in Claim 68,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a fill prescription response.

76. A program operating system as recited in Claim 75,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill said prescription response in terms of units.

77. A program operating system as recited in Claim 75,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of one unit of said prescription.

78. A program operating system as recited in Claim 76,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of at least two units of said prescription.

79. A program operating system as recited in Claim 75,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill prescription in terms of time duration.

80. A program operating system as recited in Claim 68, further comprising

WO 00/57341

PCT/US00/07716

a program code segment supporting selecting to create a new prescription.

81. A program operating system as recited in Claim 80,

wherein said program code segment supporting selecting to create said new prescription is comprised of the steps of

5 a program code segment supporting selecting a patient identifier associated with said new prescription to create a patient with said new prescription;

a program code segment supporting selecting a medication associated with said new prescription to create a medication with said new prescription;

10 a program code segment supporting selecting a dosage associated with said new prescription to create a dosage with said new prescription;

a program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription;

15 a program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription;

a program code segment supporting selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription; and

20 a program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy.

82. A program operating system as recited in Claim 81,

25 wherein said program code segment supporting selecting said patient identifier associated with said new prescription to create said patient with said new prescription is comprised of the steps of

a program code segment supporting perceiving a patient identifier list containing at least one patient identifier; and

a program code segment supporting selecting a first of said patient identifiers of said patient identifier list to create said patient with said new prescription.

30 83. A program operating system as recited in Claim 81,

WO 00/57341

PCT/US00/07716

wherein said program code segment supporting selecting said medication associated with said new prescription to create said medication with said new prescription is comprised of the steps of

5 a program code segment supporting perceiving a medication list containing at least two medications; and

a program code segment supporting selecting a first of said medications of said medication list to create said medication with said new prescription.

84. A program operating system as recited in Claim 81,

10 wherein said program code segment supporting selecting said dosage associated with said new prescription to create said dosage with said new prescription is comprised of the steps of

a program code segment supporting perceiving a dosage list containing at least one dosage; and

15 a program code segment supporting selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

85. A program operating system as recited in Claim 81,

wherein said program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of the steps of

20 a program code segment supporting perceiving a number of units list containing at least one number of units; and

a program code segment supporting selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

86. A program operating system as recited in Claim 81,

25 wherein said program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the steps of

a program code segment supporting perceiving a direction list containing at least one direction; and

30 a program code segment supporting selecting a first of said directions of said direction list to create said direction with said new prescription.

WO 00/57341

PCT/US00/07716

87. A program operating system as recited in Claim 81,
wherein said program code segment supporting selecting a pharmacy for
filling said prescription to create a filling pharmacy for said new prescription is
comprised of

5 a program code segment supporting perceiving a pharmacy list containing at
least one pharmacy; and

a program code segment supporting selecting a first of said pharmacies of
said pharmacy list to create said pharmacy with said new prescription.

88. A program operating system as recited in Claim 81,

10 wherein said program code segment supporting authorizing said new
prescription with said patient identifier, with said medication, with said dosage, with
said number of units, with said direction at said filling pharmacy is comprised of

a program code segment supporting sending said new prescription with said
patient identifier, with said medication, with said dosage, with said number of units,
15 with said direction to said filling pharmacy.

89. A program operating system as recited in Claim 81,

wherein said program code segment supporting authorizing said new
prescription with said patient identifier, with said medication, with said dosage, with
said number of units, with said direction at said filling pharmacy is comprised of

20 a program code segment supporting sending said new prescription with said
patient identifier, with said medication, with said dosage, with said number of units,
with said direction at said filling pharmacy to a physician.

90. A program operating system as recited in Claim 68,

wherein said requested item is a referral; and

25 wherein said request summary collection further containing a referral result
summary.

91. A program operating system as recited in Claim 68,

wherein said requested item is a laboratory test; and

wherein said request summary collection further containing a test result
30 summary.

92. A program operating system as recited in Claim 64,

WO 00/57341

PCT/US00/07716

wherein said program code segment supporting selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

a program code segment supporting acoustically selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

a program code segment supporting visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

93. A program operating system as recited in Claim 63,

wherein said program code segment supporting perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses is comprised of the steps of

a program code segment supporting hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses; and

a program code segment supporting seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said request response list containing at least two request responses.

94. A computing system containing at least one computer operated by a first covering group member belonging to a covering group containing at least two

WO 00/57341

PCT/US00/07716

covering group members supporting said first covering group member interacting with a request list containing a request list component for each of said covering group members of said covering group, each of said request list components further containing a request summary collection containing at least a past-due request summary and a immediately-due request summary, comprising:

at least a computer operated by said first covering group member accessibly coupled to a computer memory;

wherein a program operating system residing in said computer memory accessibly coupled to at least one of said computers of said computing system is further comprised of:

a program code segment supporting selecting a second of said covering group members belonging to said covering group;

a program code segment supporting selecting a first of said summaries of said request summary collection contained in said request list component for said second covering group member; and

a program code segment supporting perceiving a request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising a requestor name, a requested item, a request response list containing at least two request responses.

95. A computer system as recited in Claim 94, further comprising:

a program code segment supporting selecting a first of said request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component.

96. A computing system as recited in Claim 95, further comprising:

a program code segment supporting selecting to send at least one of said preliminary request responses.

97. A computing system as recited in Claim 96, further comprising:

wherein said program code segment supporting selecting to send at least one of said preliminary request responses further comprises

WO 00/57341

PCT/US00/07716

a program code segment supporting selecting to send at least all of said preliminary request responses of said first summary component.

98. A computing system as recited in Claim 96,

wherein said program code segment supporting selecting to send at least
5 one of said preliminary request responses further comprises

a program code segment supporting selecting to send at least all of said preliminary request responses.

99. A computing system as recited in Claim 96,

wherein said requested item is a prescription; and

10 wherein said request summary collection further containing a future-due request summary.

100. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary
15 component to create said preliminary request response of said first summary of said first summary component is comprised of

a program code segment supporting selecting to create a view of medication history response.

101. A computing system as recited in Claim 99,

20 wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said first summary component is further comprised of

a program code segment supporting selecting to create a view of
25 appointment history response.

102. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request response of said request detail report for said first summary of said first summary component to create said preliminary request response of said first summary of said
30 first summary component is further comprised of

WO 00/57341

PCT/US00/07716

a program code segment supporting selecting to create a change prescription response.

103. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request
5 response of said request detail report for said first summary of said first summary
component to create said preliminary request response of said first summary of said
first summary component is further comprised of

a program code segment supporting selecting to create a hold prescription
response.

10 104. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request
response of said request detail report for said first summary of said first summary
component to create said preliminary request response of said first summary of said
first summary component is further comprised of

15 a program code segment supporting selecting to create a view pharmacy
message response.

105. A computing system as recited in Claim 99,

wherein said program code segment supporting selecting said first request
response of said request detail report for said first summary of said first summary
20 component to create said preliminary request response of said first summary of said
first summary component is further comprised of

a program code segment supporting selecting to create a forward to primary
care provider response.

106. A computing system as recited in Claim 99,

25 wherein said program code segment supporting selecting said first request
response of said request detail report for said first summary of said first summary
component to create said preliminary request response of said first summary of said
first summary component is further comprised of

a program code segment supporting selecting to create a fill prescription
30 response.

107. A computing system as recited in Claim 106,

WO 00/57341

PCT/US00/07716

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill said prescription response in terms of units.

5 108. A computing system as recited in Claim 106,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of one unit of said prescription.

10 109. A computing system as recited in Claim 107,

wherein said program code segment supporting selecting to fill said prescription response in terms of units is comprised of

a program code segment supporting selecting to fill prescription in terms of at least two units of said prescription.

15 110. A computing system as recited in Claim 106,

wherein said program code segment supporting selecting to create said fill prescription response is further comprised of

a program code segment supporting selecting to fill prescription in terms of time duration.

20 111. A computing system as recited in Claim 99, further comprising

a program code segment supporting selecting to create a new prescription.

112. A computing system as recited in Claim 111,

wherein said program code segment supporting selecting to create said new prescription is comprised of the steps of

25 a program code segment supporting selecting a patient identifier associated with said new prescription to create a patient with said new prescription;

a program code segment supporting selecting a medication associated with said new prescription to create a medication with said new prescription;

30 a program code segment supporting selecting a dosage associated with said new prescription to create a dosage with said new prescription;

WO 00/57341

PCT/US00/07716

a program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription;

5 a program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription;

a program code segment supporting selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription; and

10 a program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy.

113. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting said patient identifier associated with said new prescription to create said patient with said new
15 prescription is comprised of the steps of

a program code segment supporting perceiving a patient identifier list containing at least one patient identifier; and

a program code segment supporting selecting a first of said patient identifiers of said patient identifier list to create said patient with said new prescription.

20 114. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting said medication associated with said new prescription to create said medication with said new prescription is comprised of the steps of

25 a program code segment supporting perceiving a medication list containing at least two medications; and

a program code segment supporting selecting a first of said medications of said medication list to create said medication with said new prescription.

115. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting said dosage associated with said new prescription to create said dosage with said new
30 prescription is comprised of the steps of

WO 00/57341

PCT/US00/07716

a program code segment supporting perceiving a dosage list containing at least one dosage; and

a program code segment supporting selecting a first of said dosages of said dosage list to create said dosage with said new prescription.

5 116. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting a prescription unit number associated with said new prescription to create a number of units with said new prescription is comprised of the steps of

10 a program code segment supporting perceiving a number of units list containing at least one number of units; and

a program code segment supporting selecting a first of said number of units of said number of units list to create said number of units with said new prescription.

117. A computing system as recited in Claim 112,

15 wherein said program code segment supporting selecting a prescription direction associated with said new prescription to create a direction with said new prescription is comprised of the steps of

a program code segment supporting perceiving a direction list containing at least one direction; and

20 a program code segment supporting selecting a first of said directions of said direction list to create said direction with said new prescription.

118. A computing system as recited in Claim 112,

wherein said program code segment supporting selecting a pharmacy for filling said prescription to create a filling pharmacy for said new prescription is comprised of

25 a program code segment supporting perceiving a pharmacy list containing at least one pharmacy; and

a program code segment supporting selecting a first of said pharmacies of said pharmacy list to create said pharmacy with said new prescription.

119. A computing system as recited in Claim 112,

WO 00/57341

PCT/US00/07716

wherein said program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy is comprised of

5 a program code segment supporting sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction to said filling pharmacy.

120. A computing system as recited in Claim 112,

wherein said program code segment supporting authorizing said new prescription with said patient identifier, with said medication, with said dosage, with
10 said number of units, with said direction at said filling pharmacy is comprised of

a program code segment supporting sending said new prescription with said patient identifier, with said medication, with said dosage, with said number of units, with said direction at said filling pharmacy to a physician.

121. A computing system as recited in Claim 99,

15 wherein said requested item is a referral; and

wherein said request summary collection further containing a referral result summary.

122. A computing system as recited in Claim 99,

wherein said requested item is a laboratory test; and

20 wherein said request summary collection further containing a test result summary.

123. A computing system as recited in Claim 95,

wherein said program code segment supporting selecting said first request responses of said request detail report for said first summary of said first summary
25 component to create a preliminary request response of said first summary of said first summary component is comprised of a member of the collection comprising the steps of

a program code segment supporting acoustically selecting said first request responses of said request detail report for said first summary of said first summary
30 component to create a preliminary request response of said first summary of said first summary component is comprised of a member; and

WO 00/57341

PCT/US00/07716

a program code segment supporting visually selecting said first request responses of said request detail report for said first summary of said first summary component to create a preliminary request response of said first summary of said first summary component is comprised of a member.

5 124. A computing system as recited in Claim 94,

wherein said program code segment supporting perceiving said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request report comprising said requestor name, said requested item, said
10 request response list containing at least two request responses is comprised of the steps of

a program code segment supporting hearing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request
15 report comprising said requestor name, said requested item, said request response list containing at least two request responses; and

a program code segment supporting seeing said request detail report for said first summary of said request summary collection contained in said request list component for said second covering group member containing at least one request
20 report comprising said requestor name, said requested item, said request response list containing at least two request responses.

FIG. 1

[illegible]

FIG. 2

eScript

eScript Labs

Labs InBox for John Welby

NEW LABS1400

ACTION ITEMS1402

RESULTS1404

LOGOFF

Group Monitor

10021302 Labs Group Monitor1300

Inbox For Action Items Days Late Lab Results1306

SCOTT,SAM T100494100622

WELBY, JOHN3131001312213143110201104111106

GRIFFITH,SUZYL6131031312013141012

Lab Results

Review Forward Request Appt1326Seen: 2/23/00MR# 00-01-98777

132013221324Lab ResultsCBC

Consulting Physician: Rogers, Karen1328

Review Forward Request ApptSmith, AllanSeen: 2/24/00MR# 00-02-63388

132013221324Lab ResultsHIV

Consulting Physician: Smith, Michael

Review Forward Request ApptFields, Sally WSeen: 2/25/00MR# 00-92-00232

132013221324Lab ResultsLiver Function

Consulting Physician: West, Tina


ACTION ITEMS1402

RESULTS1404

LOGOFF

FIG. 3

ESCR0001



ESCR0001




Fig. 5A




Fig. 5B




Fig. 5C

ESCR0001




Fig. 6A




Fig. 6B




Fig. 6C

ESCR0001




Fig. 7A




Fig. 7B




Fig. 7C

ESCR0001




Fig. 8A




Fig. 8B




Fig. 8C

ESCR0001




Fig. 9A






Fig. 9B

ESCR0001






Fig. 11

ESCR0001




Fig. 12A








Fig. 12B



ESCR0001



ESCR0001



ESCR0001






Fig. 16

script

Change Prescription

SEND

CANCEL

BACK

PATIENT

PATIENT, JAMES C.

DRUG

AMITRPTYLINE 25 MG TABLET

SIG

TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL)

PHARM

Riverside Outpatient (24hr)

DOCTOR

WELBY, MARCUS JR M MD FAMILY PRACTICE

Med Appt

Pharmacy Message

MEDS FELL IN TOILET PLS STAT.

⊙1

⊙2

⊙3

⊙4

⊙5

⊙6

⊙7

⊙8

⊙9

⊙1YR

⊙2YR

⊙Hold

⊙PCP

⊙Do Not Fill

Qty 60

Fill 12/24/98

MR#00 000XXX-XX-XX

Presc 6/11/97

Ph: (909) 353-4045

Fax: (909) 353-3045

Rx Change (prescription changes and denial reasons only)

Change quantity to 20

Nurse Message (appointments requests, doctor change requests etc.)

Patient needs appointment.

SEND

CANCEL

100Day

Chg Qty

Chg Sig

Appt

Chart

FIG. 17

script

Patient Medication History

BACK

O1 O2 O3 O4
O1yr O2yr OPCPOHold
Appt Chg Rx

PATIENT, JAMES C.
AMITRPTYLINE 25 MG TABLET
TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL)

MR#00 000XXX-XX-XX
Qty 60 Fill 12/24/98

12/29/98

RX PROFILE

PAGE 1

Lakeview Pharmacy Run time: 08:22 PM

Sort 1: DATE DISPENSED (DESCENDING) sort 2: RX# (DESCENDING)
Status: ACTIVE and INACTIVE Products ALL

PATIENT, JAMES C 00 000XXX-XX-XX Last Disp Date Range 12/29/97 - THE END

RX# PRODUCT DT WRITTEN EXPIRE DATE QTY WRITTEN

DOCTOR NBR REFILLS DAYS SPLY MIN REF DAYS

119845476(A) AMITRIPTYLINE 25 MG TABLET 06/11/97 07/07/00 60

WELBY, MARCUS JR M 10 60 57

SIG: 1T HS WITH 100MG TABLET GELAV

1. 06/11/97 60 XXX AMITRIPTYLINE 25 MG T RIVERSIDE ME

2. 07/03/97 60 XXX AMITRIPTYLINE 25 MG T RIVERSIDE ME

3. 09/10/97 60 XXX AMITRIPTYLINE 25 MG T RIVERSIDE ME

4. 11/11/97 60 XXX AMITRIPTYLINE 25 MG T RIVERSIDE ME

5. 01/05/98 60 RAL AMITRIPTYLINE 25 MG T CENTRAL REFI

6. 03/02/98 60 DTI AMITRIPTYLINE 25 MG T CENTRAL REFI

FIG. 18

Patient Appointment History

BACK

O1 O2 O3 O4
O1yr O2yr OPCPOHold
Appt Chg Rx

PATIENT, JAMES C.
AMITRPTYLINE 25 MG TABLET
TAKE 1 TABLET AT BEDTIME WITH 100MG TABLET (GENERIC FOR ELAVIL)

MR#00 000XXX-XX-XX
Qty 60 Fill 12/24/98

SEND

MEM CURR APPTS

12/29/1998 08:12P

MR# 00 XXXXXXX NAME PATIENT, JAMES C SEX M-DT O3 25 1960 AGE 38
19 ANYWHERE LN DAY W (909) 555-1212
CORONA, CA 91720 EVE H (909) 555-1212
RMK WIFE/MRS. PATIENT PCP WELBY
UPDT: 14SEP1998 VL2
PAGE 1 OF 1

HIST: Y LAST PE: 25JUL 1988
A) A COLO GIWTL GI RIV
T-DATE 12AUG1998 RI: REF-DR: WELBY 26AUG199

HISTORY/CANCELLED APPTS: 3-DKA 34-HIST 0-CURR 1-WL PAGE 1 CONT
A) S R 05NOV1998 015 08 30A 090 EEG ETEC1 NEU RIV 06OCT1998 DMB
T-DATE 13SEP 1998 RI REF-DR
RMKS 1 SLOT EEG P/REF CC FRM 10/9 CONFIRMED W/PT V:
B) M R 29OCT1998 015 01:15 01:15P 060 COLO WELBY GI RIV 14OCT1998 SSS
T-DATE 12AUG1998 RI REF-DR 26OCT1998 SSS
RMKS: V:

FIG. 19

RxInbox	NewRx	History	Administration	Help
---------	-------	---------	----------------	------

NewRx Compose

PHYSICIAN

AGENT

Welby, John M

Dr. John M Welby

PATIENT

NEW EDIT FIND

Pick a patient

PHARMACY

FIND

Pick a pharmacy

MEDICATION

FIND

Pick a medication

QTY

REFILLS

zero

May Substitute: yes no

SIG

NOTE

FIG. 20

RxInbox	NewRx	History	Administration	Help
Patient Search				
CANCEL				
LASTNAME:				
FIRSTNAME: <u>GO</u>				
1-30 OF 30				
Brown, Thomas J DOB: 09/30/1962	Nagle, Mark C DOB: 04/21/1967			
Brown, Wendy B DOB: 06/06/1966	Newman, Leonard S DOB: 02/01/1967			
Cabrita, Francisco G DOB: 02/08/1950	Racek, John O DOB: 07/09/1968			
Cisneros, Teresa H DOB: 02/08/1950	Roopesh, Zimer T DOB: 01/09/1952			
Edelman, Lawrence P DOB: 05/08/1965	Siegel, Kendra J DOB: 01/09/1968			
Fernow, Mark F DOB: 06/30/1958	Simpson, Roger D DOB: 06/02/1952			
Flowers, Frank S DOB: 07/03/1956	Stone, Melissa S DOB: 10/02/1958			
Flowers, Susan S DOB: 12/20/1960	Terry, Cynthia D DOB: 12/01/1964			
Green, Michelle K DOB: 12/21/1963	Tolet, James DOB: 02/03/1955			
Green, Paul J DOB: 12/21/1963	Tomei, Howard L DOB: 02/28/1959			
Josephs, Robert A DOB: 03/09/1938	Valenzuela, Steven S DOB: 08/09/1964			
Just, Victoria E DOB: 08/08/1944	Wells, David DOB: 08/22/1955			
Long, Gary I DOB: 11/01/1961	Welton, Patricia A DOB: 04/02/1966			
Marans, Robert G DOB: 03/09/1957	Wilder, Jeanne K DOB: 03/03/1966			
Minardi, Paul M DOB: 03/09/1964	Williams, Susan E DOB: 04/30/1946			
1-30 OF 30				

FIG. 21

RxInbox	NewRx	History	Administration	Help
---------	-------	---------	----------------	------

SEND CANCEL

PHYSICIAN

Dr. John M Welby

PATIENT

Wellton, Patricia A

DOB: 4/2/1946

PH: (415) 222-8080

(HEALTH NET)

PHARMACY

Pick a pharmacy

MEDICATION

Pick a medication

QTY

REFILLS

May Substitute: yes no

SIG

NOTE

FIG. 22

RxInbox	NewRx	History	Administration	Help
Pharmacy Search				
CANCEL				
NAME: PHONE:				
STREET: FAX: GO				
1-15 OF 15				
SEARCH RESULTS				
CHILDRENS CLINIC PHARMACY 727 52ND STREET, OAKLAND CA	PH: 5104289029	FX: 5104289029	map	
KAISER DELTA SQUARE PHARMACY 3624 DELTA FAIR BLVD, ANTIOCH CA	PH: 9257795333	FX: 9257795333	map	
LAKE UNITED DRUG 287 13TH ST, OAKLAND CA	PH: 5108321804	FX: 5108919278	map	
LEE'S APOTHECARY-BAYWOOD PHCY 1 BAYWOOD AVE, SAN MATEO CA	PH: 41553426004	FX: 4158342988	map	
LEOS MEDICAL CENTER PHARMACY 411 30TH ST, OAKLAND CA	PH: 4158343100	FX: 4158342988	map	
LONGS DRUG STORE 1165 W EL CAMINO REAL, SUNNYVALE CA	PH: 4087320677	FX: 4153262351	map	
MEDICAL PLAZA PHARMACY 1101 WELCH RD 3C-12, PALO ALTO CA	PH: 4153262300	FX: 4153262351	map	

FIG. 23

RxInbox	NewRx	History	Administration	Help
---------	-------	---------	----------------	------

New Rx compose

SEND

CANCEL

PHYSICIAN

AGENT

Welby, John M

Dr. John M Welby

PATIENT

NEW

EDIT

FIND

Wellton, Patricia A

DOB: 4/2/1946

PH: (415) 222-8080

(HEALTH NET)

PHARMACY

FIND

LAKE UNITED DRUG

PH: 5108321804

FX: 5108919278

287 13TH ST, OAKLAND, CA 946 123900

MEDICATION

FIND

Pick a medication

QTY

REFILLS zero

May Substitute: yes no

SIG

NOTE

FIG. 24

RxInbox	NewRx	History	Administration	Help
Medication Search				
CANCEL				
CONDITIONS CATEGORIES ABCDEFGHIJKLMNOP				
GO OPQRSTUVWXYZ				
Search Results				
next>> 1-30 of 43				
✓ acetaminophen-codiene 300 mg-30 (tablet) ✓ amitriptyline 10 mg (tablet) ✓ Astelin 137 mcg/inh (spray) ✓ Biaxin 250 mg (tablet) ✓ Capoten 25 mg (tablet) HF Celebrex 100 mg (capsules) HF Claritin 10 mg (tablet) Coumadin 5 mg (tablet) ✓ Darvocet N 100 napsylate 325 mg-50 mg (tablet) ✓ diazepam 5 mg (tablet) digoxin 0.25 mg (tablet) ✓ diltiazem 60 mg (tablet) ✓ Flexeril 10 mg (tablet) PA Fosamax 10 mg (tablet) ✓ glyburide 5 mg (tablet) ✓ hydrochlorothiazide 25 mg (tablet) ✓ Isordil 10 mg (tablet) ✓ lactase 250 mg (capsule) ✓ Lo/Ovral 50 mcg-0.5 mg (tablet) ✓ Locoid 1% (ointment) ✓ medroxyprogesterone 750 2.5 mg (tablet) ✓ methocarbamol 750 mg (tablet) ✓ Mevacor 10 mg (tablet) PA Miacalcin 200 iu/inh (spray) ✓ Motrin 800 mg (tablet) PA Norvasc 5 mg (tablet) ✓ Ortho-Novum 7/7/7 35 mcg-1 mg (tablet) ✓ phentemine 30 mg (capsule, extended release) ✓ Premarin 0.625 mg (tablet) Prilosec 20 mg (enteric coated capsule)				

FIG. 25

PHYSICIAN		AGENT	
Welby, John M		Dr. John M Welby	
PATIENT		NEW EDIT FIND	
Wellton, Patricia A		DOB: 4/2/1946	PH: (415) 222-8080
(HEALTH NET)			
PHARMACY		FIND	
LAKE UNITED DRUG		PH: 5108321804	FX: 5108919278
287 13TH ST, OAKLAND, CA 946 123900			
MEDICATION		FIND	
Coumadin 5 mg (tablet)			
QTY		REFILLS	zero
		May Substitute: yes ☒ no ☐	
SIG			
NOTE			

FIG. 26

Please review

PHYSICIAN	AGENT		
Welby, John M	Dr. John M Welby		
PATIENT	NEW EDIT FIND		
Wellton, Patricia A	DOB: 4/2/1946	PH: (415) 222-8080	
(HEALTH NET)			
PHARMACY	FIND		
LAKE UNITED DRUG PH: 5108321804 FX: 5108919278			
287 13TH ST, OAKLAND, CA 946 123900			
MEDICATION	FIND		
Coumadin 5 mg (tablet)			
QTY 30	REFILLS two	May Substitute: yes no	
SIG			
Take one tablet daily as directed			
NOTE			

FIG. 27

FIG. 28



InBox Monitor

HOMELOGOFF

AREA RIVERSIDE

DAYS>=4

#Rx's>=0

Find

PRESCRIBER	Days	#Rx	#Fut	LOGINID	SPECIALITY	CLINIC	ROUTE
WEST, RHONDA	4	15	3	WESTR	FAM	RIVERSIDE	WEB
ROGERS, BRUCE MD	4	1	3	ROGEB	OBG	RIVERSIDE	WEB
SIMPSON, DAVID MD	4	1	35	DSIMP	MED	RIVERSIDE	WEB
MEDIC, MARY	3	1	1	MEDIC	NEU	RIVERSIDE	WEB
KELLY, RICHARD	3	14	9	RICHK	FAM	RIVERSIDE	WEB
RISE, PAULA, PA	3	13	5	PRISE	FAM	MORENO VALLEY	WEB
EVERETT, CATHERINE	3	3	4	EVERC	OBG	RIVERSIDE	WEB
SCOTT, GREGORY MD	3	3	0	SCOTG	SUR	RIVERSIDE	WEB
GOODEN, LAURA NP	3	26	5	LGOOD	FAM	RIVERSIDE	WEB

FIG. 29






FIG. 30



Rx Lookup

HOME

RESPONSE MONITOR

Lookup

PIMS STATUS

OPEN

E-SCRIPT

RESPONDED

LOGGED

6/9/99 2:04:45 PM

FILED

6/9/99 2:05:00 PM

PATIENT

PATIENT,ELAINE

DRUG

SYNTHROID 0.1MG TABLET

SIG

TAKE 1 TABLET EVERY MORNING

PHARM

TEMECULA VALLEY

DOCTOR

DOC,DIANE M MD ENDOCRINOLOGY

ASSIGNED TO

DOC, DIANE

PHARM MSG

NONE

RESPONSE

NO

NUMBER

6/11/99 7:01:33 AM

TIME

6/9/99 2:04:45 PM

PCP DIDOC

DOB 05/25/00

Qty 100

Fill 8/18/98

RX# 209550ABC

Ph: (909) 600-3380

Fax:

MR# 00 0011XX-XX-XX

Presc 4/15/97

INSTRUCTIONS

I've never seen pt before,pls forward to a. miller=prior md

UPLOAD

Printed

Pharmacy Note:

(warning:forwarding or returning the authorization request will delete the current response)

Return to

DOC,DIANE

Forward to

MILLER,HENRY,PCP

Find Doc

Reprint Response to Pharmacy

Reprint Response Local

FIG. 31

FIG. 32

eScript

eScript Referrals

New Referral
submitted by John Welby, MD
PATIENT MR#

SUBMIT

FIG. 33

eScript

eScript Referrals

SUBMIT

DELETE

INBOX

REFERRAL

PICK DEPT/TYPE

Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt		MR#	00-01-97743
Consult Status		Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required		Work Phone	562-222-2200
Referring Physician Input John Welby			
Dept/Reason	Cardiology		Clinic
	SUNSET/METRO		
Reason for Referral			
SUBMIT DELETE INBOX			

eScript

eScript Referrals

SUBMIT DELETE INBOX HOLD
REFERRAL
PREREQUISITE CHECKOFF

Patient Information			
Referral Date	Name	Patricia Wellton	
Appt	1/17/00	MR#	00-01-97743
Consult Status	Address	2 Main Street West Covina, CA 92344	
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Work Phone	562-222-2200	
Referring Physician Input John Welby			
Referring to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY			
Recommended Prerequisites			
☐ Under 44 ☐ 44 or Older		Patient Must Be Under 44	
☐ Under 6 Mos ☐ Over 6 Mos		Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner	
☐ Yes ☐ No		Patient Labs Ordered: HIV i & ii, RPR, Varicella, Rubella, HTLV-1, HepBsag, HepCab, Random Glucose	
☐ Yes ☐ No		Partner Labs Ordered: HIV i & ii, RPR, HepBsag, HepCab, HTLV-1, Semen Analysis	
☐ Yes ☐ No		Patient Given Prep Handout VIEW	
Note		IVF is NOT a covered benefit	
Reason for Referral			
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.			
Additional Notes to Consultant:			
SUBMIT CANCEL INBOX HOLD			

FIG. 35

eScript

eScript Referrals

LOGOFF

CONSULTANT APPROVAL QUEUE

AREA

URGENCY=

PATIENT	DAYS SINCE REFERRAL	DEPT	URGENCY	APPT LOCATION REQUESTED	TYPE OF CONSULT	REFERRING PHYSICIAN
✓ <u>WELLTON, PATRICIA</u>	15	OBG	ROUTINE	SUNSET	INFERTILITY	WELBY
✓ <u>ROGERS, CINDY</u>	4	OBG	URGENT	SUNSET	PELVIC PAIN	WELBY
<u>SIMPSON, BARBARA</u>	4	OBG	ROUTINE	SUNSET	CONTRACEPTION	JONES
<u>MEDIC, MARY</u>	3	OBG	ROUTINE	SUNSET	IRREGULAR PERIODS	SMITH
<u>KELLY, RHONDA</u>	3	OBG	ROUTINE	SUNSET	PREGNANCY	FLOWERS
<u>RISE, PAULA</u>	3	OBG	ROUTINE	SUNSET	CONTRACEPTION	CRAIG
<u>EVERETT, CATHERINE</u>	3	OBG	ROUTINE	SUNSET	PREGNANCY	MARTIN
<u>GOODEN, LAURA</u>	3	OBG	ROUTINE	SUNSET	INFERTILITY	SCOTT

FIG. 36

eScript

eScript Referrals

APPROVE DENY HOLD
REFERRAL
REQUEST FROM PRIMARY MD

Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt		MR#	00-01-97743
Consult Status		Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Approval for Appt	Work Phone	562-222-2200
Referring Physician Input John Welby			
Referral to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY			
Prerequisites for Referral			
Patient Must Be Under 44 Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner Patient Labs Ordered Partner Labs Ordered Patient Given Prep Handout VIEW			
Note	IVF is NOT a covered benefit		
Referring Physician Comments			
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.			
Consultant Comments			
APPT NEEDED= 10 min v APPT MUST BE WITH APPT TYPE INF-New v DENIAL REASON= v Return to WELBY,JOHN Forward to PCP:WELBY, JOHN Find Doc <u>APPROVE</u> DENY HOLD			

FIG. 37

eScript

eScript Referrals

LOGOFF

APPOINTMENT CENTER QUEUE

AREA

LOS ANGELES

▼

DAYS-REF >=

3

▼

DAYS-APPT >=

0

▼

FIND

STATUS=

PENDING

▼

PATIENT	DAYS SINCE REFERRAL	DEPT	STATUS	APPT LOCATION	DAYS APPT CENTER	STATUS APPT CENTER
✓ <u>WELLTON, PATRICIA</u>	15	OBG	APPROVED	SUNSET	4	PENDING
<u>ROGERS, CINDY</u>	4	OBG	APPROVED	SUNSET	4	PENDING
<u>SIMPSON, DAVID</u>	4	NEU	APPROVED	SUNSET	4	PENDING
<u>MEDIC, MARY</u>	3	CRD	APPROVED	SUNSET	4	PENDING
<u>KELLY, RICHARD</u>	3	URO	APPROVED	SUNSET	4	PENDING
<u>RISE, PAUL</u>	3	ORP	APPROVED	SUNSET	4	PENDING
<u>EVERETT, CATHERINE</u>	3	ORP	APPROVED	SUNSET	4	PENDING
<u>SCOTT, GREGORY</u>	3	CRD	APPROVED	RIVERSIDE	4	PENDING
<u>GOODEN, LAURA</u>	3	OBG	APPROVED	SUNSET	4	PENDING

FIG. 38

eScript	eScript Referrals		
<u>APPT SET</u> CANCEL UNABLE TO CONTACT APPOINTMENT REQUEST FROM CONSULTING MD			
Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt		MR#	00-01-97743
Consult Status	Approved FOR aPPT	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Schedule Appt	Work Phone	562-222-2200
Referring Physician Input John Welby			
Referring Dept OB/GYN-SUNSET/METRO CONDITION: INFERTILITY 8-345-6954			
APPT NEEDED= 30 Min APPT MUST BE WITH DURINZI DAYS SINCE REFERRAL 15			
APPT DATE		APPT TIME	PROVIDER
	APPT Type INF-New		
<u>APPT SET</u> CANCEL UNABLE TO CONTACT			

FIG. 39

eScript

eScript Referrals

LOGOFF

CONSULTANT APPROVAL QUEUE

AREA

URGENCY=

PATIENT	Appt Date	Appt Time	DAYS SINCE REFERRAL	DEPT	URGENCY	APPT LOCATION	TYPE OF CONSULT	CONSULTANT	REFERRING PHYSICIAN
✓ <u>WELLTON, PATRICIA</u>	Feb 23	0800	15	OBG	ROUTINE	SUNSET	INFERTILITY	DURINZI	WELBY
✓ <u>ROGERS, CINDY</u>	Feb 23	0800	4	OBG	URGENT	SUNSET	PELVIC PAIN	NEVAREZ	WELBY
<u>SIMPSON, BARBARA</u>	Feb 23	0900	4	OBG	ROUTINE	SUNSET	CONTRACEPTION	SMITH	JONES
<u>MEDIC, MARY</u>	Feb 23	0915	3	OBG	ROUTINE	SUNSET	IRREGULAR PERIODS	JONES	SMITH
<u>KELLY, RHONDA</u>	Feb 23	1100	3	OBG	ROUTINE	SUNSET	PREGNANCY	WEST	FLOWERS
<u>RISE, PAULA</u>	Feb 23	1200	3	OBG	ROUTINE	SUNSET	CONTRACEPTION	MORGAN	CRAIG
<u>EVERETT, CATHERINE</u>	Feb 23	1430	3	OBG	ROUTINE	SUNSET	PREGNANCY	NEVAREZ	WEST
<u>SCOTT, GEORGIA</u>	Feb 23	1445	3	OBG	ROUTINE	SUNSET	PREGNANCY	NEVAREZ	MARTIN
<u>GOODEN, LAURA</u>	Feb 23	1500	3	OBG	ROUTINE	SUNSET	INFERTILITY	WEST	SCOTT

FIG. 40

eScript		eScript Referrals	
<u>SUBMIT ENCOUNTER</u> HOLD CANCEL			
REFERRAL PENDING			
APPOINTMENT WITH CONSULTANT			
Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt	2/23/00 DURINZI	MR#	00-01-97743
Consult Status	Approved	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Consultant Feedback	Work Phone	562-222-2200
Referral to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY 8-345-6954			
Prerequisites			
Patient Must Be Under 44			
Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner			
Patient Labs Ordered			
Partner Labs Ordered			
Patient Given Prep Handout VIEW			
Note	IVF is NOT a covered benefit		
Referring Physician	John Welby 8-345-9343		
Reason For Referral			
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.			
Consultant Comments			
APPT NEEDED= None ▾ APPT MUST BE WITH APPT TYPE INF-New ▾ SCHEDULE APPT IN= 1 Week ▾			
<u>SUBMIT ENCOUNTER</u> HOLD CANCEL			

FIG. 41

eScript Referrals									
Referrals InBox for John Welby		<u>NEW</u> <u>REFERRAL</u>	<u>ACTION RESULTS</u> <u>ITEMS</u>		<u>LOGOFF</u>				
Inbox For		Referrals Group Monitor				Prescription Group Monitor			
	<u>Action Items</u>	<u>Days Late</u>	<u>Encounter Results</u>	<u>Immediates</u>	<u>Days Late</u>	<u>Futures</u>			
Scott, Sam T	1	0	2	9	4	22			
Welby, John M	3	0	2	3	0	11			
Griffith, Suzy L	6	3	0	1	0	12			
Encounter Results									
<u>Review</u> <u>Appt</u>	<u>Forward</u> <u>Request</u>	Wellton, Patricia 2/23/00		<u>Seen:</u>	MR# 00-01-98777				
		Encounter Results		Infertility					
		Consulting Physician: Durinzi, Karen							
<u>Review</u> <u>Appt</u>	<u>Forward</u> <u>Request</u>	Smith , Allan 2/24/00		<u>Seen:</u>	MR# 00-02-63388				
		Encounter Results		Chest Pains					
		Consulting Physician: Jorgenson, Michael							
<u>Review</u> <u>Appt</u>	<u>Forward</u> <u>Request</u>	Fields, Sally W 2/23/00		<u>Seen:</u>	MR# 00-92-00232				
		Encounter Results		Pregnancy					
		Consulting Physician: Nevarez, Faustina							
<u>ACTION ITEMS RESULTS LOGOFF</u>									

FIG. 42

eScript Referrals

ARCHIVE INBOX

CONSULTANT ENCOUNTER REPORT

Referral Date	2/8/00	Patient Information		Name	Patricia Wellton
Appt	2/23/00	MR#	00-01-97743		
Consult Status	Completed	Address	2 Main Street West Covina, CA 92344		
PCP	John Welby 8-345-9343	Home Phone	562-934-1123		
Action Required	Review	Work Phone	562-222-2200		
Reason for Referral	Referring Physician John Welby 8-345-9343				
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.					
Encounter Results	345-6954	Consulting Physician Karen Durinzi 8-			
Patient good candidate for fertility drugs. Will begin using Pergonal after all prereqs are complete. I will monitor patient during regimen. Suggest you see her within 6 mos. Thanks, Karen.					

ARCHIVE INBOX

FIG. 43

eScript Referrals				
Referrals InBox for John Welby	<u>NEW REFERRAL</u>		<u>ACTION RESULTS ITEMS</u>	<u>LOGOFF</u>
	Group Monitor			
	Referrals Group Monitor		Prescription Group Monitor	
	<u>Inbox For</u>	<u>Action Items</u>	<u>Days Late</u>	<u>Encounter Results</u>
			<u>Immediates</u>	<u>Days Late</u>
				<u>Futures</u>
Scott, Sam T		1	0	2
Welby, John M		2	0	2
Griffith, Suzy L		6	3	0
Encounter Results				
Review Appt	<u>Forward Request</u>	Smith, Allan	Seen: 2/24/00	MR# 00-02-63388
		Encounter Results		Chest Pains
		Consulting Physician: Jorgenson, Michael		
Review Appt	<u>Forward Request</u>	Fields, Sally W	Seen: 2/25/00	MR# 00-92-00232
		Encounter Results		Pregnancy
		Consulting Physician: Nevarez, Faustina		
<u>ACTION PENDING LOGOFF</u>				

FIG. 44

eScript	eScript Referrals
DELETE INBOX REFERRAL LOOKUP MEDICAL RECORD NUMBER <u>FIND</u>	

FIG. 45

eScript Referrals

BACKLOGOFF

PATIENT REFERRAL HISTORY

PATIENT	DATE	DEPT	REFERRING MD	CONSULTING MD	INDICATION	APPT LOCATION	DAYS BETWEEN REFERRAL & CONSULT
WELLTON, PATRICIA	FEB 23 2000	OBG	WELBY	DURINZI	INFERTILITY	SUNSET	15
WELLTON, PATRICIA	JAN 3 2000	CRD	WELBY	JORGENSEN	IRREGULAR HEARTBEAT	SUNSET	4
WELLTON, PATRICIA	NOV 22 2000	NEU	WELBY	ENSAT	MIGRAINE	FONTANA	4

FIG. 46

eScript Referrals

ARCHIVE INBOX

CONSULTANT ENCOUNTER REPORT

Referral Date	2/8/00	Patient Information Name Patricia Wellton	
Appt	2/23/00	MR#	00-01-97743
Consult Status	Completed	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Review	Work Phone	562-222-2200
Reason for Referral	Referring Physician John Welby 8-345-		
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.			
Encounter Results 345-6954	Consulting Physician Karen Durinzi 8-		
Patient good candidate for fertility drugs. Will begin using Pergonal after all preeqs are complete. I will monitor patient during regimen. Suggest you see her within 6 mos. Thanks, Karen.			

ARCHIVE INBOX

FIG. 47

eScript

eScript Referrals

Volume Report Generator

Referral Creation

Detail

☐Physician

☐Dept

☐Location

Location

Doctor

LOS ANGELES

DEPT

ALL

Referral Receipt

Detail

☐Dept

☐Location

Location

LOS ANGELES

DEPT

ALL

SORT BY

☐Sender

☐Recipient

Select

Time Period

☒ALL

☐O

Date

Start Date

Stop

1

2

3

4

5

6

March

April

May

June

July

August

1

2

3

4

5

6

March

April

May

June

July

August

SUBMIT

DENY

HOLD

FIG 48

eScript

eScript Referrals

Volume Report Results							
<u>Next Report</u>							
Provider	OPAS	Location	Dept	Number Ref	Number Denials	Avg Days to Appt	Avg Days to Consult
GAVIN, VANESSA MD	GAVIV	SUN	FAM	11	0	4	4
GUZMAN, ERWIN MD	GUZME	SUN	FAM	9	0	0	8
DERSARKISSAN, JACK MD	DERSA	SUN	FAM	8	0	2	7
MORRIS, NICOLE MD	MORRN	SUN	FAM	8	0	1	5
HLADON, PAUL	HLADO	SUN	FAM	7	0	4	3
KAPOOR, NARINDER MD	KAPOR	SUN	FAM	7	0	4	3
PIZANO, CAESAR MD	PIZAC	SUN	FAM	7	0	3	8

FIG 49

eScript

eScript Referrals

Time Lapse Report Generator

Referral Creation

Detail

Physician

DEPT

ALL

Referral Receipt

Detail

DEPT

ALL

SORT BY

Sender

OR

Recipient

Time Period

ALL

O

Date

Start Date

Stop

1

2

3

4

5

6

March

April

May

June

July

August

1

2

3

4

5

6

March

April

May

June

July

August

SUBMIT

DENY

HOLD

FIG 50

eScript Referrals									
Time Lapse Report Results									
Referral Creation: Sunset/Los Angeles									
Referral Receipt Sunset OBG By Dept									
March 1-March 15 2000									
Number of Referrals	Approved	Denied	Re-Directed	%Denied	Total				
	<u>123</u>	<u>8</u>	<u>12</u>	6.50%	131				
Days From Referral Until Appt Date	Under 3	4-7	8-11	12-14	14+	%Over	Total		
						<u>14</u>			
	<u>2</u>	<u>22</u>	<u>39</u>	<u>56</u>	<u>4</u>	3.25%	123		
Days From Referral Until Appt is Set	0	1	2-3	4-7	7+	%Over	Total		
						<u>7</u>			
	<u>33</u>	<u>32</u>	<u>45</u>	<u>4</u>	<u>9</u>	7.32%	123		

FIG. 51




FIG 52

eScript		eScript Referrals	
		<u>SUBMIT ENCOUNTER</u> HOLD CANCEL	
		REFERRAL PENDING	
		APPOINTMENT WITH CONSULTANT	
Patient Information			
Referral Date	1/17/00	Name	Patricia Wellton
Appt	2/23/00 DURINZI	MR#	00-01-97743
Consult Status	Approved	Address	2 Main Street West Covina, CA 92344
PCP	John Welby 8-345-9343	Home Phone	562-934-1123
Action Required	Consultant Feedback	Work Phone	562-222-2200
Referral to OB/GYN-SUNSET/METRO CONDITION: INFERTILITY 8-345-6954			
Prerequisites			
Patient Must Be Under 44			
Patient Must Have Been Trying to Conceive For 6 Months or More With Same Partner			
Patient Labs Ordered			
Partner Labs Ordered			
Patient Given Prep Handout VIEW			
Note	IVF is NOT a covered benefit		
Referring Physician	John Welby 8-345-9343		
Reason For Referral			
33 Year Old. 4/98 Pregnancy terminated at 16 weeks due to Listeria infection. Required IV abx Post Partum for Endometritis. Now attempting to conceive for approx 1 year without success. Has used ovulation prediction kits for 7 months. Please evaluate. Pap and Cervical exam done.			
Consultant Comments			
APPT NEEDED= None APPT MUST BE WITH APPT TYPE INF-New			
SCHEDULE APPT IN= 1 Week			
<u>SUBMIT ENCOUNTER</u> HOLD CANCEL			

FIG. 53

eScript Referrals

REPORTS

OBG-REFERRALS BY INDICATION

OBG-REFERRALS BY LENGTH OF WAIT TO CONSULT

SUNSET-REFERRALS BY CONSULT DEPT

FIG. 54




FIG 55




FIG 56







FIG 57





script

[Check Inbox](#)

[Check Futures](#)

[New Rx](#)

[Undo](#) 1080

[Options](#)

[Help Desk](#)

[Log Out](#)

Logo

Logo

Advertising Space

1000

Group Monitor For: East Bay Clinic

1006

Inbox For 1002 1004 Immediates Days Late Futures 1008

Smith, William 1010

5 1012 2 1014 51 1016

Doctor, Joe 1020

12 3 9

Surgeon, Frank 1022

0 0 0

OBG, Louis 1024

0 0 0

Welby, John 1026

6 1 5

1030

Rx InBox for: Smith, William W (IMMEDIATES)



PATIENT, SUSIE K. 1040

PCP SMITH 1042

MR# 00 000000-86-XX

1058

2 days

[Change/Details](#)

CIPRO 500MG TABLET 1044


Qty 10

Fill 2/11/99 1050

TAKE 1 TABLET 2 TIMES A DAY FOR 5 DAYS 1048

1046

FORWARD from YUN, SMITH MD RESIDENT- FAMILY PRACTICE 1054



PERSON, MARK S 1060

PCP SMITH 1062

MR# 00 000000-75-XX

1078

BECLOVENT INHALER 1064


QTY 16.8 1066

FILL 2/13/97 1070

[Change/Details](#)

1072

INHALE 2 PUFFS 2 TIMES DAILY, RINSE MOUTH AFTER USE (GENERIC FOR VANCERIL) 1068



HEALTHY, LAURA J

PCP SMITH

MR# 00 000000-16-XX

HYDROCHLOROTHIAZIDE 25MG TB

QTY 100

FILL 11/17/98