



(51) International Patent Classification:

A01M 1/00 (2006.01) *G06K 9/62* (2006.01)

(21) International Application Number:

PCT/US2018/015369

(22) International Filing Date:

26 January 2018 (26.01.2018)

(25) Filing Language:

English

(26) Publication Language:

English


(30) Priority Data:

62/451,410 27 January 2017 (27.01.2017) US

(71) Applicant: **THE JOHNS HOPKINS UNIVERSITY** [US/US]; 3400 N. Charles Street, Baltimore, Maryland 21218 (US).(72) Inventors: **ACHARYA, Soumyadipta**; 4711 Rams Horn Row, Elicott City, Maryland 21042 (US). **PATTERSON, William**; 12503 Bonita Avenue, Reisterstown, Maryland 21136 (US). **GLANCEY, Margaret**; 3 Sunhigh Ct., Thur-mont, Maryland 21788 (US). **RADANT, Nicholas**; 3003 N. Charles St., Apt. 321A, Baltimore, Maryland 21218 (US). **CHANG, Justin**; 1812 Ashland Ave., Suite 110, Baltimore, Maryland 21205 (US). **ASHMAN, Kimberly**; 1302 Jackson Avenue, New Orleans, Louisiana 70130 (US).(74) Agent: **FEULNER, Gregory**; 1812 Ashland Avenue, Suite 110, Baltimore, Maryland 21205 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(54) Title: A SYSTEM FOR INSECT SURVEILLANCE AND TRACKING



(57) **Abstract:** A mosquito surveillance device includes one or more mosquito traps having a camera capable of taking images of mosquitos and transmitting the images electronically to a receiver. Suitable traps include an ovitrap, for example. Images may be transmitted from inside or outside the trap to a receiver using low bandwidth cellular phone networks. The images are processed and displayed using software forming mosquito data. The images may be analyzed and the number of live mosquitos identified, the number of dead mosquitos identified, the species of mosquitos identified, or mapped vector densities in real time identified preferably at high resolution.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report (Art. 21(3))*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*

A SYSTEM FOR INSECT SURVEILLANCE AND TRACKING

REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Patent application 62/451,410,
5 filed Jan 27, 2017, which is hereby incorporated by reference for all purposes as if fully set
forth herein.

STATEMENT OF GOVERNMENTAL INTEREST

This invention was made with government support under grant no. AID-OAA-F-16-
10 00091 awarded by USAID. The government has certain rights in the invention.

BACKGROUND OF THE INVENTION

Currently, mosquito surveillance efforts in Brazil, and other countries, are neither
timely nor dynamic. Most mosquito surveillance is accomplished by dividing an area into
15 zones and sending an experienced technician to each zone to collect mosquito larvae, set out
new adult mosquito traps and bring samples back to be identified and counted in the lab.
Mosquito traps are typically only checked weekly and as a result, mosquito population
growth data are not immediately available and are time and human-resource intensive to
collect. Thus, current surveillance methods are costly in terms of human resources and time
20 and not easily scalable.

SUMMARY OF THE INVENTION

One embodiment of the present invention is a mosquito surveillance device comprising
one or more mosquito traps comprising a camera capable of taking images of mosquitos and

transmitting the images electronically to a receiver. Suitable traps include an ovitrap, for example. A suitable camera maybe a video recorder or a camera phone, for example. The camera is preferable programmable. Methods of the present invention may transmit images from inside or outside the trap to a receiver using low bandwidth cellular phone networks. A
5 suitable receiver used in the present invention may include a central server, a computer, a laptop, or a cell phone, for example. The receiver is able or transmit the image, or data, to one or more users. The methods of the present invention may include a step wherein the images are processed and displayed using software forming mosquito data. For example, the images may be analyzed and the number of live mosquitos identified, the number of dead
10 mosquitos identified, the species of mosquitos identified, or mapped vector densities in real time identified preferably at high resolution. The mosquito data generated by the present invention maybe viewed by one or more health systems or individuals. The software used in the present invention comprises vision algorithms that is able to analyze the images and correctly identity the species of mosquito and count mosquitoes based on the images. For
15 example, the software is able to distinguish species of mosquito found in the images such as Culex species and Aedes/Anopheles, as examples.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates one embodiment of a mosquito surveillance system of the present
20 invention.

Figure 2 illustrates an ovitrap BG-GAT attracting gravid *Aedes aegypti* selectively. The trap is widely used for vector surveillance. Our design incorporates a VectorEYES imaging system that automatically captures an image of deceased mosquitos on the mesh

periodically. Image quality and illumination is consistently sufficient for the computer vision algorithms and for direct visual counting.

Figure 3A-3D illustrates computer vision process to count mosquitos. (A) Original image of immobilized mosquitos on the mesh of BG-GAT. (B) Processed binary image. (C) Background-subtracted processed image. (D) Total counts of mosquitos correctly identified by the algorithm.

Figure 4A-4B illustrates the algorithm counts the number of mosquitos correctly and identifies Culex with high sensitivity and specificity based on optical and morphological features. (A) The total number of mosquitos from all petri dishes is accurately calculated (purple, n = 93). (B) Preliminary result of Culex identification (green) shows that 31 Culex mosquitos out of 35 are identified with a few false positives. In this image, the sensitivity and specificity of Culex identification are 94% and 86%, respectively.

Figure 5 illustrates preliminary evidence shows that the algorithm is able to identify individual mosquito heads (yellow boxes) in an overcrowding scenario.

Figure 6 illustrates VectorWEB preliminary prototype, generating a time varying heatmap of mosquito densities using simulated data overlaid on longitude/ latitude pairs within Recife. The data in each column, is reflected as changes on the heatmap immediately. This heatmap, along will be available to health systems .Additionally, threshold based alerts can be sent to individuals through mass SMS or Phone Apps.

DETAILED DESCRIPTION OF THE INVENTION

The present invention and embodiments such as VectorWEB will address the challenges of mosquito surveillance and create a technology and tool that bringing vector surveillance for Zika, and other mosquito borne diseases, into the 21st century. VectorWEB

is a novel low-cost, cloud connected system of smart ovitraps (devices that mimic the preferred breeding site for container breeding mosquitoes such as *A. aegypti*) that will provide real-time mosquito surveillance data to health administrators, communities and individuals. It consists of two parts:

5 VectorEYES, which are existing, evidence based, ovitraps with one simple modification: the addition of low-cost, reprogrammed, camera-phone technology, which converts ovitraps into cloud connected surveillance sensors that transmit images of inside the trap to a central server using low bandwidth cellular phone networks so that mosquitoes can be counted and identified.

10 VectorWEB is a system where data provided by multiple, field deployed, VectorEYES will be processed and displayed using a multi-tiered software ecosystem that allows health systems and individuals to view mapped vector densities in real time at a high resolution. Additionally, media, communities and individuals will be able to receive SMS or app-based alerts of vector density and related risks to inform behavior, similar to how a
15 weather forecast can influence how one approaches their day. Figure 1 shows a schematic of VectorWEB. Our team has developed preliminary prototypes and demonstrated technical feasibility of all components of this system.

VectorWEB will significantly improve the capacity of health systems to deploy and access mosquito surveillance data. This system will require less human intervention, provide
20 real-time, accessible data and have lower operational costs as compared to current surveillance systems. It will also be rapidly developed and implemented using a “lean startup,” iterative design methodology, in which the technological development will progress in parallel with public health implementation and business model validation. Information

provided via VectorWEB, will allow public health professionals and communities to: (1) estimate the density of mosquitos in a given place at a given time to target solutions aimed at preventing bites, (2) track the growth of mosquito populations throughout space and time to visualize vector risk and encourage public compliance, and (3) use accurate vector and virus data that are actionable to inform public health resource management and prevent future outbreaks.

The VectorEYE/VectorWEB system is user-friendly, so training of public health surveillance agents, data managers and other end-users will be relatively limited (we estimate that it will require a one-day training followed by initial support visits). Maintenance will require visits to clean the traps of mosquitoes (as is the current practice) as well as replace/recharge batteries and conduct other routine checks. The frequency of such visits will be prompted by individual trap status alerts via the VectorWEB dashboard. We estimate that battery related maintenance will be required once every several weeks (or seldom, in case of optional solar panel powered devices). Mosquito specimen collection will be required in case of excessive overcrowding. Current BG-GAT (Biogents, Gravid Aedes Trap) traps collect 10-25 mosquitoes weekly in field deployment scenarios in moderate density areas; therefore we estimate cleaning related maintenance to be needed once every few weeks (which could be less or more depending on mosquito density). This would result in higher resolution and real-time mosquito surveillance data with a substantial decrease in maintenance requirements compared to current systems. The only other recurring requirements will be an ongoing Internet contract with a cellular phone provider.

Once in place and functioning, the VectorWEB software will collate and analyze information from hundreds of deployed VectorEYES including number of new mosquitoes,

device functional status and density of *A. aegypti*. This information will be used to populate a Google map with multiple viewing options. Health administrators will see a high-resolution “heatmap” of mosquito density and other modeled parameters such as outbreak risk.

Professionals will be able to zoom into block level or individual trap level and zoom out to district and/or provincial level. The district level “trap manager” will have an additional dashboard that provides updates on trap conditions, including service needs or need to collect mosquitoes from high-density traps.

VectorWEB information will be fully accessible by individual citizens, media and communities via text alerts in cases of high-density areas and via free apps (available to the public for download) with access to the full Google map and datasets. These apps will also include targeted reminders of mosquito protective methods and prevention product information. Individual behavior related to personal and environmental protection will be driven via reminder health messages (relating to Zika awareness), risk updates and other behavior change platforms related to eradication efforts visible through VectorWEB in real time. The impact of building platforms for clustering neighborhood engagement in vector control has been shown to be effective in Peru. Additionally, Geographic Information Systems (GIS) has been used by other public health entities, such as the CDC, to publicize geographic surveillance efforts and engage the media regarding diseases such as the flu. Ultimately, VectorWEB represents a significant step forward in surveillance technology: it leads to real-time, publicly available mosquito density information, which can be used for multiple purposes.

At this time, conceptual prototypes of VectorEYES have been developed and installed into a BG-GAT trap. We have proven that it is possible to take images inside of the trap of

dead mosquitoes and upload them. Initial computer vision algorithms have been able to correctly identify and count mosquitoes and differentiate between *Culex* species and *Aedes/Anopheles* species. CBID has also simulated mosquito density data in Recife, Brazil and mapped this in Google fusion tables.

5 Surveillance is an essential piece of any epidemic response as it allows for targeted interventions, effective decision-making related to resource allocation and outbreak modeling (including creation of vector indices). With an estimated 2.2 billion people at risk, VectorWEB addresses the need for convenient, scalable, sustainable and novel approaches (with short pathways to production) to conduct surveillance of mosquito density, limiting the
10 spread of the Zika virus as well as other mosquito-borne illnesses associated with a heavy burden of disease, such as Dengue, Yellow Fever, and Chikungunya. The VectorWEB system will transform how current surveillance efforts are conducted and will fill a critical gap in technology that thus far has prevented cost-effective and widespread mosquito density surveillance. The inventors believe that a surveillance system such as VectorWEB would
15 allow health systems to leapfrog critical gaps in current methods. Eventually, VectorWEB data may be combined with data on local suspected infections to better understand the infectious disease dynamics of Zika virus outbreaks.

 The impact of surveillance for mosquito-borne illnesses has been proven in multiple contexts. One study on West Nile Virus (WNV)-related mosquito surveillance concluded
20 that standardized mosquito surveillance provides strong predictive power to signal human WNV infection up to several weeks in advance, is correlated with both temporal variation in human WNV cases at local scales and spatio-temporal variation at larger scales, and is a crucial tool for public health officials. Further, with regards to Zika, dengue and

chikungunya, the CDC concludes that larval indices may not correlate with adult mosquito abundance and developing useful thresholds of adult mosquitoes requires consistent effort to assure the surveillance indices and their association to human risk is comparable over time. Additionally, behavior models explain that when individuals understand their risk, or see the results of their actions in a timely way, they are more likely to adopt protective behaviors. Thus, when real-time surveillance efforts drive public health epidemic response, time is everything and more precise modeling can make a significant difference in both short- and long-term responses and eventual outcomes. Ultimately, end users of VectorWEB will strengthen and expand their current data collection and analysis processes as well as significantly improve their responses to and use of data through system-driven community engagement and education programming.

Preliminary prototypes of the VectorEYE/VectorWEB have been developed to prove the technical feasibility of all aspects of the concept. Additionally, each of the technically novel components (such as computer vision aided mosquito identification) is heavily supported by outside research and achievements. The ability of the BG-GAT to selectively capture *Aedes aegypti* has been established by a number of papers and is well accepted by experts. It is widely used and often found in field studies on mosquito density. However, the shortcomings of the BG-GAT are also well established. The requirement of human experts to identify and count the mosquitoes captured is one of the largest challenges faced in vector density surveillance. This is a labor-intensive process that requires regular visits to the traps to manually remove and count the mosquitoes. Fig 2 shows a preliminary prototype of VectorEYES -- a simple modification to the BG-GAT. It is possible to consistently obtain the necessary quality of images of the mosquitoes for the purposes of counting using computer

vision techniques. Computer vision is a well-established technology that has grown to be fairly ubiquitous in digital imaging. Facebook and other social media sites can identify faces and offer to tag individuals in a photo. Many digital cameras will highlight the faces of individuals as you focus and take photos. This technology has been extended from humans to insects, and specifically to mosquitoes. The differentiation of various orchard pest species using computers has been shown to be possible. One study showed that it is possible for computer imaging to identify species, and if not species, genus, and that an increase in images to train the program increases the accuracy of the program. This study included 16 genus and 76 species of mosquitoes, and using computer vision techniques was able to accomplish a classification accuracy of 90%, 96%, and 91% for *Aedes*, *Culex* and *Anopheles*, respectively, from within 1975 mosquito specimens, thus proving identification of mosquito species is possible using machine vision. Another study demonstrated *Ae. aegypti* specific identification.

Figures 3-5 show the steps that have been implemented in the VectorWEB prototype computer vision algorithms. Fig 3 shows the internal steps of the algorithm in removing the mesh background of the BG-GAT trap, and successfully counting the number of mosquitoes in random orientations. Figure 4 illustrates an example of computer-vision based counting of **all** mosquitoes (accuracy 100%), **and** differential counting of *Culex* mosquitoes (accuracy 91%) from an image that has *Aedes*, *Anopheles*, and *Culex* mosquitoes in the field of view. It can be speculated that computer-vision techniques might not be robust in counting mosquitoes in a scenario where there is overcrowding and overlap of mosquitoes in the field of view. However, it is well known that current facial recognition algorithms (such as on Facebook photos) can perform reasonably well in tagging individual faces within an image of

a crowd. Fig. 5 shows a close up of a field of view with significant overlapping of mosquitoes; the algorithm was able to count total number of mosquitoes with a high degree of accuracy. There would likely be a limit (to the performance of the computer vision algorithm), at which the traps will need to be cleaned out. It should be noted that the images

5 being sent by individual VectorEYES traps will be processed and analyzed on the cloud server hosting VectorWEB; therefore a human expert will always be able to view the raw images themselves (with the computer vision tagging of the individual mosquitoes).

Therefore, the human expert (viewing the images on the dashboard) can double-check, correct, or over-ride any count that is reported. As such, as long as the individual mosquitoes
10 are countable on the image, the rate-limiting factor will be the ability of a human to count the number of mosquitoes. Most computer vision techniques will be able to reasonably approximate this accuracy.

The team has also implemented a preliminary software prototype of the map-based visualization of vector densities from multiple VectorEYES. Figure 6, shows the
15 current method of displaying the maps; using simulated mosquito counts assigned to unique geo-locations within Recife, the team is able to create and replay a time varying map of mosquito densities using Google maps. Based on the density of *Aedes aegypti*, the VectorWEB technology will alert public health organizations and individuals through SMS messages, emails or push notifications through freely downloadable apps. Alerts such as this
20 are common and used for severe weather alerts, UV index alerts, and pollution hazard alerts.

EXAMPLES

Example 1: Prototypes of the present invention using preselected CMOS sensor high-resolution cameras, similar in cost and size to the final product, will be installed in BG-GAT

traps and pictures will be taken on a daily basis and uploaded to the cloud platform. Once on the cloud platform, both human and computer algorithm identification of mosquitoes will be used for algorithm improvement and the count data will be geocoded and mapped on the VectorWEB system to generate an interactive heatmap.

- 5 Example 2: The inventors will place a large number of traps (likely 100-200) throughout Recife, Brazil and integrate this system with the current surveillance system. Data from traps will be mapped and shared with the public/Municipal government. Qualitative and quantitative studies will be conducted within the surveillance, business and general community.

- 10 The strength of VectorWeb not only lies in its ability to provide real-time, targeted data on mosquito density, but also in the fact that it is low cost and can be rapidly scaled and integrated into existing surveillance and community education systems. Further, it has the potential to result in community entrepreneurship, cost-recovery mechanisms and continued innovation.

- 15 The inventors will explore the use of an open-source model in developing VectorWEB that could “democratize” the surveillance technology and empower innovators, entrepreneurs and governments to rapidly build upon each other’s efforts. This model has led to transformative innovation and expansion in other products such as the open source Android operating system by Google that has allowed large companies like Samsung as well
20 as small local companies like Micromax to modify, use and improve the platform for all. VectorWEB technology will be sustained as a result of its low cost, improved data collection and quality, resulting in decreased workforce demands, cost-recovery, and entrepreneurship models and continued innovation.

All references, including publications, patent applications, and patents, cited herein are hereby incorporated by reference to the same extent as if each reference were individually and specifically indicated to be incorporated by reference and were set forth in its entirety herein.

5 The use of the terms “a” and “an” and “the” and similar referents in the context of describing the invention (especially in the context of the following claims) are to be construed to cover both the singular and the plural, unless otherwise indicated herein or clearly contradicted by context. The terms “comprising,” “having,” “including,” and “containing” are to be construed as open-ended terms (i.e., meaning “including, but not
10 limited to,”) unless otherwise noted. Recitation of ranges of values herein are merely intended to serve as a shorthand method of referring individually to each separate value falling within the range, unless otherwise indicated herein, and each separate value is incorporated into the specification as if it were individually recited herein. All methods described herein can be performed in any suitable order unless otherwise indicated herein or
15 otherwise clearly contradicted by context. The use of any and all examples, or exemplary language (e.g., “such as”) provided herein, is intended merely to better illuminate the invention and does not pose a limitation on the scope of the invention unless otherwise claimed. No language in the specification should be construed as indicating any non-claimed element as essential to the practice of the invention.

20 Preferred embodiments of this invention are described herein, including the best mode known to the inventors for carrying out the invention. Variations of those preferred embodiments may become apparent to those of ordinary skill in the art upon reading the foregoing description. The inventors expect skilled artisans to employ such variations as

appropriate, and the inventors intend for the invention to be practiced otherwise than as specifically described herein. Accordingly, this invention includes all modifications and equivalents of the subject matter recited in the claims appended hereto as permitted by applicable law. Moreover, any combination of the above-described elements in all possible
5 variations thereof is encompassed by the invention unless otherwise indicated herein or otherwise clearly contradicted by context.

Claims:

1. A mosquito surveillance device comprising:

one or more mosquito traps comprising a camera capable of taking images of mosquitos and transmitting the images electronically to a receiver.

5 2. The method of claim 1 wherein the trap is an ovitrap.

3. The method of claim 1 wherein the camera is a camera phone that is programmable.

4. The method of claim 1 transmitting the images inside the trap to a receiver using low bandwidth cellular phone networks.

10 5 The method of claim 4 wherein the receiver is a central server that is able to transmit the image to one or more users.

6. The method of claim 1 wherein the images are analyzed and the number of mosquitos are identified.

15 7. The method of claim 1 wherein one or more species of the mosquitos are identified.

8. The method of claim 1 wherein the images are processed and displayed using software forming mosquito data.

9. The method of claim 8 wherein the mosquito data is mapped vector densities in real time at high resolution.

20 10. The method of claim 8 wherein the mosquito data is viewed by health systems or individuals.

11. The method of claim 1, wherein the images comprising dead mosquitos.

12. The method of claim 8 wherein the software comprises vision algorithms.

13. The method of claim 12 wherein the vision algorithms identities one or more species of the mosquitos.

14. The method of claim 12 wherein the vision algorithms count the number of mosquitoes.

5 15. The method of claim 14 wherein the species of mosquito consist of Culex species and Aedes/Anopheles.




FIG. 1

FIGURE 2




Fig 2. The ovitrap BG-GAT attracts gravid Aedes aegypti selectively. The trap is widely used for vector surveillance. Our design incorporates a VectorEYES imaging system that automatically captures an image of deceased mosquitos on the mesh periodically. Image quality and illumination is consistently sufficient for the computer vision algorithms and for direct visual counting.

FIGURE 3




Figure 3. (A-D) Computer vision process to count mosquitoes. (A) Original image of immobilized mosquitoes on the mesh of BG-GAT. (B) Processed binary image. (C) Background-subtracted processed image. (D) Total counts of mosquitoes correctly identified by the algorithm.

FIGURE 4




Figure 4. The algorithm counts the number of mosquitos correctly and identifies Culex with high sensitivity and specificity based on optical and morphological features. (A) The total number of mosquitos from all petri dishes is accurately calculated (purple, $n = 93$). (B) Preliminary result of Culex identification (green) shows that 31 Culex mosquitos out of 35 are identified with a few false positives. In this image, the sensitivity and specificity of Culex identification are 94% and 86%, respectively.

FIGURE 5



Figure 5. Preliminary evidence shows that the algorithm is able to identify individual mosquito heads (yellow boxes) in an overcrowding scenario.




FIGURE 6: VECTORWEB PRELIMINARY PROTOTYPE, GENERATING A TIME VARYING HEATMAP OF MOSQUITO DENSITIES USING SIMULATED DATA OVERLAID ON LONGITUDE/LATITUDE PAIRS WITHIN RECIFE. THE DATA IN EACH COLUMN, IS REFLECTED AS CHANGES ON THE HEATMAP IMMEDIATELY. THE HEATMAP, ALONG WITH BE AVAILABLE TO HEALTH SYSTEMS. ADDITIONALLY, THRESHOLD BASED ALERTS CAN BE SENT TO INDIVIDUALS THROUGH MASS SMS OR PHONE APPS.

FIG. 6

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 2018/015369

A. CLASSIFICATION OF SUBJECT MATTER

*A01M 1/00 (2006.01)**G06K 9/62 (2006.01)*

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

A01M 1/00, 1/02, G06K 9/62, G06Q 90/00, G16H 50/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

PatSearch, esp@cenet, USPTO, Google

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	KR 101642712 B1 (KOREA CT DISEASE CONTROL & PREVENTION) 11.08.2016, abstract	1, 8, 10, 12-13
Y		2-7, 9, 11, 14-15
Y	CN 103745409 A (XIE ZHILONG) 23.04.2014, abstract, paragraphs [0017]-[0022]	5, 9, 11
Y	KR 101642715 B1 (KOREA CT DISEASE CONTROL & PREVENTION) 28.07.2016, abstract, paragraph [0102]	6-7, 14-15

☒ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

“A” document defining the general state of the art which is not considered to be of particular relevance

“E” earlier document but published on or after the international filing date

“L” document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

“O” document referring to an oral disclosure, use, exhibition or other means

“P” document published prior to the international filing date but later than the priority date claimed

“T” later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

“X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

“Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

“&” document member of the same patent family

Date of the actual completion of the international search

17 May 2018 (17.05.2018)

Date of mailing of the international search report

31 May 2018 (31.05.2018)

Name and mailing address of the ISA/RU:

Federal Institute of Industrial Property,
Berezhkovskaya nab., 30-1, Moscow, G-59,
GSP-3, Russia, 125993
Facsimile No: (8-495) 531-63-18, (8-499) 243-33-37

Authorized officer

A. Kirpichev

Telephone No. 8 (495)-531-64-81

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 2018/015369

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	RU 132316 U1 (FEDERALNOE KAZENNOE UCHREZHDENIE ZDRAVOOKHRANENIYA "ROSSIYSKIY NAUCHNO-ISSLEDOVATELSKIY PROTIVOKHUMNY INSTITUT "MIKROB" FEDERALNOY SLUZHBY PO NADZORU V SFERE ZASCHITY PRAV POTREBITELEY I BLAGOPOLUCHIYA CHELOVEKA) 20.09.2013, abstract	2
Y	WO 2016/034699 A1 (KONINKLIJKE PHILIPS N.V.) 10.03.2016, p. 12 lines 13-32	3-5