

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G09B 9/00	A1	(11) International Publication Number: WO 96/27866
		(43) International Publication Date: 12 September 1996 (12.09.96)

(21) International Application Number: PCT/US96/02986


(22) International Filing Date: 1 March 1996 (01.03.96)

(30) Priority Data:
08/398,754 6 March 1995 (06.03.95) US(71)(72) Applicants and Inventors: KITCHEN, William, J.
[US/US]; 10385 Sailor Court, Longmont, CO 80501 (US).
BIRD, Kenneth, G. [US/US]; P.O. Box 90265, Casper, WY
82609 (US).(74) Agent: MARTIN, Rick; Patent Law Offices of Rick Martin,
P.C., 609 Terry Street, Longmont, CO 80501 (US).(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH,
CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE,
KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN,
MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
SK, TJ, TM, TT, UA, UG, UZ, VN, ARIPO patent (KE,
LS, MW, SD, SZ, UG), European patent (AT, BE, CH, DE,
DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE),
OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR,
NE, SN, TD, TG).**Published***With international search report.**Before the expiration of the time limit for amending the
claims and to be republished in the event of the receipt of
amendments.*

(54) Title: SKYDIVING TRAINER WINDTUNNEL

(57) Abstract

A skydiving simulator (1) combines a vertical air chamber (4) with a video projection system (6) on the interior wall (22). A virtual reality environment is created as the skydiver, while suspended, sees actual film footage of scenarios descending toward earth. A skydiver backpack (50) houses a transmitter (54) which interactively steps the skydiver through emergency procedures.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

TITLE

Skydiving Trainer Windtunnel

FIELD OF INVENTION

5 The present invention relates to a new combination of a vertical wind tunnel which suspends a human in flight and a computer sequenced virtual reality video system which simulates various scenarios of a skydiver approaching the ground.

10

BACKGROUND OF THE INVENTION

Known in the art of skydiving training are two types of vertical wind tunnels. The first type is an open air wind column which suspends the skydiver over the fan outlet. If
15 the skydiver maneuvers out of the air column, then he falls violently to the ground. The second type of vertical wind tunnel is a fully enclosed cylinder having a screen type floor that supports a skydiver. The skydiver is enclosed in a cylindrical chamber out of which he cannot fall.

20 While the chambers are known in the art, they have not been combined with an automated video system. The new combination described herein simulates the visual aspects of skydiving concurrently with the physical weightlessness aspects of skydiving. A programmable large screen video
25 system is installed in a cylindrical chamber thereby presenting actual skydiving film scenarios to the suspended skydiver.

SUMMARY OF THE INVENTION

The main object of the present invention is to provide a flight simulator for a skydiver.

Another object of the present invention is to provide
5 programmable video sequences in the flight simulator to simulate both emergency situations and precision drill techniques.

Yet another object of the present invention is to provide interactive simulation scenarios based on the
10 skydiver's choice of actions during the simulation.

Other objects of this invention will appear from the following description and appended claims, reference being had to the accompanying drawings forming a part of this specification wherein like reference characters designate
15 corresponding parts in the several views.

The present invention comprises a traditional vertical air column chamber. A closed cylinder has a fan system supporting a vertical column of air at about 120 mph. This vertical column of air can support a skydiver in a
20 weightless state inside the chamber. The physical phenomenon of the free fall aspect of skydiving is substantially simulated.

Inside the chamber a large screen video projection system covers at least 120° of the inside of the chamber.
25 The skydiver can suspend himself in front of the large screen. The large screen is then programmed to project the actual film footage of falling towards the earth. Thus, a virtual reality skydiving flight simulator is created.

Training can be accomplished by showing interactive chute failure scenarios and many other aspects of a skydiving free fall.

5 BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a front perspective view of the preferred embodiment.

FIG. 2 is a longitudinal sectional view of the air chamber of the preferred embodiment of FIG. 1 having a skydiver suspended therein.

FIG. 3 is a top plan view of the air chamber of FIG. 2.

FIG. 4 is a front perspective close-up view of the projection system shown in FIG. 1.

FIG. 5 is a longitudinal sectional view of the air chamber of FIGS. 2, 3 showing a skydiver wearing a backup parachute simulator having a telemetry transmitter.

FIG. 6 (prior art) is a schematic of a commercially available video wall projection unit.

FIG. 7 is a flow chart of one video sequence skydiver training scenario.

Before explaining the disclosed embodiment of the present invention in detail, it is to be understood that the invention is not limited in its application to the details of the particular arrangement shown, since the invention is capable of other embodiments. Also, the terminology used herein is for the purpose of description and not of limitation.

DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring first to FIG. 1 a skydiving simulator 1 is comprised of a base 2 having a fan means 3 functioning to force air in direction I up into a vertical chamber 4. The
5 air travels up inside the chamber 4 at about 120 mph, thereby supporting a skydiver in a weightless state as shown in FIGS. 2, 3, 5. The air exists out laterally in direction O from under the roof 8. A frame 7 supports the vertical chamber 4. The known video projection system 6 is shown in
10 more detail in FIG. 6. The skydiver enters the vertical chamber 4 through door 5. A control room 41 houses the video wall projection unit controls and the fan controls.

Referring next to FIG. 2 the vertical chamber 4 is seen to have an open air support floor 20 which allows the air to
15 flow therethrough in the upward direction U. The skydiver 21 is supported in a weightless state by the air. The vertical chamber 4 has an inside wall 22. At least 120° of arc of the inside wall 22 is covered by a projection screen 23. The projection screen is nominally twelve feet in
20 height. The projection screen 23 projects moving scenarios of actual flight films as shown by scene 24. A video controller 55 in control room 41 (FIG. 2) can also programmatically simulate skydiving maneuvers.

Referring next to FIG. 3 the skydiver 21 is looking
25 straight at the projection screen 23. Each projector 61 is approximately four feet wide and three feet high. Taken as a whole the multiple projectors 61 create a single image on screen 23 in a known manner. The glass panels 401 allow

spectators to view the skydiver and screen from platform 402.

The skydiving simulator 1 as described above provides a virtual reality environment for the skydiver. The skydiver
5 is physically suspended in flight as in an actual skydive. Additionally, he is viewing real scenes of descending towards the earth.

FIG. 5 shows skydiver S having a backpack 50. The backpack 50 contains a telemetry transmitter 54 having known
10 circuitry using radio, infra red, and the like. The telemetry transmitter 54 sends a unique signal to the receiver 56 for each of the following three skydiver sactions. First the skydiver pulls his ripcord 51 (signal A). If problems arise, then the skydiver S may pull either
15 the breakaway handle 52 (signal C) or the reserve ripcord 53 (signal B). A controller (not shown) selects the appropriate signal A, B, C for the telemetry transmitter 54 to send.

The telemetry receiver 56 transmits the signal(s) A, B,
20 C to the interactive computer and video controller 55. The interactive computer and controller 55 responds to each signal A, B, C with a programmed scenario on screen 23.

One set of programmed scenarios is shown in FIG. 7. Block 70 is the key. The scenario begins at START and block
25 71 shows the skydiver free-falling while the screen shows film footage of a skydive. Next, the skydiver pulls his ripcord as shown in block 72. Three conditions may be selectively displayed on the screen as shown in blocks 73,

74, 75. This selection is controlled by the interactive computer and controller 55. The skydiver can practice emergency scenarios as shown in blocks 76 - 88. Countless varieties of scenarios can be programmed on the projection
5 system.

FIG. 6 shows a commercially available Toshiba® 16 Screen Video Wall Projection System. Software in the personal computer 600 provides flexible show control of all devices. The laser disc player 601 stores the filmed
10 scenarios. The other known components of the system project the scenarios onto the screen.

Although the present invention has been described with reference to preferred embodiments, numerous modifications and variations can be made and still the result will come
15 within the scope of the invention. No limitation with respect to the specific embodiments disclosed herein is intended or should be inferred.

I CLAIM:

1. A skydiving simulator comprising:
a vertical chamber having an air column capable of
supporting a skydiver in flight;
5 said vertical chamber further comprising an interior
side wall surrounding the skydiver;
said interior side wall further comprising a video
projection screen; and
a video projection system projecting skydiving
10 scenarios on the video projection screen, thereby
creating a virtual reality environment for the
skydiver.
2. The skydiving simulator of claim 1, wherein the
video projection system further comprises a telemetry
15 receiver and a computer which receives signals from the
telemetry receiver.
3. The skydiving simulator of claim 2 further
comprising a telemetry transmitter worn by the skydiver and
functioning to transmit to the telemetry receiver.
- 20 4. The skydiving simulator of claim 1 further
comprising a backpack worn by the skydiver, said backpack
further comprising the telemetry transmitter and a ripcord
simulator handle (A) and a reserve chute simulator handle
(B) and a breakaway simulator handle (C) and a control
25 circuit which senses an activation of any simulator handle
A, B, C and then activates a unique signal for each
activation of A, B, C for the telemetry transmitter to send.
5. The skydiving simulator of claim 4, wherein the

computer further comprises a program responsive to the
telemetry receiver and functioning to control the video
projection system to play a plurality of predetermined film
sequences in response to a plurality of incoming signals
5 received by the telemetry receiver.

6. The skydiving simulator of claim 1, wherein the
video projection screen further comprises a dimension
covering at least 120° of arc of the interior side wall.




FIG. 1

2/5




FIG. 3




FIG. 2

3/5




FIG. 4




FIG. 5

4/5




FIG. 6
PRIOR ART




FIG. 7

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/02986

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : G09B 9/00

US CL : 434/44; 472/49.61

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 273/437,438,DIG.17; 434/29,30,34,43,44,55,56; 472/49,50,61,130,131,133

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,487,410 (SASSAK) 11 December 1984, see whole document.	1-6
Y	SU, A, 1766440 (NIZH) 07 October 1992, see Abstract.	1-6
Y	ACM 1986 WORKSHOP ON INTERACTIVE 3D GRAPHICS, VIRTUAL ENVIRONMENT DISPLAY SYSTEM (S. S. FISHER ET AL.) Aerospace Human Factors Research Division, October 1986.	1-6
A	POPULAR MEMCHANICS, February 1995, ELECTRONICS, HEAD TRIP (JAMES K. WILLCOX) Dive into an immersive video experience with virtual-reality eyewear.	1-6

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be part of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date or another citation or other special reason (as specified)	*G* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

14 MAY 1996

Date of mailing of the international search report

02 JUL 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

FOR

PAUL J. HIRSCH

Telephone No. (703) 308-2697

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US96/02986

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US, A, 4,710,129 (NEWMAN ET AL.) 01 December 1987, see whole document.	1-6
A	US, A, 4,439,157 (BREGLIA ET AL.) 27 March 1984, see whole document.	1-6
A	US, A, 4,545,574 (SASSAK) 08 October 1985, see whole document.	1-6
A, P	US, A, 5,429,140 (BURDEA ET AL.) 04 July 1995, see whole document.	1-6