

[54] DIALING PAD

[75] Inventors: Hisao Fukushima; Masaharu Tarao, both of Tokyo, Japan

[73] Assignee: Oki Electric Industry Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 280,286

[22] Filed: Jul. 6, 1981

[51] Int. Cl. D14-03

[52] U.S. Cl. D14/66; D18/12

[58] Field of Search D14/66, 53, 59, 60, D14/92, 94, 58; D18/12; 179/178, 100 R, 100 D, 90 K, 90 BB, 90 BS, 90 BD; 200/5 A

[56] References Cited

U.S. PATENT DOCUMENTS

D. 260,889 9/1981 McLean et al. D14/66

D. 263,590 3/1982 Fukushima et al. D14/66
D. 263,707 4/1982 Fukushima et al. D14/66
D. 265,648 8/1982 Fukushima et al. D14/66
D. 265,735 8/1982 Fukushima et al. D14/66
4,268,721 5/1981 Nielson et al. 179/2 C

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Berger & Palmer

[57] CLAIM

The ornamental design for a dialing pad, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of a dialing pad showing our new design;
FIG. 2 is a rear elevation thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevation thereof;
FIG. 6 is a right side elevation thereof;
FIG. 7 is a front perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

